

EST.
Homo sapiens (human)
Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 798)
NIH-MGC <http://mgs.nci.nih.gov/>.
National Institutes of Health, Mammalian Gene Collection (MGC)
Unpublished (1999)
On Aug 12, 2003 this sequence version replaced gi:33627859.
Contact: Daniela S. Gerhard, Ph.D.
National Cancer Institute / NIH
Bldg. 31 Rm10A07 Bethesda, MD 20892
Email: cgabps-remail.nih.gov
Tissue Procurement: Narayan Bhat
cDNA Library Preparation: Bhat Laboratory
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Agencourt Bioscience Corporation
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
<http://image.llnl.gov>
Plate: IRBK4 row: c column: 11
High quality sequence start: 8
High quality sequence stop: 748.
Location/Qualifiers
1..798
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="IMAGE:7002157"
/tissue="mixed"
/lab_host="DH5A (T1 phage-resistant)"
/clone_lib="NIH MGC 195"
/note="Vector: pDNR-Dual; Site 1: loxp-Sall; Site 2:
loxP-HindIII; Clones from this library have been
PCR-amplified using gene-specific primers to contain the
complete open reading frame (based on known gene sequences
available from NCBI's RefSeq). Template for PCR is cDNA
derived from either pooled cytoplasmic polyA RNA from 30
cells lines or pooled total RNA from 10 different tissues
(from BD Biosciences/Clontech and Washington University).
PCR products are directionally cloned into the loxp sites
of the pDNR-Dual vector. Library constructed by Dr.
Narayan Bhat, Earl Bere III and Hongling Liao (Gene
Expression Laboratory, Research Technology Program, SAIC
Frederick, NCI-Frederick, Frederick, MD 21702). For
information on which gene each clone represents, please
visit our anonymous ftp site at
ftp://image.llnl.gov/image/rearrayed_plates/IRBK.presv.dat
a Note: this is a NIH_MGC Library."

Query Match 46.9%; Score 721.2; DB 14; Length 798;
Best Local Similarity 98.1%; Pred. No. 1.8e-83;
Matches 729; Conservative 0; Mismatches 14; Indels 0; Gaps 0;

QY 707 CTGGACCCAGCCAGCCCCCGAGACCTGACTGAGGCTTCTCGGAGAGATGAGAA 766
DB 745 CNTGACCCAGCCAGCCCCCGAGACCTGACTGAGGCTTCTCGGAGAGATGAGAA 686
QY 767 GGCCAAAGGGGAACCTTGAGAGAGCTTCAATGATGAGAACCTGCGCATAGTGGCTGA 826
DB 685 GGCCAAAGGGGAACCTTGAGAGAGCTTCAATGATGAGAACCTGCGCATAGTGGCTGA 626
QY 827 CTGTGTTCTGCGGAGATGTCACCACTCGACACCGCTGGGCTCGGCTCTCAT 886
DB 625 CCTGTTCTGCGGAGATGTCACCACTCGACACCGCTGGGCTCGGCTCTCAT 566
QY 887 GATCTTACATCCGATGTCAGGCGCTGTCACAGGAGATCGAGCTATAGGCA 946
DB 565 GATCTTACATCCGATGTCAGGCGCTGTCACAGGAGATCGAGCTATAGGCA 506

KEYWORDS
SOURCE
ORGANISM
REFERENCE
AUTHORS
TITLE
JOURNAL
COMMENT

947 GGTGGGGGACCCAGAGATGGGTGACAGGCTCACATGCCCCTACACACTGCCGTGATTCA 1006
DB 505 GGTGGGGGACCCAGAGATGGGTGACAGGCTCACATGCCCCTACACACTGCCGTGATTCA 446
QY 1007 TGAGGTGAGCGCTTTGGGGACATGTCCTCCCTGGGTGAGCCCATATGACATCCCGTGA 1066
DB 445 TGAGGTGAGCGCTTTGGGGACATGTCCTCCCTGGGTGAGCCCATATGACATCCCGTGA 386
QY 1067 CATCAAGGTACAGGGCTTCCCGCATCCCTAAGGGAACGACACTCATCACCACCTGTGATC 1126
DB 385 CATCAAGGTACAGGGCTTCCCGCATCCCTAAGGGAACGACACTCATCACCACCTGTGATC 326
QY 1127 GGTGCTGAAGGATGAGGGCTCTGGGAGAGAGCCCTTCGCTCCACCCGACACTTCCT 1186
DB 325 GGTGCTGAAGGATGAGGGCTCTGGGAGAGAGCCCTTCGCTTCACCCGACACTTCCT 266
QY 1187 GGATGCCAGGGCCACTTTTGTGAAGCCGAGAGCCCTTCCTGCGCTTCTCAGCAGGCGCGG 1246
DB 265 GGATGCCAGGGCCACTTTTGTGAAGCCGAGAGCCCTTCCTGCGCTTCTCAGCAGGCGCGG 206
QY 1247 TGCATGCTCTGGGGAGCCCTTGGCCCGCATGAGGCTCTTCTCTTCTTTCACCTCCCTGCT 1306
DB 205 TGCATGCTCTGGGGAGCCCTTGGCCCGCATGAGGCTCTTCTCTTCTTTCACCTCCCTGCT 146
QY 1307 GGAGCACTTCAAGCTTCTCGTGCCCACTGGACAGCCCGGCGGACCATGATGGTGTCTT 1366
DB 145 GCAGCACTTCAAGCTTCTCGTGCCCACTGGACAGCCCGGCGGCGGACCATGATGGTGTCTT 86
QY 1367 TGTCTTCTGCTGACCCCATCCCTCATGAGCTTTGTGCTGTGCCCCGTAGATGGGT 1426
DB 85 TGTCTTCTGCTGACCCCATCCCTCATGAGCTTTGTGCTGTGCCCCGTAGATGGGT 26
QY 1427 ACTAGTCCCGGAGCTGTCTCTCT 1449
DB 25 ACCAGTCCCGAAGCTCAGACCT 3

RESULT 6
CK032843/c
LOCUS
DEFINITION
AGENCOURT 15196697 NIH_MGC_195 Homo sapiens cDNA clone
IMAGE:7002159 5', mRNA sequence.
CK032843
ACCESSION
VERSION
KEYWORDS
SOURCE
ORGANISM
Homo sapiens (human)
Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
NIH-MGC <http://mgs.nci.nih.gov/>.
1 (bases 1 to 780)
National Institutes of Health, Mammalian Gene Collection (MGC)
Unpublished (1999)
Contact: Daniela S. Gerhard, Ph.D.
Office of Cancer Genomics
National Cancer Institute / NIH
Bldg. 31 Rm10A07 Bethesda, MD 20892
Email: cgabps-remail.nih.gov
Tissue Procurement: Narayan Bhat
cDNA Library Preparation: Bhat Laboratory
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Agencourt Bioscience Corporation
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
<http://image.llnl.gov>
Plate: IRBK4 row: d column: 01
High quality sequence start: 10
High quality sequence stop: 719.
Location/Qualifiers
1..780
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"

REFERENCE
AUTHORS
TITLE
JOURNAL
COMMENT

QY 745 CTTCTCTGGCAGAGATGGAGAGCCCAAGGGGAACCTTGAGACAGCTTCAATGATGAGA 804
|
|
|
Db 706 CTTCTCTGGCAGAGATGGAGAGCCCAAGGGGAACCTTGAGACAGCTTCAATGATGAGA 647
|
|
|
QY 805 ACCTGGCAGTAGTGGTGGCTGACCTGTTCTCTCCGGGATGGTGAACCTGACACCGC 864
|
|
|
Db 646 ACCTGTGCATAGTGGTGGCTGACCTGTTCTCTCCGGGATGGTGAACCTGACACCGC 587
|
|
|
QY 865 TGGCCTGGGGCTCTCTGCTCATGATCCTATCATCCGATGTGACGCGCGTGTCCACACAGG 924
|
|
|
Db 586 TGGCCTGGGGCTCTCTGCTCATGATCCTATCATCCGATGTGACGCGCGTGTTCACACAGG 527
|
|
|
QY 925 AGATGACGACGCTGATAGGGCAGGTGGCGCACGAGATGGGTGACCGAGCTCATATGC 984
|
|
|
Db 526 AGATGACGACGCTGATAGGGCAGGTGGCGCACGAGATGGGTGACCGAGCTCATATGC 467
|
|
|
QY 985 CCTACACCACTGCGGTGATTCATGAGTGCAGGTGAGCGCTTGGGGACATGTCCTCGGTG 1044
|
|
|
Db 466 CCTACACCACTGCGGTGATTCATGAGTGCAGGTGAGCGCTTGGGGACATGTCCTCGGTG 407
|
|
|
QY 1045 TGACCCATATGACATCCCGTACATCGAAGTACAGGGCTTCCGATCCCTAAGGGGAACGA 1104
|
|
|
Db 406 TGACCCATATGACATCCCGTACATCGAAGTACAGGGCTTCCGATCCCTAAGGGGAACGA 347
|
|
|
QY 1105 CACTCATACCAACCTGTCTATCGGTGCTGAAGATGAGCGCGTCTGGGGAAGCCCTTCC 1164
|
|
|
Db 346 CACTCATACCAACCTGTCTATCGGTGCTGAAGATGAGCGCGTCTGGGGAAGCCCTTCC 287
|
|
|
QY 1165 GCTTCCACCCGACACTCTCGATGCCAGGGCACCTTTGTGAAGCGGAGCCCTTCC 1224
|
|
|
Db 286 GCTTCCACCCGACACTCTCTGATGCCAGGGCACCTTTGTGAAGCGGAGCCCTTCC 227
|
|
|
QY 1225 TGCTTTCTCAGCAGCGCGCGTGCATGCTCTGGGGAGCCCTTGGCGCGCATGGAGCTCT 1284
|
|
|
Db 226 TGCTTTCTCAGCAGCGCGCGTGCATGCTCTGGGGAGCCCTTGGCGCGCATGGAGCTCT 167
|
|
|
QY 1285 TCTCTTTCTACCTCCCTGCTGACACTTCACTGCTTCTCGGTGCCACTTGGACAGCCCGC 1344
|
|
|
Db 166 TCTCTTTCTACCTCCCTGCTGACACTTCACTGCTTCTCGGTGCCACTTGGACAGCCCGC 107
|
|
|
QY 1345 GGCCGACGACCATGCTGCTTTGCTTTCTGCTGACCCGATCCCTATGAGCTTTGTG 1404
|
|
|
Db 106 GGCCGACGACCATGCTGCTTTGCTTTCTGCTGACCCCATCCCTATGAGCTTTGTG 47
|
|
|
QY 1405 CTGTGCCCCGCTAGATGGGTACCTAGTCCCCAGCCTGCTCC 1448
|
|
|
Db 46 CTGTGCCCCGCTAGATGGGTACCTAGTCCCCAAGCTTCTGCCC 3

RESULT 8

CK032846/c

LOCUS

DEFINITION AGENCOURT_15196952 NIH_MGC_195 Homo sapiens cdna clone

IMAGE:7002155 5', mRNA sequence.

ACCESSION

VERSION

KEYWORDS

SOURCE

ORGANISM

Homo sapiens (human)

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

1 (bases 1 to 804)

NIH-MGC <http://imgc.ncl.nih.gov/>

National Institutes of Health, Mammalian Gene Collection (MGC)

Unpublished (1999)

Contact: Daniela S. Gerhard, Ph.D.

Office of Cancer Genomics

National Cancer Institute / NIH

Bldg 31 Rm10A07 Bethesda, MD 20892

Email: cgabps-r@mail.nih.gov

Tissue Procurement: Narayan Bhat

cdna Library Preparation: Bhat Laboratory

cdna Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA sequencing by: Agencourt Bioscience Corporation
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
<http://image.llnl.gov>

Plate: IRBK4 row: c column: 09

High quality sequence start: 12

High quality sequence stop: 686.

FEATURES

source

1. 804
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="IMAGE:7002155"
/tissue_type="mixed"
/lab_host="DH5A (TI phage-resistant)"
/clone_lib="NIH_MGC_195"
/note="Vector: pDNR-Dual; Site 1: loxP-Sall; Site 2:
loxP-HindIII; Clones from this library have been
PCR-amplified using gene-specific primers to contain the
complete open reading frame (based on known gene sequences
available from NCBI's RefSeq). Template for PCR is cDNA
derived from either pooled cytoplasmic polyA RNA from 30
cells lines or pooled total RNA from 10 different tissues
(from BD Biosciences/Clontech and Washington University).
PCR products are directionally cloned into the loxP sites
of the pDNR-Dual vector. Library constructed by Dr.
Narayan Bhat, Earl Bere III and Hongling Liao (Gene
Expression Laboratory, Research Technology Program, SAIC
Frederick, NCI-Frederick, Frederick, MD 21702). For
information on which gene each clone represents, please
visit our anonymous ftp site at
ftp://image.llnl.gov/image/rearrayed_plates/IRBK_presv.dat
a Note: this is a NIH_MGC Library."

ORIGIN

Query Match 46.5%; Score 714.8; DB 14; Length 804;
Best Local Similarity 98.0%; Pred. No. 1.2e-82;
Matches 744; Conservative 0; Mismatches 13; Indels 2; Gaps 2;
QY 690 ACTGAGCAGGATGACCTGGGACCCAGCCAGCCGCGGAGACCTGACTGAGGCTTC 749
|
|
|
Db 760 ACTGAGCAGGATGACCTGGGACCCAGCCAGCCGCGGAGACCTGACTGAGGCTTC 703
|
|
|
QY 750 CTGGCAGAGATGAGAGCCCAAGGGGAACCTTGAGAGCAGCTTCAATGATGAGAACCTG 809
|
|
|
Db 702 CTGGCAGAGATGAGAGCCCAAGGGGAACCTTGAGAGCAGCTTCAATGATGAGAACCTG 643
|
|
|
QY 810 CGCATAGTGGTGGCTGACCTGTTCTCTGCGGGATGGTGACCACTCGACCGCTGGCC 869
|
|
|
Db 642 TGCATAGTGGTGGCTGACCTGTTCTCTGCGGGATGGTGACCACTCGACCGCTGGCC 583
|
|
|
QY 870 TGGGGCTCTCTCTCATGATCCTATCATCGGATGTGCAGCGCGGTGTCCACAGGAGATC 929
|
|
|
Db 582 TGGGGCTCTCTCTCATGATCCTATCATCGGATGTGCAGCGCGGTGTCCACAGGAGATC 523
|
|
|
QY 930 GACGACGTGATAGGCGAGGTGGCGGACCCAGAGATGGGTGACCACTCACATGCCCTAC 989
|
|
|
Db 522 GACGACGTGATAGGCGAGGTGGCGGACCCAGAGATGGGTGACCACTCACATGCCCTAC 463
|
|
|
QY 990 ACCACTGCGGTGATTATGAGGTGAGCGCTTTGGGGACATCGTCCCCCTGGGTGTGACC 1049
|
|
|
Db 462 ACCACTGCGGTGATTATGAGGTGAGCGCTTTGGGGACATCGTCCCCCTGGGTGTGACC 403
|
|
|
QY 1050 CATATGACATCCCGTGACATCGAAGTACAGGCTTCCGATCCCTAAGGGAAGCACATC 1109
|
|
|
Db 402 CATATGACATCCCGTGACATCGAAGTACAGGCTTCCGATCCCTAAGGGAAGCACATC 343
|
|
|
QY 1110 ATCCACCAACCTGTCATCGTCTGAAGGATGAGGCGCTCTGGGAGAGCCCTTCCGCTTC 1169
|
|
|
Db 342 ATCCACCAACCTGTCATCGTCTGAAGGATGAGGCGCTCTGGGAGAGCCCTTCCGCTTC 283
|
|
|
QY 1170 CACCCCGGAACACTTCTCTGGATGCCCGAGGCCCACTTTGTGAAGCCGAGGCTTCTTCGCT 1229

```
|||||
Db 282 CACCCGACACTTCTCGATGCCAGAGGCCACTTTGTGAAGCCGAGGCCCTTCTGCT 223
Qy 1230 TTCTCAGCAGCGCGCGTGCATGCTCGGAGAGCCCTCGGCGCGCATGGAGCTTTCTC 1289
Db 222 TTCTCAGCAGCGCGCGTGCATGCTCGGAGAGCCCTCGGCGCGCATGGAGCTTTCTC 163
Qy 1250 TTCTTCACTCCCTGCTCAGACATTCAGCTTCTCGTGCCCACTGGACAGCCCGGCC 1349
Db 162 TTCTTCACTCCCTGCTCAGACATTCAGCTTCTCGTGCCCACTGGACAGCCCGGCC 103
Qy 1350 AGCCACCATGGTGTCTTTGCTTCTGCTGACCCCATCCCTATGAGCTTTGCTGTG 1409
Db 102 AGCCACCATGGTGTCTTTGCTTCTGCTGACCCCATCCCTATGAGCTTTGCTGTG 43
Qy 1410 CCCCCTAGAAATGGGGTACCTAGTCCCGAGCTGTCTCC 1448
Db 42 CCCCCTAGAAATGGGGTACCTGTCCCAAGCTTCAGGC 4
```

```
RESULT 9
CK032847/c
LOCUS
DEFINITION AGNCOURT 15196920 NIH MGC 195 Homo sapiens cDNA clone
IMAGE:7002154 5', mRNA sequence.
ACCESSION CK032847
VERSION CK032847.1 GI:38558771
KEYWORDS EST.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 807)
NIH-MGC http://mgi.nci.nih.gov/.
National Institutes of Health, Mammalian Gene Collection (MGC)
Unpublished (1999)
Contact: Daniela S. Gerhard, Ph.D.
Office of Cancer Genomics
National Cancer Institute / NIH
Bldg. 31 Rm10A07 Bethesda, MD 20892
Email: cgabbs-remail.nih.gov
Tissue Procurement: Narayan Bhat
cDNA Library Preparation: Bhat Laboratory
DNA Sequencing by: The I.M.A.G.E. Consortium (LLNL)
Cloned through the I.M.A.G.E. Consortium
Cloned through the I.M.A.G.E. Consortium
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: IRBK4 row: c column: 08
High quality sequence start: 9
High quality sequence stop: 665.
Location/Qualifiers
1..807
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="IMAGE:7002154"
/tissue_type="mixed"
/lab_host="DH5A (TI phage-resistant)"
/clone_lib="NIH MGC 195"
/note="Vector: pDNR-Dual; Site 1: loxP-SalI; Site 2:
loxP-HindIII; Clones from this library have been
PCR-amplified using gene-specific primers to contain the
complete open reading frame (based on known gene sequences
available from NCBI's RefSeq). Template for PCR is cDNA
derived from either pooled cytoplasmic polyA RNA from 30
cells lines or pooled total RNA from 10 different tissues
(from BD Biosciences/Clontech and Washington University).
PCR products are directionally cloned into the loxP sites
of the pDNR-Dual vector. Library constructed by Dr.
Narayan Bhat, Earl Bere III and Hongling Liao (Gene
Expression Laboratory, Research Technology Program, SAIC
Frederick, NCI-Frederick, Frederick, MD 21702). For
```

FEATURES

source

```
information on which gene each clone represents, please
visit our anonymous ftp site at
ftp://image.llnl.gov/image/rearrayed_plates/IRBK.preSV.dat
a Note: this is a NIH_MGC library."
ORIGIN
Query Match 46.1%; Score 709; DB 14; Length 807;
Best Local Similarity 99.2%; Pred. No. 6.5e-82;
Matches 723; Conservative 0; Mismatches 5; Indels 1; Gaps 1;
Qy 710 GGACCCAGCCAGCCCGCCGAGACCTTCACTGAGGCTTCTTGGCAGAGATGGAGAGGC 769
Db 744 GGGACCCCGCCAGCCCGCCGAGACCTTGA-TGAGGCTTCTTGGCAGAGATGGAGAGGC 686
Qy 770 CAAGGGGAAACCTGAGAGCAGCTTCAATGATGAGAACTGCGGCATAGTGTGGCTGACCT 829
Db 685 CAAGGGGAAACCTGAGAGCAGCTTCAATGATGAGAACTGTCATAGTGTGGCTGACCT 626
Qy 830 GTTCTCTCGGGGATGTCACCACTCGACCACTGGCTGGCTGGGCGCTTCTTGTCTCATGAT 889
Db 625 GTTCTCTCGGGGATGTCACCACTCGACCACTGGCTGGCTGGGCGCTTCTTGTCTCATGAT 566
Qy 890 CCTACATCCGATGTGAGCGCGCTGTCCAACAGAGAGATCGACGACGTGATAGGCGAGGT 949
Db 565 CCTACATCCGATGTGAGCGCGCTGTCCAACAGAGAGATCGACGACGTGATAGGCGAGGT 506
Qy 950 GCGGCGACAGAGATGGGTGACAGGCTTCACTGCTTACACCTGACCTGCGCTGATTCATGA 1009
Db 505 GCGGCGACAGAGATGGGTGACAGGCTTCACTGCTTACACCTGACCTGCGCTGATTCATGA 446
Qy 1010 GGTGACGCGCTTTGGGACATCGTCCCTGGGTGTGACCCATATGACATCCCTGTGACAT 1069
Db 445 GGTGACGCGCTTTGGGACATCGTCCCTGGGTGTGACCCATATGACATCCCTGTGACAT 386
Qy 1070 CGAAGTACAGGCTTCCGCTATCCCTAAGGGAAACGACACTCATACCAACCTGTATCGGT 1129
Db 385 CGAAGTACAGGCTTCCGCTATCCCTAAGGGAAACGACACTCATACCAACCTGTATCGGT 326
Qy 1130 GCTGAAGATGAGCGCTTGGGAGAGCCCTTCCGCTTCCACCCGAGACCTTCTTCTTGA 1189
Db 325 GCTGAAGATGAGCGCTTGGGAGAGCCCTTCCGCTTCCACCCGAGACCTTCTTCTTGA 266
Qy 1190 TGCCACGCGCCACTTTGTGAAGCGGAGGCTTCTTCTTCTTCTCAGCAGCGCCGCTGC 1249
Db 265 TGCCACGCGCCACTTTGTGAAGCGGAGGCTTCTTCTTCTTCTCAGCAGCGCCGCTGC 206
Qy 1250 ATGCTCGGGAGCCCTTGGCGCGCATGGAGCTTCTTCTTCTTCTTCTTCTTCTTCTGCA 1309
Db 205 ATGCTCGGGAGCCCTTGGCGCGCATGGAGCTTCTTCTTCTTCTTCTTCTTCTTCTGCA 146
Qy 1310 GCATTTAGCTTCTCGGTGCCCCACTGGACAGCCCGCCGAGCCAGCCATGGTGTCTTTCG 1369
Db 145 GCATTTAGCTTCTCGGTGCCCCACTGGACAGCCCGCCGAGCCAGCCATGGTGTCTTTCG 86
Qy 1370 TTTCTGTGTACCCCATCCCTTATGAGCTTTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 1429
Db 85 TTTCTGTGTACCCCATCCCTTATGAGCTTTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 26
Qy 1430 TAGTCCCCA 1438
Db 25 TAGTCCCCA 17
```

RESULT 10

AK090296

LOCUS

DEFINITION

AK090296

VERSION

AK090296.1

KEYWORDS

HTC; CAP trapper.

SOURCE

Mus musculus (house mouse)

AK090296 2429 bp mRNA linear HTC 20-SEP-2003
Mus musculus 21 days neonate cerebellum cDNA, RIKEN full-length
enriched library, clone:G630039L19 product:cytochrome P450, 2d22,
full insert sequence.
AK090296
AK090296.1 GI:26105861
HTC; CAP trapper.
Mus musculus (house mouse)

ORGANISM Mus musculus
Bukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
1
AUTHORS Carninci, P. and Hayashizaki, Y.
TITLE High-efficiency full-length cDNA cloning
JOURNAL Meth. Enzymol. 303, 19-44 (1999)
MEDLINE 99279253
PUBMED 10349636
2
AUTHORS Carninci, P., Shibata, Y., Hayatsu, N., Sugahara, Y., Shibata, K.,
Itoh, M., Konno, H., Okazaki, Y., Muramatsu, M. and Hayashizaki, Y.
TITLE Normalization and subtraction of cap-trapper-selected cDNAs to
prepare full-length cDNA libraries for rapid discovery of new genes
JOURNAL Genome Res. 10 (10), 1617-1630 (2000)
MEDLINE 20499374
PUBMED 11042159
3
AUTHORS Shibata, K., Itoh, M., Aizawa, K., Nagaoka, S., Sasaki, N., Carninci, P.,
Konno, H., Akiyama, J., Nishi, K., Kitsumai, T., Tashiro, H., Itoh, M.,
Sumi, N., Ishii, Y., Nakamura, S., Hazama, M., Nishine, T., Harada, A.,
Yamamoto, R., Matsumoto, H., Sakaguchi, S., Ikegami, T., Kashiwagi, K.,
Fujiwara, S., Inoue, K., Togawa, Y., Izawa, M., Ohara, E., Watahiki, M.,
Yoneda, Y., Ishikawa, T., Ozawa, K., Tanaka, T., Matsuura, S., Kawai, J.,
Okazaki, Y., Muramatsu, M., Inoue, Y., Kira, A. and Hayashizaki, Y.
TITLE RIKEN integrated sequence analysis (RISA) system--384-format
sequencing pipeline with 384 multicapillary sequencer
JOURNAL Genome Res. 10 (11), 1757-1771 (2000)
MEDLINE 20530913
PUBMED 11076861
4
AUTHORS The RIKEN Genome Exploration Research Group Phase II Team and the
FANTOM Consortium.
TITLE Functional annotation of a full-length mouse cDNA collection
JOURNAL Nature 409, 685-690 (2001)
5
AUTHORS The FANTOM Consortium and the RIKEN Genome Exploration Research
Group Phase I & II Team.
TITLE Analysis of the mouse transcriptome based on functional annotation
of 60,770 full-length cDNAs
JOURNAL Nature 420, 563-573 (2002)
6 (bases 1 to 2429)
AUTHORS Adachi, J., Aizawa, K., Akimura, T., Arakawa, T., Bono, H., Carninci, P.,
Fukuda, S., Furuno, M., Hanagaki, T., Hara, A., Hashizume, W.,
Hayashida, K., Hayatsu, N., Hiramoto, K., Hiraoka, T., Hirozane, T.,
Hori, F., Inotani, K., Ishii, Y., Itoh, M., Kagawa, I., Kasukawa, T.,
Kato, H., Kawai, J., Kojima, Y., Kondo, S., Konno, H., Kouda, M.,
Koya, S., Kurihara, C., Matsuyama, T., Miyazaki, A., Murata, M.,
Nakamura, M., Nishi, K., Nomura, K., Numazaki, R., Ohno, M., Ohsato, N.,
Okazaki, Y., Saito, R., Saitoh, H., Sakai, C., Sakai, K., Sakazume, N.,
Sano, H., Sasaki, D., Shibata, K., Shinagawa, A., Shiraki, T.,
Sogabe, Y., Tagami, M., Tagawa, A., Takahashi, F., Takaku-Akahira, S.,
Takeda, Y., Tanaka, T., Tomaru, A., Toya, T., Yasunishi, A.,
Muramatsu, M. and Hayashizaki, Y.
TITLE Direct Submission
JOURNAL Submitted (16-APR-2002) Yoshihide Hayashizaki, The Institute of
Physical and Chemical Research (RIKEN), Laboratory for Genome
Exploration Research Group, RIKEN Genomic Sciences Center (GSC),
RIKEN Yokohama Institute, 1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama,
Kanagawa 230-0045, Japan (E-mail: genome-res@gs.riken.go.jp,
URL: http://genome.gsc.riken.go.jp/, Tel: 81-45-503-9222,
Fax: 81-45-503-9216)
COMMENT cDNA library was prepared and sequenced in Mouse Genome
Encyclopedia Project of Genome Exploration Research Group in Riken
Genomic Sciences Center and Genome Science Laboratory in RIKEN.
Division of Experimental Animal Research in Riken contributed to
prepare mouse tissues.
Please visit our web site for further details.
URL: http://genome.gsc.riken.go.jp/
URL: http://fantom.gsc.riken.go.jp/
FEATURES
Location/Qualifiers
1. .2429
/organism="Mus musculus"

misc_feature
1. 1410
/note="cytochrome P450, 2d22 (MGD|MG1:1929474,
GB|NM_019823, evidence: BLASTN, 99%, match=1477)
putative"
polyA_signal
2404. .2409
/note="putative"
polyA_site
2429
/note="putative"

ORIGIN
Query Match 45.3%; Score 696.6; DB 11; Length 2429;
Best Local Similarity 79.6%; Pred. No. 1.8e-80;
Matches 849; Conservative 0; Mismatches 214; Indels 4; Gaps 2;
QY 429 GGACGCCCTTTGCGCCCAACCGTCTCTTGGACAAAGCCGTGAGCAACGTGATCGCTCC 488
DB 423 GGACACCCCTTTTCAGCCCTTAACACCCCTATTGGACAAAGCAGTGTGTAACTGATCGCTCC 482
QY 489 CTCACCTCGCGCGCGCTTTCGAGTACGACGACCCCTCGCTTCTCAGGCTGCTGACCTA 548
DB 483 CTCCTCTATGCTCGCGCTTTCGAGTACGACGACCCACGCTTTCATAGGCTACTGGGCTTG 542
QY 549 GCTCAGGAGGGAGTGAAGGAGGAGTGGGCTTTCTGCGGAGGTGCTGAATGCTGCTCCC 608
DB 543 TTGAAGGAAACTCTTAAGGAGGAGGAGTGGATTTCTTACCCATGTTCTGATGTTCCCG 602
QY 609 GTTCCTCTGCATATCCGAGCGCTGGCTGGCAAGGTCTTACGCTTCCAAAAGGCTTTCTTG 668
DB 603 ATGCTCTCTGCGCATCCCGGGCTGGTGGCAAGGTCTTCCCTGGGAAAGGGCTTTGTT 662
QY 669 ACCCAGCTGGATGAGCTGCTACTCAGACACGATGACCTGGGAGCCACCCAGCCCCCCC 728
DB 663 ACCATGTTGGATGAGCTGCTGCTGAAACAGAGACCTGGGACCTTACCAG--CCCC 720
QY 729 CGAGACCTGACTGAGGCGCTTCTTGGCAGAGATGGAGAGCCCAAGGGAACTCTGAGAGC 788
DB 721 CGAGATTGACTGATGCGCTTCTGCTGAGGTGGAGAGGCCCAAGGGGAATCTTGAGAGC 780
QY 789 AGCTTCAATGATGAGAACCTGCGCATAGTGGTGGCTGACCTGTTCTTCTCGCGGATGGTG 848
DB 781 AGCTTCAATGATGAGAACCTGCGCATAGTGGTGGCTGACCTGTTCTTCTCGAGGATGGTG 840
QY 849 ACCACCTCGACACCGCTGCGCTGGGCGCTTCTGCTCATGATCCTACATCCGATGTCAG 908
DB 841 ACCACCTCAACACACACTGCTCTGGGCGCTTGGCTCATGATCCTGATCAGATGTCAG 900
QY 909 CGCGCTGTCACACAGAGATCGACGACGCTGATAGGCGAGTGGCGGACACAGAGATGGGT 968
DB 901 CGCGGAGTACACAGAGAAATCGATGAGTTCATAGGCGAGTGCAGTGTCCAGAGATGGCA 960
QY 969 GACCAAGGTCAATCCCTTACACCACTGCGCGTATTCATAGGTCAGCGCTTTGGGAGC 1028
DB 961 GACCAAGGTGCGATGCGCTTACACCACTGCTGTCATTCATGAGTGCAGGCTTTGAGAC 1020
QY 1029 ATCGTCCCTTGGGTGTCAGCCATATGATCCCGTGCATCCGATGAGTACAGGCTTCCGC 1088
DB 1021 ATTCCTCTTGGTGTACCTCACAAGACTTCTCGTGACATTTGAATACAGGCTTCTTT 1080
QY 1089 ATCCCTTAAGGGAAACGACACTCATCAACCACTGTGTCATCGTCTGAAGATGAGGCGCTC 1148
DB 1081 ATCCCTTAAGGGAGCAGCCCTCATCAACCACTGTCTCTCGCGCTTAAGATGAGACTGTC 1140
QY 1149 TGGGAGAGCCCTTCCGCTTCCACCCCGAAACATTTCTTGATGCCAGGCCACTTTGTC 1208

Db 1141 TGGGAGAACCCCTCTGCTTCATCTGAAACACTTCTCGATGCCAGGGCCACTTTGTG 1200
Qy 1209 AAGCGGAGGCTTCTGCTTCTCAGCAGGCGCGTGTGATGCTCGGGAGCCCTG 1268
Db 1201 AAGCTGAGGCTTCTATGCCATTTCTCAGCAGGCGCGAGATCATGCTGGGGAGCCCTG 1260
Qy 1269 GCGCGCATGAGCTTCTCTCTTCTTCACTTCCCTGCTGACAGCACTTCAGCTTCTCGGTG 1328
Db 1261 GCGCGCATGAGCTTCTCTCTTCTTCACTTCCCTGCTGACAGCTTTAGCATCTCAGTG 1320
Qy 1329 CCCACTGACAGCCCGCGCCAGCAGCAGCATGCTGCTTCTGCTGACCCCATCC 1388
Db 1321 CCCGATGACAGCCCGCGCCAGCAGCAGCATGCTGCTTCTGAGGCTCTGACAAACCCATGC 1380
Qy 1389 CCCTATGAGCTTGTGCTGCTGCGCGCTAGATGGGTACCTAGTCCCGACCTGCTCCC 1448
Db 1381 CCCTACCAGCTCTGTGCTTGTGCGCGCTAAGAGGATGTATGACATCTCAGTCTGTGCT 1440
Qy 1449 TAGCCAGAGGCTCTAATGTACAATAAAGCAATGTGGTAGTTCCAAA 1495
Db 1441 T-GTGGGGTCTTAATGTGCAATAAGCAATTTACTTAACTAAA 1485

RESULT 11

CK130223
LOCUS
DEFINITION AGNCOURT_15196974 NIH_MGC_195 Homo sapiens cDNA clone
IMAGE:7002153 5', mRNA sequence.

ACCESSION

CK130223

KEYWORDS

EST.

SOURCE

Homo sapiens (human)

ORGANISM

Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

1 (bases 1 to 796)

NIH-MGC <http://mgi.nci.nih.gov/>.

National Institutes of Health, Mammalian Gene Collection (MGC)

Unpublished (1999)

Contact: Daniela S. Gerhard, Ph.D.

Office of Cancer Genomics

National Cancer Institute / NIH

Bldg. 31 Rm10A07 Bethesda, MD 20892

Email: cgapbs-remail.nih.gov

Tissue procurement: Narayan Bhat

cDNA Library Preparation: Bhat Laboratory

cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)

DNA Sequencing by: Agencourt Bioscience Corporation

Clone distribution: MGC clone distribution information can be

found through the I.M.A.G.E. Consortium/LLNL at:

<http://image.llnl.gov>

Plate: IRBK4 row: c column: 07

High quality sequence start: 8

High quality sequence stop: 666.

FEATURES

source

1. 796
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="IMAGE:7002153"
/tissue_type="mixed"
/lab_host="DHSA (T1 phage-resistant)"
/clone_lib="NIH_MGC_195"

/note="Vector: pDNR-Dual; Site_1: loxP-Sali; Site_2: loxP-HindIII; Clones from this library have been PCR-amplified using gene-specific primers to contain the complete open reading frame (based on known gene sequences available from NCI's RefSeq). Template for PCR is cDNA derived from either pooled cytoplasmic polyA RNA from 30 cells lines or pooled total RNA from 10 different tissues (from BD Biosciences/Clontech and Washington University). PCR products are directionally cloned into the loxP sites of the pDNR-Dual vector. Library constructed by Dr.

Narayan Bhat, Earl Bere III and Hongling Liao (Gene Expression Laboratory, Research Technology Program, SAIC Frederick, NCI-Frederick, MD 21702). For information on which gene each clone represents, please visit our anonymous ftp site at ftp://image.llnl.gov/image/rearrayed_plates/IRBK.presv.dat
a Note: this is a NIH_MGC Library."

ORIGIN

Query Match 45.2%; Score 695; DB 14; Length 796;
Best Local Similarity 98.3%; Pred. No. 4.1e-80;
Matches 701; Conservative 0; Mismatches 12; Indels 0; Gaps 0;
Qy 68 TGAGCGAGGTATGGGCTAGAGCACTGGTGGCCCTGCGCTGATAGTGGGCATCTTCCT 127
Db 20 TCATGCACTATGGGGCTAGAGCACTGGTGGCCCTGCGCTGATAGTGGGCATCTTCCT 79
Qy 128 GCTCCTGTGAGCACTGATGCAACCGCGCCAAACGCTGGGCTGACGCTACTACACAGGCC 187
Db 80 GCTCCTGTGAGCACTGATGCAACCGCGCCAAACGCTGGGCTGACGCTACTACACAGGCC 139
Qy 188 CTTGCCACTGCCGGGCTGGGCACTGCTGCATGTGGACTTCCAGAACACACCATCTG 247
Db 140 CTTGCCACTGCCGGGCTGGGCACTGCTGCATGTGGACTTCCAGAACACACCATCTG 199
Qy 248 CTTGCCACTGGCGCGCGCTTTCGGGAGCGTGTTCAGCCTGCGCTGGGCTGGAGGCC 307
Db 200 CTTGCCACTGGCGCGCGCTTTCGGGAGCGTGTTCAGCCTGCGCTGGGCTGGAGGCC 259
Qy 308 GGTGCTGCTCAATGGGCTGGCGCGCGTTCGGGAGCGCTGGTGAACCAACGCGAGGA 367
Db 260 GGTGCTGCTCAATGGGCTGGCGCGCGTTCGGGAGCGCTGGTGAACCAACGCGAGGA 319
Qy 368 CACGCGCAACCGCGCGCTGTGCCCATCACCCAGATCTTGGGTTTGGGCGCGCTTCCCA 427
Db 320 CACGCGCAACCGCGCGCTGTGCCCATCACCCAGATCTTGGGTTTGGGCGCGCTTCCCA 379
Qy 428 AGGAGCGCCCTTTCGCGCCCAACGCTCTTTGGACAAAGCGCTGAGCAACGCTGATGCTC 487
Db 380 AGGAGCGCCCTTTCGCGCCCAACGCTCTTTGGACAAAGCGCTGAGCAACGCTGATGCTC 439
Qy 488 CTTCACTTGGCGCGCGCTTTCGAGTAGCAGACCCCTCGCTTCTCAGGCTGTGGACCT 547
Db 440 CTTCACTTGGCGCGCGCTTTCGAGTAGCAGACCCCTCGCTTCTCAGGCTGTGGACCT 499
Qy 548 AGCTCAGAGGAGCTGAGAGGAGTGGGCTTTCGGCGAGGCTGTGATGCTGCTCC 607
Db 500 AGCTCAGAGGAGCTGAGAGGAGTGGGCTTTCGGCGAGGCTGTGATGCTGCTCC 559
Qy 608 CGTCTCTGCTATATCCAGCGCTGGCTGGCAAGGTCTTCTCAGGCTGTGGACCTTTCCT 667
Db 560 CGTCTCTGCTATATCCAGCGCTGGCTGGCAAGGTCTTCTCAGGCTGTGGACCTTTCCT 619
Qy 668 GACCCAGCTGGATGAGCTGTAACTGAGCAGAGATGACCTGGGAGCCAGCCAGCCGCC 727
Db 620 GACCCAGCTGGATGAGCTGTAACTGAGCAGAGATGACCTGGGAGCCAGCCAGCCGCC 679
Qy 728 CCGAGACTGACTGAGGCTTCTTGGCAGAGATGGAGAGCCCAAGGGAACC 780
Db 680 CCGAGACTGACTGAGGCTTCTTGGCAGAGATGGAGAGCCCAAGGGAACC 732

RESULT 12

CF271949

LOCUS

DEFINITION

AGNCOURT_15196970 NIH_MGC_195 Homo sapiens cDNA clone

IMAGE:7002156 5', mRNA sequence.

CF271949

ACCESSION

CF271949.2 GI:38558844

VERSION

EST.

KEYWORDS

Source

ORGANISM

Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

791 bp mRNA linear EST 26-NOV-2003
AGNCOURT_15196970 NIH_MGC_195 Homo sapiens cDNA clone
IMAGE:7002156 5', mRNA sequence.

CF271949

ACCESSION

CF271949.2 GI:38558844

VERSION

EST.

KEYWORDS

Source

ORGANISM

Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

REFERENCE
AUTHORS
TITLE
JOURNAL
COMMENT

Mammalia; Euthera; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 791)
NIH-MGC <http://mgc.nci.nih.gov/>.
National Institutes of Health, Mammalian Gene Collection (MGC)
Unpublished (1999)
On Aug 12, 2003 this sequence version replaced gi:33627861.
Contact: Daniela S. Gerhard, Ph.D.
Office of Cancer Genomics
National Cancer Institute / NIH
Bldg. 31 Rm10A07 Bethesda, MD 20892
Email: cgabs-t@mail.nih.gov
Tissue Procurement: Narayan Bhat
cDNA Library Preparation: Bhat Laboratory
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LNL)
DNA Sequencing by: Agencourt Bioscience Corporation
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LNL at:
<http://image.lnl.gov>
Plate: IRB4 row: C column: 10
High quality sequence start: 10
High quality sequence stop: 671.
Location/Qualifiers
1. .791
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="IMAGE:7002156"
/tissue_type="mixed"
/lab_host="DH5A (T1 phage-resistant)"
/clone_lib="NIH_MGC_195"
/notes="Vector: pDNR-Dual; Site 1: loxp-Sall; Site 2:
loxP-HindIII; Clones from this library have been
PCR-amplified using gene-specific primers to contain the
complete open reading frame (based on known gene sequences
available from NCBI's RefSeq). Template for PCR is cDNA
derived from either pooled cytoplasmic polyA RNA from 30
cells lines or pooled total RNA from 10 different tissues
(from BD Biosciences/Clontech and Washington University).
PCR products are directionally cloned into the loxp sites
of the pDNR-Dual vector. Library constructed by Dr.
Narayan Bhat, Earl Bere III and Hongling Liao (Gene
Expression Laboratory, Research Technology Program, SAIC
Frederick, NCI-Frederick, Frederick, MD 21702). For
information on which gene each clone represents, please
visit our anonymous ftp site at
ftp://image.lnl.gov/image/rearrayed_plates/IRB4.preSV.dat
a Note: this is a NIH_MGC Library."

FEATURES
source

ORIGIN

Query Match 44.8%; Score 688.2; DB 14; Length 791;
Best Local Similarity 96.1%; Pred. No. 3.1e-79;
Matches 714; Conservative 0; Mismatches 27; Indels 2; Gaps 1;

QY 64 GTAGTACGAGGTATGGGGCTAGAGCACTGGTCCCTGCGGTGATAGTGGCCATCT 123
DB 20 GTTATCAGTCGACTATGGGGCTAGAGCACTGGTCCCTGCGGTGATAGTGGCCATCT 79
QY 124 TCCTGCTCTCTGGTGGACCTGATGACCGGGCCCAACGCTGGGCTGACCGCTACTCACCAG 183
DB 80 TCCTGCTCTCTGGTGGACCTGATGACCGGGCCCAACGCTGGGCTGACCGCTACTCACCAG 139
QY 184 GCCCTTCGCTGCTGGGCTGGGCAACCTGCTGATGTGGACTTCAGAGACACACCAT 243
DB 140 GCCCTTCGCTGCTGGGCTGGGCAACCTGCTGATGTGGACTTCAGAGACACACCAT 199
QY 244 ACTGCTTCGACCAAGTTGGCGCGCGCTTCGGGGAAGCTGTCAGCTTCGAGCTGGCTGGA 303
DB 200 ACTGCTTCGACCAAGTTGGCGCGCGCTTCGGGGAAGCTGTCAGCTTCGAGCTGGCTGGA 259
QY 304 CGCGCGTGTGCTGCTCAATGGGCTGGCGCGCGCTGGCGAGGCGCTGGTACCCAGCGG 363
DB 260 CGCGCGTGTGCTGCTCAATGGGCTGGCGCGCGCTGGCGAGGCGCTGGTACCCAGCGG 319

QY 364 AGGACACCGCCGACCGCCGCGCTGTGCTCCCATCACCAGATCTCGGTTTTGGGCGCGCTT 423
DB 320 AGGACACCGCCGACCGCCGCGCTGTGCTCCCATCACCAGATCTCGGTTTTGGGCGCGCTT 379
QY 424 CCCAAGGAGCGCCCTTTGCGCCCAACGGTCTCTTGACAAAGCCGTCGAGCAACGTCATCG 483
DB 380 CCCAAGGAGCGCCCTTTGCGCCCAACGGTCTCTTGACAAAGCCGTCGAGCAACGTCATCG 439
QY 484 CCTCCTCTCACCTGCGGGCGCGCTTCGAGTACGAGACCCCTCGCTTCCTCAGGCTCTCTGG 543
DB 440 CCTCCTCTCACCTGCGGGCGCGCTTCGAGTACGAGACCCCTCGCTTCCTCAGGCTCTCTGG 499
QY 544 ACTAGCTCAGGAGGACCTGAAGAGGAGTGGGCTTTCTGCGGAGGTGCTGAATGCTG 603
DB 500 ACTAGCTCAGGAGGACCTGAAGAGGAGTGGGCTTTCTGCGGAGGTGCTGAATGCTG 559
QY 604 TCCCCGTCTCTGCTATATCCCGAGCGCTGGCTGGCAAGTCTCCTAGCTTCCTCAAAAGGCTT 663
DB 560 TCCCCGTCTCTGCTATATCCCGAGCGCTGGCTGGCAAGTCTCCTAGCTTCCTCAAAAGGCTT 619
QY 664 TCCTGACCCAGCTGGATGAGCTGCTAACTGAGCACAGGATGACCTGGGACCCAGCCAGC 723
DB 620 TCCTGACCCAGCTGGATGAGCTGCTAACTGAGCACAGGATGACCTGGGACCCAGCCAGC 679
QY 724 CCCCCGAGACCTGACTGAGGCTTCTGCGGAGAGATGAGAGGAGGAGGAGGAGGAGGAGGAG 783
DB 680 CCCCCGAGACCTGACTGAGGCTTCTGCGGAGAGATGAGAGGAGGAGGAGGAGGAGGAGGAG 737
QY 784 AGAGCAGCTTCAATGATGAGAC 806
DB 738 NAAACNCCTTCTATGATAAACC 760

RESULT 13
AK004915
LOCUS
DEFINITION
AK004915 1646 bp mRNA linear HTC 20-SEP-2003
Mus musculus adult male liver cDNA, RIKEN full-length enriched
library, clone:1300006E06 product:CYTOCHROME P450 2D2 (EC
1.14.14.1) (CYP1D2) (P450-DB2) (P450-CMP2) (DBRISOXINE
4-HYDROXYLASE) homolog [Rattus norvegicus], full insert sequence.

ACCESSION AK004915
VERSION AK004915.1 GI:12836460
KEYWORDS HTC; CAP trapper.
SOURCE Mus musculus (house mouse)
ORGANISM Mus musculus

REFERENCE
AUTHORS Carninci, P. and Hayashizaki, Y.
TITLE High-efficiency full-length cDNA cloning
JOURNAL Meth. Enzymol. 303, 19-44 (1999)
MEDLINE 99279253
PUBMED 10349636

REFERENCE
AUTHORS Carninci, P., Shibata, Y., Hayatsu, N., Sugahara, Y., Shibata, K.,
Itoh, M., Komoto, H., Okazaki, Y., Muramatsu, M. and Hayashizaki, Y.
TITLE Normalization and subtraction of cap-trapper-selected cDNAs to
prepare full-length cDNA libraries for rapid discovery of new genes
JOURNAL Genome Res. 10 (10), 1617-1630 (2000)
MEDLINE 20499374
PUBMED 11042159

REFERENCE
AUTHORS Shibata, K., Itoh, M., Aizawa, K., Nagaoka, S., Sasaki, N., Carninci, P.,
Konno, H., Akiyama, J., Nishi, K., Katsunari, T., Tashiro, H., Itoh, M.,
Sumi, N., Ishii, Y., Nakamura, S., Hazama, M., Nishine, T., Harada, A.,
Yamamoto, R., Matsumoto, H., Sakaguchi, S., Ikegami, T., Kashiwagi, K.,
Fujiwara, S., Inoue, K., Ozawa, Y., Izawa, M., Ohara, E., Watahiki, M.,
Yoneda, Y., Iehikawa, T., Tanaka, T., Tanaka, T., Matsura, S., Kawai, J.,
Okazaki, Y., Muramatsu, M., Inoue, Y., Kira, A. and Hayashizaki, Y.
TITLE RIKEN integrated sequence analysis (RISA) system-384-format
sequencing pipeline with 384 multicapillary sequencer
JOURNAL Genome Res. 10 (11), 1757-1771 (2000)
MEDLINE 20530913


```

984 ACCTGTTTCATGGCAGGATGGTACCACTTCACCACTGTCTGGCGCTGCTCTCA 1043
986 TGATCTTACATCCGATGTGACGGCGTGTCCAAACAGAGATGCGACGCTGATAGGGC 945
1044 TGATCTGTCATCAGATGTGACGGCGTGTCCAAACAGAGATGCGACGCTGATAGGGC 1103
946 AGTGGCGGACACAGAGATGGGTGACAGGCTCACATGCCCTACACACTGCCGTGATTC 1005
1104 ACCTGGCGCATCCAGAGATGGCAGACAGGCGCGCATGCCCTACACAAACGGGTGATTC 1163
1006 ATGAGGTGACAGCGCTTTGGGACATGTCCTCCCTGGGTGACCCATATGACATCCCGTG 1065
1164 ATGAGGTGACAGCGCTTTGGGACATGTCCTCCCTGGGTGACCCATATGACATCCCGTG 1223
1066 ACATCGAAGTACAGGCGCTTCGGCATCCCTAAGGAAACGACACTCATCACCACTGTCTAT 1125
1224 ACATTAAATTCGAAGACTTCTTATCCCAAGGGAGGACACTCATTCCTCAACCTGTCT 1283
1126 CGGTGCTGAAGATGAGGCGCTTCGGAGAGAGCCCTTCGCTTTCCACCCGGAACACTTCC 1185
1284 CCGTGTGAAGATGAGACTGTCTGGGAGAGCCCTTCGCTTTCTATCTGAACACTTCC 1343
1186 TGAATGCCAGGCGCACTTTGTGAAGCGGAGGCTTCTGCTTTCTCAGCAGGCGCGC 1245
1344 TGAATGCCAGGCGCACTTTGTGAAGCGGAGGCTTCTGCTTTCTCAGCAGGCGCGC 1403
1246 GTGATGCCCTTCGGGAGGCGCTTCGGAGAGAGCCCTTCGCTTTCCACCCGGAACACTTCC 1305
1404 GATCATGCCCTTCGGGAGGCGCTTCGGAGAGAGCCCTTCGCTTTCTCAGCAGGCGCGC 1463
1306 TGCAGCACTTCAGCTTCTCGGTGCCCACTGGACAGAGCCCGGCCAGCCACCATGCTGTC 1365
1464 TGCAGCGCTTTAGCTTCTCAGTGCCTCGATGAGAGAGCCCGGCCAGCCAGTATGCGATCT 1523
1366 TTGCTTTCTGCTGAGCCCATCCCTATGAGCTTTGCTGTGCGCCCGCTAGATAGGG 1424
1524 ATACAATGTCAGTTACTCCAGAGCCCTATCAGCTGTGTCAGTGGGTGATAGCAGGG 1582

RESULT 14
BX422592 1201 bp mRNA linear EST 13-MAY-2003
LOCUS BX422592 Homo sapiens FETAL LIVER Homo sapiens cDNA clone
DEFINITION CS0DM008Y007 5-PRIME, mRNA sequence.
ACCESSION BX422592
VERSION BX422592.1 GI:30659347
KEYWORDS EST.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
REFERENCE 1 (bases 1 to 1201)
AUTHORS Li,W.B., Gruber,C., Jesse,J. and Polayes,D.
TITLE Full-length cDNA libraries and normalization
JOURNAL Unpublished (2001)
COMMENT Contact: Genoscope
Genoscope - Centre National de Sequencage
BP 191 91006 EVRY cedex - France
Email: seqref@genoscope.cns.fr, Web : www.genoscope.cns.fr
Library was constructed by Life Technologies, a division of
Invitrogen. This sequence belongs to sequence cluster 10301.r For
more information about this cluster, see
http://www.genoscope.cns.fr/
cgi-bin/cluster.cgi?seq=CS0DM008AH04QP1&cluster=10301.r. Contact :
Feng Liang Email : fliang@lifetech.com URL :
http://fulllength.invitrogen.com/invitrogen Corporation 1600
Paradise Avenue Genoscope sequence ID : CS0DM008AH04QP1.

FEATURES
source
1..1201
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
```

```

/clone="CS0DM008Y007"
/tissue_type="FETAL LIVER"
/dev_stage="fetal"
/clone_lib="Homo sapiens FETAL LIVER"
/notes="Organ: liver; Vector: PCMVSPORT 6; 1st strand cDNA
was primed with a NotI-oligo(dT) primer. Five prime end
enriched, double-strand cDNA was digested with Not I and
cloned into the Not I and EcoRV sites of the PCMVSPORT 6
vector. Library was not normalized."

ORIGIN
Query Match 43.2%; Score 663.4; DB 13; Length 1201;
Best Local Similarity 83.7%; Pred. No. 4.1e-76;
Matches 838; Conservative 4; Mismatches 5; Indels 154; Gaps 2;

QY 3 TGCCCTGGTCTCTGTGCTGCTGGGTGGGGTGGCGGTGCTGTCAGAGTGTGCCAGAGGAGCCCATTT 62
DB 19 TGCCCTGGTCTCTGTGCTGCTGGGTGGGGTGGCGGTGCTGTCAGAGTGTGCCAGAGGAGCCCATTT 78
QY 63 GGTAGTGAAGGAGTATGGGGCTAGAAGCACTGGTGGCCCTGGCCCTGGCTGATAGTGGCCATC 122
DB 79 GGTAGTGAAGGAGTATGGGGCTAGAAGCACTGGTGGCCCTGGCCCTGGCTGATAGTGGCCATC 138
QY 123 TTCTCTGCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 182
DB 139 TTCTCTGCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 198
QY 183 GGCCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 242
DB 199 GGCCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 258
QY 243 TACTGCTTGCAGCAGTGTGGCGCGCTTGGGGGACGTGTTTCAGGCTTGAGCTGCGCTGCG 302
DB 259 TACTGCTTGCAGCAGTGTGGCGCGCTTGGGGGACGTGTTTCAGGCTTGAGCTGCGCTGCG 318
QY 303 AGCGCGTGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 362
DB 319 AGCGCGTGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 378
QY 363 GAGGACACCGCGCGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 422
DB 379 GAGGACACCGCGCGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 438
QY 423 TCCCAA----- 428
DB 439 TCCCAAAGGGGTGTTCTTCTGCGCGCTATGCGCGCGCGTGGCGGACGAGGCGCTTCTCC 498
QY 429 ----- 428
DB 499 GTCTCCACCTTGGCGCAACTTGGGCGCTGGGCAAGAGTCTGCTGGAGCAGTGGGTGACCGAG 558
QY 429 ----- 449
DB 559 GAGGCGCGCTGCTTGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 618
QY 450 GGTCTCTTGGACAAAGCGGTGAGCAACGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 509
DB 619 GGTCTCTTGGACAAAGCGGTGAGCAACGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 678
QY 510 GAGTACGACGACCTTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 569
DB 679 GAGTACGACGACCTTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 738
QY 570 GAGTACGACGACCTTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 629
DB 739 GAGTACGACGACCTTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 798
QY 630 CTGGGTGCAAGGCTCTACGCTTCCAAAGGCTTTCTGACCCAGCTGATGAGTGTGCTGCTGCTGCT 689
DB 799 CTGGGTGCAAGGCTCTACGCTTCCAAAGGCTTTCTGACCCAGCTGATGAGTGTGCTGCTGCTGCT 858
QY 690 ACTGAGCAGAGATCCTGAGCCAGCCAGCCAGCCAGCCAGCCAGCCAGCCAGCCAGCCAGCCAGCTTC 749
```


GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: February 28, 2004, 01:41:15 ; Search time 3825.13 Seconds
(without alignments)
17415.928 Million cell updates/sec

Title: US-09-820-788A-1
Perfect score: 1537
Sequence: 1 cctgcgtggtcctctgtgcc.....aaaaaaaaaaaaaaaaaaaa 1537

Scoring table: IDENTITY NUC
Gapop 10.0 , Gapext 1.0

Searched: 3470272 seqs, 21671516995 residues
Total number of hits satisfying chosen parameters: 6940544

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : GenEmbl.*

- 1: gb_ba.*
- 2: gb_hgt.*
- 3: gb_in.*
- 4: gb_om.*
- 5: gb_ov.*
- 6: gb_pat.*
- 7: gb_ph.*
- 8: gb_pl.*
- 9: gb_pr.*
- 10: gb_ro.*
- 11: gb_sta.*
- 12: gb_sy.*
- 13: gb_un.*
- 14: gb_vi.*
- 15: em_ba.*
- 16: em_fun.*
- 17: em_hum.*
- 18: em_in.*
- 19: em_mu.*
- 20: em_om.*
- 21: em_or.*
- 22: em_ov.*
- 23: em_pat.*
- 24: em_ph.*
- 25: em_pl.*
- 26: em_ro.*
- 27: em_sta.*
- 28: em_un.*
- 29: em_vi.*
- 30: em_hgt_hum.*
- 31: em_hgt_inv.*
- 32: em_hgt_other.*
- 33: em_hgt_mus.*
- 34: em_hgt_pln.*
- 35: em_hgt_rod.*
- 36: em_hgt_mam.*
- 37: em_hgt_vrt.*
- 38: em_sy.*
- 39: em_hgtgo_hum.*
- 40: em_hgtgo_mus.*
- 41: em_hgtgo_other.*

Pred. No. is the number of results predicted by chance to have a

score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Match	Length	DB	ID	Description
1	1238.2	80.6	1567	6	AX687029	AX687029 Sequence
2	1238.2	80.6	1567	9	HSDB1	X08006 Homo sapien
3	1238.2	80.6	1567	9	HUMCYPDB1	M20403 Human cytoc
4	1229.2	80.0	1568	6	AR084372	AR084372 Sequence
5	1225.6	79.7	1568	6	AX687030	AX687030 Sequence
6	1225.2	79.7	1566	6	AR084365	AR084365 Sequence
7	1216.2	79.1	1568	6	A20907	A20907 debrisoquin
8	1211.2	78.8	1565	6	AX687033	AX687033 Sequence
9	1204.4	78.4	1566	6	AR084374	AR084374 Sequence
10	1201	78.1	1545	6	E15820	E15820 cDNA encodi
11	1181.4	76.9	1585	9	AF301911	AF301911 Macaca fu
12	1173.2	76.3	1494	6	E10868	E10868 cDNA encodi
13	1173.2	76.3	1494	6	AR399336	AR399336 Sequence
14	1171.6	76.2	1494	6	E10647	E10647 Human cDNA
15	1171.6	76.2	1494	6	E10867	E10867 cDNA encodi
16	1171.6	76.2	1494	6	E10869	E10869 cDNA encodi
17	1171.6	76.2	1494	6	AR399335	AR399335 Sequence
18	1171.6	76.2	1494	6	AR399337	AR399337 Sequence
19	1170	76.1	1494	6	E10870	E10870 cDNA encodi
20	1170	76.1	1494	6	AR399338	AR399338 Sequence
21	1165	75.8	1571	6	AR084373	AR084373 Sequence
22	1159.4	75.4	1569	6	AR084375	AR084375 Sequence
23	1103.8	71.8	1593	6	AX195173	AX195173 Sequence
24	1097.4	71.4	1615	9	D29822	D29822 Callithrix
25	1094.8	71.2	1494	9	AY082602	AY082602 Callithrl
26	1072.8	69.8	1218	9	HSP450	X16865 Human mRNA
27	1063	69.2	1195	6	AR380887	AR380887 Sequence
28	1063	69.2	1195	9	HUMP450DB1	M24499 Human cytoc
29	1061.2	69.0	1494	9	MFU38218	U38218 Macaca faec
30	973.6	63.3	1501	6	AR084376	AR084376 Sequence
31	831.4	54.1	1615	4	BTCPY2DA	X68481 B.taurus CY
32	830.2	54.0	1652	4	SSVD325H	Y16417 Sus scrofa
33	828.6	53.9	1449	6	AX411044	AX411044 Sequence
34	828.6	53.9	1449	9	HSDB1A	X07618 Human mRNA
35	808.8	52.6	1538	4	BTCPY2D	X68013 B.taurus CY
36	788.2	51.3	1503	4	AB008785	AB008785 Oryctolag
37	775.8	50.5	1665	4	DOGCPY2D	D17397 Canis famil
38	766.8	49.9	1631	4	AB004268	AB004268 Canis fam
39	763	49.6	1270	6	AX411045	AX411045 Sequence
40	763	49.6	1270	9	HSDB1B	X07619 Human mRNA
41	760.6	49.5	1741	10	BC016256	BC016256 Mus muscu
42	759.4	49.4	1503	4	AB008784	AB008784 Oryctolag
43	747.2	48.6	1609	10	AF221525	AF221525 Mus muscu
44	741.2	48.2	1778	10	RNU48219	U48219 Rattus norv
45	732.2	47.6	1632	10	AB008425	AB008425 Rattus no

ALIGNMENTS

RESULT 1	AX687029	AX687029	Sequence 3 from Patent	1567 bp	DNA	linear	PAT 31-MAR-2003
AX687029	LOCUS	AX687029	Sequence 3 from Patent	1567 bp	DNA	linear	PAT 31-MAR-2003
DEFINITION	AX687029	Sequence 3 from Patent	1567 bp	DNA	linear	PAT 31-MAR-2003	
ACCESSION	AX687029	Sequence 3 from Patent	1567 bp	DNA	linear	PAT 31-MAR-2003	
VERSION	AX687029.1	GI:29409533					
KEYWORDS							
SOURCE		Homo sapiens (human)					
ORGANISM		Homo sapiens					
		Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;					
		Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.					
REFERENCE	1	Milos, P.M. and Webb, S.M.					
AUTHORS		Variances of the human cyp2d6 gene					
TITLE		Patent: EP 1281755-A 3 05-FEB-2003;					
JOURNAL							

FEATURES		Location/Qualifiers	
source		1..1567	
		/organism="Homo sapiens"	
		/mol_type="mRNA"	
		/db_xref="taxon:9606"	
		/chromosome="22"	
		/map="22q11.2-qter"	
		/cell_type="hepatocyte"	
		/tissue_type="liver"	
		/clone_lib="lambda gt11"	
CDS		1..1494	
		/codon_start=1	
		/product="cytochrome P450 db1"	
		/protein_id="CAA30807.1"	
		/db_xref="GI:30451"	
		/db_xref="GOA:P10635"	
		/db_xref="SWISS-PROT:P10635"	
		/translation="MGLEALVPLAVIVAFILLLVLMHRRQWAAARYPGPLPLPLGL NLLHVDFOPTPCFQQLRRRFGDVSFLQLAWTPVVLNGLAAVREALVTHGEDTADRP PVPTITQILGFPRSQGVFLARYGPWRQRFSVTLRNGLGKXLSQWVTEEAACL CAAFANHSRPPRPNGLLDKAVSNVIASLTGRRFEYDDPRFLRLDLAQELKEESG FLREVLNAVPLVLLHLPALAGKVLRFQKAPLTOLDLLTEHRMTWPAOPRDLTAFL AEMERAKGNPRESSFENDENLRIVVADLFSAGMVTSTTLAWGILLMLHPDVORRVQOE IDDVIGQVRRPMPGQAHMPYITAVIHEVQRFQGDIVPLGTMHTMSRDIEVQGFRLPKG TTLITNLSVLKDEAVWEKPRFHEHFLDAQHFKDEAFUFPFSAGRRACLGEPLAR MELFLFTSLQLQHFVSFVPTGQPRPSHHGVFAFLVSPSPYELCAVPR"	
		1546..1550	
		/note="putative"	
polya_signal		1567	
polya_site		/note="polyA site"	
ORIGIN			
	Query Match	80.6%; Score 1238.2; DB 9; Length 1567;	
	Best Local Similarity	89.7%; Pred. No. 1.4e-205;	
	Matches 1406; Conservative	0; Mismatches 8; Indels 153; Gaps 1;	
QY	78	ATGGGGCTAGAGCACTGTGGCCCTGGCCGTGATAGTGGCCACTTCTCTGCTCCTGGTG	137
DB	1	ATGGGGCTAGAGCACTGTGGCCCTGGCCGTGATAGTGGCCACTTCTCTGCTCCTGGTG	60
QY	138	GACCTGATGACCGCGCAACGCTGGGCTGCACGCTACTACACAGGCCCTGCCACTG	197
DB	61	GACCTGATGACCGCGCAACGCTGGGCTGCACGCTACTACACAGGCCCTGCCACTG	120
QY	198	CCCGGCTGGGCAACCTGCTGATGTGACTTCCAGAACACACCACTACTGCTTCAGACAG	257
DB	121	CCCGGCTGGGCAACCTGCTGATGTGACTTCCAGAACACACCACTACTGCTTCAGACAG	180
QY	258	TTGGCGCGCGCTTCGGGGAAGTGTTCAGCTGCAGCTGGCTGAGACCGCGGTGTCGTG	317
DB	181	TTGGCGCGCGCTTCGGGGAAGTGTTCAGCTGCAGCTGGCTGAGACCGCGGTGTCGTG	240
QY	318	CTCAATGGCTGGCGCGCTGGCGAGGCGCTGGTGACCCAGCGGAGGACACCGCGAC	377
DB	241	CTCAATGGCTGGCGCGCTGGCGAGGCGCTGGTGACCCAGCGGAGGACACCGCGAC	300
QY	378	CGCCGCGCTGTGCCCATACCCAGATCTCTGGGTGTTGGGCGCGCTTCCCAA-----	428
DB	301	CGCCGCGCTGTGCCCATACCCAGATCTCTGGGTGTTGGGCGCGCTTCCCAAAGGGGTGTC	360
QY	429	-----	428
DB	361	CTGGCGCGCTATGGGCGCGCTGGCGAGAGAGAGCGCTTCTCGGTGTCACCTTGGCG	420
QY	429	-----	428
DB	421	AACCTGGGCTGGGCAAGAAGTCTGTGGAGAGTGGGTGACCGGAGAGCGCGCTTGCCTT	480
QY	429	-----GGAGCGCCCTTTGGCCCAACCGTCTCTTTGGACAAA	464
DB	481	TGTGGCGCTTTCGCCAACACATCCGGAGCGCCCTTTTCGCCCAACCGTCTCTTTGACAAA	540
QY	465	GCCGTGAGCAACGTGATGCCTCTCCCTACCTGCGGGCGCGCTTCAGTACGACGACCT	524

HUMCYPDB1 1567 bp mRNA linear PRI 02-NOV-1994
LOCUS Human cytochrome P450 db1 mRNA, complete cds.
DEFINITION M20403.1 M19697
ACCESSION M20403.1 GI:181349
VERSION cytochrome P450; debrisoquine 4-hydroxylase.
KEYWORDS Homo sapiens (human)
SOURCE
ORGANISM
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.
1 (bases 1 to 1567)
AUTHORS Gonzalez, F.J., Vilbois, P., Hardwick, J.P., McBride, O.W.,
Nebert, D.W., Gelboin, H.V. and Meyer, U.A.
TITLE Human debrisoquine 4-hydroxylase (P450IID1): cDNA and deduced amino
acid sequence and assignment of the CYP2D locus to chromosome 22
JOURNAL Genomics 2 (2), 174-179 (1988)
MEDLINE 88314109
PUBMED 3410476
COMMENT Original source text: Human hepatocyte, cDNA to mRNA.
Draft entry and printed copy of sequence for [1] kindly provided by
D.W.Nebert, 15-JUL-1988.
FEATURES
Location/Qualifiers
1..1567
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/map="22q11.2-qter"
1..1567
/gene="CYP2D"
1..1567
/gene="CYP2D"
/product="CY P450 db1 mRNA"
1..1494
/gene="CYP2D"
/note="debrisoquine 4-hydroxylase"
/codon_start=1
/protein_id="AAAS2153.1"
/db_xref="GI:181350"
/db_xref="GB:000-119-832"
translation="MGLRALVPLAVIVAIFLLVDLMHRRQRAARVPPGLPLPLGLG
NLLHVFQNTPTCYFQDLRRFGDFSLQAWTPVVLNLAAVREALVTHGEDADRL
VPVITQIILGFPGRSQFLARYGPAMRQRFVSITLNLGLKKSLEQWTEEAACL
CAAPANHSVRPRPNGLLDKAVSNVIASTLCGRFFEYDDPRFLRLDLAQRGLKEESG
FLREVLNAVPLLIHPALAGKVLKQKAFLLQDELLEHBMWDPAGPPRDLFEAL
AEMKAKNPSSFNENLRIVVDLFSAGWVITSTLLWGLLMLHPDVRQRQVE
IDDVIGVRRPEMGDQAMPYTTAVIEVQRFGDIVPLGTMHTSRDIEVGQFRIPKG
TTLITNLSVLKDEAWKPFPHPEFLDQGHFVPEAFLPFSAGRRACLGEPFLAR
MELFLFTSLQLQHSFVSPTGQPRSHHGVEAFVLPSPYELCAVPR"
Chromosome 22.
Query Match 80.6%; Score 1238.2; DB 9; Length 1567;
Best Local Similarity 89.7%; Pred. No. 1.4e-205;
Matches 1406; Conservative 0; Mismatches 8; Indels 153; Gaps 1;
QY 78 ATGGGGCTAGAGCACTGTGCCCTCGCGGTGATAGTGGCCATCTCTCTGCTCTGTG 137
DB 1 ATGGGGCTAGAGCACTGTGCCCTCGCGGTGATAGTGGCCATCTCTCTGCTCTGTG 60
QY 138 GACCTGATGACACGGCGGCAACGCTGGGCTGCACGCTACTACACAGGCGCCCTGCACTG 197
DB 61 GACCTGATGACACGGCGGCAACGCTGGGCTGCACGCTACTACACAGGCGCCCTGCACTG 120
QY 198 CCGGGCTGGGCAACCTGTGATGTGACTTCCAGAACACACCATCTGCTTGCACGAG 257
DB 121 CCGGGCTGGGCAACCTGTGATGTGACTTCCAGAACACACCATCTGCTTGCACGAG 180
QY 258 TTGCGGCGCGCTTCGGGAGCGTGTTCAGCTGCAGCTGGCTGACGCGCGTGTCTGTG 317
DB 181 TTGCGGCGCGCTTCGGGAGCGTGTTCAGCTGCAGCTGGCTGACGCGCGTGTCTGTG 240
QY 318 CTCAATGGGCTGGCGGCGCTGCGGAGGCGTGTGACCCAGCGGAGGACACCGCGGAC 377
DB 241 CTCAATGGGCTGGCGGCGCTGCGGAGGCGTGTGACCCAGCGGAGGACACCGCGGAC 300

QY 378 CGCCGCGCTGTGCCCATCACCCAGATCCTGGGTTTTTGGGCGCGCTTCCCAA----- 428
DB 301 CGCCGCGCTGTGCCCATCACCCAGATCCTGGGTTTTTGGGCGCGCTTCCCAAAGGGGTGTTTC 360
QY 429 ----- 428
DB 361 CTGGCGGCTATGGGCGCGGTGGCGGAGCAGAGGCGCTTCTCGGTGTCCACCTTGGGC 420
QY 429 ----- 428
DB 421 AACTTGGGCTTGGGCAAGAAGTTCGCTGGAGCAGTGGGTGACCGAGGAGCGCGCTTGCCTT 480
QY 429 -----GGACGCGCTTTCGCCCCACGCTCTCTCGCCCCACGCTCTCTTGGACAAA 464
DB 481 TGTGCGGCTTGGGCAACACTTCGAGAGCGCGCTTTCGCCCCAACGCTCTCTTGGACAAA 540
QY 465 GCGCTGAGCAACGTGATCGCTTCCCTCACTGCGGCGCGCGCTTTCGAGTAGACGAGACCT 524
DB 541 GCGCTGAGCAACGTGATCGCTTCCCTCACTGCGGCGCGCGCTTTCGAGTAGACGAGACCT 600
QY 525 CGCTTCTCAGGCTGTGGACCTTAGCTCAGAGGGACTGAAGAGGAGTGTGGGCTTCTGTG 584
DB 601 CGCTTCTCAGGCTGTGGACCTTAGCTCAGAGGGACTGAAGAGGAGTGTGGGCTTCTGTG 660
QY 585 GCGAGGCTGTGAATGCTGTCCCGCTCTCTGTCATATCCAGCGCTGGCTGGCAAGTGC 644
DB 661 GCGAGGCTGTGAATGCTGTCCCGCTCTCTGTCATATCCAGCGCTGGCTGGCAAGTGC 720
QY 645 CTACGCTTCCAAAAGGCTTTCCTGACCCAGCTGAGTGTCTTAACGTAGACAGAGTGC 704
DB 721 CTACGCTTCCAAAAGGCTTTCCTGACCCAGCTGAGTGTCTTAACGTAGACAGAGTGC 780
QY 705 ACCTGGGACCCAGCCAGCCCCCGGAGACTGTGATGAGGCTTCTGCGGAGAGATGGAG 764
DB 781 ACCTGGGACCCAGCCAGCCCCCGGAGACTGTGATGAGGCTTCTGCGGAGAGATGGAG 840
QY 765 AAGCCGAAGGGAACCTGTGAGAGCAGCTTCAATCATGAGAACCTGCGCATAGTGGTGCCT 824
DB 841 AAGCCGAAGGGAACCTGTGAGAGCAGCTTCAATCATGAGAACCTGCGCATAGTGGTGCCT 900
QY 825 GACCTGTCTCTGCGGGATGGTGACCACTCGACACGCTGGCTGGGCTCTGCTGCTC 884
DB 901 GACCTGTCTCTGCGGGATGGTGACCACTCGACACGCTGGCTGGGCTCTGCTGCTC 960
QY 885 ATGATCTTACATCCGATGTGACGCGCTGTCCAAAGAGAGTGCAGAGCTGATAGGG 944
DB 961 ATGATCTTACATCCGATGTGACGCGCTGTCCAAAGAGAGTGCAGAGCTGATAGGG 1020
QY 945 CAGGTGCGGACCCAGAGATGGGTGACAGGCTCACATGCCCTACACCTGCCGTGATT 1004
DB 1021 CAGGTGCGGACCCAGAGATGGGTGACAGGCTCACATGCCCTACACCTGCCGTGATT 1080
QY 1005 CATGAGTGTGACGCGCTTTGGGGACATCGTCCCCCTGGGTGTGACCCATATGACATCCCGT 1064
DB 1081 CATGAGTGTGACGCGCTTTGGGGACATCGTCCCCCTGGGTGTGACCCATATGACATCCCGT 1140
QY 1065 GACATCGAAGTACAGGGCTTCCGATCCCTTAAGGGAACGACACTCATCACCACCTGTCA 1124
DB 1141 GACATCGAAGTACAGGGCTTCCGATCCCTTAAGGGAACGACACTCATCACCACCTGTCA 1200
QY 1125 TCGGTGTGAGGATGAGGCGCTCTGGGAGAGCCCTTTCGCTTCCACCCGGAACACTTC 1184
DB 1201 TCGGTGTGAGGATGAGGCGCTCTGGGAGAGCCCTTTCGCTTCCACCCGGAACACTTC 1260
QY 1185 CTGATGCCACAGGCGCACTTTTGTGAAGCCGAGGCGCTTCTGCGCTTTCTCAGCAGGCGCG 1244
DB 1261 CTGATGCCACAGGCGCACTTTTGTGAAGCCGAGGCGCTTCTGCGCTTTCTCAGCAGGCGCG 1320
QY 1245 CGTGCATGCTCGGGAGCGCCCTTGGCGCGCATGAGGCTTTCCTCTTCTTTCACCTCCCTG 1304
DB 1321 CGTGCATGCTCGGGAGCGCCCTTGGCGCGCATGAGGCTTTCCTCTTCTTTCACCTCCCTG 1380

KEYWORDS

Unknown.
SOURCE Unknown.

ORGANISM

Unclassified.

REFERENCE 1 (bases 1 to 1566)

AUTHORS Wolf, C. Roland., Miles, J. Stephen., Spurr, N. Kay. and Gough, A. Charles.

TITLE Genetic assay.

JOURNAL Patent: US 5981174-A 13 09-NOV-1999;

FEATURES Location/Qualifiers

source

1..1566

/organism="unknown"

/mol_type="unassigned DNA"

ORIGIN

Query Match 79.7%; Score 1225.2; DB 6; Length 1566;
Best Local Similarity 89.6%; Pred. No. 2.5e-203;
Matches 1405; Conservative 0; Mismatches 8; Indels 155; Gaps 2;

QY 78 ATGGGGCTAGAACACTGGTGGCCCTGGCGGTGATAGTGGCCATCTTCTGCTCTCGTGGTG 137
Db 1 ATGGGGCTAGAACACTGGTGGCCCTGGCGGTGATAGTGGCCATCTTCTGCTCTCGTGGTG 60

QY 138 GACCTGATGACACCGGCGCAACCGCTGGGTGACGCTACTCACCAGGCGCCCTGCCACTG 197
Db 61 GACCTGATGACACCGGCGCAACCGCTGGGTGACGCTACTCACCAGGCGCCCTGCCACTG 120

QY 198 CCGGGCTGGCAACTGCTGATGTGACTTCCAGAACACACCACTACTGTTCCGACCAAG 257
Db 121 CCGGGCTGGCAACTGCTGATGTGACTTCCAGAACACACCACTACTGTTCCGACCAAG 180

QY 258 TTGGCGGCGCGTTCGGGACAGTGTTCAGCTGACGCTGGCTGAGCGCGGTGCTGCTG 317
Db 181 TTGGCGGCGCGTTCGGGACAGTGTTCAGCTGACGCTGGCTGAGCGCGGTGCTGCTG 240

QY 318 CTAATGGGCTGGCGCGCTGGCGAGGCGTGGTACCCAGCGGAGGACACCGCGAC 377
Db 241 CTAATGGGCTGGCGCGCTGGCGAGGCGTGGTACCCAGCGGAGGACACCGCGAC 300

QY 378 CGCGCGCTGGCGCAATACCCAGATCTCTGGGTTTGGGCGCGTTCCTCAA----- 428
Db 301 CGCGCGCTGGCGCAATACCCAGATCTCTGGGTTTGGGCGCGTTCCTCAAAGGGGTGTT 360

QY 429 ----- 428

Db 361 CTGGCGCGCTATAGGCGCGCTGGCGAGGAGGCGCTTCTCGGTGTCACCTTGGCG 420

QY 429 ----- 428

Db 421 AACTTGGGCGCTGGCGCAAGATGCTGTGGAGCGATGGGTGACCGAGAGGCGCGCTT 480

QY 429 -----GGACGCGCGCTTTTCGCGCGCAACGCTCTTTGGACAAA 464
Db 481 TGTGCGCGCTTTCGCGCAACCACTCGGACGCGCTTTTCGCGCGCAACGCTCTTTGGACAAA 540

QY 465 GCGGTGAGCAAGTATCGCTCTCTCACTCGGGCGCGCTTCGAGTACGACGACCT 524
Db 541 GCGGTGAGCAAGTATCGCTCTCTCACTCGGGCGCGCTTCGAGTACGACGACCT 600

QY 525 CCGTCTCTCAGGCTGCTGACCTAGCTCAGGAGGAGTGAAGGAGGAGTTCGGCTTCTG 584
Db 601 CCGTCTCTCAGGCTGCTGACCTAGCTCAGGAGGAGTGAAGGAGGAGTTCGGCTTCTG 660

QY 585 CCGGAGGTGCTGAATGCTGTCCCGCTCTCTGTCATATCCAGCGCTGGCTGGCAAGTTC 644
Db 661 CCGGAGGTGCTGAATGCTGTCCCGCTCTCTGTCATATCCAGCGCTGGCTGGCAAGTTC 720

QY 645 CTACGCTTCCAAAGGCTTCTGACCCAGCTGAGTGTGCTTAAGTACGACAGGATG 704
Db 721 CTACGCTTCCAAAGGCTTCTGACCCAGCTGAGTGTGCTTAAGTACGACAGGATG 780

QY 705 ACTTGGGACCCAGGCGCGCGCGGAGACCTGACTGAGGCGCTTCTTGGCAGAGTGGAG 764
Db 781 ACTTGGGACCCAGGCGCGCGCGGAGACCTGACTGAGGCGCTTCTTGGCAGAGTGGAG 840

QY 765 AAGGCCAAGGGGAACCTTGAGAGCAGCTTCAATGATGAGAACCTGCGCATAGTGGTGGCT 824
Db 841 AAGGCCAAGGGGAACCTTGAGAGCAGCTTCAATGATGAGAACCTGCGCATAGTGGTGGCT 900

QY 825 GACCTGTTCTCTGCGGGATGTTGACCACTGACACCACTGCGCTGGCGCTTCTGCTC 884
Db 901 GACCTGTTCTCTGCGGGATGTTGACCACTGACCACTGCGCTGGCGCTTCTGCTC 960

QY 885 ATGATCCTACATCCCGATGTCAGCGCGCTGTCACAGAGAGTCCAAACAGAGAGTCCAGCAGTATAGG 944
Db 961 ATGATCCTACATCCCGATGTCGA--GCCGTGTCACAGAGAGTCCAGCAGTATAGG 1018

QY 945 CAGGTGCGCGCACCAAGATGGTGAACAGGCTCAGATCCCTTACACCACTGCGCGTGA 1004
Db 1019 CAGGTGCGCGCACCAAGATGGTGAACAGGCTCAGATCCCTTACACCACTGCGCGTGA 1078

QY 1005 CATGAGTGCAGCGCTTTGGGACATGTCGCCCTGGGTGAGCCCATATGACATCCCGT 1064
Db 1079 CATGAGTGCAGCGCTTTGGGACATGTCGCCCTGGGTGAGCCCATATGACATCCCGT 1138

QY 1065 GACATCGAAGTACAGGCTTCCGATCCCTAAGGGAACGACACTCATACCAACCTGTCA 1124
Db 1139 GACATCGAAGTACAGGCTTCCGATCCCTAAGGGAACGACACTCATACCAACCTGTCA 1198

QY 1125 TCGGTGCTGAAGGATGAGCGCTCTGGGAGAACCCCTTCCCGCTTCCACCCCGAACACTTC 1184
Db 1199 TCGGTGCTGAAGGATGAGCGCTCTGGGAGAACCCCTTCCCGCTTCCACCCCGAACACTTC 1258

QY 1185 CTGATGCGCCAGGCGCACTTTGTGAAGCGGAGGCTTCTGCGCTTCTCAGAGGCGCG 1244
Db 1259 CTGATGCGCCAGGCGCACTTTGTGAAGCGGAGGCTTCTGCGCTTCTCAGAGGCGCG 1318

QY 1245 CQTGCATGCTCGGGAGCGCTGCGCGCATGAGGCTTCTTCTTCCCTCCCTCCCTG 1304
Db 1319 CQTGCATGCTCGGGAGCGCTTGGCGCATGAGGCTTCTTCTTCCCTCCCTCCCTG 1378

QY 1305 CTGACGACTTTCAGCTTCTCGGTGCGCACTGACAGCGCGCGCGCGCGCATGAGTGTG 1364
Db 1379 CTGACGACTTTCAGCTTCTCGGTGCGCACTGACAGCGCGCGCGCGCATGAGTGTG 1438

QY 1365 TTTGCTTCTTGTGACCCCATCCCTTATGAGCTTGTGCTGTCGCGCTGAGATGGG 1424
Db 1439 TTTGCTTCTTGTGACCCCATCCCTTATGAGCTTGTGCTGTCGCGCTGAGATGGG 1498

QY 1425 GTACCTAGTCCCGAGCGCTGCTAGCGAGAGGCTTAATGTAATAAGCAATGTCG 1484
Db 1499 GTACCTAGTCCCGAGCGCTGCTAGCGAGAGGCTTAATGTAATAAGCAATGTCG 1558

QY 1485 TAGTTCCA 1492
Db 1559 TAGTTCCA 1566

RESULT 7

A20907

LOCUS

DEFINITION

ACCESSION

VERSION

KEYWORDS

SOURCE

ORGANISM

REFERENCE

AUTHORS

TITLE

JOURNAL

FEATURES

source

A20907
debrisoquine hydroxylase.
A20907
A20907.1 GI:583441

synthetic construct

artificial sequences.

1 (bases 1 to 1566)

GENETIC ASSAY FOR CYTOCHROME P450

Patent: WO 9110745-A 13 25-JUL-1991;

Location/Qualifiers

1..1568

/organism="synthetic construct"

/mol_type="unassigned RNA"

/db_xref="taxon:32630"

1568 bp

RNA

linear

PAT 08-JUN-1994

CDS

1. 1494
/codon_start=1
/transl_table=11
/product="debrisoquine hydroxylase"
/protein_id="CAA01522.1"
/db_xref="GI:583442"
/db_xref="REMBL:CAA01522"
/translation="MGLAFLPLAVIAIVAIPLLLVLMHRRORWARYPPGRLPLPGLG
NLLHVDQNTYCFDQLRRRGDFVPSQLQANTPVVNLGLAAVREALVTHGEDTADRP
VPVITQILGFRSGVFLARYPAWREORFVSITLRNLGLKKSLEQWTEBAACL
CAAFNHSRFRNGLLDKAVSNVIASLTCRRFEYDDPRFLRLDLAQGLKEBSG
FLREVLNAPVLLHI PALAGLVRFQAFILQDLDELLTEHRMTWDPQPRDLTEAPL
AEMKAKNPSSFNENLRIVVADLFSAGWVTTSTLAWGLLMLIHLHPDVOPVSNRR
STTWIGVRRPMDQOAHMPTTAVIHEVORFGDIVPLGTHMTSRDIEVQGFPIPKG
TLLINSSVLDKSAVWEKPFERFHPHFDAQGHFVKEAFPLFSAGRACLGEPFLAR
MELELFFTSLLQHSFVSPTGQPRSHHGVAFLVSPSPYELCAVR"

ORIGIN

Query Match 79.1%; Score 1216.2; DB 6; Length 1568;
Best Local Similarity 89.6%; Pred. No. 9.2e-202;
Matches 1406; Conservative 0; Mismatches 8; Indels 155; Gaps 3;

78 ATGGGGCTAGAGCACTGGTCCCTGGCCGTGATAGTGGCCATCTTCTCTCTCTCTG 137
Db 1 ATGGGGCTAGAGCACTGGTCCCTGGCCGTGATAGTGGCCATCTTCTCTCTCTCTG 60

138 GACCTGATGACCGCGGCAAGCTGGGCTGCACGCTACTCACAGGCCCCCTGCCACTG 197
Db 61 GACCTGATGACCGCGGCAAGCTGGGCTGCACGCTACTCACAGGCCCCCTGCCACTG 120

198 CCGGGCTGGGCAACTCTGCTGATGACTTCAGAAACACACCATCTGCTCGACAG 257
Db 121 CCGGGCTGGGCAACTCTGCTGATGACTTCAGAAACACACCATCTGCTCGACAG 180

258 TTGGGGCCCGCTTGGGGAGAGTGTTACGCTGACGCTGGGCTGAGACCGCGGTGCTG 317
Db 181 TTGGGGCCCGCTTGGGGAGAGTGTTACGCTGACGCTGGGCTGAGACCGCGGTGCTG 240

318 CTCAATGGGCTGGGGCCGCTGGGGAGGCGGTGGTACCGAGGGGAGGACACCGCGAC 377
Db 241 CTCAATGGGCTGGGGCCGCTGGGGAGGCGGTGGTACCGAGGGGAGGACACCGCGAC 300

378 CGCCCGCTGTGCCCATCACCATCTGCTGGTGGTGGGGCGCGTTCCTCAA 428
Db 301 CGCCCGCTGTGCCCATCACCATCTGCTGGTGGTGGGGCGCGTTCCTCAAAGGGGTG 360

429 ----- 428
361 CTGGCGCGCTATGGGCCCGCGTGGCGGAGCAGAGGCGCTTCTCGTGTCCACCTTGGCG 420
Db 429 ----- 428

421 AACTTGGGCTGGGCAAGAGTCGCTGGAGCAGTGGGTGACCGAGGAGGCGCGCTTGCCTT 480
Db 429 -----GGAGCGCCCTTTCGCCCCCAACCGGTCTCTTGGACAAA 464

481 TGTGGCGCTTGGCCAAACCATCCGAGCGCCCTTTCGCCCCCAACCGGTCTCTTGGACAAA 540

465 GCCGTGAGCAACGTGATCGCTTCTACCTGCGGGCGCGCTTCGAGTACGACGACCT 524
Db 541 GCCGTGAGCAACGTGATCGCTTCTACCTGCGGGCGCGCTTCGAGTACGACGACCT 600

525 CGCTTCTCAGGCTGCTGACCTAGCTCAGAGGAGCTGAAGGAGGAGTTCGGGCTTCTG 584
Db 601 CGCTTCTCAGGCTGCTGACCTAGCTCAGAGGAGCTGAAGGAGGAGTTCGGGCTTCTG 660

585 CGCAGGTGCTGAATGCTGCTCCCTGCTCTGCTATATCCAGCGCTGGCTGGCAAGGTC 644
Db 661 CGCAGGTGCTGAATGCTGCTCCCTGCTCTGCTATATCCAGCGCTGGCTGGCAAGGTC 720

645 CTACGCTTCCAAAGGCTTCTGACCGAGCTGGATGAGCTGCTAACTGAGCACAGGATG 704
Db 721 CTACGCTTCCAAAGGCTTCTGACCGAGCTGGATGAGCTGCTAACTGAGCACAGGATG 780

Qy 705 ACCTGGGACCCAGCCAGCCCCCGGAGAGCTGACTGAGGCTTCTCTGGCAGAGATGGAG 764
Db 781 ACCTGGGACCCAGCCAGCCCCCGGAGAGCTGACTGAGGCTTCTCTGGCAGAGATGGAG 840

Qy 765 AAGCCCAAGGGAAACCTCTGAGAGCAGCTTCAATGATGAGAAACCTGCGCATAGTGGCT 824
Db 841 AAGCCCAAGGGAAACCTCTGAGAGCAGCTTCAATGATGAGAAACCTGCGCATAGTGGCT 900

Qy 825 GACCTGTTCTCTGCGGGATGGTGAACACCTCGACACCGTGGCTGGGGCTCTCTGCTC 884
Db 901 GACCTGTTCTCTGCGGGATGGTGAACACCTCGACACCGTGGCTGGGGCTCTCTGCTC 960

Qy 885 ATGATCTCTACATCCGATGTCGACGCGCTGTCACACAGAGAGATCGACGAGT-GATAGG 943
Db 961 ATGATCTCTACATCCGATGTCGACG-CCTGTGTCCACAGAGATCGACGAGTGGATAGG 1019

Qy 944 GCAGGTGGCGCACGACAGATGGGTGACAGGCTTCACATGCGCTTACACCACTGCGGTAT 1003
Db 1020 GCAGGTGGCGCACGACAGATGGGTGACAGGCTTCACATGCGCTTACACCACTGCGGTAT 1079

Qy 1004 TCATGAGGTGACGCGCTTGGGGACATCGTCCCTCGGCTGGGTGACCCATATGACATCCCG 1063
Db 1080 TCATGAGGTGACGCGCTTGGGGACATCGTCCCTCGGCTGGGTGACCCATATGACATCCCG 1139

Qy 1064 TGACATCGAAGTACAGGCTTCCGCTATCCCTAAGGGAACGACATCTCATCAACACCTGTC 1123
Db 1140 TGACATCGAAGTACAGGCTTCCGCTATCCCTAAGGGAACGACATCTCATCAACACCTGTC 1199

Qy 1124 ATCGGTGCTGAAGATGAGGCGCTCTGGGAGAACCTTCCGCTTCCACCCGCAACACTT 1183
Db 1200 ATCGGTGCTGAAGATGAGGCGCTCTGGGAGAACCTTCCGCTTCCACCCGCAACACTT 1259

Qy 1184 CTTGATGCCAGGGCCACTTTGTGAAGCGGAGGCTTCTGCTGCTTCTCAGCAGGCG 1243
Db 1260 CTTGATGCCAGGGCCACTTTGTGAAGCGGAGGCTTCTGCTGCTTCTCAGCAGGCG 1319

Qy 1244 CCGTGATGCTCGGGGAGCGCTCGGCGCGCATGAGCTTCTCTCTTCTTCACTCCCT 1303
Db 1320 CCGTGATGCTCGGGGAGCGCTCGGCGCGCATGAGCTTCTCTCTTCTTCACTCCCT 1379

Qy 1304 GCTGACGACCTTACAGCTTCTGCTGCGCCACTGGAAGCGCGCGCGCCAGCCATGCTGT 1363
Db 1380 GCTGACGACCTTACAGCTTCTGCTGCGCCACTGGAAGCGCGCGCGCCAGCCATGCTGT 1439

Qy 1364 CTTGCTTCTGCTGAGCCCATCCCTATGAGCTTGTGCTGCTGCTGCTGCTGCTGCTGCTG 1423
Db 1440 CTTGCTTCTGCTGAGCCCATCCCTATGAGCTTGTGCTGCTGCTGCTGCTGCTGCTGCTG 1499

Qy 1424 GGTACCTAGTCCCGAGCTGCTCCCTAGCCAGGCTCTAATGTACAAATAAGCAATGTG 1483
Db 1500 GGTACCTAGTCCCGAGCTGCTCCCTAGCCAGGCTCTAATGTACAAATAAGCAATGTG 1559

Qy 1484 GTAGTTCCA 1492
Db 1560 GTAGTTCCA 1568

RESULT 8
AX687033
LOCUS AX687033
DEFINITION Sequence 7 from Patent EP1281755.
ACCESSION AX687033
VERSION AX687033.1 GI:29409535
KEYWORDS
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE
1
AUTHORS Milos, P.M. and Webb, S.M.
TITLE Variants of the human cyp2d6 gene
JOURNAL Patent: EP 1281755-A 7 05-FEB-2003;

[illegible]

Db	1079	CACGAGGTGCAGCGCTTTGGGGACATCATCCCCCTGAGTGTGACCCATATGACATCCCGT	1133
Qy	1065	GACATCGAAGTACAGAGCTTCCGCATCCCTTAAGGGAACGACACTCATACCAACCTGTCTCA	1124
Db	1139	GACATCGAAGTACAGAGCTTCCGCATCCCTTAAGGGAACGACACTCATACCAACCTGTCTCA	1198
Qy	1125	TCGGTGTCTGAAGGATGAGGCGCTCTGGGGAAGCCCTTCGGCTTCCACCCGAACTTC	1184
Db	1199	TCGGTGTCTGAAGGATGAGGCGCTCTGGGGAAGCCCTTCGGCTTCCACCCGAACTTC	1258
Qy	1185	CTGGATGCCCAGGGCCACTTTGTGAAGCCGGAGCCCTTCCTGCTTTCTCAGCAGGCCCG	1244
Db	1259	CTGGATGCCCAGGGCCACTTTGTGAAGCCGGAGCCCTTCCTGCTTTCTCAGCAGGCCCG	1318
Qy	1245	CGTGCAATGCTCTGGGAGCCCTTGGCCGCGCATGGAGCTCTTCTCTTTCTTCACTCCCTG	1304
Db	1319	CGTGCAATGCTCTGGGAGCCCTTGGCCGCGCATGGAGCTCTTCTCTTTCTTCACTCCCTG	1378
Qy	1305	CTCAGCACCTTCAGCTTCTGGTGCCCATCTGGACAGCCCGCCGACCAACCATGGTGTCT	1364
Db	1379	CTCAGCACCTTCAGCTTCTGGTGCCCGCGGACAGCCCGCCGACCACTCTCGTGTCT	1438
Qy	1365	TTTGCTTTCTGCTGAGCCCATCCCCATAGACTTTGTGCTGTGCCCCGCTAGATGGG	1424
Db	1439	GTGAGCTTTCTGCTGAGCCCATCCCCATAGACTTTGTGCTGTGCCCCGCTAGATGGG	1498
Qy	1425	GTACCTAGTCCCGAGCGCTGTCTCCCTAGCCAGAGGCTCTAATGTACAATAAGCAATGTGG	1484
Db	1499	GTACCTAGTCCCGAGCGCTGTCTCCCTAGCCAGAGGCTCTAATGTACAATAAGCAATGTGG	1558
Qy	1485	TAGTTCCA 1492	
Db	1559	TAGTTCCA 1566	
RESULT 10			
E15820			
LOCUS	E15820	cDNA encoding human cytochrome P450-2d6.	linear PAT 28-JUL-1999
DEFINITION	E15820		
ACCESSION	E15820.1	GI:5710503	
VERSION	JP 1998101698-A/1.		
KEYWORDS	Homo sapiens (human)		
SOURCE	Homo sapiens		
ORGANISM	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.		
REFERENCE	1 (bases 1 to 1545)		
AUTHORS	Narita, Y., Sawaguchi, S., Lari, W.H., Hisakawa, Y., Soma, G., Kako, M. and Miyagawa, H.		
TITLE	LIVER/KIDNEY MICROSOME OCCURRING IN AUTOIMMUNOHEPATITIS TYPE II (AIH TYPE II)		
JOURNAL	Patent: JP 1998101698-A 1 21-APR-1998;		
COMMENT	HOKEN KAGAKU KENKYUSHO:KK OS Homo sapiens (human) PN JP 1998101698-A/1 PD 21-APR-1998 PF 24-SEP-1996 JP 1996273055 PI NARITA YOICHI, SAWAGUCHI SHICHIRO, LARI W HANKINS, PI HISAKAWA YOSHIZO, PI SOMA GENICHIRO, KAKO MAKOTO, MIYAGAWA HIROSHI PC C07K14/47, C07H21/04, C07K16/18, C12N15/09, C12Q1/68, G01N33/53, PC G01N33/564, PC G01N33/576/C12P21/02, (C12P21/02, C12R1:19); CC strandedness: Double; CC topology: Linear; CC hypothetical: No; CC anti-sense: No; FH Key Location/Qualifiers FH source 1. 1545 FT /organism='Homo sapiens' FT /tissue type='liver' FT 1. 1494 FT CDS		


```
FT misc_RNA 847. /product='human cytochrome P450-2d6', FT
FT 1431
FT /product='antigen for AIH Type2a LKM1 antibody
FT and for AIH
FT Type2b LKM1 antibody'
FT 349..825
FT misc_RNA /product='antigen for AIH Type2a LKM1 FT
FT antibody'
FEATURES
source Location/Qualifiers
1..1545
/mol_type="genomic DNA"
/db_xref="taxon:9606"
ORIGIN
Query Match 78.1%; Score 1201; DB 6; Length 1545;
Best Local Similarity 88.9%; Pred. No. 4.1e-199;
Matches 1373; Conservative 0; Mismatches 19; Indels 153; Gaps 1;
QY 78 ATGGGGCTAGAGCACTGGTGGCCCTGGCGGTGATGATGGCCATCTTCTGCTCTGGTG 137
Db 1 ATGGGGCTAGAGCACTGGTGGCCCTGGCGCATGATGATGGCCATCTTCTGCTCTGGTG 60
QY 138 GACCTGATGACCGGCGCAACGCTGGGCTGACGCTACTACCCAGGCCCCCTGCCACTG 197
Db 61 GACCTGATGACCGGCGCAACGCTGGGCTGACGCTACTACCCAGGCCCCCTGCCACTG 120
QY 198 CCGGGCTGGCAACCTGCTGATGATGGACTTCCAGAACACACCACTACTGCTTCGACCAG 257
Db 121 CCGGGCTGGCAACCTGCTGATGATGGACTTCCAGAACACACCACTACTGCTTCGACCAG 180
QY 258 TTGGGCGCGCGTTGGGGAACGTGTTACGCTGCACTGGCTGGCAACGCGTGGTGGTG 317
Db 181 TTGGGCGCGCGTTGGGGAACGTGTTACGCTGCACTGGCTGGCAACGCGTGGTGGTG 240
QY 318 CTCATGGCTGGCGCGCTGGCGAGGCGCTGGTGACCCACGCGGAGGACACCGCGAC 377
Db 241 CTCATGGCTGGCGCGCTGGCGAGGCGCTGGTGACCCACGCGGAGGACACCGCGAC 300
QY 378 CGCGCGCTGGCGCAACATACCCAGATCCCTGGGTTTGGGCGCGCTTCCCAA----- 428
Db 301 CGCGCGCTGGCGCAACATACCCAGATCCCTGGGTTTGGGCGCGCTTCCCAAAGGGTGTTC 360
QY 429 ----- 428
Db 361 CTGGCGCGCTATGGGCGCGCTGGCGGAGCAGAGCGGCTTCTCGCTCTCCACCTTGGCG 420
QY 429 ----- 428
Db 421 AACTTGGGCTGGGCAAGTGGCTGGAGCAGTGGGTGACCGAGGAGGCGCTGGCTT 480
QY 429 -----GGACCGCCCTTTTGGCCCAACCGTCTCTTGGACAAA 464
Db 481 TGTGGCGCTTGGCAACACATCCGGAGCGCCCTTTGGCCCAACCGTCTTGGACAAA 540
QY 465 GCGGTGAGCAACGTGATGCGCTTCTCTCACTCGCGGCGCGCTTCGAGTACGACACGCT 524
Db 541 GCGGTGAGCAACGTGATGCGCTTCTCTCACTCGCGGCGCGCTTCGAGTACGACACGCT 600
QY 525 CGCTTCTCAGGCTGCTGACCTAGTCTAGGAGGACTGAAGGAGGAGTGGGCTTCTG 584
Db 601 CGCTTCTCAGGCTGCTGACCTAGTCTAGGAGGACTGAAGGAGGAGTGGGCTTCTG 660
QY 585 CGCGAGGTGCTCAAGTGTCTCCCTCTCTGATATCCAGCGCTGGTGGCAGGCTC 644
Db 661 CGCGAGGTGCTCAAGTGTCTCCCTCTCTGATATCCAGCGCTGGTGGCAGGCTC 720
QY 645 CTACGCTTCCAAAGGCTTCTGACCCAGCTGGATGAGCTGCTAACTGAGCACAGGATG 704
Db 721 CTACGCTTCCAAAGGCTTCTGACCCAGCTGGATGAGCTGCTAACTGAGCACAGGATG 780
QY 705 ACCTGGGACCGACCGCCCGCGAGACCTGACTGAGGCGCTTCTCTGGCAGAGATGAG 764
|||||
```

```
Db 781 ACCTGGGACCCAGCCAGCCCGAGAGCTGACTGAGGCTTCTTGGCAGAGATGGAG 840
QY 765 AAGGCCAAGGGGAAACCTCGAGAGCAGCTTCAATGATGAGAACTTGGCATAGTGGTGGCT 824
|||||
Db 841 AAGGCCAAGGGGAAACCTCGAGAGCAGCTTCAATGATGAGAACTTGGCATAGTGGTGGCT 900
|||||
QY 825 GACCTGTTCTCTGCGGGGATGATGACCACTTCCGACACGCTGGCTGGGCGCTCTCTGCTC 884
|||||
Db 901 GACCTGTTCTCTGCGGGGATGATGACCACTTCCGACACGCTGGCTGGGCGCTCTCTGCTC 960
|||||
QY 885 ATGATCTTACATCCCGGATGTCAGCGCGCTGTCACAGGAGATCGACGACCTGATAGGG 944
|||||
Db 961 ATGATCTTACATCCCGGATGTCAGCGCGCTGTCACAGGAGATCGACGACCTGATAGGG 1020
|||||
QY 945 CAGGTGCGCGGACACAGAGATGGGTGACCAAGGCTCACATGCCCTTACACCACTGCCGTGATT 1004
|||||
Db 1021 CAGGTGCGCGGACACAGAGATGGGTGACCAAGGCTCACATGCCCTTACACCACTGCCGTGATT 1080
|||||
QY 1005 CATGAGGTGACAGCGCTTTTGGGGAACATCGTCCCTCTGGGTGTCACCATATGACATCCCT 1064
|||||
Db 1081 CATGAGGTGACAGCGCTTTTGGGGAACATCGTCCCTCTGGGTGTCACCATATGACATCCCT 1140
|||||
QY 1065 GACATCGAATACAGGGCTTCGGCATCCCTAAGGGAACGACACTATACCAACCTGTCA 1124
|||||
Db 1141 GACATCGAATACAGGGCTTCGGCATCCCTAAGGGAACGACACTATACCAACCTGTCA 1200
|||||
QY 1125 TCGGTGCTGAAGGATGAGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCGAACTTTC 1184
|||||
Db 1201 TCGGTGCTGAAGGATGAGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCGAACTTTC 1260
|||||
QY 1185 TTGGATGCCCCAGGGCCACTTTTGTGAAGCGGAGGCGCTTCTGCGCTTCTCAGCAGGCGCG 1244
|||||
Db 1261 TTGGATGCCCCAGGGCCACTTTTGTGAAGCGGAGGCGCTTCTGCGCTTCTCAGCAGGCGCG 1320
|||||
QY 1245 CGTGATGCTCTGGGAGCGCGCTTGGCGGATGAGGCTTCTTCTTCTTACCTCCCTG 1304
|||||
Db 1321 CGTGATGCTCTGGGAGCGCGCTTGGCGGATGAGGCTTCTTCTTCTTACCTCCCTG 1380
|||||
QY 1305 CTGACGACTTTCAGCTTCTCGGTGCGCCACTTGACAGCGCGCGCCAGCACCACCTGCTC 1364
|||||
Db 1381 CTGACGACTTTCAGCTTCTCGGTGCGCCACTTGACAGCGCGCGCCAGCACCACCTGCTC 1440
|||||
QY 1365 TTGCTTCTCTGCTGACCCCATCCCTTATGAGCTTGTGCTGTCGCCCGCTTAGAATGGG 1424
|||||
Db 1441 TTGCTTCTCTGCTGAGCCCATCCCTTATGAGCTTGTGCTGTCGCCCGCTTAGAATGGG 1500
|||||
QY 1425 GTACCTAGTCCCGAGCTGCTCCCTAGCCAGAGGCTCTAATGTAC 1469
|||||
Db 1501 GTACCTAGTCCCGAGCTGCTCCCTAGCCAGAGGCTCTAATGTAC 1545
|||||
```

RESULT 11

```
AF301911
LOCUS AF301911 1585 bp mRNA linear PRI 21-JAN-2003
DEFINITION Macaca fuscata cytochrome P450 2D mRNA, complete cds.
ACCESSION AF301911
VERSION AF301911.1 GI:18481429
KEYWORDS
SOURCE Macaca fuscata (Japanese macaque)
ORGANISM Macaca fuscata
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Cercopitheciidae;
Cercopitheciinae; Macaca.
1 (bases 1 to 1585)
Hichiya,H., Takemi,C., Tsuzuki,D., Yamamoto,S., Asaoka,K.,
Suzuki,S., Satoh,T., Shinoda,S., Kataoka,H. and Narimatsu,S.
Complementary DNA cloning and characterization of cytochrome P450
2D29 from Japanese monkey liver
Biochem. Pharmacol. 64 (7), 1101-1110 (2002)
JOURNAL 22219831
MEDLINE 12234613
PUBMED
REFERENCE 2 (bases 1 to 1585)
AUTHORS Hichiya,H., Yamamoto,S., Asaoka,K. and Narimatsu,S.
```

TITLE Direct Submission
JOURNAL Submitted (30-AUG-2000) Laboratory of Health Chemistry, Faculty of Pharmaceutical Sciences, Okayama University, 1-1-1 Tsushima-naka, Okayama 700-8530, Japan
FEATURES Location/Qualifiers
1..1585
/organism="Macaca fuscata"
/mol_type="mRNA"
/db_xref="taxon:9542"
/tissue_type="liver"
41..1534
/note="CYP2D"
/codon_start=1
/product="cytochrome P450 2D"
/protein_id="AA173443.1"
/db_xref="GI:18481430"
/translation="MQLDALVPLAVTVIAILLVLMHRRQRAARYPPGLPLPLFLGKLLHVDFTQYCFQELRRFGDFSLQAWTVVNLNGLAAVAEALVTHGEDTADRPVPIITQILGFGPRSGVFLARYGASWRORFVSITLNLGLKSGKGTOWTGTGAACLCAAPANHSRPRPNGLLDKAVSNVIAASLTGRRPEYDDPRFLRLDLAOLKEEPCFIREVINAVPVLHHPALAGKVRQKAFSLQDELUTEHRMTWDPAQPRDLTEAFLEAMEKAGNPSSFNDELNRIIVADLFSAGVMTTSTLAWGLLMLILHPDVRVQOEDIDVTGAYWRPALGEQAHMPYTPAVKHEVORFGDIVPLGVTHMTSRDIEVGQFIPKGTTLITNLSSVLKDEAVWEKPRFPHPEHFLDAQGHFVPEAFLPFSAGRACLGLEPLARMELFLFTSLQLHRSFVSPTGQPRPSHHGVFAFLVSPSPYELCAVR"

CDS

ORIGIN

Query Match 76.9%; Score 1181.4; DB 9; Length 1585;
Best Local Similarity 87.6%; Pred. No. 1.1e-195;
Matches 1391; Conservative 0; Mismatches 41; Indels 155; Gaps 3;
QY 38 CAGGTGTCTCCAGAGAGCCATTGGTAGTGAGGAGGATGGGGCTAGAGCACTGGT 97
DB 1 CGGGGGGTGTCCAGAGAGCCAGGGGGCAGTAAGGACAGCAATGGAGCTAGATGCACGT 60
QY 98 GCCCTCGGCGGTAGTGGCCATCTTCTGCTCTCTGCTGGACCTGATGCACCGCGCCA 157
DB 61 GCCCTCGGCTGTGACAGTGGCCATCATCTGCTCTCTGCTGGACCTGATGCACCGCGCCA 120
QY 158 AGCTGGGCTGACGCTACTACAGAGCCCTCTGCACTGCGCGGGCTGGGCAACTGCT 217
DB 121 AGCTGGGCGGACGCTACCAAGGCGCCCTGCACTGCGCCCTTCTGGGCAAACTGCT 180
QY 218 GCATGTGACTTCCAGACACACACTACTGTTCCAGCAGTTCGCGCGCCGCTTCGGGGA 277
DB 181 GCATGTGACTTCCAGACACACACTACTGTTCCAGCAGTTCGCGCGCCGCTTCGGGGA 240
QY 278 CGTGTTCAGCTGACGCTGCGCTGACGCGCGGTGCTGCTCAATGGGCTGGCGCGCT 337
DB 241 CGTGTTCAGCTGACGCTGCGCTGACGCGCGGTGCTGCTCAATGGGCTGGCGCGCT 300
QY 338 GCGGAGGCGGTGTGACCCAGCGGAGACACCGCGGACCGCGCTGTGCCATCAC 397
DB 301 GCGGAGGCGGTGTGACCCAGCGGAGACACCGCGGACCGCGCTGTGCCATCAC 360
QY 398 CCAGATCTGGGTTTGGCGCGCTTCCCA----- 428
DB 361 CCAGATCTGGGTTTGGCGCGCTTCCCAAGGGGTGTTCTCGCGCGCTATGGCGCTC 420
QY 429 ----- 428
DB 421 GTGGCGGAGCAGAGCGGCTTCTCGTCTCCACTTGCACACTTGGGCGCTGGGCAAGAA 480
QY 429 ----- 428
DB 481 GTGGCGGACCCAGTGGGTGACCGGGGAGCGCGCTTGTGCGCGCTTCGCCAACCA 540
QY 429 -----GGAGCGCCCTTTCGCCCAACCGTCTCTTGGACAAAGCCGTGACCAAGTATCGC 484
DB 541 CTCGCGAGCGCCCTTTCGCCCAACCGTCTCTTGGACAAAGCCGTGACCAAGTATCGC 600
QY 485 CTCCTCTACCTGCGGCGCGCTTCGAGTACGACGACCTCTGCTTCTCCTCAGCTCTGGA 544

DB 601 CTCCTCACCTGCGGCGCGCTTTCGAGTACGACGACCCCTCGCTTCTCCTCAGGCTGCTGA 660
QY 545 CTTAGCTCAGAGAGGACTGAAGAGGAGTGGGGCTTTCGCGCGAGGTGCTGAATGCTGT 604
DB 661 CTTAGCTCAGAGAGGACTGAAGAGGAGGCGGGCTTTCGCGCGAGGTGCTGAATGCTGT 720
QY 605 CCGCTCTCTCTCATATCCAGCGCTGGCTGGCAAGGTCTTACGCTTCCAAAAGGCTTT 664
DB 721 CCGCTCTCTCTCATATCCAGCGCTGGCTGGCAAGGTCTTACGCTTCCAAAAGGCTTT 780
QY 665 CTTACCCAGCTGAGTGTAACTGAGCAAGAGTACCTGGGACCCAGCCAGCCAGCC 724
DB 781 CTTACCCAGCTGAGTGTAACTGAGCAAGAGTACCTGGGACCCAGCCAGCCAGCC 840
QY 725 CTTACCCAGCTGAGTGTAACTGAGCAAGAGTACCTGGGACCCAGCCAGCCAGCC 784
DB 841 CTTACCCAGCTGAGTGTAACTGAGCAAGAGTACCTGGGACCCAGCCAGCCAGCC 900
QY 785 GAGCAGCTTCAATGATGAGAACCTCGCATAGTGGTGGCTGACCTGTTCTCTGCGGGAT 844
DB 901 GAGCAGCTTCAATGATGAGAACCTCGCATAGTGGTGGCTGACCTGTTCTCTGCGGGAT 960
QY 845 GGTGACCACTCGACACGCTGGGCTCTGCTCATATGATCTCATATCCAGGATGT 904
DB 961 GGTGACCACTCGACACGCTGGGCTCTGCTCATATGATCTCATATCCAGGATGT 1020
QY 905 GCAGCGCGTGTCCAAAGAGGATGAGGAGTATAGGCGAGGTGGCGGACACAGAT 964
DB 1021 GCAGCGCGTGTCCAAAGAGGATGAGGAGTATAGGCGAGGTGGCGGCTCTCGGCT 1080
QY 965 GGTGACCACTCGACACGCTGGGCTCTGCTCATATGATCTCATATCCAGGATGT 1024
DB 1081 GGTGACCACTCGACACGCTGGGCTCTGCTCATATGATCTCATATCCAGGATGT 1140
QY 1025 GGACATCGTCCCTGGGTGTGACCCATATGACATCCGCTGACATCGAAGTACAGGCTT 1084
DB 1141 GGACATCGTCCCTGGGTGTGACCCATATGACATCCGCTGACATCGAAGTACAGGCTT 1200
QY 1085 CCGCATCCCTTAAGGAAAGGACACTCATCAACCTGCTCATCGGTGCTGAAGGATGAGG 1144
DB 1201 CCGCATCCCTTAAGGAAAGGACACTCATCAACCTGCTCATCGGTGCTGAAGGATGAGG 1260
QY 1145 CGTCTGGAGAGGCTTTCGCTTCCACCCCGAACACTTCTCGATGATGCCAGGCGCACTT 1204
DB 1261 CTTCTGGAGAGGCTTTCGCTTCCACCCCGAACACTTCTCGATGATGCCAGGCGCACTT 1320
QY 1205 TGTGAAGCGGAGGCTTTCGCTTCTCAGCAGGCGCGCTGATGCTCGGGGAGCC 1264
DB 1321 TGTGAAGCGGAGGCTTTCGCTTCTCAGCAGGCGCGCTGATGCTCGGGGAGCC 1380
QY 1265 CTTGGCGCGATGAGGCTTTCCTTCTTTCACCTTCTGCTGCTGAGCACTTTCAGCTTCTC 1324
DB 1381 CTTGGCGCGATGAGGCTTTCCTTCTTTCACCTTCTGCTGCTGAGCACTTTCAGCTTCTC 1440
QY 1325 GGTCCCACTGAGCAGGCGCGCGCGCAGCAGTGTGCTTCTGCTTCTTCTGCTGAGCAGCC 1384
DB 1441 GGTCCCACTGAGCAGGCGCGCGCGCAGCAGTGTGCTTCTGCTTCTTCTGCTGAGCAGCC 1500
QY 1385 ATCCCTCTATGAGCTTGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 1444
DB 1501 ATCCCTCTATGAGCTTGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 1558
QY 1445 TCCCTAGCAGGCTCTAATGTACAA 1471
DB 1559 TCCCTAGCAGGCGCGCTGATGTACAA 1585

RESULT 12
E10868
LOCUS E10868 1494 bp RNA linear PAT 29-SEP-1997
DEFINITION cDNA encoding human cytochrome P450.
ACCESSION E10868
VERSION E10868.1 GI:22027962

DEFINITION Sequence 17 from patent US 6620593.
ACCESSION AR399336
VERSION AR399336.1 GI:40141144
KEYWORDS
SOURCE Unknown.
ORGANISM Unknown.
REFERENCE Unclassified.
AUTHORS Hayashi,K.; Sakaki,T., Yabusaki,Y., Komai,K., Kaneko,H. and Nakatsuka,I.
TITLE Method for safety evaluation of chemical compound using recombinant yeast expressing human cytochrome P450
JOURNAL Patent: US 6620593-A 17 16-SEP-2003;
FEATURES Location/Qualifiers
source 1..1494
/organism="unknown"
/mol_type="genomic DNA"
ORIGIN
Query Match 76.3%; Score 1173.2; DB 6; Length 1494;
Best Local Similarity 89.6%; Pred. No. 2.8e-194;
Matches 1338; Conservative 0; Mismatches 3; Indels 153; Gaps 1;
QY 78 ATGGGGCTAGAGCACTGGTGGCCCTGGCGGTAGTGGCCATCTTCTGCTCTCTGGTG 137
DB 1 ATGGGGCTAGAGCACTGGTGGCCCTGGCGGTAGTGGCCATCTTCTGCTCTCTGGTG 60
QY 138 GACTGTATGACCGCGGCAACGCTGGGGTGCACGCTACTACAGAGCCCTCGCACTG 197
DB 61 GACTGTATGACCGCGGCAACGCTGGGGTGCACGCTACTACAGAGCCCTCGCACTG 120
QY 198 CCGGGCTGGGCAACCTGCTGATGCTGACCTTCCAGAACACACCATATCTGTCGACAG 257
DB 121 CCGGGCTGGGCAACCTGCTGATGCTGACCTTCCAGAACACACCATATCTGTCGACAG 180
QY 258 TTGCGGCGCGCTTCCGGGAGAGTGTTCAGCTGACCTGGCTGGCGTGGCGTGGTCTG 317
DB 181 TTGCGGCGCGCTTCCGGGAGAGTGTTCAGCTGACCTGGCTGGCGTGGCGTGGTCTG 240
QY 318 CTCATATGGCTGGCGGCGCTGGCGAGGGTGTGTGACCGAGGAGACACCGCGAC 377
DB 241 CTCATATGGCTGGCGGCGCTGGCGAGGGTGTGTGACCGAGGAGACACCGCGAC 300
QY 378 CGCCGCGCTGGCCATCACAGATCTGGTGTGGTGGCGCGCTCCCAA----- 428
DB 301 CGCCGCGCTGGCCATCACAGATCTGGTGTGGTGGCGCGCTCCCAAAGGGGTGTTTC 360
QY 429 ----- 428
DB 361 CTGGCGCGCTATGGCGCGCTGGCGGAGAGAGCGCTTCTCGTCTCCACCTTGGCG 420
QY 429 ----- 428
DB 421 AACTTGGCGCTGGGCAAGAAGTCGCTGGAGCAGTGGGTGACCGAGGAGCGCGCTTGCCTT 480
QY 429 -----GGAGCGCCCTTTTCGCCCAACGGTCTCTTGACAAA 464
DB 481 TGTGCGCGCTTGGCCAAACACTCCGGAGCGCCCTTTCGCCCAACGGTCTCTTGACAAA 540
QY 465 GCGGTGAGCAACGCTGATCGCTTCCCTCACCTGCGGGCGCGCTTCCAGTACGACACCT 524
DB 541 GCGGTGAGCAACGCTGATCGCTTCCCTCACCTGCGGGCGCGCTTCCAGTACGACACCT 600
QY 525 CGCTTCTCAGCTGCTGACCTAGCTCAGAGGAGCTGAGAGGAGTGGGCTTTCTG 584
DB 601 CGCTTCTCAGCTGCTGACCTAGCTCAGAGGAGCTGAGAGGAGTGGGCTTTCTG 660
QY 585 CGCAGGTGCTGAATGCTGCTCCCTCTCTGCAATATCCAGCGCTGGTGGCAAGTTC 644
DB 661 CGCAGGTGCTGAATGCTGCTCCCTCTCTGCAATATCCAGCGCTGGTGGCAAGTTC 720
QY 645 CTACCGCTTCCAAAAGGCTTCTCTGACCCAGCTGGATGAGTCTAACTGAGCACAGGATG 704

DB 721 CTACGCTTCCAAAAGGCTTCTCTGACCCAGCTGGATGAGCTGTAATGACGACAGGATG 780
QY 705 ACCTGGGACCCAGCCAGCCCGGAGACCTGACTGAGGCTTCTCTGGCAGAGATGAG 764
DB 781 ACCTGGGACCCAGCCAGCCCGGAGACCTGACTGAGGCTTCTCTGGCAGAGATGAG 840
QY 765 AAGGCCAAGGGGAACCTCTGAGAGCAGCTTCAATGATGAGAACCTCGCATAGTGGCT 824
DB 841 AAGGCCAAGGGGAACCTCTGAGAGCAGCTTCAATGATGAGAACCTGGCATAGTGGCT 900
QY 825 GACTGTCTCTGCGGGAGTGCACCACTCGACCGTGGCTGGGCTCTCTGCTC 884
DB 901 GACTGTCTCTGCGGGAGTGTGACCACTCGACCGTGGCTGGGCTCTCTGCTC 960
QY 885 ATGATCTACATCCGAGTGTGACGGCGGTGTCAAACAGGAGATCGACGATGATAGG 944
DB 961 ATGATCTACATCCGAGTGTGACGGCGGTGTCAAACAGGAGATCGACGATGATAGG 1020
QY 945 CAGGTGGCGGACCCAGAGATGGGTGACAGGCTCACATGCCCTACCACTGCCGTGAT 1004
DB 1021 CAGGTGGCGGACCCAGAGATGGGTGACAGGCTCACATGCCCTACCACTGCCGTGAT 1080
QY 1005 CATGAGTGCAGCGCTTTTGGGACATCTCCCTGGGTGTGACCCATATGACATCCCGT 1064
DB 1081 CATGAGTGCAGCGCTTTTGGGACATCTCCCTGGGTGTGACCCATATGACATCCCGT 1140
QY 1065 GACATCGAAGTACAGGGCTTCCGATCCCTAAGGAAAGCAGCACTCATCAACCACTGCA 1124
DB 1141 GACATCGAAGTACAGGGCTTCCGATCCCTAAGGAAAGCAGCACTCATCAACCACTGCA 1200
QY 1125 TCGGTGTGAAAGATGAGGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCGAAACACTTC 1184
DB 1201 TCGGTGTGAAAGATGAGGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCGAAACACTTC 1260
QY 1185 CTGATGCCAGGCGCACTTTGTGAACCGGAGCGCTTCTGCTTTCTACGAGGCGCG 1244
DB 1261 CTGATGCCAGGCGCACTTTGTGAACCGGAGCGCTTCTGCTTTCTACGAGGCGCG 1320
QY 1245 CGTCATGCTTCGGGAGCGCTTGGCGGATGAGCTTCTCTCTCTTCTTCTTCTTCTTCT 1304
DB 1321 CGTCATGCTTCGGGAGCGCTTGGCGGATGAGCTTCTCTCTTCTTCTTCTTCTTCT 1380
QY 1305 CTGAGCACTTTCAGCTTCTCGGTGCCACTGACAGCGCCCGGCGGAGCCACCATGGTGT 1364
DB 1381 CTGAGCACTTTCAGCTTCTCGGTGCCACTGACAGCGCCCGGCGGAGCCACCATGGTGT 1440
QY 1365 TTGCTTCTCTGTTGAGCCCATCCCTATGAGCTTTGTGTGTGCCCCGCTAG 1418
DB 1441 TTTGCTTCTCTGTTGAGCCCATCCCTATGAGCTTTGTGTGTGCCCCGCTAG 1494

RESULT 14

E10647
LOCUS Human cDNA encoding cytochrome P4502D6.
DEFINITION E10647
ACCESSION E10647
VERSION E10647.1 GI:22027703
KEYWORDS JP 1996027199-A/8.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 1494)
REFERENCE OS Homo sapiens (human)
AUTHORS PN JP 1996027199-A/8
TITLE PD 30-JAN-1996
JOURNAL PF 15-JUL-1994 JP 1994164186
PATENT: JP 1996027199-A 8 30-JAN-1996;
SUMITOMO CHEM CO LTD
COMMENT PI YABUSAKI YOSHIYASU
PI FUNAE YOSHIHIKO, IMAOKA SUSUMU, MATSUKI YASUSHI, HAYASHI KOJI,

PC	C07K16/18,C12N15/09/C12N1/19,C12N9/02,G01N33/53,G01N33/53; CC
	strandedness: Double;
CC	topology: Linear;
FH	Key
FH	Location/Qualifiers
FT	source
FT	1..1494
FT	/organism='Homo sapiens'
FT	/tissue type='liver'
FT	1..1494
FT	CDS
FT	/product='cytochrome P4502D6'.
	Location/Qualifiers
FEATURES	1..1494
source	/organism="Homo sapiens"
	/mol_type="genomic RNA"
	/db_xref="taxon:9606"

ORIGIN

Query Match	76.2%	Score 1171.6;	DB 6;	Length 1494;
Best Local Similarity	89.5%;	Pred. No. 5.4e-194;		
Matches 1337; Conservative	0;	Mismatches 4;	Indels 153;	Gaps 1;

78	ATGGGGCTAGAACGACCTGGTGGCCCTCGCCGTGTGATGTGGCCACTCTCTGCTCCTGGT	137
Db		
1	ATGGGGCTAGAAAGCACTGGTGGCCCTCGCCGTGTGATGTGGCCACTCTCTGCTCCTGGT	60
Qy		
138	GACCTGATGCACCGGCGCCAAACGCTGGGTGCACGCTACTCACACAGGCCCCCTGCGACTG	197
Db		
61	GACCTGATGCACCGGCGCCAAACGCTGGGTGCACGCTACCCACACAGGCCCCCTGCGCACTG	120
Qy		
198	CCCGGGCTGGGCAACCTGCTGCATGTGGACTTCCAGAAACACACATACTGCTTCGACAG	257
Db		
121	CCCGGGCTGGGCAACCTGCTGCATGTGGACTTCCAGAAACACACATACTGCTTCGACAG	180
Qy		
258	TTGGGGCGCCGCTTTCGGGGACGTGTTTCAGCTTCAGCTTCGAGTGGAGCGCCGGTGGTCTG	317
Db		
181	TTGGGGCGCCGCTTTCGGGGACGTGTTTCAGCTTCAGCTTCGAGTGGAGCGCCGGTGGTCTG	240
Qy		
318	CTCAATGGGCTGGGCGGCGCTGGCGAGCGCTGTGTGACCCACGCGAGGACACCGCGGAC	377
Db		
241	CTCAATGGGCTGGGCGGCGCTGGCGAGCGCTGTGTGACCCACGCGAGGACACCGCGGAC	300
Qy		
378	CGCCCGGCTGTGCCCATCACCCAGATCCTGGGTTTTGGGCGCGGTTCTCCAA-----	428
Db		
301	CGCCCGGCTGTGCCCATCACCCAGATCCTGGGTTTTGGGCGCGGTTCTCCAGAGGGTGTTCT	360
Qy		
429	-----	428
361	CTGGCGCGCTATGGGCGCCGGGTGGCGGAGCAGAGCGCTTCTCCGTCTCCACCTTGCGC	420
Db		
429	-----	428
421	AAC TTGGGCTTGGCAAGAAAGTCGCTGGAGCAGAGTGGGGTGACCGAGGAGCGCGCTGCTT	480
Qy		
429	-----GGACGGCCCTTTTCGCCCCAAACGGTCTCTTTGGACAAA	464
Db		
481	TGTCGCCCTTTCGCCAACCACTCCGAGCGCCCTTTTCGCCCAAACGGTCTCTTTGGACAAA	540
Qy		
465	GCGGTGAGCAACGTGATCGCTCCCTCACTGCGGGGCGCGCTTCGAGTACGACGACCTT	524
Db		
541	GCGGTGAGCAACGTGATCGCTCCCTCACCTGGGGCGCGCTTCGAAATACGACGACCTT	600
Qy		
525	CGCTTCTCAGGCTGTGGACCTAGCTCAGAGGGACTGAAGGAGGAGTGGGCTTCTG	584
Db		
601	CGCTTCTCAGGCTGTGGACCTAGCTCAGAGGGACTGAAGGAGGAGTGGGCTTCTG	660
Qy		
585	CGCGAGGTGCTGAATGTGTCTCCCGTCTCTCTGCATATCCACGCGCTGGCTGGCAAGGTC	644
Db		
661	CGCGAGGTGCTGAATGTGTCTCCCGTCTCTCTGCATATCCACGCGCTGGCTGGCAGGTC	720
Qy		
645	CTACGCTTCAAAGGCTTTCCTGACCCAGCTGATGAGTGTCTAATCTGAGCAACGAGATG	704
Db		
721	CTACGCTTCAAAGGCTTTCCTGACCCAGCTGATGAGTGTCTAATCTGAGCAACGAGATG	780

QY	705	AC	TGGG	ACC	AGCC	AGCC	CCCC	CCG	GAG	ACCT	GACT	GAGG	CC	TTCT	TGG	CAG	AGAT	GGAG	764				
DB	781	AC	TGG	GAC	CC	CAG	CC	AG	CC	CCCC	CCG	GAG	ACCT	GACT	GAGG	CC	TTCT	TGG	CAG	AGAT	GGAG	840	
QY	765	AAG	CC	CA	AGG	GA	AC	CC	CT	G	A	G	A	G	A	G	A	G	A	G	A	G	824
DB	841	AAG	CC	CA	AGG	GA	AC	CC	CT	G	A	G	A	G	A	G	A	G	A	G	A	G	900
QY	825	GAC	CT	GTT	CT	CT	GC	CG	GA	TGGT	G	A	C	CA	CT	TG	CA	C	A	C	CT	884	
DB	901	GAC	CT	GTT	CT	CT	GC	CG	GA	TGGT	G	A	C	CA	CT	TG	CA	C	A	C	CT	960	
QY	885	AT	GAT	CCT	A	CAT	C	CG	AT	GTC	A	G	C	G	CG	CT	G	T	C	CA	A	944	
DB	961	AT	GAT	CCT	A	CAT	C	CG	AT	GTC	A	G	C	G	CG	CT	G	T	C	CA	A	1020	
QY	945	CAG	GT	CG	GG	CG	A	CCAG	AGAT	TGGT	G	A	C	CA	GGCT	T	C	A	A	C	CT	1004	
DB	1021	CAG	GT	CG	GG	CG	A	CCAG	AGAT	TGGT	G	A	C	CA	GGCT	T	C	A	A	C	CT	1080	
QY	1005	CAT	GAG	GT	CAG	CG	CT	TT	TGG	GG	A	CAT	CGT	CCCC	CT	TGG	TGT	G	A	C	CA	1064	
DB	1081	CAT	GAG	GT	CAG	CG	CT	TT	TGG	GG	A	CAT	CGT	CCCC	CT	TGG	TGT	G	A	C	CA	1140	
QY	1065	GAC	AT	CA	AGT	T	C	A	G	GG	CT	TT	CC	G	AT	CC	TA	AGG	A	A	C	1124	
DB	1141	GAC	AT	CA	AGT	T	C	A	G	GG	CT	TT	CC	G	AT	CC	TA	AGG	A	A	C	1200	
QY	1125	TC	GGT	G	T	C	A	AG	GA	TG	AG	GC	CG	CT	CT	G	GG	A	A	G	CC	1184	
DB	1201	TC	GGT	G	T	C	A	AG	GA	TG	AG	GC	CG	CT	CT	G	GG	A	A	G	CC	1260	
QY	1185	CT	GAT	G	CC	C	AG	GG	CC	CA	CT	TT	T	G	T	G	A	G	CC	GG	CC	1320	
DB	1261	CT	GAT	G	CC	C	AG	GG	CC	CA	CT	TT	T	G	T	G	A	G	CC	GG	CC	1380	
QY	1245	CGT	G	AT	G	CT	CT	CG	GG	AG	CC	CC	CT	GG	CC	CA	TG	GA	C	AG	CT	1304	
DB	1321	CGT	G	AT	G	CT	CT	CG	GG	AG	CC	CC	CT	GG	CC	CA	TG	GA	C	AG	CT	1380	
QY	1305	CT	G	A	G	C	A	CT	T	C	T	G	G	T	G	C	C	A	T	G	G	1364	
DB	1381	CT	G	A	G	C	A	CT	T	C	T	G	G	T	G	C	C	A	T	G	G	1440	
QY	1365	TT	T	G	CT	TT	T	C	T	G	T	G	A	C	CC	CA	T	CC	CC	CA	T	1418	
DB	1441	TT	T	G	CT	TT	T	C	T	G	T	G	A	C	CC	CA	T	CC	CC	CA	T	1494	

RESULT 15

Accession	E10867	1494 bp	linear	PAT 29-SEP-1997
LOCUS				
DEFINITION	cDNA encoding human cytochrome P450.			
ACCESSION	E10867			
VERSION	E10867.1	GI:22027961		
KEYWORDS	JP 1996056695-A/16.			
SOURCE	Homo sapiens (human)			
ORGANISM	Homo sapiens			
	Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;			
	Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.			
REFERENCE	1 (bases 1 to 1494)			
AUTHORS	Nayashi, K., Sakaki, T., Yabuseaki, Y., Komai, K., Kaneko, H. and Nakatsuka, I.			
TITLE	METHOD FOR EVALUATING SAFETY			
JOURNAL	Patent: JP 1996056695-A 16 05-MAR-1996;			
	SUMITOMO CHEM CO LTD			
COMMENT	OS Homo sapiens (human)			
	PN JP 1996056695-A/16			
	PD 05-MAR-1996			
	PF 15-JUL-1994 JP 1994164184			
	PR 20-JUL-1993 JP 93P 201120, 30-JUL-1993 JP 93P 208279, PR			
	17-JUN-1994 JP 94P 136053			
	PI HAYASHI KOJI, SAKAKI TOSHIYUKI, YABUSAKI YOSHIIYASU, PI KOMAI			

KOICHIRO,	
PI	KANEKO HIDEO, NAKATSUKA IWA0
PC	C1201/02,C12M1/34,C1201/26;
CC	strandedness: Double;
CC	topology: Linear;
CC	hypothetical: No;
CC	anti-sense: No;
EH	Key
EH	Location/Qualifiers
FT	source
FT	1..1494
FT	/organism='Homo sapiens'
FT	1..1494
FT	/product='human cytochrome P450 2D6'.
FEATURES	
source	
1..1494	
/organism='Homo sapiens'	
/mol_type='genomic RNA'	
/db_xref='taxon:9606'	
ORIGIN	
Query Match 76.2%; Score 1171.6; DB 6; Length 1494;	
Best Local Similarity 89.5%; Pred. No. 5.4e-194;	
Matches 1337; Conservative 0; Mismatches 4; Indels 153; Gaps 1;	
Qy	78 ATGGGGCTAGAGCACTGGTGCCTCGCCCGTGTAGTGGCCATCTTCTGCTCCTGGTG 137
Db	1 ATGGGGCTAGAGCACTGGTGCCTCGCCCGTGTAGTGGCCATCTTCTGCTCTGGTG 60
Qy	138 GACCTGATGACCGGCGCAACGCTGGCTGACGCTACTACAGGCCCCCTGCACTG 197
Db	61 GACCTGATGACCGGCGCAACGCTGGCTGACGCTACTACCAAGGCCCTGCACTG 120
Qy	198 CCGGGCTGGCAACCTCTGCATGTGACTTCCAGACACACCATCTGCTTCGACCAG 257
Db	121 CCGGGCTGGGCAACCTCTGCATGTGACTTCCAGAAACACACCATCTGCTTCGACCAG 180
Qy	258 TTGCGGCGCGCTTCGGGAGCGTGTTCAGCGCTGAGCTGGCGTGGACCCCGTGTGCTG 317
Db	181 TTGCGGCGCGCTTCGGGAGCGTGTTCAGCGCTGAGCTGGCTGGACCCCGTGTGCTG 240
Qy	318 CTCAATGGCTGGCGGCGCTGGCGAGCGCTGTGTGACCCACGGCGAGGACACCGCGAC 377
Db	241 CTCAATGGCTGGCGGCGCTGGCGAGCGCTGTGTGACCCACGGCGAGGACACCGCGAC 300
Qy	378 CGCCGCGCTGTGCCATCACCCAGATCTGGGTTTTGGCGCGCTTCCCAA----- 428
Db	301 CGCCGCGCTGTGCCATCACCCAGATCTGGGTTTTGGCGCGCTTCCCAAAGGGGTGTT 360
Qy	429 ----- 428
Db	361 CTGGCGCGCTATGGGCGCGTGGCGCGAGCAGAGCGCTTCTCCGTCTCCACCTTGGCG 420
Qy	429 ----- 428
Db	421 AACTTGGGCTGGGCAAGAAGTCGCTGGAGCAGTGGTGAACCGAGGCGCGCTTGCCTT 480
Qy	429 -----GGAGCGCCCTTTCGCCCAACGGTCTCTTGGACAAA 464
Db	481 TGTGCGGCTTGGCCAAACATCCCGGAGCGCCCTTTCGCCCAACGGTCTCTTGGACAAA 540
Qy	465 GCGGTGAGCAACGTGATCGCTCCCTCACCTGCGGGCGCGCTTCGAGTAGCAGACCCCT 524
Db	541 GCGGTGAGCAACGTGATCGCTCCCTCACCTGCGGGCGCGCTTCGATACGACGACCCCT 600
Qy	525 CGCTTCTCAGGCTGCTGGAACCTAGCTCAGGAGGACTGAAGGAGGAGTCCGGCTTTCTG 584
Db	601 CGCTTCTCAGGCTGCTGGAACCTAGCTCAGGAGGACTGAAGGAGGAGTCCGGCTTTCTG 660
Qy	585 CGCAGGAGTGAATGCTGTCCCGCTCTCTGCAATATCCAGCGCTGGCTGGCAAGGTC 644
Db	661 CGCAGGAGTGAATGCTGTCCCGCTCTCTGCAATATCCAGCGCTGGCTGGCAAGGTC 720
Qy	645 CTACGCTTCCAAAAGGCTTTCCTGACCCAGCTGGATGAGCTGCTAACTGAGCACAGGATG 704

Search completed: February 28, 2004, 11:39:17
Job time : 3846.13 secs

Db	721 CTACGCTTCCAAAAGGCTTTCTGACCCAGCTGGATGAGTGTCTAACTGAGCACAGGATG 780
Qy	705 ACCTGGGACCCAGCCAGCCCCCGGAGACTGTGCTGAGGCTTCTCTGGCAGAGATGGAG 764
Db	781 ACCTGGGACCCAGCCAGCCCCCGGAGACTGTGCTGAGGCTTCTCTGGCAGAGATGGAG 840
Qy	765 AAGGCCAAGGGGAACCTCTGAGAGCAGCTTCAATGATGAGAACCTGCGCATAGTGTGGCT 824
Db	841 AAGGCCAAGGGGAACCTCTGAGAGCAGCTTCAATGATGAGAACCTGTGCATAGTGTGGCT 900
Qy	825 GACCTGTTCTCTGCGGGATGGTGACCACTCGACACGCTGGCTGGGCTCTCTGCTC 884
Db	901 GACCTGTTCTCTGCGGGATGGTGACCACTCGACACGCTGGCTGGGCTCTCTGCTC 960
Qy	885 ATGATCTTACATCCGATGTGACGCGCGTGTCCAAAGAGAGATCGACGAGTGTATAGGG 944
Db	961 ATGATCTTACATCCGATGTGACGCGCGTGTCCAAAGAGAGATCGACGAGTGTATAGGG 1020
Qy	945 CAGGTGCGGGACCCAGAGATGGGTGACAGGCTCACATGCCCTACACACTGCGCTGATT 1004
Db	1021 CAGGTGCGGGACCCAGAGATGGGTGACAGGCTCACATGCCCTACACACTGCGCTGATT 1080
Qy	1005 CATGAGGTGACGCGCTTTGGGGAACATCGTCCCCCTGGGTGTGACCCATATGACATCCCGT 1064
Db	1081 CATGAGGTGACGCGCTTTGGGGAACATCGTCCCCCTGGGTGTGACCCATATGACATCCCGT 1140
Qy	1065 GACATCCAGTACAGGCTTCCGATCCCTAAGGGAGACACATCATCACCACCTGTCA 1124
Db	1141 GACATCCAGTACAGGCTTCCGATCCCTAAGGGAGACACATCATCACCACCTGTCA 1200
Qy	1125 TCGGTGCTGAAGGATGAGGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCCGAACACTTC 1184
Db	1201 TCGGTGCTGAAGGATGAGGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCCGAACACTTC 1260
Qy	1185 CTGATGCCCAAGGCCACTTTGTGAAGCGGAGGCGCTTCTGCTTTCTCAGCAGGCGCG 1244
Db	1261 CTGATGCCCAAGGCCACTTTGTGAAGCGGAGGCGCTTCTGCTTTCTCAGCAGGCGCG 1320
Qy	1245 CGTCATGCTTCGGGAGAGCCCTGGCGCGCATGGAGCTCTTCTTCTTTCACCTCCCTG 1304
Db	1321 CGTCATGCTTCGGGAGAGCCCTGGCGCGCATGGAGCTCTTCTTCTTTCACCTCCCTG 1380
Qy	1305 CTGAGACACTTCAGCTTCTCGGTGCCCACTGGAAGAGCCCGGCGGAGCAGCACCATGGTGT 1364
Db	1381 CTGAGACACTTCAGCTTCTCGGTGCCCACTGGAAGAGCCCGGCGGAGCAGCACCATGGTGT 1440
Qy	1365 TTTGCTTCTCTGGTGAACCCATCCCTATGAGCTTTGTGTGTGCTGCCCCGCTAG 1418
Db	1441 TTTGCTTCTCTGGTGAACCCATCCCTATGAGCTTTGTGTGTGCTGCCCCGCTAG 1494

GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: February 28, 2004, 01:39:30 ; Search time 354.102 Seconds
(without alignments)
18439.552 Million cell updates/sec

Title: US-09-820-788A-1
Perfect score: 1537
Sequence: 1 cctgctggtcctctgtgcc.....aaaaaaaaaaaaaaaaaaaaa 1537

Scoring table: IDENTITY NUC
Gapop 10.0 , Gapext 1.0

Searched: 3373863 seqs, 2124099041 residues

Total number of hits satisfying chosen parameters: 6747726

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : N_Geneseq_29Jan04:*
1: Geneseqn1980s:*
2: Geneseqn1990s:*
3: Geneseqn2000s:*
4: Geneseqn2001as:*
5: Geneseqn2001bs:*
6: Geneseqn2002s:*
7: Geneseqn2003as:*
8: Geneseqn2003bs:*
9: Geneseqn2003cs:*
10: Geneseqn2004s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	1537	100.0	1537	7 AAL53565	AAL53565 CDNA enco
2	1241.4	80.8	1567	7 ADB25779	ADB25779 Human CYP
3	1241.4	80.8	1567	7 ADB25777	ADB25777 Human CYP
4	1241.4	80.8	1567	7 ADB25776	ADB25776 Human CYP
5	1239.8	80.7	1567	7 ACA61331	ACA61331 Human CYP
6	1239.8	80.7	1567	7 ADB25778	ADB25778 Human CYP
7	1238.2	80.6	1567	7 ACA61303	ACA61303 Human CYP
8	1234.6	80.3	1586	2 AAQ12893	AAQ12893 Debrisoqu
9	1225.6	79.7	1568	7 ACA61304	ACA61304 Human CYP
10	1211.2	78.8	1565	7 ACA61305	ACA61305 Human CYP
11	1201	78.1	1545	2 AAV19496	AAV19496 Cytochrom
12	1173.2	76.3	1494	2 AAQ87730	AAQ87730 Human aux
13	1173.2	76.3	1494	2 AAT28396	AAT28396 Human CYP
14	1173.2	76.3	1494	6 ABQ72216	ABQ72216 Human CYP
15	1171.6	76.2	1494	2 AAQ87731	AAQ87731 Human aux
16	1171.6	76.2	1494	2 AAQ87729	AAQ87729 Human aux
17	1171.6	76.2	1494	2 AAT28395	AAT28395 Human CYP
18	1171.6	76.2	1494	2 AAT28397	AAT28397 Human CYP
19	1171.6	76.2	1494	2 AAT17388	AAT17388 Human der
20	1171.6	76.2	1494	8 ACF06056	ACF06056 Human CYP
21	1170	76.1	1494	8 AAQ87732	AAQ87732 Human aux
22	1170	76.1	1494	2 AAT28398	AAT28398 Human CYP
23	1103.8	71.8	1593	4 AAD09937	AAD09937 Human dru

24	828.6	53.9	1449	6 ABN97193	ABN97193 Gene #369
25	763	45.6	1270	6 ABN97194	ABN97194 Gene #369
26	730.6	47.5	2746	6 ABK63556	ABK63556 Rat seque
27	730.6	47.5	2746	9 ADB53689	ADB53689 Primary r
28	692.8	45.1	1630	9 ADB59020	ADB59020 Toxicity-
29	692.8	45.1	1630	9 ADB53778	ADB53778 Primary r
30	680	44.2	1698	9 ADB58102	ADB58102 Toxicity-
31	680	44.2	1698	9 ADB52582	ADB52582 Primary r
32	671	43.7	1628	9 ADB56180	ADB56180 Toxicity-
33	671	43.7	1628	9 ADB50703	ADB50703 Primary r
34	579.8	37.7	585	2 AAV19497	AAV19497 Cytochrom
35	561.2	36.5	603	2 AAQ12894	AAQ12894 Debrisoqu
36	551.8	35.9	591	4 AAH33792	AAH33792 Human col
37	506.4	32.9	1311	4 AAS59871	AAS59871 Human nov
38	368.6	24.0	701	6 ABT08965	ABT08965 Phase-1 R
39	331.4	21.6	10278	7 AAL53566	AAL53566 Genomic D
40	326.8	21.3	465	8 ACH15319	ACH15319 Human adu
41	321	20.9	477	2 AAV19498	AAV19498 Cytochrom
42	301.4	19.6	303	6 ABR93054	ABR93054 CDNA enco
43	290	18.9	4500	7 ADB25775	ADB25775 Human CYP
44	289.2	18.8	6472	6 ABQ72215	ABQ72215 Human CYP
45	288.4	18.8	2170	7 ABT33958	ABT33958 Human pig

ALIGNMENTS

RESULT 1
AAL53565
ID AAL53565 standard; cDNA; 1537 BP.
XX
AC AAL53565;
XX
DT 30-JAN-2003 (first entry)
XX
DE cDNA encoding the drug-metabolising enzyme protein.
XX
KW Cytostatic; antiparkinsonian; gene therapy; cancer; Parkinson's disease;
KW human drug-metabolising protein; enzyme; gene; ss.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT CDS 78..1418
FT /*tag= a
FT /product= "Human drug-metabolising protein"
XX
PN WO200279233-A1.
XX
PD 10-OCT-2002.
XX
PF 01-APR-2002; 2002WO-US009738.
XX
PR 30-MAR-2001; 2001US-00820788.
XX
PA (PEKE) PE CORP NY.
PA (DFRA/) DI FRANCESCO V.
PA (BEAS/) BEASLEY E M.
XX
PI Shao W, Yan C;
XX
DR WPI; 2003-040649/03.
XX
PT P-PSDB; AAC26404.
XX
PT New human drug-metabolising proteins and nucleic acids related to the
PT Cytochrome P450 IID drug-metabolizing enzyme subfamily, useful for
PT treating a condition mediated by a human enzyme protein e.g., cancer.
XX
PS Claim 4; Fig 1; 72pp; English.
XX
CC The invention relates to a novel isolated polypeptide comprising a 446-
CC amino acid sequence or its allelic variant, orthologue or fragment. The
CC allelic variant or orthologue is encoded by a nucleic acid that

CC hybridises under stringent conditions to the opposite strand of the
CC nucleic acid comprising a sequence having 1537 or 10278 bp. The fragment
CC comprises at least 10 contiguous amino acids of the 446-amino acid
CC sequence. The polypeptide is useful for preparing a pharmaceutical
CC composition for treating a disease or condition mediated by a human
CC enzyme protein, e.g. cancer or Parkinson's disease. This polynucleotide
CC sequence represents the cDNA encoding the human drug-metabolising protein
XX of the invention

XX Sequence 1537 BP; 301 A; 493 C; 443 G; 300 T; 0 U; 0 Other;

Query Match 100.0%; Score 1537; DB 7; Length 1537;
Best Local Similarity 100.0%; Pred. No. 9.8e-283;
Matches 1537; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 CTTGCTGGTCTCTGTGCTGCTGGTGGGTGGGGTGGCCAGTGTGTCAGAGGAGCCCAT 60
DB 1 CTTGCTGGTCTCTGTGCTGCTGGTGGGTGGGGTGGCCAGTGTGTCAGAGGAGCCCAT 60
QY 61 TTGTTAGTGAGGAGTATGGGCTAGAGCACTGGTCCCTGGCCGTGATGTGGCCA 120
DB 61 TTGTTAGTGAGGAGTATGGGCTAGAGCACTGGTCCCTGGCCGTGATGTGGCCA 120
QY 121 TCTTCTCTCTCTGTGCTGCTGATGACCGCGCAACGCTGGGCTGCACGCTACTCAC 180
DB 121 TCTTCTCTCTCTGTGCTGCTGATGACCGCGCAACGCTGGGCTGCACGCTACTCAC 180
QY 181 CAGGCCCCCTGCACTGCGCGGCTGGGCAACCTGCTGCATGTGACATTCAGAACACAC 240
DB 181 CAGGCCCCCTGCACTGCGCGGCTGGGCAACCTGCTGCATGTGACATTCAGAACACAC 240
QY 241 CATACCTGCTCGACAGTGGGCGCGCTTCGGGAGCGTGTTCAGCTGCGAGTGGGCT 300
DB 241 CATACCTGCTCGACAGTGGGCGCGCTTCGGGAGCGTGTTCAGCTGCGAGTGGGCT 300
QY 301 GGACCCCGTGGTCTGCTCAATGGGCTGGGCGCGTGGGAGCGCTGGTGAACCCACG 360
DB 301 GGACCCCGTGGTCTGCTCAATGGGCTGGGCGCGTGGGAGCGCTGGTGAACCCACG 360
QY 361 GCGAGGACACCGCGACCGCGCTGTCGCGATCACCAGATCCTGCGGCTTTGGGCGC 420
DB 361 GCGAGGACACCGCGACCGCGCTGTCGCGATCACCAGATCCTGCGGCTTTGGGCGC 420
QY 421 GTTCCCAAGGAGCGCCCTTTTCGCCCAACCGTCTCTTGACAAAGCCGTGAGCAACG 480
DB 421 GTTCCCAAGGAGCGCCCTTTTCGCCCAACCGTCTCTTGACAAAGCCGTGAGCAACG 480
QY 481 TCGCTCTCTCTCACCTGCGGCGCGCTTCGAGTACGACACCTCGCTTCCTCAGGCTGC 540
DB 481 TCGCTCTCTCTCACCTGCGGCGCGCTTCGAGTACGACACCTCGCTTCCTCAGGCTGC 540
QY 541 TGGACCTAGCTCAGAGGAGCTGAAGGAGGAGTGGGCTTTCTGCGGAGGTGCTGAATG 600
DB 541 TGGACCTAGCTCAGAGGAGCTGAAGGAGGAGTGGGCTTTCTGCGGAGGTGCTGAATG 600
QY 601 CTGTCCCGTCTCTCTGATATCCAGCGCTGGCTGGCAAGTCTCAGCTTCCAAAGG 660
DB 601 CTGTCCCGTCTCTCTGATATCCAGCGCTGGCTGGCAAGTCTCAGCTTCCAAAGG 660
QY 661 TTTTCTGACCCAGCTGATGAGTCTAACTGAGCACAGGATGACCTGGGACCCAGGCC 720
DB 661 TTTTCTGACCCAGCTGATGAGTCTAACTGAGCACAGGATGACCTGGGACCCAGGCC 720
QY 721 AGCCCCCGGAGACTGATGAGGCTTCTGCGCAGAGATGAGAGGCCAAGGGGAACC 780
DB 721 AGCCCCCGGAGACTGATGAGGCTTCTGCGCAGAGATGAGAGGCCAAGGGGAACC 780
QY 781 CTGAGAGCAGCTTCAATGATGAGACCTGCGATAGTGGCTGACCTGCTCTGCGG 840
DB 781 CTGAGAGCAGCTTCAATGATGAGACCTGCGATAGTGGCTGACCTGCTCTGCGG 840
QY 841 GGATGGTGACCACTTCGACCCAGCTGGGCTGGGCTCTGCTCATGATCTTACATCCGG 900
DB 841 GGATGGTGACCACTTCGACCCAGCTGGGCTGGGCTCTGCTCATGATCTTACATCCGG 900

DB 841 GGATGGTGACCACTTCGACCCAGCTGGGCTGGGCTCTGCTCATGATCTTACATCCGG 900
QY 901 ATGTGCGAGCGCGTGTCCAAACAGGAGATCGACGACGCTGATAGGGCAGGTGGCGACAC 960
DB 901 ATGTGCGAGCGCGTGTCCAAACAGGAGATCGACGACGCTGATAGGGCAGGTGGCGACAC 960
QY 961 AGATGGGTGACCAAGCTCACATGCTTACACCACTGCGCGTGAATTCATGAGGTGAGCGCT 1020
DB 961 AGATGGGTGACCAAGCTCACATGCTTACACCACTGCGCGTGAATTCATGAGGTGAGCGCT 1020
QY 1021 TTGGGGACATGCTCCCTGGGTGTGACCCATATGACATCCCGTGACATCGAAGTACAGG 1080
DB 1021 TTGGGGACATGCTCCCTGGGTGTGACCCATATGACATCCCGTGACATCGAAGTACAGG 1080
QY 1081 GCTTCCGCTCCCTTAAGGGAACGACACTCATCAACCACTGCTCATCGGTGCTGAAGGATG 1140
DB 1081 GCTTCCGCTCCCTTAAGGGAACGACACTCATCAACCACTGCTCATCGGTGCTGAAGGATG 1140
QY 1141 AGGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCCGCAACACTTCTTGATGCCAGGGCC 1200
DB 1141 AGGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCCGCAACACTTCTTGATGCCAGGGCC 1200
QY 1201 ACTTTGTGAAGCGCGAGCGCTTCTGCTTTCTCAGAGCGCGCGTGCATGCTCGGG 1260
DB 1201 ACTTTGTGAAGCGCGAGCGCTTCTGCTTTCTCAGAGCGCGCGTGCATGCTCGGG 1260
QY 1261 AGCCCTGGCGCGCATGGAGCTTCTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCT 1320
DB 1261 AGCCCTGGCGCGCATGGAGCTTCTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCT 1320
QY 1321 TCTCGGTGCCACTTGGACAGCCCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCG 1380
DB 1321 TCTCGGTGCCACTTGGACAGCCCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCG 1380
QY 1381 CCCCATCCCCCTATGAGCTTTGCTGTGCCCCCTAGAAATGGGGTACCTTAGTCCCCAGC 1440
DB 1381 CCCCATCCCCCTATGAGCTTTGCTGTGCCCCCTAGAAATGGGGTACCTTAGTCCCCAGC 1440
QY 1441 CTGCTCCCTAGCAGAGCGCTTAATGTACAAATAGCAATGTGTGTAGTTCACAAAAA 1500
DB 1441 CTGCTCCCTAGCAGAGCGCTTAATGTACAAATAGCAATGTGTGTAGTTCACAAAAA 1500
QY 1501 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA 1537
DB 1501 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA 1537

RESULT 2

ADB25779
ID ADB25779 standard; DNA; 1567 BP.
XX ADB25779;
AC ADB25779;
XX 20-NOV-2003 (first entry)
DT Human CYP2D6-related gene #4.
XX human; mutant CYP2D6 gene; drug analysis; drug testing; gene; de.
KW Homo sapiens.
OS
XX Key Location/Qualifiers
XX CDS 1..1537
FT /*tag= a
FT /product= "Human CYP2D6-related protein #4"
XX
XX WO2003050282-A1.
XX 19-JUN-2003.
XX 05-DEC-2002; 2002WO-JP012748.
XX 06-DEC-2001; 2001JP-00372548.

XX (TSUR) TSUMURA & CO.
XX Taniyama M, Ogawa K, Tsuchiya N, Hibino T;
XX WPI; 2003-505401/47.
XX Genetic polymorphisms of CYP2D6 gene in human population for analysis of
XX drug effect on individual patients and testing of new drugs.
XX Claim 8; Page 50-54; 75pp; Japanese.
XX The invention comprises mutant forms of the human CYP2D6 gene, containing
XX one or more of the following mutations G125A, C1858T, T2874C and C2875T.
XX The mutant human CYP2D6 genes of the invention are useful for analysing
XX the effect of drugs on individual patients and testing of new drugs. The
XX present DNA sequence represents a human gene of the invention.
XX
SQ Sequence 1567 BP; 266 A; 526 C; 466 G; 309 T; 0 U; 0 Other;

Query Match 80.8%; Score 1241.4; DB 7; Length 1567;
Best Local Similarity 89.9%; Pred. No. 1.5e-226;
Matches 1408; Conservative 0; Mismatches 6; Indels 153; Gaps 1;

QY 78 ATGGGGCTAGAGCACTGTGGCCCTGGCCGTGATAGTGGCCATCTTCCTCTCTGGTG 137
DB |||||
QY 1 ATGGGGCTAGAGCACTGTGGCCCTGGCCGTGATAGTGGCCATCTTCCTCTCTGGTG 60
DB |||||
QY 138 GACCTGATGACACCGCGCAACGCTGGGTGACAGCTACTACACGAGCCCTGCACTG 197
DB |||||
QY 61 GACCTGATGACACCGCGCAACGCTGGGTGACAGCTACTACACGAGCCCTGCACTG 120
DB |||||
QY 198 CCGGGCTGGGCAACCTGCTGATGTGGAATTCAGAAACACACCATCTGCTTCGACCAG 257
DB |||||
QY 121 CCGGGCTGGGCAACCTGCTGATGTGGAATTCAGAAACACACCATCTGCTTCGACCAG 180
DB |||||
QY 258 TTGGGGCGCGCTTCGGGACAGTGTTCAGCTGCACTGGCTGCAAGCGCGGTGCTG 317
DB |||||
QY 181 TTGGGGCGCGCTTCGGGACAGTGTTCAGCTGCACTGGCTGCAAGCGCGGTGCTG 240
DB |||||
QY 318 CTCATATGGCTGGCGCGCTGGCGAGCGCTGTTGAGCCAGCGGAGACACCGCGAC 377
DB |||||
QY 241 CTCATATGGCTGGCGCGCTGGCGAGCGCTGTTGAGCCAGCGGAGACACCGCGAC 300
DB |||||
QY 378 CGCCCGCTGTGCCATACCCAGATCTCTGGGTGTTGGGCGCGCTTCCCAA 428
DB |||||
QY 301 CGCCCGCTGTGCCATACCCAGATCTCTGGGTGTTGGGCGCGCTTCCCAA 360
DB |||||
QY 429 ----- 428
DB |||||
QY 361 CTGGCGCGCTATGGGCGCGCTGGCGGAGCAGAGCGGCTTCTCGTGTCCACCTTGGCG 420
DB |||||
QY 429 ----- 428
DB |||||
QY 421 AACTTGGGCTGGGCAAGTCTGCTGGAGCAGTGGTGAACGAGGAGGCGCGCTT 480
DB |||||
QY 429 -----GGACGCCCTTTGGGCCCAACGGTCTCTTGACAAA 464
DB |||||
QY 481 TGTGGCGCTTCCCAACCACTCCGGACGCCCTTTGGCCCAACGGTCTCTTGACAAA 540
DB |||||
QY 465 GCCGTGAGCAACGTGATGCCCTTCCCTCACTGCGGGCGCGCTTCGAGTACGACACCT 524
DB |||||
QY 541 GCCGTGAGCAACGTGATGCCCTTCCCTCACTGCGGGCGCGCTTCGAGTACGACACCT 600
DB |||||
QY 525 CGCTTCTCAGGCTGCTGACCTAGCTCAGGAGGACTGAAGGAGGAGTGGGCTTCTG 584
DB |||||
QY 601 CGCTTCTCAGGCTGCTGACCTAGCTCAGGAGGACTGAAGGAGGAGTGGGCTTCTG 660
DB |||||
QY 585 CGCAGAGTGTGAATGTCTGCTCCCTCTGCAATATCCAGCGCTGCTGGCAAGTTC 644
DB |||||
QY 661 CGCAGAGTGTGAATGTCTGCTCCCTCTGCAATATCCAGCGCTGCTGGCAAGTTC 720
DB |||||
QY 645 CTACGCTTCCAAAGGCTTTCCTGTGACCCAGCTGGATGAGCTCTAACTGAGCACAGGATG 704
DB |||||

DB 721 CTACGCTTCCAAAGGCTTTCCTGACCCAGCTGGATGAGCTGCTAACTGAGCACAGATG 780
QY |||||
QY 705 ACCTGGGACCCAGCCAGCCCGGAGACCTGACTGAGGCGCTTCTCTGCGACAGATGGAG 764
DB |||||
QY 781 ACCTGGGACCCAGCCAGCCCGGAGACCTGACTGAGGCGCTTCTCTGCGACAGATGGAG 840
DB |||||
QY 765 AAGCCAAAGGGGAACCTCTGAGAGCAGCTTCAATGATGAGAACTTGGCGATAGTGGCT 824
DB |||||
QY 841 AAGCCAAAGGGGAACCTCTGAGAGCAGCTTCAATGATGAGAACTTGGCGATAGTGGCT 900
DB |||||
QY 825 GACCTGTTCTCTGCGGGGATGTTGACCACTCTGACCAAGCTGGGCTTGGGCGCTCTGCTC 884
DB |||||
QY 901 GACCTGTTCTCTGCGGGGATGTTGACCACTCTGACCAAGCTGGGCTTGGGCGCTCTGCTC 960
DB |||||
QY 885 ATGATCTTACATCCGAGTGTGAGCGCGCTGTCCAAACAGGAGATCGACGACGTGATAGG 944
DB |||||
QY 961 ATGATCTTACATCCGAGTGTGAGCGCGCTGTCCAAACAGGAGATCGACGACGTGATAGG 1020
DB |||||
QY 945 CAGGTGCGGGCCAGCAGAGATGGGTGACCAAGCTCAGATGCCCTTACACCACTGCCGTGAT 1004
DB |||||
QY 1021 CAGGTGCGGGCCAGCAGAGATGGGTGACCAAGCTCAGATGCCCTTACACCACTGCCGTGAT 1080
DB |||||
QY 1005 CATGAGTGTGAGCGCTTGTGGGACATCGTCCCTCTGGGTGTGACCAATGATGATCCCT 1064
DB |||||
QY 1081 CATGAGTGTGAGCGCTTGTGGGACATCGTCCCTCTGGGTGTGACCAATGATGATCCCT 1140
DB |||||
QY 1065 GACATCGAAGTACAGGGCTTCGCGATCCCTTAAGGGAACGACACTCATCAACCACTGTCA 1124
DB |||||
QY 1141 GACATCGAAGTACAGGGCTTCGCGATCCCTTAAGGGAACGACACTCATCAACCACTGTCA 1200
DB |||||
QY 1125 TCGGTGCTGAAGGATGAGGCGCTCTGGGAGAGCGCTTCCGCTTCCACCCGAACTTC 1184
DB |||||
QY 1201 TCGGTGCTGAAGGATGAGGCGCTCTGGGAGAGCGCTTCCGCTTCCACCCGAACTTC 1260
DB |||||
QY 1185 CTGATGCCAGGGCCACTTTGTGAAGCGGAGGCGCTTCTGCGCTTCTCAGAGGCGCG 1244
DB |||||
QY 1261 CTGATGCCAGGGCCACTTTGTGAAGCGGAGGCGCTTCTGCGCTTCTCAGAGGCGCG 1320
DB |||||
QY 1245 CGTGATGCTCGGGGAGCGCTTGGCGGAGCGCTTCCGCTTCCACCCGAACTTC 1304
DB |||||
QY 1321 CGTGATGCTCGGGGAGCGCTTGGCGGAGCGCTTCCGCTTCTCAGCTTCTTCCACCTCCCTG 1380
DB |||||
QY 1305 CTGAGACACTTTCAGCTTCTCGGTGCCACTGACAGAGCGCGCGCCAGCACCATGGTGT 1364
DB |||||
QY 1381 CTGAGCACTTTCAGCTTCTCGGTGCCACTGAGAGCGCGCGCCAGCACCATGGTGT 1440
DB |||||
QY 1365 TTTGCTTCTTGTGTGACCCCATCCCTTATGAGCTTGTGTGTGTGTGTGTGTGTGTGTGTGT 1424
DB |||||
QY 1441 TTTGCTTCTTGTGTGAGCCCATCCCTTATGAGCTTGTGTGTGTGTGTGTGTGTGTGTGTGT 1500
DB |||||
QY 1425 GTACCTAGTCCCGAGCTGCTCCCTAGCCAGAGGCTCTAATGTACAATAAGCAATGTGG 1484
DB |||||
QY 1501 GTACCTAGTCCCGAGCTGCTCCCTAGCCAGAGGCTCTAATGTACAATAAGCAATGTGG 1560
DB |||||
QY 1485 TAGTTCC 1491
DB |||||
QY 1561 TAGTTCC 1567
DB |||||

RESULT 3

ADB25777

ID ADB25777 standard; DNA; 1567 BP.

XX ADB25777;

AC ADB25777;

XX 20-NOV-2003 (first entry)

XX Human CYP2D6-related gene #2.

XX human; mutant CYP2D6 gene; drug analysis; drug testing; gene; db.

XX Homo sapiens.

XX Key Location/Qualifiers
FH 1..1494
FT /*tag= a
FT /product= "Human CYP2D6-related protein #2"
XX WO2003050282-A1.
XX 19-JUN-2003.
XX 05-DEC-2002; 2002WO-JP012748.
XX 06-DEC-2001; 2001JP-00372548.
XX (TSUR) TSUMURA & CO.
XX Taniyama M, Ogawa K, Tsuchiya N, Hibino T;
XX WPI; 2003-505401/47.
XX P-PSDB; ADB25832.
XX Genetic polymorphisms of CYP2D6 gene in human population for analysis of
XX drug effect on individual patients and testing of new drugs.
XX 'Claim 8; Page 43-46; 75pp; Japanese.
XX The invention comprises mutant forms of the human CYP2D6 gene, containing
XX one or more of the following mutations G125A, C1858T, T2874C and C2875T.
XX The mutant human CYP2D6 genes of the invention are useful for analysing
XX the effect of drugs on individual patients and testing of new drugs. The
XX present DNA sequence represents a human gene of the invention.
XX SQ Sequence 1567 BP; 266 A; 527 C; 464 G; 310 T; 0 U; 0 Other;
Query Match 80.8%; Score 1241.4; DB 7; Length 1567;
Best Local Similarity 89.9%; Pred. No. 1.5e-226;
Matches 1408; Conservative 0; Mismatches 6; Indels 153; Gaps 1;
QY 78 ATGGGGCTAGAGCACTGGTGGCCCTGGCGTGATAGTGGCCATCTTCTGCTCTGTG 137
DB 1 ATGGGGCTAGAGCACTGGTGGCCCTGGCGTGATAGTGGCCATCTTCTGCTCTGTG 60
QY 138 GACCTGATGACACGGCGCAACGCTGGCTGACGCTACTACACAGGCCCTGCGCACTG 197
DB 61 GACCTGATGACACGGCGCAACGCTGGCTGACGCTACTACACAGGCCCTGCGCACTG 120
QY 198 CCCGGCTGGGCAACCTGCTGATGAGCTTCCAGAAACACACCACTACTGCTTCGACCA 257
DB 121 CCCGGCTGGGCAACCTGCTGATGAGCTTCCAGAAACACACCACTACTGCTTCGACCA 180
QY 258 TTGGCGCGCGCTTCGGGGACGTGTTGACCTGACGCTGGCTGGACCGCGGTGCTG 317
DB 181 TTGGCGCGCGCTTCGGGGACGTGTTGACCTGACGCTGGCTGGACCGCGGTGCTG 240
QY 318 CTCAATGGCTGGCGGGCGCTGGCGAGCGCTGGTGACCCAGCGGAGGACACCGCCGAC 377
DB 241 CTCAATGGCTGGCGGGCGCTGGCGAGCGCTGGTGACCCAGCGGAGGACACCGCCGAC 300
QY 378 CGCCGCGCTGTGCCCATCACCAGATCTCTGGGTTTGGGCGCGCTTCCTCCAA----- 428
DB 301 CGCCGCGCTGTGCCCATCACCAGATCTCTGGGTTTGGGCGCGCTTCCTCCAAAGGGGTG 360
QY 429 ----- 428
DB 361 CTGGCGCGCTATGGGCGCGCTGGCGGACGAGGCGCTTCTCGCTCTCCACCTTGGCG 420
QY 429 ----- 428
DB 421 AACTTGGGCGCTGGGCAAGAGTCGCTGGAGCAGTGGGTGACCGAGGAGCGCGCTGCTT 480
QY 429 -----GGAGCGCGCTTTCGCGCGCGCGCTCTCTTGGACAAA 464
DB 481 TGTGCGCGCTTTCGCGCAACCACTTCGCGGACGCGCGCTTTCGCGCGCGCTCTTTCGACAAA 540

QY 465 GCCGTGAGCAACGTGATCGCTCCCTCACCTGCGGGCGCGCTTTCGAGTACGACGACCT 524
DB 541 GCCGTGAGCAACGTGATCGCTCCCTCACCTGCGGGCGCGCTTTCGAGTACGACGACCT 600
QY 525 CGCTTCTCTCAGGCTGCTGGACCTAGCTCAGGAGGAGCTGAAGAGGAGTGGGCTTCTG 584
DB 601 CGCTTCTCTCAGGCTGCTGGACCTAGCTCAGGAGGAGCTGAAGAGGAGTGGGCTTCTG 660
QY 585 CGGAGGTGCTGAATGCTGCTCCCGTCTCTCTGATATCCAGCGCTGGCTGGCAAGTTC 644
DB 661 CGGAGGTGCTGAATGCTGCTCCCGTCTCTCTGATATCCAGCGCTGGCTGGCAAGTTC 720
QY 645 CTACGCTTCCAAAGGCTTCTCTCAGCAGCTGATGAGCTGCTAACTGACACAGGATG 704
DB 721 CTACGCTTCCAAAGGCTTCTCTGACCCAGCTGATGAGCTGCTAACTGACACAGGATG 780
QY 705 ACCTGGGACCCAGCGCCCGGAGACCTGACTGAGGCTTCTCTGGCAGAGATGGAG 764
DB 781 ACCTGGGACCCAGCGCCCGGAGACCTGACTGAGGCTTCTCTGGCAGAGATGGAG 840
QY 765 AAGCCCAAGGGGAACCTGAGAGCAGCTTCAATGATGAGAACCTGCGATAGTGGTCT 824
DB 841 AAGCCCAAGGGGAACCTGAGAGCAGCTTCAATGATGAGAACCTGCGCATAGTGGTCT 900
QY 825 GACCTGTTCTCTGCGGGATGGTGACCACTCGACACGCTGGCTGGGCTCTCTGCTC 884
DB 901 GACCTGTTCTCTGCGGGATGGTGACCACTCGACACGCTGGCTGGGCTCTCTGCTC 960
QY 885 ATGATCTCTACATCCGATGTGTCAGCGCGCTGTCCAAACAGGAGATCGACGCTGATAGG 944
DB 961 ATGATCTCTACATCCGATGTGTCAGCGCGCTGTCCAAACAGGAGATCGACGCTGATAGG 1020
QY 945 CAGTGGCGCGCAACAGAGATGGGTGACAGGCTCACATGCCCTACACACTGCCGTGATT 1004
DB 1021 CAGTGGCGCGCAACAGAGATGGGTGACAGGCTCACATGCCCTACACACTGCCGTGATT 1080
QY 1005 CATCAGGTGACGCGCTTTGGGGACATCGTCCCTGGGTGACCCATATGACATCCCGT 1064
DB 1081 CATCAGGTGACGCGCTTTGGGGACATCGTCCCTGGGTGACCCATATGACATCCCGT 1140
QY 1065 GACATCGAAGTACAGGGCTTCCGATCCCTAAGGGAACGACACTCATCACCACCTGTCA 1124
DB 1141 GACATCGAAGTACAGGGCTTCCGATCCCTAAGGGAACGACACTCATCACCACCTGTCA 1200
QY 1125 TCGGTGCTGAAGGATGAGGCGCTCTGGAGAGGCTTCCGCTTCCACCCCGAACACTTC 1184
DB 1201 TCGGTGCTGAAGGATGAGGCGCTCTGGAGAGGCTTCCGCTTCCACCCCGAACACTTC 1260
QY 1185 CTGATGCGCCAGGGCCACTTTGTGAAGCGGAGGCTTCTCTGCTTCTCAGCAGGCGCG 1244
DB 1261 CTGATGCGCCAGGGCCACTTTGTGAAGCGGAGGCTTCTCTGCTTCTCAGCAGGCGCG 1320
QY 1245 CGTGCATGCTCTGGGAGAGCCCTCGCCCGCATGAGAGCTTCTCTTCTTCACTCCCTG 1304
DB 1321 CGTGCATGCTCTGGGAGAGCCCTCGCCCGCATGAGAGCTTCTCTTCTTCACTCCCTG 1380
QY 1305 CTGACAGCACTTCAGGCTTCTGGTGCCCATCCCTATGAGCTTGTGTGCTGCTGCTAGAAATGG 1364
DB 1381 CTGACAGCACTTCAGGCTTCTGGTGCCCATCCCTATGAGCTTGTGTGCTGCTGCTAGAAATGG 1440
QY 1365 TTTGCTTCTCTGGTGAGCCCATCCCTATGAGCTTGTGTGCTGCTGCTGCTAGAAATGG 1424
DB 1441 TTTGCTTCTCTGGTGAGCCCATCCCTATGAGCTTGTGTGCTGCTGCTGCTAGAAATGG 1500
QY 1425 GTACTAGTCCCGAGCTGCTCCCTAGCCAGAGGCTCTAAATGTACATAAAGCAATGTGG 1484
DB 1501 GTACTAGTCCCGAGCTGCTCCCTAGCCAGAGGCTCTAAATGTACATAAAGCAATGTGG 1560
QY 1485 TAGTTCC 1491
DB 1561 TAGTTCC 1567

```
RESULT 4
ADB25776 standard; DNA; 1567 BP.
XX
AC ADB25776;
XX
DT 20-NOV-2003 (first entry)
XX
DE Human CYP2D6-related gene #1.
XX
KW human; mutant CYP2D6 gene; drug analysis; drug testing; gene; ds.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT 1. 1494
FT CDS /*tag= a
FT /product= "Human CYP2D6-related protein #1"
XX
XX WO2003050282-A1.
XX
XX 19-JUN-2003.
XX
XX 05-DEC-2002; 2002WO-JP012748.
XX
XX 06-DEC-2001; 2001JP-00372548.
XX
XX (TSUR ) TSUMURA & CO.
XX
XX Taniyama M, Ogawa K, Tsuchiya N, Hibino T;
XX
XX WPI; 2003-505401/47.
XX
XX P-PSDB; ADB25831.
XX
XX Genetic polymorphisms of CYP2D6 gene in human population for analysis of
XX drug effect on individual patients and testing of new drugs.
XX
XX Claim 8; Page 39-42; 75pp; Japanese.
XX
XX The invention comprises mutant forms of the human CYP2D6 gene, containing
XX one or more of the following mutations G125A, C1858T, T2874C and C2875T.
XX The mutant human CYP2D6 genes of the invention are useful for analysing
XX the effect of drugs on individual patients and testing of new drugs. The
XX present DNA sequence represents a human gene of the invention.
XX
XX SQ Sequence 1567 BP; 266 A; 527 C; 464 G; 310 T; 0 U; 0 Other;
XX
Query Match 80.8%; Score 1241.4; DB 7; Length 1567;
Best Local Similarity 89.9%; Pred. No. 1.5e-226;
Matches 1408; Conservative 0; Mismatches 6; Indels 153; Gaps 1;
QY 78 ATGGGGCTAGAGCACTGGTGGCCCTGGCCGTGATAGTGGCCATCTTCTGCTCTCTGGTG 137
DB 1 ATGGGGCTAGAGCACTGGTGGCCCTGGCCGTGATAGTGGCCATCTTCTGCTCTCTGGTG 60
QY 138 GACCTGATGACCGGGCAACGCTGGGGCTGCACGCTACTCACCAGGCCCTTGGCACTG 197
DB 61 GACCTGATGACCGGGCAACGCTGGGGCTGCACGCTACTCACCAGGCCCTTGGCACTG 120
QY 198 CCGGGCTGGGCAACCTGCTGATGTGGACTTCCAGAACACACCATACTGCTTCGACCAG 257
DB 121 CCGGGCTGGGCAACCTGCTGATGTGGACTTCCAGAACACACCATACTGCTTCGACCAG 180
QY 258 TTGCGGCGCGCTTTCGGGAGCGTGTTCAGCTGCGAGCTGGCTGAGCGCGGTGTGGTG 317
DB 181 TTGCGGCGCGCTTTCGGGAGCGTGTTCAGCTGCGAGCTGGCTGAGCGCGGTGTGGTG 240
QY 318 CTCATATGGGCTGGCGGCGCTGGCGGCGCTGGTGAACCCAGCGGAGGACACCGCGAC 377
DB 241 CTCATATGGGCTGGCGGCGCTGGCGGCGCTGGTGAACCCAGCGGAGGACACCGCGAC 300
QY 378 CGCCCGCCTGTGCCCATCACCCAGATCTCTGGGTTTTTGGGCGCGCTTCCCAA----- 428
301 CGCCCGCCTGTGCCCATCACCCAGATCTCTGGGTTTTTGGGCGCGCTTCCCAAAGGGGTGTT 360
429 ----- 428
361 CTGGCGCGCTATGGCGCGCGTGGCGCGAGCAGAGGCGCTTCTCCGTCTCCACCTTGGCG 420
429 ----- 428
421 AACTTGGGCGCTGGGCAAGAGTCTGGAGCAGTGGGTGACCGAGGAGGCGCGCTTCTT 480
429 ----- 428
481 TGTGCGCGCTTGGCAACCACTCCGAGCGCGCTTCTGCGCGCGCTTCTTGGACAAA 464
465 GCGGTGAGCAACGCTGATCGCTCCTCACCTGCGGGCGCGCTTCCGAGTACGACGACCT 524
541 GCGGTGAGCAACGCTGATCGCTCCTCACCTGCGGGCGCGCTTCCGAGTACGACGACCT 600
525 CGCTTCTCAGGCTGCTGGACCTAGCTCAGGAGGACTGAAGGAGGAGTCTGGGCTTCTG 584
601 CGCTTCTCAGGCTGCTGGACCTAGCTCAGGAGGAGTGAAGGAGGAGTCTGGGCTTCTG 660
585 GCGAGGTGCTGAATGCTGCTCCCGTCTCTGCAATATCCAGCGCTGGCTGGGAGGTC 644
661 GCGAGGTGCTGAATGCTGCTCCCGTCTCTGCAATATCCAGCGCTGGCTGGGAGGTC 720
645 CTACGCTTCCAAAAGGCTTCTGACCCAGCTGGATGAGTGAACCTGAGCAGCAGGATG 704
721 CTACGCTTCCAAAAGGCTTCTGACCCAGCTGGATGAGTGAACCTGAGCAGCAGGATG 780
705 ACCTGGGACCCAGCGCCAGCGCCCGAGACCTGACTGAGGCGCTTCTGGCAGAGATGGAG 764
781 ACCTGGGACCCAGCGCCAGCGCCCGAGACCTGACTGAGGCGCTTCTGGCAGAGATGGAG 840
765 AAGCCAAAGGGGAACCTTGAGAGCAGCTTCAATGATGAGAACTCCGCAATAGTGTGGCT 824
841 AAGCCAAAGGGGAACCTTGAGAGCAGCTTCAATGATGAGAACTCCGCAATAGTGTGGCT 900
825 GACCTGTTCTCTGCGGGATGCTGACCACTCGACCGCTGCGCTGGCGCTGGCGCTCTGCTC 884
901 GACCTGTTCTCTGCGGGATGCTGACCACTCGACCGCTGCGCTGGCGCTGGCGCTCTGCTC 960
885 ATGATCTCTACATCCGGATGTCAGCGCGCTGTCCAAACAGGAGATCGACGCTGTATAGG 944
961 ATGATCTCTACATCCGGATGTCAGCGCGCTGTCCAAACAGGAGATCGACGCTGTATAGG 1020
945 CAGTGGCGGCAACAGAGATGGGTGACAGGCTCAGCTGCGCTACACCTACACCTGCGCTGATT 1004
1021 CAGTGGCGGCAACAGAGATGGGTGACAGGCTCAGCTGCGCTACACCTACACCTGCGCTGATT 1080
1005 CATGAGGTGACAGCGCTTGGGGACATCGTCCCGCTGGGTGTGACCATATGACATCCCGT 1064
1081 CATGAGGTGACAGCGCTTGGGGACATCGTCCCGCTGGGTGTGACCATATGACATCCCGT 1140
1065 GACATCGAAGTACAGGGCTTCCGATCCCTAAGGGAACGACACTCATCACCAACCTGTCA 1124
1141 GACATCGAAGTACAGGGCTTCCGATCCCTAAGGGAACGACACTCATCACCAACCTGTCA 1200
1125 TCGGTGCTGAAGATGAGGCGCTGTGGGAGAGCGCTTCCGCTTCCACCCGGAACACTTTC 1184
1201 TCGGTGCTGAAGATGAGGCGCTGTGGGAGAGCGCTTCCGCTTCCACCCGGAACACTTTC 1260
1185 CTGATGCCAGGGCGCACTTTGTGAGCGGAGGCGCTTCCGCTTCTCAGCAGGCGCGC 1244
1261 CTGATGCCAGGGCGCACTTTGTGAGCGGAGGCGCTTCCGCTTCTCAGCAGGCGCGC 1320
1245 CGTGATGCCCTCGGGAGCGCGCTGCGCGCATGAGCTTCTTCTTCTTCACTCCCTG 1304
1321 CGTGATGCCCTCGGGAGCGCGCTGCGCGCATGAGCTTCTTCTTCTTCACTCCCTG 1380
1305 CTGACGACATTCAGCTTCTCGGTGCGCCACTGGACAGCGCGCGCGCGCAGCCATCGGTGTC 1364
```

Db 1381 CTGACGACTTCAGCTTCTCGGTGCCCACTGGACAGCCGCCGCCAGCCACCATGGTGTCT 1440
Qy 1365 TTTGCTTTCCCTGGTACACCCATCCCTCCATGAGCTTTGCTGTGTCGCCCGCTAGATGGG 1424
Db 1441 TTTGCTTTCCCTGGTACACCCATCCCTCCATGAGCTTTGCTGTGTCGCCCGCTAGATGGG 1500
Qy 1425 GTACCTAGTCCCGACGCTGCTCCCTAGCAGAGGCTCTAAATGACAAATAAGCAATGTGG 1484
Db 1501 GTACCTAGTCCCGACGCTGCTCCCTAGCAGAGGCTCTAAATGACAAATAAGCAATGTGG 1560
Qy 1485 TAGTTC 1491
Db 1561 TAGTTC 1567

RESULT 5

ID ACA61331 standard; cDNA; 1567 BP.

AC ACA61331;

XX 16-JUL-2003 (first entry)

DE Human cytochrome p450 gene CYP2D6 G5799C variant, cDNA.

XX Human; ss; gene; cytochrome P450; CYP2D6; chromosome 22; SNP;

KW single nucleotide polymorphism; drug metabolism; cardiovascular disorder;
KW psychiatric disorder; drug sensitivity.

XX Homo sapiens.

FX Key Location/Qualifiers

FT CDS 1..1494

FT /*tag= a

FT /product= "CYP2D6 protein"

FT replace(1457,G)

FT /*tag= b

FT /standard_name= "Single nucleotide polymorphism"

XX EP1281755-A2.

XX 05-FEB-2003.

XX 16-JUL-2002; 2002EP-00254972.

XX 31-JUL-2001; 2001US-0309111P.

XX (PFIZ) PFIZER PROD INC.

XX Milos PW, Webb SM;

XX WPI; 2003-373769/36.

DR P-PSDB; AB009598.

XX New cytochrome P450 2D6 gene variants and polypeptides, useful for

PT determining if a subject has or is at risk of developing a drug

PT sensitivity condition or disorder that is associated with an aberrant

PT CYP2D6 activity.

XX Disclosure; Fig 7; 88pp; English.

XX The invention relates to an isolated nucleic acid comprising a cytochrome

CC P450 2D6 gene variant, e.g. G5799C or C5816AT (referring to the genomic

CC sequence) or the same variant nucleotide in the corresponding cDNA

CC oligonucleotides) and arrays used to detect and/or amplify the CYP2D6

CC gene polymorphic regions, the variant polypeptides, antibodies which are

CC capable of distinguishing between the variant and wild-type polypeptides,

CC determining whether a subject has a genetic deficiency for metabolising a

CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6 and

CC determining whether an individual is susceptible to being a poor

CC metaboliser of drugs. The DNA probe is useful for hybridising to a

CC variant form of the CYP2D6 gene. The primer is useful for amplifying the

CC C5816TA allelic variant. The allele specific nucleotide is useful for the
CC detection of the C5816TA allelic variant. The methods are useful for
CC determining whether a subject has a genetic deficiency for metabolising a
CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6, and
CC determining if an individual is susceptible to being a poor metaboliser
CC of drugs. The nucleic acids are useful as probes or primers for
CC determining whether a subject has a genetic deficiency for metabolising
CC drugs that are substrates of P450 CYP2D6. The methods are useful for
CC determining if a subject has or is at risk of developing a drug
CC sensitivity condition or disorder that is associated with an aberrant
CC CYP2D6 activity, e.g. an aberrant level of a CYP2D6 protein or an
CC aberrant CYP2D6 bioactivity. The methods are also useful in selecting the
CC appropriate drugs or determining the course of treatment to administer to
CC a subject to treat cardiovascular or psychiatric disorders, or for
CC treating a subject with a drug sensitivity or disorder associated with a
CC specific allelic variant of a polymorphic region of the CYP2D6 gene. The
CC antibodies are useful for monitoring CYP2D6 protein levels in an
CC individual for determining whether a subject has a disease or conditions
CC associated with an aberrant CYP2D6 protein level. The gene is located on
CC human chromosome 22. The present sequence is the CYP2D6 cDNA carrying the
CC G5799C/C5816TA double variation

XX
SQ Sequence 1567 BP; 267 A; 528 C; 464 G; 308 T; 0 U; 0 Other;

Query Match 80.7%; Score 1239.8; DB 7; Length 1567;

Best Local Similarity 89.8%; Pred. No. 3e-226;

Matches 1407; Conservative 0; Mismatches 7; Indels 153; Gaps 1;

Qy 78 ATGGGGCTAGAACACTGGTGGCCCTGGCCGTGATAGTGCCATCTTCCTGCTCTGGTG 137

Db 1 ATGGGGCTAGAACACTGGTGGCCCTGGCCGTGATAGTGCCATCTTCCTGCTCTGGTG 60

Qy 138 GACCTGATGACACGGCGCCACGCTGGCTGCACTCTCACCAGGCCCCCTGCCACTG 197

Db 61 GACCTGATGACACGGCGCCACGCTGGCTGCACTCTCACCAGGCCCCCTGCCACTG 120

Qy 198 CCCGGGCTGGGCACACCTGCTGCACTCTCAGAACACACCATCTGTTGCGACGAG 257

Db 121 CCCGGGCTGGGCACACCTGCTGCACTCTCAGAACACACCATCTGTTGCGACGAG 180

Qy 258 TTGCGGCGCGCTTTCGGGGACGCTTTCAGCTGAGCTGCGCTGGAGCCCGGTGGTGTG 317

Db 181 TTGCGGCGCGCTTTCGGGGACGCTTTCAGCTGAGCTGCGCTGGAGCCCGGTGGTGTG 240

Qy 318 CTCAATGGGCTGGCGCGCGCTGGCGAGCGCTGTTGACCCACCGCGAGGACACCGCGAC 377

Db 241 CTCAATGGGCTGGCGCGCGCTGGCGAGCGCTGTTGACCCACCGCGAGGACACCGCGAC 300

Qy 378 CGCCCGCTGTGCCCATCACCAGATCTGGGTTTTCGGCGCGCTTCCCAA----- 428

Db 301 CGCCCGCTGTGCCCATCACCAGATCTGGGTTTTCGGCGCGCTTCCCAAAGGGGTGTTTC 360

Qy 429 ----- 428

Db 361 CTGCGCGCTATGGCGCGCGTGGCGGAGCAGAGGGCGTTCTCCGTGTCCACCTTGGCG 420

Qy 429 ----- 428

Db 421 AACTTGGGCTGGGCACAAAGATGCTGGAGCAGTGGGTGACCCGAGGAGCGCGCTGCTT 480

Qy 429 -----GGACGCGCGCTTTCGCCCCAACCGGTCTCTTGGACAAA 464

Db 481 TGTGCCGCTTCGCGCAACCACTCCGGAGCGCCCTTTCGCCCCAACCGGTCTCTTGGACAAA 540

Qy 465 GCCGTGAGCAACGTTGATGCGCTTCCCTCACTGCGGGCGCGCTTTCGAGTACGACGACCT 524

Db 541 GCCGTGAGCAACGTTGATGCGCTTCCCTCACTGCGGGCGCGCTTTCGAGTACGACGACCT 600

Qy 525 CGCTTCTCAGGCTGCTGGACCTAGCTCAGAGGAGCTGAAGGAGGAGTGGGCTTCTG 584

Db 601 CGCTTCTCAGGCTGCTGGACCTAGCTCAGAGGAGCTGAAGGAGGAGTGGGCTTCTG 660

Qy 585 CGCAGGTGCTGAATGTCTCTCCCGCTCTCTCATATCCACGAGCGCTGGCTGGCAAGGTC 644


```
QY 429 -----GGAGCCCTTTTCGCCCAACGGTCTCTTGACAAA 464
Db 481 TGTGGCGCTTCGCCCAACCACTCCGGAGCGCCCTTCGCCCAACGGTCTCTTGACAAA 540
QY 465 GCCGTGAGCAACGTGATCGCTCCCTCACCTGCGGGCGCGCTTCGAGTAGCAGACACCT 524
Db 541 GCCGTGAGCAACGTGATCGCTCCCTCACCTGCGGGCGCGCTTCGAGTAGCAGACACCT 600
QY 525 CCGTTCCTCAGGCTGCTGAGCACTAGCTCAGGAGGACCTGAGGAGGAGTCCGGCTTTCTG 584
Db 601 CCGTTCCTCAGGCTGCTGAGCACTAGCTCAGGAGGACCTGAGGAGGAGTCCGGCTTTCTG 660
QY 585 CCGGAGGTGCTGAATGCTGTCCTCCCTCTGCTGATATCCAGCGCTGCTGGCAAGTGC 644
Db 661 CCGGAGGTGCTGAATGCTGTCCTCCCTCTGCTGATATCCAGCGCTGCTGGCAAGTGC 720
QY 645 CTACGCTTCCAAAGGCTTTCTGACCCAGCTGAGTGTCTAACTGAGCAGCAGATG 704
Db 721 CTACGCTTCCAAAGGCTTTCTGACCCAGCTGAGTGTCTAACTGAGCAGCAGATG 780
QY 705 ACTCGGACCGAGCGCCCGCCCGAGACCTGACTGAGGCTTCTCTGGCAGAGATGAG 764
Db 781 ACTCGGACCGAGCGCCCGCCCGAGACCTGACTGAGGCTTCTCTGGCAGAGATGAG 840
QY 765 AAGGCCAAGGGGAACCCCTGAGAGCAGCTTCAATGATGAGAACTCGCATAGTGGTGGCT 824
Db 841 AAGGCCAAGGGGAACCCCTGAGAGCAGCTTCAATGATGAGAACTCGCATAGTGGTGGCT 900
QY 825 GACCTGTCTCTGCGCGGATGGTGACCACTCGACCGCTGGCTGGGGCTCTCTGCTC 884
Db 901 GACCTGTCTCTGCGCGGATGGTGACCACTCGACCGCTGGCTGGGGCTCTCTGCTC 960
QY 885 ATGATCTTACATCCGGATGTGAGCGCGGTGTCCAAAGAGAGATCGACGACGTGATGAG 944
Db 961 ATGATCTTACATCCGGATGTGAGCGCGGTGTCCAAAGAGAGATCGACGACGTGATGAG 1020
QY 945 CAGGTGCGCGACAGAGATGGTGACCAAGCTCACATGCCCTCACCACTGCCGTGATT 1004
Db 1021 CAGGTGCGCGACAGAGATGGTGACCAAGCTCACATGCCCTCACCACTGCCGTGATT 1080
QY 1005 CATGAGTGCAGCGCTTTGGGACATCGTCCCTGGGTGTGACCCATATGACATCCCGT 1064
Db 1081 CATGAGTGCAGCGCTTTGGGACATCGTCCCTGGGTGTGACCCATATGACATCCCGT 1140
QY 1065 GACATCGAAGTACAGGCTTCGGATCCCTAAGGGAACGACACTCATCACCAACCTGTCA 1124
Db 1141 GACATCGAAGTACAGGCTTCGGATCCCTAAGGGAACGACACTCATCACCAACCTGTCA 1200
QY 1125 TCGGTGCTGAAGATGAGCGCTCTGGGAGAGCCCTTCGGCTTCCACCCGGAACACTTC 1184
Db 1201 TCGGTGCTGAAGATGAGCGCTCTGGGAGAGCCCTTCGGCTTCCACCCGGAACACTTC 1260
QY 1185 CTGGATGCCAGGGCCACTTTGTGAAGCGGAGGCGCTTCTGCGCTTTCTCAGCAGCGCG 1244
Db 1261 CTGGATGCCAGGGCCACTTTGTGAAGCGGAGGCGCTTCTGCGCTTTCTCAGCAGCGCG 1320
QY 1245 CGTGATGCTCGGGAGCCCTTGGCGCGCATGAGAGCTTCTCTCTTCTTACCTCCCTG 1304
Db 1321 CGTGATGCTCGGGAGCCCTTGGCGCGCATGAGAGCTTCTCTCTTCTTACCTCCCTG 1380
QY 1305 CTGCAGCACTTCAGCTTCTCGGTGCCACTGGACAGCCCGCGCCAGCACCATGCTGTC 1364
Db 1381 CTGCAGCACTTCAGCTTCTCGGTGCCACTGGACAGCCCGCGCCAGCACCATGCTGTC 1440
QY 1365 TTTGCTTTCTGGTAGCCCACTCCCTCATGAGCTTTGTGCTGTGCCCGCTAGAAATGG 1424
Db 1441 TTTGCTTTCTGGTAGCCCACTCCCTCATGAGCTTTGTGCTGTGCCCGCTAGAAATGG 1500
QY 1425 GTACCTAGTCCCGAGCTGCTCCCTAGCAGAGGCTCTTAATGTACAATAAGCAATGCG 1484
Db 1501 GTACCTAGTCCCGAGCTGCTCCCTAGCAGAGGCTCTTAATGTACAATAAGCAATGCG 1560
```

```
QY 1485 TAGTTCC 1491
Db 1561 TAGTTCC 1567

RESULT 7
ID ACA61303 standard; cDNA; 1567 BP.
XX ACA61303;
AC ACA61303;
XX 16-JUL-2003 (first entry)
XX Human cytochrome p450 gene CYP2D6, wild-type cDNA.
XX Human; ss; gene; cytochrome P450; CYP2D6; chromosome 22; SNP;
XX single nucleotide polymorphism; drug metabolism; cardiovascular disorder;
XX psychiatric disorder; drug sensitivity.
XX Homo sapiens.
XX
FH Key Location/Qualifiers
FT CDS 1..1494
FT /tag= a
FT /product= "CYP2D6 protein"
XX
PN EP1281755-A2.
XX 05-FEB-2003.
XX 16-JUL-2002; 2002EP-00254972.
XX 31-JUL-2001; 2001US-0309111P.
XX (PFIZ ) PFIZER PROD INC.
XX Milos PM, Webb SM;
XX WPI; 2003-373769/36.
XX P-PSDB; ABU09593.
XX
New cytochrome P450 2D6 gene variants and polypeptides, useful for
determining if a subject has or is at risk of developing a drug
sensitivity condition or disorder that is associated with an aberrant
CYP2D6 activity.
Claim 2; Fig 4; 8pp; English.
The invention relates to an isolated nucleic acid comprising a cytochrome
P450 2D6 gene variant, e.g. G5799C or C5816AT (referring to the genomic
sequence or the same variant nucleotide in the corresponding cDNA
sequences). Also included are probes, primers (allele specific
oligonucleotides) and arrays used to detect and or amplify the CYP2D6
gene polymorphic regions, the variant polypeptides, antibodies which are
capable of distinguishing between the variant and wild-type polypeptides,
determining whether a subject has a genetic deficiency for metabolising a
drug, evaluating therapy with a drug metabolised by P450 CYP2D6 and
determining whether an individual is susceptible to being a poor
metaboliser of drugs. The DNA probe is useful for hybridising to a
variant form of the CYP2D6 gene. The primer is useful for amplifying the
C5816TA allelic variant. The allele specific nucleotide is useful for the
detection of the C5816TA allelic variant. The methods are useful for
determining whether a subject has a genetic deficiency for metabolising a
drug, evaluating therapy with a drug metabolised by P450 CYP2D6, and
determining if an individual is susceptible to being a poor metaboliser
of drugs. The nucleic acids are useful as probes or primers for
determining whether a subject has a genetic deficiency for metabolising
drugs that are substrates of P450 CYP2D6. The methods are useful for
determining if a subject has or is at risk of developing a drug
sensitivity condition or disorder that is associated with an aberrant
CYP2D6 activity, e.g. an aberrant level of a CYP2D6 protein or an
aberrant CYP2D6 bioactivity. The methods are also useful in selecting the
appropriate drugs or determining the course of treatment to administer to
```

CC a subject to treat cardiovascular or psychiatric disorders, or for
CC treating a subject with a drug sensitivity or disorder associated with a
CC specific allelic variant of a polymorphic region of the CYP2D6 gene. The
CC antibodies are useful for monitoring CYP2D6 protein levels in an
CC individual for determining whether a subject has a disease or conditions
CC associated with an aberrant CYP2D6 protein level. The gene is located on
CC human chromosome 22. The present sequence is the wild-type CYP2D6 cDNA
XX
SQ Sequence 1567 BP; 267 A; 527 C; 465 G; 308 T; 0 U; 0 Other;

Query Match 80.6%; Score 1238.2; DB 7; Length 1567;
Best Local Similarity 89.7%; Pred. No. 6e-226; 8; Indels 153; Gaps 1;
Matches 1406; Conservative 0; Mismatches 8; Indels 153; Gaps 1;

QY 78 ATGGGGCTAAGACACTGGTGGCCCTGGCGGTGATAGTGCCCATCTTCTGCTCTCTGGTG 137
DB 1 ATGGGGCTAAGACACTGGTGGCCCTGGCGGTGATAGTGCCCATCTTCTGCTCTCTGGTG 60

QY 138 GACCTGATGACCGGGCCCAACGCTGGGTGACGCTACTACACAGGCCCTTGCACATG 197
DB 61 GACCTGATGACCGGGCCCAACGCTGGGTGACGCTACTACACAGGCCCTTGCACATG 120

QY 198 CCGGGCTGGGCAACCTGCTGCAATGGACTTCCAGAACACACATCTTCCAGACAG 257
DB 121 CCGGGCTGGGCAACCTGCTGCAATGGACTTCCAGAACACACATCTTCCAGACAG 180

QY 258 TTGGGGCGCGCTTCCGGGACGTTGTTGAGCTGAGCTGGCCCTGGAGCGCGGTGGTGGT 317
DB 181 TTGGGGCGCGCTTCCGGGACGTTGTTGAGCTGAGCTGGCCCTGGAGCGCGGTGGTGGT 240

QY 318 CTCAATGGGTGGCGCGCTGGCGAGGGCTGGTGACCCACGGCGAGGACACCGCCGAC 377
DB 241 CTCAATGGGTGGCGCGCTGGCGAGGGCTGGTGACCCACGGCGAGGACACCGCCGAC 300

QY 378 CGCCCGCTGTCCTATACCCAGATCTGGGTTTGGCGCGGTGCCAA 428
DB 301 CGCCCGCTGTCCTATACCCAGATCTGGGTTTGGCGCGGTGCCAA 360

QY 429 ----- 428
DB 361 CTGGCGGCTATGGGCGCGGTGGCGAGGAGGCGCTTCTCCGTGTCACCTTGGCG 420

QY 429 ----- 428
DB 421 AACTTGGGCTGGGCAAGAGTCCGTGGAGAGTGGGTGACCGAGGAGCGCGCTGCCTT 480

QY 429 -----GGACGCGCTTTCGCCCAACCGTCTCTTGGCAAA 464
DB 481 TGTGGCGCTTGCACCAACCACTCCGACGCGCTTTCGCCCAACCGTCTCTTGGCAAA 540

QY 465 GCGGTGAGCAACGTGATCGCTCCCTCACCTGGGCGCGCGCTTCCAGTACGACGACCT 524
DB 541 GCGGTGAGCAACGTGATCGCTCCCTCACCTGGGCGCGCGCTTCCAGTACGACGACCT 600

QY 525 CGCTTCTCAGGCTGTGACCTAGTCTAGGAGGGACTGAAGGAGGAGTGGGCTTTCTG 584
DB 601 CGCTTCTCAGGCTGTGACCTAGTCTAGGAGGGACTGAAGGAGGAGTGGGCTTTCTG 660

QY 585 CGGAGGTGCTGAATGCTGTCCTCCCTCTCTCATATCCAGCGCTGGCTGCAAGTTC 644
DB 661 CGGAGGTGCTGAATGCTGTCCTCCCTCTCTCATATCCAGCGCTGGCTGCAAGTTC 720

QY 645 CTACGCTTCCAAAGGCTTTCCTGACCCAGCTGGATGAGTCTTAAGTACGACAGGATG 704
DB 721 CTACGCTTCCAAAGGCTTTCCTGACCCAGCTGGATGAGTCTTAAGTACGACAGGATG 780

QY 705 ACCTGGAGCCAGCCCGCCCGAGACCTGACTGAGGCTTCTTGGCAGAGATGGAG 764
DB 781 ACCTGGAGCCAGCCCGCCCGAGACCTGACTGAGGCTTCTTGGCAGAGATGGAG 840

QY 765 AAGGCCAAGGGGAACCTTGAGGACAGCTTCAATGATGAGAACCTGGCGATAGTGGTGC 824
DB 841 AAGGCCAAGGGGAACCTTGAGGACAGCTTCAATGATGAGAACCTGGCGATAGTGGTGC 900

QY 825 GACCTGTTCTCTGCGGGATGTGACCACTCGACACGCTGGCTGGGGCTCTCTGCTC 884
DB 901 GACCTGTTCTCTGCGGGATGTGACCACTCGACACGCTGGCTGGGGCTCTCTGCTC 960

QY 885 ATGATCTACATCCGGATGTGACGCGCGGTGTCACAGGAGATCGACGACCTGATGGG 944
DB 961 ATGATCTACATCCGGATGTGACGCGCGGTGTCACAGGAGATCGACGACCTGATGGG 1020

QY 945 CAGGTGCGGCGACACAGAGATGGGTGACAGGCTCACATGCCCTACACACTCCCGTGAT 1004
DB 1021 CAGGTGCGGCGACACAGAGATGGGTGACAGGCTCACATGCCCTACACACTCCCGTGAT 1080

QY 1005 CATGAGGTGACGCGCTTTGGGGACATCGTCCCTCTGGGTGACCATATGACATCCCT 1064
DB 1081 CATGAGGTGACGCGCTTTGGGGACATCGTCCCTCTGGGTGATGACCATATGACATCCCT 1140

QY 1065 GACATCGAGTACAGGGCTTCGGCATCCCTTANGGAAACGACACTCATCAACCACTGTCA 1124
DB 1141 GACATCGAGTACAGGGCTTCGGCATCCCTTANGGAAACGACACTCATCAACCACTGTCA 1200

QY 1125 TCGGTGCTGAAGGATGAGGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCGAACTTC 1184
DB 1201 TCGGTGCTGAAGGATGAGGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCGAACTTC 1260

QY 1185 CTGGATGCCAGGGCCACTTTGTGAAGCGGAGGCGCTTCTGCTCTTCTCAGCAGGCGC 1244
DB 1261 CTGGATGCCAGGGCCACTTTGTGAAGCGGAGGCGCTTCTGCTCTTCTCAGCAGGCGC 1320

QY 1245 CGTGATGCTCGGGAGGCGCTTGGCGGATGAGGCTTCTCTTCTTACCTCCCTG 1304
DB 1321 CGTGATGCTCGGGAGGCGCTTGGCGGATGAGGCTTCTCTTCTTACCTCCCTG 1380

QY 1305 CTGCAGCACTTCAGCTTCTCGGTGCCACTGACAGCCCGCCGACGACCATATGGTGC 1364
DB 1381 CTGCAGCACTTCAGCTTCTCGGTGCCACTGACAGCCCGCCGACGACCATATGGTGC 1440

QY 1365 TTGTGCTTCTGAGTACCCCATCCCTTATGAGCTTTGTGCTGTCGCGCTAGATGGG 1424
DB 1441 TTGTGCTTCTGAGTACCCCATCCCTTATGAGCTTTGTGCTGTCGCGCTAGATGGG 1500

QY 1425 GTACCTAGTCCCGAGGCTGCTCCCTAGCCAGAGGCTCTAATGTACAAATAAGCAATGG 1484
DB 1501 GTACCTAGTCCCGAGGCTGCTCCCTAGCCCGAGGCTCTAATGTACAAATAAGCAATGG 1560

QY 1485 TAGTTCC 1491
DB 1561 TAGTTCC 1567

RESULT 8

AAQ12893
ID AAQ12893 standard; cDNA; 1586 BP.
XX
AC AAQ12893;
XX AC
XX 25-MAR-2003 (revised)
DT 22-OCT-1991 (first entry)
XX
DE Debrisoquine hydroxylase variant a.
XX db1; Extensive metaboliser/poor metaboliser; EM/PM; ss.
XX Synthetic.
XX
FH Key
FT exon
FT 1.180
FT /*tag= a
FT /number= 1
FT 181..245
FT /*tag= b
FT /number= 1
FT /note= "first 64 bases of intron 1"


```
FT conflict 383
FT /*tag= c
FT /note= "c.f. C(383) in Gonzalez et al., (1988) Nature,
FT 331, 442-445."
FT mutation 506
FT /*tag= d
FT /note= "G(506) is deleted; results in frameshift c.f.
FT genomic P450I12D sequence"
XX WO9110745-A.
XX
XX 25-JUL-1991.
XX
XX 18-JAN-1990; 90GB-00001181.
XX
XX 18-JAN-1990; 90GB-00001181.
XX (IMCR ) IMPERIAL CANCER RES TECHNOLOGY.
XX
XX Wolf CR, Miles JS, Spurr NK, Gough AC;
XX WPI; 1991-238033/32.
XX
XX Identification of cytochrome P450 enzyme bufuralol-1'-hydroxylase - as
XX indication of extensive-poor metaboliser phenotypes, important for drug
XX dosage.
XX
XX Example 1; Fig 2; 43pp; English.
XX
XX This full-length dbl variant sequence was obtained from two overlapping
XX clones (pMP32 and pMP33). It is not expected to encode a functional
XX protein as it contains part of intron 1 and has a frameshift relative to
XX the functional gene. The other base pair differences between the
XX pMP32/pMP33 sequence and the normal dbl sequence form the basis of
XX detection methods designed to distinguish EM/PM phenotypes. For example,
XX at position 294 of the variant sequence G replaces the wild-type C. This
XX introduces a HaeIII restriction site in PM individuals, PCR amplification
XX of a 172bp fragment containing this site, followed by HaeIII digestion
XX allows homozygous EM individuals (who lack this site) to be distinguished
XX from PM individuals. See AAQ12885-Q12894. (Updated on 25-MAR-2003 to
XX correct PA field.)
XX
XX Sequence 1586 BP; 286 A; 527 C; 464 G; 309 T; 0 U; 0 Other;
XX
XX Query Match 80.3%; Score 1234.6; DB 2; Length 1586;
XX Best Local Similarity 89.7%; Pred. No. 2.9e-225;
XX Matches 1424; Conservative 0; Mismatches 9; Indels 154; Gaps 3;
XX
XX 78 ATGGGGCTAGAGCACTGGTCCCTGGCCGATAGTGGCCATCTTCTGCTCCTGGTG 137
XX |||||
XX 1 ATGGGGCTAGAGCACTGGTCCCTGGCCGATAGTGGCCATCTTCTGCTCCTGGTG 60
XX |||||
XX 138 GACCTGATGCACCGCGCCCAAGCGCTGGGCTGCACGCTACTCACCAGGCCCTCTGCCACTG 197
XX |||||
XX 61 GACCTGATGCACCGCGCCCAAGCGCTGGGCTGCACGCTACTCACCAGGCCCTCTGCCACTG 120
XX |||||
XX 198 CCCGGGCTGGGCAACTGCTGCATGTGACTTCAGAAACACACCATCTGCTTGACACAG 257
XX |||||
XX 121 CCCGGGCTGGGCAACTGCTGCATGTGACTTCAGAAACACACCATCTGCTTGACACAG 180
XX |||||
XX 258 TTGGGGCGCGCTTCGGGGAGCTGTTACGCTGACGCTGGCTGGAGCCCGGCTGGTGGTG 317
XX |||||
XX 181 TGTTCCGCGCGCTTCGGGGAGCTGTTACGCTGACGCTGGCTGGAGCCCGGCTGGTGGTG 240
XX |||||
XX 318 CTCAATGGGCTGGCGCGCGCTGGCGAGGCGCTGGTGGTACCCACGGGAGGACACCGCGAC 377
XX |||||
XX 241 CTCAATGGGCTGGCGCGCGCTGGCGAGGCGATGGTGACCCCGCGGAGGACACCGCGAC 300
XX |||||
XX 378 CGCCCGCTGTGCCCATCACCAGATCTCTGGGTTTGGGCGCGCTTCCCAAG----- 429
XX |||||
XX 301 CGCCCGCTGTGCCCATCACCAGATCTCTGGGTTTGGGCGCGCTTCCCAAGGGGTGTC 360
XX |||||
XX 430 ----- 429
```

```
Db 361 CTGGCGGCTATGGCGCGCTGGCGGAGCAGAGGCGCTTCTCGCTCTCACCTTGGCG 420
Qy 430 ----- 429
Db 421 AACTTGGGCTGGGCAAGAGTCTGGAGCAGTGGGTGACCGAGGAGCGCGCTGCCTT 480
Qy 430 -----GAGCGCCCTTTGCCCCCAACGGTCTCTTGGACAAAG 465
Db 481 TGTGCCGCTTTCGCAACCACTCCGAGCGCCCTTTTCGCCCAACGGTCTCTTGGACAAAG 540
Qy 466 CCGTGAGCAACGCTGATCGCCTCTCCCTGCGGCGCGCGCTTTCAGTACGACACCTCTC 525
Db 541 CCGTGAGCAACGCTGATCGCCTCTCCCTGCGGCGCGCGCTTTCAGTACGACACCTCTC 600
Qy 526 GCTTCTCAGGCTCTGGAACCTAGCTCAGGAGGACTGAAGGAGGAGTTCGGGCTTTCG 585
Db 601 GCTTCTCAGGCTCTGGAACCTAGCTCAGGAGGACTGAAGGAGGAGTTCGGGCTTTCG 660
Qy 586 GCGAGGTGCTGAATGCTGCTCCCGCTCTCCGATATCCAGCGCTGGCTGGCAAGTCC 645
Db 661 GCGAGGTGCTGAATGCTGCTCCCGCTCTCCGATATCCAGCGCTGGCTGGCAAGTCC 720
Qy 646 TACGCTTCCAAAGGCTTCTCTGACCCAGCTGGATGAGCTGCTAACTGAGCACAAGTGA 705
Db 721 TACGCTTCCAAAGGCTTCTCTGACCCAGCTGGATGAGCTGCTAACTGAGCACAAGTGA 780
Qy 706 CTGGGAGCCAGCCAGCCCGGAGACCTGACTGAGGCGCTTCTGGCAGAGATGAGA 765
Db 781 CTGGGAGCCAGCCAGCCCGGAGACCTGACTGAGGCGCTTCTGGCAGAGATGAGA 840
Qy 766 AGGCCAAGGGAAACCTGAGAGAGCTTCAATGATGAGAACTCGGATAGTGGCTG 825
Db 841 AGGCCAAGGGAAACCTGAGAGAGCTTCAATGATGAGAACTCGGATAGTGGCTG 900
Qy 826 ACCTGTTCTCTGCGGAGTGTGACCACTCGACACGCTGGCGCTGGGCGCTCTGCTCA 885
Db 901 ACCTGTTCTCTGCGGAGTGTGACCACTCGACACGCTGGCGCTGGGCGCTCTGCTCA 960
Qy 886 TGATCTTACATTCGGATGTGCGAGCGCGCTGCCAAGGAGATCGACAGCT -GATAGG 944
Db 961 TGATCTTACATTCGGATGTGCGAGC -CGGTGTCCAAAGGAGATCGAGAGTGG 1019
Qy 945 CAGGTGCGGACCCAGAGATGGGTGACAGGCTCACATGCCCTACACACTGCCGTT 1004
Db 1020 CAGGTGCGGACCCAGAGATGGGTGACAGGCTCACATGCCCTACACACTGCCGTT 1079
Qy 1005 CATGAGTGCAGCGCTTTGGGGACATCGTCCCCCTGGGTGTGACCCATATGACATCCCGT 1064
Db 1080 CATGAGTGCAGCGCTTTGGGGACATCGTCCCCCTGGGTGTGACCCATATGACATCCCGT 1139
Qy 1065 GACATCGAAGTGCAGGCTTCCGATCCCTAAGGAAACGACACTCATCAACAACTGTCA 1124
Db 1140 GACATCGAAGTGCAGGCTTCCGATCCCTAAGGAAACGACACTCATCAACAACTGTCA 1199
Qy 1125 TCGGTGCTGAGGATGAGGCGCTCTGGAGAAAGCCCTTCGCTTCCACCCGACACTTC 1184
Db 1200 TCGGTGCTGAGGATGAGGCGCTCTGGAGAAAGCCCTTCGCTTCCACCCGACACTTC 1259
Qy 1185 CTGATGCCAGGCGCACTTTGTGAAGCCGAGGCGCTTCTGCTTCTCAGCAGGCGCG 1244
Db 1260 CTGATGCCAGGCGCACTTTGTGAAGCCGAGGCGCTTCTGCTTCTCAGCAGGCGCG 1319
Qy 1245 CGTGCATGCTTCGGGAGCGCTTCGGCCCGATGAGCTTCTCTCTTCTTCACTCCCTG 1304
Db 1320 CGTGCATGCTTCGGGAGCGCTTCGGCCCGATGAGCTTCTCTCTTCTTCACTCCCTG 1379
Qy 1305 CTGAGCACTTCAGTTCCTGGTGGCCACTGGGACGCGCGGCGGAGCCACTGCTGTC 1364
Db 1380 CTGAGCACTTCAGTTCCTGGTGGCCACTGGGACGCGCGGCGGAGCCACTGCTGTC 1439
Qy 1365 TTTGCTTCTCTGGTGCACCCCATCCCTCATGAGCTTGTGTGTGCTGCGCCCGCTAGAATGGG 1424
|||
```


Db 1440 TTTCCTTCTGGTGACCCATCCCTCTATGAGCTTTGCTGTGCCCCCTAGAAATGGG 1499
Qy 1425 GTACCTAGTCCCGACCGCTGCTCCCTAGCCAGAGGCTCTAATGTACAAATAAGCAATGTGG 1484
Db 1500 GTACCTAGTCCCGACCGCTGCTCCCTAGCCAGAGGCTCTAATGTACAAATAAGCAATGTGG 1559
Qy 1485 TAGTTCACAAAAAATAAAAAA 1511
Db 1560 TAGTTCACAAAAAATAAAAAA 1586

RESULT 9

AC461304
ID AC461304 standard; cDNA; 1568 BP.

XX AC

XX AC461304;

XX 16-JUL-2003 (first entry)

XX DE Human cytochrome p450 gene CYP2D6 C5816TA variant, cDNA.

XX KW Human; ss; gene; cytochrome P450; CYP2D6; chromosome 22; SNP;
KW single nucleotide polymorphism; drug metabolism; cardiovascular disorder;
KW psychiatric disorder; drug sensitivity.

XX OS Homo sapiens.

XX FH Key Location/Qualifiers

XX CDS 1..1495

XX FT /*tag= a

XX FT /product= "CYP2D6 protein"

XX FT replace(1474..1475,C)

XX FT /*tag= b

XX FT /standard_name= "Single nucleotide polymorphism"

XX PN EP1281755-A2.

XX XX

XX PD 05-FEB-2003.

XX XX

XX PF 16-JUL-2002; 2002EP-00254972.

XX XX

XX PR 31-JUL-2001; 2001US-0309111P.

XX XX

XX PA (PFIZ) PFIZER PROD INC.

XX XX

XX PI Milos PM, Webb SM;

XX XX

XX DR WPI; 2003-373769/36.

XX DR P-PSDB; ABU09594.

XX XX

PT New cytochrome P450 2D6 gene variants and polypeptides, useful for
PT determining if a subject has or is at risk of developing a drug
PT sensitivity condition or disorder that is associated with an aberrant
PT CYP2D6 activity.

XX PS Claim 3; Fig 5; 88pp; English.

XX CC The invention relates to an isolated nucleic acid comprising a cytochrome
CC P450 2D6 gene variant, e.g. G5799C or C5816AT (referring to the genomic
CC sequence or the same variant nucleotide in the corresponding cDNA
CC sequences). Also included are probes, primers (allele specific
CC oligonucleotides) and arrays used to detect and/or amplify the CYP2D6
CC gene polymorphic regions, the variant polypeptides, antibodies which are
CC capable of distinguishing between the variant and wild-type polypeptides,
CC determining whether a subject has a genetic deficiency for metabolising a
CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6 and
CC determining whether an individual is susceptible to being a poor
CC metaboliser of drugs. The DNA probe is useful for hybridising to a
CC variant form of the CYP2D6 gene. The primer is useful for amplifying the
CC C5816TA allelic variant. The allele specific nucleotide is useful for the
CC detection of the C5816TA allelic variant. The methods are useful for
CC determining whether a subject has a genetic deficiency for metabolising a
CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6, and

CC determining if an individual is susceptible to being a poor metaboliser
CC of drugs. The nucleic acids are useful as probes or primers for
CC determining whether a subject has a genetic deficiency for metabolising
CC drugs that are substrates of P450 CYP2D6. The methods are useful for
CC determining if a subject has or is at risk of developing a drug
CC sensitivity condition or disorder that is associated with an aberrant
CC CYP2D6 activity, e.g. an aberrant level of a CYP2D6 protein or an
CC aberrant CYP2D6 bioactivity. The methods are also useful in selecting the
CC appropriate drugs or determining the course of treatment to administer to
CC a subject to treat cardiovascular or psychiatric disorders, or for
CC treating a subject with a drug sensitivity or disorder associated with a
CC specific allelic variant of a polymorphic region of the CYP2D6 gene. The
CC antibodies are useful for monitoring CYP2D6 protein levels in an
CC individual for determining whether a subject has a disease or conditions
CC associated with an aberrant CYP2D6 protein level. The gene is located on
CC human chromosome 22. The present sequence is the CYP2D6 cDNA carrying the
CC C5816TA variation

XX SQ Sequence 1568 BP; 268 A; 526 C; 465 G; 309 T; 0 U; 0 Other;

Query Match 79.7%; Score 1225.6; DB 7; Length 1568;
Best Local Similarity 89.6%; Pred. No. 1.5e-223;
Matches 1405; Conservative 0; Mismatches 9; Indels 154; Gaps 2;

Qy 78 ATGGGGCTAGAAGCACTGGTGCCTGCGCCGTGATAGTGGCCATCTTCCTGCTCTGGTG 137

Db 1 ATGGGGCTAGAAGCACTGGTGCCTGCGCCGTGATAGTGGCCATCTTCCTGCTCTGGTG 60

Qy 138 GACCTGATGACCGGGCCCAACGCTGGGCTGCACGCTACTCACCAGGCCCTTGCACATG 197

Db 61 GACCTGATGACCGGGCCCAACGCTGGGCTGCACGCTACTCACCAGGCCCTTGCACATG 120

Qy 198 CCGGGCTGGGCAACCTGCTGATGTGGACTTCCAGAACACACCATCTGCTTCGACCCAG 257

Db 121 CCGGGCTGGGCAACCTGCTGATGTGGACTTCCAGAACACACCATCTGCTTCGACCCAG 180

Qy 258 TTGCGGCGCCCTTCGGGCAACGCTGTCAGCTGCAGCTGGCCTGGACGCGGTGGTCTG 317

Db 181 TTGCGGCGCCCTTCGGGCAACGCTGTCAGCTGCAGCTGGCCTGGACGCGGTGGTCTG 240

Qy 318 CTCATGTTGGCTGGCGGCGCTGGCGAGGCGCTGGTGGACCCAGCGGAGACACCCGCGAC 377

Db 241 CTCATGTTGGCTGGCGGCGCTGGCGAGGCGCTGGTGGACCCAGCGGAGACACCCGCGAC 300

Qy 378 CGCCCGCTGTGCCCATCACCATCAGATCTTGGGGTTTTGGGCGCGCTTCCCAA----- 428

Db 301 CGCCCGCTGTGCCCATCACCATCAGATCTTGGGGTTTTGGGCGCGCTTCCCAAAGGGTGTTC 360

Qy 429 ----- 428

Db 361 CTGGCGCGCTATGGGCGCGCTGGCGGAGCAGAGCGGCTTCTCGGTGTCCACCTTTCGCG 420

Qy 429 ----- 428

Db 421 AACTTTGGGCTGGGCAAGAGTCTGTTGGAGCAGTGGTGGACCGAGAGGCGCGCTTCCTT 480

Qy 429 -----GGAGCGCCCTTTTGGCCCAACCGGTCTCTTTGGACAAA 464

Db 481 TGTGGCGCTTCGCGCAACCACTCCGAGCGCCCTTTTGGCCCAACCGGTCTCTTTGGACAAA 540

Qy 465 GCGGTGAGCAACGTGATCGCTTCCCTCCTCCTGCGGCGCGCTTCGAGTACGACGACCTT 524

Db 541 GCGGTGAGCAACGTGATCGCTTCCCTCCTCCTCCTGCGGCGCGCTTCGAGTACGACGACCTT 600

Qy 525 CGCTTCTCAGCGCTGCTGACCTAGCTCAGAGGAGCTGAGAGGAGGAGTTCGGGCTTCTG 584

Db 601 CGCTTCTCAGCGCTGCTGACCTAGCTCAGAGGAGGAGTTCGGGCTTCTG 660

Qy 585 CGCAGAGTCTGAATGCTGTCTCCCGCTCTCTGATATCCAGCGCTGCTGCGAAGGTC 644

Db 661 CGCAGAGTCTGAATGCTGTCTCCCGCTCTCTGATATCCAGCGCTGCTGCGAAGGTC 720

Qy 645 CTACGCTTCCAAAAGGCTTTCTCTGACCCAGCTGGATGAGCTGCTAACTGAGCACGAGTATG 704

Query Match		78.8%;	Score 1211.2;	DB 7;	Length 1565;
Best Local Similarity		89.5%;	Pred. No. 8.2e-221;		
Matches 1403;		Conservative	0;	Mismatches 8;	Indels 157; Gaps 3;
QY	78	ATGGGGCTAGAACACCTGGTCCCTGGCGGTGATAGTGGCCATCTTCTGCTCTCTGGTG	137		
DB	1	ATGGGGCTAGAACACCTGGTGGCCCTGGCGGTGATAGTGGCCATCTTCTGCTCTCTGGTG	60		
QY	138	GACCTGATGACACCGGCGCAACGCTGGGTGACGCTACTACACGAGCCCTGCGACATG	197		
DB	61	GACCTGATGACACCGGCGCAACGCTGGGTGACGCTACCCACGAGCCCTGCGACATG	120		
QY	198	CCCGGCTGGGCAACCTGCTGATGATGGAATTTCCAGAACACACCACTACTGCTTCGACCA	257		
DB	121	CCCGGCTGGGCAACCTGCTGATGATGGAATTTCCAGAACACACCACTACTGCTTCGACCA	180		
QY	258	TTGCGGCGCGCTTCGGGAGAGTGTTCAGCTGCGAGCTGGCTGAGCGCGGTGCTGCTG	317		
DB	181	TTGCGGCGCGCTTCGGGAGAGTGTTCAGCTGCGAGCTGGCTGAGCGCGGTGCTGCTG	240		
QY	318	CTCAATGGGCTGGCGCGCTGGCGAGGCGTGGTGACCCACGCGGAGGACACCGCGAC	377		
DB	241	CTCAATGGGCTGGCGCGCTGGCGAGGCGTGGTGACCCACGCGGAGGACACCGCGAC	300		
QY	378	CGCCCGCTGTGCCATCACCCAGATCTCTGGGTTTTGGGCGCGGTTTCCCAA	428		
DB	301	CGCCCGCTGTGCCATCACCCAGATCTCTGGGTTTTGGGCGCGGTTTCCCAAAGGGGTGTT	360		
QY	429	-----	428		
DB	361	CTGGCGCGCTATGGGCGCGGTGGCGGAGGAGGCGCTTCTCGGTGCCACCTTGGCG	420		
QY	429	-----	428		
DB	421	AACCTGGGCTGGGAAGAGTGGCTGGAGGAGTGGGTGACCGAGAGGCGCGCTTGCCTT	480		
QY	429	-----GGACGCGCCCTTTTCGCCCAACCGGTCTCTTGGACAAA	464		
DB	481	TGTGGCGCTTCGCCAACACCTCCGAGCGCCCTTTCCGCCCAACCGGTCTCTTGGACAAA	540		
QY	465	GCGTGAGCAACGTGATGCTCCCTCACCTGGGCGCGCGCTTCGAGTACGACGACCTT	524		
DB	541	GCGTGAGCAACGTGATGCTCCCTCACCTGGGCGCGCGCTTCGAGTACGACGACCTT	600		
QY	525	CGCTTCTCAGGCTGCTGACCTGCTCAGGAGGAGTGAAGGAGGAGTGGGCTTCTG	584		
DB	601	CGCTTCTCAGGCTGCTGACCTGCTCAGGAGGAGTGAAGGAGGAGTGGGCTTCTG	660		
QY	585	CGGAGGCTGAATGCTGTCCCGCTCTCTGCATATCCACGCGCTGGCTGGCAAGTTC	644		
DB	661	CGGAGGCTGAATGCTGTCCCGCTCTCTGCATATCCACGCGCTGGCTGGCAAGTTC	720		
QY	645	CTACGCTTCCAAAGGCTTCTGACCCAGCTGGATGAGTGTCTAACTGAGCACAGGATG	704		
DB	721	CTACGCTTCCAAAGGCTTCTGACCCAGCTGGATGAGTGTCTAACTGAGCACAGGATG	780		
QY	705	ACTTGGGACCCAGCCCGCCCGGAGACCTGACTGAGGCGCTTCTGCGAGGATGGAG	764		
DB	781	ACTTGGGACCCAGCCCGCCCGGAGACCTGACTGAGGCGCTTCTGCGAGGATGGAG	840		
QY	765	AAGGCCAAGGGGAACTCTGAGACGAGTTCATGATGAGAACCTGCGCATAGTGGTGGCT	824		
DB	841	AAGGCCAAGGGGAACTCTGAGACGAGTTCATGATGAGAACCTGCGCATAGTGGTGGCT	900		
QY	825	GACCTGTTCTGCGCGGATGTTGACCACTGACCACTGAGCTGGCGCTTCTGCTC	884		
DB	901	GACCTGTTCTGCGCGGATGTTGACCACTGACCACTGAGCTGGCGCTTCTGCTC	960		
QY	885	ATGATCTTACATCCGATGTGACGCGCGTGTCCAAACAGGAGATCGACGCTGATGGG	944		
DB	961	ATGATCTTACATCCGATGTGACGCGCGTGTCCAAACAGGAGATCGACGCTGATGGG	1020		

QY	945	CAGGTGCGGCGACCAAGAGATGGGTGACCAAGGCTCATGTCCTTACACCACTGCCGTGATT	1004
DB	1021	CAGGTGCGGCGACCAAGAGATGGGTGACCAAGGCTCATGTCCTTACACCACTGCCGTGATT	1080
QY	1005	CATGAGGTGACAGCGCTTTTGGGAGACATCTCCCTGGGTGTGACCACTATGACATCCCGT	1064
DB	1081	CATGAGGTGACAGCGCTTTTGGGAGACATCTCCCTGGGTATGACCACTATGACATCCCGT	1140
QY	1065	GACATCGAAGTACAGGCTTTCGTCATCCCTAAGGGAACGACACTCATCACCAACCTGTCTCA	1124
DB	1141	GACATCGAAGTACAGGCTTTCGTCATCCCTAAGGGAAGACACTCATCACCAACCTGTCTCA	1200
QY	1125	TCGGTGTCTGAAGATGAGGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCGGAACACTTTC	1184
DB	1201	TCGGTGTCTGAAGATGAGGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCGGAACACTTTC	1260
QY	1185	CTGGATGCCAGAGGCGCACTTTGTGAAGCGGAGGCGCTTCTCGCTTTCTCAGCAGGCGCG	1244
DB	1261	CTGGATGCCAGAGGCGCACTTTGTGAAGCGGAGGCGCTTCTCGCTTTCTCAGCAGGCGCG	1320
QY	1245	CGTGTCATGCTTCGGGAGAGCCCTTGGCCCGCATGGAGCTCTTCTCTTTCACCTCCCTG	1304
DB	1321	CGTGTCATGCTTCGGGAGAGCCCTTGGCCCGCATGGAGCTCTTCTCTTTCACCTCCCTG	1380
QY	1305	CTGACGACTTTCAGCTTCTCGGTGCCACTGTGACAGCCCGCGCCAGCCACCATGGTTC	1364
DB	1381	CTGACGACTTTCAGCTTCTCGGTGCCACTGTGACAGCCCGCGCCAGCCACCATGGTTC	1440
QY	1365	TTTGTCTTCTGTGTGACCCCATCCCTTATGAG-CTTTGTGTGTGTGCGCCGCTAGATGG	1423
DB	1441	TTTGTCTTCTGTGTGACCCCATCCCTTATGAGTATTTGTGTGTGTGCGCCGCTAGATGG	1500
QY	1424	GCTACTAGTTCGCCAGGCTCTCTCCCTAGCCAGAGGCTCTAATGTACAATAAAGCAATGTG	1483
DB	1501	GCTACC---TCCCGAGCTGCTCTCTAGCCAGAGGCTCTAATGTACAATAAAGCAATGTG	1557
QY	1484	GTAGTTCC 1491	
DB	1558	GTAGTTCC 1565	
RESULT 11			
AAV19496			
ID	AAV19496 standard; DNA; 1545 BP.		
XX	AAV19496;		
AC	AAV19496;		
XX	18-SEP-1998 (first entry)		
XX	Cytochrome P450IId6 encoding DNA.		
DE	Human; cytochrome P450IId6; liver/kidney microsome; LKM-1; antibody;		
KW	autoimmunhepatitis type II; AIH type II; hepatitis C virus; SB.		
KW	Hepatitis C virus.		
OS	Hepatitis C virus.		
FT	Key	Location/Qualifiers	
FT	CDS	1..1494	
FT		/*tag= a	
FT		/product= "cytochrome P450IId6"	
FT		/transl_except= (pos:193..195,aa:Phe)	
FT		/transl_except= (pos:196..198,aa:Gly)	
FT		/transl_except= (pos:214..216,aa:Gln)	
FT		/transl_except= (pos:859..861,aa:Glu)	
FT		/transl_except= (pos:1120..1122,aa:Met)	
FT		/transl_except= (pos:1162..1164,aa:Arg)	
XX			
XX			
PN	JP10101698-A.		
XX			
PD	21-APR-1998.		
XX			
PF	24-SEP-1996; 96JP-00273055.		
XX			

XX	Key	Location/Qualifiers	
FT	variation	886	
FT		/tag= a	
FT		/note= "T to C change in variant 1 changes amino acid	
FT		from Cys to Arg"	
XX			
PN	EP644267-A2.		
XX			
PD	22-MAR-1995.		
XX			
PF	20-JUL-1994;	94EP-00111298.	
XX			
PR	20-JUL-1993;	93JP-00201120.	
PR	21-JUL-1993;	93JP-00180246.	
XX	30-JUL-1993;	93JP-00208279.	
XX			
PA	(SUMO) SUMITOMO CHEM CO LTD.		
XX			
PI	Hayaashi K, Sakaki T, Yabusaki Y, Komai K, Kaneko H, Nakatsuka I;		
XX			
DR	WPI; 1995-116991/16.		
DR	P-PSDB; AAR72376.		
XX			
PT	Evaluation of safety of a chemical cpd. - using recombinant yeast		
PT	expressing human cytochrome p450 and a yeast NADPH-P450 reductase.		
XX			
PS	Example; Page 87-89; 124pp; English.		
XX			
CC	The nucleotide sequence of the cDNA coding region for the human auxiliary		
CC	cytochrome P450 species 2D6 variant 1. The gene contains a change at base		
CC	886 from T to C as compared to the wild type sequence (AA087729). This		
CC	changes the amino acid residue 296 from Cys to Arg. The cDNA was		
CC	amplified by PCR using the primers AA087763-6. The product was cloned		
CC	into the yeast expression vectors pAH5N or pAHR to produce the vectors		
CC	p2D6 variant 1 for the expression of the cytochrome P450 alone or p2D6R		
CC	variant 1 for co-expression with the yeast NADPH-P450 reductase. The		
CC	vectors are used in a method for evaluating the safety of a chemical		
CC	compound by reacting the chemical compound with recombinantly produced		
CC	human cytochrome P450 molecular species 1A2 (AA087714), 2C9 (AA087715),		
CC	2E1 (AA087716), or 3A4 (AA087717) or their auxiliary species and variants		
CC	(AA087718-32), and yeast NADPH-P450 reductase, either as a fused protein		
CC	or in cell extracts, and analysing the resulting metabolite to assess the		
CC	safety of the chemical compound. The method is useful for determining		
CC	whether the chemical compound, or its metabolite, will be converted into		
CC	a carcinogenic or mutagenic form through metabolism in the liver.		
CC	(Updated on 25-MAR-2003 to correct PN field.)		
XX			
SQ	Sequence 1494 BP; 248 A; 509 C; 446 G; 291 T; 0 U; 0 Other;		
	Query Match	76.3%; Score 1173.2; DB 2; Length 1494;	
	Best Local Similarity	89.6%; Pred. No. 1.4e-213;	
	Matches 1338; Conservative	0; Mismatches 3; Indels 153; Gaps 1;	
QY	78	ATGGGGCTAGAGCACTGGTCCCTGGCCGCTGATAGTGGCCATCTTCTGCTCTGGTG	137
DB	1	ATGGGGCTAGAGCACTGGTCCCTGGCCGCTGATAGTGGCCATCTTCTGCTCTGGTG	60
QY	138	GACCTGATGACCGGGCCCAAGCTGGGCTGCACGCTACTACAGGCCCTTGCACATG	197
DB	61	GACCTGATGACCGGGCCCAAGCTGGGCTGCACGCTACTACAGGCCCTTGCACATG	120
QY	198	CCCGGGCTGGGCAACCTGCTGATGCTGACCTTCCAGAACACACCATCTGCTTCAGCAG	257
DB	121	CCCGGGCTGGGCAACCTGCTGATGCTGACCTTCCAGAACACACCATCTGCTTCAGCAG	180
QY	258	TTGCGGCGCGCTTCCGGGACGTGTTACGCTGACGCTGGCCCTGACGCGCGTGGTCCGTG	317
DB	181	TTGCGGCGCGCTTCCGGGACGTGTTACGCTGACGCTGGCCCTGACGCGCGTGGTCCGTG	240
QY	318	CTCAATGGGCTGGCGGCGCTGGCGAGGCGTGGTACCCAGCGGAGGACACCGCCGAC	377
DB	241	CTCAATGGGCTGGCGGCGCTGGCGAGGCGTGGTACCCAGCGGAGGACACCGCCGAC	300

QY	378	CGCCCGGCTGTGCCATCACCAGATCCTGGGTTTTGGGCCGCGTTTCCAA	428
DB	301	CGCCCGGCTGTGCCATCACCAGATCCTGGGTTTTGGGCCGCGTTTCCAA	360
QY	429	-----	428
DB	361	CTGGGCGGCTATGGGCGCGCTGGGCGAGCAGAGGCGGCTTCTCCGTCCACCTTGGCG	420
QY	429	-----	428
DB	421	AACCTTGGGCGCTGGGCAAGAAGTCGTGGAGCAGTGGTGACCGAGAGGCGCGCTTCCCT	480
QY	429	-----GGACGCGCGCTTTCGCCCCCAACCGGTCTCTTGGACAAA	464
DB	481	TGTGGCGGCTTTCGCCCAACCGGTCTCTTGGACAAA	540
QY	465	GCGGTGAGCAACGTGATGCGCTCCCTACCTCGGCGCGCTTCGAGTACGACGACCT	524
DB	541	GCGGTGAGCAACGTGATGCGCTCCCTACCTCGGCGCGCTTCGAAATACGACGACCT	600
QY	525	GCGTTCCTCAGGCTGCTGACCTAGCTCAGGAGGACTGAAGGAGGAGTGGGCTTCTG	584
DB	601	GCGTTCCTCAGGCTGCTGACCTAGCTCAGGAGGACTGAAGGAGGAGTGGGCTTCTG	660
QY	585	CGCGAGGTGCTGAATGCTGCTCCCTGCTCCATATCCACAGCGCTGGCTGGCAAGTC	644
DB	661	CGCGAGGTGCTGAATGCTGCTCCCTGCTCCATATCCACAGCGCTGGCTGGCAAGTC	720
QY	645	CTACGCTTCCAAAGGCTTTCTGACCCAGCTGGATGAGTCTAACTGAGCAGCAGGATG	704
DB	721	CTACGCTTCCAAAGGCTTTCTGACCCAGCTGGATGAGTCTAACTGAGCAGCAGGATG	780
QY	705	ACCTGGGACCCAGCCCGGAGCAGCTGAGGCGCTTCTTGGCAGAGATGGAG	764
DB	781	ACCTGGGACCCAGCCCGGAGCAGCTGAGGCGCTTCTTGGCAGAGATGGAG	840
QY	765	AAGGCCAAGGGGAACCTTGAGAGCAGTTCATATGATAGAACCTCGCATAGTGGCT	824
DB	841	AAGGCCAAGGGGAACCTTGAGAGCAGTTCATATGATAGAACCTCGCATAGTGGCT	900
QY	825	GACCTGTTCTCTGCGGGATGGTGACCACTCGACAGCTGGCTGGGCGCTCTCTGCTC	884
DB	901	GACCTGTTCTCTGCGGGATGGTGACCACTCGACAGCTGGCTGGGCGCTCTCTGCTC	960
QY	885	ATGATCTTACATCCGGATGGGCGCGCTGTCCAAAGGAGATCGACGCTGATAGG	944
DB	961	ATGATCTTACATCCGGATGGGCGCGCTGTCCAAAGGAGATCGACGCTGATAGG	1020
QY	945	CAGGTGGCGGACACAGAGATGGGTGACCATGCTCATGCGCTTACACCATGCGCGTATT	1004
DB	1021	CAGGTGGCGGACACAGAGATGGGTGACCATGCTCATGCGCTTACACCATGCGCGTATT	1080
QY	1005	CATGAGGTGACGCGCTTTGGGGAATCTGTCCTCCCTGGGTGTGACCATATGACATCCCT	1064
DB	1081	CATGAGGTGACGCGCTTTGGGGAATCTGTCCTCCCTGGGTGTGACCATATGACATCCCT	1140
QY	1065	GACATGGAAGTACAGGGCTTCCGATCCCTAAGGGAACGACACTCATCAACCACTGTCA	1124
DB	1141	GACATGGAAGTACAGGGCTTCCGATCCCTAAGGGAACGACACTCATCAACCACTGTCA	1200
QY	1125	TCGGTGTGAGGAGTGGGCGCTTGGGAGAGCCCTTCCGCTTCCACCCGGAACACTTC	1184
DB	1201	TCGGTGTGAGGAGTGGGCGCTTGGGAGAGCCCTTCCGCTTCCACCCGGAACACTTC	1260
QY	1185	CTGATGCCAGGCGCACTTTGTGAAGCGGAGGCGCTTCTCGCTTCTCAGCAGGCGCG	1244
DB	1261	CTGATGCCAGGCGCACTTTGTGAAGCGGAGGCGCTTCTCGCTTCTCAGCAGGCGCG	1320
QY	1245	CGTGATGCTTCGGGAGGCGCTTGGCGCGCATGAGGCTTCTTCTTCTTCACTTCTG	1304
DB	1321	CGTGATGCTTCGGGAGGCGCTTGGCGCGCATGAGGCTTCTTCTTCTTCACTTCTG	1380


```
QY 1065 GACATCGAAGTACAGGGCTTCGCATCCCTAAGGGAACGACACTATCATCCACCTGTCA 1124
DB 1141 GACATCGAAGTACAGGGCTTCGCATCCCTAAGGGAACGACACTATCATCCACCTGTCA 1200
QY 1125 TCGGTCTCAAGATCAGAGCGCTCTGGGAGAGCCCTTCGGCTTCCACCCCGAACAACCTTC 1184
DB 1201 TCGGTCTCAAGATCAGAGCGCTCTGGGAGAGCCCTTCGGCTTCCACCCCGAACAACCTTC 1260
QY 1185 CTGGATGCCAGGGCCACTTTGTGAAGCCGAGGCTTCTGCTCTTCTCAGAGGCCGC 1244
DB 1261 CTGGATGCCAGGGCCACTTTGTGAAGCCGAGGCTTCTGCTCTTCTCAGAGGCCGC 1320
QY 1245 CGTGATGCTCTGGGAGAGCCCTTCGGCCGATGAGCTTCTCTTCTTCACTCCCTG 1304
DB 1321 CGTGATGCTCTGGGAGAGCCCTTCGGCCGATGAGCTTCTCTTCTTCACTCCCTG 1380
QY 1305 CTGCAGCACTTCACTTCTCGGTGCGCCACTGACAGCCCGCCGACACCACTGCTGTC 1364
DB 1381 CTGCAGCACTTCACTTCTCGGTGCGCCACTGACAGCCCGCCGACACCACTGCTGTC 1440
QY 1365 TTGTCTTCTCTGATGACCCCATCCCTATGAGCTTTGTGCTGTGCTGCTGCTAG 1418
DB 1441 TTGTCTTCTCTGATGACCCCATCCCTATGAGCTTTGTGCTGTGCTGCTGCTAG 1494

RESULT 14
ABQ72216
ID ABQ72216 standard; cDNA; 1494 BP.
XX
AC ABQ72216;
XX
DT 02-SEP-2002 (first entry)
XX
DE Human CYP2D6 gene coding sequence, SEQ ID NO:2.
XX
KW Human; cytochrome P450; subfamily IID polypeptide 6; CYP2D6; enzyme;
KW chromosome 22q13.1; drug metabolism; detoxification; mono-oxygenase;
KW antiarrhythmic; arrhythmia; adrenoceptor antagonist; hypertension;
KW tricyclic antidepressant; procainamide; drug induced lupus syndrome;
KW environmentally linked disease; Parkinson's disease; haplotyping;
KW genotyping; haplotype; genetic variant; single nucleotide polymorphism;
KW SNP; drug screening; drug discovery; gene; 88.
XX
OS Homo sapiens.
XX
FH Key
FH CDS
FT 1..1494
FT Location/Qualifiers
FT /*tag= a
FT /product= "CYP2D6"
FT replace(19, A)
FT /*tag= b
FT /label= PS7
FT /note= "Known single nucleotide polymorphism (SNP);
FT causes the amino acid substitution V7M"
FT replace(31, A)
FT /*tag= c
FT /label= PS8
FT /note= "Known single nucleotide polymorphism (SNP);
FT causes the amino acid substitution V11M"
FT replace(100, T)
FT /*tag= d
FT /label= PS9
FT /note= "Known single nucleotide polymorphism (SNP);
FT causes the amino acid substitution P34S"
FT replace(263, A)
FT /*tag= e
FT /label= PS12
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution R88H"
FT replace(271, A)
FT /*tag= f
FT /label= PS13
FT /note= "Known single nucleotide polymorphism (SNP);
FT causes the amino acid substitution E155K"
FT replace(696, C)
FT causes the amino acid substitution L91M"
FT replace(281, G)
FT /*tag= g
FT /label= PS14
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution H94R"
FT replace(294, G)
FT /*tag= h
FT /label= PS15
FT /note= "Novel single nucleotide polymorphism (SNP)"
FT replace(311, C)
FT /*tag= i
FT /label= PS16
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution V104A"
FT replace(319, T)
FT /*tag= j
FT /label= PS17
FT /note= "Novel single nucleotide polymorphism (SNP);
FT together with PS18 causes the amino acid substitution
FT T107F"
FT replace(320, T)
FT /*tag= k
FT /label= PS18
FT /note= "Novel single nucleotide polymorphism (SNP);
FT together with PS17 causes the amino acid substitution
FT T107F"
FT replace(325, G)
FT /*tag= l
FT /label= PS19
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution I109V"
FT replace(333, C)
FT /*tag= m
FT /label= PS20
FT /note= "Novel single nucleotide polymorphism (SNP)"
FT replace(336, T)
FT /*tag= n
FT /label= PS21
FT /note= "Known single nucleotide polymorphism (SNP)"
FT replace(358, A)
FT /*tag= o
FT /label= PS27
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution F120I"
FT replace(382, C)
FT /*tag= p
FT /label= PS28
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution W128R"
FT replace(406, A)
FT /*tag= q
FT /label= PS29
FT /note= "Novel single nucleotide polymorphism (SNP);
FT together with PS30 causes the amino acid substitution
FT V136I"
FT replace(408, C)
FT /*tag= r
FT /label= PS30
FT /note= "Known single nucleotide polymorphism (SNP);
FT together with PS29 causes the amino acid substitution
FT V136I"
FT replace(451, G)
FT /*tag= s
FT /label= PS31
FT /note= "Known single nucleotide polymorphism (SNP);
FT causes the amino acid substitution Q151E"
FT replace(463, A)
FT /*tag= t
FT /label= PS32
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution E155K"
FT replace(696, C)
```



```
QY 825 GACCTGTTCTCTCCGGGATGTTGACACCTGACCAACGCTGCGCTGGGGCTCTCTGCTC 884
Db 901 GACCTGTTCTCTCCGGGATGTTGACACCTGACCAACGCTGCGCTGGGGCTCTCTGCTC 960
QY 885 ATGATCTCTATCCGATGTCAGCGCGTGTCCAAACAGAGATCCAGCAGTGATAGG 944
Db 961 ATGATCTCTATCCGATGTCAGCGCGTGTCCAAACAGAGATCCAGCAGTGATAGG 1020
QY 945 CAGGTGCGCGACACAGAGATGGTGTACCAAGGCTTACATGCCCTTACACCACTGCGGTGATT 1004
Db 1021 CAGGTGCGCGACACAGAGATGGTGTACCAAGGCTTACATGCCCTTACACCACTGCGGTGATT 1080
QY 1005 CATGAGGTGAGCGCTTTGGGGACATGTCGCCCTCGGGTGTGACCCATGACATCCCT 1064
Db 1081 CATGAGGTGAGCGCTTTGGGGACATGTCGCCCTCGGGTGTGACCCATGACATCCCT 1140
QY 1065 GACATCGAAGTACAGAGGCTTCGCGATCCCTTAAGGGAACACACTCATCAACCTGTCA 1124
Db 1141 GACATCGAAGTACAGAGGCTTCGCGATCCCTTAAGGGAACACACTCATCAACCTGTCA 1200
QY 1125 TCGGTGCTGAAGGATGAGCGCGTCTGGGAGAGCCCTTCCGCTTCCACCCCGAACACTTC 1184
Db 1201 TCGGTGCTGAAGGATGAGCGCGTCTGGGAGAGCCCTTCCGCTTCCACCCCGAACACTTC 1260
QY 1185 CTGGATGCCAGCGCCACTTTGTGAAGCCGAGGCGCTTCTGCTTTTCTCAGAGCGCGC 1244
Db 1261 CTGGATGCCAGCGCCACTTTGTGAAGCCGAGGCGCTTCTGCTTTTCTCAGAGCGCGC 1320
QY 1245 CGTGATGCTCGGGGAGCGCCCTGCGCGCATGGAGCTCTCTCTTCTTCACTTCCCTG 1304
Db 1321 CGTGATGCTCGGGGAGCGCCCTGCGCGCATGGAGCTCTCTCTTCTTCACTTCCCTG 1380
QY 1305 CTGACGACTTCAGCTTCTCGGTGCGCCACTGGACAGCCCGCGCCAGCCACCATGCTGTC 1364
Db 1381 CTGACGACTTCAGCTTCTCGGTGCGCCACTGGACAGCCCGCGCCAGCCACCATGCTGTC 1440
QY 1365 TTGCTTTCTGTTGACCCATCCCTTATGAGCTTTGTGTTGCTGCTGCTGCTGCTAG 1418
Db 1441 TTGCTTTCTGTTGACCCATCCCTTATGAGCTTTGTGTTGCTGCTGCTGCTGCTAG 1494
```

RESULT 15

AAQ87731

ID AAQ87731 standard; cDNA; 1494 BP.

AC AAQ87731;

XX

XX

DT 25-MAR-2003 (revised)

DT 15-NOV-1995 (first entry)

XX

XX

DE Human auxillary cytochrome P450 species 2D6 variant 2 coding region.

XX Human cytochrome P450; amplification; PCR; primer; expression vector;

KW yeast NADPH-P450 reductase; safety; fusion protein; metabolite;

KW carcinogen; mutagen; liver metabolism; ds.

XX

OS Homo sapiens.

XX

XX

PH Key

FT Variation

FT 886

FT /tag= a

FT /note= "T to C change in variant 2 changes amino acid

FT from Cys to Arg"

FT variation

FT 1457

FT /tag= b

FT /note= "C to G change in variant 2 changes amino acid

FT from Thr to Ser"

XX

XX

PN EP644267-A2.

XX

PD 22-MAR-1995.

XX

PF 20-JUL-1994; 94EP-00111298.

XX

PR 20-JUL-1993; 93JP-00201120.

PR 21-JUL-1993; 93JP-00180246.

PR 30-JUL-1993; 93JP-00208279.

XX

PA (SUMO) SUMITOMO CHEM CO LTD.

XX

PI Hayashi K, Sakaki T, Yabusaki Y, Komai K, Kaneko H, Nakatsuka I;

XX

DR WPI; 1995-116991/16.

DR P-PSDB; AAR72377.

XX

PT Evaluation of safety of a chemical cpd. - using recombinant yeast

PT expressing human cytochrome p450 and a yeast NADPH-P450 reductase.

XX

PS Example; Page 91-93; 124pp; English.

XX

CC The nucleotide sequence of the cDNA coding region for the human auxillary

CC cytochrome P450 species 2D6 variant 2. The gene contains variations at

CC bases 886: T to C and 1457: C to G as compared to the wild type sequence

CC (AAQ87729). These change the amino acid residues 296: Cys to Arg and 486:

CC Thr to Ser. The cDNA was amplified by PCR using the primers AAQ87763-6

CC The product was cloned into the yeast expression vectors pAAH5N or pAHR

CC to produce the vectors p2D6 variant 2 for the expression of the

CC cytochrome P450 alone or p2D6R variant 2 for co-expression with the yeast

CC NADPH-P450 reductase. The vectors are used in a method for evaluating the

CC safety of a chemical compound by reacting the chemical compound with

CC recombinantly produced human cytochrome P450 molecular species 1A2

CC (AAQ87714), 2C9 (AAQ87715), 2E1 (AAQ87716), or 3A4 (AAQ87717) or their

CC auxillary species and variants (AAQ87718-32), and yeast NADPH-P450

CC reductase, either as a fused protein or in cell extracts, and analysing

CC the resulting metabolite to assess the safety of the chemical compound.

CC The method is useful for determining whether the chemical compound, or

CC its metabolite, will be converted into a carcinogenic or mutagenic form

CC through metabolism in the liver. (Updated on 25-MAR-2003 to correct PN

CC field.)

XX

SQ Sequence 1494 BP; 248 A; 508 C; 447 G; 291 T; 0 U; 0 Other;

Query Match 76.2%; Score 1171.6; DB 2; Length 1494;

Best Local Similarity 89.5%; Pred. No. 2.7e-213;

Matches 1337; Conservative 0; Mismatches 4; Indels 153; Gaps 1;

QY 78 ATGGGGCTAGAACACTGCTGCTGCCCTGCGCGTAGTGGCCATCTTCTGCTCTCTGCTG 137

Db 1 ATGGGGCTAGAACACTGCTGCTGCCCTGCGCGTAGTGGCCATCTTCTGCTCTCTGCTG 60

QY 138 GACCTGATGCACCGCGCCCAACGCTGGCTGCACGCTACTACACGAGCCCTTGCACCTG 197

Db 61 GACCTGATGCACCGCGCCCAACGCTGGCTGCACGCTACTACACGAGCCCTTGCACCTG 120

QY 198 CCGGGCTGGGCAACCTGCTGATGAGCTTCAGACACACACCATCTGCTTCGACCAAG 257

Db 121 CCGGGCTGGGCAACCTGCTGATGAGCTTCAGACACACACCATCTGCTTCGACCAAG 180

QY 258 TTGCGGCGCGCTTCGCGGAGCGTGTTCAGCTGCGCTGGCTGCACGCGCGGTGCTGCTG 317

Db 181 TTGCGGCGCGCTTCGCGGAGCGTGTTCAGCTGCGCTGGCTGCACGCGCGGTGCTGCTG 240

QY 318 CTCAATGGCTGGGCGCGCTGCGGAGCGCTGTGTGACCCGCGAGACACCCCGGAC 377

Db 241 CTCAATGGCTGGGCGCGCTGCGGAGCGCTGTGTGACCCGCGAGACACCCCGGAC 300

QY 378 CGCCCGCTGTGCCCATCACCAGATCTGGTGTGGTGTGGCGCGCTTCCCA----- 428

Db 301 CGCCCGCTGTGCCCATCACCAGATCTGGTGTGGTGTGGCGCGCTTCCCAAGGGGTGTTTC 360

QY 429 ----- 428

Db 361 CTGGCGCGCTATGGCGCGCTGGCGCGAGCAGGCGCTTCTCGCTCTCCACCTTGGCG 420

QY 429 ----- 428

GenCore version 5.1.6
 Copyright (c) 1993 - 2004 Compugen Ltd.

OM nucleic - protein search, using frame_plus_n2p model

Run on: February 25, 2004, 02:15:53 ; Search time 70.8984 Seconds
 (without alignments)
 13680.175 Million cell updates/sec

Title: US-09-820-788A-1
 Perfect score: 2886
 Sequence: 1 cctgcctgctctctgtgcc.....aaaaaaaaaaaaaaaaaaaaa 1537

Scoring table:

BLOSUM62	Xgapop 10.0 , Xgapext 0.5
Ygapop 10.0 , Ygapext 0.5	
Fgapop 6.0 , Fgapext 7.0	
Delop 6.0 , Delext 7.0	

Searched: 1017041 seqs, 315518202 residues

Total number of hits satisfying chosen parameters: 2034082

Minimum DB seq length: 0
 Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
 Maximum Match 100%
 Listing first 45 summaries

Command line parameters:

```

-MODEL=frame+ n2p.model -DEV=xlp
-Q=/cgn2.1/USPTO.spool.p/US09820788/runat.24022004.141426.20037/app_query.fasta_1.12174
-DB=SPTRMBL_25 -QFWT=fastan -SUFFIX=rspt -MINMATCH=0.1 -LOOPEXT=0 -LOOPEXT=0
-UNITS=bits -START=1 -END=1 -MATRIX=blosum62 -TRANS=human40.cdi -LIST=45
-DOALIGN=200 -THR_SCORE=pct -THR_MAX=100 -THR_MIN=0 -ALIGN=15 -MODE=LOCAL
-OUTFWT=ptc -NORM=ext -HEAPSIZ=500 -MINLEN=0 -MAXLEN=2000000000
-USER=US09820788 @CNG 1 1 785 @runat.24022004.141426.20037 -NCPU=3
-NO MMAP -LARGEQUERY -NEG_SCORES=0 -WAIT -DSPELOCK=100 -LONGLOG
-DEV_TIMEOUT=120 -WARN_TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6
-FGAPEXT=7 -YGAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7
  
```

Database :

- 1: sp_archaea.*
- 2: sp_bacteria.*
- 3: sp_fungi.*
- 4: sp_human.*
- 5: sp_invertebrate.*
- 6: sp_mammal.*
- 7: sp_mhc.*
- 8: sp_organelle.*
- 9: sp_phage.*
- 10: sp_plant.*
- 11: sp_rodent.*
- 12: sp_virus.*
- 13: sp_vertebrate.*
- 14: sp_unclassified.*
- 15: sp_rvirus.*
- 16: sp_bacteriap.*
- 17: sp_archaeap.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	2283	79.1	500	4	Q16753 homo sapien

ALIGNMENTS

RESULT 1

ID	Q16753	PRELIMINARY;	PRT;	500 AA.
AC	Q16753;			
DT	01-NOV-1996 (TRENBLrel. 01, Created)			
DT	01-NOV-1996 (TRENBLrel. 01, Last sequence update)			
DT	01-JUN-2003 (TRENBLrel. 24, Last annotation update)			
DE	Debrisoquine 4-hydroxylase mutant allele (CYP2D6-MAL)			
OS	Homo sapiens (Human)			
OC	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;			
OC	Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.			
OX	NCBI_TaxID=9606;			
RN	[1]			
RP	SEQUENCE FROM N.A.			
RA	Gonzalez F. J.			
RL	Submitted (JUL-1990) to the EMBL/GenBank/DBJ databases.			
CC	-!- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.			
DR	EMBL; M33189; AAA35737.1; -			
DR	HSSP; P00179; 1DT6.			
DR	GO; GO:0004497; F:monooxygenase activity; IEA.			
DR	GO; GO:0016712; F:oxidoreductase activity, acting on paired d. . .; IEA.			
DR	GO; GO:0006118; P:electron transport; IEA.			
DR	InterPro; IPR001128; Cytochrome P450.			
DR	InterPro; IPR008069; EP450_CYP2D.			
DR	Pfam; PF00067; p450; 1.			

Q8wnr5 macaca fusc
 Q865w1 callithrix
 Q29454 bos taurus
 Q9tuj4 oryctolagus
 Q16804 homo sapien
 Q9jky7 mus musculus
 Q91w87 mus musculus
 Q9tuj5 oryctolagus
 Q8vcx0 mus musculus
 Q8cim7 mus musculus
 Q9dbj5 mus musculus
 Q921v1 mus musculus
 Q64529 mus musculus
 Q64529 mus musculus
 Q8bvd2 mus musculus
 Q64530 mus musculus
 Q78yw2 xenopus lae
 Q78yw2 xenopus lae
 Q9ptr2 fundulus he
 Q803j0 brachydanio
 Q91ax8 fundulus he
 Q9ptr1 fundulus he
 Q8rt96 brachydanio
 Q7zv97 brachydanio
 Q9pv10 fundulus he
 Q8cc91 mus musculus
 Q8br78 mus musculus
 Q8tf13 homo sapien
 Q8qxf7 rattus norv
 Q9iat1 oncorhynch
 Q924d1 mus musculus
 Q29516 oryctolagus
 Q802x8 brachydanio
 Q64460 mus musculus
 Q9pvb9 fundulus he
 Q8crq3 mus musculus
 Q800w8 brachydanio
 Q64463 mus musculus
 Q89677 sus scrofa
 Q29532 oryctolagus
 Q9wud0 mus musculus
 Q78xk7 brachydanio
 Q9pv11 fundulus he
 Q802u6 brachydanio
 Q8wub1 homo sapien

DR PROSITE; PS00086; CYTOCHROME P450; 1.
 KW Heme; Monooxygenase; Oxidoreductase.
 SQ SEQUENCE 497 AA; 5556 MW; 4C06EDD12F044D25 CRC64;

Alignment Scores:
 Pred. No.: 2,6e-142 Length: 497
 Score: 2197.50 Matches: 429
 Percent Similarity: 87.12% Conservative: 4
 Best Local Similarity: 86.32% Mismatches: 13
 Query Match: 76.14% Indels: 51
 DB: 6 Gaps: 1

US-09-820-788a-1 (1-1537) x Q8WNRS (1-497)

QY	78	ATGGGGCTAGAACACTGGTGGCCCTGGCGCTGATAGTGGCCATCTTCTGCTCTCTGGTG	137
Db	1	MetGluLeuAspAlaLeuValProLeuAlaValThrValAlaIleLeuLeuVal	20
QY	138	GACCTGATGACCGGCGCAACGCTGGCTGACGCTACTACAGGCCCTGCGCAGTG	197
Db	21	AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrProProGlyProLeuProLeu	40
QY	198	CCGGGCTGGGAACCTGCTGATGGACTTCCAGAACACACCATACTGCTTCGACGAG	257
Db	41	ProPheLeuGlyLysLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln	60
QY	258	TTGGCGCGCGCTTCGGGACGCTGTTGACGCTGCAGCTGGCTGGACGCGGTGGTGGTG	317
Db	61	LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal	80
QY	318	CTCAATGGCTGGCGCCCTGGCGAGCGCTGGTGACCCAGCGGAGGACACCGCCGAC	377
Db	81	LeuAsnGlyLeuAlaAlaValAlaGluAlaLeuValThrHisGlyGluAspThrAlaAsp	100
QY	378	CGCGCGCTGTCGCTACCCAGATCTCTGGCTTTGGCGCGCTTCCCAA	428
Db	101	ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGlnGlyValPhe	120
QY	428	-----	428
Db	121	LeuAlaArgTyrGlyAlaSerTrpArgGluGlnArgArgPheSerValSerThrLeuArg	140
QY	428	-----	428
Db	141	AsnLeuGlyLeuGlyLysSerGlyThrGlnTrpValThrGlyGluAlaAlaCysLeu	160
QY	429	-----GGACGCCCTTTCCGCCCAACGGTCTCTTGACAAA	464
Db	161	CysAlaAlaPheAlaAsnHisSerGlyArgProPheArgProAsnGlyLeuLeuAspLys	180
QY	465	CGCGTGAGCAACGTGATCGCTCCCTCACCTGCGGCGCGCTTCGAGTACGACGACCT	524
Db	181	AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGlyLysAspPro	200
QY	525	CGCTTCTCAGGCTGCTGACCTAGCTCAGGAGGAGTGAAGGAGGAGTGGGCTTCTG	584
Db	201	ArgPheLeuArgLeuLeuAspLeuAlaGlnGlyLeuLysGluGluProGlyPheLeu	220
QY	585	CGCGAGTGCTGATGCTGCTCCCGCTCTCGATATCCAGCGCTGCTGCGCAGGTC	644
Db	221	ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal	240
QY	645	CTACGCTTCCAAAGCTTTCTGACCCAGCTGATGAGTGTCTACTGACGACGAGGATG	704
Db	241	LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuThrGluHisArgMet	260
QY	705	ACCTGGGAGCCAGCCCGCCCGGAGACCTGACTGAGGCGCTTCTGCGCAGAGATGGAG	764
Db	261	ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu	280
QY	765	AAGCCCAAGGGGACCTCGAGACGCTTCAATGATGAGAACCTGCGCATGTGGTGGCT	824
Db	281	LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla	300

QY	825	GACCTGTTCTCTGCGGGGATGGTACCACCTCGACCGCTGGCGCTGGGCTCTCTGTC	884
Db	301	AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeuLeu	320
QY	885	ATGATCTTACATCCGATGTCAGCGCGTGTCCACAGGAGATCGACGCTGATAGG	944
Db	321	MetIleLeuHisProAspValGlnArgValGlnGlnGlnIleAspAspValIleGly	340
QY	945	CAGGTGCGCGCAGCAGAGATGGGTGACCGAGCTCACATGCCCTACACCACTGCCGTGATT	1004
Db	341	AlaValTrpArgProAlaLeuGlyGlnAlaHisMetProTyrThrProAlaValLys	360
QY	1005	CATGAGGTGACGCGCTTTGGGACATCGTCCCTCGGTGGTGACCATATGACATCCGT	1064
Db	361	HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg	380
QY	1065	GACATCGAAGTACAGGCTTCGGCATCCCTTAAGGAGACGACTCATCACCACTGTCA	1124
Db	381	AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer	400
QY	1125	TCGGTGTGAAGGATGAGCGCTGTGGAGAGCCCTTCCGCTTCCACCCGCAACACTTC	1184
Db	401	SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe	420
QY	1185	CTGATGCCCCAGGCGCACTTTGTGAAGCCGAGGCGCTTCTCTGCTTCTCAGCAGCGCGC	1244
Db	421	LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg	440
QY	1245	CGTATGCTCTCGGGAGCCCTCGCGCATGAGGCTTCTCTCTTCTTCTTCTTCTTCTTCT	1304
Db	441	ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu	460
QY	1305	CTGCAGCACTTCAGCTTCTCGGTGCCACTCGACAGCCCGCCGAGCACCACCATGGTGC	1364
Db	461	LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal	480
QY	1365	TTTGTCTTCTGCTGACCCCATCCCTTATGAGCTTTGTGCTGTGCTGCTGCTGCTGCTG	1415
Db	481	PheAlaPheLeuValSerProSerProTyrGluLeuCysAlaValProArg	497

RESULT 3
 Q865W1 PRELIMINARY; PRT; 497 AA.
 ID Q865W1;
 AC Q865W1; (TREMBLrel. 24, Created)
 DT 01-JUN-2003 (TREMBLrel. 24, Last sequence update)
 DT 01-JUN-2003 (TREMBLrel. 24, Last sequence update)
 DT 01-OCT-2003 (TREMBLrel. 25, Last annotation update)
 DE Cytochrome P450 2D.
 OS Callithrix jacchus (Common marmoset).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Platyrrhini; Callitrichidae; Callithrix.
 OX NCBI_taxid=9483;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Liver;
 RA Hichiya H., Yamamoto S., Asaoka K., Narimatsu S.;
 RT "Complementary DNA cloning and characterization of a cytochrome P450
 2D enzyme from Marmoset monkey liver.";
 RL Submitted (MAR-2002) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AY082602; AAL92448.1;
 DR GO; GO:0005634; C:nucleus; IEA.
 DR GO; GO:0003677; F:DNA binding; IEA.
 DR GO; GO:0016712; F:oxidoreductase activity, acting on paired d. . .; IEA.
 DR GO; GO:0006118; P:electron transport; IEA.
 DR GO; GO:0006355; P:regulation of transcription, DNA-dependent; IEA.
 DR InterPro; IPR001128; Cytochrome P450.
 DR InterPro; IPR004827; TF_bZIP.
 DR Pfam; PF00067; p450; 1.
 DR PRINTS; PR01686; EP450ICYP2D.
 DR PRINTS; PR00385; P450.
 DR PROSITE; PS00036; BZIP_BASIC; 1.

DR PROSITE; PS00086; CYTOCHROME P450; 1.
SQ SEQUENCE 497 AA; 55895 MW; C7EECB2ADB74A38 CRC64;

Alignment Scores:

Pred. No.: 2.88e-138 Length: 497
Score: 2138.50 Matches: 417
Percent Similarity: 85.71% Conservative: 9
Best Local Similarity: 83.90% Mismatches: 20
Query Match: 74.10% Indels: 51
DB: 6 Gaps: 1

US-09-820-788A-1 (1-1537) x Q865W1 (1-497)

```
QY 78 ATGGGGCTAGAGCACTGGTGGCCCTGGCGCTGATAGTGGCCATCTTCTCTCTCTGCTG 137
Db 1 MetGlyLeuAspAlaLeuValProLeuAlaValThrValAlaLeuPheValLeuVal 20
QY 138 GACCTGATGACCGCGCGCAACGCTGGGCTGCACGCTACTCACAGGCGCCCTGCACTG 197
Db 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrProGlyProMetProLeu 40
QY 198 CCGGGCTGGGCAACTCTGCTGATGTGACTTCCAGAACACACCATATCTGCTTCGACGAG 257
Db 41 PropheLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProAsnSerPheAsnGln 60
QY 258 TTGGCGCGCGCTTGGGAGCGTGTTCAGCTGCTGAGCTGGCTGGAGCGCGGTGGTGGT 317
Db 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpProValValVal 80
QY 318 CTCAATGGCTGGCGCGCGCTGGCGAGCGCTGTGACCCAGCGGAGGACACCGCGGAC 377
Db 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
QY 378 CGCGCGCTGGCCCATCACCAGATCTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT 428
Db 101 ArgProProValProIleThrGlnMetLeuGlyPheGlyProHisSerGlnGlyValPhe 120
QY 428 ----- 428
Db 121 LeuAlaArgTyrGlyProAlaTrpArgGluGlnArgArgPheSerValSerThrLeuArg 140
QY 428 ----- 428
Db 141 AsnLeuGlyLeuGlyLysLysSerLeuGluGlnTrpValThrGluGluAlaAlaCysLeu 160
QY 429 -----GGACGCGCTTTCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCG 464
Db 161 CysAlaAlaPheAlaAsnHisSerGlyArgProPheArgProAsnGlyLeuLeuAspLys 180
QY 465 GCGGTGACACGTGATCGCTCCCTCACCTCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCT 524
Db 181 AlaValSerAsnValIleAlaSerLeuThrCysArgArgArgPheGlyThrAspAsnPro 200
QY 525 CGCTTCCTCAGCGCTCGGACTAGCTCAGGAGGAGTGAAGAGGAGGAGTGGGCTTTCG 584
Db 201 CysLeuLeuArgLeuLeuAspLeuThrMetGluGlyLeuLysGluGluSerGlyLeuLeu 220
QY 595 GCGAGGTGCTGATGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 644
Db 221 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProGlyLeuAlaGlyLysVal 240
QY 645 CTACGCTTCCAAAGGCTTCTGACCCAGCTGATGAGTGCCTAACTGAGCAGCAGGATG 704
Db 241 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 260
QY 705 ACCTGGGACCCAGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCG 764
Db 261 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 280
QY 765 AAGGCCAAGGGGAACCTTGAGAGCGCTTCAATGATGAGAACCTGCGCATAGTGGTGGCT 824
Db 281 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 300
```

```
QY 825 GACCTGTCTCTGCGCGGATGGTGCACCACTCGACCACTGGCGCTGGGCGCTCTGTCTC 884
Db 301 AspLeuPheSerAlaGlyMetValThrThrSerIleThrLeuAlaTrpGlyLeuLeuLeu 320
QY 885 ATGATCTCTACATCCGATGTGCACGCCGTGTCCAAAGAGAGATCGACGATGATAGGG 944
Db 321 MetIleLeuHisProAspValGlnArgArgValGlnGlnGlnLeuAspValIleGly 340
QY 945 CAGGTGGCGGACAGAGATGGGTGACAGGCTCACATGCCCTACACCACTGCGGTGATT 1004
Db 341 ArgValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaAla 360
QY 1005 CATGAGTGGACGCTTTGGGACATGTCCTCCCTGGGTGTGACCATATCACATCCCGT 1064
Db 361 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 380
QY 1065 GACATCGAAGTACAGGCTTCCGATCCCTAAGGAAACGACACTCATCAACCACTGTCA 1124
Db 381 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnArgPro 400
QY 1125 TCGTGTCTGAAGATAGGCGCTCTGGAGAGCCCTTCGCTTCCACCCCGAAGACTTC 1184
Db 401 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 420
QY 1185 CTGATGCTCCAGGCGCCACTTTGTCAAGCGGAGGCTTCTGCTCTTCTCAGCAGGCGCG 1244
Db 421 LeuAspAlaGlnGlyArgPheValLysProAspAlaPheLeuProPheSerAlaGlyArg 440
QY 1245 CGTGCATCGCTCGGGAGCGCTCGCGCGCATCGAGCTTCTCTCTTCTTCTCCTCCCTG 1304
Db 441 ArgAlaCysLeuGlyGluProArgAlaArgMetGluLeuPheLeuPheThrCysLeu 460
QY 1305 CTGACGACTTCACTCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 1364
Db 461 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 480
QY 1365 TTTCTCTTCTCGGTGACCCCATCCCTATGAGCTTGTGTGTGTGTGTGTGTGTGTGTGT 1415
Db 481 PheAlaPheLeuValSerProSerProTyrGluLeuCysAlaValProArg 497

RESULT 4
Q29454 PRELIMINARY; PRT; 500 AA.
AC Q29454:
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Cytochrome P-450 IID.
GN CYP2D.
OS Bos taurus (Bovine).
OC Eukaryota, Metazoa, Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovioidea;
OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=pBV1.80; TISSUE=Liver;
RX MEDLINE=9301103; PubMed=1396678;
RA Tsunekawa Y., Matsuo Y., Higuchi R., Ichikawa Y.;
RT "Characterization of the cytochrome P-450IID subfamily in bovine
liver. Nucleotide sequences and microheterogeneity.";
RL Eur. J. Biochem. 208:739-746(1992).
CC -1. SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; X68481; CAA48501.1; -.
DR PIR; S37284; S37284.
DR HSSP; P00179; 1DT6.
DR GO; GO:0004497; F:monooxygenase activity; IEA.
DR GO; GO:0016712; F:oxidoreductase activity, acting on paired d. . .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome_P450.
DR Pfam; PF00067; p450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
```


DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Heme; Monooxygenase; Oxidoreductase.
NON_TER 1
SQ SEQUENCE 373 AA; 42005 MW; 9FDED67B0BA487A4 CRC64;
Alignment Scores:
Pred. No.: 1.42e-109 Length: 373
Score: 1719.50 Matches: 333
Percent Similarity: 93.82% Conservative: 1
Best Local Similarity: 93.54% Mismatches: 3
Query Match: 59.58% Indels: 19
DB: 4 Gaps: 1
US-09-820-788A-1 (1-1537) x Q16804 (1-373)
QY 405 CTGGGTTTTGGCGCGCTTCC----- 425
Db 18 LeuGlyLeuGlyLysLysSerLeuGluGlnTrpValThrGluAlaAlaCysLeuCys 37
QY 426 -----CAAGACGCCCTTTTCGCCCAACGGTCTCTTGACAAAGCC 467
Db 38 AlaAlaPheAlaAsnHisSerGlyArgProPheArgProAsnGlyLeuLeuAspLysAla 57
QY 468 GTGAGCAAGTATCGCTCCCTCCCTCAGCTGGGCGCGCTTCGAGTACGACGACCTCGC 527
Db 58 ValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTrpAspAspProArg 77
QY 528 TTCTCTCAGGCTGCTGACCTAGCTCAGGAGGAGTCAAGGAGGAGTCTTCCTGCGC 587
Db 78 PheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluLysSerGlyPheLeuArg 97
QY 588 GAGGTCTGAATCTGTCCCGCTCTCTGCATATCCAGCGCTGGCTGGCAAGTCTTA 647
Db 98 GluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysValLeu 117
QY 648 CGCTTCAAAGCTTTCTGACCCAGCTGGATGAGTCTGAATCTGAGTACGACGACGATGACC 707
Db 118 ArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMetThr 137
QY 708 TGGGACCCAGCCAGCCCGCCGAGACCTGACTGAGGCGCTTCTGSCAGAGATGGAGAAG 767
Db 138 TrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGluLys 157
QY 768 GCCAAGGGAACTCTGAGACGCTTCAATGATGAGAACCTGCGCATAGTGGCTGAC 827
Db 158 AlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAlaAsp 177
QY 828 CTGTTCTCTCCGGGATGTGACCACTCGACCACTGGCTGGCGCTCTCTGCTCATG 887
Db 178 LeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeuMet 197
QY 888 ATCTACATCCGATGTGAGCGCGCTGTCCAACAGGAGATCGACGACCTGATAGGCAG 947
Db 198 IleLeuHisProAspValGlnArgValGlnGlnIleAspAspValIleGlyGln 217
QY 948 GTGCGCGCACGAGATGGGTGACACGAGCTCATGCTCCCTACACCACTCCGCTGATTCAT 1007
Db 218 ValArgArgProGluMetGlyAspGlnAlaHisMetProTyThrThrAlaValIleHis 237
QY 1008 GAGTTCAGCGCTTTGGGACATCGTCCCGCTGGGTGTGACCCATATGATCCCGTGAC 1067
Db 238 GluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArgAsp 257
QY 1068 ATCGAGTACAGGGCTTCGCGCATCCCTAAGGGAACGACACTCATACCAACTGTCATCG 1127
Db 258 IleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSerSer 277
QY 1128 GTGCTGAAGGATGAGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCCAACTTCCTG 1187
Db 278 ValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPheLeu 297
QY 1188 GATGCCACAGGGCACTTTGTGAAGCCGAGGCGCTTCTCCCTGCTTCTCAGCAGCGCGCT 1247

Db 298 AspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArgArg 317
QY 1248 GCATGCTCGGGAGCCCTGGCCGCGCATGGAGCTTCTCTTTCACCTCCCTGCTG 1307
Db 318 AlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeuLeu 337
QY 1308 CAGCACTTACAGTCTTCGGTGCCCACTGGACAGCCCGGCCGACCATGGTGTCTTT 1367
Db 338 GlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyValPhe 357
QY 1368 GCTTTCTCTGCTGACCCCATCCCTATGAGCTTCTGCTGCTGCCCGC 1415
Db 358 AlaPheLeuValThrProSerProTyThrGluLeuCysAlaValProArg 373
RESULT 7
Q9JKY7 PRELIMINARY; PRT; 500 AA.
AC Q9JKY7;
DT 01-OCT-2000 (TREMBLrel. 15, Created)
DT 01-OCT-2000 (TREMBLrel. 15, Last sequence update)
DT 01-OCT-2003 (TREMBLrel. 25, Last annotation update)
DE Cytochrome P450 CYP2D2.
GN CYP2D2
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=20485155; PubMed=11032406;
RA Blume N., Leonard J., Xu Z.J., Watanabe O., Remotti H., Fishman J.;
RT "Characterization of Cyp2d22, a novel cytochrome P450 expressed in
RT mouse mammary cells";
RL Arch. Biochem. Biophys. 381:191-204 (2000).
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; AF221525; AAF34652.1; -.
DR HSSP; P00179; 1D76.
DR MGD; MGI:1929474; Cyp2d22.
DR GO; GO:0005737; C:cytoplasm; IDA.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 500 AA; 56467 MW; FACB35854CBC3F1F CRC64;
Alignment Scores:
Pred. No.: 5.75e-109 Length: 500
Score: 1711.00 Matches: 337
Percent Similarity: 73.32% Conservative: 34
Best Local Similarity: 66.60% Mismatches: 77
Query Match: 59.29% Indels: 58
DB: 11 Gaps: 2
US-09-820-788A-1 (1-1537) x Q9JKY7 (1-500)
QY 51 AGGACCCATTTGGTAGTGAGCGAGGTATGGGCTAGAGCACTGGTCCCTGSCCGTG 110
Db 2 ArgLeuProThrGlyAlaGlu-----LeuTrpProIleAlaIle 14
QY 111 ATAGTGGCATCTTCTGCTGCTGCTGACCTGATGACCGCGCGCAACGCTGGGTGCA 170
Db 15 PheThrValIlePheLeuIleLeuValAsnLeuMetHisTrpArgGlnArgTrpThrAla 34
QY 171 CGTACTACAGCGCCCTCTGCACTGCGCGGGCTGGGCAACCTGCTGCTGCTGACTTC 230
Db 35 HisTyProGlyProMetProTrpProValLeuGlyAsnLeuLeuHisMetAspPhe 54
QY 231 CAGAACACACATATGCTTGCACCAAGTGGCGCGCGCTTCGGGAGCGTGTTCAGCTG 290
Db 55 GlnAsnMetProAlaGlyPheGlnLysLeuArgGlyArgTyArgGlyAspLeuPheSerLeu 74

```
QY 291 CAGCTGGCTGGACCGCGTGTCTGCTCAATGGCTGGCGCGTGGCGGCGCTG 350
Db 75 GlnLeuAlaSerGluSerValValValLeuAsnGlyLeuThrAlaLeuArgGluAlaLeu 94
QY 351 GTGACCCACGGGAGGACACCGCCGCGCGCTGTGCCCATCACACAGATCTCGGT 410
Db 95 ValLysHisSerGluAspThrAlaAspArgProProLeuHisPheAsnAspLeuGly 114
QY 411 TTGCGCGCGTTCCTCAA----- 428
Db 115 PheGlyProArgSerGlnGlyValLeuAlaAArgTyrGlyProAlaTrpArgGlnGln 134
QY 428 ----- 428
Db 135 ArgArgPheSerValSerThrMetHisHisPheGlyLeuGlyLysSerLeuGluGln 154
QY 429 -----GGACGCCCC 437
Db 155 TrpValThrGluGluAlaArgCysLeuCysAlaAlaPheAlaAspHisThrGlyHisPro 174
QY 438 TTTCGCCCAACGGTCTCTTGACAAACCGGTGAGCAACGTGATCGCTCTCCCTCACCTGC 497
Db 175 PheSerProAsnThrLeuLeuAspLysAlaValCysAsnValIleAlaSerLeuLeuTyr 194
QY 498 GGGCGCGCTTCAGTAGACAGCACCTCGCTTCCTCAGCGCTGCTGAGCTAGCTCAGGAG 557
Db 195 AlaCysArgPheGluTyrAspAspProArgPheIleArgLeuLeuGlyLeuLysGlu 214
QY 558 GGAGTGAAGGAGGAGTCCGGCTTTCTGCGGAGGTGCTGAATGCTGCTCCCGTCTCTCTG 617
Db 215 ThrLeuLysGluGluAlaGlyPheLeuProMetPheLeuAsnValPheProMetLeuLeu 234
QY 618 CATATCCAGCGCTGGCTGGCAAGTCTCTACGCTTCCAAAGGCTTCTTCCACCCAGCTG 677
Db 235 ArgIleProGlyLeuValGlyLysValPheProGlyLysArgAlaPheValThrMetLeu 254
QY 678 GATGAGCTCTTAACGTAGCACAGGATGACCTGGGACCCAGCCAGCCCGCGGAGCTG 737
Db 255 AspGluLeuLeuAlaGluHisLysThrThrTrpAspProThrGlnProProArgAspLeu 274
QY 738 ACTGAGGCTCTCTCGCAGATGAGAGGCAAGGCAAGGCAAGGCAAGGCAAGGCAAGGCA 797
Db 275 ThrAspAlaPheLeuAlaGluValGlyLysAlaLysGlyAsnProGluSerSerPheAsn 294
QY 798 GATGAGACCTCGCATAGTGTGCTGACCTGTCTCTGCGGAGATGGTGACACCTCG 857
Db 295 AspGluAsnLeuArgThrValValGlyAspLeuPheSerAlaGlyMetValThrThrSer 314
QY 858 ACCAGCTGGCTGGGCTCTGCTGATGATCTTACATCCGATGATGATGATGATGATGATG 917
Db 315 ThrThrLeuSerTrpAlaLeuMetLeuMetIleLeuHisProAspValGlnArgArgVal 334
QY 918 CAACAGGAGATCGACGATGATGAGGCGAGGCGGCGGCGGCGGCGGCGGCGGCGGCGG 977
Db 335 GlnGlnGluLeuAspGluValIleGlyGlnValGlnCysProGluMetAlaAspGlnAla 354
QY 978 CACATGCCCTACACCACTCCCGTGTATCATGAGGTGACGCGCTTTGGGACATCGTCCC 1037
Db 355 ArgMetProTyrThrAsnAlaValIleHisGluValGlnArgPheAlaAspIleLeuPro 374
QY 1038 CTGGGTGTGACCCATATGACATCCCGTGCATGAGGTGACGAGGTTCGGATCCCTAAG 1097
Db 375 LeuGlyValProHisLysThrSerArgAspIleGluLeuGlnGlyPheLeuIleProLys 394
QY 1098 GGAACACACTCATCACCAACTGTCATCGGTGCTGAAGGATGAGGCGCTCTGGGAGAG 1157
Db 395 GlyThrThrLeuLeuThrAsnLeuSerSerAlaLeuLysAspGluThrValTrpGluLys 414
QY 1158 CCCTTCGCTTCCACCCCGAACACTTCTCGATGATGCCAGGCGCACTTTGTAAGCCGAG 1217
Db 415 ProLeuCysPheHisProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGlu 434
```

```
QY 1218 GCCTTCTCTCTTCTCAGACGGCGGTGCTGCTCGGGAGCCCTCGGCCCGCATG 1277
Db 435 AlaPheMetProPheSerAlaGlyArgSerCysLeuGlyGluProLeuAlaArgMet 454
QY 1278 GAGCTCTCTCTTCTTCCACCTCCCTGCTGAGCACTTACGCTTCTCGGTGCCACCTGA 1337
Db 455 GluLeuPheLeuPheThrCysLeuGlnArgPheSerIleSerValProAspGly 474
QY 1338 CAGCCCGCGCGCCAGCCACCATGCTTCTTCTTCTGCTGAGCCCATCCCTATGAG 1397
Db 475 GlnProGlnProSerAspHisGlyValPheArgAlaLeuThrThrProCysProTyrGln 494
QY 1398 CTTTGTGCTGCGCCCGC 1415
Db 495 LeuCysAlaLeuProArg 500

RESULT 8
Q91W87
ID Q91W87 PRELIMINARY; PRT; 500 AA.
AC Q91W87;
DT 01-DEC-2001 (TrEMBLrel. 19, Created)
DT 01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Cytochrome P450, 2D22.
GN CYP2D2.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE-Salivary gland;
RA Strausberg R.;
RL Submitted (OCT-2001) to the EMBL/GenBank/DBJ databases.
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; BC016256; AAH16256.1; -.
DR MGD; MGI:1929474; CYP2D22.
DR GO; GO:0005737; C:cytoplasm; IDA.
DR InterPro; IPR001128; Cytochrome_P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME_P450; 1.
KW Heme; Monooxygenase; Oxidoreductase
SQ SEQUENCE 500 AA; 56493 MW; 1BC79BE8E7D87A02 CRC64;

Alignment Scores:
Pred. No.: 1,48e-108 Length: 500
Score: 1705.00 Matches: 336
Percent Similarity: 73.32% Conservative: 35
Best Local Similarity: 66.40% Mismatches: 77
Query Match: 59.08% Indels: 58
DB: 11 Gaps: 2

US-09-820-788A-1 (1-1537) x Q91W87 (1-500)
QY 51 AGGAGCCCATTTGTGTAGTAGGAGGATGTGGGGCTAGAGGCACTGTCGCCCTCGCCGTG 110
Db 2 ArgLeuProThrGlyAlaGlu-----LeuTrpProIleAlaIle 14
QY 111 ATATGGGCCATCTTCTGCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 170
Db 15 PheThrValIlePheLeuIleLeuValAsnLeuMetHisTrpArgGlnArgTrpThrAla 34
QY 171 CGCTACTCACGACGCCCTCCCTCCACTGCTGCCGGGCTGGGCAACCTGCTGCTGCTGCTGCT 230
Db 35 HisTyrProProGlyProMetProTrpProValLeuGlyAsnLeuLeuHisMetAspPhe 54
QY 231 CAGAACACACCATCTGCTTCGACACGAGTTGGCGCGCGCTTCGGGGAGCTGTTTCAGCCTG 290
Db 55 GlnAsnMetProAlaGlyPheGlnLysLeuArgGlyArgTyrGlyAspLeuPheSerLeu 74
```


Qy	249	TTGACACAGTTGCGCGCCGCTTCGGGACGTGTTACGCTGCAGCTGGCTGCACGCCG	308
Db	61	PheArgGlnLeuArgCysArgTyr-GlyAspValPheSerLeuGlnLeuAlaTrpThrPro	80
Qy	309	GTGCTGCTGCTCAATGGCTGGCGCGCGTGGCCGAGGCGCTGGTGTGATCCACGCGGAGAC	368
Db	81	ValValValLeuAsnGlyProAlaAlaMetArgGlnAlaLeuValThrTyrGlyGluAsp	100
Qy	369	ACCGCCGACCGCCCGCTGTGCCCATCACCCAGATCCTGGGTTTGGCGCGCTTCCCAA	428
Db	101	ThrAlaaspArgProTyrSerLeuSerLeuGluHisLeuGlyPheGlyProGlnAlaGln	120
Qy	428	-----	428
Db	121	GlyValIleMetAlaCysTyrGlyHisAlaTrpArgGluGlnArgArgPheSerValSer	140
Qy	428	-----	428
Db	141	ThrLeuArgAsnPheGlyMetGlyLysSerLeuGluHisTrpValThrGluGluAla	160
Qy	429	-----GGACGCCCTTTCGCCCAACGGTCTC	455
Db	161	AlaCysLeuCysAlaValPheSerGluHisAlaGlyHisProPheSerProLysAlaLeu	180
Qy	456	TTGGCAAAAGCGTGAGCAACGTGATCGCTCCCTCCACTCGCGGCGCGCTTCAGATAC	515
Db	181	LeuAsnLysAlaIleGlyAsnValIleAlaSerLeuThrPheGlyCysArgPheGluTyr	200
Qy	516	GACGACCTCGCTTCCTCAGGCTCGACTAGCTCAGGAGGACCTGAGGAGGAGTCG	575
Db	201	AspAspHisArgLeuThrArgLeuMetAspLeuIleGluIleMetLeuGluGluSerThr	220
Qy	576	GGCTTCTCGCGAGGTGGTAATGCTGCCCGTCTCTCGCATATCCGAGCGCTGGCT	635
Db	221	GlyIleLeuProLeuValLeuAsnValIleProIleLeuLeuArgIleProGlyLeuVal	240
Qy	636	GGCAAGGTCTTACGCTTCCAAAAGGCTTTCGTGACCCAGCTGGATGAGCTGAACCTAG	695
Db	241	AspLysValPheHisGlyGlnLysAlaPheMetAlaLeuLeuAspGluLeuValThrGlu	260
Qy	696	CACAGGATGACCTGGGACCCAGCCAGCCCGCCGAGACCTGACTGAGGCGCTTCCTGGCA	755
Db	261	HisArgMetThrArgAspProAlaGlnProProArgAspLeuThrAspAlaPheLeuAsp	280
Qy	756	GAGATGAGAGGCCCAAGGGGAACCTGAGAGCAGCTTCAATGATGAGAACCTCGCAT	815
Db	281	GlnValGluLysAlaLysGlyAsnProGluSerSerPheAsnAspAsnLeuArgLeu	300
Qy	816	GTGCTGCTGACCTGTGTTCTCTGCGGGATGTGTACCACTCGACACGCTGGCGTGGGC	875
Db	301	ValValAlaAspLeuPheValAlaGlyMetPheThrThrSerPheThrLeuSerTrpAla	320
Qy	876	CTCTGCTCATGATCTATCCGGATGTGCGAGCGCGTGTCCAAAGGAGATCGACGAC	935
Db	321	LeuLeuLeuMetIleLeuHisProAspValGlnArgValGlnGlnIleAspGlu	340
Qy	936	GTGATAGGCGAGGTGCGCGCACAGAGATGGTGACCAAGGCTCACATGCCCTACACCACT	995
Db	341	ValIleGlyProAlaArgProGluMetGlyAspGlnAlaArgMetProTyrThrThr	360
Qy	996	GCGTGATTATGAGGTGCAGCGCTTTTGGGACATCGTCCCGCTGGGTGTGACCCATATG	1055
Db	361	AlaValValHisGluValGlnArgPheAlaAspIleValProLeuGlyValProHisGln	380
Qy	1056	ACATCCGCTGACATCGAAGTACAGGCGTTCCGCATCCCTTAAGGGAACGACACTCATCACC	1115
Db	381	ThrLeuArgAspIleGluValGlnGlnGlyPheLeuIleProLysGlyThrMetLeuPheThr	400
Qy	1116	AACCTGTCATCGTCTGAAGTAGGCGCTCTGGGAGAGCCCTTCGCTCCACCCC	1175
Db	401	AsnLeuSerSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisPro	420
Qy	1176	GAACACTTCTGGATGCTCCAGGGCCACTTTGTGAAGCGGAGGCGCTTCCTGCTCTTC	1235

Db	421	GlyHisPheLeuAspAlaGlnGlyArgPheValIysGlnGluAlaPheMetProPheSer	440
Qy	1236	GCAGGCGCGTGCATGCCCTCGGSGAGCCCTCGCCGGATGGAGCTCTTCCTCTTCTTC	1295
Db	441	AlaGlyHisArgAlaCysLeuGlyGluProLeuAlaArgMetGlnLeuPheLeuPhePhe	450
Qy	1296	ACCTCCCTGCTGCAGACACTTCAGCTTCTCGGTGCCCACTGGACAGCCGCCGCGCCAGCCAC	1355
Db	461	ThrCysLeuLeuGlnArgPheSerPheSerValProAlaGlyGlnProGlnProSerAsp	480
Qy	1356	CATGGTGCTCTTGGTTCCTGCTGACCCCATCCCTATGAGCTTTGTGCTGTGCCCGC	1415
Db	481	GlnGlyAlaProAlaThrLeuValThrProAlaProTyrGlnLeuCysAlaValAlaArg	500

RESULT 10

Q8VCX0 PRELIMINARY; PRT; 500 AA.

ID	Q8VCX0	PRELIMINARY;	PRT;	500 AA.
DT	01-MAR-2002	(TrEMBLrel. 20, Created)		
DT	01-MAR-2002	(TrEMBLrel. 20, Last sequence update)		
DT	01-OCT-2003	(TrEMBLrel. 25, Last annotation update)		
DN	Similar to cytochrome P450, 2d9.			
GN	1300007K12RIK.			
OS	Mus musculus (Mouse).			
OC	Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;			
OC	Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.			
OX	NCBI_TaxID=10090;			
RN	[1]			
RP	SEQUENCE FROM N.A.			
RC	TISSUE=Liver;			
RA	Strausberg R.;			
RL	Submitted (DEC-2001) to the EMBL/GenBank/DBJ databases.			
CC	-! SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.			
DR	EMBL; BC018344; AAH18344.1; -.			
DR	MGD; WGI.1215694; 1300007K12RIK.			
DR	GO; GO:0005524; F:ATP binding; IEA.			
DR	GO; GO:0004497; F:monooxygenase activity; IEA.			
DR	GO; GO:0016712; F:oxidoreductase activity, acting on paired d. .; IEA.			
DR	GO; GO:0006118; P:electron transport; IEA.			
DR	InterPro; IPR005479; CPhase L D2.			
DR	InterPro; IPR001128; Cytochrome P450.			
DR	InterPro; IPR008065; EP450_CYP2D.			
DR	Pfam; PF00067; p450; 1.			
DR	PRINTS; PR01686; EP450ICYP2D.			
DR	PRINTS; PR00385; P450.			
DR	PROSITE; PS00867; CPSASE 2; 1.			
DR	PROSITE; PS00866; CYTOCHROME P450; 1.			
KW	Heme; Monooxygenase; Oxidoreductase.			
SQ	SEQUENCE 500 AA; 58625 MW; 30017FA1AE4F83E CRC64;			

Alignment Scores:

Pred. No.:	1.18e-103	Length:	500
Score:	1633.50	Matches:	315
Percent Similarity:	73.37%	Conservative:	46
Best Local Similarity:	64.02%	Mismatches:	80
Query Match:	56.6%	Indels:	51
DB:	11	Gaps:	1

US-09-820-788A-1 (1-1537) x Q8VCX0 (1-500)

```
QY 273 GGGAGCGTGTTCAGCTGCGCTGAGCGCGCTGCTGCTCAATGGCTGGCG 332
|||
Db 69 GlyAspValPheSerLeuGlnMetAlaTrpLysProValValIleSerGlyLeuLys 88
|||
QY 333 GCGTCGCGAGCGCTGCTGACCCAGCGAGGACACCGCGCGCTGCTGGCC 392
|||
Db 89 AlaValArgGluValLeuValThrCysGlyGluAspThrAlaAspArgProGluMetPro 108
|||
QY 393 ATCACCACGATCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 452
|||
Db 109 IlePheGlnHisLeuGlyTyrGlyGluLysAlaLysGlyValPheAlaProTyrGly 128
|||
QY 452 ----- 452
Db 129 ProGluTrpArgGluLeuArgPhePheSerValSerThrLeuArgAsnLeuGlyLeuGly 148
|||
QY 452 ----- 452
Db 149 LysLysSerLeuGluGlnTrpValThrGluGluAlaGlyHisLeuCysAspAlaPheThr 168
|||
QY 453 ----- 453
Db 169 AlaGlnAlaGlySerProLeuAspProTyrThrLeuLeuAsnLysAlaValCysAsnVal 188
|||
QY 480 ATCGCTCCCTCACCTGCGCGCGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 539
|||
Db 189 IleAlaSerLeuIleTyrAlaArgPheGluTyrGlyAspProAspPheIleLysMet 208
|||
QY 540 CTGGACCTAGCTCAGGAGGACTGAAGAGGAGTGGGCTTCTGCGGAGGTGCTGAAT 599
|||
Db 209 LeuLysIleLeuLysGluAsnMetGlyGluAsnThrGlyLeuPheProGluValLeuAsn 228
|||
QY 600 GCTGTCCCTGCTCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 659
|||
Db 229 ThrPheProIleLeuLeuHisIleProGlyLeuAlaAspLysValPheProGlyGlnLys 248
|||
QY 660 GCTTCTCTGACCCAGCTGAGTGTCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 719
|||
Db 249 ThrPheLeuThrLeuValAsnLysLeuValThrGluHisLysArgThrTrpAspProAsp 268
|||
QY 720 GAGCCCCCGAGAGCTGACTGAGGCTTCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 779
|||
Db 269 GlnProProArgAspLeuThrAspAlaPheLeuAlaGluMetGluLysAlaLysGlyAsn 288
|||
QY 780 CTGAGAGCAGCTTCAATCATGACAGACCTGCGCATAGTGTGCTGCTGCTGCTGCT 839
|||
Db 289 ProLysSerPheAsnGluAlaAsnLeuArgLeuValPheAspLeuPheGlyAla 308
|||
QY 840 GGGATGCTGACCCAGCTGACCCAGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 899
|||
Db 309 GlyIleValThrSerSerIleThrLeuThrTrpAlaLeuLeuMetIleLeuHisPro 328
|||
QY 900 GATGTGAGCGCGCTGCTCAACAGGAGATCGACGAGTATGAGGAGGAGTGGCGGACCA 959
|||
Db 329 AspValGlnArgArgValGlnGluGluLeuAspGluValIleGlyGlnValArgCysPro 348
|||
QY 960 GAGATGGGTGACCGCTCACATGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 1019
|||
Db 349 GluMetAlaAspGlnAlaHisMetProTyrThrAsnAlaValIleHisGluValGlnArg 368
|||
QY 1020 TTTGGGGACATGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 1079
|||
Db 369 PheAlaAspIleValProMetAsnLeuProHisLysThrSerHisAspIleGluValGln 388
|||
QY 1080 GCTTTCGCGATCCCTAAGGAAACGACTCATCACCAACCTGCTGCTGCTGCTGCTGCTGCT 1139
|||
Db 389 GlyPheLeuIleProLysGlyThrThrLeuIleProAsnLeuSerSerThrLeuLysAsp 408
|||
QY 1140 GAGGCGCTGAGGAGAGCCCTTCGCTTCCAGCCCGACACTTCTGATGATCCCGAGGC 1199
|||
Db 409 GluThrValTrpGluLeuProLeuArgPheHisProGluHisPheLeuAspAlaGlnGly 428
|||
QY 1200 CACTTTGTGAAGCGGAGGCTTCTGCTGCTTCTCAGCAGGCGCGCTGCTGCTGCTGCTGCT 1259
|||
```

```
Db 429 HisPheValLysProGluAlaPheMetProPheSerAlaGlyArgAlaCysLeuGly 448
|||
QY 1260 GAGCCCTGCGCGCGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 1319
|||
Db 449 GluProLeuAlaArgMetGluLeuPheLeuPheThrCysLeuLeuGlnArgPheSer 468
|||
QY 1320 TTTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 1379
|||
Db 469 PheLeuValProAlaGlyGlnProGlnProSerAspTyrGlyIlePheThrPheLeuVal 488
|||
QY 1380 ACCCATCCCTATGAGCTTGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 1415
|||
Db 489 SerProSerProTyrGlnLeuCysAlaPheThrArg 500
|||
RESULT 11
Q8CIM7 PRELIMINARY; PRT; 500 AA.
AC Q8CIM7;
DT 01-MAR-2003 (TrEMBLrel. 23, Created)
DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE RIKEN cDNA 1300006E06 gene.
OS CYP2D26.
GN Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxId=10090;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=FVB/N; TISSUE=Kidney;
RA Strausberg R.;
RL Submitted (FEB-2002) to the EMBL/GenBank/DBJ databases.
DR EMBL; BC023241; AAH23241.1; -.
DR MGD; MGI:1923529; Cyp2d26.
DR GO; GO:0016712; P:oxidoreductase activity, acting on paired d. . .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
SQ SEQUENCE 500 AA; 56975 MW; B3DDCD8DFA3F265 CRC64;
Alignment Scores:
Pred. No.: 4.51e-103 Length: 500
Score: 1625.00 Matches: 317
Percent Similarity: 73.20% Conservative: 49
Best Local Similarity: 63.40% Mismatches: 80
Query Match: 56.31% Indels: 54
DB: Gaps: 2
US-09-820-788A-1 (1-1537) x Q8CIM7 (1-500)
QY 78 ATGGGGCTA-----GAAGCACTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 128
|||
Db 1 MetGlyLeuLeuValGlyAspAspLeuTrpAlaValIlePheThrAlaIlePheLeu 20
|||
QY 129 CTCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 188
|||
Db 21 LeuLeuValAspLeuValHisArgGlnArgTrpThrAlaCysTyrProGlyPro 40
|||
QY 189 CTGCCACTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 248
|||
Db 41 ValProPheProGlyLeuGlyAsnLeuLeuValAspPheGluAsnIleProTyrSer 60
|||
QY 249 TTCGACCAAGTTGGCGCGCTTCTGGGACCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 308
|||
Db 61 PheTyrLysLeuGlnAsnArgTyrGlyAsnValPheSerLeuGlnMetAlaTrpLysPro 80
|||
QY 309 GTGTCGTGCTCAATGGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 368
|||
```


GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM nucleic - protein search, using frame_plus_n2p model

Run on: February 25, 2004, 02:12:03 ; Search time 64.6542 Seconds
(without alignments)
13433.798 Million cell updates/sec

Title: US-09-820-788A-1
Perfect score: 2886
Sequence: 1 cctgctgtgctctgtgtcc.....aaaaaaaaaaaaaaaaaaaaa 1537

Scoring table:
BLOSUM62
Xgapop 10.0 , Xgapext 0.5
Ygapop 10.0 , Ygapext 0.5
Fgapop 6.0 , Fgapext 7.0
Delop 6.0 , Delext 7.0

Searched: 1586107 seqs, 282547505 residues

Total number of hits satisfying chosen parameters: 3172214

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Command line parameters: -DEV=xlp
-O=/cn2_1/USPTO spool_p/US09820788/runat_24022004_141425_20017/app_query.fasta_1.12174
-DB=A_Geneseq_2Jan04 -QFMT=fastan -SUFFIX=rag -MINMATCH=0.1 -LOOPCL=0
-LOOPEXT=0 -UNITS=bits -START=1 -END=1 -MATRIX=blosum62 -TRANS=human40.cdi
-LIST=45 -DOALIGN=200 -THR SCORE=pct -THR MAX=100 -THR MIN=0 -ALIGN=15
-MODE=LOCAL -OUTFMT=ptc -NORM=ext -HEAPSIZE=500 -MINLEN=0 -MAXLEN=2000000000
-USER=US09820788 @CN 1.1.859 @runat_24022004_141425_20017 -NCPU=6 -ICPU=3
-NO WMAP -LARGEQUERY -NEG_SCORES=0 -WAIT -DSBLOCK=100 -LONGLOG
-DEV_TIMEOUT=120 -WARN_TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6
-FGAPEXT=7 -YGAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

Database : A_Geneseq_29Jan04:.*
1: Geneseq1980s:.*
2: Geneseq1990s:.*
3: Geneseq2000s:.*
4: Geneseq2001s:.*
5: Geneseq2002s:.*
6: Geneseq2003as:.*
7: Geneseq2003bs:.*
8: Geneseq2004s:.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	2330	80.7	446	AAO26404	Human dru
2	2294.5	79.5	502	ABU09595	Human cyt
3	2290.5	79.4	497	ABD25834	Human CYP
4	2290.5	79.4	502	ABU09594	Human cyt
5	2289.5	79.3	497	AAR72376	Human aux
6	2289.5	79.3	497	AAR93183	Human cyt
7	2288.5	79.3	497	ABD25832	Human CYP
8	2286.5	79.2	497	ABU09598	Human cyt
9	2286.5	79.2	497	ABD25831	Human CYP
10	2285.5	79.2	497	AAR72377	Human aux

11	2285.5	79.2	497	2	AAR93184	Aar93184 Human cyt
12	2285.5	79.2	497	2	AAR81462	Aar81462 Human der
13	2285.5	79.2	497	5	ABB09563	Abb09563 Human CYP
14	2285.5	79.2	497	6	AAO26405	AAO26405 Human dru
15	2285.5	79.2	497	6	ADB25833	Adb25833 Human CYP
16	2282.5	79.1	497	6	ABU09593	Abu09593 Human cyt
17	2282.5	79.1	497	6	ABR82026	AbR82026 Human cyt
18	2282.5	79.1	497	7	ADP60558	AdP60558 Human Pro
19	2281.5	79.1	497	2	AAR72375	Aar72375 Human aux
20	2281.5	79.1	497	2	AAR93182	Aar93182 Human cyt
21	2279.5	78.0	497	2	AAW44869	AAW44869 Cytochrom
22	2277.5	78.9	497	2	AAR72378	Aar72378 Human aux
23	2277.5	78.9	497	2	AAR93185	Aar93185 Human cyt
24	2093.5	72.5	497	4	AAE05171	AAE05171 Human dru
25	1719	59.6	500	7	ADP60556	AdP60556 Rat Prote
26	1619	56.1	504	6	AAO22644	AAO22644 Protein o
27	1114	38.6	436	4	AAU68579	AAU68579 Human nov
28	1011	35.0	195	2	AAW44870	AAW44870 Cytochrom
29	944	32.7	184	4	AAU74361	AAU74361 Human col
30	857.5	29.7	497	5	AAU91321	AAU91321 Killifish
31	837.5	29.0	502	7	ADD46231	Add46231 Human Pro
32	828.5	28.7	502	7	ADD46229	Add46229 Rat Prote
33	821.5	28.5	497	5	AAU91322	AAU91322 Killifish
34	801	27.8	494	7	ADE63662	AdE63662 Rat-Prote
35	797.5	27.6	490	2	AAR72370	Aar72370 Human aux
36	797.5	27.6	490	2	AAR89861	Aar89861 Cytochrom
37	797.5	27.6	490	2	AAR93177	Aar93177 Human cyt
38	797.5	27.6	490	2	AAR81463	Aar81463 Human der
39	797.5	27.6	490	2	AAW64072	AAW64072 Human cyt
40	797.5	27.6	490	6	ABU96553	Abu96553 Human cyt
41	796.5	27.6	490	6	ABU09971	Abu09971 Human cyt
42	796.5	27.6	508	3	AAU53365	AAU53365 Human col
43	795.5	27.6	490	2	AAR72372	Aar72372 Human aux
44	795.5	27.6	490	2	AAR93179	Aar93179 Human cyt
45	794.5	27.5	490	2	AAR72371	Aar72371 Human aux

ALIGNMENTS

RESULT 1
AAO26404
ID AAO26404 standard; protein; 446 AA.
XX AC AAO26404;
XX AC AAO26404;
XX DT 30-JAN-2003 (first entry)
XX DE Human drug-metabolising enzyme protein.
XX KW Cytostatic; antiparkinsonian; gene therapy; cancer; Parkinson's disease;
XX KW human drug-metabolising protein; enzyme.
XX OS Homo sapiens.
XX PN WO200279233-A1.
XX PD 10-OCT-2002.
XX PF 01-APR-2002; 2002WO-US009738.
XX PR 30-MAR-2001; 2001US-00820788.
XX PA (PEKE) PE CORP NY.
XX PA (DFRA/) DI FRANCESCO V.
XX PI (BRAS/) BEASLEY E M.
XX PI Shao W, Yan C;
XX DR WPI; 2003-040649/03.
XX DR N-PSDB; AAL53565, AAL53566.
XX PT New human drug-metabolizing proteins and nucleic acids related to the
PT Cytochrome P450 IID drug-metabolizing enzyme subfamily, useful for

PT treating a condition mediated by a human enzyme protein e.g., cancer.

XX Claim 1; Fig 2A; 72pp; English.

PS The invention relates to a novel isolated polypeptide comprising a 446-
CC amino acid sequence or its allelic variant, orthologue or fragment. The
CC allelic variant or orthologue is encoded by a nucleic acid that
CC hybridises under stringent conditions to the opposite strand of the
CC nucleic acid comprising a sequence having 1537 or 10278 bp. The fragment
CC comprises at least 10 contiguous amino acids of the 446-amino acid
CC sequence. The polypeptide is useful for preparing a pharmaceutical
CC composition for treating a disease or condition mediated by a human
CC enzyme protein, e.g. cancer or Parkinson's disease. This sequence
CC represents the human drug-metabolising protein of the invention

XX Sequence 446 AA;

Alignment Scores:

Pred. No.: 1,946-167 Length: 446
Score: 2330.00 Matches: 446
Percent Similarity: 100.00% Conservative: 0
Best Local Similarity: 100.00% Mismatches: 0
Query Match: 80.73% Indels: 0
DB: 6 Gaps: 0

US-09-820-788A-1 (1-1537) x AAO26404 (1-446)

QY	78	ATGGGGCTAGAGCACTGGTCCCTGGCGGTAGTGGCCATCTTCTGCTCTCTGTG	137
Db	1	MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal	20
QY	138	GACCTGATGACCGCGGCAAGCTGGGTGACCTACTACAGGCGCCCTGCCACTG	197
Db	21	AspLeuMetHisArgArgGlnArgTrpAlaAlaArgIleSerProGlyProLeu	40
QY	198	CCCGGGCTGGGCAACTGCTGATGTGGACTTCCAGAAACACACCATCTGCTTCAC	257
Db	41	ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPhe	60
QY	258	TTGGCGCGCGCTTCGGGACGTGTTCAGCTGCGAGTGGCGTGAACCGCGGTGT	317
Db	61	LeuArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpProValVal	80
QY	318	CTCAATGGCTGGCGCGCTGCGGAGCGCTGGTGGCCCGGAGGACACCGCGAC	377
Db	81	LeuAsnGlyLeuAlaValArgGluAlaLeuValThrHisGlyGluAspThrAla	100
QY	378	CGCCCGCTGTGCCATCACCAGATCCTGGGTGGTGGCGCGTTCACAGGCGCC	437
Db	101	ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGlnGly	120
QY	438	TTTCCGCCCAACGGTCTCTTGACAAAGCGGTGAGCAACGTGATCGCTTCCCT	497
Db	121	PheArgProAsnGlyLeuLeuAspLysAlaValSerAsnValIleAlaSerLeu	140
QY	498	GGGCGCGCTTCAGTACGACACCTCGCTTCCTCAGCTGCTCGACCTAGCTC	557
Db	141	GlyArgPheGlyTyrAspAspProArgPheLeuArgLeuLeuAspLeuAlaGln	160
QY	558	GGACTGAAGGAGGAGTTCGGGCTTCTGCGCGAGGTGCTGAATGCTGCTCC	617
Db	161	GlyLeuLysGluLysSerGlyPheLeuArgGluValLeuAsnAlaValProVal	180
QY	618	CATATCCACCGCTGGCTGGCAAGTCTTCAGCTTCCAAAGGCTTCTTGACCC	677
Db	181	HisIleProAlaLeuAlaGlyLysValLeuArgPheGlnLysAlaPheLeuThr	200
QY	678	GATGAGCTGCTAACTGAGCACAGGATGACCTGGGACCCAGCCAGCCCCCG	737
Db	201	AspGluLeuLeuThrGluHisArgMetThrTrpAspProAlaGlnProProArg	220
QY	738	ACTGAGGCGCTTCTGCGAGATGAGAGGCAAGGGGAACCTTGAGAGCACTT	797

Db	221	ThrGluAlaPheLeuAlaGluMetGluLysAlaLysGlyAsnProGluSerSerPhe	240
QY	798	GATGAGAACCTGCGCATAGTGGTGGCTGACCTGTTCTGCGGAGTGGTACAC	857
Db	241	AspGluAsnLeuArgIleValValAlaAspLeuPheSerAlaGlyMetValThr	260
QY	858	ACCACGCTGGCTGGGCGCTCCTGCTCATATCCTATCCGATCGGATGTGCAG	917
Db	261	ThrThrLeuAlaTrpGlyLeuLeuLeuMetIleLeuHisProAspValGln	280
QY	918	CAACAGAGATCGACGCTGATAGGCGAGTGGCGGACACAGAGATGGTGAC	977
Db	281	GlnGlnGluIleAspAspValIleGlyGlnValArgArgProGluMetGly	300
QY	978	CACATGCCCTACACCACTGCGCTGATTCATGAGTGGAGCGCTTTGGGGAC	1037
Db	301	HisMetProTyrThrThrAlaValIleHisGluValGlnArgPheGlyAsp	320
QY	1038	CTGGGTGTGACCCATATGACATCCCGTACATCCGAAGTACAGGGCTTCCG	1097
Db	321	LeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPheArg	340
QY	1098	GGAAACGACATCATCAACACCTGCTGCTGCTGCTGCTGCTGCTGCTGCT	1157
Db	341	GlyThrThrLeuIleThrAsnLeuSerSerValLeuLysAspGluAlaVal	360
QY	1158	CCCTTCGCTTCCACCCGGAACACTTCTGATGCCAGGCGCACTTGTGAAG	1217
Db	361	ProPheArgPheHisProGluHisPheLeuAspAlaGlnGlyHisPheVal	380
QY	1218	GCCTTCCTGCTTCTCAGACAGGCGCGTGCATGCTCGGGAGCCCTCGCC	1277
Db	381	AlaPheLeuProPheSerAlaGlyArgAlaCysLeuGlyGluProLeuAla	400
QY	1278	GAGCTTCTCTCTTTCACCTCCCTGCTGCGACATTCAGCTTCTCGGTGCC	1337
Db	401	GluLeuPheLeuPhePheThrSerLeuLeuGlnHisPheSerPheValPro	420
QY	1338	CAGCCCGCGCCAGCCACCATGCTGCTTCTTCTGCTGCTGCTGCTGCTG	1397
Db	421	GlnProArgProSerHisHisGlyValPheAlaPheLeuValThrProSer	440
QY	1398	CTTTGTGCTGTCGCCCGC 1415	
Db	441	LeuCysAlaValProArg 446	
RESULT 2			
ABU09595			
ID	ABU09595 standard; protein; 502 AA.		
XX	ABU09595;		
XX	16-JUL-2003 (first entry)		
DT	Human cytochrome p450 gene CYP2D6, variant G5799C/C5816AT, protein.		
DE	Human; cytochrome P450; CYP2D6; chromosome 22; SNP;		
KW	single nucleotide polymorphism; drug metabolism; cardiovascular disorder;		
KW	psychiatric disorder; drug sensitivity.		
XX	Homo sapiens.		
OS	Location/Qualifiers		
XX	Key		
FT	Misc-difference 486		
FT	/note= "Wild-type Ser substituted by Thr, as the result		
FT	of a single nucleotide polymorphism"		
FT	Misc-difference 492..502		
FT	/note= "These amino acids replace the wild-type sequence		
FT	(Leu-Cys-Ala-Val-Pro-Arg) as the result of a single-		
FT	nucleotide polymorphism which causes a frameshift."		
XX	EP1281755-A2.		

PD 05-FEB-2003.
XX
PF 16-JUL-2002; 2002BP-00254972.
XX
PR 31-JUL-2001; 2001US-0309111P.
XX (PFIZ) PFIZER PROD INC.
XX
PI Milos PM, Webb SM;
XX
DR WPI; 2003-373769/36.
DR N-PSDB; ACA61305.
XX
XX
PT New cytochrome P450 2D6 gene variants and polypeptides, useful for
PT determining if a subject has or is at risk of developing a drug
PT sensitivity condition or disorder that is associated with an aberrant
PT CYP2D6 activity.
XX
XX
PS Claim 4; Fig 8; 88pp; English.
XX
CC The invention relates to an isolated nucleic acid comprising a cytochrome
CC P450 2D6 gene variant, e.g. G5799C or C5816AT (referring to the genomic
CC sequence or the same variant nucleotide in the corresponding cDNA
CC sequences). Also included are probes, primers (allele specific
CC oligonucleotides) and arrays used to detect and/or amplify the CYP2D6
CC gene polymorphic regions, the variant polypeptides, antibodies which are
CC capable of distinguishing between the variant and wild-type polypeptides,
CC determining whether a subject has a genetic deficiency for metabolising a
CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6 and
CC determining whether an individual is susceptible to being a poor
CC metaboliser of drugs. The DNA probe is useful for hybridising to a
CC variant form of the CYP2D6 gene. The primer is useful for amplifying the
CC C5816TA allelic variant. The allele specific nucleotide is useful for the
CC detection of the C5816TA allelic variant. The methods are useful for
CC determining whether a subject has a genetic deficiency for metabolising a
CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6, and
CC determining if an individual is susceptible to being a poor metaboliser
CC of drugs. The nucleic acids are useful as probes or primers for
CC determining whether a subject has a genetic deficiency for metabolising
CC drugs that are substrates of P450 CYP2D6. The methods are useful for
CC determining if a subject has or is at risk of developing a drug
CC sensitivity condition or disorder that is associated with an aberrant
CC CYP2D6 activity, e.g. an aberrant level of a CYP2D6 protein or an
CC aberrant CYP2D6 bioactivity. The methods are also useful in selecting the
CC appropriate drugs or determining the course of treatment to administer to
CC a subject to treat cardiovascular or psychiatric disorders, or for
CC treating a subject with a drug sensitivity or disorder associated with a
CC specific allelic variant of a polymorphic region of the CYP2D6 gene. The
CC antibodies are useful for monitoring CYP2D6 protein levels in an
CC individual for determining whether a subject has a disease or conditions
CC associated with an aberrant CYP2D6 protein level. The gene is located on
CC human chromosome 22. The present sequence is the G5799C/C5816AT double
CC variant CYP2D6 protein
XX
SQ Sequence 502 AA;

Alignment Scores:
Pred. No.: 9,67e-165 Length: 502
Score: 2294.50 Matches: 448
Percent Similarity: 89.41% Conservatives: 1
Best Local Similarity: 89.24% Mismatches: 2
Query Match: 79.50% Indels: 52
DB: 6 Gaps: 1

US-09-820-788A-1 (1-1537) x ABU09595 (1-502)

QY 78 ATGGGGCTAGAGCACTGGTGGCCCTCGCGTAGTGGCAATCTTCTGCTCTGCTG 137
DB 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
QY 138 GACCTGATGACCGCGCCAGCTGGCTGCGACCTACTCAGGCGCCCTGCACTG 197
DB 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrProGlyProLeuProLeu 40

QY 198 CCCGGCTGGGCAACCTGCTGATGTGACATTCAGAAACACACCATATCTGCTTCACCCAG 257
DB 41 ProGlyLeuGlyAsnLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
QY 258 TTGGGGCCCGCTTCGGGGAGCTGTTACAGCTGCAGCTGGCTGGAGCCCGGTGCTG 317
DB 61 LeuArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValVal 80
QY 318 CTAATGGCTGGGGCGCTGCGGAGCGCTGGTGACCCACGCGAGACACCCCGAC 377
DB 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
QY 378 CGCCCGCTGTGCCCATCACCAGATCTGGGTTTGGCGCGCTTCCAA----- 428
DB 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGlnGlyValPhe 120
QY 428 ----- 428
DB 121 LeuAlaArgTyrGlyProAlaTrpArgGluGlnArgPheSerValSerThrLeuArg 140
QY 428 ----- 428
DB 141 AsnLeuGlyLeuGlyLysLysSerLeuGluGlnTrpValThrGluGluAlaAlaCysLeu 160
QY 429 -----GGACGGCCCTTTCCGCCCAACGGTCTCTTGGACAAA 464
DB 161 CysAlaAlaPheAlaAsnHisSerGlyArgProPheArgProAsnGlyLeuLeuAspLys 180
QY 465 GCGGTGAGCACGTCGCTCCCTCACCTCGCGGGCGCGCTTCGAGTACAGCACCT 524
DB 181 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro 200
QY 525 CGCTTCTCAGCTGCTGGACCTAGCTCAGAGGAGCTGAAGAGGAGCTCGGGCTTCTG 584
DB 201 ArgPheLeuArgLeuLeuAspLeuAlaGlnGlyLeuLysGluLeuSerGlyPheLeu 220
QY 585 GCGAGGTGCTGAATGTGTCCTCCCTGTCATATCCAGCGCTGGCTGGCAAGTTC 644
DB 221 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 240
QY 645 CTAGCTTCCAAAGGCTTCTCACCAGCTGATGAGCTGAATCTAGTACGACGACGATG 704
DB 241 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 260
QY 705 ACCTGGGACCCAGCCAGCCCGAGCTGAGGCTTCTCGGAGAGATGAG 764
DB 261 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 280
QY 765 AAGCCCAAGGGGAACCTGAGAGAGCTTCAATGATGAGAACCTCGCATAGTGGCT 824
DB 281 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 300
QY 825 GACCTGTCTCTGCGGGATGGTGACCCCTCGACCGCTGGCTGGCGCTCTCTGCTC 884
DB 301 AspLeuPheSerAlaGlyMetValThrSerThrLeuAlaTrpGlyLeuLeuLeu 320
QY 885 ATGATCTTACATCCGATGTGACGGCTGTCCAAAGAGGATCGACGCTGATAGG 944
DB 321 MetIleLeuHisProAspValGlnArgValGlnGlnGlnIleAspAspValIleGly 340
QY 945 CAGGTGGCGGACACAGAGATGGGTGACCGAGCTCACATGCCCTTACACCACTGCCGTGATT 1004
DB 341 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 360
QY 1005 CATGAGGTGACGCCCTTTGGGACATGTCCTCCCTGGGTGGTACCCATATGACATCCCGT 1064
DB 361 HisGluValGlnArgPheGlyAspIleValProLeuGlyMetThrHisMetThrSerArg 380
QY 1065 GACATCCAAGTACAGGCTTCCGATCCCTAAGGGAGACGACCTCATCACCAACTGTCA 1124
DB 381 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 400

Qy	1125	TCGGTGTCTGAAGGATGATGAGCGCGTCTGGGAGAGCCCTTCGCTCTCCACCCGACACTTC	1184
Db	401	SerValLeuIysAspGluAlaValTrpGluIysProPheArgPheHisProGluHisPhe	420
Qy	1185	CTGGATCCCAAGGCGCACTTTGTGAACCGGAGGCGCTTCTGCGCTTCTCAGCAGGCGCG	1244
Db	421	LeuAspAlaGlnGlyHisPheValIysProGluAlaPheLeuProPheSerAlaGlyArg	440
Qy	1245	CGTGCATGCTCGGGAGGCCCTGGCGCGATGAGAGCTCTCTCTCTCTTCACCTCCCTCG	1304
Db	441	ArgAlaCysLeuGlyGluProLeuAlaArgValGluLeuPheLeuPheThrSerLeu	460
Qy	1305	CTGCAGCACTTCAGCTTCTCGGTGCCCACTGGACAGCGCGCGCCACCCACCATGGTGTC	1364
Db	461	LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyVal	480
Qy	1365	TTTGCTTTTCTGTGGTACCCCATCCCCATGAGCT-TTGTGCTGTGCGCCGCTAGATGG	1423
Db	481	PheAlaPheLeuValThrProSerProTyrGluTyrLeuCysAlaProLeuGluTrp	500
Qy	1424	GGTACC	1429
Db	501	GlyThr	502

RESULT 3
ADB25834
ID ADB25834 standard; protein; 497 AA.

AC ADB25834;

20-NOV-2003 (first entry)

XX Human CYP2D6-related protein #4.

XX human; mutant CYP2D6 gene; drug analysis; drug testing.
KW

XX Homo sapiens.

XX PN WO2003050282-A1.

19-JUN-2003:

XX
PF 05-DEC-2002: 2002WO-JP012748.

AX
PR 06-DEC-2001; 2001JP-00372548.

AA
PA (TSUR) TSUMURA & CO.

PI Taniyama M, Ogawa K, Tsuchiya N, Hibino T;

WPI: 2003-505401/47.

DR N-PSDB; AUB25179.
XX

PT Genetic polymorphisms of CYP2D6 gene in human population for analysis of drug effect on individual patients and testing of new drugs.

XX
PS
Claim 8: Page 50-54: 75pp: Japanese.

XX The invention comprises mutant forms

CC The mutant human CYP2D6 genes of the invention are useful for analysing
CC one or more of the following mutations G125A, C1858T, 128/4C and C28/5T.
CC
CC The effect of drugs on individual patients and testing of new drugs. The
CC present amino acid sequence represents a human protein of the invention.

Sequence 497 AA;

Alignment Scores:

Pred. No.:	1,93e-164	Length:	497
Score:	2290.50	Matches:	445
Percent Similarity:	89.74%	Conservative:	1
Best Local Similarity:	89.54%	Mismatches:	0
Query Match:	79.37%	Indels:	51
DB:	6	Gaps:	1

US-09-820-788A-1 (1-1537) x ADB25834 (1-497)

Qy	78	ATGGGGCTAGAACGACGTGGTGCCTCCCTGGCCGTGATAGTGGCCATCTTCTGCTCTCTGGTG	137
Db	1	MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuLeuVal	20
Qy	138	GACCTGATGACCGCGGCCAACGTCGTGGCTCAGCTACTCACAGGCGCCCTGCCACATG	197
Db	21	AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuProLeu	40
Qy	198	CCCGGGCTGGGCAACCTGCTGCATGTGGACTTCCAGAACACACCACTACTGCTTCGACCAAG	257
Db	41	ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln	60
Qy	258	TTGGCGCGCGCTTCGGGGACGTGTTCAGCCCTGCAGCTGGCGCTGAGCGCGGTGTCGTG	317
Db	61	LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal	80
Qy	318	CTCAATGGGTCGGCGCGCTCGCGAGGCGCTGTGTGACCCACGGCGAGGACACCGCCGAC	377
Db	81	LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp	100
Qy	378	CGCCCGCGCTGTGCCCATCACCCAGATCTCGGTTTTGGCGCGCTTCCCAA	428
Db	101	ArgProProValProIleThrGlnLeuGlyPheGlyProArgSerGlnGlyValPhe	120
Qy	428	-----	428
Db	121	LeuAlaArgTyrGlyProAlaTrpArgGluGlnArgArgPheSerValSerThrLeuArg	140
Qy	428	-----	428
Db	141	AsnLeuGlyLeuGlyLysLysSerLeuGluGlnTrpValThrGluGluAlaAlaCysLeu	160
Qy	429	-----GGAGCGCCCTTTCCGCCCAACAGCGTCTCTTGGACAAA	464
Db	161	CysAlaAlaPheAlaAsnHisSerGlyArgProPheArgProAsnGlyLeuLeuAspLys	180
Qy	465	GCGGTGAGCAACGTGATCGCTCCCTGCACCTCGCGGCGCGCTTCGAGTACGACGACCT	524
Db	181	AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro	200
Qy	525	CGCTTCCTCAGCTCGTGGACCTAGCTCAGAGGAGCTGAAGAGGAGTCGGGCTTCTG	584
Db	201	ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluLysSerGlyPheLeu	220
Qy	585	CGCGAGGTGCTGAATGCTGTCCCGTCTCTCGCATATCCCAACGCTGCTCGCAAGGTC	644
Db	221	ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal	240
Qy	645	CTAGCTTCCAAAAGGCTTCTGACCCAGCTGGATGAGCTCTAACTCAGCACAGGATG	704
Db	241	LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet	260
Qy	705	ACCTGGAGCCAGCCAGCCCGCGAGACCTGACTGAGGCGCTCTCTGGCAGAGATGGAG	764
Db	261	ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu	280
Qy	765	AAGGCCAAGGGGAACCTTGAGAGCAGCTTCAATGATGAGAACCTCGCATAGTGGTGGCT	824
Db	281	LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla	300
Qy	825	GACCTGTCTCTGCGGGATGGTGACCACTCGACCGCTGGCGCTGGGGCTCTCTGCTC	884
Db	301	AspLeuPheSerAlaGlyMetValThrThrSerThrLeuAlaTrpGlyLeuLeuLeu	320
Qy	885	ATGATCTTACATCTCGGATGTCAGCGCGCTGTCCAAAGGAGATCGACAGCTGATAGGG	944
Db	321	MetIleLeuHisProAspValGlnArgValGlnGlnGluIleAspAspValIleGly	340
Qy	945	CAGGTGGCGGCACAGAGATGGGTGACCAAGGCTCACTGCCCTTACACCACTCCCGTGATT	1000

Db 341 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 360
QY 1005 CATGAGGTGAGCGCTTTGGGACATCGTCCCTGGGTGTGACCCATATGACATCCCGT 1064
Db 361 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 380
QY 1065 GACATCGAAGTACAGCGCTTCGCACTCCCTAGGGAACGACACTCATCAACCACTGTCA 1124
Db 381 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 400
QY 1125 TCAGTCTCTGAAGATGAGCGCTCTGGGAGAGCCCTTCGGTTCACCCCGAACAACCTTC 1184
Db 401 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 420
QY 1185 CTGAGTCCCGAGCGCACTTTGTGAAGCGGAGCGCTTCCTGCTTTCTCAGAGCGCGC 1244
Db 421 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 440
QY 1245 CGTGCATGCTCGGGAGCGCTCGCGCATGAGAGCTCTCTCTTCACTCCCTCCG 1304
Db 441 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu 460
QY 1305 CTCGACGACTTCAGCTTCGTGTCGCCACTTGGACAGCCCGCGCCAGCCACCATGTGTGC 1364
Db 461 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyVal 480
QY 1365 TTTCGTTCTCTGTCGACCCATCCCTATGAGCTTTGTGCTGTGCGCCGC 1415
Db 481 PheAlaPheLeuValSerProSerProTyrGluLeuCysAlaValProArg 497
RESULT 4
ABU09594
ID ABU09594 standard; protein; 502 AA.
AC ABU09594;
XX
DT 16-JUL-2003 (first entry)
XX
DE Human cytochrome p450 gene CYP2D6, variant C5816AT, protein.
XX
KW Human; cytochrome p450; CYP2D6; chromosome 22; SNP;
KW single nucleotide polymorphism; drug metabolism; cardiovascular disorder;
KW psychiatric disorder; drug sensitivity.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT Misc-difference 492..502
FT /note= "These amino acids replace the wild-type sequence
FT (Leu-Cys-Ala-Val-Pro-Arg) as the result of a single-
FT nucleotide polymorphism which causes a frameshift"
XX
PN EP1281755-A2.
XX
PD 05-FEB-2003.
XX
PF 16-JUL-2002; 2002EP-00254972.
XX
PR 31-JUL-2001; 2001US-0309111P.
XX (PF12) PFIZER PROD INC.
XX
XX Milos PM, Webb SM;
XX WPI; 2003-373769/36.
DR N-PSDB; ACA61304.
XX
XX New cytochrome p450 2D6 gene variants and polypeptides, useful for
PT determining if a subject has or is at risk of developing a drug
PT sensitivity condition or disorder that is associated with an aberrant
PT CYP2D6 activity.
XX
PS Claim 4; Fig 5; 88pp; English.

XX The invention relates to an isolated nucleic acid comprising a cytochrome
CC p450 2D6 gene variant, e.g. G5799C or C5816AT (referring to the genomic
CC sequence or the same variant nucleotide in the corresponding cDNA
CC sequences). Also included are probes, primers (allele specific
CC oligonucleotides) and arrays used to detect and/or amplify the CYP2D6
CC gene polymorphic regions, the variant polypeptides, antibodies which are
CC capable of distinguishing between the variant and wild-type polypeptides,
CC determining whether a subject has a genetic deficiency for metabolising a
CC drug, evaluating therapy with a drug metabolised by p450 CYP2D6 and
CC determining whether an individual is susceptible to being a poor
CC metaboliser of drugs. The DNA probe is useful for hybridising to a
CC variant form of the CYP2D6 gene. The primer is useful for amplifying the
CC C5816AT allelic variant. The allele specific nucleotide is useful for the
CC detection of the C5816AT allelic variant. The methods are useful for
CC determining whether a subject has a genetic deficiency for metabolising a
CC drug, evaluating therapy with a drug metabolised by p450 CYP2D6, and
CC determining if an individual is susceptible to being a poor metaboliser
CC of drugs. The nucleic acids are useful as probes or primers for
CC determining whether a subject has a genetic deficiency for metabolising
CC drugs that are substrates of p450 CYP2D6. The methods are useful for
CC determining if a subject has or is at risk of developing a drug
CC sensitivity condition or disorder that is associated with an aberrant
CC CYP2D6 activity, e.g. an aberrant level of a CYP2D6 protein or an
CC aberrant CYP2D6 bioactivity. The methods are also useful in selecting the
CC appropriate drugs or determining the course of treatment to administer to
CC a subject to treat cardiovascular or psychiatric disorders, or for
CC treating a subject with a drug sensitivity or disorder associated with a
CC specific allelic variant of a polymorphic region of the CYP2D6 gene. The
CC antibodies are useful for monitoring CYP2D6 protein levels in an
CC individual for determining whether a subject has a disease or conditions
CC associated with an aberrant CYP2D6 protein level. The gene is located on
CC human chromosome 22. The present sequence is the C5816AT variant CYP2D6
CC protein
XX
SQ Sequence 502 AA;
Alignment Scores:
Pred. No.: 1,94e-164 Length: 502
Score: 2290.50 Matches: 447
Percent Similarity: 89.44% Conservative: 2
Best Local Similarity: 89.04% Mismatches: 52
Query Match: 79.37% Indels: 52
DB: Gaps: 1
US-09-820-788A-1 (1-1537) x ABU09594 (1-502)
QY 78 ATGGGGCTAGAGCACTGGTGGCCCTGGCCGTAGTGGCCATCTTCTGCTCTGGTG 137
Db 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
QY 138 GACCTGTATGCACCGCGCCCAAGCGTGGCTGCACGCTACTCACAGGCCCTGCCACTG 197
Db 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrProGlyProLeuProLeu 40
QY 198 CCGCGGCTGGGCAACCTGTGATGTGGACTTCCAGAACACACACCATCTGCTTCGACCA 257
Db 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
QY 258 TTGCGGCGCGCTTCGGGAGCGTGTTCAGCTGAGCTGCGCTGAGCGCGGTGGTGGTG 317
Db 61 LeuArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal 80
QY 318 CTCATATGGCTGGCGCGCGCTGGCGAGCGCTGGTGGACCCCGGAGGACACCGCCGAC 377
Db 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
QY 378 CCGCCCGCTGTGCCCATCACCCAGATCTCTGGGCTTTTGGCGCCGCTTCCCAA----- 428
Db 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGlnGlyValPhe 120
QY 428 ----- 428

Qy	1424	GGTACC	1429
Db	501	GlyThr	502
RESULT 5			
AAAR72376			
ID	AAAR72376	standard; protein; 497 AA.	
XX	AAAR72376;		
AC			
XX	25-MAR-2003	(revised)	
DT	15-NOV-1995	(first entry)	
XX			
DE	Human auxillary cytochrome P450 species 2D6 v		
XX			
KW	Human cytochrome P450; amplification; PCR; pr		
KW	yeast NADPH-P450 reductase; safety; fusion pr		
KW	carcinogen; mutagen; liver metabolism.		
XX			
OS	Homo sapiens.		
XX			
FH	Key	Location/Qualifiers	
FT	Misc-difference 296		
FT	/note= "Cys to Arg variation"		
XX			
XX	EP644267-A2.		
PN			
XX	22-MAR-1995.		
PD			
XX			
PF	20-JUL-1994; 94EP-00111298.		
XX			
PR	20-JUL-1993; 93JP-00201120.		
XX	21-JUL-1993; 93JP-00180246.		
PR	30-JUL-1993; 93JP-00208279.		
XX			
XX	(SUMO) SUMITOMO CHEM CO LTD.		
PA			
XX			
PI	Hayashi K, Sakaki T, Yabusaki Y, Komai K,		
XX	WPI; 1995-116991/16.		
DR	N-PSDE; AAQ87730.		
XX			
PT	Evaluation of safety of a chemical cpd. - usi		
PT	expressing human cytochrome p450 and a yeast		
XX	Example; Page 87-89; 124pp; English.		
XX			
CC	The amino acid sequence of the human auxillar		
CC	2D6 variant 1. This variant contains a variat		
CC	Arg, caused by a variation at base 896: T to		
CC	cDNA was amplified by PCR using the primers A		
CC	cloned into the yeast expression vectors pAAH		
CC	vectors p2D6 variant 1 for the expression of		
CC	p2D6R variant 1 used in co-expression with the		
CC	The vectors are used in a method for evaluati		
CC	compound by reacting the chemical compound wi		
CC	human cytochrome P450 molecular species 1A2 (
CC	2B1 (AAQ87716), or 3A4 (AAQ87718), or their a		
CC	variants (AAQ87718-32), and yeast NADPH-P450		
CC	protein or in cell extracts, and analysing th		
CC	assess the safety of the chemical compound. T		
CC	determining whether the chemical compound, or		
CC	converted into a carcinogenic or mutagenic fo		
CC	liver. (Updated on 25-MAR-2003 to correct PN		
XX			
SQ	Sequence 497 AA;		
Alignment Scores:			
Pred. No.:	2.3e-164	Length:	
Score:	2289.50	Matches:	
Percent Similarity:	89.54%	Conservativ	
Best Local Similarity:	89.54%	Mismatches:	

Query Match:	79.33%	Indels:	51
DB:	2	Gaps:	1
US-09-820-788A-1 (1-1537) x AAR72376 (1-497)			
QY 78	ATGGGGCTAGAGCACTGGTGCCTCGCCGTGAGTAGTGGCCATCTTCTGCTCTCTGGTG	137	
Db 1	MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal	20	
QY 138	GACCTGATGCACCGCGCCAAACGCTGGGCTGCACGCTACTCACACGAGCCCTCGCCAC	197	
Db 21	AspLeuMetHisArgArgLysArgTrpAlaAlaGlyTyrProGlyProLeuProLeu	40	
QY 198	CCCGGGCTGGGCAACCTGCTGATGTGACTTCCAGAACACACCATCTGCTTCGACCA	257	
Db 41	ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln	60	
QY 258	TTGGCGGCGCCTTCGGGAGCGTGTACGCTCGAGCTGCGCTGACGCGCGTGTCTG	317	
Db 61	LeuArgArgGlyPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValVal	80	
QY 318	CTCAATGGGCTGGCGCGCTGCGGAGCGCTGTGTGACCCACGCGGAGACACCGCC	377	
Db 81	LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAla	100	
QY 378	CGCCGCTGTGCCCATCACCCAGATCTCTGGGTTTGGGCGCGTTCCTCCAA	428	
Db 101	ArgProValProIleThrGlnIleLeuGlyPheGlyProArgSerGlnGlyValPhe	120	
QY 428	-----	428	
Db 121	LeuAlaArgTyrGlyProAlaTrpArgGluGlnArgArgPheSerValSerThrLeu	140	
QY 428	-----	428	
Db 141	AsnLeuGlyLeuGlyLysLysSerLeuGluGlnTrpValThrGluGluAlaCysLeu	160	
QY 429	-----GGACGCCCTTTCCGCCCAACCGCTCTCTTGACAAA	464	
Db 161	CysAlaAlaPheAlaAsnHisSerGlyArgProPheArgProAsnGlyLeuLeuAsp	180	
QY 465	GCCGTGACACCGTATCGCTCCTCCTCAGCTCGGCGCGCGCTTCAGTACGACAC	524	
Db 181	AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAsp	200	
QY 525	CGCTTCCTCAGCGTCTGGACTAGCTCAGAGGAGACTGAGGAGAGGTCGCGGCTT	584	
Db 201	ArgPheLeuArgLeuLeuAspLeuAlaGlnGlyLeuLysGluLysSerGlyPheLeu	220	
QY 585	CGCAGGTGCTGAATGTGCTCCCGTCTCTCTGTCATATCCACGCGCTGGCTGGCA	644	
Db 221	ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLys	240	
QY 645	CTACGCTTCCAAAAGGCTTTCCTGACCCAGCTGGATGAGCTGCTTAAGTACGAC	704	
Db 241	LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArg	260	
QY 705	ACCTGGGACCCAGCCGCCCGGAGACTGCTGAGGCGCTTCTCGCAGAGATGAG	764	
Db 261	ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMet	280	
QY 765	AAGCCCAAGGGGAACCTTGAGCAGCTTCAATGATGAGAACCTTCGCATAGTGTG	824	
Db 281	LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValAla	300	
QY 825	GACCTGTCTCTGCGGGATGGTGACACCTCGACACCGCTGGCGCTGGGGCTCT	884	
Db 301	AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeu	320	
QY 885	ATGATCTTACATCCGGATGTGCAGCGCGTGTCCAAACAGGAGATCGACGCTGAT	944	
Db 321	MetIleLeuHisProAspValGlnArgValGlnGlnGluIleAspValIleGly	340	

Qy	945	CAGTGGCGGCAACAGAGATGGGGTGAACACAGGCTCACATGCCCTACACCACTGCGCGT	1004
Db	341	GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle	360
Qy	1005	CATGAGTGCAGCGCTTTGGGGACATCGTCCCTCCCTGGGTGTGACCCATATGACATCCCGT	1064
Db	361	HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg	380
Qy	1065	GACATCCAAGCTACAGGGCTTCCGCATCCCTAAGGGAACGACACTCATCAACAACCTGTCA	1124
Db	381	AspIleGluValGlnGlyPheArgIleProIysGlyThrThrLeuIleThrAsnLeuSer	400
Qy	1125	TCGGTGTCTGAAGATGAGGCGCTCTGGGAGAAGCCCTTCGGTTCACACCCGCAACACTTC	1184
Db	401	SerValLeuIysAspGluAlaValTpgIuIysProPheArgPheHisProGluHisPhe	420
Qy	1185	CTGGATGCCAGGGCCACTTTGTGAACCGGAGGCTTCTGCTTCTTCAGCAGAGCCGC	1244
Db	421	LeuAspAlaGlnGlyHisPheValIysProGluAlaPheLeuProPheSerAlaGlyArg	440
Qy	1245	CGTGCATGCCCTCGGGAGAGCCCTCGGCCGATGGAGCTCTTCCTCTTCTCACTCCCTG	1304
Db	441	ArgAlaCysLeuGlyGluProLeuAlaAargMetGluLeuPheLeuPheThrSerLeu	460
Qy	1305	CTGCAGCACTTCAGCTTCTCGTGGCCCACTGGACAGCCCGGCCAGCCACCATGTGTCT	1364
Db	461	LeuGlnHisPheSerPheSerValProThrGlyGlnProAargProSerHisHisGlyVal	480
Qy	1365	TTTGTCTTCTCGTGGACCCCATCCCTATGAGCTTGTGCTGTGCCCCGC	1415
Db	481	PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg	497
RESULT 6			
AAR93183			
ID	AAR93183 standard; protein; 497 AA.		
XX	AC	AAR93183;	
XX	11-OCT-1996	(first entry)	
XX	Human cytochrome P450	molecular species 2D6 variant #2 protein.	
XX	Human cytochrome P450;	amplified; PCR; polymerase chain reaction; primer;	
KW	liver; yeast;	expression vector; NADPH-P450 reductase; ADH gene promoter;	
KW	evaluation; safety;	fusion protein; metabolite; detoxification;	
KW	carcinogenic.		
XX			
OS	Homo sapiens.		
XX			
FN	JP08056695-A.		
XX			
PD	05-MAR-1996.		
XX			
PF	15-JUL-1994;	94JP-00164184.	
XX			
PR	20-JUL-1993;	93JP-00201120.	
PR	30-JUL-1993;	93JP-00208279.	
PR	17-JUN-1994;	94JP-00136053.	
XX			
PA	(SUMO)	SUMITOMO CHEM CO LTD.	
XX			
DR	WPI;	1996-182311/19.	
XX	N-PSDB;	AAT28396.	
XX			
PT	Novel method for the evaluation of the safety of a cpd. - using a human		
PT	cytochrome P450 and yeast NADPH reductase to determine whether the		
XX	analyte cpd. is detoxified or metabolised to a carcinogen.		
XX			
PS	Example 1; Page 51-53; 74pp; Japanese.		
XX			
CC	This is the amino acid sequence of the human cytochrome P450 molecular		
CC	species 2D6 variant #2 protein. The corresp. gene was amplified from a		
CC	human liver derived cDNA library as 2 fragments of 0.4 and 0.9 kb using		

Novel method for the evaluation of the safety of a cpd. - using a human cytochrome P450 and yeast NADPH reductase to determine whether the analyte cpd. is detoxified or metabolised to a carcinogen.

Example 1; Page 51-53; 74pp; Japanese.

This is the amino acid sequence of the human cytochrome P450 molecular species 2D6 variant #2 protein. The corresp. gene was amplified from a human liver derived cDNA library as 2 fragments of 0.4 and 0.9 kb using

CC primers AAT26953-6. The prod. was cloned into the yeast expression vector
CC pAAH5N to generate plasmid p2D6 for prodn. of the cytochrome only or into
CC the vector pAHER to generate the plasmid p2D6R for co-prodn. with the
CC yeast NADPH-P450 reductase. The sequence is placed under control of the
CC yeast ADH gene promoter and terminator. The vectors are used in a method
CC for evaluating the safety of a cpd. by reacting the test cpd. with
CC recombinantly produced human cytochrome P450 mol. species 1A2 (AAT28380),
CC 2C9 (AAT28381), 2E1 (AAT28382), 3A4 (AAT28383) or their variants
CC (AAT28384-98) together with yeast NADPH-P450 reductase (either as a fused
CC protein or as a cell extract) and analysing the resultant metabolite. The
CC cpd. is considered "safe" if it is detoxified or not rendered
CC carcinogenic or "unsafe" if it is not detoxified or is metabolised to a
CC carcinogenic cpd
XX
SQ Sequence 497 AA;

Alignment Scores:

Pred. No.: 2,3e-164 Length: 497
Score: 2289.50 Matches: 445
Percent Similarity: 89.54% Conservative: 0
Best Local Similarity: 89.54% Mismatches: 1
Query Match: 79.33% Indels: 51
DB: 2 Gaps: 1

US-09-820-788a-1 (1-1537) x AAR93183 (1-497)

QY 78 ATGGGGCTAGAGCACTGGTGGCCCTGGCGGTGATGAGTGGCCATTTCTGCTCTGCTG 137
DB 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
QY 138 GACCTGATGACCGCGCGCAACGCTGGCTGACCTACTACACAGGCGCCCTGCCACTG 197
DB 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrProProGlyProLeuLeu 40
QY 198 CCGCGGCTGGCAACCTGCTGATGAGTCCAGAACACACACATCTGCTGCACAG 257
DB 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
QY 258 TTGCGGCGCGCTTCGGGAGCTGTTCAGCTGACGCTGGCTGACCGCGGTGCTGCTG 317
DB 61 LeuArgArgPheGlyAspValPheSerLeuGlnLeuAlaIleTrpProValVal 80
QY 318 CTCATATGGCTGGCGCGCTGGCGGCTGGTGACCCAGCGGAGACACCGCGAC 377
DB 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
QY 378 CGCCGCGCTGTGCCATCACCAGATCCTGGGTTTGGCGCGCTGCCAA----- 428
DB 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGlnGlyValPhe 120
QY 428 ----- 428
DB 121 LeuAlaArgTyrGlyProAlaTrpArgGluGlnArgArgPheSerValSerThrLeuArg 140
QY 428 ----- 428
DB 141 AsnLeuGlyLeuGlyLysSerLeuGluGlnTrpValThrGluGluAlaAlaCysLeu 160
QY 429 -----GGAGCGCCCTTTTCGCCCAACCGTCTCTGGACAAA 464
DB 161 CysAlaAlaPheAlaAsnHisSerGlyArgProPheArgProAsnGlyLeuLeuAspLys 180
QY 465 GCCGTGAGCAAGTATGCTCCCTCCTACCTGCGGCGCGCTTCGAGTACGACACCT 524
DB 181 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro 200
QY 525 CGCTTCTCAGGCTGCTGACCTAGCTCAGAGGAGACTGAAGGAGAGTCCGGCTTCTG 584
DB 201 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluLeuSerGlyPheLeu 220
QY 585 CGCAGGCTGCTGAATGCTGTCCCCCTCTCTGTCATATCCAGCGCTGCTGGCAAGTGC 644
DB 221 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 240

QY 645 CTACGCTTCCAAAAGGCTTTCTCACCAGCTGGATGAGCTGCTAACTGAGCACAGGATG 704
DB 241 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 260
QY 705 ACCTGGGACCCAGACCCCGAGACCTGACTGAGGCTTCTCTGGCAGAGATGGAG 764
DB 261 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 280
QY 765 AAGCCAAAGGGAACCTTGAGAGAGCTTCAATGATGAGAACCCTGCGCATAGTGGCT 824
DB 281 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 300
QY 825 GACCTGTCTCTGCGCGGATGCTGACCACTCGACCGCTGGCTGGCTGGCTCTCTGCTC 884
DB 301 AspLeuPheSerAlaGlyMetValThrThrSerThrLeuAlaIleTrpGlyLeuLeuLeu 320
QY 885 ATGATCTTACATCCGCGATGTGACGCGCTGCCAACAAGGAGATCGACGCTGATAGG 944
DB 321 MetIleLeuHisProAspValGlnArgValGlnGlnGlnIleAspAspValIleGly 340
QY 945 CAGTGGCGGACCCAGAGATGGGTGACAGGCTCACATGCCCTACACACTGCCGTGATT 1004
DB 341 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 360
QY 1005 CATGAGGTGACGCTTTGGGAGCATGCTCCCTGGGTGTGACCATATGACATCCCGT 1064
DB 361 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 380
QY 1065 GACATCGAAGTACAGGCTTCCGATCCCTAAGGGAACGACACTCATCAACCACTGTCA 1124
DB 381 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 400
QY 1125 TCGTGTGAAGGATGAGCGCTCTGGAGAAAGCCCTTCCGCTTCCACCCCGAAGACTTC 1184
DB 401 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 420
QY 1185 CTGATGCCAGGCGCACTTTGTGAAGCGGAGCGCTTCTGCTCTTCTCAGCAGCGCGC 1244
DB 421 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuPhePheThrSerLeu 440
QY 1245 CGTGATGCTCGGGAGAGCCCTCGCGCGCATGGAGCTTCTCTCTTCTTCCCTCCCTG 1304
DB 441 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu 460
QY 1305 CTGACGACTTTCAGCTTCTCGTGGCCACTCGAGACAGCCCGCGCGCAGCCACCATGCTGC 1364
DB 461 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 480
QY 1365 TTTGCTTTCTCTGGTGACCCCATCCCTATCAGCTTTGTGCTGTGCTGCCCGC 1415
DB 481 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 497
RESULT 7
ADB25832
ID ADB25832 standard; protein; 497 AA.
XX
AC ADB25832;
XX
DT 20-NOV-2003 (first entry)
XX
DE Human CYP2D6-related protein #2.
XX
KW human; mutant CYP2D6 gene; drug analysis; drug testing.
XX
OS Homo sapiens.
XX
PN WO2003050282-A1.
XX
PD 19-JUN-2003.
XX
PF 05-DEC-2002; 2002WO-JP012748.
XX

PR 06-DEC-2001; 2001JP-00372548.
XX (TSUR) TSUMURA & CO.
XX Taniyama M, Ogawa K, Teuchiya N, Hibino T;
XX WPI: 2003-505401/47.
XX N-PSDB; ADB25777.
XX Genetic polymorphisms of CYP2D6 gene in human population for analysis of
PT drug effect on individual patients and testing of new drugs.
PT Claim 8; Page: 43-46; 75pp; Japanese.
XX
XX The invention comprises mutant forms of the human CYP2D6 gene, containing
CC one or more of the following mutations G125A, C1858T, T2874C and C2875T.
CC The mutant human CYP2D6 genes of the invention are useful for analysing
CC the effect of drugs on individual patients and testing of new drugs. The
CC present amino acid sequence represents a human protein of the invention.
XX
XX Sequence 497 AA;
SQ
Alignment Scores:
Pred. No.: 2,74e-164 Length: 497
Score: 2208.50 Matches: 445
Percent Similarity: 89.54% Conservative: 0
Best Local Similarity: 89.54% Mismatches: 1
Query Match: 79.30% Indels: 51
DB: 6 Gaps: 1
US-09-820-788A-1 (1-1537) x ADB25832 (1-497)
QY 78 ATGGGGCTAGAACACTGGTCCCTGGCGGTGATAGTGGCCATCTTCTGCTCTGCTG 137
DB 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
QY 138 GACCTGATGACCGCGGCAACGCTGGGCTGACGCTACTACAGGCCCTGCGACCTG 197
DB 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuProLeu 40
QY 198 CCGGGCTGGCAACTGCTGATGTGGACTTCCAGAACACACACTACTGCTTCAGCCAG 257
DB 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
QY 258 TTGCGCGCGCTTGGGACCTGTTTACGCTGCGAGCTGGCTGGACCGCGGTGCTGCTG 317
DB 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpProValValVal 80
QY 318 CTCATATGGCTGGCGCGCTGGCGAGCGCTGGTGACCCACCGCGAGACACCGCGGAC 377
DB 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
QY 378 CCGCGCGCTGCGCCATCACCGATCCCTGGGTTTGGGCGCGCTTCCCAA----- 428
DB 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGlnGlyValPhe 120
QY 428 ----- 428
DB 121 LeuAlaArgTyrGlyProAlaTrpArgGluGlnArgArgPheSerValSerThrLeuArg 140
QY 428 ----- 428
DB 141 AsnLeuGlyLeuGlyLysLysSerLeuGluGlnTrpValThrGluAlaAlaCysLeu 160
QY 429 -----GGAGCGCCCTTCCGCCCAACGGTCTCTTGACAAA 464
DB 161 CysAlaAlaPheAlaAsnHisSerGlyArgProPheArgProAsnGlyLeuLeuAspLys 180
QY 465 GCGGTGAGCAACGTGATCCCTCCCTCACCTCGCGCGCGCTTCCAGTACGACGACCT 524
DB 181 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro 200
QY 525 CGCTTCTCAGGCTGCTGGACCTAGCTCAGGAGGAGCTGAAGGAGGAGTTCGGGCTTCTG 584

DB 201 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu 220
QY 585 CCGCAGGTGCTGAATGCTGCTCCCGTCTCTGTCATATCCAGCGCTGGCTGGCAAGGTC 644
DB 221 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 240
QY 645 CTACGCTTCCAAAGGCTTCTGACCCAGCTGGATGAGCTGCTAACTGAGCACAGGATG 704
DB 241 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 260
QY 705 ACCTGGGACCCAGCCCGACCCCGACCTGACTGAGGCTTCTTGGCAGAGATGGAG 764
DB 261 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 280
QY 765 AAGGCCAAGGGAACCTCGAGAGAGCTTCAATGATGAGACCTCGCATGCTGGTGGCT 824
DB 281 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgLleValValAla 300
QY 825 GACCTGTTCTCTGCGGGATGGTGACCACTCGACCGCTGGCTGGCGCTCTCTGCTC 884
DB 301 AspLeuPheLeuAlaGlyMetValThrThrSerThrLeuAlaTrpGlyLeuLeuLeu 320
QY 885 ATGATCTTACATCCGGATGTCAGCGCCGTGTCCACAGGAGATCGACGCTGATAGG 944
DB 321 MetIleLeuHisProAspValGlnArgValGlnGlnGluIleAspAspValIleGly 340
QY 945 CAGGTGCGCGACACAGAGATGGTGACCGCTCAGCTCCCTACACCTACACCTGCGCTGAT 1004
DB 341 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrAlaValIle 360
QY 1005 CATGAGTGCAGCGCTTTGGGGACATCGTCCCTGGGTGTGACCATATGACATCCCGT 1064
DB 361 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 380
QY 1065 GACATCGAAGTACAGGCTTCCGCTCCCTAAGGGAACGACACTCATCACCACTGTCA 1124
DB 381 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 400
QY 1125 TCGGTGCTGAAGGATGAGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCGGAACACTTC 1184
DB 401 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 420
QY 1185 CTGATGCTCCAGGCGCACTTTGTGAAGCCGAGGAGCTTCTGCTGCTTCTCAGAGCGCGC 1244
DB 421 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 440
QY 1245 CGTGCATGCTCGGGGAGCCCTGCGCCGCGATGAGAGCTTCTTCTTCTTCTTCTTCTTCT 1304
DB 441 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuLeuPhePheThrSerLeu 460
QY 1305 CTGACGACACTTCAGCTTCTCGGTGCGCCACTGACAGCCCGCGCCAGCCACCATGCTGTC 1364
DB 461 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyVal 480
QY 1365 TTGCTGTTCTCTGTCGACCCCATCCCTTATGAGCTTTGTGTGTGTCGCCCGC 1415
DB 481 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 497
RESULT 8
ABU09598
ID ABU09598 standard; protein; 497 AA.
XX
AC ABU09598;
XX
DT 16-JUL-2003 (first entry)
XX
DE Human cytochrome p450 gene CYP2D6, variant G5799C, protein.
XX
KW Human; cytochrome P450; CYP2D6; chromosome 22; SNP;
FW single nucleotide polymorphism; drug metabolism; cardiovascular disorder;
XX psychiatric disorder; drug sensitivity.

Qy	1005	CATGAGTGCAGCGCTTTGGGGACATCGTCCCCCTGGGTGTGACCCATATGACATCCCGT	1064
Db	361	HisGluValGlnArgPheGlyAspIleValProLeuGlyMetThrHisMetThrSerArg	380
Qy	1065	GACATCGAAGTACAGGGCTTCGGCATCCCTAAGGGAACGACATCATCCACCACTGTCA	1124
Db	381	AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer	400
Qy	1125	TCGGTGTCTGAAGTAGAGCGCGTCTGGGAGAAGCCCTTCGGCTTCCACCCGCAACACTTC	1184
Db	401	SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe	420
Qy	1185	CTGATGCCACGAGCCCACTTTGTGAAGCCGAGGCCTTCTCGCCTTCTCAGCAGGCGCGC	1244
Db	421	LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg	440
Qy	1245	CGTGCATGCTCGGGAGCCCTCGGCCGCGATGAGTCTTCTCTCTTTCACCTCCCTG	1304
Db	441	ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu	460
Qy	1305	CTGCAGCACTTACGCTTCTGGTGCCCACTGGACAGCCCGCGCCACGCAACCATGGTGTCTC	1364
Db	461	LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyVal	480
Qy	1365	TTTGCTTCTCGGTGACCCCATCCCCATGACGCTTTGTGCTGTGCCCCCGC	1415
Db	481	PheAlaPheLeuValThrProSerProTrpGluLeuCysAlaValProArq997	

Score:	2286.50	Matches:	445
Percent Similarity:	89.54%	Conservative:	0
Best Local Similarity:	89.54%	Mismatches:	1
Query Match:	79.23%	Indels:	51
DB:	6	Gaps:	1
US-09-820-788A-1 (1-1537) x ADB25831 (1-497)			
QY 78	ATGGGGCTAGAACGACTGGTGGCCCTGGCCGTGATAGTGGGCATCTTCTGCTCTGTGGTG	137	
Db	1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal	20	
QY 138	GACCTGATGCACCGCGCCACGCTGGCTGCACGCTACTCACAGGCCCCCTGCCACTG	197	
Db	21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuLeuProLeu	40	
QY 198	CCCCGGCTGGGCAACCTGCTCATGTGGACTTCAGAACACACCATCTGCTTCACACGAC	257	
Db	41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln	60	
QY 258	TTGCGGCGCCGCTTCGGGGACGTGTTCAGCTGCAGCTGGCGCTGGACCCCGTGTGTG	317	
Db	61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal	80	
QY 318	CTCAATGGGCTGGCGCGCTGGCGAGCGCTGGTGACCCACGCGGAGAGACACCCGCCGAC	377	
Db	81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp	100	
QY 378	CGCCCGGCTGCGCCCATCACCCAGACTCTGGGTTTGGCGCGCTGCCAA-----	428	
Db	101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGlnGlyValPhe	120	
QY 428	-----	428	
Db	121 LeuAlaArgTyrGlyProAlaTrpArgGluGlnArgArgPheSerValSerThrLeuArg	140	
QY 428	-----	428	
Db	141 AsnLeuGlyLeuGlyLysSerLeuGluGlnTrpValThrGluGluAlaAlaCysLeu	160	
QY 429	-----GGAGCGCCCTTCGCCCCACGGTCTCTTGACACAA	464	
Db	161 CysAlaAlaPheAlaAsnHisSerGlyArgProPheArgProAsnGlyLeuLeuAspLys	180	
QY 465	GCCGTGAGCAACGTGATCGCTCCCTCCTCAGCTCGCGGCGCCGCTTCGAGTAGCACACCT	524	
Db	181 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro	200	
QY 525	CGCTTCTCAGGCTGTGGACCTAGCTCAGAGGAGCTGAAGGAGGAGTCGGGCTTTCTG	584	
Db	201 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluLysGlyPheLeu	220	
QY 585	CGCGAGTGTGATGTGTCCTCCCGTCTCTGTGATATCCACGCTGGCTGGCGAAGTTC	644	
Db	221 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal	240	
QY 645	CTACGCTTCCAAAGGCTTTCCTCACCCAGCTGGATGAGCTGCTAACTGAGCACAGGATG	704	
Db	241 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet	260	
QY 705	ACCTGGACCCAGCCCGCCCCGAGACCTGACTGAGGCTTCTCTGGCAGAGATGGAG	764	
Db	261 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu	280	
QY 765	AAGCCCAAGGGGAACCTTGAGAGAGAGCTTCAATGATGAGAACCTCGCGCATAGTGTGCT	824	
Db	281 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuCysIleValValAla	300	
QY 825	GACCTGTTCCTGCGGGATGGTGACCACTCGACCGCTGGAGCTGGGCTCTCTGCTC	884	
Db	301 AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeuLeu	320	
QY 885	ATGATCTCATCCGGATGTGACGCGCGCTGTCCAAACAGAGAGATCGACGAGTATAGG	944	

QY 465 GCGGTGAGCAAGTGTATGCTGCTCCCTCACCTGCGGCGCGCTTCAGTACGACACCT 524
DB 181 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgPheGluThrAspPro 200
QY 525 CGCTTCTCAGGCTGCTGACCTAGCTCAGGAGGAGTGAAGAGAGTGGGCTTCG 584
DB 201 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluSerGlyPheLeu 220
QY 585 CGCGAGGTGCTGAATGCTGCTCCCGCTCCTGCTATATCCAGCGCTGGCTGCGAGGTC 644
DB 221 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 240
QY 645 CTACGCTTCAAAGGCTTCTGACCCAGCTGGATGAGTCTTAACCTGAGCACAGGATG 704
DB 241 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuThrGluHisArgMet 260
QY 705 ACTGGGACCCAGCCCGCCCGAGAGCTGACTGAGGCTTCTTGGCAGAGATGAG 764
DB 261 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 280
QY 765 AAGGCAAGGGAACCTCAGAGCAGCTTCAATGATGAGAACTGGCATAGTGTGGCT 824
DB 281 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 300
QY 825 GACCTGTTCTCTGCGGGATGAGCACCTCGACACCTGCGCTGGCGGCTCTCTGCTC 884
DB 301 AspLeuPheSerAlaGlyMetValThrThrSerThrLeuAlaTrpGlyLeuLeuLeu 320
QY 885 ATGATCTACATCCGATGTCAGCGCTGAGCGCTGTCCAGAGGATGACGACGTATAGG 944
DB 321 MetIleLeuHisProAspValGlnArgArgValGlnGlnGluIleAspAspValIleGly 340
QY 945 CAGGTGCGCGACAGAGATGGTGACAGGCTTCATGCTCCCTACACCACTCCGCTGAT 1004
DB 341 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 360
QY 1005 CATGAGGTGACGCGCTTTGGGACATCGTCCCGCTGGGTGTGACCCATATGACATCCG 1064
DB 361 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 380
QY 1065 GACATCGAAGTACAGGCTTCGCGATCCCTAGGGAGACGACACTCATACCACTGTCA 1124
DB 381 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 400
QY 1125 TCGGTGCTCAAGATGAGCGCTGCGGAGAGCCCTTCGCTTCCACCCGACACTTC 1184
DB 401 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 420
QY 1185 CTGGATGCCCGGCGCACCTTTGTGAAGCGGAGGCTTCTGCTTCTTCAGCAGCGCGC 1244
DB 421 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 440
QY 1245 CGTGATGCTCGGGAGCGCTCGCGCGCATGAGCTTCTCTCTTCTTCACTCCCTG 1304
DB 441 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPhePheThrSerLeu 460
QY 1305 CTGCAGCACTTCAGCTTCTCGGTGCTGACGAGCGCGCGCGCGCGCGCGCGCG 1364
DB 461 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 480
QY 1365 TTTGCTTCTCTGCTGACCCCATCCCGCTATGAGCTTTGTGCTGTGCGCCCGC 1415
DB 481 PheAlaPheLeuValSerProSerProTyrGluLeuCysAlaValProArg 497
RESULT 11
ID AAR93184
XX AAR93184 standard; protein; 497 AA.
AC AAR93184;
XX
XX 11-OCT-1996 (first entry)
DX

DE Human cytochrome P450 molecular species 2D6 variant #3 protein.
XX Human cytochrome P450; amplified; PCR; polymerase chain reaction; primer;
KW liver; Yeast; expression vector; NADPH-P450 reductase; ADH gene promoter;
KW evaluation; safety; fusion protein; metabolite; detoxification;
KW carcinogenic.
XX Homo sapiens.
XX JP08056695-A.
XX 05-MAR-1996.
XX 15-JUL-1994; 94JP-00164184.
XX 20-JUL-1993; 93JP-00201120.
PR 30-JUL-1993; 93JP-00208279.
PR 17-JUN-1994; 94JP-00136053.
XX (SUMO) SUMITOMO CHEM CO LTD.
XX WPI; 1996-182311/19.
DR N-PSDB; AAT28397.
XX
PT Novel method for the evaluation of the safety of a cpd. - using a human
PT cytochrome P450 and yeast NADPH reductase to determine whether the
PT analyte cpd. is detoxified or metabolised to a carcinogen.
XX
PS Example 1; Page 53-55; 74pp; Japanese.
XX
CC This is the amino acid sequence of the human cytochrome P450 molecular
CC species 2D6 variant #3 protein. The corresp. gene was amplified from a
CC human liver derived cDNA library as 2 fragments of 0.4 and 0.9 kb using
CC primers AAT26953-6. The prod. was cloned into the yeast expression vector
CC pAAH5N to generate plasmid p2D6 for prodn. of the cytochrome only or into
CC the vector pAHRR to generate the plasmid p2D6R for co-prodn. with the
CC yeast NADPH-P450 reductase. The sequence is placed under control of the
CC yeast ADH gene promoter and terminator. The vectors are used in a method
CC for evaluating the safety of a cpd. by reacting the test cpd. with
CC recombinantly produced human cytochrome P450 mol. species 1A2 (AAT28380),
CC 2C9 (AAT28381), 2E1 (AAT28382), 3A4 (AAT28383) or their variants
CC (AAT28384-98) together with yeast NADPH-P450 reductase (either as a fused
CC protein or as a cell extract) and analysing the resultant metabolite. The
CC cpd. is considered "safe" if it is detoxified or not rendered
CC carcinogenic or "unsafe" if it is not detoxified or is metabolised to a
CC carcinogenic cpd
XX
SQ Sequence 497 AA;
Alignment Scores:
Pred. No.: 4,62e-164 Length: 497
Score: 2285.50 Matches: 444
Percent Similarity: 89.54% Conservative: 1
Best Local Similarity: 89.34% Mismatches: 1
Query Match: 79.19% Indels: 51
DB: 2 Gaps: 1
US-09-820-788A-1 (1-1537) x AAR93184 (1-497)
QY 78 ATGGGGCTAGAACGACACTGGTGGCCCTGGCTGATAGTGGCCATCTTCTGCTCTGTTG 137
DB 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
QY 138 GACCTGATGACCGCGCCCAACGCTGGGCTGCAGCTACTCACCAGGCCCTGCTGCACTG 197
DB 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrProProGlyProLeuProLeu 40
QY 198 CCCGGCTGGGCAACCTCTCATGTGGACTTCAGAAACACACCATACTGCTTCACACGAG 257
DB 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
QY 258 TTGCGGCGCCGCTTTCGGGAGCGTGTTCAGCTGCGAGCTGGCTGAGCCGCGTGGTCTG 317

Db 61 LeuArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal 80
QY 318 CTCATGGCTGGCGCGCTGGCCGAGCGCTGGTACCCCGGCGAGGACACCGCCGAC 377
Db 81 LeuAenGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
QY 378 CGCCCGCTGTGCCCATCACCCAGATCTCTGGGTTTGGCGCGCTGCCAA----- 428
Db 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGlnGlyValPhe 120
QY 428 ----- 428
Db 121 LeuAlaArgTyrGlyProAlaTrpArgGluGlnArgArgPheSerValSerThrLeuArg 140
QY 428 ----- 428
Db 141 AenLeuGlyLeuGlyLysSerLeuGlnTrpValThrGluGluAlaAlaCysLeu 160
QY 429 -----GGAGCGCCCTTTCGCCCAACCGTCTCTTGGACAAA 464
Db 161 CysAlaAlaPheAlaAsnHisSerGlyArgProPheArgProAsnGlyLeuLeuAspLys 180
QY 465 GCGGTGAGCAACGTCATCCCTCTACCTGCGCGCGCTTCGAGTACGACGACCT 524
Db 181 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro 200
QY 525 CGTTCTCAGGCTCTGACCTAGCTCAGAGGAGCTGAGGAGGAGTCCGGCTTTCTG 584
Db 201 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu 220
QY 585 CGCAGGTGCTGAATGCTGCTCCCTCTGTCATATCCAGCGCTCGCTGGCAAGGTC 644
Db 221 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 240
QY 645 CTACGCTTCCAAAGGCTTCTGACCCAGCTGGATGAGCTGCTAACTGAGCACAGGATG 704
Db 241 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 260
QY 705 ACCTGGGACCCAGCCCGCCCGAGCTGACTGAGGCTTCTCGCAGAGATGAG 764
Db 261 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 280
QY 765 AAGGCCAAGGGGAACCTCGAGAGCAGCTTCAATGATGAGAACCTCGCATAGTGTGGCT 824
Db 281 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 300
QY 825 GACCTGTTCTTCCGCGATGTGACCACTGACCGCTGCGCTGGCGCTCTGCTC 884
Db 301 AspLeuPheSerAlaGlyMetValThrThrSerThrLeuAlaTrpGlyLeuLeuLeu 320
QY 885 ATGATCTTACATCCGATGTGCGCGCTGTCCACAGGAGATCGACGCTGATAGG 944
Db 321 MetIleLeuHisProAspValGlnArgArgValGlnGlnGluIleAspAspValIleGly 340
QY 945 CAGGTGCGCGACACAGAGATGGTGACAGGCTCAGTCCCTACACACTGCCCTGATT 1004
Db 341 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrAlaValIle 360
QY 1005 CATGAGTGCAGCGCTTTGGGACATCGTCCCTGGGTGTGACCCATATGACATCCGT 1064
Db 361 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 380
QY 1065 GACATCGAGTACAGGGTTCGGCATCTCTAAGGAACGACACTCATCACCACTGTCA 1124
Db 381 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 400
QY 1125 TCGGTGCTGAAGATCAGCGCTCTCGGAGAGCGCTTCCGCTTCCACCCCGAACACTTC 1184
Db 401 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 420
QY 1185 CTGGATGCCAGGGCCATTTGTGAAGCGGAGGCTTCTCGCTTTCTCAGACGCGCG 1244
Db 421 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 440

QY 1245 CGTGCATGCTCGCGGAGCCCTGGCCGATGAGCTCTTCTTCTTCCACCTCCCTG 1304
Db 441 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPhePheThrSerLeu 460
QY 1305 CTGAGCAGCTTTCAGCTTCTCGGTGCCACTGAGACAGCCCGCCAGCCACCATGGTTC 1364
Db 461 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyVal 480
QY 1365 TTTCCTTCTCGGTGAGCCCATCCCTATGAGCTTTGTGCTGTGCCCGC 1415
Db 481 PheAlaPheLeuValSerProSerProTyrGluLeuCysAlaValProArg 497

RESULT 12

AAR81462
ID AAR81462 standard; protein; 497 AA.

AC AAR81462;

XX 01-AUG-1996 (first entry)

XX Human derived cytochrome P4502D6.

XX Human derived cytochrome; P4502D6; commercial cDNA library; yeast;
transfection; recombinant production; expression vector; mammal;
KW immunisation; sensitisation; antibody; determination; detection;
non-cross reactive.

XX Homo sapiens.

OS JP08027199-A.

PN 30-JAN-1996.

XX 15-JUL-1994; 94JP-00164186.

XX 15-JUL-1994; 94JP-00164186.

XX (SUMO) SUMITOMO CHEM CO LTD.

XX WPI; 1996-136340/14.

DR N-PSDB; AAT17388.

XX Antibody recognising human derived cytochrome P4502D6 - allows specific
detection of cytochrome P450 species in humans.

XX Example 1; Page 11-13; 13pp; Japanese.

XX The present sequence is the human derived cytochrome (HDC) P4502D6, which
was obt'd. from a commercial cDNA library. Yeast were transfected with an
expression vector contg. the HDC cDNA, cultured and then disrupted to
give a microsomal fraction. The HDC was purified from the fraction, and
used to immunise and sensitise a mammal. Blood was drawn from the mammal,
and an anti-HDC antibody isolated. The antibody obt'd. recognises HDC
P4502D6, partic. at a serum dilution rate of 1:10000, and is
substantially without cross reaction to other HDC P450 spp

XX Sequence 497 AA;

Alignment Scores:

Pred. No.: 4.62e-164 Length: 497
Score: 2285.50 Matches: 444
Percent Similarity: 89.54% Conservative: 1
Best Local Similarity: 89.34% Mismatches: 1
Query Match: 79.19% Indels: 51
DB: 2 Gaps: 1

US-09-820-788A-1 (1-1537) x AAR81462 (1-497)

QY 78 ATGGGGCTAGAGCACTGGTGGTCCCTGGCCGTGATGGCCATCTTCTGCTCTGCTG 137

Db 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20

FT Misc-difference 107 (encoded by GTG) in a polymorphic variant"
FT /note= "Encoded by WTC in the sequence given in ABQ72215.
FT This residue is Phe (encoded by TTC) rather than Thr
FT (encoded by ACC) in a polymorphic variant"
FT Misc-difference 109
FT /note= "Encoded by RTC in the sequence given in ABQ72215.
FT This residue is Val (encoded by GTC) rather than Ile
FT (encoded by ATC) in a polymorphic variant"
FT Misc-difference 111
FT /note= "Encoded by GGY in the sequence given in ABQ72215"
FT Misc-difference 112
FT /note= "Encoded by TTY in the sequence given in ABQ72215"
FT Misc-difference 120
FT /note= "Encoded by WTC in the sequence given in ABQ72215.
FT This residue is Ile (encoded by ATC) rather than Phe
FT (encoded by TTC) in a polymorphic variant"
FT Misc-difference 128
FT /note= "Encoded by YGG in the sequence given in ABQ72215.
FT This residue is Arg (encoded by CGG) rather than Trp
FT (encoded by TGG) in a polymorphic variant"
FT Misc-difference 136
FT /note= "Encoded by RTS in the sequence given in ABQ72215.
FT This residue is Ile (encoded by ATC) rather than Val
FT (encoded by GTG) in a polymorphic variant"
FT Misc-difference 151
FT /note= "Encoded by SAG in the sequence given in ABQ72215.
FT This residue is Glu (encoded by GAG) rather than Gln
FT (encoded by CAG) in a polymorphic variant"
FT Misc-difference 155
FT /note= "Encoded by RAG in the sequence given in ABQ72215.
FT This residue is Lys (encoded by AAG) rather than Glu
FT (encoded by GAG) in a polymorphic variant"
FT Misc-difference 232
FT /note= "Encoded by CAY in the sequence given in ABQ72215"
FT Misc-difference 338
FT /note= "Encoded by RTC in the sequence given in ABQ72215.
FT This residue is Met (encoded by ATG) rather than Val
FT (encoded by GTG) in a polymorphic variant"
FT Misc-difference 344
FT /note= "Encoded by YGA in the sequence given in ABQ72215.
FT This is a stop codon (TGA) rather than Arg (encoded by
FT CGA) in a polymorphic variant"
FT Misc-difference 361
FT /note= "Encoded by CAY in the sequence given in ABQ72215"
FT Misc-difference 486
FT /note= "Encoded by ASC in the sequence given in ABQ72215.
FT This residue is Thr (encoded by ACC) rather than Ser
FT (encoded by AGC) in a polymorphic variant"
FT Misc-difference 497
FT /note= "Encoded by YGC in the sequence given in ABQ72215.
FT This residue is Cys (encoded by TGC) rather than Arg
FT (encoded by CGC) in a polymorphic variant"
XX
XX WO200238589-A2.
XX
XX 16-MAY-2002.
XX
XX 09-NOV-2001; 2001WO-US047396.
XX
XX 09-NOV-2000; 2000US-0247943P.
XX
XX (GENA-) GENAISSANCE PHARM INC.
XX
XX Anastasio AE, Chew A, Choi JY, Denton RR, Nandabalan K;
XX Petersen N, Rounds E;
XX WPI; 2002-519292/55.
XX
XX N-PSDB; ABQ72215, ABQ72216, ABQ72364.
XX
XX Novel genetic variants of Cytochrome P450, Subfamily IID, Polypeptide 6
XX isoenzymes, useful for improving efficiency and reliability in drug
XX development for treating hypertension, arrhythmias and Parkinson's

PT disease.
XX Claim 29; Fig 3; 159pp; English.
XX
CC The invention relates to a method for haplotyping the cytochrome P450,
CC subfamily IID, polypeptide 6 (CYP2D6) gene (ABQ72215, ABQ72364) of an
CC individual, and also describes 29 novel polymorphic sites within the
CC human CYP2D6 gene. The CYP2D6 gene is located on chromosome 22q13.1 and
CC contains 9 exons which encode a 497 amino acid protein (AB095563). CYP2D6
CC is a mono-oxygenase involved in the detoxification of many drugs and
CC environmental chemicals. It plays a role in the metabolism of drugs such
CC as antiarrhythmics, adrenoceptor antagonists and tricyclic
CC antidepressants, and is also involved in the formation of a metabolite
CC linked to the drug-induced lupus syndrome observed with procainamide.
CC Variations in CYP2D6 activity or expression may also influence an
CC individual's susceptibility to environmentally-linked diseases, and it
CC has been demonstrated that CYP2D6 activity may be involved in the
CC pathogenesis of Parkinson's disease, with individuals with a less active
CC form of the enzyme tending to have an earlier onset of this condition.
CC CYP2D6 nucleic acid sequences are useful in studying the expression and
CC function of CYP2D6, and in expressing CYP2D6 protein for use in screening
CC drugs for the treatment of CYP2D6-associated diseases (e.g.,
CC hypertension, atrial and ventricular arrhythmias, Parkinson's disease,
CC and drug-induced lupus syndrome) or which are metabolised by CYP2D6.
CC CYP2D6 nucleic acids and proteins are also useful in studying the effect
CC of polymorphisms on the biological activity of CYP2D6. Polymorphisms in
CC the target region may be determined by the use of allele-specific
CC oligonucleotides (ASOs; ABQ72217-ABQ72303) as probes and primers, and by
CC primer extension using oligonucleotide primers comprising sequences
CC ABQ72304-ABQ72361. The method of the invention is useful for haplotyping
CC the CYP2D6 gene in populations and in individuals, enabling decisions to
CC be made as to whether CYP2D6 is a likely therapeutic target for a disease
CC of interest, and to control for genetically-based bias in the design of
CC drugs that target or are metabolised by CYP2D6. In addition, transgenic
CC animals comprising a human CYP2D6 gene are useful for studying the
CC expression of CYP2D6 isoenzymes in vivo, for in vivo screening and testing
CC of drugs targeted to or metabolised by CYP2D6, and for testing the
CC efficacy of therapeutic agents and compounds for treating CYP2D6-
CC associated conditions in a biological system. The present sequence
CC represents the specifically claimed human CYP2D6 protein. This sequence
CC contains 18 polymorphic sites caused by polymorphisms in the coding
CC sequence (ABQ72216)
XX
SQ Sequence 497 AA;

Alignment Scores:
Pred. No.: 4.62e-164 Length: 497
Score: 2285.50 Matches: 444
Percent Similarity: 89.54% Conservatives: 1
Best Local Similarity: 89.34% Mismatches: 1
Query Match: 79.19% Indels: 51
DB: Gaps: 1

US-09-820-788A-1 (1-1537) x AB095563 (1-497)

QY 78 ATGGGGCTAGAGCACTGGTCCCTCGCGCTAGTGGCCATCTTCTCTCTCTGTG 137
DB 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20

QY 138 GACCTGATGCACCGCGCCAAACGCTGGGCTCGACGCTACTCACCAGGCCCTCGCACTG 197
DB 21 AspleuMetHisArgArgGlnArgTrpAlaalaargTyProProGlyProLeuProLeu 40

QY 198 CCGGGCTGGGCAACCTGCTCATGTGAGCTTCAGAAACACACCATATCTGCTTCACGAG 257
DB 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyCysPheAspGln 60

QY 258 TTGGGGCCCGCTTGGGGAGCTGTTCAGCTGCGCTGGCGTGGACCCCGCTGTGCTGTG 317
DB 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaIleTrpProValValVal 80

QY 318 CTCATATGGCTGGCGCGCGCTGCGCGAGCGCTGTGACCCACGGCGAGGACACCCCGGAC 377
DB 1

Db 81 LeuAsnGlyLeuAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
QY 378 CGCCCGCTGTGCCCCATCCAGATCCTGGGTTTGGCGCGGTTCCCAA----- 428
Db 101 ArgProValProIleThrGlnIleLeuGlyPheGlyProArgSerGlnGlyValPhe 120
QY 428 ----- 428
Db 121 LeuAlaArgTyrGlyProAlaTrpArgGluGlnArgPheSerValSerThrLeuArg 140
QY 428 ----- 428
Db 141 AsnLeuGlyLeuGlyLysSerLeuGluGlnTrpValThrGluAlaAlaCysLeu 160
QY 429 -----GGAGCCCGCTTTCCGCCCAACCGTCTCTTGGACAAA 464
Db 161 CysAlaAlaPheAlaAsnHisSerGlyArgProPheArgProAsnGlyLeuLeuAspLys 180
QY 465 GCGGTGAGCAACGTGATCGCTCCCTCACCTGCGGGCGCGCTTCGAGTACGACGACCT 524
Db 181 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro 200
QY 525 CGCTTCCTCAGGCTGTGACCTAGCTCAGGAGGACTGAAGGAGGAGTGGGCTTCG 584
Db 201 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluSerGlyPheLeu 220
QY 585 CGCAGGTGCTGAATCTCTGCTCCCGCTCTCCATATCCAGCGCTGGCTGCAAGTTC 644
Db 221 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 240
QY 645 CTACGCTTCAAAGCTTTCCTGACCCAGCTGGATGAGTGTCTAACTGAGCACAGGATG 704
Db 241 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuThrGluHisArgMet 260
QY 705 ACTGCGAGCCAGCCCGCCCGCCAGACCTGACTGAGCGCTTCTGCGCAGAGTGGAG 764
Db 261 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 280
QY 765 AAGGCCAAGGGGAACCTCAGAGCAGCTTCAATGATGAGAACTGCGCATGTGGTGGCT 824
Db 281 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValAla 300
QY 825 GACCTGTTCTCTGCGGGATGTGACCACTCGACACCGCTGCGCTGGCGCTCTCTGCTC 884
Db 301 AspLeuPheSerAlaGlyMetValThrThrSerThrLeuAlaTrpGlyLeuLeuLeu 320
QY 885 ATGATCTTACATCCGATGTGCGCGCTGTCCACAGAGATCGACACCTGTATGGG 944
Db 321 MetIleLeuHisProAspValGlnArgArgValGlnGlnGluIleAspAspValIleGly 340
QY 945 CAGGTGCGCGGACACAGAGATGGTGACACAGGCTCACATGCCCTACACCACTGCCGTGATT 1004
Db 341 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 360
QY 1005 CATGAGGTGACGCGCTTTCGGGACATCGTCCCGCTGGGTGTGACCCATATGACATCCCGT 1064
Db 361 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 380
QY 1065 GACATCGAAGTACAGGCTTCGCGATCCCTTAAGGGAACGACACTCATCAACCACTGTCA 1124
Db 381 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 400
QY 1125 TCGGTGCTCAAGGATGAGCGCTCTGGGAGAGCCCTTCGGCTTCCACCCCGAACACTTC 1184
Db 401 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 420
QY 1185 CTGGATGCCCGCGGCACATTTGTGAAGCCGAGGCGCTTCTGCTTTCTCAGCAGCGCGC 1244
Db 421 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 440
QY 1245 CTGTCATGCTCGGGAGCCCTGCGCCCGCATGGAGCTTCTCTTCTTCACTCCCTG 1304
Db 441 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu 460

QY 1305 CTGCGACACTTTCAGCTTCTCGGTGCCACTGGACAGCCCCCGCCACCATGGTGTCT 1364
Db 461 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 480
QY 1365 TTTGCTTTCTCGTGGTACCCCATCCCTCATGAGCTTTGTGCTGTGCCCCGC 1415
Db 481 PheAlaPheLeuValSerProSerProTyrGluLeuCysAlaValProArg 497

RESULT 14

AAO26405

ID AAO26405 standard; protein; 497 AA.

XX AAO26405;

XX 30-JAN-2003 (first entry)

DE Human drug-metabolising enzyme related protein.

XX Cytostatic; antiparkinsonian; gene therapy; cancer; Parkinson's disease;
KW human drug-metabolising protein; enzyme.

XX Homo sapiens.

XX WO200279233-A1.

XX 10-OCT-2002.

XX 01-APR-2002; 2002WO-US009738.

XX 30-MAR-2001; 2001US-00820788.

XX (PEKE) PE CORP NY.

XX (DPERA/) DI FRANCESCO V.

XX (BEAS/) BEASLEY E M.

XX Shao W, Yan C;

XX WPI; 2003-040649/03.

XX New human drug-metabolising proteins and nucleic acids related to the
PT Cytochrome P450 IID drug-metabolizing enzyme subfamily, useful for
PT treating a condition mediated by a human enzyme protein e.g., cancer.

XX Disclosure; Fig 2B; 72pp; English.

XX The invention relates to a novel isolated polypeptide comprising a 446-
CC amino acid sequence or its allelic variant, orthologue or fragment. The
CC allelic variant or orthologue is encoded by a nucleic acid that
CC hybridises under stringent conditions to the opposite strand of the
CC nucleic acid comprising a sequence having 1537 or 10278 bp. The fragment
CC comprises at least 10 contiguous amino acids of the 446-amino acid
CC sequence. The polypeptide is useful for preparing a pharmaceutical
CC composition for treating a disease or condition mediated by a human
CC enzyme protein, e.g. cancer or Parkinson's disease. This sequence
CC represents a human drug-metabolising related protein of the invention

SQ Sequence 497 AA;

Alignment Scores:

Pred. No.:	4,628-164	Length:	497
Score:	2285.50	Matches:	444
Percent Similarity:	89.54%	Conservative:	1
Best Local Similarity:	89.34%	Mismatches:	1
Query Match:	79.19%	Indels:	51
DB:	6	Gaps:	1

US-09-820-788A-1 (1-1537) x AAO26405 (1-497)

QY 78 ATGGGGCTAGAACGACACTGGTCCCGCTGATGAGTGGCCATCTTCTGCTCTGTG 137

Db 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20

```
QY 138 GACCTGATGACCGCGGCAACGCTGGCGTGCACCTACTACACAGGCCCGCTGCCACTG 197
Db 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrProProGlyProLeuProLeu 40
QY 198 CCCGGCTGGGCAACCTCTGCATCTGCATCTGCATCTGCATCTGCATCTGCATCTGC 257
Db 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
QY 258 TTGCGCGCCCGCTTCGGGGACGCTGTTACGCTGCGAGCTGGCGTGCACCGCGTGGTGG 317
Db 61 LeuAlaArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal 80
QY 318 CTCATGGCTGGCGCGCTGGCGCGAGCGTGTGACCCACGCGGAGGACACCGCCGAC 377
Db 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
QY 378 CGCCCGCTGTGCCCCATCACCAGATCTCTGGGTTTGGCGCGCTTCCCAA----- 428
Db 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGlnGlyValPhe 120
QY 428 ----- 428
Db 121 LeuAlaArgTyrGlyProAlaTrpArgGluGlnArgArgPheSerValSerThrLeuArg 140
QY 428 ----- 428
Db 141 AsnLeuGlyLeuGlyLysLysSerLeuGluGlnTrpValThrGluGluAlaAlaCysLeu 160
QY 429 -----GGAGCGCCCTTTCGCCCGCCCAACGGTCTCTTGACAAA 464
Db 161 CysAlaAlaPheAlaAsnHisSerGlyArgProPheArgProAsnGlyLeuLeuAspLys 180
QY 465 GCGGTGAGCAACGTGATCGCTCCCTCACCTGCGGCGCGCTCGAGTACGACGACCT 524
Db 181 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluThrAspAspPro 200
QY 525 CGCTTCTCAGGCTGCTGACCTAGCTCAGAGGGAGCTGAAGGAGGAGTGGGCTTCTG 584
Db 201 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu 220
QY 585 CGCAGGTGCTGAATGCTGTCCCGCTCTCTGCGATATCCAGCGCTGGTGGGAGGTC 644
Db 221 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 240
QY 645 CTCACCTTCCAAAGGCTTCTGCTGACCCAGCTGGATGAGTGTAACTGAGCACAGGATG 704
Db 241 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 260
QY 705 ACCTGGGACCCAGCCCGCCCGAGACCTGACTGAGGCTTCTCTGCGCAGAGATGGAG 764
Db 261 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 280
QY 765 AAGGCCAAGGGAAACCTGAGAGAGCTTCAATGATGAGAACCTCGCATAGTGTGCT 824
Db 281 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 300
QY 825 GACCTGTCTCTGCGGGATGTGTACCTCCAGCTGACCTGAGGCTGGCTGGCTGCTC 884
Db 301 AspLeuPheSerAlaGlyMetValThrSerThrThrLeuAlaTrpGlyLeuLeuLeu 320
QY 885 ATGATCTACATCCGAGTGTGAGCGCGCTGTCCAAACAGGAGATCGACGAGCTGATAGG 944
Db 321 MetIleLeuHisProAspValGlnArgValGlnGlnIleAspAspValIleGly 340
QY 945 CAGTGGCGGACACAGAGATGGTGACCGGCTCATGCGCTCACCTGCGCTGATTT 1004
Db 341 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 360
QY 1005 CATGAGTGCAGCGCTTTGGGACATCTGCCCTGGGTGTGACCCATATGACATCCCGT 1064
Db 361 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 380
QY 1065 GACATCGAAGTACAGGGCTTCGCGATCCCTAAGGGACGACACTCATCACCAACCTGTCA 1124
```

```
Db 381 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 400
QY 1125 TCGGTGCTGAAGGATGAGCGCTGCGGAGAGCCCTTCGCTTCCACCCGAAACACTTC 1184
Db 401 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 420
QY 1185 CTGATGCCAGGCGCCACTTTGTGAAGCGGAGGCGCTTCCTGCGCTTCTCAGCAGGCGCG 1244
Db 421 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 440
QY 1245 CGTGCATGCTCGGGAGCGCCCTGCGCGGATGAGAGCTTCTCTTCTTACCTCCCTG 1304
Db 441 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu 460
QY 1305 CTGCAGGACCTTCAGCTTCTCGTGTGCGCTGAGCGCGCGCGAGCCACCATGGTGTGTC 1364
Db 461 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyVal 480
QY 1365 TTTGCTTTCTGCTGACCCCATCCCTATGAGCTTTGCTGTGCTGCTGCTGCTGCTGCTGCT 1415
Db 481 PheAlaPheLeuValSerProSerProTyrGluLeuCysAlaValProArg 497

RESULT 15
ADB25833
ID ADB25833 standard; protein; 497 AA.
AC ADB25833;
XX 20-NOV-2003 (first entry)
DT Human CYP2D6-related protein #3.
DE human; mutant CYP2D6 gene; drug analysis; drug testing.
XX Homo sapiens.
OS WO2003050282-A1.
PN 19-JUN-2003.
PD 05-DEC-2002; 2002WO-JP012748.
PF 06-DEC-2001; 2001JP-00372548.
PR (TSUR ) TSUMURA & CO.
PA Taniyama M, Ogawa K, Tsuchiya N, Hibino T;
XX WPI; 2003-505401/47.
DR N-PSDB; ADB25778.
XX Genetic polymorphisms of CYP2D6 gene in human population for analysis of
PT drug effect on individual patients and testing of new drugs.
XX Claim 8; Page 46-50; 75pp; Japanese.
XX The invention comprises mutant forms of the human CYP2D6 gene, containing
CC one or more of the following mutations G125A, C1858T, T2874C and C2875T.
CC The mutant human CYP2D6 genes of the invention are useful for analysing
CC the effect of drugs on individual patients and testing of new drugs. The
CC present amino acid sequence represents a human protein of the invention.
XX Sequence 497 AA;
SQ

Alignment Scores:
Pred. No.: 4,62e-164 Length: 497
Score: 2285.50 Matches: 444
Percent Similarity: 89.54% Conservative: 1
Best Local Similarity: 89.34% Mismatches: 1
Query Match: 79.19% Indels: 51
DB: 6
```

US-09-820-788A-1 (1-1537) x ADB25833 (1-497)

```
QY 78 ATGGGCTAGAAGCACTGGTGGCCCTGGCGGTAGTAGTGCCATCTTCCTGCTCTGGTG 137
Db 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
QY 138 GACCTGATGACCGCGCGCAACGCTGGGTGACGCTACTACACAGGCCCTCGCACTG 197
Db 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrProProGlyProLeuProLeu 40
QY 198 CCGGGCTCGGCAACCTGCTGCATGTGGATCTCCAGAACACACACATACCTTCGACACAG 257
Db 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
QY 258 TTGCGCGCGCTTCGGGACGTTTCAGCCTGCAGCTGGCCCTGGACGCGGTGGTCTG 317
Db 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal 80
QY 318 CTCATGGGCTGGCGCGCTGGCGAGGCGTGGTGACCCACGCGAGGACACCGCGGAC 377
Db 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
QY 378 CGCGCGCTGTGCCATACCCAGATCCTGGGTGTTGGCGCGCTTCCCAA----- 428
Db 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGlnGlyValPhe 120
QY 428 ----- 428
Db 121 LeuAlaArgTyrGlyProAlaTrpArgGluGlnArgArgPheSerValSerThrLeuArg 140
QY 428 ----- 428
Db 141 AsnLeuGlyLeuGlyLysLysSerLeuGluGlnTrpValThrGluGluAlaAlaCysLeu 160
QY 429 -----GGACGCCCTTTGCGCCCAACGCTCTTGACAAA 464
Db 161 CysAlaAlaPheAlaAsnHisSerGlyArgProPheArgProAsnGlyLeuLeuAspLys 180
QY 465 GCCGTGAGCAAGTGATCGCTCCCTCACCTCGCGGCGCGCTTCGAGTACGACGACCT 524
Db 181 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro 200
QY 525 CGCTTCCTCAGGCTGTGACCTAGCTCAGAGGGAGCTGAAGGAGAGTCGGGCTTCTG 584
Db 201 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu 220
QY 585 CCGAGGTGCTGAATGCTCTCCCGTCTCTGTCATATCCAGCGCTGGCTGGCAAGTTC 644
Db 221 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 240
QY 645 CTACGCTTCCAAAGGCTTCTGACCCAGCTGGATGAGCTGCTAACTGAGCACAGGATG 704
Db 241 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 260
QY 705 ACTGGGACCCAGCCCGAGACCTGACTGAGGCTTCTGCGCAGAGATGGAG 764
Db 261 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 280
QY 765 AAGGCCAAGGGGACCTCAGAGGAGCTCAATGATGAGAACTGGCATAGTGGTGGCT 824
Db 281 LysAlaLysGlyAsnProGluSerPheAsnAspGluAsnLeuArgIleValValAla 300
QY 825 GACCTGTTCTCTCGCGGATGTGACCACTCGACCGCTGGCTGGCGCTCTCTGCTC 884
Db 301 AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeuLeu 320
QY 885 ATGATCTTACATCCGATGTGAGCGCGCTGTCCAAACAGAGATCGACGACCTGATAGG 944
Db 321 MetIleLeuHisProAspValGlnArgArgValGlnGlnIleAspAspValIleGly 340
QY 945 CAGGTGCGCGGACGAGAGTGGTGACAGGCTCAGTCCCTACACCACTCCCGTGATT 1004
Db 341 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 360
```

```
QY 1005 CATGAGGTGCAGCGCTTTGGGGACATCGTCCCTGGGTGTGACCCATATGACATCCCGT 1064
Db 361 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 380
QY 1065 GACATCGAAGTACAGGGCTTCGCGATCCCTAAGGGAAACGACACTCATCAACCACTGTCA 1124
Db 381 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 400
QY 1125 TCGGTGCTGAAGGATGAGCGCGTCTGGGAGAGCCCTTCGCTTCCACCCCGAACACTTC 1184
Db 401 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 420
QY 1185 CTGGATGCCAGGGCCACTTTGTGAAGCGGAGGCGCTTCTGCTTTTCTCAGCAGGCCCGC 1244
Db 421 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 440
QY 1245 CGTGATGCTCGGGAGGCCCTGCGCGCATGAGAGCTTCTCTTCTTCTACCTCCCTG 1304
Db 441 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu 460
QY 1305 CTGCAGCACTTCAGCTTCTCGGTGCCCACTGGACAGCCCGCGCCAGCCACCATGGTGC 1364
Db 461 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyVal 480
QY 1365 TTTGCTTTCTGCTGTCAGCCCATCCCTCATGAGCTTTGTGCTGTGCTGCTGCTGCT 1415
Db 481 PheAlaPheLeuValSerProSerProTyrGluLeuCysAlaValProArg 497
```

Search completed: February 25, 2004, 02:34:13
Job time : 88.6542 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM nucleic - protein search, using frame_plus_n2p model

Run on: February 25, 2004, 02:12:38 ; Search time 12.7487 Seconds
(without alignments)
12555.283 Million cell updates/sec

Title: US-09-820-788A-1
Perfect score: 2886
Sequence: 1 cctgctggtctctgtgccc.....aaaaaaaaaaaaaaaaaaaaa 1537

Scoring table:
BLOSUM62
Xgapop 10.0 , Xgapext 0.5
Ygapop 10.0 , Ygapext 0.5
Fgapop 6.0 , Fgapext 7.0
Delop 6.0 , Delext 7.0

Searched: 141681 seqs, 52070155 residues

Total number of hits satisfying chosen parameters: 283362

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Command line parameters:
-MODEL=frame+ n2p.model -DEV=xlp
-O=/cpn2.1/USPTO.spool.p/US09820788/runat.24022004.141426/app.query.fasta_1.12174
-DB=SwissProt 42 -QPM=FASTAN -SUFFIX=rasp -MINMATCH=0.1 -LOOPCL=0 -LOPEXT=0
-UNITS=bits -START=1 -END=1 -MATRIX=blosum62 -TRANS=human40.cdi -LIST=45
-DOCALIGN=200 -THR SCORE=pct -THR MAX=100 -THR MIN=0 -ALIGN=15 -MODE=LOCAL
-OUTFMT=ptc -NORM=ext -HEAPSIZE=500 -MINLEN=0 -MAXLEN=2000000000
-USER=US09820788 @CNC 1.1.143 @runat.24022004.141426.20026 -NCPU=6 -ICPU=3
-NO MAP -LARGEQUERY -NEG SCORES=0 -WAIT -DSPBLOCK=100 -LONGLOG
-DEV TIMEOUT=120 -WARN TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6
-FGAPEXT=7 -XGAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

Database : SwissProt 42.*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	2282.5	79.1	497	CPD6 HUMAN	P10635 homo sapien
2	2140.5	74.2	497	CPDH_WACPA	Q29488 macaca fasc
3	2069.5	71.7	497	CPDJ_CALJA	O19992 callithrix
4	1736.5	60.2	499	CPDP_PIG	O4658 sus scrofa
5	1735	60.1	500	CPD4 RAT	P13108 rattus norv
6	1734.5	60.1	487	CPDE BOVIN	Q01361 bos taurus
7	1719	59.6	500	CPDI RAT	Q64680 rattus norv
8	1686.5	58.4	499	CPDF CANFA	Q29473 canis famil
9	1653.5	57.3	500	CPDK MESAU	Q9qy95 mesocricetu
10	1642.5	56.9	500	CPDR MESAU	Q9qy96 mesocricetu
11	1642	56.9	500	CPD3 RAT	P12938 rattus norv
12	1640	56.8	500	CPD2 RAT	P10634 rattus norv
13	1619	56.1	504	CPD1 RAT	P10633 rattus norv
14	1616.5	56.0	504	CPD5 RAT	P12939 rattus norv
15	1611	55.8	500	CPDG_CAVPO	Q64403 cavia porce
16	1599.5	55.4	504	CPD9 MOUSE	P11714 mus musculu
17	1582	54.8	504	CPDA MOUSE	P24456 mus musculu
18	1545.5	53.6	500	CPDS MESAU	Q9quj1 mesocricetu

19	1457.5	50.5	505	1	CPDB_MOUSE	P24457 mus musculu
20	841	29.1	501	1	CPJ6_MOUSE	O54750 mus musculu
21	837.5	29.0	502	1	CPJ2_HUMAN	P51589 homo sapien
22	828.5	28.7	502	1	CPJ3_RAT	P51590 rattus norv
23	818.5	28.4	491	1	CPB4_RABIT	P00178 oryctolagus
24	818.5	28.4	491	1	CPB5_RABIT	P12789 oryctolagus
25	813	28.2	501	1	CPJ5_MOUSE	O54749 mus musculu
26	811.5	28.1	500	1	CPJ1_RABIT	P52786 oryctolagus
27	808.5	28.0	491	1	CPB1_RAT	P00176 rattus norv
28	805.5	27.9	491	1	CPB9_MOUSE	P12790 mus musculu
29	801	27.8	494	1	CPCN_RAT	P24470 rattus norv
30	799.5	27.7	491	1	CPB2_RAT	P04167 rattus norv
31	797.5	27.6	490	1	CPB8_HUMAN	P10632 homo sapien
32	788.5	27.3	490	1	CPZ4_MOUSE	P56656 mus musculu
33	787.5	27.3	490	1	CPCK MESAU	Q08078 mesocricetu
34	785.5	27.2	490	1	CPCK MACFA	P33262 macaca fasc
35	785	27.2	490	1	CPCK MESAU	P33263 mesocricetu
36	783	27.1	490	1	CPCT_MOUSE	Q64458 mus musculu
37	780	27.0	500	1	CPCB_RAT	P08683 rattus norv
38	779.5	27.0	493	1	CPB1_HUMAN	P05181 homo sapien
39	779.5	27.0	504	1	CPK1_ONCMY	Q92090 oncorhynch
40	779	27.0	491	1	CPF2_MOUSE	P33267 mus musculu
41	778	27.0	487	1	CPCL_CANFA	P56594 canis famil
42	778	27.0	492	1	CPBC_RAT	P33272 rattus norv
43	776.5	26.9	491	1	CPB6_HUMAN	P20813 homo sapien
44	775	26.9	490	1	CPCK MESAU	P33264 mesocricetu
45	775	26.9	492	1	CPBJ_MOUSE	O55071 mus musculu

ALIGNMENTS

RESULT 1
CPD6_HUMAN
ID CPD6_HUMAN STANDARD; PRT; 497 AA.
AC P10635; Q16752;
DT 01-JUL-1989 (Rel. 11, Created)
DT 01-JUL-1989 (Rel. 11, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Cytochrome P450 2D6 (EC 1.14.14.1) (CYP1D6) (P450-DB1) (Debrisoquine 4-hydroxylase).
DE CYP2D6.
GN Homo sapiens (Human).
OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=88314109; PubMed=3410476;
RA Gonzalez F.J., Vilbois F., Hardwick J.P., McBride O.W.,
RA Nebert D.W., Gelboin H.V., Meyer U.A.;
RT "Human debrisoquine 4-hydroxylase (P450IID1): cDNA and deduced amino acid sequence and assignment of the CYP2D locus to chromosome 22.";
RL Genomics 2:174-179(1988).
RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=88122614; PubMed=3123997;
RA Gonzalez F.J., Skoda R.C., Kimura S., Umeno M., Zanger U.M.,
RA Nebert D.W., Gelboin H.V., Hardwick J.P., Meyer U.A.;
RT "Characterization of the common genetic defect in humans deficient in debrisoquine metabolism.";
RL Nature 331:442-446(1988).
RN [3]
RP SEQUENCE FROM N.A.
RX MEDLINE=90072069; PubMed=2574001;
RA Kimura S., Umeno M., Skoda R.C., Meyer U.A., Gonzalez F.J.;
RT "The human debrisoquine 4-hydroxylase (CYP2D) locus: sequence and identification of the polymorphic CYP2D6 gene, a related gene, and a pseudogene.";
RL Am. J. Hum. Genet. 45:889-904 (1989).
RN [4]
RP VARIANT LYS-281 DEL (CYP2D6*9).
RX MEDLINE=93244880; PubMed=1844820;

RA Tyndale R., Aoyama T., Broly F., Matsunaga T., Inaba T., Kalow W.,
RA Gelboin H.V., Meyer U.A., Gonzalez F.J.;
RT "Identification of a new variant CYP2D6 allele lacking the codon
RT encoding Lys-281: possible association with the poor metabolizer
RL phenotype";
RL Pharmacogenetics 1:26-32(1991).
RN [5]
RP VARIANTS SER-34 AND THR-486 (CYP2D6*10).
RX MEDLINE=94115362; PubMed=8287064;
RA Yokota H., Tamura S., Furuya H., Kimura S., Watanabe M., Kanazawa I.,
RA Kondo I., Gonzalez F.J.;
RT "Evidence for a new variant CYP2D6 allele CYP2D6J in a Japanese
RT population associated with lower in vivo rates of sparteine
RT metabolism";
RL Pharmacogenetics 3:256-263(1993).
RN [6]
RP VARIANTS PRO-324 (CYP2D6*7).
RX MEDLINE=95147995; PubMed=7845481;
RA Evert B., Griese E.U., Eichelbaum M.;
RT "A missense mutation in exon 6 of the CYP2D6 gene leading to a
RT histidine 324 to proline exchange is associated with the poor
RT metabolizer phenotype of sparteine";
RL Naunyn Schmiedeberg Arch. Pharmacol. 350:434-439(1994).
RN [7]
RP VARIANT GLU-212 (CYP2D6*6B/6C).
RX MEDLINE=95172594; PubMed=7868129;
RA Daly A.K., Leathart J.B., London S.J., Idle J.R.;
RT "An inactive cytochrome P450 CYP2D6 allele containing a deletion and a
RT base substitution";
RL Hum. Genet. 95:337-341(1995).
RN [8]
RP VARIANT ILE-107 (CYP2D6*17).
RX MEDLINE=97126511; PubMed=8971426;
RA Masimirembwa C., Persson I., Bertilsson L., Hasler J.,
RA Ingelman-Sundberg M.;
RT "A novel mutant variant of the CYP2D6 gene (CYP2D6*17) common in a
RT black African population: association with diminished debrisoquine
RT hydroxylase activity";
RL Br. J. Clin. Pharmacol. 42:713-719(1996).
RN [9]
RP VARIANT ARG-42 (CYP2D6*12).
RX MEDLINE=96209916; PubMed=8655150;
RA Marex D., Legrand M., Sabbagh N., Lo-Guidice J.M., Boone P., Broly F.;
RT "An additional allelic variant of the CYP2D6 gene causing impaired
RT metabolism of sparteine";
RL Hum. Genet. 97:668-670(1996).
RN [10]
RP VARIANTS.
RX MEDLINE=97385645; PubMed=9241659;
RA Marex D., Legrand M., Sabbagh N., Guidice J.M., Spire C.,
RA Lafitte J.J., Meyer U.A., Broly F.;
RT "Polymorphism of the cytochrome P450 CYP2D6 gene in a European
RT population: characterization of 48 mutations and 53 alleles, their
RT frequencies and evolution";
RL Pharmacogenetics 7:193-202(1997).
RN [11]
RP VARIANT ARG-169 (CYP2D6*14).
RX MEDLINE=99164054; PubMed=10064570;
RA Wang S.L., Lai M.D., Huang J.D.;
RT "G169R mutation diminishes the metabolic activity of CYP2D6 in
RT Chinese";
RL Drug Metab. Dispos. 27:385-388(1999).
CC -!- FUNCTION: Responsible for the metabolism of many drugs and
CC environmental chemicals that it oxidizes. It is involved in the
CC metabolism of drugs such as antiarrhythmics, adrenoceptor
CC antagonists, and tricyclic antidepressants.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- INDUCTION: By pregnancy.
CC -!- POLYMORPHISM: Highly polymorphic. Oxidative drug metabolism by
CC CYP2D6 is characterized by two phenotypes, the extensive
CC metabolizer (EM) and poor metabolizer (PM). Of the Caucasian

CC populations of Europe and North America, 5%-10% are of the PM
CC phenotype and are unable to metabolize the antihypertensive drug
CC debrisoquine and numerous other drugs.
CC -!- POLYMORPHISM: Allele CYP2D6*7 was also known as CYP2D6E, allele
CC CYP2D6*9 as CYP2D6C, allele CYP2D6*10 as CYP2D6J, allele CYP2D6*17
CC as CYP2D6Z.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC -!- DATABASE: NAME=Cytochrome P450 Allele Nomenclature Committee;
CC NOTE=CYP2D6 alleles;
CC WWW="http://www.imm.ki.se/CYPalleles/cyp2d6.htm".
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; M20403; AAA52153.1; -;
CC EMBL; X08006; CAA30807.1; -;
CC EMBL; M33388; AAA53500.1; -;
CC PIR; S01199; O4HUD1.
CC HSSP; P00179; 1DT6.
CC Genew; HGNC:2625; CYP2D6.
CC MIM; 124030; -;
CC InterPro; IPR001128; Cytochrome P450.
CC InterPro; IPR008089; EP450_CYP2D.
CC Pfam; PF00067; P450; 1.
CC PRINTS; PR01686; EP450ICYP2D.
CC PRINTS; PR00385; P450.
CC PROSITE; PS00086; CYTOCHROME P450; 1.
KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum; Polymorphism.
FT METAL 443 443 IRON (HEME AXIAL LIGAND).
FT VARIANT 11 11 V -> M (in allele CYP2D6*35).
FT VARIANT 26 26 R -> H (in allele CYP2D6*21).
FT VARIANT 28 28 R -> C (in allele CYP2D6*22).
FT VARIANT 34 34 P -> S (in allele CYP2D6*10 and allele
FT CYP2D6*14; poor debrisoquine metabolism).
FT VARIANT 42 42 G -> R (in allele CYP2D6*12; impaired
FT metabolism of sparteine).
FT FTId=VAR_001256.
FT VARIANT 85 85 A -> V (in allele CYP2D6*23).
FT VARIANT 107 107 T -> I (in allele CYP2D6*17; poor
FT debrisoquine metabolism).
FT VARIANT 169 169 G -> R (in allele CYP2D6*14; poor
FT debrisoquine metabolism).
FT VARIANT 212 212 G -> E (in allele CYP2D6*6B and allele
FT CYP2D6*6C).
FT FTId=VAR_008339.
FT VARIANT 237 237 A -> S (in allele CYP2D6*33).
FT FTId=VAR_008370.
FT VARIANT 281 281 Missing (in allele CYP2D6*9).
FT FTId=VAR_008347.
FT VARIANT 296 296 R -> C (in allele CYP2D6*2, allele
FT CYP2D6*12, allele CYP2D6*14 and allele
FT CYP2D6*17; dbSNP:16947).
FT FTId=VAR_008340.
FT VARIANT 297 297 I -> L (in allele CYP2D6*24).
FT FTId=VAR_008371.
FT VARIANT 311 311 S -> L (in dbSNP:1800754).
FT FTId=VAR_014633.
FT VARIANT 324 324 H -> P (in allele CYP2D6*7; loss of
FT activity).
FT FTId=VAR_008348.

FT VARIANT 343 343 R -> G (in allele CYP2D6*25).
FT /FTid=VAR 008372.
FT VARIANT 369 369 I -> T (in allele CYP2D6*26).
FT /FTid=VAR 008373.
FT VARIANT 410 410 E -> K (in allele CYP2D6*27).
FT /FTid=VAR 008374.
FT VARIANT 486 486 S -> T (in allele CYP2D6*2, allele
CYP2D6*10, allele CYP2D6*12, allele
CYP2D6*14 and allele CYP2D6*17; impaired
metabolism of sparteine).
FT /FTid=VAR 008341.
FT CONFLICT 374 374 M -> V (IN REF. 3).
SQ SEQUENCE 497 AA; 55801 MW; 543F4D5F0E8DCAC CRC64;

Alignment Scores:
Pred. No.: 7,37e-127 Length: 497
Score: 2282.50 Matches: 443
Percent Similarity: 89.54% Conservative: 2
Best Local Similarity: 89.13% Mismatches: 1
Query Match: 79.09% Indels: 51
DB: 1 Gaps: 1

US-09-820-788A-1 (1-1537) x CPD6_HUMAN (1-497)

QY 78 ATGGGGCTAGAGCACTGGTGGCCCTGGCGGTGATAGTGGCCATCTTCTGCTCTCTGGTG 137
Db 1 MetGlyLeuGluAlaLeuValProLeuAlaValLeuValAlaLeuValAlaLeuLeuVal 20

QY 138 GACCTGATCCACCGCGCCCAACGCTGGCTGACGCTACTCACCAGGCCCTGCCACTG 197
Db 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrProProGlyProLeuProLeu 40

QY 198 CCGGGCTGGCAACCTGCTGATGGACTTCCAGAACACACCATCTGCTTCGACACAG 257
Db 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60

QY 258 TTGGCGCGCGCTTCGGGACGTTGTTACGCTGACGCTGGCTGGACGCGGTGGTGGTG 317
Db 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal 80

QY 318 CTCATGGCTGGCGCGCGCGCGGAGCGCTGGTGGACCCAGCGGAGGACACCCCGGAC 377
Db 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100

QY 378 CGCCCCCTGTGCCCCATCCACAGATCTGGGTGGTGGCGCGGTGGTGGTGGTGGTGGT 428
Db 101 ArgProProValProLeuThrGlnLeuLeuGlyPheGlyProArgSerGlnGlyValPhe 120

QY 428 ----- 428
Db 121 LeuAlaArgTyrGlyProAlaTrpArgGluGlnArgArgPheSerValSerThrLeuArg 140

QY 428 ----- 428
Db 141 AsnLeuGlyLeuGlyLysSerLeuGluGlnTrpValThrGluAlaAlaCysLeu 160

QY 429 -----GGACGCGCCCTTTCGCGCCCAACGCTCTCTTGGACAAA 464
Db 161 CysAlaAlaPheAlaAsnHisSerGlyArgProPheArgProAsnGlyLeuLeuAspLys 180

QY 465 GCGTGAGCAAGTGTATGCTCCCTCCCTCACCTGGCGCGCGCTTCGAGTACGACGACCT 524
Db 181 AlaValSerAsnValLeuAlaSerLeuThrCysGlyArgArgPheGluTrpAspAspPro 200

QY 525 CGCTTCTCAGGCTGCTGACCTAGCTCAGGAGGAGTGAAGGAGGAGTGGCTTCTG 584
Db 201 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluSerGlyPheLeu 220

QY 585 CGGAGGCTGTAATGCTGCTCCCGTCTCCCTGATATCCAGCGCTGGCTGGCAAGTTC 644
Db 221 ArgGluValLeuAsnAlaValProValLeuLeuHisLeuProAlaLeuAlaGlyLysVal 240

QY 645 CTACGCTTCCAAAGGCTTTCCTGACCCAGCTGGATGAGCTGCTAACTGAGCACGAGT 704

Db 241 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 260
QY 705 ACCTGGGACCCAGCCAGCCCGAGACCTGACTGAGGCGCTTCTGTCACAGATGGAG 764
Db 261 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 280
QY 765 AAGCCAAAGGGGAACCTCGAGAGCAGCTTCAATGATGAGAACTCGCATGCTGGTGGCT 824
Db 281 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgLysValValAla 300
QY 825 GACCTGTCTCTGCGCGGATGGTGAACCTCGACCTCGACCGCTGGCGCTGGGCGCTCTGCTC 884
Db 301 AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeuLeu 320

QY 885 ATGATCTTACATCCGATGTGAGCGCGCTGTCCAAACAGGAGATCGACGCTGTATAGG 944
Db 321 MetLeuLeuHisProAspValGlnArgArgValGlnGlnGluLeuAspValLeuGly 340

QY 945 CAGGTGCGCGGACACAGAGATGGTGACGAGGCTCAATGCCCTACACACTGCCCTGATT 1004
Db 341 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrAlaValLeu 360

QY 1005 CATGAGTGTGACGCTTGGGAGCATCTGCTCCCTGGGTGTGACCCATATGACATCCCTG 1064
Db 361 HisGluValGlnArgPheGlyAspLeuValProLeuGlyMetThrHisMetThrSerArg 380

QY 1065 GACATCGAAGTACAGGCTTCGCGATCCTTAAGGAACGACACTCATCACCAACCTGTCA 1124
Db 381 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 400

QY 1125 TCGGTGCTCAAGGATGAGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCCAACACTTC 1184
Db 401 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 420

QY 1185 CTGATGCTCCAGGCGCCACTTTGTGAAGCGGAGGCTTCTGCTGCTTCTCAGCAGCGCGC 1244
Db 421 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 440

QY 1245 CGTGATCCTCGGGGAGCCCTGCGCGCATGGAGCTTCTTCTTCTTCTTCTTCTTCTTCT 1304
Db 441 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu 460

QY 1305 CTGACGACTTTCAGCTTCTCGGTGCCACTCGACAGCCCGCGCCAGCACCACCATGCTGTC 1364
Db 461 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 480

QY 1365 TTTGCTTCTTCTGCTGACCCCATCCCTTATGAGCTTTGCTGCTGCTGCTGCTGCTGCT 1415
Db 481 PheAlaPheLeuValSerProSerProTyrGluLeuCysAlaValProArg 497

RESULT 2
CPDH MACFA
ID CPDH MACFA STANDARD; PRT; 497 AA.
AC Q29488;
DT 01-NOV-1997 (Rel. 35; Created)
DT 01-NOV-1997 (Rel. 35; Last sequence update)
DT 28-FEB-2003 (Rel. 41; Last annotation update)
DE Cytochrome P450 2D17 (EC 1.14.14.1) (CYP2D17).
GN CYP2D17.
OS Macaca fascicularis (Crab eating macaque) (Cynomolgus monkey).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopitheciidae;
OC Cercopitheciinae; Macaca.
OX NCBI_taxid=95541;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RA Lawton M.P., Laddison K.J., Speirs A.A., Mankowski D.C., Tweedie D.J.;
RL Submitted (OCT-1995) to the EMBL/GenBank/DBJ databases.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum (By

OC Mammalia; Eutheria; Primates; Platyrrhini; Callitrichidae;
 OC Callitrix.
 OX NCBI_TaxID=9483;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Liver;
 RX MEDLINE=97223367; PubMed=9056237;
 RA Igarashi T., Sakuma T., Isogai M., Nagata R., Kamataki T.;
 RT "Marmoset liver cytochrome P450s: study for expression and molecular
 cloning of their cDNAs.";
 RL Arch. Biochem. Biophys. 339:85-91(1997).
 CC -1- FUNCTION: RESPONSIBLE FOR THE METABOLISM OF MANY DRUGS AND
 ENVIRONMENTAL CHEMICALS THAT IT OXIDIZES.
 CC -1- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
 oxidized flavoprotein + H(2)O.
 CC -1- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
 CC -1- INDUCTION: P450 can be induced to high levels in liver and other
 tissues by various foreign compounds, including drugs, pesticides,
 and carcinogens.
 CC -1- SIMILARITY: Belongs to the cytochrome P450 family.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).
 DR EMBL; D29822; BAA22155.1; -;
 DR HSSP; P00179; 1D76.
 DR InterPro; IPR001128; Cytochrome_P450.
 DR InterPro; IPR008069; EP450_CYP2D.
 DR Pfam; PF00067; P450; 1.
 DR PRINTS; PR01686; EP450ICYP2D.
 DR PRINTS; PR00385; P450.
 DR PROSITE; PS00086; CYTOCHROME_P450; 1.
 KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
 KW Microsome; Endoplasmic reticulum.
 FT METAL 443 443 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
 SQ SEQUENCE 497 AA; 55911 MW; A482AE71EAD6CAF CRC64;
 Alignment Scores:
 Pred. No.: 2,35e-114 Length: 497
 Score: 2059.50 Matches: 405
 Percent Similarity: 83.70% Conservative: 11
 Best Local Similarity: 81.49% Mismatches: 30
 Query Match: 71.71% Indels: 51
 DB: 1 Gaps: 1
 US-09-820-788a-1 (1-1537) x CPDJ_CALJA (1-497)
 QY 78 ATGGGGCTAGACGACCTGGTCCCTGGCGGTGATAGTGGCCATCTTCTGCTCTGGTG 137
 Db 1 MetGlyLeuAspAlaLeuValProLeuAlaValThrValAlaIlePheValLeuVal 20
 QY 138 GACCTGATGACCGCGCCCAACGCTGGCTGCAAGCTACTCACAGGCCCCCTGCCACTG 197
 Db 21 AspLeuMetHisArgArgGlnArgTTPAlaAlaArgTyrProProGlyProMetProLeu 40
 QY 198 CCGGGCTGGGCAACCTGTGATGTGGACTTCCAGAACACACACAPACTGTCTGACACG 257
 Db 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProAsnSerPheAsnGln 60
 QY 258 TTGGCGCGCGCTTCGGGACGTGTTGACCTGCAGCTGCAGCTGGCGCGGTGCTCGTG 317
 Db 61 LeuArgArgPheGlyAspValPheSerLeuGlnLeuAlaIleThrProValValVal 80
 QY 318 CTCATATGGGTGGCGCGCTGGCGGAGCGTGGTGACCCACCGCGGAGGACACCGCCGAC 377
 Db 81 LeuAsnGlyLeuGluAlaValArgGluAlaLeuValThrArgGlyGluAspThrAlaAsp 100
 QY 378 CGCCCGCCTGTGCCCATCACCCAGATCTCTGGGTTTGGCGCGGTGCCCAA----- 428

Db 101 ArgProProValProIleThrGluMetLeuGlyPheGlyProHisSerGlnGlyLeuPhe 120
 QY 428 ----- 428
 Db 121 LeuAlaArgTyrGlyProAlaTrpArgGluGlnArgArgPheSerValSerThrLeuArg 140
 QY 428 ----- 428
 Db 141 AsnLeuGlyLeuGlyLysLysSerLeuGluGlnTrpValThrGluGluAlaThrTyrLeu 160
 QY 429 -----CGACGCCCTTTGCCCCCAACGGTCTCTTGACAAA 464
 Db 161 CysAlaAlaPheAlaAspHisAlaGlyArgProPheArgProAsnGlyLeuLeuAspLys 180
 QY 465 GCGGTGAGCAACGTCATCGCTCCCTCCTCCTCGGCGCGCTTCGAGTACGACGACCT 524
 Db 181 AlaValSerAsnValIleAlaSerLeuThrCysArgArgArgPheGluTyrAsnAspPro 200
 QY 525 CGCTTCTCAGGCTGCTGGACCTAGCTCAGGAGGAGCTGAAGGAGGAGTGGGCTTTCTG 584
 Db 201 CysLeuLeuArgLeuLeuAspLeuThrMetGluGlyLeuLysGluGluSerGlyLeuLeu 220
 QY 585 CCGAGGTGCTCAATGCTGTCCCTCCTCTGTCATATCCAGCGCTGGCTGGCAAGTGC 644
 Db 221 ArgGluValLeuAsnAlaIleProValLeuLeuArgIleProGlyLeuAlaGlyLysVal 240
 QY 645 CTACGCTTCCAAAGGCTTCTCCTGACCCAGCTGGATGAGTCTAACTCAGACACAGGATG 704
 Db 241 LeuArgSerGlnLysAlaPheLeuAlaGlnLeuAspGluLeuLeuThrGluHisArgMet 260
 QY 705 ACCTGGGACCCAGCCCGACCTGAGCTGAGGCTTCTTGGCAGAGATGGAG 764
 Db 261 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 280
 QY 765 AAGCCCAAGGGAAACCTGAGAGGAGCTTCAATGATGAGAACTGGCGCATGTGGTGGCT 824
 Db 281 LysThrLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuHisLeuValValAla 300
 QY 825 GACCTGTTCTCTGCGGGATGTGACCTGACCTGACCGCTGGCTGGCGCTCTCTGCTC 884
 Db 301 AspLeuPheSerAlaGlyMetValThrThrSerIleThrLeuAlaIleProGlyLeuLeu 320
 QY 885 ATGATCTACATCCGATGTGCGCGCTGTCCAAACAGGAGATCGACGACGTGATAGG 944
 Db 321 MetIleLeuHisProAspValGlnArgValGlnGlnIleAspAspValIleGly 340
 QY 945 CAGGTGGCGGACACAGAGATGGGTGACAGGCTCATGCGCTCACACCACTGCCGTGATT 1004
 Db 341 ArgValArgArgProGluMetGlyAspGlnThrTyrMetProTyrThrThrAlaValIle 360
 QY 1005 CATGAGGTGCAGCGCTTTGGGGACATCGTCCCTGGGTGTGACCCATATGACATCCCGT 1064
 Db 361 HisGluValGlnArgPheAlaAspIleValProLeuGlyValThrHisMetThrSerArg 380
 QY 1065 GACATCGAAGTACAGGCTTCCGATCCCTAAGGGAACGACACTCATCACCAACCTGTCA 1124
 Db 381 AspIleGluValGlnGlyPheLeuIleProLysGlyThrThrLeuPheThrAsnLeuSer 400
 QY 1125 TCGGTGTGAAGGATGAGCGCTCTGGGAGAGAGCCCTTCCGCTTCCACCCCGAACACTTC 1184
 Db 401 SerValLeuLysAspGluAlaAsnTrpGluLysProPheArgPheHisProGluHisPhe 420
 QY 1185 CTGGATGCCAGGGCCACTTTGTGAAGCGGAGGCGCTTCTCGCTTCTCTCAGCAGCGCC 1244
 Db 421 LeuAspAlaGlnGlyArgPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 440
 QY 1245 CGTCAATGCCCTGGGAGCGCCCTGCGCCCGCATGGAGCTTCTCTTCTTCACTCCCTG 1304
 Db 441 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrCysLeu 460
 QY 1305 CTGACGACCTTACGTTCTCGGTGCCCACTGTGACAGCGCCCGCCCGCAGCCCATGGTGC 1364

Db 461 LeuGlnArgPheSerValProAlaGlyGlnProArgProHisGlyVal 480

QY 1365 TTGCTTTCTCCGTGACACCCATCCCTTATGAGCTTTGCTGTCGCCCGC 1415

Db 481 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 497

RESULT 4

CPDP_PIG
ID CPDP_PIG STANDARD; PRT; 499 AA.
AC O46658;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D25 (EC 1.14.14.-) (CYP1D25) (Vitamin D(3) 25-hydroxylase).
GN CYP2D25.
OS Sus scrofa (Pig).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
OX NCBI_TaxID=9823;
RN [1]_TaxID=9823;
RP SEQUENCE FROM N.A., AND SEQUENCE OF 1-56; 248-272 AND 407-429.
RC TISSUE=Liver;
RX MEDLINE=98086378; PubMed=9425298;
RA Postlind H., Axen E., Bergman T., Wikvall K.;
RT "Purification and characterization of a vitamin D3 25-hydroxylase from pig liver microsomes";
RL Biochem. J. 287:725-731(1992).
CC !- FUNCTION: CATALYZES THE FIRST STEP IN THE METABOLIC ACTIVATION OF VITAMIN D(3) INTO 1-ALPHA,25-DIHYDROXYVITAMIN D(3), ITS ACTIVE, HORMONAL FORM.
CC !- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC !- TISSUE SPECIFICITY: Found in liver and kidney.
CC !- SIMILARITY: Belongs to the cytochrome P450 family.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).
CC
CC EMBL; Y16417; CA476205.1; -.
CC PIR; JC5819; JC5819.
CC HSP; P00179; IDT6.
CC InterPro; IPR001128; Cytochrome P450.
CC InterPro; IPR008069; EP450_CYP2D.
CC Pfam; PF00067; P450; 1.
CC PRINTS; PR01686; EP450CYP2D.
CC PRINTS; PR00385; P450.
CC PROSITE; PS00086; CYTOCHROME_P450; 1.
CC Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum.
FT INIT MET 0
FT METAL 445 445 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
SQ SEQUENCE 499 AA; 56380 MW; 31C878B580E61919 CRC64;

Alignment Scores:

Pred. No.:	8,34e-95	Length:	499
Score:	1736.50	Matches:	341
Percent Similarity:	77.71%	Conservative:	39
Best Local Similarity:	69.73%	Mismatches:	58
Query Match:	60.17%	Indels:	51
DB:	1	Gaps:	1

US-09-820-788A-1 (1-1537) x CPDP_PIG (1-499)

QY 102 GTGGCCGTGATGATGGCCATCTTCTGCTCTGCTGGACCTGATGCACCGCGGCCAAGC 161

Db 11 LeuAlaLeuAlaMetValIlePheLeuLeuValAspLeuMetHisArgSerArg 30

QY 162 TGGGCTGCACCTACTCACAGGCCCCCTGACCTGCCCTGGCGGCTGGCAACCTGTCAT 221

Db 31 TrpAlaProArgTyrProGlyProMetProLeuProGlyLeuGlyAsnLeuLeuGln 50

QY 222 GTGACCTTCCAGAAACACACCATCTGCTTCCACAGATTGCGCGCGCTTTCGGGACGTG 281

Db 51 ValAsnPheGlnAspProArgLeuSerPheIleGlnLeuArgArgPheGlyAspVal 70

QY 282 TTCAGCTGTCAGCTGGCCCTGACCGCGGTGCTGCTCAATGGGCTGGCGCGCTGGCGC 341

Db 71 PheSerLeuGlnGlnIleTrpArgProValValLeuAsnGlyLeuAlaValArg 90

QY 342 GAGCGCTGTGACCCAGCGGAGACACCGCCGCGCGCTGTGCTGCCCATCACCCAG 401

Db 91 GluAlaLeuValSerHisSerHisGluThrSerAspArgProProValPheIleLeuGlu 110

QY 402 ATCTGTGGCTTTGGCGCGCTTCCCAA----- 428

Db 111 HisLeuGlyTyrGlyProArgSerGluGlyValIleLeuAlaArgTyrGlyLysAlaTrp 130

QY 428 ----- 428

Db 131 ArgGluGlnArgArgPheSerValSerThrLeuArgAsnPheGlyLeuGlyLysSer 150

QY 428 ----- 428

Db 151 LeuGluGluTrpValThrGlnGluAlaSerCysLeuCysAlaAlaPheAlaAspGlnAla 170

QY 429 GGAGCGCCCTTTCCGCCCAACCGTCTCTTGACAAAAGCGGTGAGCAACGTGATCGCTCC 488

Db 171 GlyArgProPheSerProAsnLeuLeuAsnLysAlaValSerAsnValIleAlaSer 190

QY 489 CTCACCTGCGGGCGCGCTTTCAGTACGACACCTGCTCTTCCTCAGGCTGCTGGACCTA 548

Db 191 LeuThrPheAlaArgArgPheGluTyrAsnAspProArgMetLeuLysLeuLeuAspLeu 210

QY 549 GCTCAGAGGACCTGAGGAGGAGTCGGGCTTTCTGCGCAGGTGCTGAATGCTGTCTCCC 608

Db 211 ValLeuGluGlyLeuLysGluGluValGlyLeuMetArgGlnValLeuGluAlaMetPro 230

QY 609 GTCTCTCTGCATATCCCAAGCGCTGCTGGCAAGGTCTCTACGCTTCCAAAAGGCTTCTCTG 668

Db 231 ValLeuArgHisIleProGlyLeuCysAlaLysLeuPheProArgGlnLysAlaPheLeu 250

QY 669 ACCCAGCTGGATGAGCTGCTAACTAGCACAGGATGACCTGGGACCCAGCCAGCCGCC 728

Db 251 ValMetIleAspGluLeuIleThrGluHisLysMetThrArgAspLeuAlaGlnProPro 270

QY 729 CGAGACCTGACTGAGGCTTCTCCTGCGAGATGAGAGGCAAGGGGAAACCTGAGAGC 788

Db 271 ArgAspLeuThrAspAlaPheLeuAspGluMetLysGluAlaLysGlyAsnProGluSer 290

QY 789 AGCTTCAATGATGAGAACCTCGCGCATAGTGGTGGCTGACCTGTTCTTCTGCGGGATGGT 848

Db 291 SerPheAsnAspGluAsnLeuArgLeuValValAlaHisLeuPheSerAlaGlyMetIle 310

QY 849 ACCACCTGACACGCTGGCGCTGGGGCTCTCTGCTCATGATCCTACATCCCGATGTGAG 908

Db 311 ThrThrSerThrThrLeuAlaTrpAlaLeuLeuLeuMetIleLeuHisProAspValGln 330

QY 909 CGCGGTGTCCAAAGGAGATCGACGCTGATAGCGGAGGTGCGCGCAGACAGATGGGT 968

Db 331 ArgArgValGlnGlnGluIleAspGluValIleGlyHisValArgGlnProGluIleLys 350

QY 969 GACCAGGCTCATGCGCTTACACCACTGCCCTGATTTCATGAGGTGCAGCGCTTTGGGAC 1028

RC STRAIN=Beagle;
RX MEDLINE=98162950; PubMed=9504424;
RA Tasaki T., Nakamura A., Itoh S., Ohashi K., Yamamoto Y., Masuda M.,
RA Iwata H., Kazusaka A., Kamataki T., Fujita S.;
RT "Expression and characterization of dog CYP2D15 using baculovirus
expression system";
RL J. Biochem. 123:162-168(1998).
RN [3]
RP CHARACTERIZATION.
RX MEDLINE=98389575; PubMed=9721180;
RA Roussel F., Duignan D.B., Lawton M.P., Obach R.S., Strick C.A.,
RA Tweedie D.J.;
RT "Expression and characterization of canine cytochrome P450 2D15";
RL Arch. Biochem. Biophys. 357:27-36(1998).
CC -1- FUNCTION: HIGH ACTIVITY FOR THE HYDROXYLATION OF BUNITROL AND
CC IMIPRAMINE; LOW ACTIVITY ON DEBRISOQUINE.
CC -1- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -1- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -1- TISSUE SPECIFICITY: LIVER. ALSO DETECTED IN SEVERAL OTHER TISSUES.
CC -1- SIMILARITY: Belongs to the cytochrome P450 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; D17397; BAA04220.1; -;
DR EMBL; AB004268; BAA20357.1; -;
DR FIR; JC4157; JC4157.
DR HSSP; P00179; 1D76.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00667; P450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
DR Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum.
FT INIT_MET 0
FT METAL 445 445 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
SQ SEQUENCE 499 AA; 56301 MW; 27E352B5B309E7F1 CRC64;

Alignment Scores:
Pred. No.: 7.18e-92 Length: 499
Score: 1686.50 Matches: 331
Percent Similarity: 75.15% Conservative: 41
Best Local Similarity: 66.87% Mismatches: 70
Query Match: 58.44% Indels: 53
DB: 1 Gaps: 3

US-09-820-788a-1 (1-1537) x CPDF_CANFA (1-499)
QY 87 GAAGCAGCTGGTCCCTGGCCGTGAGTGGCCATCTTCTGCTCTCTGGTGGACCTGATG 146
...
Db 6 AspThrLeuGlyProLeuAlaValAlaValAlaLeuPheLeuLeuValAspLeuMet 25

QY 147 CACCGCGCCAAAGCTGGCTGCACGCTACTCACCAGGCCCTGCCACTGCCCGGGTGG 206
...
Db 26 HisArgArgArgArgTrpAlaThrArgTyrProProGlyProThrProValProMetVal 45

QY 207 GCGACCTGCTGCATGTGACCTCCAGACACACCATACTGC---TTGACACAGTTGGCG 263
...
Db 46 GlyAsnLeuLeuGlnMetAspPheGlnGlu---ProIleCysTyrPheSerGlnLeuGln 64

QY 264 CGCCCGCTTCGGGAGCGTGTTCAGCTGCAGCTGGCTGCAGCGCGTGGTGTCTGCTCAAT 323
...
Db 65 GlyArgPheGlyAsnValPheSerLeuGluLeuAlaTrpThrProValValValLeuAsn 84

QY 324 GGGCTGGCGGCCCTGGCGAGGCGTGGTGACCCAGCGGAGGACACCGCGCGCGCG 383

Db 85 GlyLeuGluAlaValArgGluAlaLeuValHisArgSerGluAspThrAlaAspArgPro 104
...
QY 384 CTGTGGCCCATCACCAGATCTCTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 428
...
Db 105 ProMetProIleTyrAspHisLeuGlyLeuGlyProGluSerGlnGlyLeuPheLeuAla 124
...
QY 428 ----- 428

Db 125 ArgTyrGlyArgAlaTrpArgGluGlnArgArgPheSerLeuSerThrLeuArgAsnPhe 144
...
QY 428 ----- 428

Db 145 GlyLeuGlyArgLysSerLeuGluGlnTrpValThrGluGluAlaSerCysLeuCysAla 164
...
QY 429 -----GGAGCGCCCTTTCGCCCCCAACGGTCTCTTGACAAAGCCGTG 470
...
Db 165 AlaPheAlaGluAlaGlyArgProPheGlyProGlyAlaLeuLeuAsnLysAlaVal 184
...
QY 471 AGCAACGTGATCGCTCCCTCACCCTGGCGGCCCGCTTCGAGTACGACGACCTCGCTTC 530
...
Db 185 SerAsnValIleSerSerLeuThrTyrGlyArgArgPheGluTyrAspAspProArgLeu 204
...
QY 531 CTCAGCTGTGGACCTAGCTCAGAGGAGCTGAAGAGGAGCTGGGCTTCTTGGCGCGAG 590
...
Db 205 LeuGlnLeuLeuGluLeuThrGlnAlaLeuLysGlnAspSerGlyPheLeuArgGlu 224
...
QY 591 GTGCTGAATGCTGCCGTCTCTGCATATCCAGCGCTGGTGGGAGGCTCTACGC 650
...
Db 225 AlaLeuAsnSerIleProValLeuLeuHisIleProGlyLeuAlaSerLysValPheSer 244
...
QY 651 TTCCAAAAGGCTTCTTCGACCCAGCTGGATGAGCTGAACCTGAGCAGCAGGATGACCTGG 710
...
Db 245 AlaGlnLysAlaIleThrLeuThrAsnGluMetIleGlnGluHisArgLysThrArg 264
...
QY 711 GACCAGCCAGCCCCCGGAGACCTGACTGAGGCTTCTCTGGCAGAGATGAGAGAGGCC 770
...
Db 265 AspProThrGlnProProArgHisLeuIleAspAlaPheValAspGluIleGlyLysAla 284
...
QY 771 AAGGGGAACCTTGAGAGCAGCTTCAATGATGAGAACCTCGGCATAGTGGTGCCTGACCTG 830
...
Db 285 LysGlyAsnProLysSerPheAsnGluGluAsnLeuLysMetValThrSerAspLeu 304
...
QY 831 TTCTCTGGCGGATGGTGACCACTCGACCTCGACCTGGGCTCTGGGCTCTCTGCTCATGATC 890
...
Db 305 PheIleAlaGlyMetValSerThrSerIleThrLeuThrTrpAlaLeuLeuMetIle 324
...
QY 891 CTACATCCGATGTGCAGCGCGTGTCCAAACAGAGATCGACGAGTATAGGCGAGTGG 950
...
Db 325 LeuHisProAspValGlnArgArgValGlnGlnGluIleAspGluValIleGlyArgGlu 344
...
QY 951 CGCGCAGCAGAGATGGGTGACCGCTCACATGCCCTACACCTGCGGCTGATTCATGAG 1010
...
Db 345 GlnLeuProGluMetGlyAspGlnThrArgMetProPheThrValAlaValIleHisGlu 364
...
QY 1011 GTGACGCTTTGGGACATCGTCCCTGGGTGTGACCCATATGACATCCCGTGCACATC 1070
...
Db 365 ValGlnArgPheGlyAspIleValProLeuGlyValProHisMetThrSerArgAspThr 384
...
QY 1071 GAAGTACAGGCTTCCGATCCCTTAAGGAACGACACTCATCACCACTGTCATCGGTG 1130
...
Db 385 GluValGlnGlyPheLeuIleProLysGlyThrThrLeuIleThrAsnLeuSerSerVal 404
...
QY 1131 CTGAGGATGAGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCCGACACTTCTCTGGAT 1190
...
Db 405 LeuLysAspGluLysValTrpLysProPheArgPheTyrProGluHisPheLeuAsp 424
...
QY 1191 GCCCAGGCGCACTTTGTGAAGCGGAGCGCTTCTCGCTTCTCTCAGCAGGCGCGCTGCA 1250
...
Db 425 AlaGlnGlyHisPheValLysHisGluAlaPheMetProPheSerAlaGlyArgVal 444
...
QY 1251 TGCTTCGGGAGCGCTTCCGCGCATGGAGCTTCTCTCTCTCTCTCTCTCTCTCTCTCTCT 1310
...

Db 445 CysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrCysLeuLeuGln 464
 QY 1311 CACTTCAGTTCTCGTGCCCACTGGACAGACCCCGCCAGCCACATGGTGCTTTGCT 1370
 Db 465 ArgPheSerPheSerValProAlaGlyGlnProArgProSerAspHisGlyValPheThr 484
 QY 1371 TTCTTGTTGACCCCATCCCTATCAGCTTTGTGTGTCGCCCGC 1415
 Db 485 PheLeuLysValProAlaProPheGlnLeuCysValGluProArg 499

RESULT 9

ID_CPDK_MESAU STANDARD; PRT; 500 AA.
 AC Q9QY65;
 DT 16-OCT-2001 (Rel. 40, Created)
 DT 16-OCT-2001 (Rel. 40, Last sequence update)
 DE 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Cytochrome P450 2D20 (EC 1.14.14.-) (CYP1D20).
 GN CYP2D20.
 OS Mesocricetus auratus (Golden hamster).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Cricetinae;
 OC Mesocricetus.
 OX NCBI_TaxID=10036;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Liver;
 RX MEDLINE=20533996; PubMed=11083025;
 RA Oka T., Fukuhara M., Ushio F., Kurose K.;
 RT "Molecular cloning and characterization of three novel cytochrome
 P450 2D isoforms, CYP2D20, CYP2D27, and CYP2D28 in the Syrian hamster
 (Mesocricetus auratus).";
 RT (Mesocricetus auratus).";
 RL Comp. Biochem. Physiol. 127C:143-152(2000).
 CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
 CC oxidized flavoprotein + H(2)O.
 CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum (By
 CC similarity).
 CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 DR EMBL; AB031864; BAA89313.1; -;
 DR HSP; P00179; 1D76.
 DR InterPro; IPR001128; Cytochrome P450.
 DR InterPro; IPR008069; EP450_CYP2D.
 DR Pfam; PF00067; p450; 1.
 DR PRINTS; PR01686; EP450ICYP2D.
 DR PRINTS; PR00385; P450.
 DR PROSITE; PS00086; CYTOCHROME P450; 1.
 KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
 KW Mitochondrion; Endoplasmic reticulum.
 FT METAL 446 446 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
 SQ SEQUENCE 500 AA; 56503 MW; 9948102706C50144 CRC64;

Alignment Scores:

Pred. No.: 6,228-90 Length: 500
 Score: 1653.50 Matches: 324
 Percent Similarity: 73.31% Conservative: 33
 Best Local Similarity: 66.53% Mismatches: 79
 Query Match: 57.29% Indels: 51
 DB: 1 Gaps: 1

US-09-820-788a-1 (1-1537) x CPDK_MESAU (1-500)

QY 108 GTGATAGTGGCCATCTTCTGCTGTGGACCTGATGACCGCGCAACGCTGGGCT 167
 Db 14 IlePheThrAlaLeuPheLeuLeuValAspLeuMetHisArgLysPheTrpArg 33

QY 168 GCACGCTACTCACAGAGCCCTCCACTGCGCCGGGCTGGCAACCTGCTCATGTGCAC 227
 Db 34 AlaArgTyrProGlyProMetLeuLeuLeuLeuLeuLeuLeuLeuLeuValAsp 53
 QY 228 TTCAGAACACACATACCTGCTTCGACAGTTGGCGCGCGCTTCGGGGAGCTGTTACG 287
 Db 54 PheGluAsnMetProTyrSerLeuTyrLysPheGlnGlnArgTyrGlyAspValPheSer 73
 QY 288 CTGACGTGCGCTGGACCGCGGTGCTGCTCAATGGCTTGGCGCGCGTGGCGAGCG 347
 Db 74 LeuGlnMetAlaTrpLysProValValValLeuAsnGlyLeuLysAlaValArgGluVal 93
 QY 348 CTGCTGACCCACGCGGAGGACACCGCGCGCGCTGCGCCATCACCCAGATCTG 407
 Db 94 LeuValAsnCysGlyGluAspThrAlaAspArgProValProIlePheAsnHisLeu 113
 QY 408 GGTGTTGGCGCGCTTCCCAA----- 428
 Db 114 GlyTyrArgProLysSerGlnGlyValValPheAlaArgTyrGlyProGlnTrpArgGlu 133
 QY 428 ----- 428
 Db 134 GlnArgArgPheSerValSerThrMetArgAspPheGlyValGlyLysLysSerLeuGlu 153
 QY 429 -----GGACGC 434
 Db 154 GlnTrpValThrGluGluAlaGlyHisLeuCysAspAlaPheThrGlnGluAlaGlyHis 173
 QY 435 CCTTTGCGCCCAACGGTCTCTGACACAAAGCCGCTGAGCAACGTGATCGCTCCTCACC 494
 Db 174 ProPheAsnProIleThrLeuLeuAsnLysSerValCysAsnValIleSerSerLeuIle 193
 QY 495 TGCGGCGCGCTTCGATGACGACCGCTGCTTCTCAGGCTGCTGGAGCTAGCTCAG 554
 Db 194 TyrAlaHisArgPheAspTyrGluAspProPhePheAsnLysLeuLeuLysThrLeuGln 213
 QY 555 GAGGACTGAAGGAGGAGTGGGCTTTCTGCGCGAGGTGCTGATGCTGCTCCCTGCTC 614
 Db 214 GluSerPheGlyGluAspSerGlyPheIleAlaGluValLeuAsnAlaValProValLeu 233
 QY 615 CTGCATATCCAGCGCTGGCTGGCAAGTCTACGCTTCCAAAGGCTTCTCAGCCAC 674
 Db 234 LeuArgileProGlyLeuProGlyLysAlaPheProLysLeuThrAlaPheMetAspSer 253
 QY 675 CTGATGAGCTGCTAACTGACACAGGATGCTGGGACCCAGCCCGCCCGGAGAC 734
 Db 254 LeuTyrLysMetLeuIleGluHisLysThrThrTrpAspProAlaGlnProProArgGly 273
 QY 735 CTGACTGAGCGCTTCTGCGCAGATGGAGAGCCCAAGGGGACCTTGAGAGAGCTTC 794
 Db 274 LeuThrAspAlaPheLeuAlaGluValGluLysAlaLysGlyArgProGluSerPhe 293
 QY 795 AATGATGAGAACCTGCGCATAGTGGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 854
 Db 294 AsnAspGluAsnLeuHisValValValAlaAspLeuPheIleAlaGlyMetValThr 313
 QY 855 TCGACACAGCTGCGCTGGGCGCTCTGCTCATGATCTTACATCCGAGTGTGCGAGCGGT 914
 Db 314 SerThrThrLeuSerTrpAlaLeuLeuMetIleLeuHisProAspValGlnSerArg 333
 QY 915 GTCCACAGGAGATCGAGCGATGATAGGCGAGTGGCGGACCCAGAGATGGGTGACGAC 974
 Db 334 ValGlnGlnGluIleAspAspValIleGlyGlnValArgArgProGluMetAlaAspGln 353
 QY 975 GCTCACATGCCCTACACCACTGCCGTGATTCATCAGGTGACGCGCTTTGGGACATGTC 1034
 Db 354 AlaArgMetProTyrThrAsnAlaValIleHisGluValGlnArgPheGlyAspIleAla 373
 QY 1035 CCCCTGGGTGACCCATATGACATCCCGTACATCCGAAGTACAGGGCTTCGCCATCCCT 1094
 Db 374 ProValAsnValProHisMetThrSerArgAspValGlnValGlnGlyPheLeuIlePro 393


```
QY 855 TCAGCCAGCGTGGCGCTCTGCTCATGATCCTACATCCGGATGTGCGAGCCGCT 914
Db |||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
314 SerThrThrLeuSerTrpAlaLeuLeuLeuMetIleLeuHisProAspValGlnSerArg 333
QY 915 GTCCACACGAGGATGACGACGCTGATAGGCGAGGTGGCGGACACAGAGATGGTGACACAG 974
Db |||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
334 ValGlnGlnGluLeuAspValIleGlyGlnValArgArgProGluMetAlaAspGln 353
QY 975 GTCATCATGCCCTACACCACTGCCGTGATTCATGAGGTGCGAGCGCTTTGGGGACATCATGTC 1034
Db |||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
354 AlaArgMetProTyrThrAsnAlaValIleHisGluValGlnArgPheGlyAspIleAla 373
QY 1035 CCCCTGGGTGTACCATATGATCCCGTGACATCGAAGTACAGGGCTTCGCGATCCCT 1094
Db |||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
374 ProValAsnIleProHisMetThrSerHisAspValGluValGlnGlyPheLeuIlePro 393
QY 1095 AAGGGAACGACACTCATCACCACTGTCATCGGTGCTGAAGGATGAGGCGCTCTGGGAG 1154
Db |||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
394 LysGlyThrThrLeuIleProAsnLeuSerSerValLeuLysAspGluThrValTrpGlu 413
QY 1155 AAGCCCTTCGGTTCACCCGAAACACTCTCTGGATGCCAGGGCCACTTTGTGAAGCCG 1214
Db |||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
414 LysProLeuHisPheHisProGluHisPheLeuAspAlaGlnGlyArgPheValLysHis 433
QY 1215 GAGGCTCTCTCGCTTCTCAGCAGCGCGCTGTCATCGCTCGGAGGACCCCTGCGCCGC 1274
Db |||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
434 GluAlaPheMetProPheSerAlaGlyArgArgAlaCysLeuGlyGluProLeuAlaArg 453
QY 1275 ATGGAGCTCTCTCTCTTCACTCCCTGCTGACGACCTTCAGCTTCTCGGTGCCCACT 1334
Db |||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
454 MetGluLeuPheLeuPhePheThrCysLeuLeuGlnArgPheSerPheSerValProAla 473
QY 1335 GGACAGCCCCGCGCCAGCCACCATGGTGTCTTCTGCTGTCGACCCCACTCCCTCAT 1394
Db |||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
474 GlyGlnProArgProSerAspGlnGlyIlePheAlaLeuProValThrProThrProTyr 493
QY 1395 GAGCTTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 1415
Db |||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
494 GluLeuCysAlaValValArg 500

RESULT 11
CPD3 RAT
ID CPD3 RAT STANDARD; PRT; 500 AA.
AC P12338; O35106;
DT 01-OCT-1989 (Rel. 12, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D3 (EC 1.14.14.1) (CYP1D3) (P450-DB3) (Debrisoquine
DE 4-hydroxylase).
GN CYP2D3 OR CYP2D-3.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
[1]
RN SEQUENCE FROM N.A.
RP STRAIN=Sprague-Dawley; TISSUE=Liver;
RX MEDLINE=90057430; PubMed=2819073;
RA Matsunaga T., Zanger U.M., Hardwick J.P., Gelboin H.V., Meyer U.A.,
RA Gonzalez F.J.;
RT "The CYP2D gene subfamily: analysis of the molecular basis of the
RT debrisoquine 4-hydroxylase deficiency in DA rats.";
RL Biochemistry 28:7349-7355(1989).
[2]
RN SEQUENCE FROM N.A.
RP STRAIN=Sprague-Dawley; TISSUE=Liver;
RX MEDLINE=90189185; PubMed=2107330;
RA Matsunaga E., Umeno M., Gonzalez F.J.;
RT "The rat P450 IID subfamily: complete sequences of four closely
RT linked genes and evidence that gene conversions maintained sequence
RT homogeneity at the heme-binding region of the cytochrome P450 active
RT site.";
RL J. Mol. Evol. 30:155-169(1990).
```

```
[3]
RN SEQUENCE FROM N.A.
RP STRAIN=Sprague-Dawley; TISSUE=Liver;
RX MEDLINE=98096365; PubMed=9434752;
RA Wan J., Inaoka S., Chow T., Hiroi T., Yabusaki Y., Funae Y.;
RT "Expression of four rat CYP2D isoforms in Saccharomyces cerevisiae
RT and their catalytic specificity.";
RL Arch. Biochem. Biophys. 348:383-390(1997).
CC -!- FUNCTION: Cytochromes P450 are a group of heme-thiolate
CC monooxygenases. In liver microsomes, this enzyme is involved in an
CC NADPH-dependent electron transport pathway. It oxidizes a variety
CC of structurally unrelated compounds, including steroids, fatty
CC acids, and xenobiotics.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- INDUCTION: P450 can be induced to high levels in liver and other
CC tissues by various foreign compounds, including drugs, pesticides,
CC and carcinogens.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
-----
This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
-----
DR EMBL; J02868; AAA1002.1; -.
DR EMBL; X52028; CAA36270.1; -.
DR EMBL; AB008424; BAA23124.1; -.
DR PIR; S16872; S16872.
DR HSSP; P00179; 1DTF6.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME_P450; 1.
DR Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum.
FT METAL 446 446 IRON (HEME AXIAL LIGAND) .
FT CONFLICT 125 126 AP -> CT (IN REF. 1 AND 2) .
SQ SEQUENCE 500 AA; 56641 MW; C54727C2C00F73F6 CRC64;
-----
Alignment Scores:
Pred. No.: 2.94e-89 Length: 500
Score: 1642.00 Matches: 322
Percent Similarity: 73.15% Conservative: 43
Best Local Similarity: 64.53% Mismatches: 80
Query Match: 56.90% Indels: 54
DB: 1 Gaps: 2
US-09-820-788A-1 (1-1537) x CPD3_RAT (1-500)
QY 72 GCAGTATGGCGCTAGAGACACTGTCGCCCTGGCGGTAGTAGTGGCCACTTCTCTGCTC 131
Db |||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
5 AlaGlyThrGly-----LeuTrpProMetAlaIlePheThrValIlePheIleLeu 21
QY 132 CTGTGGACCTGATGACCGCGCGCACCGTGGGTGCGACCTACTACACGAGGCCCTCTG 191
Db |||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
22 LeuValAspLeuMetHisArgGlnArgTrpThrSerArgTyrProProGlyProVal 41
QY 192 CCATGCGCGCGGTGGGCAACCTGTCATCTGGAGTTCACAGAACACACCATATGCTTC 251
Db |||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
42 ProTrpProValLeuGlyAsnLeuLeuValAspLeuLeuValAspLeuLeuValAspLeu 61
QY 252 GACCATGTCGCGCGCTTCCGGGAGCTGTTCAGCTGACCTGCGCTGGCGCGCGCTG 311
Db |||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:
62 TyrLysLeuGlnAsnArgTyrGlyAspValPheSerLeuGlnMetGlyTrpLysProVal 81
QY 312 GTCGTGCTCAATGGCTGGCGCGCTGGCGAGCGCTGGTGGTGGTGGTGGTGGTGGTGGTGGT 371
```


CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- INDUCTION: P450 can be induced to high levels in liver and other
CC tissues by various foreign compounds, including drugs, pesticides,
CC and carcinogens.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement. (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M16555; AAA41055.1; -;
CC DR EMBL; M22330; AAA41049.1; -;
CC DR EMBL; X52027; CAA36269.1; -;
CC DR EMBL; AB008423; BAA23123.1; -;
CC DR PIR; B26822; B26822.
CC DR HSP; P00179; I076.
CC DR InterPro; IPR001128; Cytochrome P450.
CC DR InterPro; IPR008069; EP450_CYP2D.
CC DR Pfam; PF00067; P450; 1.
CC DR PRINTS; PR01686; EP450ICYP2D.
CC DR PRINTS; PR00385; P450.
CC DR PROSITE; PS00086; CYTOCHROME_P450; 1.
CC KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
CC Microsome; Endoplasmic reticulum.
CC FT METAL 446 446 IRON (HEME AXIAL LIGAND).
FT CONFLICT 117 117 N -> D (IN REF. 3).
FT CONFLICT 346 346 R -> L (IN REF. 1 AND 2).
FT CONFLICT 358 358 F -> L (IN REF. 1 AND 2).
FT CONFLICT 407 407 K -> E (IN REF. 1 AND 2).
SQ SEQUENCE 500 AA; 56683 MW; 23B99250734C2215 CRC64;

Alignment Scores:
Pred. No.: 3,86e-89 Length: 500
Score: 1640.00 Matches: 320
Percent Similarity: 73.40% Conservative: 47
Best Local Similarity: 64.00% Mismatches: 79
Query Match: 56.83% Indels: 54
DB: 1 Gaps: 2

US-09-820-788A-1 (1-1537) x CPD2_RAT (1-500)

QY 78 ATGGGGCTA-----GAAGCACTGGTGGCCCTGGCGGTGATAGTGGCCATCTTCCTG 128
DB 1 MetGlyLeuLeuLeuGlyAspAspLeuTrpAlaValValPheThrAlaIlePheLeu 20

QY 129 CTCCTGGTGGACCTGATGACCGCGCCCAACGCTGGGTGACGCTACTACAGGCCCC 188
DB 21 LeuLeuValAspLeuValHisArgHisLysPheTrpThrAlaHisTyrProProGlyPro 40

QY 189 CTGCACTGCGCGGCTGGCACTGCTGCATGATGGATCCCAACACACCACTATGTC 248
DB 41 ValProLeuProGlyLeuGlyAsnLeuLeuGlnValAspPheGluAsnMetProTyrSer 60

QY 249 TTCGACCAAGTTGCGGCGCGCTTTCGGGACAGTGTTCAGCCTGCAGCTGGCGCGCG 308
DB 61 LeuTyrLysLeuArgSerArgTyrGlyAspValPheSerLeuGlnIleAlaTrpLysPro 80

QY 309 GTGGTCGTGCTCAATGGGTGGCGCGCGCTGGCGGAGGCGTGGTGAACCCACGCGAGGAC 368
DB 81 ValValValIleAsnGlyLeuLysAlaValArgGluLeuLeuValThrTyrGlyGluAsp 100

QY 369 ACCGCGGACCGCGCTGTGCGCCATCCACAGATCCTGGGTTTGGCGCGCGGTCCCAA 428
DB 101 ThrAlaAspArgProLeuLeuProIleTyrAsnHisLeuGlyTyrGlyAsnLysSerLys 120

QY 429 GGA----- 431
DB 111

Db 121 GlyValValLeuAlaProTyrGlyProGluTrpArgGluGlnArgArgPheSerValSer 140
QY 431 ----- 431
Db 141 ThrLeuArgAspPheGlyValGlyLysSerLeuGluGlnTrpValThrGluGluAla 160
QY 432 -----CGCCCTTTTGGCCCAACGGTCTC 455
Db 161 GlyHisLeuCysAspThrPheAlaLysGluAlaGluHisProPheAsnProSerIleLeu 180
QY 456 TTGACAAAGCCGTGAGCAGCAGTGCCTCCCTCCTCCTCGCGCGCGCGCTTCGAGTAC 515
Db 181 LeuSerLysAlaValSerAsnValIleAlaSerLeuValTyrAlaArgArgPheGluTyr 200
QY 516 GACGACCTCTCCTCTCCTCAGCTGAGCTAGCTCAGGAGGAGCTGAAGAGGAGTGC 575
Db 201 GluAspProPhePheAsnArgMetLeuLysThrLeuLysGluSerPheGlyGluAspThr 220
QY 576 GGCTTTCTGCGCGAGGTGCTGAATGCTGCCCTCCTCCTCCTCATATCCAGCGCTGGCT 635
Db 221 GlyPheMetAlaGluValLeuAsnAlaIleProIleLeuLeuGlnIleProGlyLeuPro 240
QY 636 GCGAAGGTCTTACGCTTCCAAAGCTTTCCTGACCCAGCTGGATGAGCTCTAACTGAG 695
Db 241 GlyLysValPheProLysLeuAsnSerPheIleAlaLeuValAspLysMetLeuIleGlu 260
QY 696 CACAGGATGACCTGGGACCCAGCCAGCCCGCCGAGACCTGACTGAGGCCCTTCTGGCA 755
Db 261 HisLysLysSerTrpAspProAlaGlnProProArgAspMetThrAspAlaPheLeuAla 280
QY 756 GAGATGGAGAAGCAAGGGCAACCTGAGAGCAGCTTCAATGATGAGAACCTTGGCATA 815
Db 281 GluMetGlnLysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgLeu 300
QY 816 GTGTGGCTGACCTGTCTTCTGCGGGATGTGACCACTGCACGCTGGCTGGCTGGGC 875
Db 301 ValValIleAspLeuPheMetAlaGlyMetValThrThrSerThrLeuSerTrpAla 320
QY 876 CTCCTGCTCATGATCTTACATCCGATGTGCGCGCGGTGTCACAGGAGGAGTGCACAC 935
Db 321 LeuLeuLeuMetIleLeuHisProAspValGlnArgArgValHisGluGluIleAspGlu 340
QY 936 GTGATAGGCGAGGTGCGCGCAGCAGAGATGGGTGACAGGCTCAGCTGCCCTACACCACT 995
Db 341 ValIleGlyGlnValArgArgProGluMetAlaAspGlnAlaArgMetProPheThrAsn 360
QY 996 GCGCTGATTCATAGGTGACGCGCTTTGGGACATCGTCCCTGGGTGTGACCCATATG 1055
Db 361 AlaValIleHisGluValGlnArgPheAlaAspIleValProThrAsnIleProHisMet 380
QY 1056 ACATCCCGTGACATCGAAGTACAGGGCTTCGCGATCCCTAGAGGACGACACATCATCACC 1115
Db 381 ThrSerArgAspIleLysPheGlnGlyPheLeuIleProLysGlyThrLeuIlePro 400
QY 1116 AACCTGTCTCATCGGTGTAAGGATGAGCGCTCTGGGAGAGAGCCCTTCGCTTCCACCCC 1175
Db 401 AsnLeuSerValLeuLysAspGluThrValTrpGluLysProLeuArgPheHisPro 420
QY 1176 GAACACTTCTGGATGCCAGGGCCACTTTGTGAAGCGCGGAGGCTTCTGCTCTTCTCA 1235
Db 421 GluHisPheLeuAspAlaGlnGlyAsnPheValLysHisGluAlaPheMetProPheSer 440
QY 1236 GCAGGCGCGGTGATGCTCGGGAGCCCTGGCGCGCTGGAGCTTCTCTCTTCTTC 1295
Db 441 AlaGlyArgArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePhe 460
QY 1296 ACCTCCCTGCTGACGACTTCTCAGCTTCTCGGTGGCCCACTGACAGACCCCGCCGCCAC 1355
Db 461 ThrCysLeuLeuGlnArgPheSerPheSerValLeuAlaGlyArgProArgProSerThr 480
QY 1356 CATGGTGTCTTCTTCTTCTGTCACCCCATCCCTATGAGCTTTGTGTGTGTCGCCCGC 1415
Db 481 HisGlyValTyrAlaLeuProValThrProGlnProTyrGlnLeuCysAlaValAlaArg 500

RESULT 13
CPDI_RAT
ID CPDI_RAT STANDARD; PRT; 504 AA.
AC P10633; O35105;
DT 01-JUL-1989 (Rel. 11, Created)
DT 01-JUL-1989 (Rel. 11, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D1 (EC 1.14.14.1) (CYP2D1) (P450-CMF1A)
DE (P450-UT-7) (Debrisoquine 4-hydroxylase).
GN CYP2D1 OR CYP2D-1.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
-OX NCBI_TaxId=10116;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=87217961; PubMed=3582092;
RA Gonzalez F.J., Matsunaga T., Negata K., Meyer U.A., Nebert D.W.,
RA Pastewka J., Kozak C.A., Gillette J., Gelboin H.V., Hardwick J.P.;
RT "Debrisoquine 4-hydroxylase: characterization of a new P450 gene
RT subfamily, regulation, chromosomal mapping, and molecular analysis of
RT the DA rat polymorphism.";
RL DNA 6:149-161(1987).
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=90057430; PubMed=2819073;
RA Matsunaga T., Zanger U.M., Hardwick J.P., Gelboin H.V., Meyer U.A.,
RA Gonzalez F.J.;
RT "The CYP2D gene subfamily: analysis of the molecular basis of the
RT debrisoquine 4-hydroxylase deficiency in DA rats.";
RL Biochemistry 28:7349-7355(1989).
RN [3]
RP SEQUENCE FROM N.A.
RX MEDLINE=89050091; PubMed=3190674;
RA Ishida N., Tawaragi Y., Inuoka C., Sugita O., Kubota I.,
RA Nakazato H., Noguchi T., Sassa S.;
RT "Four species of cDNAs for cytochrome P450 isozymes immunorelated to
RT P450C-M/F encode for members of P450IID subfamily, increasing the
RT number of members within the subfamily.";
RL Biochem. Biophys. Res. Commun. 156:681-688(1988).
RN [4]
RP SEQUENCE FROM N.A.
RC STRAIN=Sprague-Dawley; TISSUE=Liver;
RX MEDLINE=98096365; PubMed=9434752;
RA Wan J., Imaoka S., Chow T., Hiroi T., Yabusaki Y., Funae Y.;
RT "Expression of four rat CYP2D isoforms in Saccharomyces cerevisiae
RT and their catalytic specificity.";
RL Arch. Biochem. Biophys. 348:383-390(1997).
CC -!- FUNCTION: Cytochromes P450 are a group of heme-thiolate
CC monooxygenases. In liver microsomes, this enzyme is involved in an
CC NADPH-dependent electron transport pathway. It oxidizes a variety
CC of structurally unrelated compounds, including steroids, fatty
CC acids, and xenobiotics.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- INDUCTION: P450 can be induced to high levels in liver and other
CC tissues by various foreign compounds, including drugs, pesticides,
CC and carcinogens.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M16654; AAA41054.1; -.
CC EMBL; J02867; AAA41001.1; -.
CC EMBL; M22328; AAA41043.1; -.

DR EMBL; AB008422; BAA23122.1; -.
DR PIR; A26822; A26822.
DR HSSP; P00179; 1DT6.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; P450_1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum.
FT METAL 446 446 IRON (HEME AXIAL LIGAND).
FT CONFLICT 123 124 IL -> VF (IN REF. 3).
FT CONFLICT 173 173 Q -> R (IN REF. 3).
FT CONFLICT 380 380 F -> I (IN REF. 3 AND 4).
SQ SEQUENCE 504 AA; 57175 MW; 2F9AD87B4EF327DC CRC64;

Alignment Scores:
Pred. No.: 6.6e-88 Length: 504
Score: 1619.00 Matches: 320
Percent Similarity: 71.71% Conservative: 40
Best Local Similarity: 63.75% Mismatches: 88
Query Match: 56.10% Indels: 54
DB: 1 Gaps: 2

US-09-820-788A-1 (1-1537) x CPDI_RAT (1-504)
QY 75 GGTATGGGGCTAGAGCACTGGTGGCCCTGGTGGCCATCTCTCTGCTCCTG 134
DB 6 GlyThrGlyLeuTrpSer-----MetAlaIlePheThrValIlePheLeuLeu 22
QY 135 GTGACCTGTATGCACCGCGCGCAACGCTGGCGTGCACCTACTCACCAGGCCCCGTGCA 194
DB 23 ValAspLeuMetHisArgArgHisArgTrpThrSerArgTyrProProGlyProValPro 42
QY 195 CTGCGCGGGCTGGGCAACCTCTGTCATGTGAGTTCACAGACACACACCATCTGTCGAC 254
DB 43 TrpProValLeuGlyAsnLeuLeuGlnValAspLeuSerAsnMetProTyrSerLeuTyr 62
QY 255 CAGTGTGGCGCGCTTCGGGAGCGTGTTCAGCTGCAGCTGGCTGGCGCGCGGTGTC 314
DB 63 LysLeuGlnHisArgTyrGlyAspValPheSerLeuGlnLysGlyTrpLysProMetVal 82
QY 315 GTGCTCAATGGCTGGCGCGCGCTGGCGAGCGCTGGTGCACCGCGAGACACCGCC 374
DB 83 IleValAsnArgLeuLysAlaValGlnValLeuValThrHisGlyGluAspThrAla 102
QY 375 GACCGCGCGCTGTGCCCATCACCAGATCTGGTGGTGGTGGCGCGGTTCCTCCAA----- 428
DB 103 AspArgProValProIlePheLysCysLeuGlyValLysProArgSerGlnGlyVal 122
QY 428 ----- 428
DB 123 IleLeuAlaSerTyrGlyProGluTrpArgGluGlnArgArgPheSerValSerThrLeu 142
QY 428 ----- 428
DB 143 ArgThrPheGlyMetGlyLysSerLeuGluGluTrpValThrLysGluAlaGlyHis 162
QY 429 -----GGAGCGCCCTTTTCGCCCAACCGTCTCTTGGAC 461
DB 163 LeuCysAspAlaPheThrAlaGlnAlaGlyGlnSerIleAsnProLysAlaMetLeuAsn 182
QY 462 AAAGCGGTGACACAGTGTATCGCTCCCTACCTGCGGGCGCGCTTCGAGTACGACGAC 521
DB 183 LysAlaLeuCysAsnValIleAlaSerLeuIlePheAlaArgArgPheGluTyrGluAsp 202
QY 522 CCTGCTCTCAGCTGTGACCTAGCTCAGAGGGGACGTGAAGGAGGAGTTCGGGCTTT 581
DB 203 ProTyrLeuIleArgMetValLysLeuValGluGluSerLeuThrGluValSerGlyPhe 222
QY 582 CTGCGCGAGGTGCTGAATGCTGCTCCCGCTCTCTCGCATATCCAGCGCGCTGGTGGCAAG 641
DB 582 CTGCGCGAGGTGCTGAATGCTGCTCCCGCTCTCTCGCATATCCAGCGCGCTGGTGGCAAG 641

Score: 1616.50 Matches: 319
Percent Similarity: 72.12% Conservative: 38
Best Local Similarity: 64.44% Mismatches: 87
Query Match: 56.01% Indels: 51
DB: 1 Gaps: 1

US-09-820-788a-1 (1-1537) x CPD5_RAT (1-504)

```
QY 93 CTGGTCCCTGCGCGTGTAGTGGCCATCTTCTGCTGCTGACCTGATGCAACCGG 152
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 9 LeuTriProMetAlaIlePheThrValIlePheIleLeuValAspLeuMetHisArg 28

QY 153 CGCCAAAGCTGGGCTGCAAGCTACTCACCAGGCGCCCTGCCACTGCGCGGCTGGGCAAC 212
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 29 HisGlnArgTrpThrSerArgTrpProGlyProValProTrpProValLeuGlyAsn 48

QY 213 CTGCTGATGTGACTTCCAGAACACACACATCTGCTTCGACAGTTGGCGCGCTTC 272
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 49 LeuLeuGlnValAspProSerAsnMetProTyrSerMetTyrIleLeuGlnHisArgTyr 68

QY 273 GGGGAGTGTTCAGCTGCGCTGAGCGCGCTGCTGCTGCTCAATGGCTGGCG 332
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 69 GlyAspValPheSerLeuGlnMetGlyTyrLysProMetValIleValAsnArgLeuLys 88

QY 333 GCGTGGCGGCGCTGTGTACCCAGCGGAGGACACCGCGACCGCGCTGTGCGCC 392
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 89 AlaValGlnGluValLeuValThrHisGlyGluAspThrAlaAspArgProValPro 108

QY 393 ATCACCAGATCTGCTGGTTTGGCGCGCTTCCCAA----- 428
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 109 IlePheLysCysLeuGlyValLysProArgSerGlnGlyValValPheAlaSerTyrGly 128

QY 428 ----- 428
Db 129 ProGluTrpArgGluGlnArgArgPheSerValSerThrLeuArgThrPheGlyMetGly 148

QY 428 ----- 428
Db 149 LysLysSerLeuGluGluTrpValThrLysGluAlaGlyHisLeuCysAspAlaPheThr 168

QY 429 -----GGAGCGCCCTTCGCCCCAACGGTCTCTGGACAAAGCCGTGAGCAACGG 479
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 169 AlaGlnAsnGlyArgSerIleAsnProLysAlaMetLeuAsnLysAlaLeuCysAsnVal 188

QY 480 ATCGCTCCCTCACCTCGCGCGCGCTTCGAGTACGACGACCTCGCTCTCTCAAGCTG 539
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 189 IleAlaSerLeuIlePheAlaArgPheGluTyrGluAspProTyrLeuIleArgMet 208

QY 540 CTGGACCTAGCTCAGGAGGACTGAAGGAGAGTGGGCTTCTTGGCGAGGTGTGAAT 599
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 209 LeuThrLeuValGluSerLeuIleGluValSerGlyPheIleProGluValLeuAsn 228

QY 600 GCTGTCCCGCTCTCTCTCATATCCAGCGCTGGCTGGCAAGTCTCTACGCTTCCAAAG 659
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 229 ThrPheProAlaLeuLeuArgIleProGlyLeuAlaAspLysValPheGlnGlyLys 248

QY 660 GCTTCTCTACCCAGCTGAGTGTCTAATGAGCAGAGTACCTGGACCCAGCC 719
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 249 ThrPheMetAlaPheLeuAspAsnLeuLeuAlaGluAsnArgThrThrTrpAspProAla 268

QY 720 GAGCCCCCGGAGACTGAGCTGAGCGCTTCCTGGCAGAGATGGAGAGCCAAAGGGGAC 779
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 269 GlnProProArgAsnLeuThrAspAlaPheLeuAlaGluValGluLysAlaLysGlyAsn 288

QY 780 CTTGAGAGAGCTTCAATGATGAGACCTGCGCATAGTGGTGGCTGCTGCTCTCTGCC 839
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 289 ProGluSerSerPheAsnAspGluAsnLeuArgMetValValValAspLeuPheThrAla 308

QY 840 GGGAGTGTACCACTTCGACCACTGCGCTGGCGCTGGCGCTCTCTCATGATCTTACATCG 899
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 309 GlyMetValThrAlaThrThrLeuThrTrpAlaLeuLeuLeuMetIleLeuThrPro 328

QY 900 GATGTGACGCGCGTGTCCACAGGAGATCGACGAGTATAGGCGAGGTGCGGCGACCA 959
```

```
Db 329 AspValGlnArgArgValGlnGlnGluIleAspGluValIleGlyGlnValArgCysPro 348
QY 960 GAGATGGGTGACGAGCTCACATGCCCTACACCTGCGGTGATTCTCATGAGGTGCGAGCC 1019
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 349 GluMetThrAspGlnAlaHisMetProTyrThrAsnAlaValIleHisGluValGlnArg 368

QY 1020 TTTGGGAGCATGTCCTCCCTGGGTGTGACCCATATGACATCCCGTGCATCGAAGTACAG 1079
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 369 PheGlyAspIleAlaProLeuAsnLeuProArgIleThrSerCysAspIleGluValGln 388

QY 1080 GCTTCCCGCATCCTTAAGGAAGACACTCATCACCACCTGTCTCATCGTGTGAAGGAT 1139
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 389 AspPheValIleProLysGlyThrThrLeuIleIleAsnLeuSerValLeuLysAsp 408

QY 1140 GAGGCGCTCTGGGAGAGCCCTTCGCTTCCACCCCGAAGACACTTCTGATGATGCCAGGCG 1199
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 409 GluThrValTrpGluLysProLeuArgPheHisProGluHisPheLeuAspAlaGlnGly 428

QY 1200 CACTTTGTGAAGCCGAGGCTTCTGCTCTTCTCAGCAGGCGCGCTGCATCGCTCGGG 1259
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 429 AsnPheValLysHisGluAlaPheMetProPheSerAlaGlyArgAlaCysLeuGly 448

QY 1260 GAGCCCTGCGCGCATGAGCTTCTCTCTTCTTCTCCTCCTGCTGCTGAGCACTTTCAGC 1319
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 449 GluProLeuAlaArgMetGluLeuPheLeuPheThrCysLeuLeuGlnHisPheSer 468

QY 1320 TTTCTGGTGGCCACTGGACAGCCCGCGCCAGCCAGCCAGCTGTCTTCTTCTTCTTCTG 1379
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 469 PheSerValProAlaGlyGlnProArgProSerThrLeuGlyAsnPheAlaIleSerVal 488

QY 1380 ACCCATCCCTTATGAGCTTGTGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 1424
   |||:|||||:|||||:|||||:|||||:|||||:|||||:|||||:|||||
Db 489 AlaProLeuProTyrGlnLeuCysAlaAlaValArgGluGlnGly 503

RESULT 15
CPDG_CAVPO STANDARD; PRT; 500 AA.
AC Q64403; O54866;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D16 (EC 1.14.14.1) (CYP2D16).
GN CYP2D16.
OS Cavia porcellus (Guinea pig).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Hystricognathi; Caviidae; Cavia.
OX NCBI_TaxID=10141;
RN [1]
RP SEQUENCE FROM N.A., AND SEQUENCE OF 1-38.
RC STRAIN=13; TISSUE=Adrenal cortex;
RX MEDLINE=95251703; PubMed=7733969;
RA Jiang Q., Voigt J.M., Colby H.D.;
RT "Molecular cloning and sequencing of a guinea pig cytochrome P4502D
  (CYP2D16): high level expression in adrenal microsomes.";
RL Biochem. Biophys. Res. Commun. 209:1149-1156(1995).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=Hartley white; TISSUE=adrenal gland;
RA Sun Y., Voigt J.M., Pierce J.C., Colby H.D.;
RT "The gene sequence of a xenobiotic metabolism-related cytochrome P450
  isozyme (CYP2D16) in guinea pig adrenal gland.";
RL Submitted (AUG-1997) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: Cytochromes P450 are a group of heme-thiolate
CC monooxygenases. In liver microsomes, this enzyme is involved in an
CC NADPH-dependent electron transport pathway. It oxidizes a variety
CC of structurally unrelated compounds, including steroids, fatty
CC acids, and xenobiotics.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- TISSUE SPECIFICITY: EXPRESSED AT HIGH LEVELS IN THE INNER ZONE OF
CC THE ADRENAL CORTEX.
```

CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; U21486; AAB68479.1; -.
DR EMBL; AF020345; AAB94568.1; -.
DR PIR; JC4153; JC4153.
DR HSP; P00179; 1D76.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; p450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum.
FT DOMAIN 81 84 POLY-VAL.
FT METAL 446 446 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
FT CONFLICT 123 123 I -> V (IN REF. 2).
FT CONFLICT 127 127 Y -> N (IN REF. 2).
FT CONFLICT 148 148 G -> R (IN REF. 2).
SQ SEQUENCE 500 AA; 55800 MW; 2429247E49BF6B24 CRC64;

Alignment Scores:

Pred. No.:	1,94e-87	Length:	500
Score:	1611.00	Matches:	317
Percent Similarity:	72.20%	Conservative:	44
Best Local Similarity:	63.40%	Mismatches:	85
Query Match:	55.82%	Indels:	54
DB:	1	Gaps:	2

US-09-820-788A-1 (1-1537) x CPDQ_CAVPO (1-500)

QY	78	ATGGGGCTA-----GAGCACTGTGCGCCCTGCGCGGTGATGTGGCATCTTCTGTG	128
DB	1	MetGlyLeuLeuThrGlyAspAlaLeuPheSerValAlaValAlaValAlaLeuPheLeu	20
QY	129	CTCTGTGGGACCTGATGACCGCGGCAACGCTGGGTGACGCTACTCACCAGGCCCC	188
DB	21	LeuLeuValAspLeuMetHisArgArgGlnArgTrpAlaAlaArgTrpProGlyPro	40
QY	189	CTGGCACTGCCGGCTGGCAACCTGCTGTGATGTGACTTCCAGAACACACCATCTGC	248
DB	41	ValProValProGlyLeuGlyAsnLeuLeuGlnValAspPheGluAsnMetAlaTrpSer	60
QY	249	TTGACACAGTTGGCGCGCGCTTGGGACAGTGTTCAGCTGCGAGCTGGCGCTGAGCGCG	308
DB	61	CysAspLysLeuArgHisGlnPheGlyAspValPheSerLeuGlnPheValTrpThrPro	80
QY	309	GTGTGTGCTCAATGGGTGGCGCGCTGGCGAGGCGCTGGTGCACCCACCGCGAGGAC	368
DB	81	ValValValValAsnGlyLeuLeuAlaValArgGluAlaLeuValAsnSerThrAsp	100
QY	369	ACCGCGGACCGCGCGCTGTGCCATCACCAGATCTTGGGTGGCGCGCTTCCCAA	428
DB	101	ThrSerAspArgProThrLeuProThrAsnAlaLeuLeuGlyPheGlyProLysAlaGln	120
QY	428	-----	428
DB	121	GlyValIleGlyAlaTrpTyrGlyProAlaTrpArgGluGlnArgPheSerValSer	140
QY	428	-----	428
DB	141	SerLeuArgAsnPheGlyLeuGlyLysSerLeuGluGlnTrpValThrGluAla	160
QY	429	-----GGACGCCCTTTTCGCCCAACGGTCTC	455

Search completed: February 25, 2004, 02:37:39
Job time : 34.7487 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: February 25, 2004, 03:04:11 ; Search time 59 Seconds
(without alignments)
2135.868 Million cell updates/sec

Title: US-09-820-788a-2

Perfect score: 2330

Sequence: 1 MGLEALVPLAIVAIALLLV.....HGVFAFLVTPSPYELCAVPR 446

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 1586107 seqs, 282547505 residues

Total number of hits satisfying chosen parameters: 1586107

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : A_Geneseq_29Jan04:*

- 1: Geneseqp1980s:*
- 2: Geneseqp1990s:*
- 3: Geneseqp2000s:*
- 4: Geneseqp2001s:*
- 5: Geneseqp2002s:*
- 6: Geneseqp2003as:*
- 7: Geneseqp2003bs:*
- 8: Geneseqp2004s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	2330	100.0	446	AAO26404	Human drp
2	2290.5	98.3	497	ADB25834	Human CYP
3	2289.5	98.3	497	AAR72376	Human aux
4	2289.5	98.3	497	AAR93183	Human CYP
5	2288.5	98.2	497	ADB25832	Human CYP
6	2286.5	98.1	497	ABU09598	Human CYP
7	2286.5	98.1	497	ADB25831	Human CYP
8	2285.5	98.1	497	AAR72377	Human aux
9	2285.5	98.1	497	AAR93184	Human CYP
10	2285.5	98.1	497	AAR81462	Human drp
11	2285.5	98.1	497	ABU09563	Human CYP
12	2285.5	98.1	497	AAO26405	Human CYP
13	2285.5	98.1	497	ADB25833	Human CYP
14	2282.5	98.0	497	ABU09593	Human CYP
15	2282.5	98.0	497	ABR82026	Human CYP
16	2282.5	98.0	497	ADB60558	Human CYP
17	2281.5	97.9	497	AAR72375	Human aux
18	2281.5	97.9	497	AAR93182	Human CYP
19	2279.5	97.8	497	AAW44869	Cytochrome
20	2277.5	97.7	497	AAR72378	Human aux
21	2277.5	97.7	497	AAR93185	Human CYP
22	2263	97.1	502	ABU09595	Human CYP
23	2259	97.0	502	ABU09594	Human CYP
24	2093.5	89.8	497	AAE05171	Human drp
25	1708.5	73.3	500	ADB60556	Rat Prote

26	1614.5	69.3	504	6	AAO22644	Protein o
27	1011	43.4	195	2	AAW44870	Cytochrom
28	1008	43.3	436	4	AAU68579	Human nov
29	890	38.2	184	4	AAQ74361	Human col
30	857.5	36.8	497	5	AAU91321	Killifish
31	833.5	35.8	502	7	ADD46231	Human Pro
32	828.5	35.6	502	7	ADD46229	Rat Prote
33	821.5	35.3	497	5	AAU91322	Killifish
34	801	34.4	494	7	ADE63662	Rat Prote
35	797.5	34.2	490	2	AAR72370	Human aux
36	797.5	34.2	490	2	AAR89861	Cytochrom
37	797.5	34.2	490	2	AAR93177	Human CYP
38	797.5	34.2	490	2	AAR81463	Human drp
39	797.5	34.2	490	2	AAW64072	Human CYP
40	797.5	34.2	490	6	ABU96553	Human CYP
41	796.5	34.2	490	6	ABU09971	Human CYP
42	795.5	34.1	490	2	AAR72372	Human aux
43	795.5	34.1	490	2	AAR93179	Human CYP
44	794.5	34.1	490	2	AAR72371	Human aux
45	794.5	34.1	490	2	AAR93178	Human CYP

ALIGNMENTS

RESULT 1
AAO26404
ID AAO26404 standard; protein; 446 AA.
XX AC AAO26404;
XX AC
XX 30-JAN-2003 (first entry)
XX DT
XX DE Human drug-metabolising enzyme protein.
XX KW Cytostatic; antiparkinsonian; gene therapy; cancer; Parkinson's disease;
XX KW human drug-metabolising protein; enzyme.
XX OS Homo sapiens.
XX PN WO200279233-A1.
XX PD 10-OCT-2002.
XX PF 01-APR-2002; 2002WO-US009738.
XX PR 30-MAR-2001; 2001US-00820788.
XX PA (PEKE) PE CORP NY.
XX PA (DFRA/) DI FRANCESCO V.
XX PA (BEAS/) BEASLEY E M.
XX PI Shao W, Yan C;
XX DR WPI, 2003-040649/03.
XX DR N-PSDB; AAL53565, AAL53566.
XX PT New human drug-metabolizing proteins and nucleic acids related to the
XX PT Cytochrome P450 IID drug-metabolizing enzyme subfamily, useful for
XX PT treating a condition mediated by a human enzyme protein e.g., cancer.
XX PS Claim 1; Fig 2A; 72pp; English.
XX CC The invention relates to a novel isolated polypeptide comprising a 446-
XX CC amino acid sequence or its allelic variant, orthologue or fragment. The
XX CC allelic variant or orthologue is encoded by a nucleic acid that
XX CC hybridises under stringent conditions to the opposite strand of the
XX CC nucleic acid comprising a sequence having 1537 or 10278 bp. The fragment
XX CC comprises at least 10 contiguous amino acids of the 446-amino acid
XX CC sequence. The polypeptide is useful for preparing a pharmaceutical
XX CC composition for treating a disease or condition mediated by a human
XX CC enzyme protein, e.g. cancer or Parkinson's disease. This sequence
XX CC represents the human drug-metabolising protein of the invention

```

XX SQ Sequence 446 AA;
Query Match 100.0%; Score 2330; DB 6; Length 446;
Best Local Similarity 100.0%; Pred. No. 1.3e-223;
Matches 446; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 MGLEALVPLAVIAVIFLLLLVDMHRRORWAARYSPGLPLGLGNLLHVDQNTPYCFDQ 60
DB 1 MGLEALVPLAVIAVIFLLLLVDMHRRORWAARYSPGLPLGLGNLLHVDQNTPYCFDQ 60
QY 61 LRRREFGVFSQLAWTPVVLNGLAAVREALVTHGEDTADRPVPVITQILGFGPRSQGRP 120
DB 61 LRRREFGVFSQLAWTPVVLNGLAAVREALVTHGEDTADRPVPVITQILGFGPRSQGRP 120
QY 121 FRPGLLDKAVSNVIASLTGRRFFYDDPRFLRLDLAQEGIKESGFLREVNLAVPVLL 180
DB 121 FRPGLLDKAVSNVIASLTGRRFFYDDPRFLRLDLAQEGIKESGFLREVNLAVPVLL 180
QY 181 HIPALAGKVLRFQKAFLTQDDELLTEHRMTWDPAPPRDLTEAFLAEMEKAKGNPSSFN 240
DB 181 HIPALAGKVLRFQKAFLTQDDELLTEHRMTWDPAPPRDLTEAFLAEMEKAKGNPSSFN 240
QY 241 DENLRIVVADLFSAGMVTSTTTLAWGLLMLILHPDVQRRVQOEIDDDVIGQVRRPEMGDQA 300
DB 241 DENLRIVVADLFSAGMVTSTTTLAWGLLMLILHPDVQRRVQOEIDDDVIGQVRRPEMGDQA 300
QY 301 HMPYTTAVIHEVQRFQDIPVPLGVTHMTSRDIEVQGFRIKPGTTLITNLSVLKDEAVWEK 360
DB 301 HMPYTTAVIHEVQRFQDIPVPLGVTHMTSRDIEVQGFRIKPGTTLITNLSVLKDEAVWEK 360
QY 361 PRRFPEHFLDAQGHFVPEAFPLPSAGRRACLGELPLARMELFLFTSLLOHFSFVPTG 420
DB 361 PRRFPEHFLDAQGHFVPEAFPLPSAGRRACLGELPLARMELFLFTSLLOHFSFVPTG 420
QY 421 QRPSSHGGVFAFLVTPSPYELCAVPR 446
DB 421 QRPSSHGGVFAFLVTPSPYELCAVPR 446

RESULT 2
ADB25834
ID ADB25834 standard; protein; 497 AA.
XX AC ADB25834;
XX DT 20-NOV-2003 (first entry)
XX DE Human CYP2D6-related protein #4.
XX KW human; mutant CYP2D6 gene; drug analysis; drug testing.
XX OS Homo sapiens.
XX PN WO2003050282-A1.
XX PD 19-JUN-2003.
XX PF 05-DEC-2002; 2002WO-JP012748.
XX PR 06-DEC-2001; 2001JP-00372548.
XX PA (TSUR ) TSUMURA & CO.
XX PI Taniyama M, Ogawa K, Tsuchiya N, Hibino T;
XX DR WPI: 2003-505401/47.
XX DR N-PSDB; ADB25779.
XX PT Genetic polymorphisms of CYP2D6 gene in human population for analysis of
XX PT drug effect on individual patients and testing of new drugs.
XX PS Claim 8; Page 50-54; 75pp; Japanese.

XX CC The invention comprises mutant forms of the human CYP2D6 gene, containing
CC one or more of the following mutations G128A, C1858T, T2874C and C2875T.
CC The mutant human CYP2D6 genes of the invention are useful for analysing
CC the effect of drugs on individual patients and testing of new drugs. The
CC present amino acid sequence represents a human protein of the invention.
XX SQ Sequence 497 AA;
Query Match 98.3%; Score 2290.5; DB 6; Length 497;
Best Local Similarity 89.5%; Pred. No. 1.3e-219;
Matches 445; Conservative 1; Mismatches 0; Indels 51; Gaps 1;

QY 1 MGLEALVPLAVIAVIFLLLLVDMHRRORWAARYSPGLPLGLGNLLHVDQNTPYCFDQ 60
DB 1 MGLEALVPLAVIAVIFLLLLVDMHRRORWAARYSPGLPLGLGNLLHVDQNTPYCFDQ 60
QY 61 LRRREFGVFSQLAWTPVVLNGLAAVREALVTHGEDTADRPVPVITQILGFGPRSQ--- 117
DB 61 LRRREFGVFSQLAWTPVVLNGLAAVREALVTHGEDTADRPVPVITQILGFGPRSQGVF 120
QY 118 -----GRFRPNGLLIDK 129
DB 121 LARYCPAWREQRFVSSTLRNLGLGKKSLEQWVTEEAACCAAFANHSRPRFRPNGLLIDK 180
QY 130 AVSNVIASLTGRRFFYDDPRFLRLDLAQEGIKESGFLREVNLAVPVLLHIIPALAGKV 189
DB 181 AVSNVIASLTGRRFFYDDPRFLRLDLAQEGIKESGFLREVNLAVPVLLHIIPALAGKV 240
QY 190 LRFQKAFITQDDELLTEHRMTWDPAPPRDLTEAFLAEMEKAKGNPSSFNENLRIVVA 249
DB 241 LRFQKAFITQDDELLTEHRMTWDPAPPRDLTEAFLAEMEKAKGNPSSFNENLRIVVA 300
QY 250 DLFSAGMVTSTTTLAWGLLMLILHPDVQRRVQOEIDDDVIGQVRRPEMGDQAHMPTTAVI 309
DB 301 DLFSAGMVTSTTTLAWGLLMLILHPDVQRRVQOEIDDDVIGQVRRPEMGDQAHMPTTAVI 360
QY 310 HEVQRFQDIPVPLGVTHMTSRDIEVQGFRIKPGTTLITNLSVLKDEAVWEKPFHFPEHF 369
DB 361 HEVQRFQDIPVPLGVTHMTSRDIEVQGFRIKPGTTLITNLSVLKDEAVWEKPFHFPEHF 420
QY 370 LDAQGHFVKPEAFPLPSAGRRACLGELPLARMELFLFTSLLOHFSFVSFVPTQPRPSHHGV 429
DB 421 LDAQGHFVKPEAFPLPSAGRRACLGELPLARMELFLFTSLLOHFSFVSFVPTQPRPSHHGV 480
QY 430 FAFLVTPSPYELCAVPR 446
DB 481 FAFLVTPSPYELCAVPR 497

RESULT 3
AAR72376
ID AAR72376 standard; protein; 497 AA.
XX AC AAR72376;
XX DT 25-MAR-2003 (revised)
XX DT 15-NOV-1995 (first entry)
XX DE Human auxillary cytochrome P450 species 2D6 variant 1 protein.
XX KW Human cytochrome P450; amplification; PCR; primer; expression vector;
XX KW yeast NADPH-P450 reductase; safety; fusion protein; metabolite;
XX KW carcinogen; mutagen; liver metabolism.
XX OS Homo sapiens.
XX FH Key Location/Qualifiers
XX FT Misc-difference 296
XX FT /note= "Cys to Arg variation"
XX PN EP644267-A2.

```

PD 22-MAR-1995.
XX
PF 20-JUL-1994; 94EP-00111298.
XX
PR 20-JUL-1993; 93JP-00201120.
PR 21-JUL-1993; 93JP-00180246.
PR 30-JUL-1993; 93JP-00208279.
XX
PA (SUMO) SUMITOMO CHEM CO LTD.
XX
PI Hayaashi K, Sakaki T, Yabusaki Y, Komai K, Kaneko H, Nakatsuka I;
XX
XX WPI; 1995-116991/16.
DR N-PSDB; AAQ87730.
XX
XX Evaluation of safety of a chemical cpd. - using recombinant yeast
PT expressing human cytochrome p450 and a yeast NADPH-P450 reductase.
XX
XX Example; Page 87-89; 124pp; English.
XX
CC The amino acid sequence of the human auxillary cytochrome P450 species
CC 2D6 variant 1. This variant contains a variation at residue 296: Cys to
CC Arg, caused by a variation at base 886: T to C in the DNA sequence. The
CC CDNA was amplified by PCR using the primers AAQ87763-6. The product was
CC cloned into the yeast expression vectors pAAH5N or pAHRH to produce the
CC vectors p2D6 variant 1 for the expression of the cytochrome P450 alone or
CC p2D6R variant 1 for co-expression with the yeast NADPH-P450 reductase.
CC The vectors are used in a method for evaluating the safety of a chemical
CC compound by reacting the chemical compound with recombinantly produced
CC human cytochrome P450 molecular species 1A2 (AAQ87714), 2C9 (AAQ87715),
CC 2E1 (AAQ87716), or 3A4 (AAQ87718), or their auxillary species and
CC variants (AAQ87718-32), and yeast NADPH-P450 reductase, either as a fused
CC protein or in cell extracts, and analysing the resulting metabolite to
CC assess the safety of the chemical compound. The method is useful for
CC determining whether the chemical compound, or its metabolite, will be
CC converted into a carcinogenic or mutagenic form through metabolism in the
CC liver. (Updated on 25-MAR-2003 to correct PN field.)
XX
XX Sequence 497 AA;
SQ

Query Match 98.3%; Score 2289.5; DB 2; Length 497;
Best Local Similarity 89.5%; Pred. No. 1.7e-219;
Matches 445; Conservative 0; Mismatches 1; Indels 51; Gaps 1;
QY 1 MGLEALVPLAVIVAIFLLVLMHRRQWAAARYSGPLPLGGLNLLHVDFTQNTPCYCFDQ 60
DB 1 MGLEALVPLAVIVAIFLLVLMHRRQWAAARYSGPLPLGGLNLLHVDFTQNTPCYCFDQ 60
QY 61 LRRRFGDVFSLQAWTPVVVNLGLAAVREALVTHGEDTADRPVPIITQLGFGPRSQ--- 117
DB 61 LRRRFGDVFSLQAWTPVVVNLGLAAVREALVTHGEDTADRPVPIITQLGFGPRSQGVF 120
QY 118 -----GRPRPNGLLDK 129
DB 121 LARYGPAMREQRFSVSTLRNLGLGKSLDEQWVTEAACLCFAAFNHSGRPPRPNGLLDK 180
QY 130 AVSNVIASITCGRRREYDDPRFLRLDLDAQGLKEESGFLRVLNAPVLLHHPALAGKV 189
DB 181 AVSNVIASITCGRRREYDDPRFLRLDLDAQGLKEESGFLRVLNAPVLLHHPALAGKV 240
QY 190 LRFQKAFITQLDELTEHMTWDPAPPRDLTEAFLAEMEKAKGNPSSFNENLRIVVA 249
DB 241 LRFQKAFITQLDELTEHMTWDPAPPRDLTEAFLAEMEKAKGNPSSFNENLRIVVA 300
QY 250 DLFSAGMVTSTTLAWGLLMLILHDPVQRVQOEIDDDVIGVRRPEMGDQAHMPYTTAVI 309
DB 301 DLFSAGMVTSTTLAWGLLMLILHDPVQRVQOEIDDDVIGVRRPEMGDQAHMPYTTAVI 360
QY 310 HEVQRFGDVLPIGVTHMTSRDIEVQGFRI PKGTTLITNLSSVLKDEAVWEKPFRRPHPEHF 369
DB 361 HEVQRFGDVLPIGVTHMTSRDIEVQGFRI PKGTTLITNLSSVLKDEAVWEKPFRRPHPEHF 420
QY 370 LDAQGHFVKPEAFLPFSAGRRACLGELPLARMELFLFTSLQHFSSVPTGQPRPSHHGV 429

DB 421 LDAQGHFVKPEAFLPFSAGRRACLGELPLARMELFLFTSLQHFSSVPTGQPRPSHHGV 480
QY 430 FAFLVTPSPYELCAVPR 446
DB 481 FAFLVTPSPYELCAVPR 497
RESULT 4
ID AAR93183 standard; protein; 497 AA.
XX
AC AAR93183;
XX
DT 11-OCT-1996 (first entry)
XX
DE Human cytochrome P450 molecular species 2D6 variant #2 protein.
XX
KW Human cytochrome P450; amplified; PCR; polymerase chain reaction; primer;
KW liver; yeast; expression vector; NADPH-P450 reductase; ADH gene promoter;
KW evaluation; safety; fusion protein; metabolite; detoxification;
XX carcinogenic.
OS Homo sapiens.
XX
PN JP08056695-A.
XX
PD 05-MAR-1996.
XX
PF 15-JUL-1994; 94JP-00164184.
XX
PR 20-JUL-1993; 93JP-00201120.
PR 30-JUL-1993; 93JP-00208279.
PR 17-JUN-1994; 94JP-00136053.
XX
PA (SUMO) SUMITOMO CHEM CO LTD.
XX
XX WPI; 1996-182311/19.
DR N-PSDB; AAT28396.
XX
PT Novel method for the evaluation of the safety of a cpd. - using a human
PT cytochrome P450 and yeast NADPH reductase to determine whether the
PT analyte cpd. is detoxified or metabolised to a carcinogen.
XX
XX Example 1; Page 51-53; 74pp; Japanese.
XX
CC This is the amino acid sequence of the human cytochrome P450 molecular
CC species 2D6 variant #2 protein. The corresp. gene was amplified from a
CC human liver derived cDNA library as 2 fragments of 0.4 and 0.9 kb using
CC primers AAT26953-6. The prod. was cloned into the yeast expression vector
CC pAAH5N to generate plasmid p2D6 for prodn. of the cytochrome only or into
CC the vector pAHRH to generate the plasmid p2D6R for co-prodn. with the
CC yeast NADPH-P450 reductase. The sequence is placed under control of the
CC yeast ADH gene promoter and terminator. The vectors are used in a method
CC for evaluating the safety of a cpd. by reacting the test cpd. with
CC recombinantly produced human cytochrome P450 mol. species 1A2 (AAT28380),
CC 2C9 (AAT28381), 2E1 (AAT28382), 3A4 (AAT28383) or their variants
CC (AAT28384-98) together with yeast NADPH-P450 reductase (either as a fused
CC protein or as a cell extract) and analysing the resultant metabolite. The
CC cpd. is considered "safe" if it is detoxified or not rendered
CC carcinogenic or "unsafe" if it is not detoxified or is metabolised to a
CC carcinogenic cpd
XX
SQ Sequence 497 AA;
Query Match 98.3%; Score 2289.5; DB 2; Length 497;
Best Local Similarity 89.5%; Pred. No. 1.7e-219;
Matches 445; Conservative 0; Mismatches 1; Indels 51; Gaps 1;
QY 1 MGLEALVPLAVIVAIFLLVLMHRRQWAAARYSGPLPLGGLNLLHVDFTQNTPCYCFDQ 60
DB 1 MGLEALVPLAVIVAIFLLVLMHRRQWAAARYSGPLPLGGLNLLHVDFTQNTPCYCFDQ 60

XX Milos PM, Webb SM;
XX WPI; 2003-373769/36.
DR N-PSDB; ACA61331.
XX New cytochrome P450 2D6 gene variants and polypeptides, useful for
PT determining if a subject has or is at risk of developing a drug
PT sensitivity condition or disorder that is associated with an aberrant
PT CYP2D6 activity.
XX Claim 4; Fig 7; 88pp; English.
XX The invention relates to an isolated nucleic acid comprising a cytochrome
CC P450 2D6 gene variant, e.g. G5799C or C5816AT (referring to the genomic
CC sequence or the same variant nucleotide in the corresponding cDNA
CC sequences). Also included are probes, primers (allele specific
CC oligonucleotides) and arrays used to detect and/or amplify the CYP2D6
CC gene polymorphic regions, the variant polypeptides, antibodies which are
CC capable of distinguishing between the variant and wild-type polypeptides,
CC determining whether a subject has a genetic deficiency for metabolising a
CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6 and
CC determining whether an individual is susceptible to being a poor
CC metaboliser of drugs. The DNA probe is useful for hybridising to a
CC variant form of the CYP2D6 gene. The primer is useful for amplifying the
CC C5816TA allelic variant. The allele specific nucleotide is useful for the
CC detection of the C5816TA allelic variant. The methods are useful for
CC determining whether a subject has a genetic deficiency for metabolising a
CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6, and
CC determining if an individual is susceptible to being a poor metaboliser
CC of drugs. The nucleic acids are useful as probes or primers for
CC determining whether a subject has a genetic deficiency for metabolising
CC drugs that are substrates of P450 CYP2D6. The methods are useful for
CC determining if a subject has or is at risk of developing a drug
CC sensitivity condition or disorder that is associated with an aberrant
CC CYP2D6 activity, e.g. an aberrant level of a CYP2D6 protein or an
CC aberrant CYP2D6 bioactivity. The methods are also useful in selecting the
CC appropriate drugs or determining the course of treatment to administer to
CC a subject to treat cardiovascular or psychiatric disorders, or for
CC treating a subject with a drug sensitivity or disorder associated with a
CC specific allelic variant of a polymorphic region of the CYP2D6 gene. The
CC antibodies are useful for monitoring CYP2D6 protein levels in an
CC individual for determining whether a subject has a disease or conditions
CC associated with an aberrant CYP2D6 protein level. The gene is located on
CC human chromosome 22. The present sequence is the G5799C variant CYP2D6
CC protein
XX
SQ Sequence 497 AA;
Query Match 98.1%; Score 2286.5; DB 6; Length 497;
Best Local Similarity 89.5%; Pred. No. 3.3e-219;
Matches 444; Conservative 1; Mismatches 1; Indels 51; Gaps 1;
QY 1 MGLEALVPLAVIVAIFLLVLDLMHRRQWAAARYSGPLPLGGLNLLHVDFTQNTYCFDQ 60
DB 1 MGLEALVPLAVIVAIFLLVLDLMHRRQWAAARYSGPLPLGGLNLLHVDFTQNTYCFDQ 60
QY 61 LRRFGDVFSLOLAWTPVVLNGLAAVREALVTHGEDTADRPVPVITQILGFPQRSQ--- 117
DB 61 LRRFGDVFSLOLAWTPVVLNGLAAVREALVTHGEDTADRPVPVITQILGFPQRSQGVF 120
QY 118 -----GRPPRPNGLLDDK 129
DB 121 LARYGPAWREQRFFSVTLRLNLGLKGSLEQWVTEAACLCFAFNSGRPPRPNGLLDDK 180
QY 130 AVSNVIASITCGRRFYDDPRFLRLDLDAQEGKESGFLREVNAVVPVLLHIPALAGKV 189
DB 181 AVSNVIASITCGRRFYDDPRFLRLDLDAQEGKESGFLREVNAVVPVLLHIPALAGKV 240
QY 190 LRFQKAFITQDLELLETHRWTDPAQPPDLTFAFLAEMEKAKGNPESFNDENIRIYVA 249
DB 241 LRFQKAFITQDLELLETHRWTDPAQPPDLTFAFLAEMEKAKGNPESFNDENIRIYVA 300

QY 250 DLFSAGMVTSTTTLAWGLLLMLHPDVQRRVQOEIDDDVIGQVRRPEMGDQAHPYTTAVI 309
DB 301 DLFSAGMVTSTTTLAWGLLLMLHPDVQRRVQOEIDDDVIGQVRRPEMGDQAHPYTTAVI 360
QY 310 HEVQRFPGDIVPLGVTHMTSRDIEVQGFRI PKGTTLITNLSSVLKDEAVWEKPRFRHPEHF 369
DB 361 HEVQRFPGDIVPLGVTHMTSRDIEVQGFRI PKGTTLITNLSSVLKDEAVWEKPRFRHPEHF 420
QY 370 LDAQGHFVKPEAFLPFSAGRRACLEPLARMELFFFTSLQHFSSVPTGQPRSHGV 429
DB 421 LDAQGHFVKPEAFLPFSAGRRACLEPLARMELFFFTSLQHFSSVPTGQPRSHGV 480
QY 430 FAFLVTPSPYELCAVPR 446
DB 481 FAFLVTPSPYELCAVPR 497
RESULT 7
ADB25831
ID ADB25831 standard; protein; 497 AA.
AC ADB25831;
XX 20-NOV-2003 (first entry)
DT Human CYP2D6-related protein #1.
DE human; mutant CYP2D6 gene; drug analysis; drug testing.
KW Homo sapiens.
OS WO2003050282-A1.
PN 19-JUN-2003.
PD 05-DEC-2002; 2002WO-JP012748.
PF 06-DEC-2001; 2001JP-00372548.
PR (TSUR) TSUMURA & CO.
PA Taniyama M, Ogawa K, Tsuchiya N, Hibino T;
PI WPI; 2003-505401/47.
DR N-PSDB; ADB25776.
XX Genetic polymorphisms of CYP2D6 gene in human population for analysis of
PT drug effect on individual patients and testing of new drugs.
XX Claim 8; Page 39-42; 75pp; Japanese.
CC The invention comprises mutant forms of the human CYP2D6 gene, containing
CC one or more of the following mutations G125A, C1858T, T2874C and C2875T.
CC The mutant human CYP2D6 genes of the invention are useful for analysing
CC the effect of drugs on individual patients and testing of new drugs. The
CC present amino acid sequence represents a human protein of the invention.
XX
SQ Sequence 497 AA;
Query Match 98.1%; Score 2286.5; DB 6; Length 497;
Best Local Similarity 89.5%; Pred. No. 3.3e-219;
Matches 445; Conservative 0; Mismatches 1; Indels 51; Gaps 1;
QY 1 MGLEALVPLAVIVAIFLLVLDLMHRRQWAAARYSGPLPLGGLNLLHVDFTQNTYCFDQ 60
DB 1 MGLEALVPLAVIVAIFLLVLDLMHRRQWAAARYSGPLPLGGLNLLHVDFTQNTYCFDQ 60
QY 61 LRRFGDVFSLOLAWTPVVLNGLAAVREALVTHGEDTADRPVPVITQILGFPQRSQ--- 117
DB 61 LRRFGDVFSLOLAWTPVVLNGLAAVREALVTHGEDTADRPVPVITQILGFPQRSQGVF 120
QY 118 -----GRPPRPNGLLDDK 129

Db 121 LARYGPAWREQRFRFVSTLRNLGLKKSLEQWVTEEAACLCFAAFHNSGRPFPPNGLDCK 180
Qy 130 AVSNVIASITCGRRFEYDDPRFLRLDLAQEGKKEESGFLREVLNAVPLVLIHIALAGKV 189
Db 181 AVSNVIASITCGRRFEYDDPRFLRLDLAQEGKKEESGFLREVLNAVPLVLIHIALAGKV 240
Qy 190 LRFQKAFITQLDELTEHRTWDPAPPRDLTEAFLAEMERAKGNPSSFNENLRIVVA 249
Db 241 LRFQKAFITQLDELTEHRTWDPAPPRDLTEAFLAEMERAKGNPSSFNENLRIVVA 300
Qy 250 DLFSAGMVTSTTLAWGLLMLHPDVQRRVQOEIDDVIGVQRRPEMGDQAHMPYTTAVI 309
Db 301 DLFSAGMVTSTTLAWGLLMLHPDVQRRVQOEIDDVIGVQRRPEMGDQAHMPYTTAVI 360
Qy 310 HEVQRFQDIVPLGVTHMTSRDIEVQGFRI PKGTTLITNLSSVLKDEAVWEKPFPHPEHF 369
Db 361 HEVQRFQDIVPLGVTHMTSRDIEVQGFRI PKGTTLITNLSSVLKDEAVWEKPFPHPEHF 420
Qy 370 LDAQGHFVKPEAFLPFSAGRACLGELPLARMELFFFTSLLOHFSFSVPTGQPRPSHHGV 429
Db 421 LDAQGHFVKPEAFLPFSAGRACLGELPLARMELFFFTSLLOHFSFSVPTGQPRPSHHGV 480
Qy 430 FAFLVTPSPYELCAVPR 446
Db 481 FAFLVTPSPYELCAVPR 497
RESULT 8
ID AAR72377
AC AAR72377
XX AAR72377
DT 25-MAR-2003 (revised)
DT 15-NOV-1995 (first entry)
XX
DE Human auxillary cytochrome P450 species 2D6 variant 2 protein.
XX
KW Human cytochrome P450; amplification; PCR; primer; expression vector;
KW yeast NADPH-P450 reductase; safety; fusion protein; metabolite;
KW carcinogen; mutagen; liver metabolism.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT Misc-difference 296 /note= "Cys to Arg variation"
FT Misc-difference 486 /note= "Thr to Ser variation"
XX
FN EP644267-A2.
XX
PD 22-MAR-1995.
XX
PF 20-JUL-1994; 94EP-00111298.
XX
PR 20-JUL-1993; 93JP-00201120.
PR 21-JUL-1993; 93JP-00180246.
PR 30-JUL-1993; 93JP-00208279.
XX
PA (SUMO) SUMITOMO CHEM CO LTD.
XX
PI Hayashi K, Sakaki T, Yabusaki Y, Komai K, Kaneko H, Nakatsuka I;
XX WPI; 1995-116991/16.
DR N-PSDB; AAQ87731.
XX
PT Evaluation of safety of a chemical cpd. - using recombinant yeast
PT expressing human cytochrome p450 and a yeast NADPH-P450 reductase.
XX
PS Example; Page 91-93; 124pp; English.
XX
CC The amino acid sequence of the human auxillary cytochrome P450 species

CC 2D6 variant 2. This variant contains variations at residues 296: Cys to Arg and 486: Thr to Ser, caused by variations at bases 886: T to C and 1457: C to G in the DNA sequence. The cDNA was amplified by PCR using the primers AAQ87763-6. The product was cloned into the yeast expression vectors pAAHNS or pAHR to produce the vectors p2D6 variant 2 for co-expression of the cytochrome P450 alone or p2D6R variant 2 for co-expression with the yeast NADPH-P450 reductase. The vectors are used in a method for evaluating the safety of a chemical compound by reacting the chemical compound with recombinantly produced human cytochrome P450 molecular species 1A2 (AAQ87714), 2C9 (AAQ87715), 2E1 (AAQ87716), or 3A4 (AAQ87718), or their auxiliary species and variants (AAQ87718-32), and yeast NADPH-P450 reductase, either as a fused protein or in cell extracts, and analyzing the resulting metabolite to assess the safety of the chemical compound. The method is useful for determining whether the chemical compound, or its metabolite, will be converted into a carcinogenic or mutagenic form through metabolism in the liver. (Updated on 25-MAR-2003 to correct PN field.)
XX
SQ Sequence 497 AA;
Query Match 98.1%; Score 2285.5; DB 2; Length 497;
Best Local Similarity 89.3%; Pred. No. 4.2e-219;
Matches 444; Conservative 1; Mismatches 1; Indels 51; Gaps 1;
Qy 1 MGLEALVPLAVIVAI FLLLLVDLMHRRQRWAARYSPGPLPLGLGNLHVDVQNTPYCFDQ 60
Db 1 MGLEALVPLAVIVAI FLLLLVDLMHRRQRWAARYSPGPLPLGLGNLHVDVQNTPYCFDQ 60
Qy 61 LRRFGDVFSIQLAWTVPVVLNGLAAVREALVTHGEDTADRPVPVITQILGFGPRSQ--- 117
Db 61 LRRFGDVFSIQLAWTVPVVLNGLAAVREALVTHGEDTADRPVPVITQILGFGPRSQGVF 120
Qy 118 -----GRFPRNGLLDK 129
Db 121 LARYGPAWREQRFRFVSTLRNLGLKKSLEQWVTEEAACLCFAAFHNSGRPFPPNGLDCK 180
Qy 130 AVSNVIASITCGRRFEYDDPRFLRLDLAQEGKKEESGFLREVLNAVPLVLIHIALAGKV 189
Db 181 AVSNVIASITCGRRFEYDDPRFLRLDLAQEGKKEESGFLREVLNAVPLVLIHIALAGKV 240
Qy 190 LRFQKAFITQLDELTEHRTWDPAPPRDLTEAFLAEMERAKGNPSSFNENLRIVVA 249
Db 241 LRFQKAFITQLDELTEHRTWDPAPPRDLTEAFLAEMERAKGNPSSFNENLRIVVA 300
Qy 250 DLFSAGMVTSTTLAWGLLMLHPDVQRRVQOEIDDVIGVQRRPEMGDQAHMPYTTAVI 309
Db 301 DLFSAGMVTSTTLAWGLLMLHPDVQRRVQOEIDDVIGVQRRPEMGDQAHMPYTTAVI 360
Qy 310 HEVQRFQDIVPLGVTHMTSRDIEVQGFRI PKGTTLITNLSSVLKDEAVWEKPFPHPEHF 369
Db 361 HEVQRFQDIVPLGVTHMTSRDIEVQGFRI PKGTTLITNLSSVLKDEAVWEKPFPHPEHF 420
Qy 370 LDAQGHFVKPEAFLPFSAGRACLGELPLARMELFFFTSLLOHFSFSVPTGQPRPSHHGV 429
Db 421 LDAQGHFVKPEAFLPFSAGRACLGELPLARMELFFFTSLLOHFSFSVPTGQPRPSHHGV 480
Qy 430 FAFLVTPSPYELCAVPR 446
Db 481 FAFLVTPSPYELCAVPR 497
RESULT 9
ID AAR93184
AC AAR93184
XX AAR93184;
DT 11-OCT-1996 (first entry)
XX
DE Human cytochrome P450 molecular species 2D6 variant #3 protein.
KW Human cytochrome P450; amplified; PCR; polymerase chain reaction; primer;
KW liver; yeast; expression vector; NADPH-P450 reductase; ADH gene promoter;

KW evaluation; safety; fusion protein; metabolite; detoxification;
 KW carcinogenic.
 XX
 OS Homo sapiens.
 XX
 PN JP08056695-A.
 XX
 XX
 PD 05-MAR-1996:
 XX
 XX 15-JUL-1994; 94JP-00164184.
 XX
 XX 20-JUL-1993; 93JP-00201120.
 PR 30-JUL-1993; 93JP-00208279.
 PR 17-JUN-1994; 94JP-00136053.
 XX
 XX (SUMO) SUMITOMO CHEM CO LTD.
 PA
 DR WPI; 1996-182311/19.
 DR N-PSDB; AAT28397.
 XX
 XX
 PT Novel method for the evaluation of the safety of a cpd. - using a human
 PT cytochrome P450 and yeast NADPH reductase to determine whether the
 PT analyte cpd. is detoxified or metabolised to a carcinogen.
 XX
 XX Example 1; Page 53-55; 74pp; Japanese.
 PS
 XX This is the amino acid sequence of the human cytochrome P450 molecular
 CC species 2D6 variant #3 protein. The corresp. gene was amplified from a
 CC human liver derived cDNA library as 2 fragments of 0.4 and 0.9 kb using
 CC primers AAT26953-6. The prod. was cloned into the yeast expression vector
 CC pAAH5N to generate plasmid p2D6 for prodn. of the cytochrome only or into
 CC the vector pAHR to generate the plasmid p2D6R for co-prodn. with the
 CC yeast NADPH-P450 reductase. The sequence is placed under control of the
 CC yeast ADH gene promoter and terminator. The vectors are used in a method
 CC for evaluating the safety of a cpd. by reacting the test cpd. with
 CC recombinantly produced human cytochrome P450 mol. species 1A2 (AAT28380),
 CC 2C9 (AAT28381), 2E1 (AAT28382), 3A4 (AAT28383) or their variants
 CC (AAT28384-98) together with yeast NADPH-P450 reductase (either as a fused
 CC protein or as a cell extract) and analysing the resultant metabolite. The
 CC cpd. is considered "safe" if it is detoxified or not rendered
 CC carcinogenic or "unsafe" if it is not detoxified or is metabolised to a
 CC carcinogenic cpd
 XX
 SQ Sequence 497 AA;
 Query Match 98.1%; Score 2285.5; DB 2; Length 497;
 Best Local Similarity 89.3%; Pred. No. 4.2e-219;
 Matches 444; Conservative 1; Mismatches 1; Indels 51; Gaps 1;
 QY 1 MGLEALVPLAVIIVAIIFLLVLDLMHRRQWRWAARYSPGFLPLPGLGNLLHVDVFQNTPYCFDQ 60
 DB 1 MGLEALVPLAVIIVAIIFLLVLDLMHRRQWRWAARYSPGFLPLPGLGNLLHVDVFQNTPYCFDQ 60
 QY 61 LRRRFGDVFSQLAWTPVVVNLGLAAVREALVTHGEDTADRPVPITQILGFGRPSQ--- 117
 DB 61 LRRRFGDVFSQLAWTPVVVNLGLAAVREALVTHGEDTADRPVPITQILGFGRPSQGVF 120
 QY 118 -----GRPRFNGLLDK 129
 DB 121 LARYGPAWRQRFRFVSITLRLNLGLKKSLEQWTEAACLCRAFNHSRPRFNGLLDK 180
 QY 130 AVSNVIASTCGRRFYDDPRFLRLDLDAQEGKESGFLREVNLNAVPPVLLHHPALAGKV 189
 DB 181 AVSNVIASTCGRRFYDDPRFLRLDLDAQEGKESGFLREVNLNAVPPVLLHHPALAGKV 240
 QY 190 LRFQKAFQLQDDELLTEHRMTWDPAPPRDLTFAFLAEKAKGNPSSFNENLRIVA 249
 DB 241 LRFQKAFQLQDDELLTEHRMTWDPAPPRDLTFAFLAEKAKGNPSSFNENLRIVA 300
 QY 250 DLFSAGMVTSTTTLAWGLLMLHPDVQRRVQOEDDVIQVRRPMPGQAHMPYTTAVI 309
 DB 301 DLFSAGMVTSTTTLAWGLLMLHPDVQRRVQOEDDVIQVRRPMPGQAHMPYTTAVI 360

310 HEVQRFGDIVPLGVTHMTSRDIEVQGFRIIPKGTTLITNLSSVLKDBAVWEKPRFPHPEHF 369
 361 HEVQRFGDIVPLGVTHMTSRDIEVQGFRIIPKGTTLITNLSSVLKDBAVWEKPRFPHPEHF 420
 370 LDAQGHFVKPEAPLPSAGRRACIGELPAMELFLPFTSLLOHFSFSVPTGQPRPSHHGV 429
 421 LDAQGHFVKPEAPLPSAGRRACIGELPAMELFLPFTSLLOHFSFSVPTGQPRPSHHGV 480
 430 FAFLVTPSPYELCAVPR 446
 481 FAFLVSPSPYELCAVPR 497

RESULT 10
 AAR81462
 ID AAR81462 standard; protein; 497 AA.
 XX
 AC AAR81462;
 XX
 DT 01-AUG-1996 (first entry)
 XX
 DE Human derived cytochrome P4502D6.
 XX
 KW Human derived cytochrome; P4502D6; commercial cDNA library; yeast;
 KW transfection; recombinant production; expression vector; mammal;
 KW immunisation; sensitisation; antibody; determination; detection;
 KW non-cross reactive.
 XX
 OS Homo sapiens.
 OS
 PN JP08027199-A.
 XX
 PD 30-JAN-1996.
 XX
 XX 15-JUL-1994; 94JP-00164186.
 XX
 PR 15-JUL-1994; 94JP-00164186.
 XX
 PA (SUMO) SUMITOMO CHEM CO LTD.
 XX
 XX WPI; 1996-136340/14.
 DR N-PSDB; AAT17388.
 XX
 PT Antibody recognising human derived cytochrome P4502D6 - allows specific
 PT detection of cytochrome P450 species in humans.
 XX
 PS Example 1; Page 11-13; 13pp; Japanese.
 XX
 CC The present sequence is the human derived cytochrome (HDC) P4502D6, which
 CC was obtd. from a commercial cDNA library. Yeast were transfected with an
 CC expression vector contg. the HDC cDNA, cultured and then disrupted to
 CC give a microsomal fraction. The HDC was purified from the fraction, and
 CC used to immunise and sensitise a mammal. Blood was drawn from the mammal,
 CC and an anti-HDC antibody isolated. The antibody obtd. recognises HDC
 CC P4502D6, partic. at a serum dilution rate of 1:10000, and is
 CC substantially without cross reaction to other HDC P450 spp
 XX
 SQ Sequence 497 AA;
 Query Match 98.1%; Score 2285.5; DB 2; Length 497;
 Best Local Similarity 89.3%; Pred. No. 4.2e-219;
 Matches 444; Conservative 1; Mismatches 1; Indels 51; Gaps 1;
 QY 1 MGLEALVPLAVIIVAIIFLLVLDLMHRRQWRWAARYSPGFLPLPGLGNLLHVDVFQNTPYCFDQ 60
 DB 1 MGLEALVPLAVIIVAIIFLLVLDLMHRRQWRWAARYSPGFLPLPGLGNLLHVDVFQNTPYCFDQ 60
 QY 61 LRRRFGDVFSQLAWTPVVVNLGLAAVREALVTHGEDTADRPVPITQILGFGRPSQ--- 117
 DB 61 LRRRFGDVFSQLAWTPVVVNLGLAAVREALVTHGEDTADRPVPITQILGFGRPSQGVF 120
 QY 118 -----GRPRFNGLLDK 129

Db 121 LARYGPAMQRRFSVSTLNLGLKSLQWVTEAAACLCAPANHSRPRPNGLLDK 180
Qy 130 AVSNVIALTCGRREYDDPRFLRLDLAQEGLKEESGFLREVLNAVPLLIH PALAGKV 189
Db 181 AVSNVIALTCGRREYDDPRFLRLDLAQEGLKEESGFLREVLNAVPLLIH PALAGKV 240
Qy 190 LRFQAFITQDLDELTEHRMTWDPAPPRDLTEAF LAEMEKAKGNPSSFNENLRI VVA 249
Db 241 LRFQAFITQDLDELTEHRMTWDPAPPRDLTEAF LAEMEKAKGNPSSFNENLRI VVA 300
Qy 250 DLFSAGMVTSTTLAWGLLMLHDPVQRRVQOEIDDVIGVRRPEMGDQAHMPYTTAVI 309
Db 301 DLFSAGMVTSTTLAWGLLMLHDPVQRRVQOEIDDVIGVRRPEMGDQAHMPYTTAVI 360
Qy 310 HEVQFQGDIVPLGVTHMTSRDIEVQGFRI PKGTTILTNLSSVLKDEAWKPRFRPHPHF 369
Db 361 HEVQFQGDIVPLGVTHMTSRDIEVQGFRI PKGTTILTNLSSVLKDEAWKPRFRPHPHF 420
Qy 370 LDAQGHFVKPEAFPLFSAGRRACLGELPLARWELFLFTSLLOHFSFSVPTGQPRPSHGV 429
Db 421 LDAQGHFVKPEAFPLFSAGRRACLGELPLARWELFLFTSLLOHFSFSVPTGQPRPSHGV 480
Qy 430 FAFLVTPSPYELCAVPR 446
Db 481 FAFLVTPSPYELCAVPR 497
RESULT 11
ID ABB09563
XX ABB09563 standard; protein; 497 AA.
AC ABB09563;
XX
XX
XX 02-SEP-2002 (first entry)
DE Human CYP2D6 protein, SEQ ID NO:3.
XX
XX Human; cytochrome P450; subfamily IID polypeptide 6; CYP2D6; enzyme;
KW chromosome 22q13.1; drug metabolism; detoxification; mono-oxygenase;
KW antiarrhythmic; arrhythmia; adrenoceptor antagonist; hypertension;
KW tricyclic antidepressant; procainamide; drug induced lupus syndrome;
KW environmentally linked disease; Parkinson's disease; haplotyping;
KW genotyping; haplotype; genetic variant; single nucleotide polymorphism;
KW SNP; drug screening; drug discovery.
XX
OS Homo sapiens.
XX
XX
XX Key Location/Qualifiers
FT Misc-difference 7
FT /note= "Encoded by RTG in the sequence given in ABO72215.
FT This residue is Met (encoded by ATG) rather than Val
FT (encoded by GTG) in a polymorphic variant"
FT
FT Misc-difference 11
FT /note= "Encoded by RTG in the sequence given in ABO72215.
FT This residue is Met (encoded by ATG) rather than Val
FT (encoded by GTG) in a polymorphic variant"
FT
FT Misc-difference 34
FT /note= "Encoded by YCA in the sequence given in ABO72215.
FT This residue is Ser (encoded by TCA) rather than Pro
FT (encoded by CCA) in a polymorphic variant"
FT
FT Misc-difference 88
FT /note= "Encoded by CRC in the sequence given in ABO72215.
FT This residue is His (encoded by CAC) rather than Arg
FT (encoded by CGC) in a polymorphic variant"
FT
FT Misc-difference 91
FT /note= "Encoded by MTG in the sequence given in ABO72215.
FT This residue is Met (encoded by ATG) rather than Leu
FT (encoded by CTG) in a polymorphic variant"
FT
FT Misc-difference 94
FT /note= "Encoded by CRC in the sequence given in ABO72215.
FT This residue is Arg (encoded by CGC) rather than His
FT (encoded by CAC) in a polymorphic variant"
FT
FT Misc-difference 98

FT /note= "Encoded by ACS in the sequence given in ABO72215"
FT Misc-difference 104
FT /note= "Encoded by GYG in the sequence given in ABO72215.
FT This residue is Ala (encoded by GCG) rather than Val
FT (encoded by GTG) in a polymorphic variant"
FT
FT Misc-difference 107
FT /note= "Encoded by WYC in the sequence given in ABO72215.
FT This residue is Phe (encoded by TTC) rather than Thr
FT (encoded by ACC) in a polymorphic variant"
FT
FT Misc-difference 109
FT /note= "Encoded by RTC in the sequence given in ABO72215.
FT This residue is Val (encoded by GTC) rather than Ile
FT (encoded by ATC) in a polymorphic variant"
FT
FT Misc-difference 111
FT /note= "Encoded by GGY in the sequence given in ABO72215"
FT
FT Misc-difference 112
FT /note= "Encoded by TTY in the sequence given in ABO72215"
FT
FT Misc-difference 120
FT /note= "Encoded by WTC in the sequence given in ABO72215.
FT This residue is Ile (encoded by ATC) rather than Phe
FT (encoded by TTC) in a polymorphic variant"
FT
FT Misc-difference 128
FT /note= "Encoded by YGG in the sequence given in ABO72215.
FT This residue is Arg (encoded by CGG) rather than Trp
FT (encoded by TGG) in a polymorphic variant"
FT
FT Misc-difference 136
FT /note= "Encoded by RTS in the sequence given in ABO72215.
FT This residue is Ile (encoded by ATC) rather than Val
FT (encoded by GTG) in a polymorphic variant"
FT
FT Misc-difference 151
FT /note= "Encoded by SAG in the sequence given in ABO72215.
FT This residue is Glu (encoded by GAG) rather than Gln
FT (encoded by CAG) in a polymorphic variant"
FT
FT Misc-difference 155
FT /note= "Encoded by RAG in the sequence given in ABO72215.
FT This residue is Lys (encoded by AAG) rather than Glu
FT (encoded by GAG) in a polymorphic variant"
FT
FT Misc-difference 232
FT /note= "Encoded by CAY in the sequence given in ABO72215"
FT
FT Misc-difference 338
FT /note= "Encoded by RTG in the sequence given in ABO72215.
FT This residue is Met (encoded by ATG) rather than Val
FT (encoded by GTG) in a polymorphic variant"
FT
FT Misc-difference 344
FT /note= "Encoded by YCA in the sequence given in ABO72215.
FT This is a stop codon (TGA) rather than Arg (encoded by
FT CGA) in a polymorphic variant"
FT
FT Misc-difference 361
FT /note= "Encoded by CAY in the sequence given in ABO72215"
FT
FT Misc-difference 486
FT /note= "Encoded by ASC in the sequence given in ABO72215.
FT This residue is Thr (encoded by ACC) rather than Ser
FT (encoded by AGC) in a polymorphic variant"
FT
FT Misc-difference 497
FT /note= "Encoded by YGC in the sequence given in ABO72215.
FT This residue is Cys (encoded by TGC) rather than Arg
FT (encoded by CGC) in a polymorphic variant"
FT
XX WO200238589-A2.
XX 16-MAY-2002.
XX
XX 09-NOV-2001; 2001WO-US047396.
XX
XX 09-NOV-2000; 2000US-0247943P.
XX (GENA-) GENAISSANCE PHARM INC.
XX
XX Anastasio AE, Chew A, Choi JY, Denton RR, Nandabalan K;
XX Petersen N, Rounds E;
XX WPI; 2002-519292/55.
XX
XX N-PSDB; ABO72215, ABO72216, ABO72364.

XX Novel genetic variants of Cytochrome P450, Subfamily IID, Polypeptide 6
PT isogenes, useful for improving efficiency and reliability in drug
PT development for treating hypertension, arrhythmias and Parkinson's
PT disease.

XX Claim 29; Fig 3; 158pp; English.

XX The invention relates to a method for haplotyping the cytochrome P450,
CC subfamily IID, polypeptide 6 (CYP2D6) gene (AB072215, AB072364) of an
CC individual, and also describes 29 novel polymorphic sites within the
CC human CYP2D6 gene. The CYP2D6 gene is located on chromosome 22q13.1 and
CC contains 9 exons which encode a 497 amino acid protein (AB09563). CYP2D6
CC is a mono-oxygenase involved in the detoxification of many drugs and
CC environmental chemicals. It plays a role in the metabolism of drugs such
CC as antiarrhythmics, adrenoceptor antagonists and tricyclic
CC antidepressants, and is also involved in the formation of a metabolite
CC linked to the drug-induced lupus syndrome observed with procainamide.
CC Variations in CYP2D6 activity or expression may also influence an
CC individual's susceptibility to environmentally-linked diseases, and it
CC has been demonstrated that CYP2D6 activity may be involved in the
CC pathogenesis of Parkinson's disease, with individuals with a less active
CC form of the enzyme tending to have an earlier onset of this condition.
CC CYP2D6 nucleic acid sequences are useful in studying the expression and
CC function of CYP2D6, and in expressing CYP2D6 protein for use in screening
CC drugs for the treatment of CYP2D6-associated diseases (e.g.,
CC hypertension, atrial and ventricular arrhythmias, Parkinson's disease,
CC and drug-induced lupus syndrome) or which are metabolised by CYP2D6.
CC CYP2D6 nucleic acids and proteins are also useful in studying the effect
CC of polymorphisms on the biological activity of CYP2D6. Polymorphisms in
CC the target region may be determined by the use of allele-specific
CC oligonucleotides (ASOs; AB072217-AB072303) as probes and primers, and by
CC primer extension using oligonucleotide primers comprising sequences
CC AB072304-AB072361. The method of the invention is useful for haplotyping
CC the CYP2D6 gene in populations and in individuals, enabling decisions to
CC be made as to whether CYP2D6 is a likely therapeutic target for a disease
CC of interest, and to control for genetically-based bias in the design of
CC drugs that target or are metabolised by CYP2D6. In addition, transgenic
CC animals comprising a human CYP2D6 gene are useful for studying the
CC expression of CYP2D6 isogenes in vivo, for in vivo screening and testing
CC of drugs targeted to or metabolised by CYP2D6, and for testing the
CC efficacy of therapeutic agents and compounds for treating CYP2D6-
CC associated conditions in a biological system. The present sequence
CC represents the specifically claimed human CYP2D6 protein. This sequence
CC contains 18 polymorphic sites caused by polymorphisms in the coding
CC sequence (AB072216)

XX Sequence 497 AA;

Query Match 98.1%; Score 2285.5; DB 5; Length 497;
Best Local Similarity 89.3%; Pred. No. 4.2e-219;
Matches 444; Conservative 1; Mismatches 1; Indels 51; Gaps 1;

QY 1 MGLEALVPLAVIVAIFLLVDMHRRQWRWAARYSPGFLPLGLNLLHVDVFQNTYCFDQ 60
DB 1 MGLEALVPLAVIVAIFLLVDMHRRQWRWAARYSPGFLPLGLNLLHVDVFQNTYCFDQ 60
QY 61 LRRRFGDVFSQAWTPVVVNLGLAAVREALVTHGEDTADRPVPTQILGGRPSQ--- 117
DB 61 LRRRFGDVFSQAWTPVVVNLGLAAVREALVTHGEDTADRPVPTQILGGRPSQGVF 120
QY 118 -----GRPRFNPGLLDK 129
DB 121 LARYGPWREQRFSVSTLRNLGLKKSLEQWTEAACICAAFNHSGRPRFNPGLLDK 180
QY 130 AVSNVITASLTCGRFFYDDPRFLRLDLAQEGKKEESGFLREVNLAVPVLLHLPALAGKV 189
DB 181 AVSNVITASLTCGRFFYDDPRFLRLDLAQEGKKEESGFLREVNLAVPVLLHLPALAGKV 240
QY 190 LRFQKAFITQDDELLTEHRTWDPAPPRDLTEAFIAEMEKAKGNPSSFNENRIVVA 249
DB 241 LRFQKAFITQDDELLTEHRTWDPAPPRDLTEAFIAEMEKAKGNPSSFNENRIVVA 300

QY 250 DLFSAGMVTSTTTLAWGLLMLHPDVQRRVQOEIDDDVIGVRRRPMGDAHMPYTTAVI 309
DB 301 DLFSAGMVTSTTTLAWGLLMLHPDVQRRVQOEIDDDVIGVRRRPMGDAHMPYTTAVI 360
QY 310 HEVQRFGDIVPLGVTHMTSRDIEVQGFRIPKGTTITLNLSSVLKDEAVWEKPRFRPHEHF 369
DB 361 HEVQRFGDIVPLGVTHMTSRDIEVQGFRIPKGTTITLNLSSVLKDEAVWEKPRFRPHEHF 420
QY 370 LDAQGHFVKPEAFLPFSAGRRACIAGEPLARMELFFFTSLLOHFSFVSPTGPRPSHHGV 429
DB 421 LDAQGHFVKPEAFLPFSAGRRACIAGEPLARMELFFFTSLLOHFSFVSPTGPRPSHHGV 480
QY 430 FAFLVTPSPSYELCAVPR 446
DB 481 FAFLVSPSPSYELCAVPR 497

RESULT 12

AA026405
ID AA026405 standard; protein; 497 AA.

AC AA026405;

DT 30-JAN-2003 (first entry)

DE Human drug-metabolising enzyme related protein.

KW Cytostatic; antiparkinsonian; gene therapy; cancer; Parkinson's disease;
KW human drug-metabolising protein; enzyme.

OS Homo sapiens.

PN WO2002792333-A1.

PD 10-OCT-2002.

PF 01-APR-2002; 2002WO-US009738.

PR 30-MAR-2001; 2001US-00820788.

PA (PEKE) PE CORP NY.

PA (DFRA/) DI FRANCESCO V.

PA (BEAS/) BEASLEY E M.

PI Shao W, Yan C;

DR WPI; 2003-040649/03.

PT New human drug-metabolizing proteins and nucleic acids related to the
PT Cytochrome P450 IID drug-metabolizing enzyme subfamily, useful for
PT treating a condition mediated by a human enzyme protein e.g., cancer.

PS Disclosure; Fig 2B; 72pp; English.

CC The invention relates to a novel isolated polypeptide comprising a 446-
CC amino acid sequence or its allelic variant, orthologue or fragment. The
CC allelic variant or orthologue is encoded by a nucleic acid that
CC hybridises under stringent conditions to the opposite strand of the
CC nucleic acid comprising a sequence having 1537 or 10278 bp. The fragment
CC comprises at least 10 contiguous amino acids of the 446-amino acid
CC sequence. The polypeptide is useful for preparing a pharmaceutical
CC composition for treating a disease or condition mediated by a human
CC enzyme protein, e.g. cancer or Parkinson's disease. This sequence
CC represents a human drug-metabolising related protein of the invention

XX Sequence 497 AA;

Query Match 98.1%; Score 2285.5; DB 6; Length 497;

Best Local Similarity 89.3%; Pred. No. 4.2e-219;

Matches 444; Conservative 1; Mismatches 1; Indels 51; Gaps 1;

QY 1 MGLEALVPLAVIVAIFLLVDMHRRQWRWAARYSPGFLPLGLNLLHVDVFQNTYCFDQ 60
|||||

Db 1 MGLEALVPLAVIAIVAFILLVLDLMHRRQWAAARYPPGCLPLPGLGNLLHVDFTQNTYCFDQ 60
QY 61 LRRRFGDVFSQLAWTPVVLNGLAAVREALVTHGEDTADRPVPIITQILGFGPRSQ--- 117
Db 61 LRRRFGDVFSQLAWTPVVLNGLAAVREALVTHGEDTADRPVPIITQILGFGPRSQGVF 120
QY 118 -----GRPRPNGLLDK 129
Db 121 LARYGPAMWREORRFSVSTLRNLGLGKKSLEQWVTEAAACLAAPFANHSGRPRFNGLLDK 180
QY 130 AVSNVIASLTGRRFEYDDPRFLRLDLAQEGLKEESGFLREVLNAVPLVLLHIPALAGKV 189
Db 181 AVSNVIASLTGRRFEYDDPRFLRLDLAQEGLKEESGFLREVLNAVPLVLLHIPALAGKV 240
QY 190 LRFQKAFITQDLELLTEHMTWDPAPPRDLTEAFLAEMEKAKGNPSSFNENLRIYVA 249
Db 241 LRFQKAFITQDLELLTEHMTWDPAPPRDLTEAFLAEMEKAKGNPSSFNENLRIYVA 300
QY 250 DLFSAGMVTSTTLAWGLLLMLHPDVQRRVQOEIDDDVIGVRRPEMGDQAHMPYTTAVI 309
Db 301 DLFSAGMVTSTTLAWGLLLMLHPDVQRRVQOEIDDDVIGVRRPEMGDQAHMPYTTAVI 360
QY 310 HEVQRFQGDIVPLGVTHMTSRDIEVQGFRIKPGTTLITNLSSVLKDEAVWEKPFRRFHPHF 369
Db 361 HEVQRFQGDIVPLGVTHMTSRDIEVQGFRIKPGTTLITNLSSVLKDEAVWEKPFRRFHPHF 420
QY 370 LDAQGHFVKPEAFLPFSAGRRACIAGEPLARMELFLTSLLOHFSFSVPTGQPRSHHG 429
Db 421 LDAQGHFVKPEAFLPFSAGRRACIAGEPLARMELFLTSLLOHFSFSVPTGQPRSHHG 480
QY 430 FAFVTPSPYELCAVPR 446
Db 481 FAFVTPSPYELCAVPR 497

RESULT 13

ADB25833
ID ADB25833 standard; protein; 497 AA.

XX AC ADB25833;

XX DT 20-NOV-2003 (first entry)

XX DE Human CYP2D6-related protein #3.

XX KW human; mutant CYP2D6 gene; drug analysis; drug testing.

XX OS Homo sapiens.

XX PN WO2003050282-A1.

XX PD 19-JUN-2003.

XX PF 05-DEC-2002; 2002WO-JP012748.

XX PR 06-DEC-2001; 2001JP-00372548.

XX XX (TSUR) TSUMURA & CO.

XX PI Taniyama M, Ogawa K, Tsuchiya N, Hibino T;

XX DR WPI: 2003-505401/47.

XX DR N-PSDB; ADB25778.

XX PT Genetic polymorphisms of CYP2D6 gene in human population for analysis of
PT drug effect on individual patients and testing of new drugs.

XX PS Claim 8; Page 46-50; 75pp; Japanese.

XX CC The invention comprises mutant forms of the human CYP2D6 gene, containing
CC one or more of the following mutations G125A, C1858T, T2874C and C2875T.
CC The mutant human CYP2D6 genes of the invention are useful for analysing
CC the effect of drugs on individual patients and testing of new drugs. The

CC present amino acid sequence represents a human protein of the invention.
XX SQ Sequence 497 AA;

Query Match 98.1%; Score 2285.5; DB 6; Length 497;
Best Local Similarity 89.3%; Pred. No. 4.2e-219;
Matches 444; Conservative 1; Mismatches 1; Indels 51; Gaps 1;

QY 1 MGLEALVPLAVIAIVAFILLVLDLMHRRQWAAARYSPGCLPLPGLGNLLHVDFTQNTYCFDQ 60
Db 1 MGLEALVPLAVIAIVAFILLVLDLMHRRQWAAARYPPGCLPLPGLGNLLHVDFTQNTYCFDQ 60
QY 61 LRRRFGDVFSQLAWTPVVLNGLAAVREALVTHGEDTADRPVPIITQILGFGPRSQ--- 117
Db 61 LRRRFGDVFSQLAWTPVVLNGLAAVREALVTHGEDTADRPVPIITQILGFGPRSQGVF 120
QY 118 -----GRPRPNGLLDK 129
Db 121 LARYGPAMWREORRFSVSTLRNLGLGKKSLEQWVTEAAACLAAPFANHSGRPRFNGLLDK 180
QY 130 AVSNVIASLTGRRFEYDDPRFLRLDLAQEGLKEESGFLREVLNAVPLVLLHIPALAGKV 189
Db 181 AVSNVIASLTGRRFEYDDPRFLRLDLAQEGLKEESGFLREVLNAVPLVLLHIPALAGKV 240
QY 190 LRFQKAFITQDLELLTEHMTWDPAPPRDLTEAFLAEMEKAKGNPSSFNENLRIYVA 249
Db 241 LRFQKAFITQDLELLTEHMTWDPAPPRDLTEAFLAEMEKAKGNPSSFNENLRIYVA 300
QY 250 DLFSAGMVTSTTLAWGLLLMLHPDVQRRVQOEIDDDVIGVRRPEMGDQAHMPYTTAVI 309
Db 301 DLFSAGMVTSTTLAWGLLLMLHPDVQRRVQOEIDDDVIGVRRPEMGDQAHMPYTTAVI 360
QY 310 HEVQRFQGDIVPLGVTHMTSRDIEVQGFRIKPGTTLITNLSSVLKDEAVWEKPFRRFHPHF 369
Db 361 HEVQRFQGDIVPLGVTHMTSRDIEVQGFRIKPGTTLITNLSSVLKDEAVWEKPFRRFHPHF 420
QY 370 LDAQGHFVKPEAFLPFSAGRRACIAGEPLARMELFLTSLLOHFSFSVPTGQPRSHHG 429
Db 421 LDAQGHFVKPEAFLPFSAGRRACIAGEPLARMELFLTSLLOHFSFSVPTGQPRSHHG 480
QY 430 FAFVTPSPYELCAVPR 446
Db 481 FAFVTPSPYELCAVPR 497

RESULT 14

ABU09593
ID ABU09593 standard; protein; 497 AA.

XX AC ABU09593;

XX DT 16-JUL-2003 (first entry)

XX DE Human cytochrome p450 gene CYP2D6, wild-type protein.

XX KW Human; cytochrome P450; CYP2D6; chromosome 22; SNP; drug metabolism;
KW cardiovascular disorder; psychiatric disorder; drug sensitivity.

XX OS Homo sapiens.

XX PN EP1281755-A2.

XX PD 05-FEB-2003.

XX PF 16-JUL-2002; 2002EP-00254972.

XX PR 31-JUL-2001; 2001US-0309111P.

XX PA (PFIZ) PFIZER PROD INC.

XX PI Milos PM, Webb SM;

XX DR WPI: 2003-373769/36.

DR N-PSDB; ACA61303.

XX New cytochrome P450 2D6 gene variants and polypeptides, useful for

PT determining if a subject has or is at risk of developing a drug

PT sensitivity condition or disorder that is associated with an aberrant

PT CYP2D6 activity.

XX

XX Claim 11; Fig 4; 89pp; English.

XX

XX The invention relates to an isolated nucleic acid comprising a cytochrome

CC P450 2D6 gene variant, e.g. G5799C or C5816AT (referring to the genomic

CC sequence or the same variant nucleotide in the corresponding cDNA

CC sequences). Also included are probes, primers (allele specific

CC oligonucleotides) and arrays used to detect and/or amplify the CYP2D6

CC gene polymorphic regions, the variant polypeptides, antibodies which are

CC capable of distinguishing between the variant and wild-type polypeptides,

CC determining whether a subject has a genetic deficiency for metabolising a

CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6 and

CC determining whether an individual is susceptible to being a poor

CC metaboliser of drugs. The DNA probe is useful for hybridising to a

CC variant form of the CYP2D6 gene. The primer is useful for amplifying the

CC C5816TA allelic variant. The allele specific nucleotide is useful for the

CC detection of the C5816TA allelic variant. The methods are useful for

CC determining whether a subject has a genetic deficiency for metabolising a

CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6, and

CC determining if an individual is susceptible to being a poor metaboliser

CC of drugs. The nucleic acids are useful as probes or primers for

CC determining whether a subject has a genetic deficiency for metabolising

CC drugs that are substrates of P450 CYP2D6. The methods are useful for

CC determining if a subject has or is at risk of developing a drug

CC sensitivity condition or disorder that is associated with an aberrant

CC CYP2D6 activity, e.g. an aberrant level of a CYP2D6 protein or an

CC aberrant CYP2D6 bioactivity. The methods are also useful in selecting the

CC appropriate drugs or determining the course of treatment to administer to

CC a subject to treat cardiovascular or psychiatric disorders, or for

CC treating a subject with a drug sensitivity or disorder associated with a

CC specific allelic variant of a polymorphic region of the CYP2D6 gene. The

CC antibodies are useful for monitoring CYP2D6 protein levels in an

CC individual for determining whether a subject has a disease or conditions

CC associated with an aberrant CYP2D6 protein level. The gene is located on

CC human chromosome 22. The present sequence is the wild-type CYP2D6 protein

XX

SQ Sequence 497 AA;

Query Match 98.0%; Score 2282.5; DB 6; Length 497;

Best Local Similarity 89.1%; Pred. No. 8.4e-219;

Matches 443; Conservative 2; Mismatches 1; Indels 51; Gaps 1;

1 MGLEALVPLAVIIVAI FLLLVLMHRRQRWAARYSPGFLPLGLGNLLHVDLPQNTPYCFDQ 60

1 MGLEALVPLAVIIVAI FLLLVLMHRRQRWAARYSPGFLPLGLGNLLHVDLPQNTPYCFDQ 60

61 LRRFGDVSLOLAWTPVVVNLGLAAVREALVTHGEDTADRPVPTIILGSPRSQ--- 117

61 LRRFGDVSLOLAWTPVVVNLGLAAVREALVTHGEDTADRPVPTIILGSPRSQGVF 120

118 -----GRPRPNGLLDK 129

121 LARYGPANREQRFSVSTLNLGLGKSLSEQWTEAACGLCAAFANHSRPRPNGLLDK 180

130 AVSNVIASTTCGRFFEYDPRFLRLDLAQEGLKESSGFLREVNLVAVPVLHPIPALAGKV 189

181 AVSNVIASTTCGRFFEYDPRFLRLDLAQEGLKESSGFLREVNLVAVPVLHPIPALAGKV 240

190 LRQKAFITOLDLLEHRTWDPAPPRDLTFAFLAEKAKGNPESFNENLRIVVA 249

241 LRQKAFITOLDLLEHRTWDPAPPRDLTFAFLAEKAKGNPESFNENLRIVVA 300

250 DLFSAGWVTSTTTLWGLLMLHPDVORRVQOEIDDVIGVRRRPMGQAHMPTTAVI 309

301 DLFSAGWVTSTTTLWGLLMLHPDVORRVQOEIDDVIGVRRRPMGQAHMPTTAVI 360

310 HEVQRFEDIIVPLGVTMTSRDIEVOGFRI PKGTTLITNLSSVLKDEAVWEKPFRRFHEHF 369

Db 361 HEVQRFEDIIVPLGVTMTSRDIEVOGFRI PKGTTLITNLSSVLKDEAVWEKPFRRFHEHF 420

Qy 370 LDAQGHFVKPEAFLPFSAGRRACLGELPLARMEFLFFTSLLQHFSPSVPTGPRSHHG 429

Db 421 LDAQGHFVKPEAFLPFSAGRRACLGELPLARMEFLFFTSLLQHFSPSVPTGPRSHHG 480

Qy 430 FAFLVTPSPYELCAVPR 446

Db 481 FAFLVTPSPYELCAVPR 497

RESULT 15

ABR82026

ID ABR82026 standard; protein; 497 AA.

XX ABR82026;

XX AC ABR82026;

XX DT 22-SEP-2003 (first entry)

XX Human cytochrome P450 2D6 amino acid sequence.

XX DE Human; protein array; protein moiety; phenotype; drug discovery;

XX KW naturally occurring variant; pharmacogenomic; diagnostic;

XX KW parallel analysis; tumour suppressor; p53; cytochrome P450.

XX OS Homo sapiens.

XX PN WO2003048768-A2.

XX PD 12-JUN-2003.

XX PF 05-DEC-2002; 2002WO-GB005499.

XX PR 05-DEC-2001; 2001US-0335806P.

XX PR 16-SEP-2002; 2002US-0410815P.

XX (SENS-) SENSE PROTEOMIC LTD.

XX PI Boutell JM, Godber BLJ, Hart DJ, Blackburn JD;

XX WPI; 2003-569063/53.

DR N-PSDB; ACF06056.

XX

XX New protein array, useful for determining the phenotype of a naturally

PT occurring variant of a DNA sequence of interest, comprises a surface upon

PT which at least two protein moieties are deposited.

XX

XX Example 5; Fig 13B; 84pp; English.

XX

XX The present invention describes a protein array comprising a surface upon

CC which at least two protein moieties are deposited at spatially defined

CC locations, where the protein moieties are naturally occurring variants of

CC a DNA sequence of interest. Also described: (1) making a protein array;

CC (2) screening a set of protein moieties for molecules that interact with

CC one or more proteins; and (3) simultaneously determining the relative

CC properties of members of a set of protein moieties. The protein array can

CC be used for determining the phenotype of a naturally occurring variant of

CC a DNA sequence of interest. The protein array is useful for drug

CC discovery, pharmacogenomics and diagnostics. The protein array allows the

CC parallel analysis of closely related proteins with a sensitivity that is

CC at least comparable to existing methods, if not better, with small

CC volumes of potentially expensive ligands, and in a quantitative,

CC comparative functional analysis manner not previously possible. ACP06000

CC to ACF06056 and ABR81975 to ABR82026 represent sequences used in the

CC exemplification of the present invention

XX

SQ Sequence 497 AA;

Query Match 98.0%; Score 2282.5; DB 6; Length 497;

Best Local Similarity 89.1%; Pred. No. 8.4e-219;

Matches 443; Conservative 2; Mismatches 1; Indels 51; Gaps 1;

Qy	1	MGLEALVPLAVIVAIFLLLVDLHRRRQWAAARYSPGFLPLFGLGNLLHVDFTQNTPYCFDQ	60
Db	1	MGLEALVPLAVIVAIFLLLVDLHRRRQWAAARYSPGFLPLFGLGNLLHVDFTQNTPYCFDQ	60
Qy	61	LRRRFGDVSLOLAWTPVWLINGLAAREALVTHGEDTADRPVPITQILGFGPRSQ----	117
Db	61	LRRRFGDVSLOLAWTPVWLINGLAAREALVTHGEDTADRPVPITQILGFGPRSQGVF	120
Qy	118	-----GRFPRNGLLLDK	129
Db	121	LARYGPAWRQORRFSVTLRNLGKGKSLQWVTEEAACLAAPANHSGRFPRNGLLDK	180
Qy	130	AVSNVIAASLTCGRFEYDDPRFLRLDLAQGLKEESGFLREVNLNAVPLLHIIPALAGKV	189
Db	181	AVSNVIAASLTCGRFEYDDPRFLRLDLAQGLKEESGFLREVNLNAVPLLHIIPALAGKV	240
Qy	190	LRFQKAFLTQIDELLTEHRMTWDPAQPPRDLTEAFLAEMEKAKGNPSSFNDELNRIYVA	249
Db	241	LRFQKAFLTQIDELLTEHRMTWDPAQPPRDLTEAFLAEMEKAKGNPSSFNDELNRIYVA	300
Qy	250	DLFSAGMVTSTTLAWGLLLMLHPDVQRRVQOEIDDVIGQVRPEMGDQAHMPTTAVI	309
Db	301	DLFSAGMVTSTTLAWGLLLMLHPDVQRRVQOEIDDVIGQVRPEMGDQAHMPTTAVI	360
Qy	310	HEVQRFQDGVPLGVTHMTSRDIEVQGFRI PKGTTLITNLSSVLKDEAVWEKPFPRFHPHF	369
Db	361	HEVQRFQDGVPLGVTHMTSRDIEVQGFRI PKGTTLITNLSSVLKDEAVWEKPFPRFHPHF	420
Qy	370	LDAQGHFVKPEAFLPFSAGRACLGEPLARMELFFFTSLLQHSFSVPTQQRPSHHGV	429
Db	421	LDAQGHFVKPEAFLPFSAGRACLGEPLARMELFFFTSLLQHSFSVPTQQRPSHHGV	480
Qy	430	FAFLVTPSPYELCAVPR	446
Db	481	FAFLVTPSPYELCAVPR	497

Search completed: February 25, 2004, 04:29:32
Job time : 64 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: February 25, 2004, 04:11:47 ; Search time 21 Seconds
(without alignments)
2042.925 Million cell updates/sec

Title: US-09-820-788A-2
Perfect score: 2330
Sequence: 1 MGLEALVPLAVIAFLLLV.....HGVPFLVTPSPYELCAVPR 446
Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 283366 seqs, 96191526 residues
Total number of hits satisfying chosen parameters: 283366

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR 78: *
1: pir1: *
2: pir2: *
3: pir3: *
4: pir4: *

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	2282.5	98.0	497	04HUD1	debrisoquine 4-hyd
2	2140.5	91.9	497	1 G02938	probable debrisoqu
3	1769	75.9	500	1 S37284	cytochrome P450 2B
4	1731	75.2	500	1 JC0258	cytochrome P450 2D
5	1739	74.6	500	1 JC5819	cytochrome P450 2D
6	1724.5	74.0	500	1 D31579	cytochrome P450 2D
7	1697	72.8	500	1 JE0259	cytochrome P450 2D
8	1690	72.5	500	1 JC4157	cytochrome P450 2D
9	1638.5	70.3	500	1 S16872	cytochrome P450 2D
10	1625	69.7	500	1 B26822	cytochrome P450 2D
11	1614.5	69.3	504	1 O4RTD5	cytochrome P450 2D
12	1614.5	69.3	504	1 A26822	debrisoquine 4-hyd
13	1611	69.1	500	1 JC4153	cytochrome P450 2D
14	1597.5	68.6	504	1 A27384	steroid 16alpha-hy
15	1580.5	67.8	504	2 I49427	cytochrome P450 16
16	1572.5	67.5	504	1 A30247	cytochrome P450 16
17	1567.5	67.3	504	1 I49428	cytochrome P450 16
18	1456	62.5	505	1 S19169	cytochrome P450 2B
19	821.5	35.3	491	2 I49625	testosterone 16a-h
20	816.5	35.0	491	2 A27177	cytochrome P450 2B
21	812.5	34.9	491	2 S31277	cytochrome P450 2B
22	812	34.8	491	2 I84735	testosterone 16a-h
23	810.5	34.8	491	1 O4RBPB	cytochrome P450 2B
24	810.5	34.8	491	2 S31278	cytochrome P450 2B
25	808.5	34.7	491	1 O4RTPB	cytochrome P450 2B
26	804.5	34.5	501	1 A40938	cytochrome P450 1b
27	801	34.4	494	2 A46588	cytochrome P450 ar
28	800	34.3	491	2 A31047	testosterone 16alp
29	799.5	34.3	491	2 S35666	cytochrome P450 2B

ALIGNMENTS

RESULT 1

O4HUD1
debrisoquine 4-hydroxylase (EC 1.14.14.-) cytochrome P450 2B6 - human
N;Alternate names: CYP2D6; cytochrome P450 isozyme 2D; cytochrome P450db1
C;Species: Homo sapiens (man)
C;Date: 31-Mar-1992 #sequence revision 31-Mar-1992 #text_change 03-Mar-2000
C;Accession: S01199; A28883; JC4156; A33629; A30335
R;Gonzalez, F.J.; Skoda, R.C.; Kimura, S.; Umeno, M.; Zanger, U.M.; Nebert, D.W.; Gelboin, H.
Nature 331, 442-446, 1988
A;Title: Characterization of the common genetic defect in humans deficient in debrisoqu
A;Reference number: S01199; MUID:88122614; PMID:3123997
A;Accession: S01199
A;Status: translation not shown
A;Molecule type: mRNA
A;Residues: 1-497 <CON>
A;Cross-references: EMBL:X08006; NID:g30450; PIDN:CAA30807.1; PID:g30451
R;Gonzalez, F.J.; Vilbois, F.; Hardwick, J.P.; McBride, O.W.; Nebert, D.W.; Gelboin, H.
Genomics 2, 174-179, 1988
A;Title: Human debrisoquine 4-hydroxylase (P450IID1): cDNA and deduced amino acid sequ
A;Reference number: A28883; MUID:88314109; PMID:3410476
A;Accession: A28883
A;Molecule type: mRNA
A;Residues: 1-497 <CON2>
A;Cross-references: EMBL:M20403; NID:g181349; PIDN:AAA52153.1; PID:g181350
R;Jiang, Q.; Voigt, J.M.; Colby, H.D.
Biochem. Biophys. Res. Commun. 209, 1149-1156, 1995
A;Title: Molecular cloning and sequencing of a guinea pig cytochrome P4502D (CYP2D16):
A;Reference number: JC4153; MUID:95251703; PMID:7733969
A;Accession: JC4156
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-497 <JIA>
R;Kimura, S.; Umeno, M.; Skoda, R.C.; Meyer, U.A.; Gonzalez, F.J.
Am. J. Hum. Genet. 45, 889-904, 1989
A;Title: The human debrisoquine 4-hydroxylase (CYP2D) locus: sequence and identification.
A;Reference number: A33629; MUID:90072069; PMID:2574001
A;Accession: A33629
A;Molecule type: DNA
A;Residues: 1-373, 'V', 375-497 <KIM>
A;Cross-references: EMBL:M33388; NID:g181303; PIDN:AAA53500.1; PID:g181304
R;Manns, M.P.; Johnson, E.P.; Griffin, K.J.; Tan, E.M.; Sullivan, K.F.
J. Clin. Invest. 83, 1066-1072, 1989
A;Title: Major antigen of liver kidney microsomal autoantibodies in idiopathic autoimmune
A;Reference number: A30335; MUID:89155788; PMID:2466049
A;Accession: A30335
A;Molecule type: mRNA
A;Residues: 125-373, 'V', 375-485, 'T', 487-497 <MAN>
A;Cross-references: EMBL:M24499; NID:g522194; PIDN:AAA36403.1; PID:g522195
C;Genetics:
A;Gene: GDB:CYP2D6
A;Cross-references: GDB:I32127; OMIM:124030
A;Map position: 22q13.1-22q13.1

unspecific monoxy
cytochrome P450 2B
cytochrome P450 2B
cytochrome P450 II
cytochrome P450 2C
cytochrome P450 -
cytochrome P450 -
cytochrome P450 2C
cytochrome P450 2K
cytochrome P450 2K
cytochrome P450 50
cytochrome P450 2B
cytochrome P450 2A
cytochrome P450 2B
cytochrome P450 -
cytochrome P450 2B

30 797.5 34.2 490 2 A29782
31 797.5 34.2 491 2 JT0676
32 796.5 34.2 491 1 O4RTP2
33 787.5 33.8 490 2 I48189
34 785.5 33.7 490 2 S28166
35 785 33.7 490 2 I48162
36 783 33.6 490 2 I49610
37 780 33.5 500 2 A26685
38 779.5 33.5 493 2 A31949
39 779.5 33.5 504 1 S45644
40 779 33.4 491 2 A39302
41 778 33.4 492 2 S27160
42 778 33.4 494 2 A33293
43 776.5 33.3 491 2 A32969
44 775 33.3 490 2 I48163
45 774 33.2 494 2 S11305

A:introns: 60/3; 118/1; 169/1; 222/3; 281/3; 329/1; 391/3; 439/1
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metallo
F:302-465/Domain: cytochrome P450 homology <CYP>
F:443/Binding site: heme iron (Cys) (axial ligand) #status predicted

Query Match 98.0%; Score 2282.5; DB 1; Length 497;
Best Local Similarity 89.1%; Pred. No. 3.1e-168;
Matches 443; Conservative 2; Mismatches 1; Indels 51; Gaps 1;

QY 1 MGLEALVPLAVIAIFLLLVLMHRRQWAAARYSPGCLPLGLGNLLHVDVFQNTYCFDQ 60
DB 1 MGLEALVPLAVIAIFLLLVLMHRRQWAAARYSPGCLPLGLGNLLHVDVFQNTYCFDQ 60
QY 61 LRRFGDVFSQLAWTPVVLINGLAAREALVTHGEDTADRPVITQILGFGPSQGVF 117
DB 61 LRRFGDVFSQLAWTPVVLINGLAAREALVTHGEDTADRPVITQILGFGPSQGVF 120
QY 118 -----GRPRPNGLLDK 129
DB 121 LARYGPWREQRFSVSTLRNLGLGKKSLEQWVTEAAACLAAPFANHSRPRPNGLLDK 180
QY 130 AVSNVIASITCGRRFEYDDPRFLRLDLAQGLKEESGFLREVLAAPVLLHLPALAGKV 189
DB 181 AVSNVIASITCGRRFEYDDPRFLRLDLAQGLKEESGFLREVLAAPVLLHLPALAGKV 240
QY 190 LRFQKAFITQDDELTEHRMTWDPAPPRDLTEAFLAEMEKAKGNPSSFNENRIYVA 249
DB 241 LRFQKAFITQDDELTEHRMTWDPAPPRDLTEAFLAEMEKAKGNPSSFNENRIYVA 300
QY 250 DLFSAGMVTSTTLAWGLLMLLHPDVQRRVQOEIDDDVIGVRRPEMGDQAHMPYTTAVI 309
DB 301 DLFSAGMVTSTTLAWGLLMLLHPDVQRRVQOEIDDDVIGVRRPEMGDQAHMPYTTAVI 360
QY 310 HEVQRFQDIVPLGVTHMTSRDIEVQGFRIPKGTTLITNLSSVLKDEAVWEKPFRRPHEHF 369
DB 361 HEVQRFQDIVPLGVTHMTSRDIEVQGFRIPKGTTLITNLSSVLKDEAVWEKPFRRPHEHF 420
QY 370 LDAQHFVKEAFPLPFSAGRRACLGELPLARMELFLFTSLLOHFSFVSPTGQPRSHHG 429
DB 421 LDAQHFVKEAFPLPFSAGRRACLGELPLARMELFLFTSLLOHFSFVSPTGQPRSHHG 480
QY 430 FAFLVTPSPYELCAVPR 446
DB 481 FAFLVTPSPYELCAVPR 497

RESULT 2
G02938
probable debrisoquine 4-hydroxylase (EC 1.14.14.-) cytochrome P450 - crab-eating macaque
C:Species: Macaca fascicularis (crab-eating macaque)
C:Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 03-Mar-2000
C:Accession: G02938
R:Lawton, M.P.; Laddison, K.J.; Speirs, A.A.; Mankowski, D.C.; Tweedie, D.J.
submitted to the EMBL Data Library, October 1995
A:Reference number: G12616
A:Accession: G02938
A:Status: translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-497 <LAW>
A:Cross-references: EMBL:U38218; NID:g1022899; PIDN:AAA79722.1; PID:g1022900
C:Genetics:
A:Gene: CYP2D17
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: chromoprotein; heme; iron; metalloprotein; monooxygenase; oxidoreductase; th
F:302-465/Domain: cytochrome P450 homology <P45>
F:443/Binding site: heme iron (Cys) (axial ligand) #status predicted

Query Match 91.9%; Score 2140.5; DB 1; Length 497;
Best Local Similarity 83.9%; Pred. No. 2.7e-157;
Matches 417; Conservative 9; Mismatches 20; Indels 51; Gaps 1;

QY 1 MGLEALVPLAVIAIFLLLVLMHRRQWAAARYSPGCLPLGLGNLLHVDVFQNTYCFDQ 60

DB 1 MELDALVPLAVIAIFLLLVLMHRRQWAAARYSPGCLPLGLGNLLHVDVFQNTYCFDQ 60
QY 61 LRRFGDVFSQLAWTPVVLINGLAAREALVTHGEDTADRPVITQILGFGPSQGVF 117
DB 61 LRRFGDVFSQLAWTPVVLINGLAAREALVTHGEDTADRPVITQILGFGPSQGVF 120
QY 118 -----GRPRPNGLLDK 129
DB 121 LARYGPWREQRFSVSTLRNLGLGKKSLEQWVTEAAACLAAPFANHSRPRPNGLLDK 180
QY 130 AVSNVIASITCGRRFEYDDPRFLRLDLAQGLKEESGFLREVLAAPVLLHLPALAGKV 189
DB 181 AVSNVIASITCGRRFEYDDPRFLRLDLAQGLKEESGFLREVLAAPVLLHLPALAGKV 240
QY 190 LRFQKAFITQDDELTEHRMTWDPAPPRDLTEAFLAEMEKAKGNPSSFNENRIYVA 249
DB 241 LRFQKAFITQDDELTEHRMTWDPAPPRDLTEAFLAEMEKAKGNPSSFNENRIYVA 300
QY 250 DLFSAGMVTSTTLAWGLLMLLHPDVQRRVQOEIDDDVIGVRRPEMGDQAHMPYTTAVI 309
DB 301 DLFSAGMVTSTTLAWGLLMLLHPDVQRRVQOEIDDDVIGVRRPEMGDQAHMPYTTAVI 360
QY 310 HEVQRFQDIVPLGVTHMTSRDIEVQGFRIPKGTTLITNLSSVLKDEAVWEKPFRRPHEHF 369
DB 361 HEVQRFQDIVPLGVTHMTSRDIEVQGFRIPKGTTLITNLSSVLKDEAVWEKPFRRPHEHF 420
QY 370 LDAQHFVKEAFPLPFSAGRRACLGELPLARMELFLFTSLLOHFSFVSPTGQPRSHHG 429
DB 421 LDAQHFVKEAFPLPFSAGRRACLGELPLARMELFLFTSLLOHFSFVSPTGQPRSHHG 480
QY 430 FAFLVTPSPYELCAVPR 446
DB 481 FAFLVTPSPYELCAVPR 497

RESULT 3
S37284
cytochrome P450 2D - bovine
N:Contains: oxidoreductase (EC 1.-.-.-)
C:Species: Bos primigenius taurus (cattle)
C:Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 03-Mar-2000
C:Accession: S37284; S29295; S29862
R:Tsunooka, Y.; Matsuo, Y.; Higuchi, R.; Ichikawa, Y.
Eur. J. Biochem. 208, 739-746, 1992
A:Title: Characterization of the cytochrome P-450IID subfamily in bovine liver. Nucleoti
A:Reference number: S29295; MUID:93011103; PMID:1396678
A:Accession: S37284
A:Molecule type: mRNA
A:Residues: 1-500 <TSU>
A:Cross-references: EMBL:X68481; NID:g295; PIDN:CAA48501.1; PID:g296
A:Experimental source: clone pBVL 180
A:Accession: S29295
A:Molecule type: mRNA
A:Residues: 14-111, 'R', 113-131, 'R', 133-162, 'L', 164-178, 'G', 180-219, 'P', 221-247, 'R', 249-2
A:Cross-references: EMBL:X68013; NID:g293; PIDN:CAA48149.1; PID:g294
A:Experimental source: clone pBV 76
C:Genetics:
A:Gene: CYP2D
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metallo
F:305-468/Domain: cytochrome P450 homology <P45>
F:446/Binding site: heme iron (Cys) (axial ligand) #status predicted

Query Match 75.9%; Score 1769; DB 1; Length 500;
Best Local Similarity 69.6%; Pred. No. 1.2e-128;
Matches 348; Conservative 39; Mismatches 59; Indels 54; Gaps 2;

QY 1 MGL-----EALVPLAVIAIFLLLVLMHRRQWAAARYSPGCLPLGLGNLLHVDVFQNTYCF 57
DB 1 MGLSGDTGLGLAVALLIFLLLVLMHRRSRWAPYPPGPTPLPLVLGNLLQVDFDPPRS 60
QY 58 FDLQRRRFGDVFSQLAWTPVVLINGLAAREALVTHGEDTADRPVITQILGFGPSQ 117


```
Db 61 ENQRRRFGNVFSLOQVTPVVVVLNGLAAVREALVYRSQTDADRPFPVAYEHLGYGPRAE 120
QY 118 -----GRPPRPNGL 126
Db 121 GVILARYGDAAWQRFSLTLLRNFGLGKKSLEQWTEBASCSAAFAQAGPFPSPMDL 180
QY 127 LKAVSNVIASTLTCGRFFEYDDPRFLRLDLDAQEGKKEBSGFLREVNLNAVPLLHHPALA 186
Db 181 LKAVSNVIASTLTCGRFFEYDDPRIIKLJDLTDGKKEBPNLVKVVVEAVPVLSTPGLA 240
QY 187 GKVLRFQKAFLOLDELLTEHRMTWDPAPPRDLTEAFLAEKAKGNPSSFNENLRI 246
Db 241 ARVFPQAKFAMALIDELAEQKRWTRDTPPPRHLLTDAFLDEVKEAKGNPSSFNENLRL 300
QY 247 VVADLFSAGMVTSTTTLAWGLLMLHPDVQRRVQOEIDDDVIGQVRRPMPGQAHMPYTT 306
Db 301 VVADLFSAGMVTSTTTLAWGLLMLHPDVQRRVQOEIDDDVIGQVRRPMPGQAHMPYTT 360
QY 307 AVIHEVQRPDIPVLPVTHMTSRDIEVQGFRIIPKGTTLITNLSVLKDAVWEKPPRRFP 366
Db 361 AVVHEVQRPADIPVLPVTHMTSRDIEVQGFRIIPKGTTLITNLSVLKDAVWEKPPRRFP 420
QY 367 EHFLDAQGHFVKPEAFIPFSAGRACLBPEPLARMELFLFTSLLOHFSFVPTGQPRPSH 426
Db 421 EHFLDAQGHFVKPEAFIPFSAGRACLBPEPLARMELFLFTSLLOHFSFVPTGQPRPSH 480
QY 427 HGVFAFLVTPSPYELCAVPR 446
Db 481 HGVFAFLVTPSPYELCAVPR 500

RESULT 4
JE0258
cytochrome P450 2D23 - rabbit
N:Contains: oxidoreductase (EC 1.-.-.-)
C:Species: Oryctolagus cuniculus (domestic rabbit)
C>Date: 03-Dec-1999 #sequence_revision 03-Dec-1999 #text_change 03-Mar-2000
C:Accession: JE0258
R:Yamamoto, Y.; Ishizuka, M.; Takada, A.; Fujita, S.
J. Biochem. 124, 503-508, 1998
A:Title: Cloning, tissue distribution, and functional expression of two novel rabbit cytochromes P450 2D23 and P450 2D24
A:Reference number: JE0258; MUID:98391821; PMID:9722658
A:Accession: JE0258
A:Molecule type: mRNA
A:Residues: 1-500 <YAM>
A:Cross-references: DDBJ:AB008784
A:Experimental source: liver
C:Comment: This protein shows high drug metabolizing activity.
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metalloproteinase
F:9-25/Domain: transmembrane #status predicted <TM1>
F:305-468/Domain: cytochrome P450 homology <CYP>
F:310-326/Domain: transmembrane #status predicted <TM2>
F:446/Binding site: heme iron (Cys) (axial ligand) #status predicted

Query Match 75.2%; Score 1751; DB 1; Length 500;
Best Local Similarity 69.6%; Pred. No. 3e-127;
Matches 348; Conservative 31; Mismatches 67; Indels 54; Gaps 2;

QY 1 MGL---EALVPLAVIAIFLLVDMHRRQRAARYSPGFLPLGGLNGLLHVDFQNTPYC 57
Db 1 MGLSGLAFLAVIAIFLLVDMHRRQRAARYSPGFLPLGGLNGLLHVDFQNTPYC 60
QY 58 FQLRRRFGDVSLOLAVTPVVVVLNGLAAVREALVTHGSDTADRPVPTIQLIGRPSRQ 117
Db 61 FQLRRRYGDVSLOLAVTPVVVVLNGLAAVREALVTHGSDTADRPVPTIQLIGRPSRQ 120
QY 118 -----GRPPRPNGL 126
Db 121 GVVMARYGPANWRQRFSVSTLRNFGLGKKSLEQWTEBATCLCAAFADHAGCPSPSML 180
QY 127 LKAVSNVIASTLTCGRFFEYDDPRFLRLDLDAQEGKKEBSGFLREVNLNAVPLLHHPALA 186
```

```
Db 181 LKAVSNVIASTLTCGRFFEYDDHRLTFLMDLTQTILKESTGNLPQVLNVIPIILLRPLV 240
QY 187 GKVLRFQKAFLOLDELLTEHRMTWDPAPPRDLTEAFLAEKAKGNPSSFNENLRI 246
Db 241 DKVFGQKAFMALLDELVTEHRMTWDPAPPRDLTDAFLDQVEKAKGNPSSFNENLRL 300
QY 247 VVADLFSAGMVTSTTTLAWGLLMLHPDVQRRVQOEIDDDVIGQVRRPMPGQAHMPYTT 306
Db 301 VVTDLFAAGMVTSTTSLWALLMLHPDVQRRVQOEIDDEVIGPARRPMPGQAHMPYTT 360
QY 307 AVIHEVQRPDIPVLPVTHMTSRDIEVQGFRIIPKGTTLITNLSVLKDAVWEKPPRRFP 366
Db 361 AVVHEVQRPADIPVLPVTHMTSRDIEVQGFRIIPKGTTLITNLSVLKDAVWEKPPRRFP 420
QY 367 EHFLDAQGHFVKPEAFIPFSAGRACLBPEPLARMELFLFTSLLOHFSFVPTGQPRPSH 426
Db 421 EHFLDAQGHFVKPEAFIPFSAGRACLBPEPLARMELFLFTSLLOHFSFVPTGQPRPSH 480
QY 427 HGVFAFLVTPSPYELCAVPR 446
Db 481 QGAPATLVTPAPYQLCAVAR 500

RESULT 5
JC5819
cytochrome P450 2D [validated] - pig
N:Alternate names: 25-hydroxyvitamin D(3) 25-monoxygenase; cytochrome P450 (14DM); cytochrome P450 2D; 25-hydroxylase; vitamin D3 25-hydroxylase (EC 1.14.14.-)
N:Contains: lanosterol 14 alpha-demethylase; vitamin D3 25-hydroxylase
C:Species: Sus scrofa domestica (domestic pig)
C>Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 18-Aug-2000
C:Accession: JC5819; PC4502; S27177; S17048
R:Postlind, H.; Axen, E.; Bergman, T.; Wikvall, K.
Biochem. Biophys. Res. Commun. 241, 491-497, 1997
A:Title: Cloning, structure, and expression of a cDNA encoding vitamin D3 25-hydroxylase
A:Reference number: JC5819; MUID:98086378; PMID:9425298
A:Accession: JC5819
A:Molecule type: DNA
A:Residues: 1-500 <POS>
A:Cross-references: GB:Y16417; NID:g2956687; PIDN:CAA76205.1; PID:g2956688
A:Accession: PC4502
A:Molecule type: protein
A:Residues: 2-57;249-273;408-430 <AXE>
A:Experimental source: liver
R:Axen, E.; Bergman, T.; Wikvall, K.
Biochem. J. 287, 725-731, 1992
A:Title: Purification and characterization of a vitamin D(3) 25-hydroxylase from pig liver
A:Reference number: S27177; MUID:93075023; PMID:1445236
A:Accession: S27177
A:Molecule type: protein
A:Residues: 2-17 <AXW>
A:Experimental source: liver
R:Sono, H.; Sonoda, Y.; Sato, Y.
Biochim. Biophys. Acta 1078, 388-394, 1991
A:Title: Purification and characterization of cytochrome P-450 (14DM) (lanosterol 14-alpha-hydroxylase) from pig liver
A:Reference number: S17048; MUID:91316123; PMID:1859829
A:Accession: S17048
A:Status: preliminary
A:Molecule type: protein
A:Residues: 2-11 <SON>
A:Note: 6-Leu was also found
C:Comment: This enzyme catalyzes the first step in the metabolic activation of vitamin D3
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metalloproteinase
F:305-468/Domain: cytochrome P450 homology <P45>
F:446/Binding site: heme iron (Cys) (axial ligand) #status predicted

Query Match 74.6%; Score 1739; DB 1; Length 500;
Best Local Similarity 69.0%; Pred. No. 2.6e-126;
Matches 345; Conservative 40; Mismatches 61; Indels 54; Gaps 2;

QY 1 MGL---EALVPLAVIAIFLLVDMHRRQRAARYSPGFLPLGGLNGLLHVDFQNTPYC 57
Db 1 MGLSGLAFLAVIAIFLLVDMHRRQRAARYSPGFLPLGGLNGLLHVDFQNTPYC 60
```

Db 1 MGLLTGDLGILALAMVIFLLLVLMHRRSRWAPYPPGMPPLPGLGNLLQVNFQDRLS 60
Qy 58 FQIARRRFGDVSILQAWTPVVVINGLAARALVTHGEDTADRPPVPTQILGCPRSQ 117
Db 61 FQIARRRFGDVSILQAWTPVVVINGLAARALVTHGEDTADRPPVPTQILGCPRSQ 120
Qy 118 -----GRPRPNGL 126
Db 121 GVILARYKAWREQRFSVSTLRNFGLGKKSLEEWVTQEQASCLCAAFADQAGRPSPNNL 180
Qy 127 LKAVSNVITASCGRFFEYDDPRFLRLDLAOGKESGFLREVINAAPVLLHIPALA 186
Db 181 LNKAVSNVITASCGRFFEYDDPRFLRLDLAOGKESGFLREVINAAPVLLHIPALA 240
Qy 187 GKVLRFQAKFLTDQLDELTEHRTWDPAPPRDLTEAFIAEMKAKGNPESFNDENLRI 246
Db 241 AKFLPRQAKFLVIMDELTEHRTWDPAPPRDLTEAFIAEMKAKGNPESFNDENLRL 300
Qy 247 VVADLFSAGMVTSTTLAWGLLMLHPDVQRRVQOEIDDVIGQVRRPEMGDOAHMPYTT 306
Db 301 VVAHLFSAGMVTSTTLAWGLLMLHPDVQRRVQOEIDDVIGQVRRPEMGDOAHMPYTT 360
Qy 307 AVIHEVRFQGDIVPLGVTHTMSRDIEVQGFRIKPGTTLITNLSSVLKDEAVWEKPFREHP 366
Db 361 AVLHEVRFQGDIVPLGVAHMTSCDIEVQGFRIKPGTTLITNLSSVLKDEAVWEKPFREHP 420
Qy 367 EHFLDAQHFVPEAFPLPSAGRRACGLGEPLARMELFLFTSLLOHFSFVSPTGQPRSH 426
Db 421 EHFLDAQHFVPEAFPLPSAGRRACGLGEPLARMELFLFTSLLOHFSFVSPTGQPRSD 480
Qy 427 HGVFAFLVTPSPYELCAVPR 446
Db 481 HGVFAFLVTPSPYELCAVPR 500
RESULT 6
D31579
Cytochrome P450 2D4 - rat
N:Alternate names: cytochrome P450C4F3
N:Contains: oxidoreductase (EC 1.-.-.-)
C:Species: Rattus norvegicus (Norway rat)
C:Date: 03-Dec-1999 #sequence revision 03-Dec-1999 #text_change 21-Jul-2000
C:Accession: S16873; D31579; I52313
R:Matsumura, E.; Umeno, M.; Gonzalez, F.J.
J. Mol. Evol. 30, 155-169, 1990
A:Title: The rat P450 IID subfamily: complete sequences of four closely linked genes and 50 active site.
A:Reference number: S16871; MUID:90189185; PMID:2107330
A:Accession: S16873
A:Molecule type: DNA
A:Residues: 1-500 <NAT>
A:Cross-references: EMBL:X52029; NID:g57815; PIDN:CAA36271.1; PID:g57816
R:Ishida, N.; Tawaragi, Y.; Inuzuka, C.; Sugita, O.; Kubota, I.; Nakazato, H.; Noguchi, Biochem. Biophys. Res. Commun. 156, 681-688, 1988
A:Title: Four species of cDNAs for cytochrome P450 isozymes immunorelated to P450C-M/F e
A:Reference number: A90151; MUID:89050091; PMID:3190674
A:Accession: D31579
A:Molecule type: mRNA
A:Residues: 177-500 <ISH>
A:Cross-references: EMBL:M22331; NID:g203829; PIDN:AAA41052.1; PID:g203830
R:Kawashima, H.; Strobel, H.W.
Biochem. Biophys. Res. Commun. 209, 535-540, 1995
A:Title: cDNA cloning of a novel rat brain cytochrome P450 belonging to the CYP2D subfam
A:Reference number: I52313; MUID:95251650; PMID:7733922
A:Accession: I52313
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-326, 'R', 328-399, 'I', 401-472, 'A', 474-479, 'N', 481-482, 'V', 484-500 <RES>
A:Cross-references: GB:S77859; NID:g1200515; PIDN:AC52882.1; PID:g1200516
A:Experimental source: brain, strain Sprague-Dawley
C:Genetics:
A:Gene: CYP2D4
A:Introns: 63/3; 121/1; 172/1; 225/3; 284/3; 332/1; 394/3; 442/1

C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metallo
F:9-25/Domain: transmembrane #status predicted <TM1>
F:305-468/Domain: cytochrome P450 homology <CYP>
F:310-326/Domain: transmembrane #status predicted <TM2>
F:446/Binding site: heme iron (Cys) (axial ligand) #status predicted
Query Match 74.0%; Score 1724.5; DB 1; Length 500;
Best Local Similarity 68.9%; Pred. No. 3.3e-125;
Matches 339; Conservative 33; Mismatches 69; Indels 51; Gaps 1;
Qy 6 LVPALAVIAIFLLVLDLHRRQRWAAARYSPGLPLGLGNLLHVDVFONTPTCYCFDQRRRF 65
Db 9 LWPALAVIAIFLLVLDLHRRQRWAAARYSPGLPLGLGNLLHVDVFONTPTCYCFDQRRRF 68
Qy 66 GDFSLQAWTPVVVINGLAARALVTHGEDTADRPPVPTQILGCPRSQ----- 117
Db 69 GDFSLQAWTPVVVINGLAARALVTHGEDTADRPPVPTQILGCPRSQ----- 128
Qy 118 -----GRPRPNGLDKAVSNV 134
Db 129 PAWRQRRFSVSTFRHFGLGKKSLEQWVTEBARCLCAAFADHSGFPFSPNTLLDKAVSNV 188
Qy 135 IASLTCCGRFFEYDDPRFLRLDLAOGKESGFLREVINAAPVLLHIPALAGKVLRFQK 194
Db 189 IASLTCCGRFFEYDDPRFLRLDLAOGKESGFLREVINAAPVLLHIPALAGKVLRFQK 248
Qy 195 AFLTQDLDELTEHRTWDPAPPRDLTEAFIAEMKAKGNPESFNDENLRIVVADLPSA 254
Db 249 AFVAMLDLDELTEHRTWDPAPPRDLTEAFIAEMKAKGNPESFNDENLRIVVADLPSA 308
Qy 255 GMVTTSTTLAWGLLMLHPDVQRRVQOEIDDVIGQVRRPEMGDOAHMPYTTAVIHEVOR 314
Db 309 GMVTTSTTLAWGLLMLHPDVQRRVQOEIDDVIGQVRRPEMGDOAHMPYTTAVIHEVOR 368
Qy 315 FGDIVPLGVTHTMSRDIEVQGFRIKPGTTLITNLSSVLKDEAVWEKPFREHPFELDAQG 374
Db 369 FADILPLGVPKHTSRDIEVQGFRIKPGTTLITNLSSVLKDEAVWEKPFREHPFELDAQG 428
Qy 375 HFVPEAFPLPSAGRRACGLGEPLARMELFLFTSLLOHFSFVSPTGQPRSHGHVFAFLV 434
Db 429 HFVPEAFPLPSAGRRACGLGEPLARMELFLFTSLLOHFSFVSPTGQPRSHGHVFAFLV 488
Qy 435 TPSYELCAVPR 446
Db 489 TPRYQLCASPR 500
RESULT 7
J50259
Cytochrome P450 2D24 - rabbit
N:Contains: oxidoreductase (EC 1.-.-.-)
C:Species: Oryctolagus cuniculus (domestic rabbit)
C:Date: 03-Dec-1999 #sequence_revision 03-Dec-1999 #text_change 03-Mar-2000
C:Accession: J50259
R:Yamamoto, Y.; Ishizuka, M.; Takada, A.; Fujita, S.
J. Biochem. 124, 503-508, 1998
A:Title: Cloning, tissue distribution, and functional expression of two novel rabbit cyt
A:Reference number: J50258; MUID:98391821; PMID:9722658
A:Accession: J50259
A:Molecule type: mRNA
A:Residues: 1-500 <YAM>
A:Cross-references: DBJ:AB008785
C:Comment: This protein shows high drug metabolizing activity.
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metallo
F:9-25/Domain: transmembrane #status predicted <TM1>
F:305-468/Domain: cytochrome P450 homology <CYP>
F:310-326/Domain: transmembrane #status predicted <TM2>
F:446/Binding site: heme iron (Cys) (axial ligand) #status predicted
Query Match 72.8%; Score 1697; DB 1; Length 500;
Best Local Similarity 68.0%; Pred. No. 4.4e-123;

F:9-25/Domain: transmembrane #status predicted <TM1>
F:305-468/Domain: cytochrome P450 homology <CYP>
F:310-326/Domain: transmembrane #status predicted <TM2>
F:446/Binding site: heme iron (Cys) (axial ligand) #status predicted

Query Match 70.3%; Score 1638.5; DB 1; Length 500;
Best Local Similarity 64.8%; Pred. No. 1.4e-118;
Matches 319; Conservative 43; Mismatches 79; Indels 51; Gaps 1;
Db 6 LVPLAVIVAIFLLVLDLHRRQRWAARYSPGSLPLGLGNLLHVDFTONTYCFDQLRRRF 65
Db 9 LWPMAIFTVIFILLVLDLHRRQRWTSRYPPGVPVPLGNLLQVLDLCNMPYSMYKLQNR 68
Qy 66 GDFVSLQAWTVPVNLGLAAREALVTHGEGTADRPVPIQIILGFGPRSQ----- 117
Db 69 GDFVSLQMGKVPVWVINGLKAQVELLVTCGEDTADRPENPIFQIHGYGHKAKGVVLCYTG 128
Qy 118 -----GRPPRPNGLLDKAVSNV 134
Db 129 PEWRQRPSVSTLRNFGVKKSLBQWVTDASHLCDAITAGRLPDYTLNKAQCNV 188
Qy 135 IASLTCGRREYDDPRFLRLDLAQEGKESGFLREVNLAVPVLLHLPALAGKVLRFQK 194
Db 189 IASLIYARFDYGDPDFIKVLKILKESMGEGTGLPPEVLNMPVLLRIPGLADKVPFGQK 248
Qy 195 AFLTQDELLETHRTWDPQAPRDLTEAFIAEMEKAKGNPSSFNENLRIWADLPSA 254
Db 249 TFLTWDVNLVTSHKTTWDPQPRDLTDAFLAIEKAKGNPSSFNENLRLVNDLFGA 308
Qy 255 GMVTTSTLLAWGLLMLHPDVQRVQOEIDVIGQVRPEMGDOAHMPYTTAVTHEVQR 314
Db 309 GMVTTSTLLAWGLLMLHPDVQCRVQOEIDVIGQVRPEMGDOAHMPYTTAVTHEVQR 368
Qy 315 FGDIVPLGVTHMTSRDIEVQGFRIKGTTLITNLSSVLKDEAVWKEKPRFHPHEFLDAQG 374
Db 369 FADIVPMNLPHKTSRDIEVQGFRIKGTTLITNLSSVLKDEAVWKEKPRFHPHEFLDAQG 428
Qy 375 HVKPEAFIPFAGRACGLGEPLARMELFLFTSLLOHFSFVPTGQRPSSHGVFAFLV 434
Db 429 NFVKGAEAFPFAGRACGLGEPLARMELFLFTSLLOHFSFVPTGQRPSSHGVFAFLV 488
Qy 435 TSPSYELCAVPR 446
Db 489 SPSPYQLCAFKR 500

RESULT 10
B26822
N:Alternate names: cytochrome P450CMF2; cytochrome P450db2
N:Contains: oxidoreductase (EC 1.-.-.-)
C:Species: Rattus norvegicus (Norway rat)
C:Date: 03-Dec-1999 #sequence revision 03-Dec-1999 #text_change 03-Mar-2000
C:Accession: B26822; D32970; C31579; S16871
R:Gonzalez, F.J.; Matsunaga, T.; Nagata, K.; Meyer, U.A.; Nebert, D.W.; Pastewka, J.; K
DNA 6, 149-161, 1987
A:Title: Debrisoquine 4-hydroxylase: characterization of a new P450 gene subfamily, regu
A:Reference number: A90957; MUID:87217961; PMID:3582092
A:Accession: B26822
A:Molecule type: mRNA
A:Residues: 1-500 <GON>
A:Cross-references: EMBL:M16655; NID:G203835; PIDN:AAA41055.1; PID:G203836
A:Note: The authors translated the codon CCR for residue 240 as Ala
R:Matsunaga, E.; Zanger, U.M.; Hardwick, J.P.; Gelboin, H.V.; Meyer, U.A.; Gonzalez, F.J
Biochemistry 28, 7349-7355, 1989
A:Title: The CYP2D gene subfamily: analysis of the molecular basis of the debrisoquine 4
A:Reference number: A32970; MUID:90057430; PMID:2819073
A:Accession: D32970
A:Status: not compared with conceptual translation
A:Molecule type: mRNA
A:Residues: 1-500 <MAT>
R:Ushida, N.; Tawaragi, Y.; Inuzuka, C.; Sugita, O.; Kubota, I.; Nakazato, H.; Noguchi,
Biochem. Biophys. Res. Commun. 156, 681-688, 1988

A:Title: Four species of cDNAs for cytochrome P450 isozymes immunorelated to P450c-M/F
A:Reference number: A90151; MUID:89050091; PMID:3190674
A:Accession: C31579
A:Molecule type: mRNA
A:Residues: 1-116, 'D', 118-345, 'R', 347-357, 'F', 359-406, 'K', 408-500 <ISH>
A:Cross-references: EMBL:M22330; NID:G203823; PIDN:AAA41049.1; PID:G203824
R:Matsunaga, E.; Umeno, M.; Gonzalez, F.J.
J. Mol. Evol. 30, 155-169, 1990
A:Title: The rat P450 IID subfamily: complete sequences of four closely linked genes and
50 active site.
A:Reference number: S16871; MUID:90189185; PMID:2107330
A:Accession: S16871
A:Molecule type: DNA
A:Residues: 1-345, 'R', 347-357, 'F', 359-406, 'K', 408-500 <MA2>
A:Cross-references: EMBL:X52027; NID:G57811; PIDN:CAA36269.1; PID:G57812
C:Genetics:
A:Gene: CYP2D2
A:Introns: 63/3; 121/1; 172/1; 225/3; 284/3; 332/1; 394/3; 442/1
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metallo
F:9-25/Domain: transmembrane #status predicted <TM1>
F:305-468/Domain: cytochrome P450 homology <CYP>
F:310-326/Domain: transmembrane #status predicted <TM2>
F:446/Binding site: heme iron (Cys) (axial ligand) #status predicted

Query Match 69.7%; Score 1625; DB 1; Length 500;
Best Local Similarity 63.6%; Pred. No. 1.6e-117;
Matches 318; Conservative 47; Mismatches 81; Indels 54; Gaps 2;
Qy 1 MGL---EALVPLAVIVAIFLLVLDLHRRQRWAARYSPGSLPLGLGNLLHVDFTONTYCF 57
Db 1 MGLIGDLDWAVVFTALFLLVLDLHRRKWTATYPPGVPVPLGLGNLLQVDFENMYPYS 60
Qy 58 FDLRRRGDFVSLQAWTVPVNLGLAAREALVTHGEGTADRPVPIQIILGFGPRSQ 117
Db 61 LYKLSRYGDFVSLQIAWKPVVINGLKAARELVVTCGEDTADRPFLPIYNHLYGYNKSK 120
Qy 118 G-----RPRPNGL 126
Db 121 GVILAPYGPWEQRFRFSVTLRDFGVGKKSLBQWVTEEAGHLCDTFAKEAHPFPNPSIL 180

Qy 127 LDKAVSNVIASTLCGRREYDDPRFLRLDLAQEGKESGFLREVNLAVPVLLHLPALA 186
Db 181 LSKAVSNVIASTLVYARREYEDPFENMLKTLKESFGEDTGFMAEVLNAIFILQIPGLP 240
Qy 187 GKVLRFQKAFITQDELLETHRTWDPQAPRDLTEAFIAEMEKAKGNPSSFNENLRI 246
Db 241 GKVPKLSFIALVDKMLIEHKSWDPQAPRDLTEAFIAEMEKAKGNPSSFNENLRL 300
Qy 247 VVADLFSAGMVTSTLLAWGLLMLHPDVQRVQOEIDVIGQVRPEMGDOAHMPYTT 306
Db 301 VVLDLFWAGMVTSTLLAWGLLMLHPDVQRVQOEIDVIGQVRPEMGDOAHMPYTT 360
Qy 307 AVIEHQVRFQDIVPLGVTHMTSRDIEVQGFRIKGTTLITNLSSVLKDEAVWKEKPRFHP 366
Db 361 AVIEHQVRFQDIVPTNIPHTMSRIKFGFLIPKGTTLIPNLSSVLEDETWEKPLRHP 420
Qy 367 EHFLDAQGHFVKPEAFIPFAGRACGLGEPLARMELFLFTSLLOHFSFVPTGQRPSSH 426
Db 421 EHFLDAQGNFVKHEAFPFAGRACGLGEPLARMELFLFTSLLOHFSFVPTGQRPSSH 480

Qy 427 HGVFAFLVTPSPYELCAVPR 446
Db 481 HGVVALPVTPOFYQLCAVAR 500

RESULT 11

QARTD5
cytochrome P450 2D5 - rat
N:Alternate names: cytochrome P450CMF1b; cytochrome P450db5
N:Contains: oxidoreductase (EC 1.-.-.-)
C:Species: Rattus norvegicus (Norway rat)
C:Date: 31-Mar-1992 #sequence_revision 31-Mar-1992 #text_change 03-Mar-2000

C:Accession: S09611; A32970; S16874; B31579
R:Ishida, N.; Inuzuka, C.; Tawaragi, Y.; Sugita, O.; Nakazato, H.; Noguchi, T.; Sassa, S.
Nucleic Acids Res. 17, 6407, 1989
A:Title: Cytochrome P450CMF cDNA: nucleotide sequence of P450CMF1b.
A:Reference number: S09611; MUID:89366685; PMID:2771656
A:Accession: S09611
A:Molecule type: mRNA
A:Residues: 1-504 <ISH>
A:Cross-references: EMBL:M25143; NID:G203775; PIDN:AAA41034.1; PID:G203776
R:Matsunaga, E.; Zanger, U.M.; Hardwick, J.P.; Gelboin, H.V.; Meyer, U.A.; Gonzalez, F.J.
Biochemistry 28, 7349-7355, 1989
A:Title: The CYP2D gene subfamily: analysis of the molecular basis of the debrisoquine 4-
A:Reference number: A32970; MUID:90057430; PMID:2819073
A:Accession: A32970
A:Molecule type: mRNA
A:Residues: 1-504 <MAT1>
A:Cross-references: EMBL:J02869; NID:G203673; PIDN:AAA41003.1; PID:G203674
R:Matsunaga, E.; Umeno, M.; Gonzalez, F.J.
J. Mol. Evol. 30, 155-169, 1990
A:Title: The rat P450 IID subfamily: complete sequences of four closely linked genes and
50 active site.
A:Reference number: S16871; MUID:90189185; PMID:2107330
A:Accession: S16874
A:Molecule type: DNA
A:Residues: 1-504 <MAT2>
A:Cross-references: EMBL:X52030; NID:G57817; PIDN:CAA36272.1; PID:G57818
R:Ishida, N.; Tawaragi, Y.; Inuzuka, C.; Sugita, O.; Kubota, I.; Nakazato, H.; Noguchi, F.
Biochem. Biophys. Res. Commun. 156, 681-688, 1988
A:Title: Four species of cDNAs for cytochrome P450 isozymes immunorelated to P450C-M/F
A:Reference number: A90151; MUID:89050091; PMID:3190674
A:Accession: B31579
A:Molecule type: mRNA
A:Residues: 18-504 <IS2>
A:Cross-references: EMBL:M22329; NID:G203806; PIDN:AAA41045.1; PID:G203807
C:Genetics:
A:Gene: CYP2D5
A:Introns: 63/3; 121/1; 172/1; 225/3; 284/3; 332/1; 394/3; 442/1
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: Chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metallo
F:305-468/Domain: cytochrome P450 homology <P45>
F:446/Binding site: heme iron (Cys) (axial ligand) #status predicted
Query Match 69.3%; Score 1614.5; DB 1; Length 504;
Best Local Similarity 64.6%; Pred. No. 1e-116;
Matches 318; Conservative 38; Mismatches 85; Indels 51; Gaps 1;
QY 6 LVPLAVIVAFLLVLDLHRRORWAARYSGPLPLGLGNLLHVDFTQTPYCFDQLRRF 65
DB 9 LWPMAFTVIFILLVDMHRHQRTSKYPGPVFWVLGNLLQVDPSPNMPYSMYKLQHRY 68
QY 66 GDVFSIQLAWTPVVVLNGLAAVREALVTHGEDTADRPVPVITQILGFGPRSQ----- 117
DB 69 GDVFSIQMGKPMVIVNRLKAVQEVLVTHGEDTADRPVPVIFKLVGKPRSQGVFASVG 128
QY 118 -----GRPFRRNGLLDKAVSNV 134
DB 129 PEWREQRRESVSLRTFTGMRKSLSEWVTKAEAGHLCDAFTAQNGRSINPKAMLNKALCNV 188
QY 135 IASLTGCRFEYDDPRLRLDLAOLGKESGFLAEVLNAPVLLHIIPALACKVLRFQK 194
DB 189 IASLIFARFEYEDPVLIRMLTLVEESLIEVSGFIEPVLNTPFALLRIFGLADKVFQGK 248
QY 195 AFLTQDDELITHEMTWDPAQPPDRITAEFLAMEKAKGNPSSFNDELIRIVADLPSA 254
DB 249 TFWAFDLNLLAENRTTWDPAQPPRNLTDAFLAEVAKAGNPSSFNDELIRVWVVDLFTA 308
QY 255 GMYTTSTTLAWGLLMLHPDVQRVQOQIEDDVGVRREPMGDAQHMYTTAVIHEVQR 314
DB 309 GMYTTATTLTALLMLLYPDVQRVQOQIDEIVGQVRCPEMTDQAHMPEYTNVAVIHEVQR 368
QY 315 FGDIVPLVGHYTHMSTRDIEVQGFRIKGTTLITNLSSVLKDEAVWEKPFPHFHLDAQK 374
DB 369 FGDIAFLNLPRTSCDIEVQDFVIRPKGTTLIINLSSVLKDETVWEKPLRPHFHLDAQK 428

QY 375 HFVKDEAFILPFGSAGRRACIGELPLARMELFTTLLQHFSSVPTQPRSHHGVPFAFLV 434
DB 429 NFVKEAFMPFGSAGRRACIGELPLARMELFTTLLQHFSSVPTQPRSPSTILGNEAISV 488
QY 435 TPSPYELCAVPR 446
DB 489 APLPYOLCAVR 500

RESULT 12

A26822
debrisoquine 4-hydroxylase (EC 1.14.14.-) cytochrome P450 2D1 - rat
N:Alternate names: cytochrome P450 UT-7; cytochrome P450db1
C:Species: Rattus norvegicus (Norway rat)
C:Date: 03-Dec-1999 #sequence revision 03-Dec-1999 #text change 03-Mar-2000
C:Accession: A26822; A30495; B32970; A31579; JCA158; S39761
R:Gonzalez, F.J.; Matsunaga, T.; Nagata, K.; Meyer, U.A.; Nebert, D.W.; Pastewka, J.; K
DNA 6, 149-161, 1987
A:Title: Debrisoquine 4-hydroxylase: characterization of a new P450 gene subfamily, reg
A:Reference number: A90957; MUID:87217961; PMID:3582092
A:Accession: A26822
A:Molecule type: mRNA
A:Residues: 1-504 <CON>
A:Cross-references: EMBL:M16654; NID:G203833; PIDN:AAA41054.1; PID:G203834
A:Accession: A30495
A:Molecule type: protein
A:Residues: 'X', '5', '7', 'X', '9', 'XX', '12-23 <G02>
R:Matsunaga, E.; Zanger, U.M.; Hardwick, J.P.; Gelboin, H.V.; Meyer, U.A.; Gonzalez, F.
Biochemistry 28, 7349-7355, 1989
A:Title: The CYP2D gene subfamily: analysis of the molecular basis of the debrisoquine
A:Reference number: A32970; MUID:90057430; PMID:2819073
A:Accession: B32970
A:Molecule type: mRNA
A:Residues: 1-504 <MAT>
A:Cross-references: EMBL:J02867; NID:G203669; PIDN:AAA41001.1; PID:G203670
A:Accession: C32970
A:Molecule type: mRNA
A:Residues: 1-122, 'VF', '125-172, 'R', '174-379, 'I', '381-504 <MAT1>
R:Ishida, N.; Tawaragi, Y.; Inuzuka, C.; Sugita, O.; Kubota, I.; Nakazato, H.; Noguchi, F.
Biochem. Biophys. Res. Commun. 156, 681-688, 1988
A:Title: Four species of cDNAs for cytochrome P450 isozymes immunorelated to P450C-M/F
A:Reference number: A90151; MUID:89050091; PMID:3190674
A:Accession: A31579
A:Molecule type: mRNA
A:Residues: 1-122, 'VF', '125-172, 'R', '174-379, 'I', '381-504 <ISH>
A:Cross-references: EMBL:M22328; NID:G203802; PIDN:AAA41043.1; PID:G203803
R:Jiang, Q.; Voigt, J.M.; Colby, H.D.
Biochem. Biophys. Res. Commun. 209, 1149-1156, 1995
A:Title: Molecular cloning and sequencing of a guinea pig cytochrome P4502D (CYP2D16) :
A:Reference number: JCA153; MUID:95251703; PMID:7733969
A:Accession: JCA158
A>Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-504 <JIA>
R:Ohishi, N.; Inaoka, S.; Suzuki, T.; Funae, Y.
Biochim. Biophys. Acta 1158, 227-236, 1993
A:Title: Characterization of two P-450 isozymes placed in the rat CYP2D subfamily.
A:Reference number: S39761; MUID:94072607; PMID:8251521
A:Accession: S39761
A:Molecule type: protein
A:Residues: 1-9, 'X', '11-13 <OHI>
C:Genetics:
A:Gene: CYP2D1
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: Chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metall
F:1-504/Product: cytochrome P450 2D1 #status experimental <MAT>
F:4-504/Product: cytochrome P450 2Div #status experimental <MAT2>
F:9-25/Domain: transmembrane #status predicted <TM1>
F:305-468/Domain: cytochrome P450 homology <CYP>
F:310-326/Domain: transmembrane #status predicted <TM2>
F:446/Binding site: heme iron (Cys) (axial ligand) #status predicted

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: February 25, 2004, 03:09:36 ; Search time 18 Seconds
(without alignments)
1290.183 Million cell updates/sec

Title: US-09-820-788A-2

Perfect score: 2330

Sequence: 1 MGLEALVPLAIVAIPLLLV.....HGVAFLVTPSPYELCAVPR 446

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 141681 seqs, 52070155 residues

Total number of hits satisfying chosen parameters: 141681

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_42.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	2282.5	98.0	497	1 CPD6 HUMAN	P10635 homo sapien
2	2140.5	91.9	497	1 CPDH MACFA	Q29488 macaca fasc
3	2069.5	88.8	497	1 CPDU CALJA	O18992 callithrix
4	1736.5	74.5	499	1 CPDP PIG	O46658 sus scrofa
5	1734.5	74.4	487	1 CPDE BOVIN	Q01361 bos taurus
6	1724.5	74.0	500	1 CPD4 RAT	P13108 rattus norv
7	1708.5	73.3	500	1 CPDI RAT	O64680 rattus norv
8	1686.5	72.4	499	1 CPDE CANFA	Q29473 canis faml
9	1653.5	71.0	500	1 CPDK MESAU	O9QY95 mesocricetu
10	1642.5	70.5	500	1 CPDR MESAU	O9QY96 mesocricetu
11	1640.5	70.4	500	1 CPD2 RAT	P10634 rattus norv
12	1638.5	70.3	500	1 CPD3 RAT	P12938 rattus norv
13	1614.5	69.3	504	1 CPD1 RAT	P10633 rattus norv
14	1614.5	69.3	504	1 CPD5 RAT	P12939 rattus norv
15	1611.5	69.1	500	1 CPDG CAVPO	O64403 cavia porce
16	1597.5	68.6	504	1 CPD9 MOUSE	P11714 mus musculu
17	1578.5	67.7	504	1 CPDA MOUSE	P24456 mus musculu
18	1545.5	66.3	500	1 CPDS MESAU	O9QJ11 mesocricetu
19	1456.5	62.5	505	1 CPDB MOUSE	P24457 mus musculu
20	841.5	36.1	501	1 CPD6 MOUSE	O54750 mus musculu
21	833.5	35.8	502	1 CPD7 HUMAN	P51589 homo sapien
22	828.5	35.6	502	1 CPJ3 RAT	P51590 rattus norv
23	813.5	34.9	501	1 CPJ5 MOUSE	O54749 mus musculu
24	810.5	34.8	491	1 CPB4 RABIT	P00178 oryctolagus
25	810.5	34.8	491	1 CPB5 RABIT	P12789 oryctolagus
26	808.5	34.7	491	1 CPB1 RAT	P00176 rattus norv
27	804.5	34.5	500	1 CPJ1 RABIT	P22786 oryctolagus
28	801.5	34.4	494	1 CPJN RAT	P24470 rattus norv
29	800.5	34.3	491	1 CPB9 MOUSE	P12790 mus musculu
30	799.5	34.3	491	1 CPB2 RAT	P04167 rattus norv
31	797.5	34.2	490	1 CPD8 HUMAN	P10632 homo sapien
32	788.5	33.8	490	1 CPD4 MOUSE	P56656 mus musculu
33	787.5	33.8	490	1 CPD7 MESAU	Q08078 mesocricetu

34	785.5	33.7	490	1 CPCK MACFA	P33262 macaca fasc
35	785	33.7	490	1 CPDQ MESAU	P33263 mesocricetu
36	783	33.6	490	1 CPCT MOUSE	O64458 mus musculu
37	780	33.5	500	1 CPGB RAT	P08683 rattus norv
38	779.5	33.5	493	1 CPB1 HUMAN	P05181 homo sapien
39	779.5	33.5	504	1 CPK1 ONCMY	Q92090 oncorhynch
40	779	33.4	491	1 C2F2 MOUSE	P33267 mus musculu
41	778	33.4	487	1 CPCL CANFA	P56594 canis faml
42	778	33.4	492	1 CPBC RAT	P33272 rattus norv
43	776.5	33.3	491	1 CPB6 HUMAN	P20813 homo sapien
44	775	33.3	490	1 CPD9 MESAU	P33264 mesocricetu
45	775	33.3	492	1 CPB3 MOUSE	O55071 mus musculu

ALIGNMENTS

RESULT 1
CPD6_HUMAN STANDARD; PRT; 497 AA.
ID P10635; Q16752;
AC DT 01-JUL-1989 (Rel. 11, Created)
DT 01-JUL-1989 (Rel. 11, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Cytochrome P450 2D6 (EC 1.14.14.1) (CYP1D6) (P450-DB1) (Debrisoquine 4-hydroxylase).
GN CYP2D6.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP MEDLINE=88314109; PubMed=3410476;
RA Gonzalez F.J., Vilbois F., Hardwick J.P., McBride O.W.,
RA Nebert D.W., Gelboin H.V., Meyer U.A.;
RT "Human debrisoquine 4-hydroxylase (P450IID1): cDNA and deduced amino acid sequence and assignment of the CYP2D locus to chromosome 22.";
RL Genomics 2:174-179(1988).
RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RA Gonzalez F.J., Skoda R.C., Kimura S., Umeno M., Zanger U.M.,
RA Nebert D.W., Gelboin H.V., Hardwick J.P., Meyer U.A.;
RT "Characterization of the common genetic defect in humans deficient in debrisoquine metabolism.";
RL Nature 331:442-446(1988).
RN [3]
RP SEQUENCE FROM N.A.
RC MEDLINE=90072069; PubMed=2574001;
RA Kimura S., Umeno M., Skoda R.C., Meyer U.A., Gonzalez F.J.;
RT "The human debrisoquine 4-hydroxylase (CYP2D) locus: sequence and identification of the polymorphic CYP2D6 gene, a related gene, and a pseudogene.";
RL Am. J. Hum. Genet. 45:889-904(1989).
RN [4]
RP VARIANT LYS-281 DEL (CYP2D6*9).
RX MEDLINE=93244880; PubMed=1844820;
RA Tyndale R., Aoyama T., Broly F., Matsunaga T., Inaba T., Kalow W., Gelboin H.V., Meyer U.A., Gonzalez F.J.;
RT "Identification of a new variant CYP2D6 allele lacking the codon encoding Lys-281: possible association with the poor metabolizer phenotype.";
RL Pharmacogenetics 1:26-32(1991).
RN [5]
RP VARIANTS SER-34 AND THR-486 (CYP2D6*10).
RX MEDLINE=94115362; PubMed=8287064;
RA Yokota H., Tamura S., Furuya H., Kimura S., Watanabe M., Kanazawa I., Kondo I., Gonzalez F.J.;
RT "Evidence for a new variant CYP2D6 allele CYP2D6J in a Japanese population associated with lower in vivo rates of sparteine metabolism.";
RL

Pharmacogenetics 3:256-263(1993).
[6] VARIANT PRO-324 (CYP2D6*7).
RX MEDLINE=95147995; PubMed=7845481;
RA Evert B., Griese E.U., Bichelbaum M.;
RT "A missense mutation in exon 6 of the CYP2D6 gene leading to a
RT histidine 324 to proline exchange is associated with the poor
RL metabolizer phenotype of sparteine.";
RL Naunyn Schmiedeberg Arch. Pharmacol. 350:434-439(1994).
[7] VARIANT GLU-212 (CYP2D6*6B/6C).
RP MEDLINE=95172594; PubMed=7868129;
RX Dally A.K., Leathart J.B., London S.J., Idle J.R.;
RA "An inactive cytochrome P450 CYP2D6 allele containing a deletion and a
RT base substitution.";
RL Hum. Genet. 95:337-341(1995).
[8] VARIANT ILE-107 (CYP2D6*17).
RP MEDLINE=97126511; PubMed=8971426;
RX Masimirembwa C., Persson I., Bertilsson L., Hasler J.,
RA Ingelman-Sundberg M.;
RT "A novel mutant variant of the CYP2D6 gene (CYP2D6*17) common in a
RT black African population: association with diminished debrisoquine
RT hydroxylase activity.";
RL Br. J. Clin. Pharmacol. 42:713-719(1996).
[9] VARIANT ARG-42 (CYP2D6*12).
RP MEDLINE=96209916; PubMed=8655150;
RX Marex D., Legrand M., Sabbagh N., Lo-Guidice J.M., Boone P., Broly F.;
RA "An additional allelic variant of the CYP2D6 gene causing impaired
RT metabolism of sparteine.";
RL Hum. Genet. 97:668-670(1996).
[10] VARIANTS.
RP MEDLINE=97385645; PubMed=9241659;
RX Marex D., Legrand M., Sabbagh N., Guidice J.M., Spire C.,
RA Lafitte J.J., Meyer U.A., Broly F.;
RT "Polymorphism of the cytochrome P450 CYP2D6 gene in a European
RT population: characterization of 48 mutations and 53 alleles, their
RT frequencies and evolution.";
RL Pharmacogenetics 7:193-202(1997).
[11] VARIANT ARG-169 (CYP2D6*14).
RP MEDLINE=99164054; PubMed=10064570;
RX Wang S.L., Lai M.D., Huang J.D.;
RA "G169R mutation diminishes the metabolic activity of CYP2D6 in
RT Chinese.";
RL Drug Metab. Dispos. 27:385-388(1999).
CC -!- FUNCTION: Responsible for the metabolism of many drugs and
CC environmental chemicals that it oxidizes. It is involved in the
CC metabolism of drugs such as antiarrhythmics, adrenoceptor
CC antagonists, and tricyclic antidepressants.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- INDUCTION: By pregnancy.
CC -!- POLYMORPHISM: Highly polymorphic. Oxidative drug metabolism by
CC CYP2D6 is characterized by two phenotypes, the extensive
CC metabolizer (EM) and poor metabolizer (PM). Of the Caucasian
CC populations of Europe and North America, 5%-10% are of the PM
CC phenotype and are unable to metabolize the antihypertensive drug
CC debrisoquine and numerous other drugs.
CC -!- POLYMORPHISM: Allele CYP2D6*7 was also known as CYP2D6E, allele
CC CYP2D6*9 as CYP2D6C, allele CYP2D6*10 as CYP2D6J, allele CYP2D6*17
CC as CYP2D6Z.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC -!- DATABASE: NAME=Cytochrome P450 Allele Nomenclature Committee;
CC NOTE=CYP2D6 alleles;
CC WWW="http://www.imm.ki.se/cypalleles/cyp2d6.htm".
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its

use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
or send an email to license@isb-sib.ch).

DR EMBL; M20403; AA52153.1; -;
DR EMBL; X08006; CAA30807.1; -;
DR EMBL; M33388; AA53500.1; -;
DR PIR; S01199; O4HUD1.
DR HSSP; P00179; 1DT6.
DR Genew; HGNC:2625; CYP2D6.
DR MIM; 124030; -;
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; P450.1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum; Polymorphism.
FT METAL 443 443 IRON (HEME AXIAL LIGAND)
FT VARIANT 11 11 V -> M (in allele CYP2D6*35).
FT VARIANT 26 26 R -> H (in allele CYP2D6*21).
FT VARIANT 28 28 R -> C (in allele CYP2D6*22).
FT VARIANT 34 34 P -> S (in allele CYP2D6*10 and allele
FT CYP2D6*14; poor debrisoquine metabolism).
FT VARIANT 42 42 G -> R (in allele CYP2D6*12; impaired
FT metabolism of sparteine).
FT FTid=VAR_001256.
FT VARIANT 85 85 A -> V (in allele CYP2D6*23).
FT VARIANT 107 107 T -> I (in allele CYP2D6*17; poor
FT debrisoquine metabolism).
FT VARIANT 169 169 G -> R (in allele CYP2D6*14; poor
FT debrisoquine metabolism).
FT VARIANT 212 212 G -> E (in allele CYP2D6*6B and allele
FT CYP2D6*6C).
FT VARIANT 237 237 A -> S (in allele CYP2D6*33).
FT VARIANT 281 281 Missing (in allele CYP2D6*9).
FT VARIANT 296 296 R -> C (in allele CYP2D6*2, allele
FT CYP2D6*12, allele CYP2D6*14 and allele
FT CYP2D6*17; dbSNP:16947).
FT FTid=VAR_008340.
FT VARIANT 297 297 I -> L (in allele CYP2D6*24).
FT VARIANT 311 311 S -> L (in dbSNP:1800754).
FT VARIANT 324 324 H -> P (in allele CYP2D6*7; loss of
FT activity).
FT FTid=VAR_008348.
FT VARIANT 343 343 R -> G (in allele CYP2D6*25).
FT VARIANT 369 369 I -> T (in allele CYP2D6*26).
FT VARIANT 410 410 E -> K (in allele CYP2D6*27).
FT FTid=VAR_008374.
FT VARIANT 486 486 S -> T (in allele CYP2D6*2, allele
FT CYP2D6*10, allele CYP2D6*12, allele
FT CYP2D6*14 and allele CYP2D6*17; impaired
FT metabolism of sparteine).
FT FTid=VAR_008341.
FT VARIANT 374 374 M -> V (IN REF. 3).
FT CONFLICT 374 374
FT SEQUENCE 497 AA; 55801 MW; 543F4D5F0DE8CDAC CRC64;

CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

Query Match 98.0%; Score 2282.5; DB 1; Length 497;
Best Local Similarity 89.1%; Pred. No. 4e-154; 1; Indels 51; Gaps 1;
Matches 443; Conservative 2; Mismatches 1;

QY 1 MGLEALVPLAVIAIVAILLLVLMHRRQWAARYSPGFLPLPGLGNLLHVDFTQNTPYCFDQ 60
DB 1 MGLEALVPLAVIAIVAILLLVLMHRRQWAARYSPGFLPLPGLGNLLHVDFTQNTPYCFDQ 60
QY 61 LRRFGDVPSLQAWTPVVVINGLAAREALVTHGEDTADRPVPITQILGFGPRSQ--- 117
DB 61 LRRFGDVPSLQAWTPVVVINGLAAREALVTHGEDTADRPVPITQILGFGPRSQGVF 120
QY 118 -----GRPRPNGLLDK 129
DB 121 LARYGPANREQRFRFVSTLRNLGLKKSLEQWTEBAACLAFAFANHSRGRFRPNGLLDK 180
QY 130 AVSNVIASITCGRRFEYDDPRFLRLDLAQEGLKEESGFLREVNLAVPVLLHHPALAGKV 189
DB 181 AVSNVIASITCGRRFEYDDPRFLRLDLAQEGLKEESGFLREVNLAVPVLLHHPALAGKV 240
QY 190 LRFQKAFLTQDLDELLETHRTWDPAPPRDLTEAFIAEMEKAKGNPESFNENLRIVA 249
DB 241 LRFQKAFLTQDLDELLETHRTWDPAPPRDLTEAFIAEMEKAKGNPESFNENLRIVA 300
QY 250 DLFSAGMVTSTTTLAWGLLMLHPDVQRRVQOEIDDDVIGQVRRPBMGQAHMPYTTAVI 309
DB 301 DLFSAGMVTSTTTLAWGLLMLHPDVQRRVQOEIDDDVIGQVRRPBMGQAHMPYTTAVI 360
QY 310 HEVQREGDIVPLGVTHMTSRDIEVOGFRIIPKGTTLITNLSSVLKDEAVWEKPRFHPHF 369
DB 361 HEVQREGDIVPLGVTHMTSRDIEVOGFRIIPKGTTLITNLSSVLKDEAVWEKPRFHPHF 420
QY 370 LDAQHFVKEAFPLPFSAGRRACLGELPLARMELFFFTSLLOHFSFSVPTGQPRPSHHGV 429
DB 421 LDAQHFVKEAFPLPFSAGRRACLGELPLARMELFFFTSLLOHFSFSVPTGQPRPSHHGV 480
QY 430 FAFVLTSPSYELCAVPR 446
DB 481 FAFVLTSPSYELCAVPR 497

RESULT 2

CPDH_MACFA STANDARD; PRT; 497 AA.
ID CPDJ_MACFA
AC Q29488;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D17 (EC 1.14.14.1) (CYPIID17).
GN CYP2D17.
OS Macaca fascicularis (Crab eating macaque) (Cynomolgus monkey).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
OC Cercopithecoidea; Macaca.
OX NCBI_TaxID=9541;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RA Lawton M.P., Laddison K.J., Speirs A.A., Mankowski D.C., Tweedie D.J.;
RL Submitted (OCT-1995) to the EMBL/GenBank/DBJ databases.
CC -! CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -! SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum (By
CC similarity).
CC -! SIMILARITY: Belongs to the cytochrome P450 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

CC EMBL; U38218; AAA79722.1; -
DR PIR; G02938; G02938.
DR HSSP; P00179; 1DT6.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00667; P450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum
FT METAL 443 443 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
SQ SEQUENCE 497 AA; 56010 MW; 3594AA88F04E58B1 CRC64;

Query Match 91.9%; Score 2140.5; DB 1; Length 497;
Best Local Similarity 83.9%; Pred. No. 4.4e-144;
Matches 417; Conservative 9; Mismatches 20; Indels 51; Gaps 1;

QY 1 MGLEALVPLAVIAIVAILLLVLMHRRQWAARYSPGFLPLPGLGNLLHVDFTQNTPYCFDQ 60
DB 1 MELDALVPLAVIAIVAILLLVLMHRRQWAARYSPGFLPLPGLGNLLHVDFTQNTPYCFDQ 60
QY 61 LRRFGDVPSLQAWTPVVVINGLAAREALVTHGEDTADRPVPITQILGFGPRSQ--- 117
DB 61 LRRFGDVPSLQAWTPVVVINGLAAREALVTHGEDTADRPVPITQILGFGPRSQGVF 120
QY 118 -----GRPRPNGLLDK 129
DB 121 LARYGPANREQRFRFVSTLRNLGLKKSLEQWTEBAACLAFAFTDQAGRFRPNGLLDK 180
QY 130 AVSNVIASITCGRRFEYDDPRFLRLDLAQEGLKEESGFLREVNLAVPVLLHHPALAGKV 189
DB 181 AVSNVIASITCGRRFEYDDPRFLRLDLAQEGLKEESGFLREVNLAVPVLLHHPALAGKV 240
QY 190 LRFQKAFLTQDLDELLETHRTWDPAPPRDLTEAFIAEMEKAKGNPESFNENLRIVA 249
DB 241 LRSQKAFLTQDLDELLETHRTWDPAPPRDLTEAFIAEMEKAKGNPESFNENLRIVA 300
QY 250 DLFSAGMVTSTTTLAWGLLMLHPDVQRRVQOEIDDDVIGQVRRPBMGQAHMPYTTAVI 309
DB 301 DLFSAGMVTSTTTLAWGLLMLHPDVQRRVQOEIDDDVIGQVRRPBMGQAHMPYTTAVI 360
QY 310 HEVQREGDIVPLGVTHMTSRDIEVOGFRIIPKGTTLITNLSSVLKDEAVWEKPRFHPHF 369
DB 361 HEVQREGDIVPLGVTHMTSRDIEVOGFRIIPKGTTLITNLSSVLKDEAVWEKPRFHPHF 420
QY 370 LDAQHFVKEAFPLPFSAGRRACLGELPLARMELFFFTSLLOHFSFSVPTGQPRPSHHGV 429
DB 421 LDAQHFVKEAFPLPFSAGRRACLGELPLARMELFFFTSLLOHFSFSVPTGQPRPSHHGV 480
QY 430 FAFVLTSPSYELCAVPR 446
DB 481 FAFVLTSPSYELCAVPR 497

RESULT 3

CPDJ_CALJA STANDARD; PRT; 497 AA.
ID CPDJ_CALJA
AC O18992;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D19 (EC 1.14.14.1) (CYPIID19) (P450 CM2D-1).
GN CYP2D19.
OS Callithrix jacchus (Common marmoset).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Platyrrhini; Callitrichidae;
OC Callitrich.
OX NCBI_TaxID=9483;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;

RX MEDLINE=97223367; PubMed=9056237;
RA Igarashi T., Sakuma T., Isogai M., Nagata R., Kamataki T.;
RT "Marmoset liver cytochrome P450s: study for expression and molecular
cloning of their cDNAs";
RL Arch. Biochem. Biophys. 339:85-91 (1997).
CC -!- FUNCTION: RESPONSIBLE FOR THE METABOLISM OF MANY DRUGS AND
ENVIRONMENTAL CHEMICALS THAT IT OXIDIZES.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- INDUCTION: P450 can be induced to high levels in liver and other
tissues by various foreign compounds, including drugs, pesticides,
and carcinogens.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
or send an email to license@isb-sib.ch).
CC
CC EMBL; D29822; BAA22155.1; -.
DR HSSP; P00179; 1DT6.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; p450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
DR OXIDOREDUCTASE; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum.
FT METAL 443 443 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
SQ SEQUENCE 497 AA; 55911 MW; A482ABE71B4D6CAF CRC64;

Query Match 88.8%; Score 2069.5; DB 1; Length 497;
Best Local Similarity 81.5%; Pred. No. 4.6e-139; Indels 51; Gaps 1;
Matches 405; Conservative 11; Mismatches 30;

QY 1 MGLEALVPLAVTVAIFLLVLDLMHRRQRWAARYSPGLPLGGLNLLHVDVDFONTPCYCDQ 60
Db 1 MGLDALVPLAVTVAIFLLVLDLMHRRQRWAARYSPGLPLGGLNLLHVDVDFONTNSNQ 60

QY 61 LRRRGDVFSLOLAWTPVVLNGLAAVREALVTHGEDTADRPVPIITQLGFGPRSQ--- 117
Db 61 LRRRGDVFSLOLAWTPVVLNGLAAVREALVTRGEDTADRPVPIITQLGFGPRSQGLF 120

QY 118 -----GRPRPNGLLDK 129
Db 121 LARYCPANREQRFSVSTLRNLGLGKKSLEQWTEATYVLCNAFADHAGRPFRPNGLLDK 180

QY 130 AVSNVIAISLTCRRFEYDDPRELRLLDLAQGLKEESGFLREVNLNAVPLVLLHIALAGKV 189
Db 181 AVSNVIAISLTCRRFEYNDPCLLRLDLTMEGLKEESGLLREVNLNAVPLVLLRIPGLAGKV 240

QY 190 LRFQKAFITQLDELLTEHRMTWDPAPPRDLTEAFIAEMEKAKGNPSSFNDENRIVVA 249
Db 241 LRSQKAFIAQLDELLTEHRMTWDPAPPRDLTEAFIAEMEKTKGNPSSFNDENLHLVVA 300

QY 250 DLFSAGMTTSTTLAWGLLMLTHLPDVORRVOQETDDVIGVRRPEMGDAQHMPYTTAVI 309
Db 301 DLFSAGMTTSTTLAWGLLMLTHLPDVORRVOQETDDVIGVRRPEMGDQYTPYTTAVI 360

QY 310 HEVQRFQDIVPLGVTHMTSRDIEVOGFRIPKGTTLITLSSVLKDEAVWEKPFRRPHPEHF 369
Db 361 HEVQRFADIVPLGVTHMTSRDIEVOGFLIPKGTTLITLSSVLKDEAVWEKPFRRPHPEHF 420

QY 370 LDAQGHFVKPEAFLPFSAGRRACLGELPRLMELFLFTSLLOHFSFVSPTGQPRSHHG 429
Db 421 LDAQGRFVKPEAFLPFSAGRRACLGELPRLMELFLFTCLLQRFVSFVPAGQPRSPHGV 480

QY 430 FAFLVTPSPYELCAVPR 446

Db 481 FAFLVTPSPYELCAVPR 497

RESULT 4
CDP_PIG STANDARD; PRT; 499 AA.
AC 046658;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D25 (EC 1.14.14.-) (CYP1D25) (Vitamin D(3) 25-
hydroxylase).
GN CYP2D25.
OS Sus scrofa (Pig).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
OX NCBI_TaxID=9823;
RN [1]
RP SEQUENCE FROM N.A., AND SEQUENCE OF 1-56; 248-272 AND 407-429.
RC TISSUE=Liver;
RX MEDLINE=98086378; PubMed=9425298;
RA Postlind H., Axen E., Bergman T., Wikvall K.;
RT "Cloning, structure, and expression of a cDNA encoding vitamin D3 25-
hydroxylase";
RL Biochem. Biophys. Res. Commun. 241:491-497 (1997).
RN [2]
RP SEQUENCE OF 1-16.
RC TISSUE=Liver;
RX MEDLINE=93075023; PubMed=1445236;
RA Axen E., Bergman T., Wikvall K.;
RT "Purification and characterization of a vitamin D3 25-hydroxylase
from pig liver microsomes";
RL Biochem. J. 287:725-731 (1992).
CC -!- FUNCTION: CATALYZES THE FIRST STEP IN THE METABOLIC ACTIVATION OF
VITAMIN D(3) INTO 1-ALPHA,25-DIHYDROXYVITAMIN D(3), ITS ACTIVE,
HORMONAL FORM.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- TISSUE SPECIFICITY: Found in liver and kidney.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
or send an email to license@isb-sib.ch).
CC
CC EMBL; Y16417; CAA76205.1; -.
DR PIR; JC5819; JCS819.
DR HSSP; P00179; 1DT6.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; p450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum.
FT INIT MET 0
FT METAL 445 445 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
SQ SEQUENCE 499 AA; 56380 MW; 31C878B580E61919 CRC64;

Query Match 74.5%; Score 1736.5; DB 1; Length 499;
Best Local Similarity 69.7%; Pred. No. 1.6e-115;
Matches 341; Conservative 39; Mismatches 58; Indels 51; Gaps 1;

QY 9 LAVIVAIPELLVLDLMHRRQRWAARYSPGLPLGGLNLLHVDVDFONTPCYCDLRRRFGDV 68
Db 11 LALAMVIFLLVLDLMHRRSRWAPRYPPGMPPLGGLNLLQVNFQDPRLLSFQLRRRFGDV 70

QY 69 FSLQLAWTPVVVLNGLAAVREALVTHGEDTADRPVPIITQLGFGPRSQ----- 117

```
Db 71 FSLQIWRVWVNLGLAAVREALVSHSHSDRPPVFIHLEHLYGPRSEGVILARYGKAW 130
QY 118 -----GRPRPGLGLDCAVSNVIA 137
Db 131 REORPVSSTLRNFGGLGKSLSEWVTOEASCLCAAFADQAQAPFPFNNLLNKA VSNVIAS 190
QY 138 LTCGRREFYDDPRFLRLDLAEGLEKESGFLREVNLAVPVLLHIPALAGKVLRFQKAPL 197
Db 191 LTFARRFEYNDPRMLKLLDLVLEGLKEEVGLMRQVLEAMPVLRHIPGLCAKLPFRQKAPL 250
QY 198 TQDELLETHRTWDPAPQPRDLTEAFLEAMEKAKGNPSSFNNDENLRIVVADLPSAGNV 257
Db 251 VMIDELITEHKVTRDLAQPRLTDAFLDEMEKAKGNPSSFNNDENLRVVAHLFSAGMI 310
QY 258 TTSTTLAWGLMLLHPDVQRRVQOEIDVIGVRRPENGMDQAHMPYTTAVIHEVQRF 317
Db 311 TTSTTLAWGLMLLHPDVQRRVQOEIDVIGVRRPENGMDQAHMPYTTAVIHEVQRF 370
QY 318 IVPLGVTHMTSDIEVQGFRIKPGTTLITNLSSVLKDEAVWEKPFRRFHPHFELDAQGHV 377
Db 371 IVPLGVHMTSDIEVQGFRIKPGTTLITNLSSVLKDEAVWEKPFRRFHPHFELDAQGRFT 430
QY 378 KPEAFLEPSAGRACGLGEPLARMELFFFTSLLOHFSFVPTQPRPSHHGVFAFLVTPS 437
Db 431 KQEARMPFSAGRRSCLGEPLARMELFFFTSLLOHFSFVPTQPRPSHHGVFAFLVTPS 490
QY 438 PYELCAVPR 446
Db 491 PYQLCAVPR 499
```

RESULT 5

```
CPDE BOVIN
ID CPDE BOVIN STANDARD; PRT; 487 AA.
AC Q01361;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D14 (EC 1.14.14.1) (CYP1D14) (Fragment).
GN CYP2D14.
OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;
OC Bovidae; Bovinae; Bos.
OC NCBI_TaxID=9913;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=93011103; PubMed=1396678;
RA Tsuneoka Y., Matsuo Y., Higuchi R., Ichikawa Y.;
RT "Characterization of the cytochrome P-450IID subfamily in bovine
RT liver. Nucleotide sequences and microheterogeneity.";
RL Eur. J. Biochem. 208:739-746(1992).
CC -!- FUNCTION: Cytochromes P450 are a group of heme-thiolate
CC monooxygenases. In liver microsomes, this enzyme is involved in an
CC NADPH-dependent electron transport pathway. It oxidizes a variety
CC of structurally unrelated compounds, including steroids, fatty
CC acids, and xenobiotics.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- INDUCTION: P450 can be induced to high levels in liver and other
CC tissues by various foreign compounds, including drugs, pesticides,
CC and carcinogens.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
```

or send an email to license@isb-sib.ch.

```
CC -----
DR EMBL; X68013; CAA48149.1; -.
DR HSSP; P00179; 1DT6.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum.
FT NON_TER 1
FT METAL 433 433 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
SQ SEQUENCE 487 AA; 54687 MW; D61CFE3B8ADE19E7 CRC64;
Query Match 74.4%; Score 1734.5; DB 1; Length 487;
Best Local Similarity 69.4%; Pred. No. 2.1e-115;
Matches 338; Conservative 40; Mismatches 58; Indels 51; Gaps 1;
QY 11 VIVATFLLLVIMHRRQRWAARYSPGLPLPGLGNLLHVDFTQPCYCFQLRRRGDVSF 70
Db 1 VALLIFLLLLDLHRRSRWAPYPGPTPLPVLGILLQVDFEDPRPSFNQLRRRGVFS 60
QY 71 LQAWTPVWVNLGLAAVREALVTHGEDTADRPVPITQILGEGPRSQ----- 117
Db 61 LQQWTPVWVNLGLAAVREALVYRSQDTADRPVAVYERLGYGPRAEGLVILARYGDAMRE 120
QY 118 -----GRPRPGLGLDCAVSNVIASLT 139
Db 121 QRRFSLTTRNFGGLGKSLSEWVTEASCLCAAFADQAQAPFPFNNLLNKA VSNVIASLT 180
QY 140 CGRREYDDPRFLRLDLAEGLEKESGFLREVNLAVPVLLHIPALAGKVLRFQKAPL 199
Db 181 FGRREYNDPRILKLLDLTEDEGLKEFNLVKXVEAVPVLLSIPGLAARVFAQAFMAL 240
QY 200 LDELTEHRTWDPAPQPRDLTEAFLEAMEKAKGNPSSFNNDENLRIVVADLPSAGMVT 259
Db 241 IDGLAEQKMTQDTPQPRHLTDALFDEVKAGKNPSSFNNDENLRVVAHLFSAGMVT 300
QY 260 STTLAWGLMLLHPDVQRRVQOEIDVIGVRRPENGMDQAHMPYTTAVIHEVQRF 319
Db 301 STTLAWGLMLLHPDVQRRVQOEIDVIGVRRPENGMDQAHMPYTTAVIHEVQRF 360
QY 320 PLGVTHMTSDIEVQGFRIKPGTTLITNLSSVLKDEAVWEKPFRRFHPHFELDAQGHV 379
Db 361 PLGLPHMTSDIEVQGFRIKPGTTLITNLSSVLKDEAVWEKPFRRFHPHFELDAQGHV 420
QY 380 EAFLEPSAGRACGLGEPLARMELFFFTSLLOHFSFVPTQPRPSHHGVFAFLVTPSPY 439
Db 421 EAFLEPSAGRACGLGEPLARMELFFFTSLLOHFSFVPTQPRPSHHGVFAFLVTPSPY 480
QY 440 ELCAVPR 446
Db 481 QLCAVPR 487
```

RESULT 6

```
CPD4_RAT
ID CPD4_RAT STANDARD; PRT; 500 AA.
AC P13108; O35107;
DT 01-JAN-1990 (Rel. 13, Created)
DT 01-MAR-1992 (Rel. 21, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D4 (EC 1.14.14.1) (CYP1D4) (P450-DB4) (P450-CMF3)
DE (Debrisoquine 4-hydroxylase).
GN CYP2D4 OR CYP2D-4.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
```



```
DR EMBL; U48219; AAC52882.1; -.
DR HSSP; P00179; 1DT6.
DR InterPro; IPR001128; Cytochrome_P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; p450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME_P450; 1.
KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum.
FT METAL 446 446 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
SQ SEQUENCE 500 AA; 56683 MW; 9848A8BE5ABA09C5 CRC64;

Query Match 73.3%; Score 1708.5; DB 1; Length 500;
Best Local Similarity 68.9%; Pred. No. 1.5e-113;
Matches 337; Conservative 33; Mismatches 71; Indels 51; Gaps 1;

QY 6 LVPLAVIAIFLLVLDLHRRORWAARYSGPLPLGCLGNLLHVDQNTPYCFDQLRRP 65
DB 9 LWPDAFTTIFLLVLDLHRRORWRTGRYPGPVFWVLGNLQIDFQNNPAGFQKLRCP 68
QY 66 GDVFSQLAWTPVVLNGLAAVREALVTHGEDTADRPVPVITQILGFGPRSQ----- 117
DB 69 GDLFSLQLAFESVVLNGLIPALREALVKYSEDADRPPLHFNQDSGFGPRSQGVVLARYG 128
QY 118 -----GRFPRNGLLDKAVSNV 134
DB 129 PAWROQRRESVSTRFHGLGKKSLEQWTEEARCLCAAFADHSGFPFSPNTLLDKAVCNV 188
QY 135 IASLTGRRFEYDDPRFLRLDLAQGLKEESGFLREVLNAVVLHIIPALAGKVLRFQK 194
DB 189 IASLTFACFEYNDPRFLRLDLQLTEESGFLPMLLNVPMLLHIIPGLGKFSGKK 248
QY 195 AFTQLDELLETHRTMTWDPAPPRDLTEAPLAEMEKAKGNPSSFNDELRIIVVADLFA 254
DB 249 AFVAMDELLETHKVTWDPAPPRDLTEAPLAEMEKAKGNPSSFNDELRIIVVADLFA 308
QY 255 GMVTTSTLAWGLLMLHPDVORRVOQDEIDVIGVRRPEMGDQAMPYTTAVTHEVOR 314
DB 309 GMVTTSTLWALLFMILPQVQCRVQDEIDVIGVRRPEMADQAMPFTNAVIEVQR 368
QY 315 FGDIVPLGVTMTSDRIEVOGFRIPKGTTLITNLSSVLDEAWKXEPFRFHEHFLDAQ 374
DB 369 FADILPLGPHKTSRDIQVGFILPKGTTLITNLSSVLKDETWEKXEPFRFHEHFLDAQ 428
QY 375 HFVKPFAFLPFSAGRACELGEPLARMELFFTLTSLQHFSESVPTQPRPSHHGVFAFLV 434
DB 429 NFVKHFAFPFSAGRACELGEPLARMELFFTLTSLQHFSESVPTQPRPSHHGVFAFLV 488
QY 435 TSPSYELCAVPR 446
DB 489 TTPYQLCASPR 500

RESULT 8
CPDF CANFA STANDARD; PRT; 499 AA.
AC Q29473; Q02859;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D15 (EC 1.14.14.1) (CYP11D15) (P450 DUT2).
GN CYP2D15.
OS Canis familiaris (Dog).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Carnivora; Fissipedia; Canidae; Canis.
OX NCBI_TaxID=9615;
RN [1]
RP SEQUENCE FROM N.A., AND PARTIAL SEQUENCE.
RC TISSUE=Liver;
RX MEDLINE=95305574; PubMed=7786018;
RA Sakamoto K., Kirita S., Baba T., Nakamura Y., Yamazoe Y., Kato R.,
RA Takanaka A., Matsubara T.;
```

```
Db 245 AQAALITLNMIEQSHKTRDTPQPRHLIDAFVDEIEKAKGNPKTSFNEENLWNTSGL 304
QY 252 FSAGWVTSTTLAWGLLLMLHPDVQRRVQOIBDVIQVRRPENGDAQHMPYTTAVIHE 311
Db 305 FIAGWVSTSTLWALLMLHPDVQRRVQOIBDVIQVRRPENGDAQHMPYTTAVIHE 364
QY 312 VQFEGDIIVPLGVTHMTSRDIEVQGPRIKGTTLITNLSSVLKDEAVWEKPRFHPHEFLD 371
Db 365 VQFEGDIIVPLGVTHMTSRDIEVQGPRIKGTTLITNLSSVLKDEKWKPKPRFYPEHEFLD 424
QY 372 AQGFVKEAFPLFSSAGRRACELGEPLARMELFFFTSLQLHFSFVPTGQPRPSHHGVFA 431
Db 425 AQGFVKEAFPLFSSAGRRACELGEPLARMELFFFTSLQLHFSFVPTGQPRPSHHGVFA 484
QY 432 FLVTPSPVELCAVPR 446
Db 485 FLKVPAPQLCQVEPR 499

RESULT 9
CDPK MESAU
ID CPDK MESAU STANDARD; PRT; 500 AA.
AC Q9QYG5;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D20 (EC 1.14.14.-) (CYP1D20).
GN CYP2D20.
OS Mesocricetus auratus (Golden hamster).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Cricetinae;
OC Mesocricetus.
OX NCBI_TaxID=10036;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=20533996; PubMed=11083025;
RA Oka T., Fukuhara M., Ushio F., Kurose K.;
RT "Molecular cloning and characterization of three novel cytochrome
RT P450 2D isoforms, CYP2D20, CYP2D27, and CYP2D28 in the Syrian hamster
RT (Mesocricetus auratus).";
RL Comp. Biochem. Physiol. 127C:143-152(2000).
RC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum (By
CC similarity).
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AB031864; BAA99313.1; -.
DR HSSP; P00179; 1DT6.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; p450; 1.
DR PRINTS; PR01686; p450; 1.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME_P450; 1.
KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum.
FT METAL 446 446
SQ SEQUENCE 500 AA; 56503 MW; 9948102706C50144 CRC64;

Query Match 71.0%; Score 1653.5; DB 1; Length 500;
Best Local Similarity 66.5%; Pred. No. 1.2e-109;
Matches 324; Conservative 33; Mismatches 79; Indels 51; Gaps 1;
```

```
QY 11 VIVAFILLVDMHRRQRAARYSPGLPLGLGNLHLVDFONTYPCFDQLRRRREGDVFS 70
Db 14 IFTALFLVLVDMHRRKFRARYPPGPMPLGLGNLQVDFENMFPYSLYKFTQORYGDVFS 73
QY 71 LQLAWTPVVLVNGLAAREALVTHGEDTADRPPIITQILGFGPRSQ----- 117
Db 74 LQMAWKPVVVINGLKAVERVLVNCGEDTADRPPIIFNHLGYRPKSQGVVFARYGPQWRE 133
QY 118 -----GRPRFRNGLLDKAVSNVIAISLT 139
Db 134 QRRFSVSTMRDVGKKSLQEWVTEEAGHLCDAFTQEAHGHPFNPTLLNKSVCNVISLI 193
QY 140 CGRFEYDDPRFLRLDLAQGLKEESGFLEVLNAVPLLHHPALACKVLRFOKALFQ 199
Db 194 YAHRPDYEDFPFNKLLKTLQESFGEDSGFIAEVLNAVPLLRIPGLPKAPKLTAFMDS 253
QY 200 LDELTEHRMTWDPAPPRDLTEAFLEMEKAKGNPSSFNDENLRIVVADLFSAGMVT 259
Db 254 LYKMLIEHKTWDPAPPRGLTDAFLAEVEKAKGRPESSFNDENLHVVVADLFIAGMVT 313
QY 260 STTLAWGLLLMLHPDVQRRVQOIBDVIQVRRPENGDAQHMPYTTAVIHEVQRFQDIV 319
Db 314 STTSLWALLMLHPDVQRRVQOIBDVIQVRRPENGDAQHMPYTTAVIHEVQRFQDIV 373
QY 320 PLGVTHMTSRDIEVQGPRIKGTTLITNLSSVLKDEAVWEKPRFHPHEFLDAQHFVKP 379
Db 374 PNVPHMTSRDIEVQGPRIKGTTLITNLSSVLKDEAVWEKPRFHPHEFLDAQHFVKQ 433
QY 380 EAFPLFSSAGRRACELGEPLARMELFFFTSLQLHFSFVPTGQPRPSHHGVFAFLVTPSPY 439
Db 434 EAFPLFSSAGRRACELGEPLARMELFFFTSLQLHFSFVPTGQPRPSHHGVFAFLVTPSPY 493
QY 440 ELCAVPR 446
Db 494 ELCAVPR 500

RESULT 10
CDPR MESAU
ID CPDR MESAU STANDARD; PRT; 500 AA.
AC Q9QYG6;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D27 (EC 1.14.14.-) (CYP1D27).
GN CYP2D27.
OS Mesocricetus auratus (Golden hamster).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Cricetinae;
OC Mesocricetus.
OX NCBI_TaxID=10036;
RN [1]
RP SEQUENCE FROM N.A., AND CHARACTERIZATION.
RX MEDLINE=20533996; PubMed=11083025;
RA Oka T., Fukuhara M., Ushio F., Kurose K.;
RT "Molecular cloning and characterization of three novel cytochrome
RT P450 2D isoforms, CYP2D20, CYP2D27, and CYP2D28 in the Syrian hamster
RT (Mesocricetus auratus).";
RL Comp. Biochem. Physiol. 127C:143-152(2000).
CC -!- FUNCTION: Has bufuralol 1'-hydroxylase and debrisoquine 4-
CC hydroxylase activities.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum (By
CC similarity).
CC -!- TISSUE SPECIFICITY: Expressed in liver, but not in kidney, small
CC intestine, and brain.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
```


use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announcement/> or send an email to license@isb-sib.ch).

EMBL; AB031863; BAA89312.1; -
HSSP; P00179; 1D76.
InterPro; IPR001128; Cytochrome P450.
Pfam; PF00067; P450; 1.
PRINTS; PR01686; EP450ICYP2D.
PROSITE; PS00086; CYTOCHROME_P450; 1.
Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
Microsome; Endoplasmic reticulum.
FT METAL 446 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
SQ SEQUENCE 500 AA; 56489 MW; 7A5DE5878F97A554 CRC64;

Query Match 70.5%; Score 1642.5; DB 1; Length 500;
Best Local Similarity 65.7%; Pred. No. 7e-109;
Matches 320; Conservative 36; Mismatches 80; Indels 51; Gaps 1;

QY 11 VIVAIPELLVLMHRRQRWAARSPGPLEPLGILGNLLHVDQNTYPCFDQLRRRGDVES 70
DB 14 IFTALFLLVLMHRRKFRWARYPPGPMPLPLGLNLLQVDFEHMPSYSLYKFRQRYGDVES 73
QY 71 LQLAWTPVVVLNGLAARVREALVTHGEDTADRPVPVITQILGFGPSQ----- 117
DB 74 LQWAKPVVVLNGLXAVREVIVNCGEDTADRPVPVFNHVGHNISQGVAFARYGPWRE 133
QY 118 -----GRPRPNGLLDKAVSNVIASLT 139
DB 134 QRRFCVSTWRDFGVGKKSLQWVTEBAGHLCDRAFTQEAAGHPFNPTLLNKSVCNVISSLI 193
QY 140 CGRFEYDDPRFLRLDLAQGLKEESGFLREVLNAVPLVLLHPALAGKVLRFQKALFQ 199
DB 194 YAHRFDYEDFFNLSLKLMLQESGEDTGFIAEVLNAVPLVLLRIPGLPGKAPFKLTAFMDS 253
QY 200 LDELTEHRTWDPAPQPRDLTEAFLEMEKAGNPESFNENLRIVVADLFSAGMVT 259
DB 254 LYKMLLEHTWDPAPQPRGLTDAFLAEVEKAKGRPESSFNENLRVWVADNFIAGMVT 313
QY 260 STTLAWGLLMLHPDQVRVQVEIDDVIGQVRRPMPGQAHMPTTAVIHEVQRPGLD 319
DB 314 STTSLWALLMLHPDQVRVQVEIDDVIGQVRRPMPGQAHMPTTAVIHEVQRPGLD 373
QY 320 PLGVTHMTSRDLEVOQFRIPKGTTLITNLSVLKDEAVWEKFRPHPEFLDAQHFVKP 379
DB 374 PVNIPIHTSHDVEVOQFLIPKGTTLIPNLSSVLKDETVWEKPLHPEFLDAQHFVKH 433
QY 380 EAPLPSAGRRACGLRPLARMELFFFTSLQHFSPSVPTGPRPSHHGVAFPLVTPSPY 439
DB 434 EAPMPSAGRRACGLRPLARMELFFFTCLQRFSPSVAGQPRSDQGFALPVTPTPY 493
QY 440 ELCAPER 446
DB 494 ELCAPVR 500

RESULT 11
CPD2 RAT STANDARD; PRT; 500 AA.
AC P10634;
DT 01-JUL-1989 (Rel. 11, Created)
DT 01-MAR-1992 (Rel. 21, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D2 (EC 1.14.14.1) (CYP11D2) (P450-DB2) (P450-CMF2)
DE (debrisoquine 4-hydroxylase).
GN CYP2D2 OR CYP2D-2.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;

[1] SEQUENCE FROM N.A.
RX MEDLINE=87217961; PubMed=3582092;
RA Gonzalez F.J., Matsunaga T., Nagata K., Meyer U.A., Nebert D.W.,
RA Pastewka J., Kozak C.A., Gillette J., Gelboin H.V., Hardwick J.P.;
RT "debrisoquine 4-hydroxylase: characterization of a new P450 gene
RT subfamily, regulation, chromosomal mapping, and molecular analysis of
RT the DA rat polymorphism.";
RL DNA 6:149-161(1987).
RN [2]
[2] SEQUENCE FROM N.A.
RX MEDLINE=90057430; PubMed=2819073;
RA Matsunaga E., Zanger U.M., Hardwick J.P., Gelboin H.V., Meyer U.A.,
RA Gonzalez F.J.;
RT "The CYP2D gene subfamily: analysis of the molecular basis of the
RT debrisoquine 4-hydroxylase deficiency in DA rats.";
RL Biochemistry 28:7349-7355(1989).
RN [3]
[3] SEQUENCE FROM N.A.
RX MEDLINE=89050091; PubMed=3190674;
RA Ishida N., Tawaragi Y., Inuzuka C., Sugita O., Kubota I.,
RA Nakazato H., Noguchi T., Sassa S.;
RT "Four species of cDNAs for cytochrome P450 isozymes immunorelated to
RT P450C-W/F encode for members of P450IID subfamily, increasing the
RT number of members within the subfamily.";
RL Biochem. Biophys. Res. Commun. 156:681-688(1988).
RN [4]
[4] SEQUENCE FROM N.A.
RX STRAIN=Sprague-Dawley; TISSUE=Liver;
RX MEDLINE=90189185; PubMed=2107330;
RA Matsunaga E., Umeno M., Gonzalez F.J.;
RT "The rat P450 IID subfamily: complete sequences of four closely
RT linked genes and evidence that gene conversions maintained sequence
RT homogeneity at the heme-binding region of the cytochrome P450 active
RT site.";
RL J. Mol. Evol. 30:155-169(1990).
RN [5]
[5] SEQUENCE FROM N.A.
RX STRAIN=Sprague-Dawley; TISSUE=Liver;
RX MEDLINE=98096365; PubMed=9434752;
RA Wan J., Imaka S., Chow T., Hiroi T., Yabasaki Y., Funae Y.;
RT "Expression of four rat CYP2D isoforms in Saccharomyces cerevisiae
RT and their catalytic specificity.";
RL Arch. Biochem. Biophys. 348:383-390(1997).
CC -!- FUNCTION: Cytochromes P450 are a group of heme-thiolate
CC monooxygenases. In liver microsomes, this enzyme is involved in an
CC NADPH-dependent electron transport pathway. It oxidizes a variety
CC of structurally unrelated compounds, including steroids, fatty
CC acids, and xenobiotics.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- INDUCTION: P450 can be induced to high levels in liver and other
CC tissues by various foreign compounds, including drugs, pesticides,
CC and carcinogens.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL Outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announcement/>
CC or send an email to license@isb-sib.ch).

EMBL; M16655; AAA41055.1; -
DR EMBL; M22330; AAA41049.1; -
DR EMBL; X52027; CAA36269.1; -
DR EMBL; AB008423; BAA23123.1; -
DR F01; B26822; B26822.
DR HSSP; P00179; 1D76.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.


```

Db 129 PEWREORRESVSLTRNFGVGKKSLEQWVTDEASHLCDALTABAGRPLDPYTLNKAQVNV 188
QY 135 IASLTGCRREFYDDPRFLRLDLAQGLKEGFLREVNLNAVPLVLIHIPALAGKVLRFQK 194
Db 189 IASLIYARFDYGDPPDFIKVLKESMGEOGLPEVLNMPVLLIRIPLGLADKVPFGQK 248
QY 195 AFLTQDELLETHRTMTWDPQAPPRDLTEAFLAEMEKAKGNPSSFNDENLRIWADLFSA 254
Db 249 TELTMDVNLVTEHKKTWDPQPPDLTDAFLAIEKAKGNPSSFNDENLRLVNDLFGA 308
QY 255 GMYTSTTLAWGLLMLHPDVQRVQOEIDVIGOVREPEMCDQAHMPTTAVIHEVOR 314
Db 309 GMYTSTITLWALLMLHPDVQRVQOEIDVIGOVREPEMCDQAHMPTTAVIHEVOR 368
QY 315 FGDIVPLGVTHMTSDRIEYQGFRIKPGTTLINLSSVLKDEAVWEKPFHFHEHFLDAQ 374
Db 369 FADIVPMNLPHKTSRDIYQGFELIPKGTTLINLSSVLKDEAVWEKPFHFHEHFLDAQ 428
QY 375 HFVKPAPFLPFSAGRACIAGEPLARMELFFTLTLLQHFVSFVPTQPPRSHHGVPALIV 434
Db 429 NFVKEAFPFPSAGRACIAGEPLARMELFFTLTLLQHFVSFVPTQPPRSPDYGVFALL 488
QY 435 TPSPYELCAVPR 446
Db 489 SPSPYOLCAVPR 500

RESULT 13
CPDL_RAT
ID CPDI_RAT STANDARD; PRT; 504 AA.
AC P10633; 035105;
DT 01-JUL-1989 (Rel. 11, Created)
DT 01-JUL-1989 (Rel. 11, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2B1 (EC 1.14.14.1) (CYP2B1) (P450-CMP1A)
DE (P450-UT-7) (Debrisoquine 4-hydroxylase).
GN CYP2D1 OR CYP2D-1.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_Taxid=101116;
RN [1]
RN SEQUENCE FROM N.A.
RX MEDLINE=87217961; PubMed=352092;
RA Gonzalez F.J.; Matsunaga T.; Nagata K.; Meyer U.A.; Nebert D.W.;
RA Pastewka J.; Kozak C.A.; Gillette J.; Gelboin H.V.; Hardwick J.P.;
RT "Debrisoquine 4-hydroxylase: characterization of a new P450 gene
RT subfamily, regulation, chromosomal mapping, and molecular analysis of
RT the DA rat polymorphism."
RL DNA 6:149-161(1987).
RN [2]
RN SEQUENCE FROM N.A.
RX MEDLINE=90057430; PubMed=2819073;
RA Matsunaga T.; Zanger U.M.; Hardwick J.P.; Gelboin H.V.; Meyer U.A.;
RA Gonzalez F.J.;
RT "The CYP2D gene subfamily: analysis of the molecular basis of the
RT debrisoquine 4-hydroxylase deficiency in DA rats."
RL Biochemistry 28:7349-7355(1989).
RN [3]
RN SEQUENCE FROM N.A.
RX MEDLINE=89050091; PubMed=3190674;
RA Ishida N.; Tawaragi Y.; Inuzuka C.; Sugita O.; Kubota I.;
RA Nakazato H.; Noguchi T.; Sasa S.;
RT "Four species of cDNAs for cytochrome P450 isozymes immunorelated to
RT P450C-M/F encode for members of P450IID subfamily, increasing the
RT number of members within the subfamily."
RL Biochem. Biophys. Res. Commun. 156:681-688(1988).
RN [4]
RN SEQUENCE FROM N.A.
RX STRAIN=Sprague-Dawley; TISSUE=Liver;
RX MEDLINE=9809365; PubMed=9434752;
RA Wan J.; Imaoka S.; Chow T.; Hiroi T.; Yabusaki Y.; Funae Y.;
RT "Expression of four rat CYP2D isoforms in Saccharomyces cerevisiae

```

```

RT and their catalytic specificity."
RL Arch. Biochem. Biophys. 348:383-390(1997).
CC -!- FUNCTION: Cytochromes P450 are a group of heme-thiolate
CC monooxygenases. In liver microsomes, this enzyme is involved in an
CC NADPH-dependent electron transport pathway. It oxidizes a variety
CC of structurally unrelated compounds, including steroids, fatty
CC acids, and xenobiotics.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- INDUCTION: P450 can be induced to high levels in liver and other
CC tissues by various foreign compounds, including drugs, pesticides,
CC and carcinogens.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M16654; AAA41054.1; -
CC EMBL; J02867; AAA41001.1; -
CC EMBL; M22328; AAA41043.1; -
CC EMBL; AB008422; BAA23122.1; -
CC PIR; A26822; A26822.
CC HSP; P00179; I076.
CC InterPro; IPR001128; Cytochrome_P450.
CC InterPro; IPR008069; EP450_CYP2D.
CC Pfam; PF00067; P450; 1.
CC PRINTS; PR01686; EP450ICVP2D.
CC PRINTS; PR00385; P450.
CC PROSITE; PS00086; CYTOCHROME_P450; 1.
KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum.
FT METAL 446 446 IRON (HEME AXIAL LIGAND).
FT CONFLICT 123 124 IL -> VF (IN REF. 3).
FT CONFLICT 173 173 Q -> R (IN REF. 3).
FT CONFLICT 380 380 F -> I (IN REF. 3 AND 4).
SQ SEQUENCE 504 AA; 57175 MW; 2F9AD87B4EF327DC CRC64;

Query Match 69.3%; Score 1614.5; DB 1; Length 504;
Best Local Similarity 64.6%; Pred. No. 6.8e-107;
Matches 316; Conservative 38; Mismatches 84; Indels 51; Gaps 1;

QY 9 LAVIVAIFLLVLDLHRRQRWAARYSPGPLPLPGLGNLHLVDFONTPTCYDQLRRRFGDV 68
Db 12 MAITVTFILLVLDLHRRHRMTSRYPGPVPPVGLNLLQVLDLSNNPYSLYKLQHRGVDV 71
QY 69 FSLQLAWTPVVLNGLAAREALVTHGEDTADPPVPIQTQILGFGPRSQ----- 117
Db 72 FSLQGWKPMVIVNRLKAVQEVLTGHEDTADPPVPIPKCLGKVPKRSQGVILASVGPDEW 131
QY 118 -----GRPFPRNGLLDKAVSNVIAS 137
Db 132 REQRFRFSVSTLRTFCGMKKSLEEWYKEAGHLCDAFTAQAGQSNPKAMLNKALCNVIAS 191
QY 138 LTCGRRFEYDDPRFLRLDLAQGLKEGFLREVNLNAVPLVLIHIPALAGKVLRFQKAF 197
Db 192 LIFARRFEYEDPYLRIMVNLVVEESLTVESGFIPEVLTPTALLIRIPLGLADKVPFGQKTFM 251
QY 198 TQDELLETHRTMTWDPQAPPRDLTEAFLAEMEKAKGNPSSFNDENLRIWADLFSA 257
Db 252 ALLDNLAEARTTWDPAQPPRLTDAFLAIEKAKGNPSSFNDENLRLVNDLFGA 311
QY 258 TTSITLAWGLLMLHPDVQRVQOEIDVIGOVREPEMCDQAHMPTTAVIHEVORFGD 317
Db 312 TTSITLWALLMLHPDVQRVQOEIDVIGOVREPEMCDQAHMPTTAVIHEVORFGD 371
QY 318 IVPLGVTHMTSDRIEYQGFRIKPGTTLINLSSVLKDEAVWEKPFHFHEHFLDAQHFV 377

```

Db 372 IAPLNLPRFTSDIEVQDFVIRPKGTTLLIINSSVLKDETVWPKHRFPHFELDAQGNFV 431
QY 378 KEAEFLPSAGRACLGELPAMELFLPFTSLLOHFSFVPTGQRPSSHGHGVFAFLVTPS 437
Db 432 KHEAFMPFSAGRACLGELPAMELFLPFTCLQRFSPVPGQRPSTHGFAPFVAPL 491
QY 438 PYELCAVPR 446
Db 492 FYQLCAVPR 500

RESULT 14
ID CPD5_RAT STANDARD; PRT; 504 AA.
AC P12379.
DT 01-OCT-1989 (Rel. 12, Created)
DT 01-OCT-1989 (Rel. 12, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D5 (EC 1.14.14.1) (CYP1D5) (P450-DB5) (P450-CMF1B)
DE (Debrisoquine 4-hydroxylase).
GN CYP2D5 OR CYP2D-5.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI TaxID=10116;
RN [1]
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=Sprague-Dawley; TISSUE=Liver;
RX MEDLINE=90189185; PubMed=2107330;
RA Matsunaga E., Umeno M., Gonzalez F.J.;
RT "The rat P450 IID subfamily: complete sequences of four closely
RT linked genes and evidence that gene conversions maintained sequence
RT homogeneity at the heme-binding region of the cytochrome P450 active
RT site.";
RL J. Mol. Evol. 30:155-169(1990).
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=90057430; PubMed=2819073;
RA Matsunaga T., Zanger U.W., Hardwick J.P., Gelboin H.V., Meyer U.A.,
RA Gonzalez F.J.;
RT "The CYP2D gene subfamily: analysis of the molecular basis of the
RT debrisoquine 4-hydroxylase deficiency in DA rats.";
RL Biochemistry 28:7349-7355(1989).
RN [3]
RP SEQUENCE FROM N.A.
RX MEDLINE=89366685; PubMed=2771656;
RA Ishida N., Inuzuka C., Tawaragi Y., Sugita O., Nakazato H.,
RA Noguchi T., Sassa S., Kappas A.;
RT "Cytochrome P450CMF cDNA: nucleotide sequence of P450CMF1b.";
RL Nucleic Acids Res. 17:6407-6407(1989).
RN [4]
RP SEQUENCE OF 18-504 FROM N.A.
RX MEDLINE=89050091; PubMed=3190674;
RA Ishida N., Tawaragi Y., Inuzuka C., Sugita O., Kubota I.,
RA Nakazato H., Noguchi T., Sassa S.;
RT "Four species of cDNAs for cytochrome P450 isozymes immunorelated to
RT P450-M/F encode for members of P450IID subfamily, increasing the
RT number of members within the subfamily.";
RL Biochem. Biophys. Res. Commun. 156:681-688(1988).
CC -!- FUNCTION: Cytochromes P450 are a group of heme-thiolate
CC monooxygenases. In liver microsomes, this enzyme is involved in an
CC NADPH-dependent electron transport pathway. It oxidizes a variety
CC of structurally unrelated compounds, including steroids, fatty
CC acids, and xenobiotics.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- INDUCTION: P450 can be induced to high levels in liver and other
CC tissues by various foreign compounds, including drugs, pesticides,
CC and carcinogens.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; M25143; AAA41034.1; -;
CC EMBL; X52030; CAA36272.1; -;
CC EMBL; J02869; AAA41003.1; -;
CC EMBL; M22329; AAA41045.1; -;
CC PIR; S09611; O4RTD5.
CC HSSP; P00179; 1DT6.
CC InterPro; IPR001128; Cytochrome P450.
CC InterPro; IPR008069; EF450_CYP2D.
CC Pfam; PF00067; P450; 1.
CC PRINTS; PR01686; EP450ICYP2D.
CC PRINTS; PR00385; P450.
CC PROSITE; PS00086; CYTOCHROME P450; 1.
KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum.
FT METAL 446 446 IRON (HEME AXIAL LIGAND).
SQ SEQUENCE 504 AA; 57076 MW; F308EE06F2605DFE CRC64;
Query Match 69.3%; Score 1614.5; DB 1; Length 504;
Best Local Similarity 64.6%; Pred. No. 6.8e-107; Indels 51; Gaps 1;
Matches 318; Conservative 38; Mismatches 85;
QY 6 LVPLAVIVAIPELLVLMHRRQRWAARYSPGLPLPGLGNLLHVDFOQNTYCFDQRRRF 65
Db 9 LWPMAITFTVIFILLVDMHRRQRWTSRYPPGVPWVPLGNLLQVDPSNWPYMYKLQHY 68
QY 66 GDVFSLOQLATPVVVLNGLAAVREALVTHGDDTADRPVPITQILGPGPRSQ----- 117
Db 69 GDVFSLOWGKPMVIVNRLKAVQEVLVTHGDDTADRPVPVIFKCLGVKPRSQGVVFSYG 128
QY 118 -----GRPFPPNGLLDKAVSNV 134
Db 129 PEWREQRFRFSVSTLRTFGMGKKSLEWVTKAAGHLCDAFTAQNGRSINPKAMLNKALCNV 188
QY 135 IASITCGRRFRFYDDPRFLRLDLDAQEGLKESGFLREVINAAPVLLHLPALAGKVLRFQK 194
Db 189 IASLIFARRFEYEDPYLIRMLTLVEESLIEVSGRIPVLTNFPALLRIPGLADKVFQOK 248
QY 195 AFLQDDELLTEHRTWDPDPAQPRDLTEAFIAEMEKAKGNPESFNENLRIVVADLPFA 254
Db 249 TFMAFLDNLAAENRTTWDPDPAQPRDLTEAFIAEMEKAKGNPESFNENLRIVVADLPFA 308
QY 255 GMVTTSTTLAWGLLMLLHPDQRRVQOEIDDVIGVRRPEMGDQAHMPYTTAVTHEVQR 314
Db 309 GMVTTATTLTWALLMLLYPDVQRRVQOEIDDEVIGVRCPEMTQAHMPYTTAVTHEVQR 368
QY 315 FGDIVPLGVTHMTRSDIEVQGFRIKPGTTLITNLSSVLKDEAVWEKPRFRPHFELDAQG 374
Db 369 FGDIAPLNLPRTITSDIEVQDFVIRPKGTTLLIINSSVLKDETVWPKHRFPHFELDAQG 428
QY 375 HFVKEAPLPPSAGRACLGELPAMELFLPFTSLLOHFSFVPTGQRPSSHGHGVFAFLV 434
Db 429 NFVKEAFMPFSAGRACLGELPAMELFLPFTCLQRFSPVPGQRPSTHGFAPFVAPL 488
QY 435 TPSPYELCAVPR 446
Db 489 APLPYQLCAVPR 500

RESULT 15
ID CPD5_CAVPO STANDARD; PRT; 500 AA.
AC Q64403; 054866;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D16 (EC 1.14.14.1) (CYP1D16).

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: February 25, 2004, 04:04:57 ; Search time 44 Seconds
(without alignments)
3198.207 Million cell updates/sec

Title: US-09-820-788A-2
Perfect score: 2330
Sequence: 1 MGLEALVPLAVIAIFLLLV.....HGVFAPLVTPSPYELCAVR 446

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 1017041 seqs, 315518202 residues

Total number of hits satisfying chosen parameters: 1017041

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SPTREMBL.25.*
1: sp_archaea.*
2: sp_bacteria.*
3: sp_fungi.*
4: sp_human.*
5: sp_invertebrate.*
6: sp_mammal.*
7: sp_mhc.*
8: sp_organelle.*
9: sp_phage.*
10: sp_plant.*
11: sp_rodent.*
12: sp_virus.*
13: sp_vertebrate.*
14: sp_unclassified.*
15: sp_rvirus.*
16: sp_bacteriap.*
17: sp_archaeap.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	2283	98.0	500	4	Q16753 homo sapien
2	2197.5	94.3	497	6	Q8WNR5 macaca fusc
3	2138.5	91.8	497	6	Q865W1 callithrix
4	1769	75.9	500	6	Q29454 bos taurus
5	1751	75.2	500	6	Q9TUI4 orytolagus
6	1719.5	73.8	373	4	Q16804 homo sapien
7	1704.5	73.2	500	11	Q9UKY7 mus musculus
8	1698.5	72.9	500	11	Q91W87 mus musculus
9	1697	72.8	500	6	Q9TUI5 orytolagus
10	1633.5	70.1	500	11	Q8VCX0 mus musculus
11	1625	69.7	500	11	Q8CIM7 mus musculus
12	1622	69.6	500	11	Q9DBJ5 mus musculus
13	1600.5	68.7	504	11	Q921V1 mus musculus
14	1580.5	67.8	504	11	Q64529 mus spretus
15	1580.5	67.8	504	11	Q8BVD2 mus musculus
16	1567.5	67.3	504	11	Q64530 mus spretus

17	1157.5	49.7	505	13	Q7SYW2	Q7syw2 xenopus lae
18	932.5	40.0	497	13	Q7ZU60	Q7zu60 brachydanio
19	927.5	39.8	498	13	Q9PTR2	Q9ptr2 fundulus he
20	921	39.5	496	13	Q803J0	Q803j0 brachydanio
21	880.5	37.8	498	13	Q91AX8	Q91ax8 fundulus he
22	878.5	37.7	498	13	Q9PTR1	Q9ptr1 fundulus he
23	864	37.1	492	13	Q98T96	Q98t96 brachydanio
24	864	37.1	492	13	Q7ZV97	Q7zv97 brachydanio
25	857.5	36.8	497	13	Q9PVI0	Q9pvi0 fundulus he
26	845	36.3	501	11	Q8CC91	Q8cc91 mus musculus
27	845	36.3	501	11	Q8BR78	Q8br78 mus musculus
28	834	35.8	501	11	Q9QXF7	Q9qxf7 ratius norv
29	832.5	35.7	502	4	Q8TF13	Q8tf13 homo sapien
30	830.5	35.6	505	13	Q9IAT1	Q9iat1 oncorhynch
31	826.5	35.5	502	11	Q924D1	Q924d1 mus musculus
32	822.5	35.3	503	13	Q802X8	Q802x8 brachydanio
33	821.5	35.3	491	11	Q64460	Q64460 mus musculus
34	821.5	35.3	497	13	Q9PVH9	Q9pvh9 fundulus he
35	818.5	35.1	503	13	Q800W8	Q800w8 brachydanio
36	816.5	35.0	491	6	Q29516	Q29516 orytolagus
37	812	34.8	491	11	Q64463	Q64463 mus musculus
38	808.5	34.7	493	6	Q8SQ67	Q8sq67 sus scrofa
39	806.5	34.6	491	11	Q9WUD0	Q9wud0 mus musculus
40	799.5	34.3	491	6	Q29532	Q29532 orytolagus
41	798	34.2	506	13	Q9PVI1	Q9pvi1 fundulus he
42	796	34.2	505	13	Q7SXX7	Q7sxx7 brachydanio
43	796	34.2	521	13	Q802U6	Q802u6 brachydanio
44	794.5	34.1	490	4	Q8WNB1	Q8wnb1 homo sapien

ALIGNMENTS

RESULT 1

Q16753 Q16753 PRELIMINARY; PRT; 500 AA.
AC Q16753;
DT 01-NOV-1996 (Tremblrel. 01, Created)
DT 01-NOV-1996 (Tremblrel. 01, Last sequence update)
DT 01-JUN-2003 (Tremblrel. 24, Last annotation update)
DE Debrisoquine 4-hydroxylase mutant allele (CYP2D6-MAL).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN (1)_TaxID=9606;
RP SEQUENCE FROM N.A.
RA Gonzalez F.J.;
RL Submitted (JUL-1990) to the EMBL/GenBank/DBJ databases.
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; M33189; AAA35737.1; -.
DR HSSP; P00179; 1D16.
DR GO; GO:0004497; F:monooxygenase activity; IEA.
DR GO; GO:0016712; F:oxidoreductase activity, acting on paired d. . .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME_P450; 1.
KW Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 500 AA; 55899 MW; D5293E9BF74692C8 CRC64;

Query Match 98.0%; Score 2283; DB 4; Length 500;
Best Local Similarity 88.8%; Pred. No. 5.1e-179;
Matches 444; Conservative 1; Mismatches 1; Indels 54; Gaps 1;
Qy 1 MGLEALVPLAVIAIFLLLVLMHRRQWRWAARYSPGLPLPGIIGLLHVDFTONTYCFDQ 60
Db 1 MGLEALVPLAVIAIFLLLVLMHRRQWRWAARYSPGLPLPGIIGLLHVDFTONTYCFDQ 60


```
QY 1 MGLEALVPLAVTVAIFLLVLDLMHRRQRWAARYSPGPIPLPGIGNLLHVDVFONTYPCDQ 60
D 1 MGLDALVPLAVTVAIFLLVLDLMHRRQRWAARYSPGPIPLPGIGNLLHVDVFONTYPCDQ 60
QY 61 LRRRGDVFSLQALWTPVVLNGLAAVREALVTHGEDTADRPVPIITQILGFGPSSQ--- 117
D 61 LRRRGDVFSLQALWTPVVLNGLAAVREALVTHGEDTADRPVPIITQILGFGPSSQGVF 120
QY 118 -----GRPRPNGLDK 129
D 121 LARYGPAWREQRFPVSTLNLGLKKSLEQWVTEEAACLCFAFHSGRPRPNGLDK 180
QY 130 AVSNVIASITCRRREYDDPRFLRLDLAQEGKESGFLRVLNANVPVLLHIPALAGKV 189
D 181 AVSNVIASITCRRREYDNPCLRLDLTMEGLKEESGLLREVLNANVPVLLHIPGLAGKV 240
QY 190 LRFQKAFITQDDELTEHMTWDPAPPRDLTEAFLAEMKAKGNPESFNDENLRIVVA 249
D 241 LRFQKAFITQDDELTEHMTWDPAPPRDLTEAFLAEMKAKGNPESFNDENLRIVVA 300
QY 250 DLFSAGWTTSTTLAWGLLMLHPDVQRRVQOEIDDDVIGVRRPEMGDQAHMPYTTAVI 309
D 301 DLFSAGWTTSTTLAWGLLMLHPDVQRRVQOEIDDDVIGVRRPEMGDQAHMPYTTAVI 360
QY 310 HEVQFGDIVPLGVTHMTSRDIEVQGFRIKPKGTTITNLSSVLKDEAVWEKPFRRPHEHF 369
D 361 HEVQFGDIVPLGVTHMTSRDIEVQGFRIKPKGTTITNLSSVLKDEAVWEKPFRRPHEHF 420
QY 370 LDAQHFVKEPFLPESAGRRACIPLARMELFLFFTSLLQHFSSVPTGQPRSHGV 429
D 421 LDAQHFVKEPFLPESAGRRACIPLARMELFLFFTSLLQHFSSVPTGQPRSHGV 480
QY 430 FAPLVTPSPYELCAVPR 446
D 481 FAPLVTPSPYELCAVPR 497

RESULT 4
Q29454 PRELIMINARY; PRT; 500 AA.
AC Q29454;
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Cytochrome P-450 IID.
GN CYP2D.
OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]_TaxID=9913;
RP SEQUENCE FROM N.A.
RC STRAIN=PBVL 180; TISSUE=Liver;
RX MEDLINE=93011103; PubMed=1396678;
RA Tsuneoka Y., Matsuo Y., Higuchi R., Ichikawa Y.;
RT "Characterization of the cytochrome P-450IID subfamily in bovine
RT liver. Nucleotide sequences and microheterogeneity." ;
RL Eur. J. Biochem. 208:739-746 (1992).
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; X68481; CAA48501.1; -.
DR PIR; S37284; S37284.
DR HSSP; P00179; 1DT6.
DR GO; GO:0004497; F:monooxygenase activity; IEA.
DR GO; GO:0016712; F:oxidoreductase activity, acting on paired d. . .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME_P450; 1.
```

```
KW Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 500 AA; 55921 MW; 4F62F39050E2BED6 CRC64;
Query Match 75.9%; Score 1769; DB 6; Length 500;
Best Local Similarity 69.6%; Pred. No. 8.9e-137;
Matches 348; Conservative 39; Mismatches 59; Indels 54; Gaps 2;
QY 1 MGL---EALVPLAVTVAIFLLVLDLMHRRQRWAARYSPGPIPLPGIGNLLHVDVFONTYPC 57
D 1 MGLSGDVLGLVALLFLLLDLMHRRSWAPYPPGPTPLPVLGNLLQVDFDPPRS 60
QY 58 FDLRRRGDVFSLQALWTPVVLNGLAAVREALVTHGEDTADRPVPIITQILGFGPSSQ 117
D 61 FDLRRRGDVFSLQALWTPVVLNGLAAVREALVTHGEDTADRPVPIITQILGFGPSSQ 120
QY 118 -----GRPRPNGL 126
D 121 GVILARYGDANAEQRFPSTLTTLNFGKKSLEQWVTEEAACSCAFAAQGRFPSPMDL 180
QY 127 LDKAVSNVIASITCRRREYDDPRFLRLDLAQEGKESGFLRVLNANVPVLLHIPALA 186
D 181 LNKAVSNVIASITCRRREYDNPRIKLLDLTDLGLKEPNLVRKVEAVPVLLSIPGLA 240
QY 187 GKVLRFQKAFITQDDELTEHMTWDPAPPRDLTEAFLAEMKAKGNPESFNDENLR 246
D 241 ARVPPAQKAFMALIDELAEQKMTDPTQPPRHLLTDAFLDEKVEKAGNPESFNDENLR 300
QY 247 VVADLFSAGWTTSTTLAWGLLMLHPDVQRRVQOEIDDDVIGVRRPEMGDQAHMPYTT 306
D 301 VVADLFSAGWTTSTTLAWGLLMLHPDVQRRVQOEIDDDVIGVRRPEMGDQAHMPYTT 360
QY 307 AVIHEVQFGDIVPLGVTHMTSRDIEVQGFRIKPKGTTITNLSSVLKDEAVWEKPFRRP 366
D 361 AVIHEVQFGDIVPLGVTHMTSRDIEVQGFRIKPKGTTITNLSSVLKDEAVWEKPFRRP 420
QY 367 EHFLDAQHFVKEPFLPESAGRRACIPLARMELFLFFTSLLQHFSSVPTGQPRSH 426
D 421 EHFLDAQHFVKEPFLPESAGRRACIPLARMELFLFFTSLLQHFSSVPTGQPRSH 480
QY 427 HGVFAFLVTPSPYELCAVPR 446
D 481 HGVFAFLVTPSPYELCAVPR 500

RESULT 5
Q29454 PRELIMINARY; PRT; 500 AA.
AC Q29454;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Cytochrome P450 2D/II.
OS Oryctolagus cuniculus (Rabbit).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Lagomorpha; Leporidae; Oryctolagus.
OX NCBI_TaxID=9986;
RN [1]_TaxID=9986;
RP SEQUENCE FROM N.A.
RC STRAIN=New Zealand White; TISSUE=Liver;
RX MEDLINE=98391821; PubMed=9722658;
RA Yamamoto Y., Ishizuka M., Takada A., Fujita S.;
RT "Cloning, tissue distribution, and functional expression of two novel
RT rabbit cytochrome P450 isozymes, CYP2D23 and CYP2D24." ;
RL J. Biochem. 124:503-508 (1998).
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; AB008785; BAA84473.1; -.
DR PIR; J02558; J02558.
DR HSSP; P00179; 1DT6.
DR GO; GO:0004497; F:monooxygenase activity; IEA.
DR GO; GO:0016712; F:oxidoreductase activity, acting on paired d. . .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
```

```
DR Pfam: PF00067; P450; 1.
DR PRINTS; PR01686; CYTOCHROME_P450.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME_P450; 1.
DR Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 500 AA; 55604 MW; 434EC7C86BF6305B CRC64;

Query Match
Best Local Similarity 75.2%; Score 1751; DB 6; Length 500;
Matches 348; Conservative 31; Mismatches 67; Indels 54; Gaps 2;

QY 1 MGL---EALVPLAVIAVAILLVLVLMHRRQWAAAYSPGLPLPGLGNLLHVDQFQNTVYC 57
D 1 MGLSSEALAPLAVAVAILLVLVLMHRRPWAAYPPGVPVIGLGNLLQVDFGIFNC 60
QY 58 FQLRRFGDVSFSLQALWTPVVLNGLAAVREALVTHGEDTADRPVPIQILGFGPRSQ 117
D 61 FQLRRYGDVSFSLQALWTPVVLNGLAAVREALVTHGEDTADRPVPIQILGFGPHQA 120
QY 118 -----GRPRPGL 126
D 121 GVMARYGAWREQRFSVSTLRNFGLGKKSLEQWTEATCLCAAFADHAGCPSPSML 180
QY 127 LDKAVSNVIASLTCGRFFEYDDPRFLRLDLAQEGKESGFLREVNLNAVPLLHHPALA 186
D 181 LNKAVCNVIASLTHGCRFFEYDDHRLTRMLDTQTILKESTGNLPQVLNVPILLRIPGLV 240
QY 187 GKVLRFKAFQLTQDLDELTEHMTWDPAPPRDLTEAFLAEMEAKGNPESFNENLRI 246
D 241 DKVFGQKAFMALDELTEHMTWDPAPPRDLTEAFLDQVEKAKGNPESFNENLRL 300
QY 247 VVADLFSAGMWTSTTLANGLLMLTHPDVQRRVQOEIDVDVIGQVRRPEMGDQAMPTT 306
D 301 VVTDLFAAGMWTSTTLANGLLMLTHPDVQRRVQOEIDVIGPARRPEMGDQAMPTT 360
QY 307 AVIHEVQRFQGDVPLGVTHMTSRDIEVQGFRIPKGTTLITNLSSVLKDEAVWEKFRPH 366
D 361 AVIHEVQRFADIIPLGVPHQTSRDIEVQGFRIPKGTTLITNLSSVLKDEAVWEKFRPH 420
QY 367 EHFLDAQGHFVKPEAFPLPSAGRAACLGPELARMELFFFTSLLOHFSFVPTGQPRFSH 426
D 421 GHFLDAQGRFVKQEAFFMPFSAGRAACLGPELARMELFFFTCLLQRFVSFVPTGQPRPSD 480
QY 427 HGVFAFLVTPSPYELCAVPR 446
D 481 QGAPATLVTPAPYQLCAVAR 500

RESULT 6
Q16804 ID Q16804 PRELIMINARY; PRT; 373 AA.
AC Q16804;
DT 01-NOV-1996 (TREMBLrel. 01, Created)
DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update)
DT 01-JUN-2003 (TREMBLrel. 24, Last annotation update)
DE Cytochrome P450db1 (Fragment).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=89155788; PubMed=2466049;
RA Manns M.P., Johnson E.F., Griffin K.J., Tan E.M., Sullivan K.F.;
RT "Major antigen of liver kidney microsomal autoantibodies in idiopathic
RT autoimmune hepatitis is cytochrome P450db1."
RL J. Clin. Invest. 83:1066-1072(1989).
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; M24499; AAA36403.1; -.
DR HSSP; P00179; 1DT6.
DR GO; GO:0004497; F:monooxygenase activity; IEA.
DR GO; GO:0016712; F:oxidoreductase activity, acting on paired d. . .; IEA.

DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome_P450.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PR00385; P450.
DR PROSITE; PR01686; EP450ICYP2D.
DR Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 373 AA; 42005 MW; 9FDEDG7B0BA487A4 CRC64;

Query Match
Best Local Similarity 73.8%; Score 1719.5; DB 4; Length 373;
Matches 333; Conservative 1; Mismatches 33; Indels 19; Gaps 1;

QY 110 LGFGPRS-----QGRPRPRLGLDKAVSNVIASLTCGRFFEYDDPR 150
D 18 LGLGKKSLEQWTEEAACLCFAANHSGRPRPRLGLDKAVSNVIASLTCGRFFEYDDPR 77
QY 151 FLRLDLAQEGKESGFLREVNLNAVPLLHHPALAGKVLRFQKAFQLTQDLDELTEHMT 210
D 78 FLRLDLAQEGKESGFLREVNLNAVPLLHHPALAGKVLRFQKAFQLTQDLDELTEHMT 137
QY 211 WDPAPPRDLTEAFLAEMEAKGNPESFNENLRIVVADLFSAGMWTSTTLANGLLML 270
D 138 WDPAPPRDLTEAFLAEMEAKGNPESFNENLRIVVADLFSAGMWTSTTLANGLLML 197
QY 271 ILHPDVQRRVQOEIDVDVIGQVRRPEMGDQAMPTTAVIHEVQRFQGDVPLGVTHMTSRD 330
D 198 ILHPDVQRRVQOEIDVDVIGQVRRPEMGDQAMPTTAVIHEVQRFQGDVPLGVTHMTSRD 257
QY 331 IEVQGFRIPKGTTLITNLSSVLKDEAVWEKFRPHPEHFLDAQGHFVKPEAFPLPSAGR 390
D 258 IEVQGFRIPKGTTLITNLSSVLKDEAVWEKFRPHPEHFLDAQGHFVKPEAFPLPSAGR 317
QY 391 ACLGEPLARMELFFFTSLLOHFSFVPTGQPRSHHGVPAPLVPSPYELCAVPR 446
D 318 ACLGEPLARMELFFFTSLLOHFSFVPTGQPRSHHGVPAPLVPSPYELCAVPR 373

RESULT 7
Q9JKY7 ID Q9JKY7 PRELIMINARY; PRT; 500 AA.
AC Q9JKY7;
DT 01-OCT-2000 (TREMBLrel. 15, Created)
DT 01-OCT-2000 (TREMBLrel. 15, Last sequence update)
DT 01-OCT-2003 (TREMBLrel. 25, Last annotation update)
DE Cytochrome P450 CYP2D22.
GN CYP2D22.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=20485155; PubMed=11032406;
RA Blume N., Leonard J., Xu Z.J., Watanabe O., Remotti H., Fishman J.;
RT "Characterization of Cyp2d22, a novel cytochrome P450 expressed in
RT mouse mammary cells."
RL Arch. Biochem. Biophys. 381:191-204(2000).
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; AF221525; AAF34652.1; -.
DR HSSP; P00179; 1DT6.
DR MGD; MGI:1929474; Cyp2d22.
DR GO; GO:0005737; C:cytoplasm; IEA.
DR InterPro; IPR001128; Cytochrome_P450.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PROSITE; PR00385; P450.
DR Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 500 AA; 56467 MW; FACB35854BC3F1F CRC64;
```



```
DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 500 AA; 55721 MW; 7EAA4337929CEP3 CRC64;

Query Match
Best Local Similarity 72.8%; Score 1697; DB 6; Length 500;
Matches 340; Conservative 32; Mismatches 74; Indels 54; Gaps 2;

QY 1 MGL---EALVPLAVIAIFLLVLDLMHRRQRAARYSPGLPLPGLGNLLHVDQFNTQYPC 57
Db 1 MGLLSGEALAPLAVIAIFLLVLDLMHRRQRAARYSPGLPGLGNLLHVDQFNTQYPC 60
QY 58 FQLRRRFGDVSLSQAWTPVVVINGLAARVREALVTHGEDTADRPVPITQILGFRPSQ 117
Db 61 FQLRCRYGDVSLSQAWTPVVVINGLAARVREALVTHGEDTADRPVSYLSLEHLGFGPQAQ 120
QY 118 -----GRPRPNGL 126
Db 121 GVIMACYGHAMREQRFSVSLRNFGMGKKSLEHWVTEAAACLCVAFSEHAGHPSPKAL 180
QY 127 LDKAVSNVIASTCGRRFDDPRFLRLDLDLAQEGKESGFLREVNLAVPVLLHHPALA 186
Db 181 LNKALGNVIASTFCGRFDDPRFLRLDLDLDLIEIMLESTGLPLVNLVPIILLRIPGLV 240
QY 187 GKVLRFKAFLLTQDELLTEHRTWDPAPPRDLTEAFLAEMEKAKGNPSESSFNENLRI 246
Db 241 DKVFGKAFMALLDELTEHRTWDPAPPRDLTDADFQVEKAGKGNPSESSFNENLRL 300
QY 247 VVADLFSAGMVTSTTLAWGLLMLHDPVQRRVQOEIDVIGVRRPEMGDQAHPYTT 306
Db 301 VVADLFVAGMFTTSTLAWGLLMLHDPVQRRVQOEIDVIGVRRPEMGDQAHPYTT 360
QY 307 AVIHEVQRGDIPLGVTHMTSRDIEVQGFRIPKGTTLITNLSVVKDEAVWEKPRFRHP 366
Db 361 AVIHEVQRGDIPLGVTHMTSRDIEVQGFRIPKGTTLITNLSVVKDEAVWEKPRFRHP 420
QY 367 EHFLDAQHFVKEAFLEPFSAGRACLGELPLARMELFFFTCLLQRFSLVPAGQPPSD 426
Db 421 GHFLDAQHFVKEAFLEPFSAGRACLGELPLARMELFFFTCLLQRFSLVPAGQPPSD 480
QY 427 HGVFAFLVTPSPYELCAVPR 446
Db 481 QGAPATLVTPAPYQLCAVAR 500

RESULT 10
Q8VCX0 PRELIMINARY; PRT; 500 AA.
AC Q8VCX0;
DT 01-MAR-2002 (TReMBLrel. 20, Created)
DT 01-MAR-2003 (TReMBLrel. 20, Last sequence update)
DT 01-OCT-2003 (TReMBLrel. 25, Last annotation update)
DE Similar to cytochrome P450; 2d9.
GN 1300007K12RIK.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RA Strausberg R.;
RL Submitted (DEC-2001) to the EMBL/GenBank/DBJ databases.
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; BC018344; AAH18344.1; -.
DR MGD; MGI:1915694; 1300007K12RIK.
DR GO; GO:0005524; F:ATP binding; IEA.
DR GO; GO:0004497; F:monooxygenase activity; IEA.
DR GO; GO:0036712; F:oxidoreductase activity; IEA.
DR GO; GO:0006118; F:electron transport; IEA.
DR InterPro; IPR005479; CPhase_L_D2.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.

Pfam: PF00067; p450; 1.
PRINTS; PR01686; EP450ICYP2D.
PRINTS; PR00385; P450.
PROSITE; PS00867; CFSASE 2; 1.
PROSITE; PS00086; CYTOCHROME P450; 1.
KW Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 500 AA; 56625 MW; 30017F7A1AE4P83E CRC64;

Query Match
Best Local Similarity 70.1%; Score 1633.5; DB 11; Length 500;
Matches 315; Conservative 46; Mismatches 80; Indels 51; Gaps 1;

QY 6 LVPVAVIAIFLLVLDLMHRRQRAARYSPGLPLPGLGNLLHVDQFNTQYPCDQRRRF 65
Db 9 LWPVAVIAIFLLVLDLMHRRQRAARYSPGLPGLGNLLHVDQFNTQYPCDQRRRF 68
QY 66 GDVFSLSQAWTPVVVINGLAARVREALVTHGEDTADRPVPITQILGFRPSQGRFPENG 125
Db 69 GDVFSLSQAWTPVVVINGLAARVREALVTHGEDTADRPVPITQILGFRPSQGRFPENG 128
QY 126 -----LLDKAVSNV 134
Db 129 PEWRELRRFSVSLRNFGMGKKSLEHWVTEBAGHLCDAPTAQAGSPLDPYTLNKAQCNV 188
QY 135 IASLTCCRRFDDPRFLRLDLDLAQEGKESGFLREVNLAVPVLLHHPALAGKVLRFQK 194
Db 189 IASLIYARFYGDPDFIKMLKILKENNGENTGFPPEVINTFPILLHHPGLADRVFPQK 248
QY 195 AFLTQDELLTEHRTWDPAPPRDLTEAFLAEMEKAKGNPSESSFNENLRIVVADLFS 254
Db 249 TFLTLVNLKLVTEHRTWDPAPPRDLTDADFQVEKAGKGNPSESSFNENLRIVVADLFS 308
QY 255 GMVTTSTTLAWGLLMLHDPVQRRVQOEIDVIGVRRPEMGDQAHPYTTAVIHEVQR 314
Db 309 GIVTSSITLTWALLMLHDPVQRRVQOEIDVIGVRRPEMGDQAHPYTTAVIHEVQR 368
QY 315 FGDVPLGVTHMTSRDIEVQGFRIPKGTTLITNLSVVKDEAVWEKPRFRPHFLDAQG 374
Db 369 FADIVPMNLPHKTSHDIEVQGFRIPKGTTLITNLSVVKDEAVWEKPRFRPHFLDAQG 428
QY 375 HFVKEAFLEPFSAGRACLGELPLARMELFFFTCLLQRFSLVPAGQPPSDYHGFVAFV 434
Db 429 HFVKEAFLEPFSAGRACLGELPLARMELFFFTCLLQRFSLVPAGQPPSDYHGFVAFV 488
QY 435 TPSPYELCAVPR 446
Db 489 SPSPYQLCAVTR 500

RESULT 11
Q8CIM7 PRELIMINARY; PRT; 500 AA.
AC Q8CIM7;
DT 01-MAR-2003 (TReMBLrel. 23, Created)
DT 01-MAR-2003 (TReMBLrel. 23, Last sequence update)
DT 01-OCT-2003 (TReMBLrel. 25, Last annotation update)
DE RIKEN cdNA 1300006E06 gene.
GN CYP2D26.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=FVB/N; TISSUE=Kidney;
RA Strausberg R.;
RL Submitted (FEB-2002) to the EMBL/GenBank/DBJ databases.
DR EMBL; BC023241; AAH23241.1; -.
DR MGD; MGI:1923529; Cyp2d26.
DR GO; GO:0016712; F:oxidoreductase activity, acting on paired d. . .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
```

```
DR Pfam: PF00067; p450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
SQ SEQUENCE 500 AA; 56975 MW; B3DDCD88DFA3F265 CRC64;

Query Match 69.7%; Score 1625; DB 11; Length 500;
Best Local Similarity 63.4%; Pred. No. 6e-125;
Matches 317; Conservative 49; Mismatches 80; Indels 54; Gaps 2;

QY 1 MGL---EALVPLAVIAIFLLVLDLHRRQRWAARYSGPLPLGLGNLLHVDQFNTYVC 57
DB 1 MGLVGDDLVAVVIFTAIFLLVLDLHRRQRWTACYPGVPFPGPLGNLLQVDFENIPYS 60

QY 58 FQDRLRRFGDVSFSLQALWTPVVLVINGLAARVLAETHGDTADRPVPTQLIGFGRSQ 117
DB 61 FYKLNRYGNVFSLOMAWKPVVVVNGLKAVRELLVYGEDTSRPLMPIYHNGYGHKSK 120

QY 118 G-----RPFPPNGL 126
DB 121 GVILAPYGPWEQRFRFSVSTLRDFGLGKKSLEQWVTEAGHLCDAFTEAEHPNPSPL 180

QY 127 LDKAVSNVIASITCGRRFEYDDPRFLRLDLDAQGLKEESGFLREVLNAVPLVLLHIPALA 186
DB 181 LSKAVSNVIASLIYARRFEYEDPFNRMLTKLESIGEDTGFVGEVLNAIPMLLHIPGLP 240

QY 187 GKVLRFQKAFLTQDLDELTEHRMTWDPAPPRDLTEAFLAEMEKAKGNPSESSFNENLRI 246
DB 241 DKAFPKLNSFIALVKNMLIEHDLTDPAQPRDLTDFAFLAEVEKAKGNPSESSFNENLRI 300

QY 247 VVADLFSAGMVTSTTLAWGLLMLHPDVQRRVQOEIDVDVQVRRPBGQAHMPYTT 306
DB 301 VVIDLFMAGMVTSTTLAWGLLMLHPDVQRRVQOEIDVDVQVRRPBGQAHMPYTT 360

QY 307 AVIHEVQRGDIIVPLGVTHTMSRDIIEVQGFRIKPGTTLITNLSVLKDEAVNEKPPRFHP 366
DB 361 AVIHEVQRGDIIVPTNLPHTMSRDIKFDQFFIPKGTTLIPNLSVLKDEAVNEKPPRFHP 420

QY 367 EHFLLDAQGHFVKPEAFPLPSAGRRACLGEPPLARMELFLFTLLQHFSSVPTGQRPSPH 426
DB 421 EHFLLDAQGHFVKPEAFMPFSAGRRSCLGEPPLARMELFLFTLLQHFSSVPTGQRPSPD 480

QY 427 HGVEAFPLVTPSPYELCAVPR 446
DB 481 YGIYTPVTPPEYQLCAVAR 500

RESULT 13
Q921V1 PRELIMINARY; PRT; 504 AA.
ID Q921V1;
AC Q921V1;
DT 01-DEC-2001 (TrEMBLrel. 19, Created)
```

```
RA Blake J., Boffelli D., Bojunga N., Carninci P., de Bonaldo M.F.,
RA Brownstein M.J., Bult C., Fletcher C., Fujita M., Gariboldi M.,
RA Gustingich S., Hill D., Hofmann M., Hume D.A., Kamiya M., Lee N.H.,
RA Lyons P., Marchionni L., Mashima J., Mazzarelli J., Mombaerts P.,
RA Nordone P., Ring B., Ringwald M., Rodriguez I., Sakamoto N.,
RA Sasaki H., Sato K., Schoenbach C., Seya T., Shibata Y., Storch K.-F.,
RA Suzuki H., Toyooka K., Wang K.H., Weitz C., Whittaker C., Wilming L.,
RA Wynshaw-Boris A., Yoshida K., Hasegawa Y., Kawaji H., Kohetsuki S.,
RA Hayashizaki Y.;
RT "Functional annotation of a full-length mouse cDNA collection.";
RL Nature 409:685-690(2001).
CC -I- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; AK004915; BAB23666.1; -.
DR HSSP; P00179; IDT6.
DR MGD; MGI:1923529; Cyp2d26.
DR GO; GO:0004497; F:monooxygenase activity; IEA.
DR GO; GO:0016712; F:oxidoreductase activity, acting on paired d. .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome_P450.
DR Pfam; PF00067; p450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PROSITE; PS00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 500 AA; 56949 MW; F4C9A03E04C8752D CRC64;

Query Match 69.6%; Score 1622; DB 11; Length 500;
Best Local Similarity 63.4%; Pred. No. 1.1e-124;
Matches 317; Conservative 48; Mismatches 81; Indels 54; Gaps 2;

QY 1 MGL---EALVPLAVIAIFLLVLDLHRRQRWAARYSGPLPLGLGNLLHVDQFNTYVC 57
DB 1 MGLVGDDLVAVVIFTAIFLLVLDLHRRQRWTACYPGVPFPGPLGNLLQVDFENIPYS 60

QY 58 FQDRLRRFGDVSFSLQALWTPVVLVINGLAARVLAETHGDTADRPVPTQLIGFGRSQ 117
DB 61 FYKLNRYGNVFSLOMAWKPVVVVNGLKAVRELLVYGEDTSRPLMPIYHNGYGHKSK 120

QY 118 G-----RPFPPNGL 126
DB 121 GVILAPYGPWEQRFRFSVSTLRDFGLGKKSLEQWVTEAGHLCDAFTEAEHPNPSPL 180

QY 127 LDKAVSNVIASITCGRRFEYDDPRFLRLDLDAQGLKEESGFLREVLNAVPLVLLHIPALA 186
DB 181 LSKAVSNVIASLIYARRFEYEDPFNRMLTKLESIGEDTGFVGEVLNAIPMLLHIPGLP 240

QY 187 GKVLRFQKAFLTQDLDELTEHRMTWDPAPPRDLTEAFLAEMEKAKGNPSESSFNENLRI 246
DB 241 DKAFPKLNSFIALVKNMLIEHDLTDPAQPRDLTDFAFLAEVEKAKGNPSESSFNENLRI 300

QY 247 VVADLFSAGMVTSTTLAWGLLMLHPDVQRRVQOEIDVDVQVRRPBGQAHMPYTT 306
DB 301 VVIDLFMAGMVTSTTLAWGLLMLHPDVQRRVQOEIDVDVQVRRPBGQAHMPYTT 360

QY 307 AVIHEVQRGDIIVPLGVTHTMSRDIIEVQGFRIKPGTTLITNLSVLKDEAVNEKPPRFHP 366
DB 361 AVIHEVQRGDIIVPTNLPHTMSRDIKFDQFFIPKGTTLIPNLSVLKDEAVNEKPPRFHP 420

QY 367 EHFLLDAQGHFVKPEAFPLPSAGRRACLGEPPLARMELFLFTLLQHFSSVPTGQRPSPH 426
DB 421 EHFLLDAQGHFVKPEAFMPFSAGRRSCLGEPPLARMELFLFTLLQHFSSVPTGQRPSPD 480

QY 427 HGVEAFPLVTPSPYELCAVPR 446
DB 481 YGIYTPVTPPEYQLCAVAR 500

RESULT 13
Q921V1 PRELIMINARY; PRT; 504 AA.
ID Q921V1;
AC Q921V1;
DT 01-DEC-2001 (TrEMBLrel. 19, Created)
```

```
DT 01-DEC-2001 (TReMBLrel. 19, Last sequence update)
DE 01-JUN-2003 (TReMBLrel. 24, Last annotation update)
DE Cytochrome P450, 2d9.
GN CYP2D9.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RA Strausberg R.;
RL Submitted (JUL-2001) to the EMBL/GenBank/DBJ databases.
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; BC010593; AAH10593.1; -.
DR MGD; MGI:88606; Cyp2d9.
DR GO; GO:0004497; F:monooxygenase activity; IEA.
DR GO; GO:0016712; P:oxidoreductase activity, acting on paired d. . .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
DR Heme; Monooxygenase; Oxidoreductase.
KW Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 504 AA, 56950 MW, 6DC93B3985EFB8A2 CRC64;

Query Match 68.7%; Score 1600.5; DB 11; Length 504;
Best Local Similarity 62.6%; Pred. No. 6.3e-123;
Matches 308; Conservative 53; Mismatches 80; Indels 51; Gaps 1;

QY 6 LVPLAVIAIFLLVLDLHRRORWAARYSPGLPLPGILGNLLHVDFTQNTYCFDOLRRRF 65
DB 9 LWPVAIFTVIFILLVDLTHQORWTSRYPPGVPWPVILGNLLQVDLGNMPSYLYKQRY 68
QY 66 GDVFSQLAWTPVVLVINGLAAREALVTHGSDTADRPVPVITQILGFGPRSQ----- 117
DB 69 GDVFSQAWKWPVIVINGLAKEMKMLTCCGDTADRPVPVIFEYLGVKPGSGVVLPY 128
QY 118 -----GRPRPNGLLDKAVSNV 134
DB 129 PEWREQRFRSVTLRNFGLGKKSLEDVWTKEARHLCDAFQAAGRSINPNTMLNKSTCNV 188
QY 135 IASITCGRRFEYDDPRFLRLDLAQEGLESGFLREVNAVPLVLIHPALAGKVLRFQK 194
DB 189 IASLIFARRFEYEDPFLIRMLKVLQESLVEISGLIPEVINAFFILLRIPRLADKALQOK 248
QY 195 AFLTQLDELLTEHRMTWDPAPPRDLTEAFIAEMEKAKGNPESFNENLRIVVADLFSA 254
DB 249 SFNAILDNLNLTENTTWDVPQAPRNLTDAFLAEIEKAKGNPESFNENLRIVVADLFSA 308
QY 255 GAVTSTTLAAGLLMLILHDPVQRVQOEIDDVIGQVRRPEMGDQAHMPYTTAVIHEVOR 314
DB 309 GMLATSTTSLWALMLILHDPVQRVQOEIDDEVIQVRRHPEMADQAHMPYTTAVIHEVOR 368
QY 315 FGDIVPLGVTHMTSDIEVQGFRIKGTTLITNLSVLKDEAVWEKPRFHFPEHFLDAQ 374
DB 369 FGDIVPNVLPRTSHDIEVQDFLIPKGTILLPNMSSMLKDSVWEKPLRFHFPEHFLDAQ 428
QY 375 HFVKEAFPLPFSAGRRACLGELPRLAMELFLFTSLLOHFSFVSPTGQPRPSHHGVFAPLV 434
DB 429 HFVKEAFMPFSAGRRSCGLGELPRLAMELFLFTCLLQRFVSFVDPGQPRPSNGVYGLIV 488
QY 435 TSPSYELCAVR 446
DB 489 APSPYQLCAVR 500

RESULT 14
Q64529 PRELIMINARY; PRT; 504 AA.
AC Q64529;
DT 01-NOV-1996 (TReMBLrel. 01, Created)
```

Search completed: February 25, 2004, 04:30:59
Job time : 48 secs

```
RESULT 15
QBVD2  Q8BVD2  PRELIMINARY;  PRT;  504 AA.
AC  Q8BVD2;
DT  01-MAR-2003 (TrEMBLrel. 23, Created)
DT  01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT  01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE  Cytochrome P450.
OS  Mus musculus (Mouse).
OC  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC  Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX  NCBI_TaxID=10090;
RN  [1]
SEQUENCE FROM N.A.
RP  STRAIN=C57BL/6J; TISSUE=Colon;
RX  MEDLINE=22354683; PubMed=12466851;
RA  The FANTOM Consortium.
RA  the RIKEN Genome Exploration Research Group Phase I & II Team;
RT  "Analysis of the mouse transcriptome based on functional annotation of
RL  60,770 full-length cDNAs.";
RL  Nature 420:563-573 (2002).
DR  EMBL; AK078880; BAC37440.1; -.
DR  GO: GO:0016712; F:oxidoreductase activity, acting on paired d. . . ; IEA.
DR  GO: GO:0006118; P:electron transport; IEA.
DR  InterPro; IPR001128; Cytochrome P450.
DR  InterPro; IPR008069; EP450_CYP2D.
DR  Pfam; PF00067; P450; 1.
DR  PRINTS; PR01686; EP450ICYP2D.
DR  PRINTS; PR00385; P450.
DR  PROSITE; PS00086; CYTOCHROME_P450; 1.
SQ  SEQUENCE 504 AA; 57743 MW; 4B29AB3160997957 CRC64;

Query Match 67.8%; Score 1580.5; DB 11; Length 504;
Best Local Similarity 62.6%; Pred. No. 2.8e-121;
Matches 306; Conservative 51; Mismatches 81; Indels 51; Gaps 1;

QY 9 LAVIVAIFLLVDLMHRRQRMAARYSPGFLPLGLGNLLHVFQNTPTPCDQLRRRFGDV 68
Db : : : : : : : : : : : : : : : : : : : : : : : : : : : :
12 VAIFTVIFILLDLHRRQSWTSCYPPGPVPLGLNLLQVDLNNPYSLYKLQNYGVDV 71
QY 69 FSLQLAWTPVVLNGLAAVREALVTHGEDTADRPVPIITQILGFGPRSGQGRPF 121
Db : : : : : : : : : : : : : : : : : : : : : : : : : : : :
72 FSLQMAWKPMVWVNRMKAMKEVLLTCGEDTADRPVPIIFEHLGFKPRSQGMIFAPYGPW 131
QY 122 -----RPNGLLDKAVSNVIAS 137
Db : : : : : : : : : : : : : : : : : : : : : : : : : : : :
132 REQRRFSLSLRNFGLRKSLBEMVKEAGHLCDFTTQAGQYINPTMLKATCNVIAS 191
QY 138 LTCGRREFYDDPRFLDLDAQGLKESGFLREVLNAVPLVLLHIPALAGKVLRFQKAF 197
Db : : : : : : : : : : : : : : : : : : : : : : : : : : : :
192 LIPARRFEYEDPYLIRMLKVLDSLTSLGLIPEVINTFPILLHIPRLADKFLQSKFSI 251
QY 198 TQDELLETHRTWTDPAQPRDLTEAFLEMEKAKGNPSSFNENLRIWVADLFSAGMV 257
Db : : : : : : : : : : : : : : : : : : : : : : : : : : : :
252 AIVDNLLTENRTTWDPAQSPRNLTDAFLAEIEKAKGNPSSFNENLRMVVIDLFTAGIL 311
QY 258 TTSITLAWGLLLMLHPDVQRRVQQEIDDVIGVRRPEMGDQAHMPYTTAVIHEVORFGD 317
Db : : : : : : : : : : : : : : : : : : : : : : : : : : : :
312 TTSITLAWGLLLMLHPDVQRRVQQEIDDVIGVRRPEMGDQAHMPYTTAVIHEVORFGD 371
QY 318 IVPGLVTHMTSRDIEVQGFRIKGTTLITNLSSVLKDEAVWEKPFPHFELDAQGHFV 377
Db : : : : : : : : : : : : : : : : : : : : : : : : : : : :
372 IVPGLVTHMTSRDIEVQGFRIKGTTLITNLSSVLKDEAVWEKPFPHFELDAQGHFV 431
QY 378 KPEAFILPFSAGRACGLGEPLARMELELFTTSLLOHFSFVPTGQPRPSHHGVPAFLVTPS 437
Db : : : : : : : : : : : : : : : : : : : : : : : : : : : :
432 KHEAFITFSAGRACGLGEPLARMELELFTTCLLQRFSSVSPDQGPQPSDRHVFSSINVAPS 491
QY 438 PYELCAVPR 446
Db : : : : :
492 PYOLCAVIR 500
```


GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM protein - nucleic search, using frame_plus_p2n model

Run on: February 29, 2004, 00:03:55 ; Search time 2375 Seconds
(without alignments)
5607.803 Million cell updates/sec

Title: US-09-820-788A-2
Perfect score: 2330
Sequence: 1 MGLEALVPLAVIAVIFLLLV.....HGVFAFLVTPSPYELCAVPR 446

Scoring table:
BLOSUM62
Xgapop 10.0, Xgapext 0.5
Ygapop 10.0, Ygapext 0.5
Fgapop 6.0, Fgapext 7.0
Delop 6.0, Delext 7.0

Searched: 27513289 seqs, 14931090276 residues
Total number of hits satisfying chosen parameters: 55026578

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Command line parameters:
-MODEL=frame+ p2n model -DRV=xlh
-Q=/cgn2_1/USPTO_spool/US09820788/runat_24022004_141408_9107/app_query.fasta_1.583
-DB=EST -Qfmt=fastap -SUFFIX=rst -MINMATCH=0.1 -LOOPCL=0 -LOOPEXT=0
-UNITS=bits -START=1 -ENDS=1 -MATRIX=blosu62 -TRANS-human40.cdi -LIST=45
-DOALIGN=200 -THR SCORE=pct -THR MAX=100 -THR MIN=0 -ALIGN=15 -MODE=LOCAL
-OUTFMT=ptc -NORM=ext -HEAPSIZE=500 -MINLEN=0 -MAXLEN=2000000000
-USER=US09820788 @CNC 1.1 2135 @runat_24022004_141408_9107 -NCPU=6 -ICPU=3
-NO MAP -LARGEQUERY -NEG SCORES=0 -WAIT -DSPBLOCK=100 -LONGLOG
-DEV_TIMEOUT=120 -WARN_TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6
-FGAPEXT=7 -YGAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

Database :
1: em_estba.*
2: em_esthum.*
3: em_estin.*
4: em_estmu.*
5: em_estov.*
6: em_estpl.*
7: em_estro.*
8: em_htc.*
9: gb_est1.*
10: gb_est2.*
11: gb_htc.*
12: gb_est3.*
13: gb_est4.*
14: gb_est5.*
15: em_estfun.*
16: em_estom.*
17: em_gss_hum.*
18: em_gss_inv.*
19: em_gss_pln.*
20: em_gss_vrt.*
21: em_gss_fun.*
22: em_gss_mam.*
23: em_gss_mus.*
24: em_gss_pro.*
25: em_gss_rod.*
26: em_gss_pbg.*
27: em_gss_vrl.*
28: gb_gss1.*

29: gb_gss2.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Match	Length	DB	ID	Description
1	1622	69.6	1646	11	AK004915	AK004915 Mus muscu
2	1609	69.1	1201	13	BX422591	BX422591 BX422591
3	1603	68.8	2429	11	AK090296	AK090296 Mus muscu
4	1580.5	67.8	1624	11	AK078880	AK078880 Mus muscu
5	1304	56.0	1497	11	BC051039	BC051039 Mus muscu
6	1246.5	53.5	1201	13	BX422592	BX422592 BX422592
7	1228.5	52.7	814	14	CK032845	CK032845 AGENCOURT
8	1228	52.7	798	14	CF271947	CF271947 AGENCOURT
9	1227.5	52.7	803	14	CK032848	CK032848 AGENCOURT
10	1225	52.6	3079	11	AK004933	AK004933 Mus muscu
11	1223	52.5	767	14	CK032844	CK032844 AGENCOURT
12	1221.5	52.4	780	14	CK032843	CK032843 AGENCOURT
13	1214	52.1	804	14	CK032846	CK032846 AGENCOURT
14	1207.5	51.8	1088	13	BX432878	BX432878 BX432878
15	1201.5	51.6	982	12	BG743095	BG743095 602634230
16	1196	51.3	807	14	CK032847	CK032847 AGENCOURT
17	1188.5	51.0	796	14	CK130223	CK130223 AGENCOURT
18	1179.5	50.6	791	14	CF271949	CF271949 AGENCOURT
19	1143.5	49.1	1071	13	BX432877	BX432877 BX432877
20	1116.5	47.9	902	13	CK030832	CK030832 BX430832
21	1095.5	47.0	774	14	CK032849	CK032849 AGENCOURT
22	1065	45.7	1805	11	AK004984	AK004984 Mus muscu
23	1047.5	45.0	962	13	CK030831	CK030831 BX430831
24	1014	43.5	880	12	BI217581	BI217581 60234015
25	1011	43.4	586	14	CB162434	CB162434 K-EST0223
26	1004	43.1	631	14	CB456776	CB456776 714071 MA
27	993	42.6	808	12	BI328628	BI328628 602984542
28	992	42.6	798	12	BI247704	BI247704 602959323
29	991	42.5	796	9	AI255822	AI255822 ui188f05.x
30	983	42.2	809	9	AI987772	AI987772 um06906.x
31	980	42.1	788	9	AI266991	AI266991 u109604.x
32	975.5	41.9	969	12	BI217057	BI217057 602933363
33	974	41.8	1066	14	CB195223	CB195223 AGENCOURT
34	961.5	41.3	787	14	CK130220	CK130220 AGENCOURT
35	961	41.2	802	12	BG775066	BG775066 602650030
36	950	40.8	725	10	BF533324	BF533324 602073784
37	948.5	40.7	820	12	BI331562	BI331562 602960980
38	947.5	40.7	793	9	AI256232	AI256232 ui196f03.x
39	946	40.6	736	12	BI103579	BI103579 602888726
40	944	40.5	798	9	AI194824	AI194824 ui157c03.x
41	942.5	40.5	816	14	CK130224	CK130224 AGENCOURT
42	941.5	40.4	754	14	CK130221	CK130221 AGENCOURT
43	936	40.2	782	9	AI326364	AI326364 mmi0c06.x
44	935	40.1	630	14	CF360997	CF360997 827299 MA
45	931	40.0	803	14	CK130222	CK130222 AGENCOURT

ALIGNMENTS

RESULT 1
AK004915
LOCUS

1646 bp mRNA linear HTC 20-SRP-2003
Mus musculus adult male liver cDNA, RIKEN full-length enriched
library, clone:1300006E06 product:CYTOCHROME P450 2D2 (EC
1.14.14.1) (CYP11D2) (P450-DB2) (P450-CMP2) (DEBRISOQUINE
4-HYDROXYLASE) homolog [Rattus norvegicus], full insert sequence.

ACCESSION AK004915
VERSION AK004915.1 GI:12836460
KEYWORDS HTC; CAP trapper.
SOURCE Mus musculus (house mouse)
ORGANISM Mus musculus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;


```
QY 118 ----- 118
Db 494 ACCCTCGTACTTCGGCTCGGCAAAATCACTGGAGCAGTGGTGACAGAGGAGCT 553
QY 119 -----ArgProPheArgProLeuGlyLeu 126
Db 554 GGCACCTCTGGCATCTTCCACCAAGGAGCGCAACATCCCTTCAATCCGAGCCCCCTC 613
QY 127 LeuAspLysAlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyr 146
Db 614 CTAAGTAAAGCTGTGAGCAAGTGATCGCTCCCTCATTTATGCTCGTGAITTGATAT 673
QY 147 AspAspProArgPheLeuArgLeuLeuAspLeuAlaGlnGluCysLeuLysGluGluSer 166
Db 674 GAAGACCCCTTCTTCAACAGGATCTCAAAACATTGAAGAAAGCTTAGGAGAAGACACT 733
QY 167 GlyPheLeuArgGluValLeuAenAlaValProValLeuLeuHisIleProAlaLeuAla 186
Db 734 GGCTTCGTGGAGAGTGCTGAATGCCATCCCAATGCTACTACATCCCTGGTTGGCT 793
QY 187 GlyLysValLeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGlu 206
Db 794 GATAAGCCTTCCCAAGCTGAATTCATTATAGCTTAGTGAATGAATGTTAATTGAG 853
QY 207 HisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAla 226
Db 854 CAGCACTCGACCTGGGATCTGCACAGCCACCCGAGATTTGACTGATGCTTCTGGCT 913
QY 227 GluMetGluLysAlaLysGlyAsnProGluSerSerPheAsnAspGluLeuArgIle 246
Db 914 GAGTGGAGAGGCCCAAGGGGAATCTCGAGAGCAGCTTCAATGATGAAGAACCTTGGGCATA 973
QY 247 ValValAlaAspLeuPheSerAlaGlyMetValThrThrSerThrLeuAlaTrpGly 266
Db 974 GTGTGATTGACCTGTTTCATGCGAGGATGTTGACCACTCAACACACTGTCCTGGCC 1033
QY 267 LeuLeuLeuMetIleLeuHisProAspValGlnArgValGlnGlnGluLeuAsp 286
Db 1034 CTGCTGCTCATGATCTGCATCCAGATGTGCAGCGCGTGTCCACGAGAAATCGACGAG 1093
QY 287 ValIleGlyGlnValArgProGluMetGlyAspGlnAlaHisMetProTyrThrThr 306
Db 1094 GTCATAGGGGACGTGGCGATCCAGAGATGGCAGACCGCGCATGCCCTTACACAAAC 1153
QY 307 AlaValIleHisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMet 326
Db 1154 GCGGTCAATTATGAGTGCACGCTTTCGAGACATCTGCCCAACAAATTTACACATATG 1213
QY 327 ThrSerArgAspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThr 346
Db 1214 ACATCCGAGACATTAAATTCGAAGACTTCTTCATCCCAAGGGGAGCAGACTCATTTCC 1273
QY 347 AsnLeuSerSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisPro 366
Db 1274 AACCTGTCTCTCGTGTGAAGATGAGATGTGTGGGAAGACCCCTCGCTTCTATCTC 1333
QY 367 GluHisPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSer 386
Db 1334 GAACACTTCTGGATGCCAGGGCCACTTTGTGAGCAGCAGGCTTTCATGCACTTCTCA 1393
QY 387 AlaGlyArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhe 406
Db 1394 CGAGGCGCAGATATGCTGGGGAGCCCTGGCCGCGCATGGAGCTTCTTCTTCTTC 1453
QY 407 ThrSerLeuLeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHis 426
Db 1454 ACTGCTCTCTGAGCGCTTTAGCTTCTCAGTGCCCGATGGAGCCAGCCAGCCAGTGAT 1513
QY 427 HisGlyValPheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
Db 1514 TATGGCATCTATACAATGCCAGTTACTCCAGAGCCCTATCAGCTCTGTGAGTGGCTCGA 1573
```

RESULT 2

BX422591/c

LOCUS

DEFINITION

ACCESSION

VERSION

KEYWORDS

SOURCE

ORGANISM

REFERENCE

AUTHORS

TITLE

JOURNAL

COMMENT

BX422591 1201 bp mRNA linear EST 13-MAY-2003
CS0DM008Y007 3-PRIME, mRNA sequence.

BX422591 BX422591.1 GI:30659345
EST.
Homo sapiens (human)

Homo sapiens
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

1 (bases 1 to 1201)
Li, W.B., Gruber, C., Jessee, J. and Polayes, D.
Full-length cDNA libraries and normalization
Unpublished (2001)

Contact: Genoscope
Genoscope - Centre National de Sequencage
BP 191 91006 EVRY cedex - France

Email: segref@genoscope.cns.fr, Web: www.genoscope.cns.fr
Library was constructed by Life Technologies, a division of
Invitrogen. This sequence belongs to sequence cluster 10301.r For
more information about this cluster, see

http://www.genoscope.cns.fr/
cgi-bin/cluster.cgi?seq=CS0DM008Y007&pkcluster=10301.r. Contact :
Feng Liang Email : fliang@lifetech.com URL :
http://fulllength.invitrogen.com/Invitrogen Corporation 1600
Faraday Avenue Genoscope sequence ID : CS0DM008Y007A04NP1.

Location/Qualifiers
1..1201

/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="CS0DM008Y007"
/tissue_type="FETAL LIVER"
/dev_stage="fetal"

/clone_lib="Homo sapiens FETAL LIVER"
/note="Organ: liver; Vector: pCMVSPORT 6; 1st strand cDNA
was primed with a NotI-oligo(dT) primer. Five prime end
enriched, double-strand cDNA was digested with Not I and
cloned into the Not I and EcoRV sites of the pCMVSPORT 6
vector. Library was not normalized."

Alignment Scores:
Pred. No.: 1,76e-164 Length: 1201
Score: 1609.00 Matches: 318
Percent Similarity: 96.66% Conservative: 0
Best Local Similarity: 96.66% Mismatches: 9
Query Match: 69.06% Indels: 3
DB: 13 Gaps: 0

US-09-820-788A-2 (1-446) x BX422591 (1-1201)

QY 120 PropheArgProAsnGlyLeuLeuAspLysAlaValSerAsnValIleAlaSerLeuThr 139
Db 998 CCGTTCGCCCCCAACCGTCTTTK-GAMAAAACCGTGAGCAACGTCATSTCTCCCTCMAC 940

QY 140 CysGlyArgArgPheGluTyrAspAspProArgPheLeuArgLeuLeuAspLeuAlaGln 159
Db 939 TCGCGGCGCGCTTCGAGTACGACACCTTCGCTTCCTCAGGCTGCTGGACCTAGCTCAG 880

QY 160 GluGlyLeuLysGluGluSerGlyPheLeuArgGluValLeuAsnAlaValProValLeu 179
Db 879 GAGGAGCTGAGGAGAGTTCGGCTTTCTCGCGAGAGTGCTGAATGCTGCTCCCGCTCCTC 820

QY 180 LeuHisIle-ProAlaLeuAlaGlyLysValLeuArgPhe-GlnLysAlaPheLeuThrG 199
Db 819 CTGCATATCCCGAGCGCTGGCTGGCAAGTCTCAGCTTCGTTCCMAAAGGCTTCTCTGACCC 760

QY 199 InLeuAspGluLeuLeuThrGluHisArgMetThrTrpAspProAlaGlnProProArg 219
Db 759 AGCTGGATGAGTGTAACTGAGCAAGATGACCTGGAGACCCAGCCGCCGCCCGCCGAG 700


```

polyA_site      2429
ORIGIN          /note="putative"

Alignment Scores:
Pred. No.:      2,53e-163      Length:      2429
Score:          1603.00        Matches:      318
Percent Similarity: 73.99%      Conservative: 29
Best Local Similarity: 67.80%      Mismatches:  71
Query Match:    68.80%      Indels:       52
DB:            11          Gaps:         1

US-09-820-788A-2 (1-446) x AK090296 (1-2429)

QY 29 TtpAlaAlaArgTyrSerProGlyProLeuProGlyLeuGlyAsnLeuLeuHis 48
DB 3 TGGAGCTGCCACTACCTCCAGGCCCTATGCCGTGGCCCTGTCTTGGGAACCTGTGCAC 62

QY 49 ValAspPheGlnAsnThrProTyrCysPheAspGlnLeuArgArgPheGlyAspVal 68
DB 63 ATGGACTTCAGAAATATGCCAGCGCTTCCAAAAGCTGCGGGGTGCTATGGGACCTG 122

QY 69 PheSerLeuGlnLeuAlaThrProValValLeuAsnGlyLeuAlaValArg 88
DB 123 TTCAGCTACAGCTGGCCCTCTCAGTCAGTGGTGTACTAAATGGGCTGACGGCCCTGGCA 182

QY 89 GluAlaLeuValThrHisGlyGluAspThrAlaAspArgProValProIleThrGln 108
DB 183 GAGGCACTGGTGAACACAGCAGGACACTGCTGACCGGCCACCGCTGATTTCAATGAC 242

QY 109 IleLeuGlyPheGlyProArgSerGln----- 117
DB 243 CTGTGGGCTTTGGACCACTCTCAAGGTATAGTCTAGCAGCGGTATGGGCTGCGCTGG 302

QY 117 ----- 117

DB 303 CGTCAGCAGCGGCGCTTCTCTGTCTCTACCATGCACCACTTTTGGCTGGGCAAGAAGTCA 362

QY 117 ----- 117

DB 363 CTGGAGCACTGGTGACTCAGAGGCCAGATGCTCTGTGGCCCTTCGCTCACCATACT 422

QY 118 GlyArgProPheArgProHsnGlyLeuLeuAspLysAlaValSerAsnValIleAlaSer 137
DB 423 GGACACCTTTTCAGCCCTTAACACCTTATTGGCAAGCAGTGTGTAACTGATCGCTCC 482

QY 138 LeuThrCysGlyArgArgPheGluTyrAspAspProArgPheLeuArgLeuLeuAspLeu 157
DB 483 CTCTCTATGCTGCGCTTTGAGTACGATGACCCACGCTTCTATCAGGCTACTGGGCTTG 542

QY 158 AlaGlnGluGlyLeuLysGluSerGlyPheLeuArgGluValLeuAsnAlaValPro 177
DB 543 TTGAAGGAACCTCTTAAGGAGGAAGCTGTGATTCCTACCCATGTTCTGTAATGTGTCCCG 602

QY 178 ValLeuLeuHisIleProAlaLeuAlaGlyLysValLeuArgPheGlnLysAlaPheLeu 197
DB 603 ATGCTCTCGCATCCCGGGCTGGTGGCAAGTCTTCTCCGGGAAGGCGCTTGT 662

QY 198 ThrGlnLeuAspGluLeuThrGluHisArgMetThrTyrAspProAlaGlnProPro 217
DB 663 ACCATGTTGGATGAGCTGTGGCTGAACACAAAGACGACCTGGGACCCCTACCCAGCCCGG 722

QY 218 ArgAspLeuThrGluAlaPheLeuAlaGluMetGluLysAlaLysGlyAsnProGluSer 237
DB 723 A--GATTTCAGTACCTTCTCGCTGAGGTGGAGAGGCCAAGGGGAATCCTGAGAGC 780

QY 238 SerPheAsnAspGluAsnLeuArgIleValAlaAlaAspLeuPheSerAlaGlyMetVal 257
DB 781 AGCTTCATGATGAGAACCTGCCACGCTGATGGGTGACTGTTCTCTCAGGAGTGGTG 840

QY 258 ThrThrSerThrThrLeuAlaThrGlyLeuLeuLeuMetIleLeuHisProAspValGln 277
DB 841 ACCACCTCAACCACTGTCTCTGGGCGCTGATGCTCTATGATCTCTGATCCAGATGTGCAG 900

```

```

QY 278 ArgArgValGlnGlnGluIleAspAspValIleGlyGlnValArgArgProGluMetGly 297
DB 901 CGCCGAGTACAACAGCAAAATCGATGAAGTCATAGGCGCAGGTGCAGTGTCCAGAGATGCCA 960

QY 298 AspGlnAlaHisMetProTyrThrThrAlaValIleHisGluValGlnArgPheGlyAsp 317
DB 961 GACCAGGCTCGCATGCCCTTACACCAATGCTGTCTATCATGAGGTGACGGCTTTGCAGAC 1020

QY 318 IleValProLeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPheArg 337
DB 1021 ATTCTCCCTCTTGGTGTAACCTCACAAAGACTTCTCTGACATTTGAACACTACAGGGCTTCCCT 1080

QY 338 IleProLysGlyThrThrLeuIleThrAsnLeuSerSerValLeuLysAspGluAlaVal 357
DB 1081 ATCCCTAAGGCGGACGACCTCATCAACCACTGCTCTCGCGCTAAAAGATGAGACTGTC 1140

QY 358 TrpGluLysProPheArgPheHisProGluHisPheLeuAspAlaGlnIleHisPheVal 377
DB 1141 TGGGAGAAGCCCTCTGCTTCCATCTCAACACTTCTCTGGATGCCCAGGGCCACTTTGTG 1200

QY 378 LysProGluAlaPheLeuProPheSerAlaGlyArgArgAlaCysLeuGlyGluProLeu 397
DB 1201 AAGCTTGAGGCTTCTGCTCATCCATTTCTCAGAGGCCGACAGATCATGCTGGGGAGGCCCTG 1260

QY 398 AlaArgMetGluLeuPheLeuPhePheThrSerLeuLeuGlnHisPheSerPheSerVal 417
DB 1261 GCCCGCATGAGGCTTCTCTCTTCCCTACCTGCCTCTCGACGCGCTTTAGCATCTCAGTG 1320

QY 418 ProThrGlyGlnProArgProSerHisHisGlyValPheAlaPheLeuValThrProSer 437
DB 1321 CCCGATGACAGCCCGCCAGCCAGCCATGCGCTTTTAGGGCTCTGCAACCCCATGTC 1380

QY 438 ProTyrGluLeuCysAlaValProArg 446
DB 1381 CCTTACCAGCTCTGTGTGTTGCCCGC 1407

RESULT 4
LOCUS      AK078880
DEFINITION Mus musculus adult male colon cDNA, RIKEN full-length enriched [Mus
            library, clone:903060509 product:CYTOCHROME P450, 2D9 homolog [Mus
            musculus], full insert sequence.
ACCESSION  AK078880
VERSION     AK078880.1 GI:26347582
KEYWORDS    HTC; CAP trapper.
SOURCE      Mus musculus (house mouse)
ORGANISM    Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.

REFERENCE  1
AUTHORS    Carninci, P. and Hayashizaki, Y.
TITLE      High-efficiency full-length cDNA cloning
JOURNAL    Meth. Enzymol. 303, 19-44 (1999)
MEDLINE    99279253
PUBMED     10349636

REFERENCE  2
AUTHORS    Carninci, P., Shibata, Y., Hayatsu, N., Sugahara, Y., Shibata, K.,
            Itoh, M., Konno, H., Okazaki, Y., Muramatsu, M. and Hayashizaki, Y.
TITLE      Normalization and subtraction of cap-trapper-selected cDNAs to
            prepare full-length cDNA libraries for rapid discovery of new genes
JOURNAL    Genome Res. 10 (10), 1617-1630 (2000)
MEDLINE    20499374
PUBMED     11042159

REFERENCE  3
AUTHORS    Shibata, K., Itoh, M., Aizawa, K., Nagaoka, S., Sasaki, N., Carninci, P.,
            Konno, H., Akiyama, J., Nishi, K., Kiteunai, T., Tashiro, H., Itoh, M.,
            Sumi, N., Ishii, Y., Nakamura, S., Hazama, M., Nishine, T., Harada, A.,
            Yamamoto, R., Matsumoto, H., Sakaguchi, S., Ikegami, T., Kashiwagi, K.,
            Fujiwara, S., Inoue, K., Togawa, Y., Izawa, M., Ohara, S., Watanabe, K.,
            Yoneda, Y., Ishikawa, T., Tanaka, T., Tanaka, T., Matsura, S., Kawai, J.,
            Okazaki, Y., Muramatsu, M., Inoue, Y., Kira, A. and Hayashizaki, Y.
TITLE      RIKEN integrated sequence analysis (RISA) system--384-format

```

JOURNAL MEDLINE PUBMED REFERENCE AUTHORS	sequencing pipeline with 384 multicapillary sequencer Genome Res. 10 (11), 1757-1771 (2000) 20530913 11076861 4
TITLE JOURNAL REFERENCE AUTHORS	The RIKEN Genome Exploration Research Group Phase II Team and the FANTOM Consortium. Functional annotation of a full-length mouse cDNA collection Nature 409, 685-690 (2001) 5
TITLE	The FANTOM Consortium and the RIKEN Genome Exploration Research Group Phase I & II Team. Analysis of the mouse transcriptome based on functional annotation of 60,770 full-length cDNAs Nature 420, 563-573 (2002) 6
JOURNAL REFERENCE AUTHORS	(bases 1 to 1624) Adachi, J., Aizawa, K., Akimura, T., Arakawa, T., Bono, H., Carninci, P., Fukuda, S., Furuno, M., Hanaoka, T., Hara, A., Hashizume, W., Hayashida, K., Hayatsu, N., Hiramoto, K., Hiraoka, T., Hirozane, T., Hori, F., Imotani, K., Ishii, Y., Itoh, M., Kagawa, I., Kasukawa, T., Kato, H., Kawai, J., Kojima, Y., Kondo, S., Konno, H., Kouda, M., Koya, S., Kurihara, C., Matsuyama, T., Miyazaki, A., Murata, M., Nakamura, M., Nishi, K., Nomura, K., Numazaki, R., Ohno, M., Ohsato, N., Okazaki, Y., Saito, R., Saitoh, H., Sakai, C., Sakai, K., Sakazume, N., Sano, H., Sasaki, D., Shibata, K., Shinagawa, A., Shiraki, T., Sogabe, Y., Tagami, M., Tagawa, A., Takahashi, F., Takaku-Akahira, S., Takeda, Y., Tanaka, T., Tomaru, A., Toya, T., Yasunishi, A., Muramatsu, M. and Hayashizaki, Y. Direct Submission Submitted (16-APR-2002) Yoshihide Hayashizaki, The Institute of Physical and Chemical Research (RIKEN), Laboratory for Genome Exploration Research Group, RIKEN Genomic Sciences Center (GSC), RIKEN Yokohama Institute; 1-7-22 Suehiro-cho, Tsurumi-ku, Yokohama, Kanagawa 230-0045, Japan (E-mail: genome-res@gscl.riken.go.jp, URL: http://genome.gsc.riken.go.jp/, Tel: 81-45-503-9222, Fax: 81-45-503-9216) cDNA library was prepared and sequenced in Mouse Genome Encyclopedia Project of Genome Exploration Research Group in Riken Genomic Sciences Center and Genome Science Laboratory in RIKEN. Division of Experimental Animal Research in Riken contributed to prepare mouse tissues. Please visit our web site for further details. URL: http://genome.gsc.riken.go.jp/ URL: http://fantom.gsc.riken.go.jp/ Location/Qualifiers 1..1624 /organism="Mus musculus" /mol_type="mRNA" /strain="C57BL/6J" /db_xref="FANTOM DB:9030605E09" /db_xref="MGI:2397571" /db_xref="taxon:10090" /clone="9030605E09" /sex="male" /tissue type="colon" /clone_lib="RIKEN full-length enriched mouse cDNA library" /dev_stage="adult" 50..1564 /note="unnamed protein product; CYTOCHROME P450, 2D9 homolog [Mus musculus] (SPTR Q921V1, evidence: PASTY, 87.7%ID, 100%length, match=1512) putative" /codon_start=1 /protein_id="BAC37440.1" /db_xref="GI:26347583" /translation="MELTGTDLWSVAFTWIFILLVLMHRRQSWTSCYPGPVPWP VLGNLLQVLDLNPVSLYKIQNRVDVFSLOWAKPMVWINRMKMKVLLTCGEDTA DRPPVPIFHLGFKPSQGMIFAPYPSWRQRFSLSLRFGLGRSLKEWIKEA GHLDAFTQAGQYINPNMLKATCNVIAELIFARRFEYEDPILRMKLVESLSE LSGLPEVINTFPILLHPLRLADKFLQSKSFIALVDNLTFTNRTWDPAPSPNRLD AFLAEIKAGNPESFNENLWMVVDLFTAGILTTSTLLWALLMLHPVQRRY QOEIDVIGQVRHPMDQAHMPTNAVIEVQRFQDVIPLHPLRITSRDIEVDQFLI PKGTILLPNMSSVHMDDTWBEKPLRFHPEHFLDAQCHQFVKHEAFITFSAGRRSLCEP
CDS	
FEATURES source	
COMMENT	
TITLE JOURNAL	

```
QY 238 SerPheAsnAspGluAsnLeuArgIleValValAlaAspLeuPheSerAlaGlyMetVal 257
Db 923 AGTTTCAATGATGAGAACCTGCGCATGGTGGTAAATAGACTGTTCATCAGGGATTCTG 982
QY 258 ThrThrSerThrThrLeuAlaTrpGlyLeuLeuMetIleLeuHisProAspVal 277
Db 983 ACCACTCAACCACTGTCCTGGCCCTGCTCTCATGATCTGTCATCCAGATGCGAG 1042
QY 278 ArgArgValGlnGlnGluAspValIleGlyGlnValArgArgProGluMetGly 297
Db 1043 CGCAGAGTCAACAAGAAATCGATGAGTTCATAGGCGAGTGCAGGATCCAGATGCCA 1102
QY 298 AspGlnAlaHisMetProTyrThrThrAlaValIleHisGlnValGlnArgPheGlyAsp 317
Db 1103 GACCAGGCCACATGCCCTACACCAATGCTGTCAATCATGAGTGCAGGCTTTGGGAC 1162
QY 318 IleValProLeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPheArg 337
Db 1163 ATGTGTTCCACTGTCATTTGCCACCATCACAAGTCGTGACATGAAGTGCAGGACTTCCTC 1222
QY 338 IleProLysGlyThrThrLeuIleThrAsnLeuSerSerValLeuLysAspGluAlaVal 357
Db 1223 ATCCCCAAGGGAGCATCTCTCCCAACATGCTCTCTGTGATGATGATGACATGTC 1282
QY 358 TrpGluLysProPheArgPheHisProGluHisPheLeuAspAlaGlnGlyHisPheVal 377
Db 1283 TGGGAGAAGCCCCCTCGCTTCCATCTCTGAACATCTCTCTGATGCCCGGCCACTTTGTG 1342
QY 378 LysProGluAlaPheLeuProPheSerAlaGlyArgArgAlaCysLeuGlyGluProLeu 397
Db 1343 AAGCATGAGCGCTTTATAACATTTTCAGCAGGCGCGAGATCATGCTCGGGGAGCCCTG 1402
QY 398 AlaArgMetGluLeuPheLeuPheThrSerLeuLeuGlnHisPheSerPheSerVal 417
Db 1403 GCCCGAATGAGCTCTCTCTTCTTCACTGCTCTCTGAGCGCTTTAGCTTCTCAGTG 1462
QY 418 ProThrGlyGlnProArgProSerHisHisGlyValPheAlaPheLeuValThrProSer 437
Db 1463 CCTGATGGACAGCCCCCAGCCAGTACCATAGATCTTTTCTATTATGTTGCCCTCC 1522
QY 438 ProTyrGluLeuCysAlaValProArg 446
Db 1523 CCCTACCAGCTGTGCTGTGTATACGT 1549

RESULT 5
BC051039
LOCUS
DEFINITION
Mus musculus cytochrome P450, family 2, subfamily d, polypeptide
10, mRNA (cDNA clone IMAGE:510027), containing frame-shift errors.
ACCESSION
BC051039
VERSION
BC051039.1 GI:30047231
KEYWORDS
HTC.
SOURCE
Mus musculus (house mouse)
ORGANISM
Mus musculus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
1 (bases 1 to 1497)
Strausberg,R.L., Feingold,E.A., Grouse,L.H., Derge,J.G.,
Klausner,R.D., Collins,F.S., Wagner,L., Shenmen,C.M., Schuler,G.D.,
Altshul,S.F., Zeeberg,B., Buetow,K.H., Schaefer,C.F., Bhat,N.K.,
Hopkins,R.F., Jordan,H., Moore,T., Max,S.I., Wang,J., Hsieh,F.,
Diatchenko,L., Marusina,K., Farmer,A.A., Rubin,G.M., Hong,L.,
Stapleton,M., Soares,M.B., Bonaldo,M.F., Casavant,T.L.,
Schetz,T.E., Brownstein,M.J., Usdin,T.B., Toshiyuki,S.,
Carninci,P., Prange,C., Raja,S.S., Loquellano,N.A., Peters,G.J.,
Abramson,R.D., Mullaly,S.J., Bosak,S.A., McEwan,P.J.,
McKernan,K.J., Malek,J.A., Gunaratne,P.H., Richards,S.,
Worley,K.C., Hale,S., Garcia,A.M., Gay,L.J., Hulyk,S.W.,
Villalon,D.K., Muzny,D.M., Sodergren,E.J., Lu,X., Gibbs,R.A.,
Fahey,J., Helton,E., Kettelman,M., Madan,A., Rodrigues,S.,
Sanchez,A., Whiting,M., Madan,A., Young,A.C., Shevchenko,Y.,
Bouffard,G.G., Blakesley,R.W., Touchman,J.W., Green,E.D.,
Dickson,M.C., Rodriguez,A.C., Grimwood,J., Schmutz,J., Myers,R.M.,
```

```
TITLE
JOURNAL
MEDLINE
PUBMED
REFERENCE
AUTHORS
TITLE
JOURNAL
REMARK
COMMENT
Contact: gcapbs-r@mail.nih.gov
Email: gcapbs-r@mail.nih.gov
Tissue Procurement: Jeffrey E. Green, M.D.
cDNA Library Preparation: Life Technologies, Inc.
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: National Institutes of Health Intramural
Sequencing Center (NISC),
Gaithersburg, Maryland;
Web site: http://www.nisc.nih.gov/
Contact: nisc_mgc@nigri.nih.gov
Akhter,N., Ayele,K., Beckstrom-Sternberg,S.M., Benjamin,B.,
Blakesley,R.W., Bouffard,G.G., Breen,K., Brinkley,C., Brooks,S.,
Dietrich,N.L., Granite,S., Guan,X., Gupta,J., Haghighi,P.,
Hansen,N., Ho,S.-L., Karlins,E., Kwong,P., Laric,P., Legaapi,R.,
Maduro,Q.L., Masello,C., Maskeri,B., Mastrian,S.D., McCloskey,J.C.,
McDowell,J., Pearson,R., Stantripop,S., Thomas,P.J., Touchman,J.W.,
Tsurgeon,C., Vogt,J.L., Walker,M.A., Wetherby,K.D., Wiggins,L.,
Young,A., Zhang,L.-H. and Green,E.D.
Clone distribution: MGC clone distribution information can be found
through the I.M.A.G.E. Consortium/LLNL at: http://image.llnl.gov
Series: IRAK Plate: 108 Row: g Column: 12
This clone was selected for full length sequencing because it
passed the following selection criteria: matched mRNA gi: 6753581
This clone has the following problem: frame shifted.
FEATURES
source
1..1497
/organism="Mus musculus"
/mol_type="mRNA"
/strain="FVB/N"
/db_xref="taxon:10090"
/clone="IMAGE:510027"
/tissue_type="Liver, normal, 5 month old male mouse."
/clone_lib="NCI CGAP_Li9"
/lab_host="DH10B"
/note="Vector: pCMV-SPORT6"
ORIGIN
Alignment Scores:
Pred. No.: 5,42e-131 Length: 1497
Score: 1304.00 Matches: 266
Percent Similarity: 62.99% Conservative: 42
Best Local Similarity: 54.40% Mismatches: 83
Query Match: 55.97% Indels: 2
DB: 11 Gaps: 2
US-09-820-788A-2 (1-446) x BC051039 (1-1497)
QY 9 LeuAlaValIleValAlaIlePheLeuLeuValAspLeuMethHisArgArgGlnArg 28
Db 83 GTGGCCATATTCACCGCTTATCTTCATTTACTTGGTGGACCTGATGACCGCAGCCGCG 142
QY 29 TrpAlaAlaArgTyrSerProGlyProLeuProLeuProGlyLeuGlyValAsnLeuHis 48
Db 143 TGGATCTTCTCGTACCCACCGGCGCTGTGCCATGTCCTGCTGGTAACTGCTGTCAG 202
QY 49 ValAspPheGlnAsnThrProTyrCysPheAspGlnLeuArgArgPheGlyAspVal 68
```

Butterfield,Y.S., Krzywinski,M.I., Skalska,U., Smalhus,D.E.,
Schneringer,A., Schein,J.E., Jones,S.J. and Marra,M.A.
Generation and initial analysis of more than 15,000 full-length
human and mouse cDNA sequences
Proc. Natl. Acad. Sci. U.S.A. 99 (26), 16899-16903 (2002)
22388257
12477932
2 (bases 1 to 1497)
Strausberg,R.
Direct Submission
Submitted (11-APR-2003) National Institutes of Health, Mammalian
Gene Collection (MGC), Cancer Genomics Office, National Cancer
Institute, 31 Center Drive, Room 11A03, Bethesda, MD 20892-2590,
USA
NIH-MGC Project URL: http://mgc.nci.nih.gov
Contact: MGC help desk
Email: gcapbs-r@mail.nih.gov
Tissue Procurement: Jeffrey E. Green, M.D.
cDNA Library Preparation: Life Technologies, Inc.
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: National Institutes of Health Intramural
Sequencing Center (NISC),
Gaithersburg, Maryland;
Web site: http://www.nisc.nih.gov/
Contact: nisc_mgc@nigri.nih.gov
Akhter,N., Ayele,K., Beckstrom-Sternberg,S.M., Benjamin,B.,
Blakesley,R.W., Bouffard,G.G., Breen,K., Brinkley,C., Brooks,S.,
Dietrich,N.L., Granite,S., Guan,X., Gupta,J., Haghighi,P.,
Hansen,N., Ho,S.-L., Karlins,E., Kwong,P., Laric,P., Legaapi,R.,
Maduro,Q.L., Masello,C., Maskeri,B., Mastrian,S.D., McCloskey,J.C.,
McDowell,J., Pearson,R., Stantripop,S., Thomas,P.J., Touchman,J.W.,
Tsurgeon,C., Vogt,J.L., Walker,M.A., Wetherby,K.D., Wiggins,L.,
Young,A., Zhang,L.-H. and Green,E.D.

Db 203 GTGGACCTGGATAACATGCCATACAGCTTTGTCAAGCTTCAAAACCGCTATGGTACGCTG 262
Qy 69 PheSerLeuGlnLeuAlaTrpThrProValValValLeuAsnGlyLeuAlaValAlaValArg 88
Db 263 TTCAGCTGCAGATGGCTGGAGGCTATGGTGTGTGATCAATGGACTGAAGCAATGAAG 322
Qy 89 GluAlaLeuValThrHisGlyGluAspThrAlaAspArgProProValProIleThrGln 108
Db 323 GAAGTGTCTGTACCTGTGGAGGAGACACTGTGTGACCGCCCTCAAGTGCCCAATCTTTGAG 382
Qy 109 IleLeuGlyPheGlyProArgSerGln 117
Db 383 TACCTGGGTGTGAAGCTGGATCCCAAGGTGTGTCTTTCACCTACCGGGCCCGAGTGG 442
Qy 117 ----- 117
Db 443 CGAGAGCAGAGGCGATCTCTGTGTCTACCTCGCGCAACTTTGGCTCGGCGCAAGAAATCA 502
Qy 117 ----- 117
Db 503 CTGGAGGACTGGTGACCAAGAGGCGCACACCTCTGTGTGATGCTTCAACCGCCAGGCT 562
Qy 118 GlyArgProPheArgProAsnGlyLeuLeuAspLysAlaValSerAsnValIleAlaSer 137
Db 563 GGGCAGCCCATCAATCCCAACACCATGTGTGAACACGCTGTGTCAATGTGATTGCACTCT 622
Qy 138 LeuThrCysGlyArgArgPheGluThrAspAspProArgPheLeuArgLeuLeuAspLeu 157
Db 623 CTCATTTTGGCCGTCGCTTTGAATATGAAGACCTTACCTCATCAGATGCGAAGATA 682
Qy 158 AlaGlnGluGlyLeuLysGluSerGlyPheLeuArgGluValLeuAsnAlaValPro 177
Db 683 CTGGAAGATAGTTTGACAGAAATCTCTGGCTTAATCTCTGAGTCTTAATATGTTCCCT 742
Qy 178 ValLeuLeuHisIleProAlaLeuAlaGlyLysValLeuArgPheGlnLysAlaPheLeu 197
Db 743 ATACTCTTCGCGCATCCAGGACTGCTGGAGAGTCTTCCAAGGTCAAGAGTCCCTACTG 802
Qy 198 ThrGlnLeuAspGluLeuLeuThrGluHisArgMetThrTrpAspProAlaGlnProPro 217
Db 803 GCATAGTGGAAATCTGTGTGATGAGATAGGAACACTGGGACCCCTGACCCAGCCACC 862
Qy 218 ArgAspLeuThrGluAlaPheLeuAlaGluMetGluLysAlaLysGlyAsnProGluSer 237
Db 863 CGAATTTGACTGATGCCTTCTGCGAGATAGAGAGTAAAGGGAAATGCTGAGAGC 922
Qy 238 SerPheAsnAspGluAsnLeuArgIleValValAlaAspLeuPheSerAlaGlyMetVal 257
Db 923 AGCTTCAATGATGAGAACCTGGCATGTTGTGTGTAGACCTGTTCACTGCGAGGATGTTG 982
Qy 258 ThrThrSerThrThrLeuAlaTrpGlyLeuLeuLeuMetIleLeuHisProAspValGln 277
Db 983 ACCACCTCAACACACTGTCTTGGGCCCTGCTGCTCATGATCCTGCATCCGATGTGCAG 1042
Qy 278 ArgArgValGlnGlnGluIleAspValIleGlyGlnValArgArgProGluMetGly 297
Db 1043 CCGAGATCCACAGAAATCATGCTGATAGGCGAGGTCGCGCATCCAGATGCGCA 1102
Qy 298 AspGlnAlaHisMetProThrThrAlaValIleHisGluValGlnArgPheGlyAsp 317
Db 1103 GACCAAGCTCGTATGCCCTTACACCAATGTGTCTTCAATGAGGTACAGCGCTTTGGGAC 1162
Qy 318 IleValProLeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPheArg 337
Db 1163 APTGCTCCACTGAATTTGCGCATCAACAGTCGTGACATTAAGTGAAGTGCAGACTTCCTC 1222
Qy 338 IleProLysGlyThrThrLeuIleThrAsnLeuSerSerValLeuLysAspGluAlaVal 357
Db 1223 ATCCCA----- 1230
Qy 358 TrpGluLysProPheArgPheHisProGluHisPheLeuAspAlaGlnGlyHisPheVal 377
Db 1230 ----- 1230

Qy 378 LysProGluAlaPheLeuProPheSerAlaGlyArgAlaCysLeuGlyGluProLeu 397
Db 1231 -----GGCGAGATCATGCTGGGTGAGCCCTG 1260
Qy 398 AlaArgMetGluLeuPhePheThrSerLeuLeuGlnHisPheSerPheSerVal 417
Db 1261 GCCCGATGGAGCTCTCTCTTTCACGTGCTCTCTGACGACTTTAGCTTCTCAGTG 1320
Qy 418 ProThrGlyGlnProArgProSerHisGlyValPheAlaPheLeuValThrProSer 437
Db 1321 CCCAATGACAGCCAGCCCTAGAAACCTGTGTCTTTCCTTTCCGGTTGCCCTTAC 1380
Qy 438 ProThrGluLeuCysAlaValProArg 446
Db 1381 CCTTACCAGCTCTGTGTGTGATGCT 1407
RESULT 6
LOCUS BX422592 1201 bp mRNA linear EST 13-MAY-2003
DEFINITION BX422592 Homo sapiens FETAL LIVER Homo sapiens cDNA clone
CS0DM008Y007 5-PRIME, mRNA sequence.
ACCESSION BX422592
VERSION BX422592.1 GI:30659347
KEYWORDS EST.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 1201)
AUTHORS Li, W.B., Gruber, C., Jessee, J. and Polayes, D.
TITLE Full-length cDNA libraries and normalization
JOURNAL Unpublished (2001)
COMMENT Contact: Genoscope
Genoscope - Centre National de Sequencage
BP 191 91006 EVRY cedex - France
Email: seqref@genoscope.cns.fr, Web : www.genoscope.cns.fr
Library was constructed by Life Technologies, a division of
Invitrogen. This sequence belongs to sequence cluster 10301.r For
more information about this cluster, see
http://www.genoscope.cns.fr/
cgi-bin/cwuser.cgi?seq=CS0DM008AH04QPi&cluster=10301.r. Contact :
Feng Liang Email : fliang@lifetech.com URL :
http://fulllength.invitrogen.com/ Invitrogen Corporation 1600
Paraday Avenue Genoscope sequence ID : CS0DM008AH04QPi.
FEATURES
location/Qualifiers
1..1201
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="CS0DM008Y007"
/tissue_type="fetal"
/dev_stage="FETAL LIVER"
/note="Organ: liver; Vector: pCMVSPORT 6; 1st strand cDNA
was primed with a NotI-oligo(dT) primer. Five prime end
enriched, double-strand cDNA was digested with Not I and
cloned into the Not I and EcoRV sites of the pCMVSPORT 6
vector. Library was not normalized."
ORIGIN
Alignment Scores:
Pred. No.: 7.26e-125 Length: 1201
Score: 1246.50 Matches: 253
Percent Similarity: 81.88% Conservative: 0
Best Local Similarity: 81.88% Mismatches: 5
Query Match: 53.50% Indels: 52
DB: 13 Gaps: 1
US-09-820-788A-2 (1-446) x BX422592 (1-1201)
Qy 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
Db -----


```
Db 94 ATGGGGCTAGAGCACTGGTGGCCCTGGCGCTGATAGTGGCCATCTTCTGCTCCTGGTG 153
Qy 21 AspLeuMethHisArgArgGlnAgtPAlaAlaArgTyrSerProGlyProLeuProLeu 40
Db 154 GACTGATGACACGGCGCAACGCTGGCTGACGCTACTCACCAGGCCCTCTGGCACTG 213
Qy 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
Db 214 CCGGGCTGGGCAACCTGCTGCATGTGGATCTCCARAACACACCATACTGCTTCGACCA 273
Qy 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal 80
Db 274 TTGGGGCGCCGCTTGGGGAGCTGTTTCAGCTGCAGCTGCGCTGGAGCGCGGTGGTGG 333
Qy 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
Db 334 CTCAATGGGCTGGCGCGTGGCGARGGCTGGTGACCCACGCGGAGGACACCGCGGAC 393
Qy 101 ArgProProValProLeuThrGlnLeuGlyPheGlyProArgSerGln 117
Db 394 CGCCCGCTGTGCCCATCACCCAGATCTCTGGGTTTGGCGCGGCTTCCCAAGGGGTGTT 453
Qy 117 ----- 117
Db 454 CTGGCGGCTATGGGCGCGCTGGCGGAGCAGACGGGCTTCTCGTCTCCACCTTGGCG 513
Qy 117 ----- 117
Db 514 AACTTGGGCTGGGCAAGATCGCTGGAGCAGTGGTGACCGGAGGCGCGCTGCCCTT 573
Qy 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
Db 574 TGTGGCGCTTGGCCCAACCACTCGGAGCGCCCTTTCGCCCAACGCTCTTTGGACAAA 633
Qy 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrTrpAspPro 149
Db 634 GCGTGAGCAGACGTATCGCTCCCTCACCTGGCGCGCGCTTCGAGTACGACGACCTT 693
Qy 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluSerGlyPheLeu 169
Db 694 CGCTTCTCAGGCTGTGGACCTAGCTCAGGAGGAGTGAAGGAGGAGTGGGCTTCTG 753
Qy 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189
Db 754 CGCGAGGTGTGAATGTGTCCCGCTCTCTGCATATCCACGCGTGGCTGGCAAGGTC 813
Qy 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
Db 814 CTACGCTTCCAAAGGCTTCTCCAGCCAGCTGGATGAGCTGCTAACTGAGCACAGGATG 873
Qy 210 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
Db 874 ACCTGGGACCCAGCCAGCCCGGAGACCTGACTGAGGCTTCTTGGCAGAGATGGAG 933
Qy 230 LysAlaLysGlyAsnProGluSerPheAsnAspGluAsnLeuArgIleValValAla 249
Db 934 AAGGSCAAGGGGAACCTTGAGAGAGCTTCAATGATGAGAACTG-CCCATAGTGGTGGCT 992
Qy 250 AspLeuPheSerAlaGlyMetValThr 258
Db 993 GACCTGTCTCTCCCGGGATGGTGACA 1019
```

```
RESULT 7
CK032845/c
LOCUS
DEFINITION
IMAGE:7002156 5', mRNA sequence.
ACCESSION
VERSION
KEYWORDS
SOURCE
ORGANISM
CK032845 814 bp mRNA linear EST 26-NOV-2003
AGENCOURT_15196984 NIH_MGC_195 Homo sapiens cDNA clone
CK032845
CK032845.1 GI:38558769
EST.
Homo sapiens (human)
Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
```

```
REFERENCE
AUTHORS
TITLE
JOURNAL
COMMENT
Mammalia; Eutheria; Primates; Catarrhini; Hominiidae; Homo.
1 (bases 1 to 814)
NIH-MGC http://mgi.nci.nih.gov/.
National Institutes of Health, Mammalian Gene Collection (MGC)
Unpublished (1999)
Contact: Daniela S. Gerhard, Ph.D.
Office of Cancer Genomics
National Cancer Institute / NIH
Bldg. 31 Rm10A07 Bethesda, MD 20892
Email: cgapbs-r@mail.nih.gov
Tissue Procurement: Narayan Bhat
cDNA library Preparation: Bhat Laboratory
cDNA library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Agencourt Bioscience Corporation
Clone Distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: IRBK4 row: C column: 10
High quality sequence start: 10
High quality sequence stop: 718.
Location/Qualifiers
1. 814
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="IMAGE:7002156"
/tissue_type="mixed"
/lab_host="DH5A (TI phage-resistant)"
/clone_lib="NIH MGC 195"
/notes="Vector: pDNR-Dual; Site 1: loxP-Sall; Site 2:
loxP-HindIII; Clones from this library have been
PCR-amplified using gene-specific primers to contain the
complete open reading frame (based on known gene sequences
available from NCBI's RefSeq). Template for PCR is cDNA
derived from either pooled cytoplasmic polyA RNA from 30
cells lines or pooled total RNA from 10 different tissues
(from BD Biosciences/Clontech and Washington University).
PCR products are directionally cloned into the loxP sites
of the pDNR-Dual vector. Library constructed by Dr.
Narayan Bhat, Earl Bere III and Hongling Liao (Gene
Expression Laboratory, Research Technology Program, SAIC
Frederick, NCI-Frederick, Frederick, MD 21702). For
information on which gene each clone represents, please
visit our anonymous ftp site at
ftp://image.llnl.gov/image/rearrayed_plates/IRBK.prsSV.dat
a Note: this is a NIH_MGC Library."
```

ORIGIN

```
Alignment Scores:
Pred. No.: 3.56e-123 Length: 814
Score: 1228.50 Matches: 248
Percent Similarity: 96.89% Conservative: 1
Best Local Similarity: 96.50% Mismatches: 7
Query Match: 52.73% Indels: 5
DB: 14 Gaps: 1
US-09-820-788A-2 (1-446) x CK032845 (1-814)
Qy 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
Db 799 CTACGCTTCCAA---AGCTTCTCTCCCGGAGCTGATGAGTG-CTAACTGAGCACAGGTC- 746
Qy 210 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
Db 745 ACCTGGAC-CCAGCCCGAGCCCGGAGACCTGACTGAGGCTTCTTGGCAGAGATGGAG 687
Qy 230 LysAlaLysGlyAsnProGluSerPheAsnAspGluAsnLeuArgIleValValAla 249
Db 686 AAGGCCAAGGGGAACCTTGAGAGAGCTTCAATGATGAGAACCTGTGTCATGTGGTGGCT 627
Qy 250 AspLeuPheSerAlaGlyMetValThrThrSerThrLeuAlaTrpGlyLeuLeuLeu 269
Db 626 GACCTGTCTCTCCCGGGATGGTGACCACTGAGCACGCTGGCGCTTCTCTGCTCCTGCTC 567
```

```
QY 270 MetileLeuHisProAspValGlnArgArgValGlnGlnGlnLeuAspValIleGly 289
Db 566 ATGATCTTACATCCGCGATGTGAGCGCGCTGTGCAACAGAGAGATCGACGACGTGATAGGG 507
QY 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyThrThrAlaValIle 309
Db 506 CAGGTGGCGGACAGAGATGGTGACAGGCTCATGTCCTCATCCACTACCACTCCGTGATT 447
QY 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
Db 446 CATGAGTGCAGCGCTTTGGGACATCGTCCCTGGGTGTGACCATATGACATCCCGT 387
QY 330 AspIleGluValGlnGlyPheArgIleProGlyThrThrLeuIleThrAsnLeuSer 349
Db 386 GATCTGAAGTACAGGCTTCGCGATCCCTTAAGGAAGACACTCATCACCAACCTGTCA 327
QY 350 SerValLeuHisAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
Db 326 TCGGTGCTGAAGATGAGCGCTGTGGGAGAAGCCCTTCGCTTCCACCCGACACTTC 267
QY 370 LeuAspAlaGlnGlyHisPheValIysProGluAlaPheLeuProPheSerAlaGlyArg 389
Db 266 CTGGATGCCAGCGGCACCTTTGTGAAGCGGAGGCTTCCTGCCCTTCTCAGCAGCGCGC 207
QY 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePheThrSerLeu 409
Db 206 CTGGATGCTCGGGAGCGCTCGCGCGCATGGAGCTTCCTCTTCTTCACTCCCTG 147
QY 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
Db 146 CTGCAGCACTTCAGCTTCTCGTGGCCACTGAGAGCGCGCGCCAGCACCACCTGCTGTC 87
QY 430 PheAlaPheLeuValThrProSerProTyThrGluLeuCysAlaValProArg 446
Db 86 TTGTGCTTCTGCTGACCCCATCCCTCATGAGCTTTGTGCTGTGCCCGCGC 36
```

```
RESULT 8
CF271947/c
LOCUS CF271947 798 bp mRNA linear EST 19-NOV-2003
DEFINITION AGENCOURT 15197016 NIH MGC 195 Homo sapiens cdna clone
IMAGE:7002157 5', mRNA sequence.
ACCESSION CF271947
VERSION CF271947.2 GI:38453389
KEYWORDS EST.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 798)
NIH-MGC http://mgc.nci.nih.gov/.
National Institutes of Health, Mammalian Gene Collection (MGC)
Unpublished (1999)
On Aug 12, 2003 this sequence version replaced gi:33627859.
Contact: Daniela S. Gerhard, Ph.D.,
Office of Cancer Genomics
National Cancer Institute / NIH
Bldg. 31 Rm10A07 Bethesda, MD 20892
Email: cgabs-r@mail.nih.gov
Tissue Procurement: Narayan Bhat
cDNA Library Preparation: Bhat Laboratory
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Agencourt Bioscience Corporation
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: IRBK4 row: c column: 11
High quality sequence start: 8
High quality sequence stop: 748.
Location/Qualifiers
1..798
/organism="Homo sapiens"
/mol_type="mRNA"
```

FEATURES
source

```
/db_xref="taxon:9606"
/clone="IMAGE:7002157"
/tissue_type="mixed"
/lab_host="DH5A (T1 phage-resistant)"
/clone_lib="NIH MGC 195"
/note="Vector: pDNR-Dual; Site 1: loxp-SalI; Site 2:
loxP-HindIII; Clones from this library have been
PCR-amplified using gene-specific primers to contain the
complete open reading frame (based on known gene sequences
available from NCBI's RefSeq). Template for PCR is cDNA
derived from either pooled cytoplasmic polyA RNA from 30
cells lines or pooled total RNA from 10 different tissues
(cfrom BD Biosciences/Clontech and Washington University).
PCR products are directionally cloned into the loxp sites
of the pDNR-Dual vector. Library constructed by Dr.
Narayan Bhat, Earl Bere III and Hongling Liao (Gene
Expression Laboratory, Research Technology Program, SAIC
Frederick, NCI-Frederick, Frederick, MD 21702). For
information on which gene each clone represents, please
visit our anonymous ftp site at
ftp://image.llnl.gov/image/rearrayed_plates/IRBK.presv.dat
a Note: this is a NIH_MGC Library."
```

ORIGIN

```
Alignment Scores: 3.91e-123 Length: 798
Pred. No.: 1228.00 Matches: 241
Score: 97.98% Conservative: 2
Best Local Similarity: 97.18% Mismatches: 3
Query Match: 52.70% Indels: 4
DB: 14 Gaps: 1

US-09-820-788A-2 (1-446) x CF271947 (1-798)

QY 201 AspGluLeuLeu-----ThrGluHisArgMetThrTrpAspProAlaGlnProProArg 218
Db 778 GACCACTTGATGAGTGCTACTGAGCACAG-ATGACNTGGAC-CCAGCCACCCGCCCGCGA 721
QY 219 AspLeuThrGluAlaPheLeuAlaGluMetGluLysAlaLysGlyAsnProGluSerSer 238
Db 720 GACCTGACTGAGGCGCTTCTGCGAGAGATGAGAAGGCCAAGGGGAAACCTTGAGAGCAGC 661
QY 239 PheAsnAspGluAsnLeuArgIleValValAlaAspLeuPheSerAlaGlyMetValThr 258
Db 660 TTCAATGATGAGAACCCTGTGCATAGTGTGGCTGACCTGTTCTGCGGGATGGTGACC 601
QY 259 ThrSerThrThrLeuAlaTrpGlyLeuLeuLeuMetIleLeuHisProAspValGlnArg 278
Db 600 ACCTCGACCGCTGGCTGGGCGCTCTGCTCATGATCCTACATCCGGATGTGACGCGC 541
QY 279 ArgValGlnGlnGluLeuAspValIleGlyGlnValArgArgProGluMetGlyAsp 298
Db 540 CGTGTCCAACAGGAGATCGACGCTGATAGGGCAGGTGCGCGCACAGAGATGGGTGAC 481
QY 299 GlnAlaHisMetProTyThrThrAlaValIleHisGluValGlnArgPheGlyAspIle 318
Db 480 CAGGCTCACATGCCCTACACCACCTGATGAGGTGCGCGCTTTGGGGACATC 421
QY 319 ValProLeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPheArgIle 338
Db 420 GTCCCCCTGGGTGTGACCCCATATGACATCCGTCACATCGAAGTACAGGGCTTCGCGATC 361
QY 339 ProLysGlyThrThrLeuIleThrAsnLeuSerSerValLeuLysAspGluAlaValTrp 358
Db 360 CCTAAGGGAACGACACTCATCCAAACCTGTGTCGTGTAAGAGATGAGCGCGCTCTGG 301
QY 359 GluLysProPheArgPheHisProGluHisPheLeuAspAlaGlnGlyHisPheValIys 378
Db 300 GAGAAGCCCTTCCGCTTCCACCCGAAACACTTCTCTGATGCCAGGGGCCACTTTGTGAAG 241
QY 379 ProGluAlaPheLeuProPheSerAlaGlyArgAlaCysLeuGlyGluProLeuAla 398
Db 240 CCGGAGGCGCTTCTGCGCTTCTCAGAGCGCGCGCTGCATGCTCGGGAGCCCTCGGCC 181
```

QY 399 ArgMetGluLeuPheLeuPheThrSerLeuLeuGlnHisPheSerPheSerValPro 418
 Db 180 CGCATGAGCTCTTCTCTTACCTCCCTGCTGACGACTTCAGCTTCTCGGTGCC 121
 QY 419 ThrGlyGlnProArgProSerHisGlyValPheAlaPheLeuValThrProSerPro 438
 Db 120 ACTGGACAGCCCGCCGACGACCATGGTGTCTTCTGCTGACCCCATCCCC 61

QY 439 TyrGluLeuCysAlaValProArg 446

Db 60 TATGACTTTGTCTGTGCCCCGC 37

RESULT 9

CK032848/c

LOCUS

DEFINITION

AGENCOURT 15196888 NIH MGC 195 Homo sapiens cDNA clone

IMAGE:7002153 5', mRNA_sequence.

CK032848

CK032848.1 GI:38558772

EST.

ACCESSION

VERSION

KEYWORDS

SOURCE

ORGANISM

Homo sapiens (human)

Mammalia; Eutheria; Chordata; Craniata; Vertebrata; Euteleostomi;

Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

1 (bases 1 to 803)

NIH-MGC http://mgi.nci.nih.gov/.

National Institutes of Health, Mammalian Gene Collection (MGC)

Unpublished (1999)

Contact: Daniela S. Gerhard, Ph.D.

Office of Cancer Genomics

National Cancer Institute / NIH

Bldg. 31 Rm10A07 Bethesda, MD 20892

Email: cga@bbs-research.nih.gov

Tissue Procurement: Narayan Bhat

cDNA Library Preparation: Bhat Laboratory

cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)

DNA sequencing by: Agencourt Bioscience Corporation

Clone distribution: MGC clone distribution information can be

found through the I.M.A.G.E. Consortium/LLNL at:

http://image.llnl.gov

Plate: IRBK4 row: c column: 07

High quality sequence start: 12

High quality sequence stop: 726.

Location/Qualifiers

1..803

/organism="Homo sapiens"

/mol_type="mRNA"

/db_xref="taxon:9606"

/clone="IMAGE:7002153"

/tissue_type="mixed"

/lab_host="DH5A (T1 phage-resistant)"

/clone_lib="NIH MGC 195"

/notes="Vector: pDNR-Dual; Site 1: loxp-SalI; Site 2:

loxP-HindIII; Clones from this library have been

PCR-amplified using gene-specific primers to contain the

complete open reading frame (based on known gene sequences

available from NCBI's RefSeq). Template for PCR is cDNA

derived from either pooled cytoplasmic polyA RNA from 30

cells lines or pooled total RNA from 10 different tissues

(from BD Biosciences/Clontech and Washington University).

PCR products are directionally cloned into the loxp sites

of the pDNR-Dual vector. Library constructed by Dr.

Narayan Bhat, Earl Bere III and Hongling Liao (Gene

Expression Laboratory, Research Technology Program, SAIC

Frederick, NCI-Frederick, Frederick, MD 21702). For

information on which gene each clone represents, please

visit our anonymous ftp site at

ftp://image.llnl.gov/image/rearrayed_plates/IRBK.preSV.dat

a Note: this is a NIH-MGC Library."

ORIGIN

Alignment Scores:

Pred. No.: 4,48e-123 Length: 803
 Score: 1227.50 Matches: 244
 Percent Similarity: 96.84% Conservative: 1
 Best Local Similarity: 96.44% Mismatches: 8
 Query Match: 52.68% Indels: 3
 DB: 14 Gaps: 0

US-09-820-788A-2 (1-446) x CK032848 (1-803)

QY 194 LysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMetThrTrpAspPro 213

Db 792 AAGATTTTCTTGACCCAGCT-GATGAGTG-GTAAATGAGCAGAGATGACNGG-GACCCA 736

QY 214 AlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGluLysAlaLysGly 233

Db 735 GCCCAGCCCCCGAGACTTGACTGAGCGCTTCCCGCAGAGATGAGAGAGCCCAAGGG 676

QY 234 AsnProGluSerSerPheAsnAspGluLeuArgLleValValAlaAlaPheLeuSer 253

Db 675 AACCTGAGAGCAGCTTCAATGATGAGAACCTGTGATAGTGGTGGCTGCTGTCT 616

QY 254 AlaGlyMetValThrThrThrThrLeuAlaTrpGlyLeuLeuMetIleLeuHis 273

Db 615 GCCGGGATGGTGACCACTCGACACGCTGGCGCTGGGGCTCTCTGCTCATGATCTTACAT 556

QY 274 ProAspValGlnArgArgValGlnGlnGlnLeuLeuAspValIleGlyGlnValArgArg 293

Db 555 CCGGATGTGACGCGCGTGTCCAAACAGGAGATCGACGAGCTGATAGGCGAGTGGCGCA 496

QY 294 ProGluMetGlyAspGlnAlaHisMetProTyThrThrAlaValIleHisGluValGln 313

Db 495 CCAGAGATGGGTGACCACTTCCATGATGAGCTGACCACTGCGCTGATTCATGAGTGCAG 436

QY 314 ArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArgAspIleGluVal 333

Db 435 CCCTTTGGGACATCGTCCCTGGGTGACCCATATGACATCCCGTGCATTCGATCGAAGTA 376

QY 334 GlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSerSerValLeuLys 353

Db 375 CAGGCTTCCGATCCCTAAGGAGACGACACTCATCCCAACCTGTCTCGTGTCTGAAG 316

QY 354 AspGluAlaValTrpGluLysProPheArgPheHisProGluHisPheLeuAspAlaGln 373

Db 315 GATGAGGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCCGAAGACCTTCTCGATGCCAG 256

QY 374 GlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArgAlaCysLeu 393

Db 255 GCCCAGCTTTGTGAAGCGGAGCGCTTCTCTGCTTCTCAGCAGGCGCGGTGATGCCCTC 196

QY 394 GlyGluProLeuAlaArgMetGluLeuPhePhePheThrSerLeuLeuGlnHisPhe 413

Db 195 GGGGAGCCCTGCGCCCGCATGGAGCTTCTCTTCTTCTTCCCTCCCTGCTGCAGCACTTC 136

QY 414 SerPheSerValProThrGlyGlnProArgProSerHisHisGlyValPheAlaPheLeu 433

Db 135 AGCTTCTCGTGGTCCCACTGGACAGCCCGCGCCAGCCACCATGGTGTCTTTGCTTCTCTG 76

QY 434 ValThrProSerProTyThrGluLeuCysAlaValProArg 446

Db 75 GTGACCCCATCCCTCATGAGCTTTGTGTGTGTGCTGTGCCCCGC 37

RESULT 10

AK004933 3079 bp mRNA linear HTC 20-SEP-2003

LOCUS Mus musculus adult male liver cDNA, RIKEN full-length enriched

DEFINITION library, clone:130007K12 product:similar to CYTOCHROME P450 2D3

(EC 1.14.14.1) (CYP1B1) (P450-DB3) (DEBRISOQUINE 4-HYDROXYLASE)

(Rattus norvegicus), full insert sequence.

ACCESSION AK004933

VERSION AK004933.1 GI:12836492

KEYWORDS HTC; CAP trapper.

SOURCE Mus musculus (house mouse)

ORGANISM Mus musculus

National Cancer Institute / NIH
Bldg. 31 Rm10A07 Bethesda, MD 20892
Email: cgapbs-r@mail.nih.gov
Tissue Procurement: Narayan Bhat
CDNA Library Preparation: Bhat Laboratory
CDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Agencourt Bioscience Corporation
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: IRBK4 row: c column: 12
High quality sequence start: 5
High quality sequence stop: 714.

FEATURES

source

1..767
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="IMAGE:7002158"
/tissue_type="mixed"
/lab_host="DH5A (T1 phage-resistant)"
/clone_lib="NIH_MGC_195"
/note="Vector: pDNR-Dual; Site_1: loxP-Sall; Site_2:
loxP-HindIII; Clones from this library have been
PCR-amplified using gene-specific primers to contain the
complete open reading frame (based on known gene sequences
available from NCBI's RefSeq). Template for PCR is cDNA
derived from either pooled cytoplasmic polyA RNA from 30
cells lines or pooled total RNA from 10 different tissues
(from BD Biosciences/clontech and Washington University).
PCR products are directionally cloned into the loxP sites
of the pDNR-Dual vector. Library constructed by Dr.
Narayan Bhat, Earl Bere III and Hongling Liao (Gene
Expression Laboratory, Research Technology Program, SAIC
Frederick, NCI-Frederick, Frederick, MD 21702). For
information on which gene each clone represents, please
visit our anonymous ftp site at
ftp://image.llnl.gov/image/rearranged_plates/IRBK_presv.dat
a Note: this is a NIH_MGC Library."

ORIGIN

Alignment Scores:

Pred. No.: 1,29e-122 Length: 767
Score: 1223.00 Matches: 237
Percent Similarity: 98.34% Conservative: 0
Best Local Similarity: 98.34% Mismatches: 4
Query Match: 52.49% Indels: 1
DB: 14 Gaps: 0

US-09-820-788A-2 (1-446) x CK032844 (1-767)

QY 206 GluHisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeu 225
DB 756 GAGCAGGATGACCTGGAC-CCAGCCAGCCGCCCGAGACCTGANTGAGGCTTCCTG 698
QY 226 AlaGluMetGluValAlaArgProGluSerSerPheAsnAspGluAsnLeuArg 245
DB 697 CGAGAGATGGAGAGCCAGGGGACCTTGAGAGCAGCTTCAATGATGAGAACTGTGC 638
QY 246 IleValValAlaAspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrp 265
DB 637 ATAGTGGTGGCTGACCTGTTCTCGGGGATGGTGACCACTCCACCACTGCGCTGG 578
QY 266 GlyLeuLeuLeuMetIleLeuHisProAspValGlnArgValGlnGlnGluLeuAsp 285
DB 577 GGCCTCTCTGCTCATGATCTATACATCGGATGTGACGCGCGGTCCAAACAGGAGATCGAC 518
QY 286 AspValIleGlyGlnValArgArgProGluMetGlyAspGlnAlaHisMetProThrThr 305
DB 517 GACGTGATAGGCGAGTGGCGGACAGAGATGGGTGACCGCTCAGATGCCCTACACC 458
QY 306 ThrAlaValIleHisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHis 325

DB 457 ACTGCGGTGATTGATGAGGTGCGAGCGCTTTGGGGACATCGTCCCTCGGTGTGACCCAT 398
QY 326 MetThrSerArgAspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIle 345
DB 397 ATGACATCCCGTGACATGAAGTACAGGGCTTCGCATCCCTAAGGGAAACACACTCATC 338
QY 346 ThrAsnLeuSerSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHis 365
DB 337 ACCAACCTGTCTCGGTGCTGAAGGATGAGCGCGTCTGGAGAGCCCTTCGCGTTCCAC 278
QY 366 ProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPhe 385
DB 277 CCCGAACACTTCTCGGATGCCAGGGCCACTTTGTGAAGCCGAGGAGCCCTTCCTGCTTTC 218
QY 386 SerAlaGlyArgArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhe 405
DB 217 TCAGAGGCCCGCGGTGATGCTCGGGAGCCCTTCGGCGCATGGAGCTTCTTCCTCTTC 158
QY 406 PheThrSerLeuLeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSer 425
DB 157 TTCACCTCCCTGCTGACGACCTTCAGCTTCTCGGTGCCCACTGGACAGCCCGGCCAGC 98
QY 426 HisHisGlyValPheAlaPheLeuValThrProSerProThrGluLeuCysAlaValPro 445
DB 97 CACCATGTGTCTTTGCTTTCTCTGTTGACCCCATCCCGCATGAGCTTTGTGCTGTGCC 38
QY 446 Arg 446
DB 37 CGC 35

RESULT 12
LOCUS CK032843/c
DEFINITION AGNCOURT_15196697 NIH_MGC_195 Homo sapiens cDNA clone
IMAGE:7002159 5', mRNA sequence.
ACCESSION CK032843
VERSION CK032843.1 GI:38558767
KEYWORDS EST.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 780)
AUTHORS NIH-MGC http://mgi.nci.nih.gov/
TITLE National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL Unpublished (1999)
COMMENT Contact: Daniela S. Gerhard, Ph.D.
Office of Cancer Genomics
National Cancer Institute / NIH
Bldg. 31 Rm10A07 Bethesda, MD 20892
Email: cgapbs-r@mail.nih.gov
Tissue Procurement: Narayan Bhat
CDNA Library Preparation: Bhat Laboratory
CDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Agencourt Bioscience Corporation
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: IRBK4 row: d column: 01
High quality sequence start: 10
High quality sequence stop: 719.

FEATURES
source

1..780
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="IMAGE:7002159"
/tissue_type="mixed"
/lab_host="DH5A (T1 phage-resistant)"
/clone_lib="NIH_MGC_195"
/note="Vector: pDNR-Dual; Site_1: loxP-Sall; Site_2:
loxP-HindIII; Clones from this library have been
PCR-amplified using gene-specific primers to contain the

complete open reading frame (based on known gene sequences available from NCBI's RefSeq). Template for PCR is cDNA derived from either pooled cytoplasmic polyA RNA from 30 cells lines or pooled total RNA from 10 different tissues (from BD Biosciences/Clontech and Washington University). PCR products are directionally cloned into the loxp sites of the pDNR-Dual vector. Library constructed by Dr. Narayan Bhat, Earl Bere III and Hongling Liao (Gene Expression Laboratory, Research Technology Program, SAIC Frederick, NCI-Frederick, Frederick, MD 21702). For information on which gene each clone represents, please visit our anonymous ftp site at
ftp://image.llnl.gov/image/rearrayed_plates/IRBK.preSV.dat
a Note: this is a NIH_MGC Library."

ORIGIN

Alignment Scores:
Pred. No.: 1,93e-122 Length: 780
Score: 1221.50 Matches: 241
Percent Similarity: 97.97% Conservative: 0
Best Local Similarity: 97.97% Mismatches: 5
Query Match: 52.42% Indels: 3
DB: 14 Gaps: 0

US-09-820-788A-2 (1-446) x CK032843 (1-780)

QY 201 AspGluLeuThrGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeu 220
|||||
Db 770 GATGAGCTGTAAT-GAGCAGAC-ATGACCTGGAC-CCAGCCAGCCCCCGGACCTG 714
QY 221 ThrGluAlaPheLeuAlaGluMetGluLysAlaLysGlyAsnProGluSerPheAsn 240
|||||
Db 713 ACTGAGCGCTTCCCGGAGATGGAGAGCCAGGGAACCCCTGAGAGCAGCTTCAAT 654
QY 241 AspGluAsnLeuArgileValAlaAspLeuPheSerAlaGlyMetValThrThrSer 260
|||||
Db 653 GATGAGAACCTGTGCATAGTGGTGGCTGACCTGCTCTGCGGGAGTGTGACCACTCG 594
QY 261 ThrThrLeuAlaTrpGlyLeuLeuLeuMetIleLeuHisProAspValGlnArgArgVal 280
|||||
Db 593 ACCACGCTGGCTGGGGCTCTCTCATGATCTATCATCCGAGATGTGAGCCCGGTGTC 534
QY 281 GlnGlnGluIleAspValIleGlyGlnValArgProGluMetGlyAspGlnAla 300
|||||
Db 533 CACACGAGATCAGCAGCTGATAGGCGAGTGGCGGACCCAGAGATGGTGACCAAGCT 474
QY 301 HisMetProTyThrThrAlaValIleHisGluValGlnArgPheGlyAspIleValPro 320
|||||
Db 473 CACATGCCCTTACACCACTGCCGTGATTCATGAGTGCAGCGCTTTGGGACATCGTCCC 414
QY 321 LeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPheArgIleProLys 340
|||||
Db 413 CTGGGTGTACCATATGATATCCCTGTGATCCAGTACAGGCTTCGCAATCCCTAAG 354
QY 341 GlyThrThrLeuIleThrAsnLeuSerValLeuLysAspGluAlaValTrpGluLys 360
|||||
Db 353 GGAACGACACTCATCACCACCTGTTCATCGTCTGAAGGATGAGGCGCTCTGGGAGAAG 294
QY 361 ProPheArgPheHisProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGlu 380
|||||
Db 293 CCGTTCGGTTCCACCCCGAACACTTCTCGTGTGCGCCAGGCGCCACTTTGTGAAGCGGAG 234
QY 381 AlaPheLeuProPheSerAlaGlyArgArgAlaCysLeuGlyGluProLeuAlaArgMet 400
|||||
Db 233 GCCTTCTGCTTCTCAGAGGCGCCGCTGCTGCTGCTGCGGAGCCCTTGGCCCGCATG 174
QY 401 GluLeuPheLeuPheThrSerLeuLeuGlnHisPheSerPheSerValProThrGly 420
|||||
Db 173 GAGCTCTCTCTCTCTTCCCTCCCTGCTGCAGCACTTCAGCTTCTCGGTGCGCCACTGA 114
QY 421 GlnProArgProSerHisHisGlyValPheAlaPheLeuValThrProSerProTyGlu 440
|||||
Db 113 CAGCCCGGCGCCAGCACCACCATGTGTCTTTGCTTTCTGCTGACCCCATCCCGCTATGAG 54

QY 441 LeuCysAlaValProArg 446
|||||
Db 53 CTTTGGCTGTGCCCCGC 36

RESULT 13
CK032846/cLOCUS
DEFINITION

CK032846 804 bp mRNA linear EST 26-NOV-2003
IMAGE:7002155 5', mRNA sequence.
CK032846

ACCESSION
VERSION

CK032846.1 GI:38558770

KEYWORDS
SOURCEEST.
Homo sapiens (human)ORGANISM
Homo sapiensREFERENCE
AUTHORS

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 804)

TITLE
JOURNAL

NIH-MGC http://mgc.nci.nih.gov/.
National Institutes of Health, Mammalian Gene Collection (MGC)
Unpublished (1999)

COMMENT
CONTACT

Contact: Daniela S. Gerhard, Ph.D.
Office of Cancer Genomics
National Cancer Institute / NIH
Bldg. 31 Rm10A07 Bethesda, MD 20892
Email: cgabbs@mail.nih.gov
Tissue Procurement: Narayan Bhat
CDNA Library Preparation: Bhat Laboratory
CDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)

DNA Sequencing by: Agencourt Bioscience Corporation
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.govPlate: IRBK4 row: C column: 09
High quality sequence start: 12
High quality sequence stop: 686.
Location/QualifiersFEATURES
source

1..804
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="IMAGE:7002155"
/tissue_type="mixed"
/lab_host="DH5A (T1 phage-resistant)"
/clone_lib="NIH MGC 195"
/note="Vector: pDNR-Dual; Site_1: loxp-Sall; Site_2:
loxp-HindIII; Clones from this library have been
PCR-amplified using gene-specific primers to contain the
complete open reading frame (based on known gene sequences
available from NCBI's RefSeq). Template for PCR is cDNA
derived from either pooled cytoplasmic polyA RNA from 30
cells lines or pooled total RNA from 10 different tissues
(from BD Biosciences/Clontech and Washington University).
PCR products are directionally cloned into the loxp sites
of the pDNR-Dual vector. Library constructed by Dr.
Narayan Bhat, Earl Bere III and Hongling Liao (Gene
Expression Laboratory, Research Technology Program, SAIC
Frederick, NCI-Frederick, Frederick, MD 21702). For
information on which gene each clone represents, please
visit our anonymous ftp site at
ftp://image.llnl.gov/image/rearrayed_plates/IRBK.preSV.dat
a Note: this is a NIH_MGC Library."

ORIGIN

Alignment Scores:

Pred. No.: 1.34e-121 Length: 804
Score: 1214.00 Matches: 241
Percent Similarity: 95.26% Conservative: 0
Best Local Similarity: 95.26% Mismatches: 11
Query Match: 52.10% Indels: 3
DB: 14 Gaps: 1

US-09-820-788A-2 (1-446) x CK032846 (1-804)

Library was constructed by Life Technologies, a division of Invitrogen. This sequence belongs to sequence cluster 10301.r. For more information about this cluster, see <http://www.genoscope.cns.fr/cgi-bin/cluster.cgi?seq=CS0BAH018ZE100P1&cluster=10301.r>. Contact : Feng Liang Email : liang@lifetech.com URL : <http://fulllength.invitrogen.com/Invitrogen/Corporation/1600ParadiseAvenue/genoscope/sequence/ID:CS0BAH018ZE100P1>

FEATURES
SOURCE

```

1. l1098
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="CSGDM004J13"
/tissue_type="FETAL LIVER"
/dev_stage="fetal"
/clone_lib="Homo sapiens FETAL LIVER"
/note="Organ: liver; Vector: pCMVSPORT
was primed with a NotI-oligo(dT) primer
enriched, double-strand cDNA was digested
cloned into the Not I and EcoRV sites.
The vector library was not normalized."

```

ORIGIN

Alignment Scores:		
Pred. No.:	1.13e-120	Length:
Score:	1207.50	Matches:
Percent Similarity:	80.24%	Conservative:
Best Local Similarity:	79.94%	Mismatches:
Query Match:	51.82%	Indels:
DB:	13	Gaps:
		2
		58
		1
		263
		1088

US-09-820-788A-2 (1-446) x BX432878 (1-1088)

Qy	1	MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal	20
Db	67	ATGGGGCTAAGACACTGGTGGCCCTGATAGTGCCACTTCTCTGCTCTCGTG	126
Qy	21	AspLeuMetHisArgArgGlnArgTrrAlaAlaArgTyrSerProGlyProLeuProLeu	40
Db	127	GACCTGATGACCGGGCCCAACCTGGGTGACGTACTCACGAGGCCCTTGCCACTG	186
Qy	41	ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln	60
Db	187	CCGGGCTGGGCAACCTGTCATGTGGACTTCCAGACACACACACTACTGCTTCGACCAG	246
Qy	61	LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal	80
Db	247	TTGGCGCGCGCTTCGGGGACGTGTTCAGCCTGCAGCTGGCCCTGGACCGCGGTGCTGTG	306
Qy	81	LeuAsnGlyLeuAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp	100
Db	307	CTCAATGGGCTGGCGGCGTGGCGAGGGCGCTGGTGACCCACGCGGAGGACACCGCGCAC	366
Qy	101	ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln	117
Db	367	CGCCGGCTGTGCCCATCACCGAGTCTGGGTTTGGGCGGGGTTCCCAAGGGGTGTTTC	426
Qy	117	-----	117
Db	427	CTGGCGGCTATGGGCGCGCGTGGCGGAGCAGAGGCGTCTTTCGTCTCCACCTTGGCGC	486
Qy	117	-----	117
Db	487	AAC TTGGGCTTGGGCAAGAAAGTCTGCTGGAGCAGTGGGTGACCGAGAGGGCGGCTTGCTT	546
Qy	118	-----GlyArgProPheArgProAsnGlyLeuLeuAspLys	129
Db	547	TGTGGCGCTTCGCCAACCACTCCGAGCGCCCTTTCGCCCAACCGTCTCTGGACAAA	606
Qy	130	AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro	149
Db	607	GCGGTGAGCAACGTGATCGCTCCCTCACCTGGCGGGCGCGCTTCGAGTACGACGACCT	666

Qy	194	LysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMetThrTrpAspPro	213
Db	790	AAAGGCTTCCTCACCAGCTGG---AGAGCTGCTACTGAGCACAGGATGACNTGGAC-CCA	735
Qy	214	AlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGluLysAlaLysGly	233
Db	734	GCCACGCCCCCGGA-GACCTGAATGAGCGCTTCCTGGCAGAGATGGAGAAAGGCCAAGGGG	676
Qy	234	AsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAlaAspLeuPheSer	253
Db	675	AACCTTCAGAGCAGCTTCATGATGAGAACTGTGCATAGTGTGGCTGACCTGTTCTCT	616
Qy	254	AlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeuLeuMetIleLeuHis	273
Db	615	GCCGGGATGGTGACCACTCGACCAACGCTGGCTGGGCGCTCCTGTCTCATGATCCTACAT	556
Qy	274	ProAspValGlnArgArgValGlnGlnIleAspAspValIleGlyGlnValArgArg	293
Db	555	CCGGATGTGCAGCGCGGTGTCCAACAGAGAGATCCACACGTGATPAGGGCAGGTGCGCGCA	496
Qy	294	ProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIleHisGluValGln	313
Db	495	CCAGAGATGGGTGGCCAGGCTCACATGCCCTACACCACTGCCGTGATTCTAGAGTGCAG	436
Qy	314	ArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArgAspIleGluVal	333
Db	435	CGCTTTGGGGACATGCTCCCTGGGTGTGACCCATATGACATCCCGTGACATCGAAGTA	376
Qy	334	GlnGlyPheArgIleProLysGlyThrThrIleThrAsnLeuSerSerValLeuLys	353
Db	375	CAGGGCTTCGGATCCCTAAGGGAAGCACATCATACCAACCTGTCTCATCGGTGCTGAAG	316
Qy	354	AspGluAlaValTrpGluLysProPheArgPheHisProGluHisPheLeuAspAlaGln	373
Db	315	GATGAGCGCGTCTGGGAGAGCCCTTCGCTTCCACCCCGAACACTTCCTGGATGCCAG	256
Qy	374	GlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArgAlaCysLeu	393
Db	255	GGCCACTTTGTGAAGCCGGAGGCGCTTCCTGCTTCTCAGCAGGCGCCGTCGATCGCTC	196
Qy	394	GlyGluProLeuAlaArgMetGluLeuPhePheThrSerLeuLeuGlnHisPhe	413
Db	195	GGGGAGCCCTGGCCCGCATGGAGCTTTCCTTCTTCACCTCCCTGCTGCAGCACTTC	136
Qy	414	SerPheSerValProThrGlyGlnProArgProSerHisGlyValPheAlaPheLeu	433
Db	135	AGCTTCTCGGTGCCCACTGGACAGCCCGGCCAGCCACCATGGTGTCTTTGCTTTCCTG	76
Qy	434	ValThrProSerProTyrGluLeuCysAlaValProArg	446
Db	75	GTCAACCCCATCCCTCATGAGCTTTGTGCTGTGCGCCGCG	37

RESULT 14
BX432878
LOCUS
DEFINITION
BX432878 Homo sapiens FETAL LIVER Homo sapiens clone
CSODM004XJ13 5-PRIME, mRNA sequence.
ACCESSION
BX432878
VERSION
BX432878.1 GI:30777113
KEYWORDS
EST.
SOURCE
Homo sapiens (human)
ORGANISM
Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 1088)
Li, W.B., Gruber, C., Jessee, J. and Polayes, D.
Full-length cDNA libraries and normalization
Unpublished (2001)
Contact: Genoscope
Genoscope - Centre National de Séquençage
BP 191 91006 EVRY cedex - France
Email: secret@genoscope.cns.fr. Web : www.genoscope.cns.fr

QY 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu 169
 Db 667 CGCTTCTCAGGCTGCTGGACCTAGCTCAGGAGGACTGAAGGAGGAGTGGGCTTTCTG 726
 QY 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189
 Db 727 CGGAGGTGCTGAATGCTGCTCCCGCTCTCATATCCAGCGTGGCTGCAAGGTC 786
 QY 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
 Db 787 CTACGCTTCCAAAGGCTTTCSTGACCCAGCTGGATGAGCTGCTTAAGTGAACAGATG 846
 QY 210 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
 Db 847 ACCTGGACCCAGCCAGCCCGGAGACCTGACTGAGGCTTCTTGGCAGAGATGGAG 906
 QY 230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgLysValValAla 249
 Db 907 AAGGCAAGGGGAACCTGAGAG---CGSTTTCAATGATGAGAACTG-CGCATAGTGTGGCT 962
 QY 250 AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeuLeu 269
 Db 963 GACTG-TTCTCTCCCGGATGGGACCACTCG-ACCMSTG-GACTGGGGGCTCTCGCTC 1019
 QY 270 MetIleLeuHisProAspValGlnArg 278
 Db 1020 ATGAT-CTACATCG-GATGTRCARCGC 1044
 RESULT 15
 LOCUS BG743095
 DEFINITION 602634230F1 NCI_CGAP_Skn3 Homo sapiens cDNA clone IMAGE:4779415 5', mRNA sequence.
 ACCESSION BG743095
 VERSION 1
 KEYWORDS GI:114053748
 SOURCE Homo sapiens (human)
 ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 REFERENCE 1 (bases 1 to 982)
 AUTHORS NIH-MGC http://mgc.nci.nih.gov/
 TITLE National Institutes of Health, Mammalian Gene Collection (MGC)
 JOURNAL Unpublished (1999)
 COMMENT Contact: Robert Strausberg, Ph.D.
 Email: cgapbs-femail.nih.gov
 Tissue Procurement: James Cleaver, M.D.
 cDNA Library Preparation: Life Technologies, Inc.
 cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL) DNA Sequencing by: Incyte Genomics, Inc.
 Clone distribution: MGC clone distribution information can be found through the I.M.A.G.E. Consortium/LLNL at: http://image.llnl.gov
 Plate: LLAMI0636 row: 1 column: 08
 High quality sequence stop: 932.
 Location/Qualifiers
 1..982
 /organism="Homo sapiens"
 /mol_type="mRNA"
 /db_xref="taxon:9606"
 /clone="IMAGE:4779415"
 /lab_host="DH10B (T1 phage-resistant)"
 /clone_lib="NCI_CGAP_Skn3"
 /note="Organ: Skin; Vector: pCMV-SPORT6; Site 1: NotI; Site 2: SalI; Cloned unidirectionally. Primer: Oligo dt. Average insert size 1.5kb. Library constructed by Life Technologies. Note: this is a NCI_CGAP Library."
 ORIGIN
 Alignment Scores:
 Pred. No.: 4,32e-120 Length: 982
 Score: 1201.50 Matches: 255

Percent Similarity: 75.43% Conservative: 6
 Best Local Similarity: 73.70% Mismatches: 33
 Query Match: 51.57% Indels: 55
 DB: 12 Gaps: 3
 US-09-820-788a-2 (1-446) x BG743095 (1-982)
 QY 110 LeuGlyPheGlyProArgSer----- 116
 Db 42 TTGGGCTGGCAAGAGTCGTTGGAGCAGTGGTGACCGAGGAGCGCTTGTGT 101
 QY 117 -----GlnGlyArgProPheArgProAsnGlyLeuLeuAspLysAla 130
 Db 102 GCGCCTTCGCGACCAAGCGCGAGCGCTTTGCCCCCAAGCGCTTCTTGGACAAAGCC 161
 QY 131 ValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluThrAspAspProArg 150
 Db 162 GTGAGCAACGTATGCTCCCTCCCTCAGCTCGGGGCGCTTCGAGTACGACACCTTCGC 221
 QY 151 PheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeuArg 170
 Db 222 TTCTCAGGCTGTGACCTAGCTCAGAGGAGCTGAAGAGGAGTTCGGCTTCTTCGCG 281
 QY 171 GluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysValLeu 190
 Db 282 GAGGTGCTGATGCTGCTCCCGCTCCAGCGCATCCAGCGCTGGCTGGCAAGGTCTTA 341
 QY 191 ArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMetThr 210
 Db 342 CGCTTCCAAAGGCTTCTCTGACCCAGCTGGATGAGCTGCTTAACGAGCAGGATGACC 401
 QY 211 TrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGluLys 230
 Db 402 TGGGACCCAGCCAGCCAGCCAGCTGACTGAGGCTTCTTGGCAAGAGGAGAG 461
 QY 231 AlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgLysValValAlaAsp 250
 Db 462 GCCAAGGGGAGCCCTGAGAGCAGCTTCAATGATGAGAACCTGCGCATGT-GTC----- 514
 QY 251 LeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeuMet 270
 Db 514 ----- 514
 QY 271 IleLeuHisProAspValGlnArgValGlnGlnGluIleAspAspValIleGlyGln 290
 Db 515 -----CGTGTCCAACAGGAGATCGACGACGTGATAGGCGAG 550
 QY 291 ValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIleHis 310
 Db 551 GTGGCGGACCAAGAGATGGTGCACGAGCTCGCATGCGCTGCACCACTCCCGTGAATCAC 610
 QY 311 GluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArgAsp 330
 Db 611 GAGGTGCAGCGCTTTGGGACATCATCCCTCCCTGAGTGTGACCATATGACATCCCGTGAC 670
 QY 331 IleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSerSer 350
 Db 671 ATCGAAGTACAGGCTTCCGCATCTCCATAGGAGACGACACTCATCAACCACTTCTATCG 730
 QY 351 ValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPheLeu 370
 Db 731 GTGCTGAAGGATGAGCGCTGTGAAGAGCGCTTCCGCTTCCACCCCGCAACTTCTCTG 790
 QY 371 AspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArgArg 390
 Db 791 GGATGCCCAAGGACACTTTGTGAAGCGGAGGCGCTTCTTGTCTTCTCAGGCGAGCGCGCT 850
 QY 391 AlaCysLeuGlyGluProLeuAlaArgMetGluLeuPhePhePheThrSerLeuLeu 410
 Db 851 GCATGCTCGGGAGCCCTGGCGCATGGGG-CTCTTTCTCTT-TTACCTCTCTTGTGC 908
 QY 411 GlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyValPhe 430

Db 909 -----AGCACTTCAGTTCTCGGTGGCGGGAAGGCCCGGCCAGCACTCTCGTGTG 959
QY 431 AlaPheLeuValThrPro 436
Db :::||| |
960 TCAGTTTGGTGGACCCA 977

Search completed: February 29, 2004, 03:02:20
Job time : 2393 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM protein - nucleic search, using frame_plus_p2n model

Run on: February 28, 2004, 16:42:05 ; Search time 395 Seconds
(without alignments)
4796.700 Million cell updates/sec

Title: US-09-820-788A-2
Perfect score: 2330
Sequence: 1 MGLEALVPLAIVAIALLLV.....HGVFAFLVTPSPYELCAVPR 446

Scoring table:

BLOSUM62
Xgapop 10.0, Xgapext 0.5
Ygapop 10.0, Ygapext 0.5
Fgapop 6.0, Fgapext 7.0
Delop 6.0, Delext 7.0

Searched: 3373863 seqs, 2124099041 residues

Total number of hits satisfying chosen parameters: 6747726

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Command line parameters:

-Q=/cgn2_1/USPTO.spool/US09820788/runat_24022004.141407.9072/app_query.fasta_1.583
-DB=N_Geneseq_29Jan04 QPMT=fastap SUFFIX=ring MINMATCH=0.1 -LOOPEL=0
-LOOPEXT=0 -UNITS=bits -START=1 -END=1 -MATRIX=blosum62 -TRANS=human40.cdi
-LIST=45 -DOCALLIGN=200 -THR SCORE=pct -THR MAX=100 -THR MIN=0 -ALIGN=15
-MODE=LOCAL -OUTPMT=p2n -NORM=ext -HEAPSIZ=500 -MINLEN=0 -MAXLEN=2000000000
-USER=US09820788 @CGN 1 1 352 @runat_24022004.141407.9072 -NCPU=6 -ICPU=3
-NO MAP -LARGEQUERY -NEG SCORE=0 -WAIT -DSPBLOCK=100 -LONGLOG
-DEV TIMEOUT=120 -WARN TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6
-FGAPEXT=7 -YGAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

Database : N_Geneseq_29Jan04:*
1: Geneseqn1980s:*
2: Geneseqn1990s:*
3: Geneseqn2000s:*
4: Geneseqn2001as:*
5: Geneseqn2001bs:*
6: Geneseqn2002s:*
7: Geneseqn2003as:*
8: Geneseqn2003bs:*
9: Geneseqn2003cs:*
10: Geneseqn2004s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Match	Length	DB ID	Description
1	2330	100.0	1537	7 AAL53565	Aal53565 CDNA enco
2	2290.5	98.3	1567	7 ADB25779	Adb25779 Human CYP
3	2289.5	98.3	1494	2 AAG87730	Aag87730 Human aux
4	2289.5	98.3	1494	2 AAT28396	Aat28396 Human CYP
5	2288.5	98.2	1567	7 ADB25777	Adb25777 Human CYP
6	2286.5	98.1	1567	7 ACA61331	Acag61331 Human CYP
7	2286.5	98.1	1567	7 ADB25776	Adb25776 Human CYP
8	2285.5	98.1	1494	2 AAG87731	Aag87731 Human aux

9	2285.5	98.1	1494	2 AAT28397	Aat28397 Human CYP
10	2285.5	98.1	1494	2 AAT17388	Aat17388 Human der
11	2285.5	98.1	1494	6 ABQ72216	Abq72216 Human CYP
12	2285.5	98.1	1567	7 ADB25778	Adb25778 Human CYP
13	2282.5	98.0	1494	8 ACF06056	Acf06056 Human CYP
14	2282.5	98.0	1567	7 ACA61303	Acag61303 Human CYP
15	2281.5	97.9	1494	2 AAG87729	Aag87729 Human aux
16	2281.5	97.9	1494	2 AAT28395	Aat28395 Human CYP
17	2277.5	97.7	1494	2 AAG87732	Aag87732 Human aux
18	2277.5	97.7	1494	2 AAT28398	Aat28398 Human CYP
19	2271.5	97.5	1565	7 ACA61305	Acag61305 Human CYP
20	2267.5	97.3	1568	7 ACA61304	Acag61304 Human CYP
21	2250.5	96.6	1545	2 AAV19496	Aav19496 Cytochrom
22	2208	94.8	1586	2 AAI28933	Aai28933 Debrisoqu
23	2093.5	89.8	1593	4 AAD09937	Aad09937 Human dru
24	1708.5	73.3	2746	6 ABK63556	Abk63556 Rat seque
25	1708.5	73.3	2746	9 ADB53689	Adb53689 Primary r
26	1685	72.3	1449	6 ABN97193	Abn97193 Gene #369
27	1663	71.4	4500	7 ADB25775	Adb25775 Human CYP
28	1662	71.3	6472	6 ABQ72364	Abq72364 Human CYP
29	1662	71.3	9432	6 AAD34213	Aad34213 Human CYP
30	1662	71.3	9432	7 ACA61301	Acag61301 Human CYP
31	1651	70.9	9433	7 ACA61302	Acag61302 Human CYP
32	1641	70.4	1698	9 ADB58102	Adb58102 Toxicity
33	1641	70.4	1698	9 ADB52582	Adb52582 Primary r
34	1638.5	70.3	1628	9 ADB56180	Adb56180 Toxicity
35	1638.5	70.3	1628	9 ADB50703	Adb50703 Primary r
36	1615.5	69.3	1630	9 ADB59020	Adb59020 Toxicity
37	1615.5	69.3	1630	9 ADB53778	Adb53778 Primary r
38	1599	68.6	6472	6 ABQ72215	Abq72215 Human CYP
39	1551.5	66.6	10278	7 AAL53566	Aal53566 Genomic D
40	1525	65.5	1270	6 ABN97194	Abn97194 Gene #369
41	1141	49.0	2170	7 AAT33958	Aat33958 Human pig
42	1141	49.0	2170	9 ADC26596	Adc26596 Human CYP
43	1141	49.0	2170	9 ADC26591	Adc26591 Human CYP
44	1141	48.0	2170	9 ADC26793	Adc26793 Human lip
45	1132	48.6	2170	7 ABT33957	Abt33957 Human pig

ALIGNMENTS

RESULT 1

AAL53565

ID AAL53565 standard; cdna; 1537 BP.

XX

AC AAL53565;

XX

DT 30-JAN-2003 (first entry)

XX

DE CDNA encoding the drug-metabolising enzyme protein.

XX

KW Cytostatic; antiparkinsonian; gene therapy; cancer; Parkinson's disease;

KW human drug-metabolising protein; enzyme; gene; ss.

XX

OS Homo sapiens.

XX

FH Key Location/Qualifiers

FT CDS 78..1418

FT /*tag= a

FT /product= "Human drug-metabolising protein"

XX

PN WO200279233-A1.

XX

PD 10-OCT-2002.

XX

PF 01-APR-2002; 2002WO-US009738.

XX

PR 30-MAR-2001; 2001US-00820788.

XX

PA (PEKE) PE CORP NY.

PA (DFRA/) DI FRANCESCO V.

PA (BEAS/) BEASLEY E M.

XX

PI Shao W, Yan C;
 XX WPI: 2003-040649/03.
 DR P-PSDB; AAO26404.
 XX
 PT New human drug-metabolizing proteins and nucleic acids related to the
 PT Cytochrome P450 IID drug-metabolizing enzyme subfamily, useful for
 PT treating a condition mediated by a human enzyme protein e.g., cancer.
 XX
 XX Claim 4; Fig 1; 72pp; English.
 XX
 CC The invention relates to a novel isolated polypeptide comprising a 446-
 CC amino acid sequence or its allelic variant, orthologue or fragment. The
 CC allelic variant or orthologue is encoded by a nucleic acid that
 CC hybridises under stringent conditions to the opposite strand of the
 CC nucleic acid comprising a sequence having 1537 or 10278 bp. The fragment
 CC comprises at least 10 contiguous amino acids of the 446-amino acid
 CC sequence. The polypeptide is useful for preparing a pharmaceutical
 CC composition for treating a disease or condition mediated by a human
 CC enzyme protein, e.g. cancer or Parkinson's disease. This polynucleotide
 CC sequence represents the cDNA encoding the human drug-metabolising protein
 CC of the invention
 XX
 SQ Sequence 1537 BP; 301 A; 493 C; 443 G; 300 T; 0 U; 0 Other;

Alignment Scores:
 Pred. No.: 5.2e-228 Length: 1537
 Score: 2330.00 Matches: 446
 Percent Similarity: 100.00% Conservatives: 0
 Best Local Similarity: 100.00% Mismatches: 0
 Query Match: 100.00% Indels: 0
 DB: 7 Gaps: 0

US-09-820-788A-2 (1-446) x AAL53565 (1-1537)

QY 1 MetGlyLeuAlaLeuValProLeuAlaValAlaValAlaValAlaValAlaValAlaVal 20
 DB 78 ATGGGGCTAGAGCACTGTGGCCCTGGCGGTGATAGTGCCCATCTTCTGCTCTCTGGTG 137
 QY 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuProLeu 40
 DB 138 GACCTGATGACCGCGCGCAACGCTGGGCTGCACGCTACTACACAGGCCCTGCGCACTG 197
 QY 41 ProGlyLeuGlyAsnLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
 DB 198 CCCGGCTGGGCAACCTGCTGATGGACTTCCAGAACACACCATATAGTCTTCGACCAG 257
 QY 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaValTrpProValValVal 80
 DB 258 TTGGGGCGCGCTTCGGGGACGTGTTACGCTGCAGCTGGCTGGACCGCGTGTGCTGTG 317
 QY 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
 DB 318 CTCAATGGGCTGGCGCGCTGGCGAGGGCTGGTGACCCACCGCGAGGACACCGCGGAC 377
 QY 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGlnGlyArgPro 120
 DB 378 CGCGCGCGCTGTCCTATCCAGATCCTGGGTTTTGGGCGCGCTTCCCAAGGACGCGCC 437
 QY 121 PheArgProAsnGlyLeuLeuAspLysAlaValSerAsnValIleAlaSerLeuThrCys 140
 DB 438 TTTGCGCCCAAGGCTCTTTGACAAAGCCGTGAGCAACGTATGCTCTCCCTCCCTACCTGC 497
 QY 141 GlyArgArgPheGlyTyrAspAspProArgPheLeuArgLeuAspLeuAlaGlnGlu 160
 DB 498 GGGCGCGCTTCAGTATACACGACACCTGCTTCTCAGGCTGCTGGACCTAGCTCAGGAG 557
 QY 161 GlyLeuLysGluGlySerGlyPheLeuArgGluValLeuAsnAlaValProValLeuLeu 180
 DB 558 GGACTGAAGGAGGAGTCCGGGCTTTCTGGCGAGGTGCTGAATGCTGCCCGCTCTCTCTG 617
 QY 181 HisIleProAlaLeuAlaGlyLysValLeuArgPheGlnLysAlaPheLeuThrGlnLeu 200

DB 618 CATATCCACGCGCTGGCGCAAGGTCCTACGCTTCCAAAGGCTTTCTCTGACCCAGCTG 677
 QY 201 AspGluLeuLeuThrGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeu 220
 DB 678 GATGAGCTGCTAACTGAGCACAGGATGACCTGGGAGCCAGCCGCCCGCCGAGACCTG 737
 QY 221 ThrGluAlaPheLeuAlaGluMetGluLysAlaLysGlyAsnProGluSerSerPheAsn 240
 DB 738 ACTGAGGCTTCTCTGGCAGAGATGGAGAAGGCCAAGGGGAACCTTGAGAGAGCTTCAAT 797
 QY 241 AspGluAsnLeuArgIleValValAlaAspLeuPheSerAlaGlyMetValThrThrSer 260
 DB 798 GATGAGAACCCTGGCGATAGTGGTGCCTGACCTGTTCTCTGCGGGATGCTGACCACTCG 857
 QY 261 ThrThrLeuAlaTrpGlyLeuLeuMetIleLeuHisProAspValGlnArgArgVal 280
 DB 858 ACCACGCTGGCGCTGGGCGCTCTGCTCATGATCCTACATCGGATGTGCAGCGCGCTGC 917
 QY 281 GlnGlnGluIleAspAspValIleGlyGlnValArgArgProGluMetGlyAspGlnAla 300
 DB 918 CAACAGGAGATCGACGACGTATAGGGCAGGTGGCGGACGAGATGGGTGACCAAGCT 977
 QY 301 HisMetProTyrThrThrAlaValIleHisGluValGlnArgPheGlyAspIleValPro 320
 DB 978 CACATGCCCTACACCACTGCCGTGATTTCATGAGGTGACGCGCTTTGGGGACATCGTCCC 1037
 QY 321 LeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPheArgIleProLys 340
 DB 1038 CTGGGTGTGAGCCCATATGACATCCGTCGACATCGAAGTACAGGGCTTCCGCATCCCTAAG 1097
 QY 341 GlyThrThrIleThrAsnLeuSerSerValLeuLysAspGluAlaValTrpGluLys 360
 DB 1098 GGAACGACACATCATCACCACTGTCATCGGTGTGAGAGATGAGGCGCTCTGGGAGAG 1157
 QY 361 ProPheArgPheHisProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGlu 380
 DB 1158 CCTTCCGCTTCCACCCCGAACACTTCTCTGATGCCAGGGCCACTTTGTGAGCGCGAG 1217
 QY 381 AlaPheLeuProPheSerAlaGlyArgArgAlaCysLeuGlyGluProLeuAlaArgMet 400
 DB 1218 GCCTTCTCTGCTTTCTCAGCAGGCGCGCTGCATGCTCTGGGGAGGCCCTTGGCGCGATG 1277
 QY 401 GluLeuPheLeuPheThrSerLeuLeuGlnHisPheSerPheSerValProThrGly 420
 DB 1278 GAGCTTCTCTCTTCTTCCCTCCCTGCTGTCAGGACCTTCAGCTTCTCGGTGCCACTGGA 1337
 QY 421 GlnProArgProSerHisHisGlyValPheAlaPheLeuValThrProSerProTyrGlu 440
 DB 1338 CAGCCCGCGCCAGCCACCATGGTGTCTTTCTGTTCTGTTGACCCCATCCCTATATGAG 1397
 QY 441 LeuCysAlaValProArg 446
 DB 1398 CTTTGTGCTGTGCGCCCGC 1415

RESULT 2
 ADB25779
 ID ADB25779 standard; DNA; 1567 BP.
 XX
 AC ADB25779;
 XX
 DT 20-NOV-2003 (first entry)
 XX
 DE Human CYP2D6-related gene #4.
 XX
 KW human; mutant CYP2D6 gene; drug analysis; drug testing; gene; ds.
 XX
 OS Homo sapiens.
 XX
 FH Key
 FT CDS
 FT Location/Qualifiers
 FT 1..1494
 FT /*tag= a
 FT /product= "Human CYP2D6-related protein #4"

PN WO2003050282-A1.
XX 19-JUN-2003.
XX
XX 05-DEC-2002; 2002WO-JP012748.
XX
XX 06-DEC-2001; 2001JP-00372548.
XX
XX (TSUR) TSUMURA & CO.
XX
XX Taniyama M, Ogawa K, Tsuchiya N, Hibino T;
XX WPI; 2003-505401/47.
XX
XX Genetic polymorphisms of CYP2D6 gene in human population for analysis of
XX drug effect on individual patients and testing of new drugs.
XX
XX Claim 8; Page 50-54; 75pp; Japanese.
XX
XX The invention comprises mutant forms of the human CYP2D6 gene, containing
XX one or more of the following mutations G125A, C1858T, T2874C and C2875T.
XX The mutant human CYP2D6 genes of the invention are useful for analysing
XX the effect of drugs on individual patients and testing of new drugs. The
XX present DNA sequence represents a human gene of the invention.
XX
XX Sequence 1567 BP; 266 A; 526 C; 466 G; 309 T; 0 U; 0 Other;

Alignment Scores: Length: 1567
Pred. No.: 5,84e-224 Matches: 445
Score: 2290.50 Conservative: 1
Percent Similarity: 89.74% Mismatches: 0
Best Local Similarity: 89.54% Indels: 51
Query Match: 98.30% Gaps: 1
DB: 7
US-09-820-788A-2 (1-446) x ADB25779 (1-1567)

QY 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
DB 1 ATGGGGCTAGAACCACTGGTGGCCCTGGCGTGTATAGTGGCCATCTTCTGCTCTGGTG 60
QY 21 AspLeuMetHisArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuProLeu 40
DB 61 GACCTGATGACCGCGGCAACCTGGGCTGACGCTACTCACAGGCGCCCTGCCACTG 120
QY 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
DB 121 CCCGGCTGGCAACCTGCTGATGTGGACTTCCAGAACACACCATACTGCTTCGACCAG 180
QY 61 LeuArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpProValValVal 80
DB 181 TTGCGCGCGCGCTTCGGGAGCGTGTTCAGCTGACGCTGGCGCTGGCGCGGTGGTGG 240
QY 81 LeuAsnGlyLeuAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
DB 241 CTCATATGGGCTGGCGCGCGCTGGCGAGCGCTGGTGAACCGCGGAGGACACCGCGGAC 300
QY 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln----- 117
DB 301 CGCCCGCGCTGTGCCCATCACCCAGATCCTGGGTTTCGGGCGCGGCTTCCCAAGGGGTG 360
QY 117 ----- 117
DB 361 CTGGCGCGCTATGGGCGCGGTGGCGGAGCAGAGGCGCTTCTCCGTGTCCACCTTGGCG 420
QY 117 ----- 117
DB 421 AACTTGGGCTGGGCAAGAGTCTGGAGCAGTGGGTGACCGGAGGCGCGCGCTGCCTT 480
QY 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspGly 129
DB 481 TGTGCCCGCTTGGCCCAACCACTCCGAGCGCCCTTTTGGCCCAACCGTCTCTTGGACAA 540

QY 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro 149
DB 541 GCGGTGAGCAACGATGATCCCTCCCTCCTCGCGGCGCGCTCGAGTACGACGACCT 600
QY 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLeuGluSerGlyPheLeu 169
DB 601 CGCTTCTCCTCAGGCTGCTGGACCTAGCTCAGGAGGAGCTGAAGAGGAGTCTGGGCTTCTG 660
QY 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189
DB 661 CGCGAGGTGCTGAATGCTGCTCCCGTCTCTCTGTCATATCCAGCGCTGCTGGCAAGGTC 720
QY 190 LeuArgPheGlnIleAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
DB 721 CTACGCTTCCAAAGGCTTCTGACCCAGCTGGATGAGCTGCTAACTGAGCACGAGATG 780
QY 210 ThrTrpAspProAlaGlnProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
DB 781 ACCTGGGACCCAGCCCGGACCTGCTGAGGCGCTTCTTGGCAGAGATGGAG 840
QY 230 LysAlaLysGlyAsnProGluSerPheAsnAspGluAsnLeuArgIleValValAla 249
DB 841 AAGGCCAAGGGGAACTCTGAGAGCAGCTTCATGATGAGAACCTGCGCATAGTGGTGGCT 900
QY 250 AspLeuPheSerAlaGlyMetValThrSerThrThrLeuAlaTrpGlyLeuLeuLeu 269
DB 901 GACCTGTTCTCTGCGGGATGGTGACCACTCGACACGCTGGCGCTGGGCGCTCTCTGCTC 960
QY 270 MetIleLeuHisProAspValGlnArgValGlnGlnGluIleAspValIleGly 289
DB 961 ATGATCTCTACATCCCGATGTGCGCGCGCTGTCACACAGGAGATCGACCGGTAGTAGG 1020
QY 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 309
DB 1021 CAGGTGGCGGACACAGAGATGGTGACCGAGCTCATATGCCCTACACCATGCGGTGATT 1080
QY 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
DB 1081 CATGAGTGTGACGCGCTTTGGGACATCGTCCCGCTGGGTGTGACCATATGACATCCCGT 1140
QY 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrLeuIleThrAsnLeuSer 349
DB 1141 GACATCGAAGTACAGGGCTTCGCGCATCCCTAAGGGAACGACACTCATCAACCACTGTCA 1200
QY 350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
DB 1201 TCGGTGCTGAAGATGAGCGCGCTTGGGAGAGCGCTTCCGCTTCCACCCGACACTTC 1260
QY 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
DB 1261 CTGGATGCCAGGCGCACTTTGTGAAGCGGAGGCGCTTCTGCTTCTCTCAGCAGCGCGC 1320
QY 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePheThrSerLeu 409
DB 1321 CGTGATGCTCTGGGAGCGCCCTGCGCGCATGGAGCTTCTCTCTTCTTACCTCCCTG 1380
QY 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
DB 1381 CTGAGCACTTCAAGCTTCTCGGTGCCACTGAGACCGCCCGGCGGACCACTGCTGTC 1440
QY 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
DB 1441 TTTGCTTCTGCTGAGCCCATCCCTTATGACTTGTGCTGTGCGCGC 1491
RESULT 3
AAQ87730
ID AAQ87730 standard; cDNA; 1494 BP.
XX
AC AAQ87730;
XX
DT 25-MAR-2003 (revised)
DT 15-NOV-1995 (first entry)
XX


```
Db 841 AAGGCCAAGGGGAACCCCTGAGAGCAGCTTCAATGATGAGAACCTCGCATAGTGGTCT 900
Qy 250 ApleuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeu 269
Db 901 GACCTGTTCTTCGCCGGATGTGACCACTCGACACGCTGGCTGGCGCTCTCTGCTC 960
Qy 270 MetIleLeuHisProAspValGlnArgArgValGlnGlnGlnIleAspValIleGly 289
Db 961 ATGATCTTACATCCGATGTGAGCGCGCTGTCCACAGAGGATCGACGCTGATAGG 1020
Qy 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyThrThrAlaValle 309
Db 1021 CAGGTGCGCGCAGACAGAGATGGCTGACAGGCTCATGCGCTACACCACTCGCGTGAT 1080
Qy 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
Db 1081 CATGAGGTGCACGCTTTTGGGAGACATGTCCTCCCTGGGTGTGACCATATGACATCCCGT 1140
Qy 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 349
Db 1141 GACATCGAAGTACAGGGCTTCGCGATCCCTAAGGGAACGACACTCATCAACCACTGTCA 1200
Qy 350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
Db 1201 TCGGTGCTGAGGATGAGCGCTCTGGGAGAGCGCTTCCGCTTCCACCCCGAACACTTC 1260
Qy 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
Db 1261 CTGGATGCCAGGGCCACTTTGTGAAGCGGAGGCTTCTCCTGCTTCTTCACTCCCTG 1320
Qy 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPhePheThrSerLeu 409
Db 1321 CGTGATGCTCGGGAGGCCCTTGGCGCGCATGGAGCTCTTCTCTTCTTCACTCCCTG 1380
Qy 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyVal 429
Db 1381 CTGACGACCTTCAGCTTCTCGGTGCCCACTGGACAGCGCCGCGCCAGCACCATGGTGT 1440
Qy 430 PheAlaPheLeuValTrpSerProTyThrGluLeuCysAlaValProArg 446
Db 1441 TTTGCTTCTTCTGGTACCCCATCCCCCTATGAGCTTTGTGTGTGCCCGCGC 1491
```

RESULT 5

ADB25777

ID ADB25777 standard; DNA; 1567 BP.

XX

AC ADB25777;

XX

XX 20-NOV-2003 (first entry)

XX

XX Human CYP2D6-related gene #2.

XX

XX human; mutant CYP2D6 gene; drug analysis; drug testing; gene; db.

XX

XX Homo sapiens.

XX

XX Key Location/Qualifiers

XX

XX 1..1494

XX /*tag= a

XX /product= "Human CYP2D6-related protein #2"

XX

XX WO2003050282-A1.

XX

XX 19-JUN-2003.

XX

XX 05-DEC-2002; 2002WO-JP012748.

XX

XX 06-DEC-2001; 2001JP-00372548.

XX

XX (TSUR) TSUMURA & CO.

XX

XX Taniyama M, Ogawa K, Tsuchiya N, Hibino T;

XX

DR WPI; 2003-505401/47.
DR P-PSDB; ADB25832.
XX Genetic polymorphisms of CYP2D6 gene in human population for analysis of
PT drug effect on individual patients and testing of new drugs.
XX Claim 8; Page 43-46; 75pp; Japanese.
XX The invention comprises mutant forms of the human CYP2D6 gene, containing
CC one or more of the following mutations G125A, C1858T, T2874C and C2875T.
CC The mutant human CYP2D6 genes of the invention are useful for analyzing
CC the effect of drugs on individual patients and testing of new drugs. The
CC present DNA sequence represents a human gene of the invention.
XX SQ Sequence 1567 BP; 266 A; 527 C; 464 G; 310 T; 0 U; 0 Other;

Alignment Scores:

Pred. No.: 9,36e-224 Length: 1567
Score: 2288.50 Matches: 445
Percent Similarity: 89.54% Conservative: 0
Best Local Similarity: 89.54% Mismatches: 1
Query Match: 98.22% Indels: 51
DB: 7 Gaps: 1

US-09-820-788A-2 (1-446) x ADB25777 (1-1567)

Qy 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
Db 1 ATGGGGCTAGAAAGCACTGGTCCCTGGCCGTGTAGTGGCCATCTTCTCTCTCTCTG 60
Qy 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuLeu 40
Db 61 GACCTGATGACACCGGGCCCAACGCTGGGCTGCACGCTACTCACACGAGGCCCTTGC 120
Qy 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyThrCysPheAspGln 60
Db 121 CCCGGGCTGGGCAACCTGCTGATGTGACTTCAGAAACACACCATACTGCTTCGAC 180
Qy 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValVal 80
Db 181 TTGGGGCGCCCTTCGGGGAGCTGTTCAGCTGCAGCTGGGCTGGACCGCGTGGTCTG 240
Qy 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
Db 241 CTCAATGGCTGGCGGCGCTGGCGAGGCGTGGTGACCCACGCGAGGACACACCGCC 300
Qy 101 ArgProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln----- 117
Db 301 CGCCCGCTGTGCCCATCACCCAGATCCTGGGTTTGGGGCGCGTTCCCAAGGGGTGTT 360
Qy 117 ----- 117
Db 361 CTGGCGGCTATGGGCGCGCTGGCGGAGCAGAGCGCTTCTCGTCTCCACCTTGGCG 420
Qy 117 ----- 117
Db 421 AACTTGGCCCTGGGCAAGAGTTCGCTGGAGCAGTGGGTGACCGAGGAGCGCCCTT 480
Qy 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
Db 481 TGTGGCGCTTCGCCAACCACTCCGGAGCGCCCTTTTCGCCCAACCGTCTCTTGGACA 540
Qy 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyAspAspPro 149
Db 541 GCCGTGACCAACGTGATCGCTCCCTCACCTGCGGGCGCGCTTCGAGTAGACACCT 600
Qy 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu 169
Db 601 CGCTTCTCAGGCTGCTGGACCTAGCTCAGAGGAGGACTGAGAGGAGGAGTCTGGGCT 660
Qy 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189
Db 661 CGCGAGGTGCTGAATGCTGTCCCGTCTCTCTGCATATCCCGAGCGCTGGCTGGCAAG 720


```
QY 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuThrGluHisArgMet 209
DB 721 CTACGCTTCCAAAGGCTTCTCTGACCCAGCTGGATGCTAACTGAGCACGATG 780
QY 210 ThrTrpAspProAlaGlnProArgAspLeuThrGluAlaPheLeuGluMetGlu 229
DB 781 ACCTGGAGCCAGCCAGCCAGCCAGCCAGCTGACCTGAGGCTTCTCTGGCAGATGGAG 840
QY 230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 249
DB 841 AAGCCCAAGGGAACTCTGAGACAGCTTCATGATGAGAACTGCGCATAGTGGTGGCT 900
QY 250 AspLeuPheSerAlaGlyMetValThrThrSerThrLeuAlaTrpGlyLeuLeuLeu 269
DB 901 GACCTGCTCTTCCCGGATGGTGGACCACTGACCACTGGCTGGCGCTCTCTGCTC 960
QY 270 MetIleLeuHisProAspValGlnArgArgValGlnGlnGluIleAspValIleGly 289
DB 961 ATGATCTCATCTCCGATGTGACGCGCGTGTCCAAACAGGAGATCGACGCTGTAGGG 1020
QY 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 309
DB 1021 CAGGTGCGGCGACAGATGGTGGACCACTGAGGCTCATGCTCCCTACCACTGCGGTAT 1080
QY 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
DB 1081 CATAGGTGACGCGCTTTGGGACATCGTCCCTGGGTGTGACCCATATGACATCCCT 1140
QY 330 AsnIleGluValGlnGlyPheArgIleProLysGlyThrIleuIleThrAsnLeuSer 349
DB 1141 GACATCGAAGTACAGGGCTTCGCGCATCCCTAAGGGAACGACACTCATCAACCACTGTCA 1200
QY 350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
DB 1201 TGGTGCTGAGATGAGCGCTTCTGGAGAGCCCTTCCGCTTCCACCCGACACTTC 1260
QY 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
DB 1261 CTGGATGCCAGGGCCACTTTGTGAAGCGGAGGCTTCTGCTTTCTCAGCAGCGCGC 1320
QY 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu 409
DB 1321 CGTGCATGCTCGGGAGCGCCCTGGCGCGCATGGAGCTTCTCTCTTCACCTCCCTG 1380
QY 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
DB 1381 CTGACGACTTCAGCTTCTCGGTGCCCTGACAGCGCCCGCCAGCCACCATGCTGTC 1440
QY 430 PheAlaPheLeuValThrProSerProTyrGluLeuLysAlaValProArg 446
DB 1441 TTTGCTTTCTGCTGACCCCATCCCTATGAGCTTTGCTGTGCCCCGC 1491
RESULT 6
ID ACAG1331 standard; cDNA; 1567 BP.
AC ACAG1331;
XX
DT 16-JUL-2003 (first entry)
XX
DE Human cytochrome p450 gene CYP2D6 G5799C variant, cDNA.
XX
KW Human; ss; gene; cytochrome P450; CYP2D6; chromosome 22; SNP;
KW single nucleotide polymorphism; drug metabolism; cardiovascular disorder;
KW psychiatric disorder; drug sensitivity.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT 1..1494
FT /*tag= a
FT /product= "CYP2D6 protein"
FT
```

```
FT variation replace(1457,G)
FT /*tag= b
FT /standard_name= "Single nucleotide polymorphism"
XX EP1281755-A2.
XX 05-FEB-2003.
XX 16-JUL-2002; 2002EP-00254972.
XX 31-JUL-2001; 2001US-0309111P.
XX (PFIZ ) PFIZER PROD INC.
XX Milos PM, Webb SM;
XX WPI: 2003-373769/36.
XX P-PSDB; AB009598.
XX New cytochrome P450 2D6 gene variants and polypeptides, useful for
XX determining if a subject has or is at risk of developing a drug
XX sensitivity condition or disorder that is associated with an aberrant
XX CYP2D6 activity.
XX Disclosure; Fig 7; 88pp; English.
XX The invention relates to an isolated nucleic acid comprising a cytochrome
XX P450 2D6 gene variant, e.g. G5799C or C5816AT (referring to the genomic
XX sequence or the same variant nucleotide in the corresponding cDNA
XX sequences). Also included are probes, primers (allele specific
XX oligonucleotides) and arrays used to detect and/or amplify the CYP2D6
XX gene polymorphic regions, the variant polypeptides, antibodies which are
XX capable of distinguishing between the variant and wild-type polypeptides,
XX determining whether a subject has a genetic deficiency for metabolising a
XX drug, evaluating therapy with a drug metabolised by P450 CYP2D6 and
XX determining whether an individual is susceptible to being a poor
XX metaboliser of drugs. The DNA probe is useful for hybridising to a
XX variant form of the CYP2D6 gene. The primer is useful for amplifying the
XX C5816TA allelic variant. The allele specific nucleotide is useful for the
XX detection of the C5816TA allelic variant. The methods are useful for
XX determining whether a subject has a genetic deficiency for metabolising a
XX drug, evaluating therapy with a drug metabolised by P450 CYP2D6, and
XX determining if an individual is susceptible to being a poor metaboliser
XX of drugs. The nucleic acids are useful as probes or primers for
XX determining whether a subject has a genetic deficiency for metabolising
XX drugs that are substrates of P450 CYP2D6. The methods are useful for
XX determining if a subject has or is at risk of developing a drug
XX sensitivity condition or disorder that is associated with an aberrant
XX CYP2D6 activity, e.g. an aberrant level of a CYP2D6 protein or an
XX aberrant CYP2D6 bioactivity. The methods are also useful in selecting the
XX appropriate drugs or determining the course of treatment to administer to
XX a subject to treat cardiovascular or psychiatric disorders, or for
XX treating a subject with a drug sensitivity or disorder associated with a
XX specific allelic variant of a polymorphic region of the CYP2D6 gene. The
XX antibodies are useful for monitoring CYP2D6 protein levels in an
XX individual for determining whether a subject has a disease or conditions
XX associated with an aberrant CYP2D6 protein level. The gene is located on
XX human chromosome 22. The present sequence is the CYP2D6 cDNA carrying the
XX G5799C/C5816TA double variation
SQ Sequence 1567 BP; 267 A; 528 C; 464 G; 308 T; 0 U; 0 Other;
Alignment Scores:
Pred. No.: 1.5e-223 Length: 1567
Score: 2286.50 Matches: 444
Percent Similarity: 89.54% Conservative: 1
Best Local Similarity: 89.34% Mismatches: 1
Query Match: 98.13% Indels: 51
DB: 7 Gaps: 1
US-09-820-788A-2 (1-446) x ACA61331 (1-1567)
QY 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
```

```
Db 1 ATGGGGCTAGAGACACTGGTGGCCCTGGCGGTGATAGTGCCCATCTTCTCGTCTCTGGTG 60
Qy 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuProLeu 40
Db 61 GACCTGATGACACCGCGCGCAACGCTGGGTGACGCTACCCACAGGCGCCCTGGCACTG 120
Qy 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
Db 121 CCCGGCTGGGCAACTGCTGATGTGGACTTCCAGAACACACCACTACTGCTTCGACCAG 180
Qy 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal 80
Db 181 TTGCGGCGCGCTTCCGGGACGCTGTTCAGCTGTCAGCTGGCTGACCGCGGTGTGCTG 240
Qy 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
Db 241 CTCAATGGGCTGGCGCGCGCTGGCGAGCGCTGGTGACCCACGGCGAGACACCCCGCAC 300
Qy 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln----- 117
Db 301 CGCCCGCTGTGCCCATCCACAGATCCTGGGTTCGGGCGCGCTTCCCAAGGGGTGTTC 360
Qy 117 ----- 117
Db 361 CTGGCGCGCTATGGGCGCGCTGGCGGACGAGCGGCTTCTCGGTGTCCACCTTGGCG 420
Qy 117 ----- 117
Db 421 AACTTTGGGCTGGGCAAGAGTCGCTGGAGCAGTGGTGACCGAGGCGCGCTTGCCTT 480
Qy 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
Db 481 TGTGCGCGCTTCGCCAACCACTCCCGAGCGCCCTTTTCGCCCCCAACGGTCTCTTGACAAA 540
Qy 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGlyTrpAspPro 149
Db 541 GCGGTGAGCAACGTATCGCTCCCTCACCTGCGGCGCGCTTCGAGTACGACGACCT 600
Qy 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluSerGlyPheLeu 169
Db 601 CGCTTCCTCAGGCTGTGACCTAGCTCAGGAGGAGCTCAAGAGGAGTCTGGGCTTCTG 660
Qy 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyVal 189
Db 661 CCGAGGTGCTGAATGCTGTCCCGCTCTCTCGATATCCACGCGCTGGCTGGCAAGGTC 720
Qy 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
Db 721 CTACGCTTCCAAAGGCTTCTTGACCCAGCTGGATGAGCTGCTAACTGACGACAGGATG 780
Qy 210 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
Db 781 ACCTGGGACCCAGCCAGCCCGCGAGACCTGACTGAGGCTTCTGGCAGAGATGGAG 840
Qy 230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 249
Db 841 AAGGCCAAGGGGAAACCTTGAGAGCAGCTTCAATGATGAGAACCTCGCATAGTGTGCT 900
Qy 250 AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeuLeu 269
Db 901 GACCTGTCTCTGCGCGGATGTGACCACTGACCACTGCGCTGGCTTGGGCTCTCTGCTC 960
Qy 270 MetIleLeuHisProAspValGlnArgArgValGlnGlnGluIleAspAspValIleGly 289
Db 961 ATGATCTTACATCCGCGATGTGAGCGCGCTGTGCCAACAGGAGATCGACGCTGATAGG 1020
Qy 290 GlnValArgArgProGluMetClyAspGlnAlaHisMetProTyrThrThrAlaValIle 309
Db 1021 CAGGTGCGCGGACCAAGATGGGTGACCAAGGCTCACATGGCCCTACACCACTGCGGTATT 1080
Qy 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
```

```
Db 1081 CATGAGGTGACGCGCTTTGGGGACATCGTCCCGCTGGGTATGACCCATATGACATCCCGT 1140
Qy 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 349
Db 1141 GACATCGAAGTACAGGGCTTCGCGATCCCTAAGGAGACGACACTCATCCCAACCTGTCA 1200
Qy 350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
Db 1201 TCGGTGCTGAAGATGAGCGCGTCTGGGAGAGCGCTTCGCTTCCACCCGGAACACTTC 1260
Qy 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
Db 1261 CTGGATGCCAGGCGCACTTTGTGAAGCGGAGGCGCTTCTCGCTTCTCAGCAGGCGCG 1320
Qy 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePheThrSerLeu 409
Db 1321 CGTGATGCTCGGGGAGCGCGCTGCGCGCATGGAGCTTCTCTCTTCTCACCTCCCTG 1380
Qy 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
Db 1381 CTGACGACTTTCAGCTTCTCGGTGCCACTGGACAGCCCGCGCCGACCATGGTGTTC 1440
Qy 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
Db 1441 TTTGCTTCTCTGTGACCCCATCCCGCTATGAGCTTTGTGTGCTGCGCCCGC 1491
RESULT 7
ADB25776
ID ADB25776 standard; DNA; 1567 BP.
XX
AC ADB25776;
XX
DT 20-NOV-2003 (first entry)
XX
DE Human CYP2D6-related gene #1.
XX
KW human; mutant CYP2D6 gene; drug analysis; drug testing; gene; ds.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT CDS 1..1494
FT /tag= a
FT /product= "Human CYP2D6-related protein #1"
XX
PN WO2003050282-A1.
XX
PD 19-JUN-2003.
XX
PF 05-DEC-2002; 2002WO-JP012748.
XX
PR 06-DEC-2001; 2001JP-00372548.
XX
PA (TSUR ) TSUMURA & CO.
XX
PI Taniyama M, Ogawa K, Tsuchiya N, Hibino T;
XX
XX WPI; 2003-505401/47.
XX
DR P-PSDB; ADB25831.
XX
PT Genetic polymorphisms of CYP2D6 gene in human population for analysis of
XX drug effect on individual patients and testing of new drugs.
XX
PS Claim 8; Page 39-42; 75pp; Japanese.
XX
CC The invention comprises mutant forms of the human CYP2D6 gene, containing
XX one or more of the following mutations G125A, C1858T, T2874C and C2875T.
XX The mutant human CYP2D6 genes of the invention are useful for analysing
XX the effect of drugs on individual patients and testing of new drugs. The
XX present DNA sequence represents a human gene of the invention.
XX
SQ Sequence 1567 BP; 266 A; 527 C; 464 G; 310 T; 0 U; 0 Other;
```

US-09-820-788A-2 (1-446) x ADB25776 (1-1567)

Qy	270	MetIleLeuHisProSepValGlnArgValGlnGlnGlnLeuAspAspValIleGly	289
Dd	961	ATCATCTCATTCCGGATGTGCACGCCCGTGTCCAACAGGAGATTCGACGACGTCATAGGG	1020
Qy	290	GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyThrThrAlaValIle	309
Dd	1021	CAGTGCGGGCGAACAGAGATGGGTGACCAGGCTCACATGCCCTTACACCATCTGCCGTGATT	1080
Qy	310	HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg	329
Dd	1081	CATGAGGTGCAGCGCTTTGGGGACATCGTCCCCCTGGGTGTGACCCATATGACATCCCGT	1140
Qy	330	AspIleGluValGlnGlyPheArgIleProLyLeGlyThrThrLeulleThrAsnLeuSer	349
Dd	1141	GACATCGAAGTACAGAGGCTTCCGCATCCCCTAAAGGGAACGACACTCATCAACAACCTGTCA	1200
Qy	350	SerValLeuLysAspGluAlaValTpGluLyProPheArgPheHisProGluHisPhe	369
Dd	1201	TCSGTGCTGAGAGATGAGGCCGCTCTGGAGAAGCCCTTCCGCTTCCACCCCGAACACTTC	1260
Qy	370	LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg	389
Dd	1261	CTGCATGCCAGGCGCACATTGTGTGAAGCGCGAGGCGCTTCTCGCTTCTCAGCAGGCGCG	1320
Qy	390	ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu	409
Dd	1321	CGTGCAATGCCCTCGGGAGAGCCCTGGCGCGCATGGAGCTCTTCTCTTTCACCTCCCTG	1380
Qy	410	LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyVal	429
Dd	1381	CTGCAGCACTTCAGCTTCTCGGTGCCACTGGACAGCCCGCGGCCACCACTGATGTGTC	1440
Qy	430	PheAlaPheLeuValThrProSerProTyThrGluLeuCysAlaValProArg	446
Dd	1441	TTTTGCTTCTCGTGTACCCCATCCCCCTATGAGCTTTGTGCTGTGCCCCG	1491
RESULT 8			
AAQ87731 ID AAQ87731 standard; cDNA; 1494 BP.			
XX	XX	AAQ87731;	
XX	DT	25-MAR-2003 (revised)	
DT	DT	15-NOV-1995 (first entry)	
XX	DE	Human, auxiliary cytochrome P450 species 2D6 variant 2 coding region.	
XX	KW	Human cytochrome P450; amplification; PCR; primer; expression vector;	
KW	KW	yeast NADPH-P450 reductase; safety; fusion protein; metabolite;	
KW	XX	carcinogen; mutagen; liver metabolism; ds.	
OS	XX	Homo sapiens.	
XX	FH	Key Location/Qualifiers	
FT	FT	variation 886	
FT	FT	/tag= a	
FT	FT	/note= "t to C change in variant 2 changes amino acid from Cys to Arg"	
FT	FT	variation 1457	
FT	FT	/tag= b	
FT	FT	/note= "C to G change in variant 2 changes amino acid from Thr to Ser"	
XX	PN	EP644267-A2.	
XX	PD	22-MAR-1995.	
XX	PF	20-JUL-1994; 94BP-00111298.	
XX	PR	20-JUL-1993; 93JP-00201120.	
PR	PR	21-JUL-1993; 93JP-00180246.	
PR	PR	30-JUL-1993; 93JP-00208279.	

XX (SUMO) SUMITOMO CHEM CO LTD.
 XX Hayashi K, Sakaki T, Yabusaki Y, Komai K, Kaneko H, Nakatsuka I;
 XX WPI; 1995-116991/16.
 XX P-PSDB; AAR72377.
 XX Evaluation of safety of a chemical cpd. - using recombinant yeast
 PT expressing human cytochrome p450 and a yeast NADPH-P450 reductase.
 XX Example; Page 91-93; 124pp; English.
 PS The nucleotide sequence of the cDNA coding region for the human auxiliary
 CC cytochrome P450 species 2D6 variant 2. The gene contains variations at
 CC bases 886: T to C and 1457: C to G as compared to the wild type sequence
 CC (AAQ87729). These change the amino acid residues 296: Cys to Arg and 486:
 CC Thr to Ser. The cDNA was amplified by PCR using the primers AAQ87763-6.
 CC The product was cloned into the yeast expression vectors pAAH5N or pAHR
 CC to produce the vectors p2D6 variant 2 for the expression of the
 CC cytochrome P450 alone or p2D6 variant 2 for co-expression with the yeast
 CC NADPH-P450 reductase. The vectors are used in a method for evaluating the
 CC safety of a chemical compound by reacting the chemical compound with
 CC recombinantly produced human cytochrome P450 molecular species 1A2
 CC (AAQ87714), 2C9 (AAQ87715), 2E1 (AAQ87716), or 3A4 (AAQ87717) or their
 CC auxiliary species and variants (AAQ87718-32), and yeast NADPH-P450
 CC reductase, either as a fused protein or in cell extracts, and analysing
 CC the resulting metabolite to assess the safety of the chemical compound.
 CC The method is useful for determining whether the chemical compound, or
 CC its metabolite, will be converted into a carcinogenic or mutagenic form
 CC through metabolism in the liver. (Updated on 25-MAR-2003 to correct PN
 CC field.)

XX SQ Sequence 1494 BP; 248 A; 508 C; 447 G; 291 T; 0 U; 0 Other;

Alignment Scores:

Pred. No.: 1,778-223 Length: 1494
 Score: 2285.50 Matches: 444
 Percent Similarity: 89.54% Conservatives: 1
 Best Local Similarity: 89.34% Mismatches: 1
 Query Match: 98.09% Indels: 51
 DB: 2 Gaps: 1

US-09-820-788a-2 (1-446) x AAQ87731 (1-1494)

QY 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
 DB 1 ATGGGGCTAGAACACCTGTCGCCCTGGCCGTGATAGTGGCCATCTTCTGCTCTCGTGGTG 60
 QY 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuProLeu 40
 DB 61 GACCTGTATGCACCGCGCCCAACGCTGGCGTGCACGCTACCCACCGCCCTGCGCACTG 120
 QY 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
 DB 121 CCCGGGCTGGGCAACCTGCTGCATGTGACTTCCAGACACACCATATCTGCTTCGACCAG 180
 QY 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValVal 80
 DB 181 TTGGCGCGCGCTTCGGGGACGTTGTTCAGCTGTCAGCTGGCGTGGCGCGCGTGGTGGTGG 240
 QY 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
 DB 241 CTCATATGGGCTGGCGCGCGTGGCGAGCGCTGGTGGACCCACCGCGGAGACACCGCCGAC 300
 QY 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln----- 117
 DB 301 CGCCCGCTGTGCCCCATCACCGAGTCTTGGGTTTCGGGCGCGCTTCCAGGGGTGTTTC 360
 QY 117 ----- 117
 DB 361 CTGGCGCGCTATGGGCGCGCGTGGCGGAGAGAGCGGCTTCTCGTCTCCACCTTGGCG 420

QY 117 ----- 117
 DB 421 AACTTGGGCTGGGCAAGAACTCGCTGGAGCAGTGGGTGACGAGGAGCGCGCTTGCCTT 480
 QY 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
 DB 481 TGTGCGGCTTTCGCCAACCACTCTCGGAGCGCCCTTTGGCCCCAACGGTCTCTTGGACAAA 540
 QY 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro 149
 DB 541 GCCGTGAGCAACGTCATCGCCTCCCTCACCTGCGGCGCGCTTCGTAATACGACGACCT 600
 QY 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluSerGlyPheLeu 169
 DB 601 CGCTTCTCTCAGCTGCTGAGACTAGCTCAGGAGGACTGAAGAGGAGTTCGGGCTTCTG 660
 QY 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189
 DB 661 CGCGAGGTGCTGAATGCTGTCCTCCGCTCTCTGCATATCCCGAGCGCTGGCTGCAAGGTC 720
 QY 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
 DB 721 CTACGCTTCCAAAAGGCTTCTCTGACCCAGCTGGATGAGCTGTAACCTGAGCAGCAGGATG 780
 QY 210 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
 DB 781 ACCTGGGAGCCAGCGCCAGCCCGGAGACTGACTGAGGCTTCTCTGGCAGAGATGGAG 840
 QY 230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 249
 DB 841 AAGGCCAAGGGAACCTCTGAGCAGCAGCTTCAATGATGAGAACCTTGGCGCATAGTGGTGCT 900
 QY 250 AspLeuPheSerAlaGlyMetValThrThrSerThrLeuAlaTrpGlyLeuLeuLeu 269
 DB 901 GACCTGTCTCTGCGGGATGCTGACCACTTCGACCGCTGGCGTGGGCTCTCTGCTC 960
 QY 270 MetIleLeuHisProAspValGlnArgArgValGlnGlnGluLeuLeuAspValIleGly 289
 DB 961 ATGATCTTACATCCGATGTGACGCGCGTGTCCACAGGAGATCGACGATGATAGGG 1020
 QY 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 309
 DB 1021 CAGGTGGCGGACACAGAGATGGGTGACCGAGCTCACATGCCCTACCACTGCGGTGATT 1080
 QY 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
 DB 1081 CATGAGTGCAGCGCTTTGGGGACATCGTCCCTCGGTGGTGTGACCCCATATGACATCCCGT 1140
 QY 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 349
 DB 1141 GACATCGAAGTACAGGCTTCCGATCCCTAAGGGAACGACACTCATCCCACTGTCA 1200
 QY 350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
 DB 1201 TCGGTGCTGAAGGATAGGCGCTCTGGGAGAAGCCCTTCGCTTCCACCCCGAACACTTC 1260
 QY 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
 DB 1261 CTGGATGCCAGGCGCACTTTGTGAAGCGGAGGCTTCTCTGCTTCTCAGCAGCGCGC 1320
 QY 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePheThrSerLeu 409
 DB 1321 CGTGCATGCTTCGGGAGCGCCCTTGGCCGATGAGCTTCTTCTTCTTCTTCTTCTTCTTCT 1380
 QY 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
 DB 1381 CTGCAGCACTTTCAGCTTCTCGGTGCTCCACTGGACAGCGCGCGCGCAGCCACCATGTTGTC 1440
 QY 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
 DB 1441 TTTGCTTTCTCTGGTGAAGCCCATCCCTTATGAGCTTTGTGTGTGCTGCCCCG 1491

RESULT 9

AAT28397
 ID AAT28397 standard; DNA; 1494 BP.
 XX
 AC AAT28397;
 XX
 DT 11-OCT-1996 (first entry)
 XX
 DE Human cytochrome P450 molecular species 2D6 variant #3 gene.
 XX
 KW Human cytochrome P450; amplified; PCR; polymerase chain reaction; primer;
 KW liver; yeast; expression vector; NADPH-P450 reductase; ADH gene promoter;
 KW evaluation; safety; fusion protein; metabolite; detoxification;
 KW carcinogenic; ds.
 XX
 OS Homo sapiens.
 XX
 PN JP08056695-A.
 XX
 PD 05-MAR-1996.
 XX
 PF 15-JUL-1994; 94JP-00164184.
 XX
 PR 20-JUL-1993; 93JP-00201120.
 PR 30-JUL-1993; 93JP-00208279.
 PR 17-JUN-1994; 94JP-00136053.
 XX
 XX (SUMO) SUMITOMO CHEM CO LTD.
 XX
 XX WPI; 1996-182311/19.
 DR P-PSDB; AAR93184.
 XX
 XX Novel method for the evaluation of the safety of a cpd. - using a human
 PT cytochrome P450 and yeast NADPH reductase to determine whether the
 PT analyte cpd. is detoxified or metabolised to a carcinogen.
 XX
 XX Example 1; Page 53-55; 74pp; Japanese.
 XX
 CC This is the nucleotide sequence of the human cytochrome P450 molecular
 CC species 2D6 variant #3 which encodes a protein of 497 amino acids. The
 CC gene was amplified from a human liver derived cDNA library as 2 fragments
 CC of 0.4 and 0.9 kb using primers AAT26953-6. The prod. was cloned into the
 CC yeast expression vector pAAH5N to generate plasmid p2D6 for prodn. of the
 CC cytochrome only or into the vector pAHRH to generate the plasmid p2C6r
 CC for co-prodn. with the yeast NADPH-P450 reductase. The sequence is placed
 CC under control of the yeast ADH gene promoter and terminator. The vectors
 CC are used in a method for evaluating the safety of a cpd. by reacting the
 CC test cpd. with recombinantly produced human cytochrome P450 mol. species
 CC 1A2 (AAT28380), 2C9 (AAT28381), 2E1 (AAT28382), 3A4 (AAT28383) or their
 CC variants (AAT28384-98) together with yeast NADPH-P450 reductase (either
 CC as a fused protein or as a cell extract) and analysing the resultant
 CC metabolite. The cpd. is considered "safe" if it is detoxified or not
 CC rendered carcinogenic or "unsafe" if it is not detoxified or is
 CC metabolised to a carcinogenic cpd
 XX
 SQ Sequence 1494 BP; 248 A; 508 C; 447 G; 291 T; 0 U; 0 Other;
 Alignment Scores:
 Pred. No.: 1,77e-223 Length: 1494
 Score: 2285.50 Matches: 444
 Percent Similarity: 89.54% Conservatives: 1
 Best Local Similarity: 89.34% Mismatches: 1
 Query Match: 98.09% Indels: 51
 DB: 2 Gaps: 1
 US-09-820-788A-2 (1-446) x AAT28397 (1-1494)
 QY 1 MetGlyLeuAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
 DB 1 ATGGGGCTAGAGCACTGGTGGCCCTGGCGGTGATAGTGGCCATCTCTCTCTCTCTG 60
 QY 21 AspLeuMetHisArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuProLeu 40
 DB 61 GACCTTGATCAGCGGGCCCAACGCTGGGCTGCACGCTACCCACCACCGCCCTGGCCATG 120

QY 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
 DB 121 CCGGGGCTGGGCAACCTGCTGATGTGGACTTCCAGAACACACCACTACTGCTTCGACCG 180
 QY 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal 80
 DB 181 TTGCGGCGCCGCTTCGGGACGCTGTTCAGCCTGCAGCTGGCGCGCGGCTGGTGGTGG 240
 QY 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
 DB 241 CTCATATGGCTGGCGGCGCTGGCGAGGCGCTGGTGACCCACGCGCGAGGACACCGCGG 300
 QY 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln 117
 DB 301 CGCGCGCCTGTGCCCATCACCATCCTGGGTTCCTGGGCGCGCTTCCCAAGGGGTGTT 360
 QY 117 ----- 117
 DB 361 CTGGCGCGCTATGGGCGCGCTGGCGCGAGAGAGCGCTTCTCCGTCTCCACCTTTCGCG 420
 QY 117 ----- 117
 DB 421 AACTTGGGCGCTGGGCAAGAGTCGCTGGAGCAGTGGGTGACCGAGAGGCGCGCTTCCTT 480
 QY 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
 DB 481 TGTGGCGCTTCGCCCAACCCACTCCGCGCGCGCTTTCGCCCAACCGTCTCTTGGACAAA 540
 QY 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspPro 149
 DB 541 GCGGTGAGCAACGTATCGCTCCCTCACCTCGGCGCGCGCTTCGAATACGACGACCT 600
 QY 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluSerGlyPheLeu 169
 DB 601 CCGTTCTCTGAGGCTGCTGACCTAGCTCAGAGGAGACTGAAGAGAGTGGGCTTTCG 660
 QY 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189
 DB 661 CGCGAGGTGCTGAATGCTGCTCCCGTCTCTCTGATATCCAGCGCTGGCTGGCAAGGTC 720
 QY 190 LeuArgPheGlnIlyAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
 DB 721 CTACGCTTCCAAAGGCTTCTGACCCAGCTGGATGAGCTGCTAACTGAGCACAGATG 780
 QY 210 ThrTrpAspProAlaGlnProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
 DB 781 ACCTGGGACCCAGCCCGAGCCCTGAGACCTGACTGAGGCGCTTCTTGGCAGATGGAG 840
 QY 230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 249
 DB 841 AAGGCCAAGGGGAACCTTGAGAGCAGCTTCATGATGAGAACTGCGCATAGTGGTGGCT 900
 QY 250 AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeu 269
 DB 901 GACCTGTTCTCTGCGGGATGGTGACCACTCGACCACTGCGCTGGCGCTCTCTGCTC 960
 QY 270 MetIleLeuHisProAspValGlnArgValGlnGlnLeuLeuAspValIleGly 289
 DB 961 ATGATCTTACATCCCGATGTCAGCGCGCTGTCCAAACAGGAGATCGACCGTGTAGGG 1020
 QY 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 309
 DB 1021 CAGGTGGCGGACACAGATGGTGACCGAGGCTCATGTCCTCACCACTGCGGTGAT 1080
 QY 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
 DB 1081 CATGAGGTGCACGCGCTTTGGGACATCGTCCCTCGGGTGTGACCATATGATACATCCC 1140
 QY 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrLeuIleThrLeuSer 349
 DB 1141 GACATCGAAGTACAGGGCTTCGCGATCCTTAAGGGAACGACACTCATCAACCACTGTCA 1200

QY 350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
Db 1201 TCGTGTGAAGATGAGCCGCTTGAGAGAGCCCTTCGGCTTCCACCCGAAACACTTC 1260
QY 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
Db 1261 CTGGATGCCAGGCGCACTTTGTGAAGCGGAGGCTTCCTGCTTCTCAGACGCGC 1320
QY 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPhePheThrSerLeu 409
Db 1321 CGTGATGCTCGGAGAGCCCTGCGCGCATGGAGCTTCTCTCTTCTTCACTTCCCTG 1380
QY 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
Db 1381 CTGCAGCACTTCAGCTTCTCGGTGCCACTGGACAGCCCGGCCAGCACCATGGTGTG 1440
QY 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
Db 1441 TTTGCTTTCGTGAGCCATCCCTATGAGCTTTGTGTGTGCCCGC 1491

RESULT 10

AAT17388
ID AAT17388 standard; cDNA; 1494 BP.

AC AAT17388;

XX 01-AUG-1996 (first entry)

XX Human derived cytochrome P4502D6 cDNA.

DE Human derived cytochrome; P4502D6; commercial cDNA library; yeast;
KW transfection; recombinant production; expression vector; mammal;
KW immunisation; sensitisation; antibody; determination; detection;
KW non-cross reactive; ds.

XX Homo sapiens.

XX Key Location/Qualifiers
FH 1..1494
FT /*tag= a

XX JP08027199-A.

XX 30-JAN-1996.

XX 15-JUL-1994; 94JP-00164186.

XX 15-JUL-1994; 94JP-00164186.

XX (SUMO) SUMITOMO CHEM CO LTD.

XX WPI; 1996-136340/14.

XX P-PSDB; AAR81462.

XX Antibody recognising human derived cytochrome P4502D6 - allows specific
PT detection of cytochrome P450 species in humans.

XX Example 1; Page 11-13; 13pp; Japanese.

XX The present sequence encodes the human derived cytochrome (HDC) P4502D6,
CC which was obtd. from a commercial cDNA library. Yeast were transfected
CC with an expression vector contg. the HDC cDNA, cultured and then
CC disrupted to give a microsomal fraction. The HDC was purified from the
CC fraction, and used to immunise and sensitise a mammal. Blood was drawn
CC from the mammal, and an anti-HDC antibody isolated. The antibody obtd.
CC recognises HDC P4502D6, partic. at a serum dilution rate of 1:10000, and
CC is substantially without cross reaction to other HDC P450 spp

XX Sequence 1494 BP; 248 A; 508 C; 447 G; 291 T; 0 U; 0 Other;

Alignment Scores:

Pred. No.: 1.77e-223 Length: 1494
Score: 2285.50 Matches: 444

Percent Similarity: 89.54% Conservative: 1
Best Local Similarity: 89.34% Mismatches: 1
Query Match: 51
DB: 2 Indels: 1
Gaps: 1
US-09-820-788A-2 (1-446) x AAT17388 (1-1494)
QY 1 MetGlyLeuGluAlaLeuValProLeuAlaValLleValAlaLlePheLeuLeuVal 20
Db 1 ATGGGGCTAGAAAGACACTGGTGGCCCTGGCCGTAGTGGCCATCTTCTCTCTCTCTG 60
QY 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuProLeu 40
Db 61 GACCTGATGCAACGGCGCAACGCTGGCTGCACGCTACCCACACAGGCCCTTCCACTG 120
QY 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
Db 121 CCGGGCTGGGCAACCTGCTCATGTGGACTTCAGAACACACCATACTGCTTCGACCAG 180
QY 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal 80
Db 181 TTGGGGCGCGCTTCGGGGACGTTTCAGCTGCGCTGGAGCTGGAGCCCGGTGGTGTG 240
QY 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
Db 241 CTCAATGGCTGGCGCGCTGGCGAGCGCTGGTGACCCACCGCGGAGACACCGCCGAC 300
QY 101 ArgProValProLleThrGlnLeuGlyPheGlyProArgSerGln----- 117
Db 301 CGCCCGCTGTGCCCATCACCAGATCTGGGTTCGGGGCGCGTTCCTCAAGGGGTGTTC 360
QY 117 ----- 117
Db 361 CTGGCGGCTATGGGCGCGCTGGCGAGCAGAGCGCTTCTCCGTCTCCACCTTGGCG 420
QY 117 ----- 117
Db 421 AACTTGGGCTGGGCAAGAAGTCTGCTGGAGCAGTGGGTGACCGAGGAGCGCGCTGCTT 480
QY 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
Db 481 TGTGGCGCTTCGGCAACCACTCCGGAGCGCCCTTTGGCCCAACGGTCTCTTGACAAA 540
QY 130 AlaValSerAsnValLleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro 149
Db 541 GCCGTGAGCAACGTGATCGCTCCCTCACCCTGCGGGCGCGCTTCGAATACGAGACCT 600
QY 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu 169
Db 601 CGCTTCTCAGGCTGCTGGACCTAGCTCAGAGGGGACTGAGAGGAGGAGTCCGGGCTTCTG 660
QY 170 ArgGluValLeuAsnAlaValProValLeuLeuHisLleProAlaLeuAlaGlyLysVal 189
Db 661 CGCGAGGTGCTGAATGTCTGCCGCTCTCTGATATCCCGAGCTGGCTGGCAAGGTC 720
QY 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
Db 721 CTACGCTTCCAAAAGGCTTCTCACCAGCTGATGAGCTGCTAACTGACACAGGATG 780
QY 210 ThrTrpAspProAlaGlnProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
Db 781 ACCTGGAGCCAGCCAGCCAGCCCGGACCTGACTGAGGCTTCTTCTGGCAGAGATGGAG 840
QY 230 LysAlaLysGlyAsnProGluSerPheAsnAspGluAsnLeuArgIleValValAla 249
Db 841 AAGGCCAAGGGAACCTCGAGAGCAGCTTCAATGATGAGAACCTCGCGCATAGTGGTGGCT 900
QY 250 AspLeuPheSerAlaGlyMetValThrSerThrThrLeuAlaTrpGlyLeuLeuLeu 269
Db 901 GACCTGTCTCTGCGGGATGGTACCACCTTCGACCGCTGGCTGGGCTCTCTGCTC 960
QY 270 MetIleLeuHisProAspValGlnArgValGlnGlnGluIleAspAspValIleGly 289

```
Db 961 ATGATCCTACATCCGATGTGACGCCGCTGTCCAAACAGGAGATCGACGCTGATAGGG 1020
QY 290 GlnValArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 309
Db 1021 CAGGTGGCGACACAGATGGGTGACAGGCTCACATGCCCTACACCACTGCCGTGATT 1080
QY 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
Db 1081 CATGAGGTGAGCGCTTTGGGGACATCGTCCCTGGGTGTGACCATATGACATCCCGT 1140
QY 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 349
Db 1141 GACATCGAAGTACAGGCTTCGCCATCCCTAAGGGAACGACATCATCAACCTGTCA 1200
QY 350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
Db 1201 TCGGTGCTGAAGCATGAGCGCTCTGGAGAGCCCTTCGGCTTCCACCCGACACTTC 1260
QY 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
Db 1261 CTGGATGCCCGAGGCCACTTTGTGAAGCCGGAGGCCCTTCCTGCTTTCTCAGCAGCCGC 1320
QY 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePheThrSerLeu 409
Db 1321 CGTGCATGCTCGGGAGCCCTCGGCCCGCATGGAGCTCTTCTCTTCTACCTCCCTCG 1380
QY 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
Db 1381 CTGCAGCACTTCAGCTTCTCGGTGCCACTGGACAGCCCGGCCAGCCACCATGTGTGTC 1440
QY 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
Db 1441 TTGTGCTTTCGTGTGAGCCCATCCCTCATGAGCTTTGTGTGTGTCGCCCGC 1491

RESULT 11
ID ABQ72216 standard; cDNA; 1494 BP.
XX
AC ABQ72216;
XX
DT 02-SEP-2002 (first entry)
XX
DE Human CYP2D6 gene coding sequence, SEQ ID NO:2.
XX
KW Human; cytochrome P450; subfamily IID polypeptide 6; CYP2D6; enzyme;
KW chromosome 22q13.1; drug metabolism; detoxification; mono-oxygenase;
KW antiarrhythmic; arrhythmia; adrenoreceptor antagonist; hypertension;
KW tricyclic antidepressant; procainamide; drug induced lupus syndrome;
KW environmentally linked disease; Parkinson's disease; haplotyping;
KW genotyping; haplotype; genetic variant; single nucleotide polymorphism;
KW SNP; drug screening; drug discovery; gene; ss.
XX
OS Homo sapiens.
XX
FH Key
FH CDS
FT 1..1494
FT /tag= a
FT /product= "CYP2D6"
FT variation
FT /tag= b
FT /label= PS7
FT /note= "Known single nucleotide polymorphism (SNP);
FT causes the amino acid substitution V7M"
FT replace(31, A)
FT /tag= c
FT /label= PS8
FT /note= "Known single nucleotide polymorphism (SNP);
FT causes the amino acid substitution V11M"
FT variation
FT /tag= d
FT /label= PS9
FT /note= "Known single nucleotide polymorphism (SNP);
FT causes the amino acid substitution P34S"
FT

replace(263, A)
/tag= e
/label= PS12
/note= "Novel single nucleotide polymorphism (SNP);
causes the amino acid substitution R88H"
replace(271, A)
/tag= f
/label= PS13
/note= "Known single nucleotide polymorphism (SNP);
causes the amino acid substitution L91M"
replace(281, G)
/tag= g
/label= PS14
/note= "Novel single nucleotide polymorphism (SNP);
causes the amino acid substitution H94R"
replace(294, G)
/tag= h
/label= PS15
/note= "Novel single nucleotide polymorphism (SNP)"
replace(311, C)
/tag= i
/label= PS16
/note= "Novel single nucleotide polymorphism (SNP);
causes the amino acid substitution V104A"
replace(319, T)
/tag= j
/label= PS17
/note= "Novel single nucleotide polymorphism (SNP);
together with PS18 causes the amino acid substitution
T107P"
replace(320, T)
/tag= k
/label= PS18
/note= "Novel single nucleotide polymorphism (SNP);
together with PS17 causes the amino acid substitution
T107P"
replace(325, G)
/tag= l
/label= PS19
/note= "Novel single nucleotide polymorphism (SNP);
causes the amino acid substitution I109V"
replace(333, C)
/tag= m
/label= PS20
/note= "Novel single nucleotide polymorphism (SNP)"
replace(336, T)
/tag= n
/label= PS21
/note= "Known single nucleotide polymorphism (SNP)"
replace(358, A)
/tag= o
/label= PS27
/note= "Novel single nucleotide polymorphism (SNP);
causes the amino acid substitution F120I"
replace(382, C)
/tag= p
/label= PS28
/note= "Novel single nucleotide polymorphism (SNP);
causes the amino acid substitution W128R"
replace(406, A)
/tag= q
/label= PS29
/note= "Novel single nucleotide polymorphism (SNP);
together with PS30 causes the amino acid substitution
V136I"
replace(408, C)
/tag= r
/label= PS30
/note= "Known single nucleotide polymorphism (SNP);
together with PS29 causes the amino acid substitution
V136I"
replace(451, G)
/tag= s
```

FT /label= PS31
FT /note= "Known single nucleotide polymorphism (SNP);
FT causes the amino acid substitution Q151E"
FT replace(463, A)
FT /*tag= t
FT /label= PS32
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution E155K"
FT replace(696, C)
FT /*tag= u
FT /label= PS35
FT /note= "Known single nucleotide polymorphism (SNP)"
FT replace(1012, A)
FT /*tag= v
FT /label= PS36
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution V338M"
FT replace(1030, T)
FT /*tag= w
FT /label= PS37
FT /note= "Novel single nucleotide polymorphism (SNP);
FT generates a premature stop codon (R344STOP)"
FT replace(1083, C)
FT /*tag= x
FT /label= PS38
FT /note= "Novel single nucleotide polymorphism (SNP)"
FT replace(1457, C)
FT /*tag= y
FT /label= PS41
FT /note= "Known single nucleotide polymorphism (SNP);
FT causes the amino acid substitution S486T"
FT replace(1489, T)
FT /*tag= z
FT /label= PS42
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution R497C"
XX WO200238589-A2.
XX
XX
XX 16-MAY-2002.
XX
XX 09-NOV-2001; 2001WO-US047396.
XX
XX 09-NOV-2000; 2000US-0247943P.
XX
XX (GENA-) GENAISSANCE PHARM INC.
XX
XX Anastasio AE, Chew A, Choi JY, Denton RR, Nandabalan K;
XX Petersen N, Rounds E;
XX
XX WPI; 2002-519292/55.
XX P-PSDB; AB09563.
XX
XX Novel genetic variants of Cytochrome P450, Subfamily IID, Polypeptide 6
XX isoenzymes, useful for improving efficiency and reliability in drug
XX development for treating hypertension, arrhythmias, and Parkinson's
XX disease.
XX
XX Claim 25; Fig 2; 158pp; English.
XX
XX The invention relates to a method for haplotyping the cytochrome P450,
XX subfamily IID, polypeptide 6 (CYP2D6) gene (ABQ72215, ABQ72364) of an
XX individual, and also describes 29 novel polymorphic sites within the
XX human CYP2D6 gene. The CYP2D6 gene is located on chromosome 22q13.1 and
XX contains 9 exons which encode a 497 amino acid protein (AB09563). CYP2D6
XX is a mono-oxygenase involved in the detoxification of many drugs and
XX environmental chemicals. It plays a role in the metabolism of drugs such
XX as antiarrhythmics, adrenoceptor antagonists and tricyclic
XX antidepressants, and is also involved in the formation of a metabolite
XX linked to the drug-induced lupus syndrome observed with procainamide.
XX Variations in CYP2D6 activity or expression may also influence an
XX individual's susceptibility to environmentally-linked diseases, and it
XX has been demonstrated that CYP2D6 activity may be involved in the

CC pathogenesis of Parkinson's disease, with individuals with a less active
CC form of the enzyme tending to have an earlier onset of this condition.
CC CYP2D6 nucleic acid sequences are useful in studying the expression and
CC function of CYP2D6, and in expressing CYP2D6 protein for use in screening
CC drugs for the treatment of CYP2D6-associated diseases (e.g.,
CC hypertension, atrial and ventricular arrhythmias, Parkinson's disease,
CC and drug-induced lupus syndrome) or which are metabolised by CYP2D6.
CC CYP2D6 nucleic acids and proteins are also useful in studying the effect
CC of polymorphisms on the biological activity of CYP2D6. Polymorphisms in
CC the target region may be determined by the use of allele-specific
CC oligonucleotides (ASOs; ABQ72217-ABQ72303) as probes and primers, and by
CC primer extension using oligonucleotide primers comprising sequences
CC ABQ72304-ABQ72361. The method of the invention is useful for haplotyping
CC the CYP2D6 gene in populations and in individuals, enabling decisions to
CC be made as to whether CYP2D6 is a likely therapeutic target for a disease
CC of interest, and to control for genetically-based bias in the design of
CC drugs that target or are metabolised by CYP2D6. In addition, transgenic

Alignment Scores:
Pred No.: 1,77e-223 Length: 1494
Score: 2285.50 Matches: 444
Percent Similarity: 89.54% Conservatives: 1
Best Local Similarity: 89.34% Mismatches: 1
Query Match: 98.09% Indels: 51
DB: 6 Gaps: 1

US-09-820-788A-2 (1-446) x ABQ72216 (1-1494)

QY 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
DB 1 ATGGGGCTAGAAAGCACTGGTGGCCCTGGCCGTGATAGTGGCCATCTTCTCTCTCTG 60
QY 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuProLeu 40
DB 61 GACCTGATGCACCGCGCCAAACGCTGGGCTGCACGCTACCCACGAGGCCCTGCACTG 120
QY 41 ProGlyLeuGlyAsnLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
DB 121 CCCGGCTGGGCAACCTGCTGCACTGGACTTCAGAACACACACCATCTGTTGACCCAG 180
QY 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaIleThrProValValVal 80
DB 181 TTGGGGCGCGCTTCGGGGACGTGTTCAAGCTGCAGCTGGCGTGCAGCCGGTGGTCGTG 240
QY 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
DB 241 CTCAATGGGCTGGCGCGCGCTGCAGCGCTGGTGACCCACGCGAGGACACCGCCGAC 300
QY 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln----- 117
DB 301 CGCCGCGCTGTGCCCATCACCAGATCTCTGGGTTCGGGGCGCGGTTCACAGGGGTGTT 360
QY 117 ----- 117
DB 361 CTGGCGCGCTATGGCGCGCGTGGCGGAGCAGAGCGCTTCTCGTGTCCACCTTGGCG 420
QY 117 ----- 117
DB 421 AACTTGGGCTGGGCAAGAGTCCGTGGAGCAGTGGGTGACCGAGGAGCGCCCTTCCTT 480
QY 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
DB 481 TGTGGCGCTTCGGCAACCACTCCGGAGCGCCCTTTCGCCCAACGGTCTTTTGGACAAA 540
QY 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro 149
DB 541 GCCGTGAGCAACGATGTCCTCCCTACCTGCGGGCGCGCTTCGAGTACGACGACCT 600
QY 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluLeuLysGluLysSerGlyPheLeu 169
DB 601 CGCTTCTCAGCGCTGAGCTAGCTCAGGAGGAGCTGAAGAGGAGTTCGGGCTTTCTG 660
QY 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189


```
Db 661 CGCGAGGTCTGAATCTCTCCCGTCCCTCTGCATATCCAGCGCTGGCTGGCAAGTTC 720
Qy 190 LeuAtpPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuThrGluHisArgMet 209
Db 721 CTACGCTTCCAAAGAGCTTCTGACCCAGCTGGATGAGCTCTAACTAGCACAGATG 780
Qy 210 ThrTpaAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
Db 781 ACTGGGACCCAGCCCGAGCCCGGAGACCTGACTGAGGCTTCTTGGCAGATGGAG 840
Qy 230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgLleValValAla 249
Db 841 AAGGCCAAGGGAACCTCAGAGACGCTTCAATGATGAGAACCTGGCATAGTGGCT 900
Qy 250 AspLeuPheSerAlaGlyMetValThrThrSerThrLeuAlaThrGlyLeuLeuLeu 269
Db 901 GACCTGTCTCTCCGGGATGGTGACCACTGACACACCTGGCTGGGGCTCTCTGCTC 960
Qy 270 MetIleLeuHisProAspValGlnArgArgValGlnGlnIleAspAspValIleGly 289
Db 961 ATGATCTACATCCGATGTGCAGCGCGCTGTCCAAACAGAGATCGACGCTGATAGG 1020
Qy 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValle 309
Db 1021 CAGGTGCGCGCACAGAGATGGGTGACCAAGGCTCACAATGCCCTACCACTGCCGTGATT 1080
Qy 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
Db 1081 CATGAGTGCAGCGCTTTCGGGACATCTGTCCTCCCTGGGTGACCCATATGATCCTCT 1140
Qy 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 349
Db 1141 GACATCGAAGTACAGGCTTCCGCATCCCTAAGGGAACGACACTCATCAACCACTGTCA 1200
Qy 350 SerValLeuLysAspGluAlaValThrGluLysProPheArgPheHisProGluHisPhe 369
Db 1201 TCGGTGCTCAAGGATGAGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCCGAACACTTC 1260
Qy 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuPhePheSerAlaGlyArg 389
Db 1261 CTGGATGCCAGGCGCACCTTTGTGAAGCGGAGGCTTCTCTGCTTCTCACTCCCTG 1320
Qy 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPhePheThrSerLeu 409
Db 1321 CGTGATGCTCTGGGAGCCCTGGCCCGCATGGAGCTTCTCTTCTCACTCCCTG 1380
Qy 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
Db 1381 CTGCAGCACTTCAGCTTCTCGGTGCCCACTGGACAGCCCGGCCAGCCACCATGCTGTC 1440
Qy 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
Db 1441 TTGTGTTTCTGTGAGCCCATCCCCCTATGAGCTTTGTGCTGTGCCCGC 1491
```

RESULT 12

ADB25778

ID ADB25778 standard; DNA; 1567 BP.

XX ADB25778;

AC ADB25778;

XX 20-NOV-2003 (first entry)

XX Human CYP2D6-related gene #3.

XX human; mutant CYP2D6 gene; drug analysis; drug testing; gene; ds.

XX Homo sapiens.

XX Key Location/Qualifiers

FT 1..1494

FT /tag= a

FT /product= "Human CYP2D6-related protein #3"

```
XX WO2003050282-A1.
XX 19-JUN-2003.
XX 05-DEC-2002; 2002WO-JP012748.
XX 06-DEC-2001; 2001JP-00372548.
XX (TSUR ) TSUMURA & CO.
XX Taniyama M, Ogawa K, Tsuchiya N, Hibino T;
XX WPI; 2003-505401/47.
XX P-PSDB; ADB25833.
XX Genetic polymorphisms of CYP2D6 gene in human population for analysis of
XX drug effect on individual patients and testing of new drugs.
XX Claim 8; Page 46-50; 75pp; Japanese.
XX The invention comprises mutant forms of the human CYP2D6 gene, containing
XX one or more of the following mutations G125A, C1858T, T2874C and C2875T.
XX The mutant human CYP2D6 genes of the invention are useful for analysing
XX the effect of drugs on individual patients and testing of new drugs. The
XX present DNA sequence represents a human gene of the invention.
XX SQ Sequence 1567 BP; 266 A; 528 C; 465 G; 308 T; 0 U; 0 Other;
```

Alignment Scores:

```
Pred. No.: 1.9e-223 Length: 1567
Score: 2285.50 Matches: 444
Percent Similarity: 89.54% Conservative: 1
Best Local Similarity: 89.34% Mismatches: 1
Query Match: 98.09% Indels: 51
DB: 7 Gaps: 1
```

US-09-820-788A-2 (1-446) x ADB25778 (1-1567)

```
Qy 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
Db 1 ATGGGGCTAGAGACATCTGGTCCCTGGCGGTAGTAGGCCATCTTCTGCTCTCTGGTG 60
Qy 21 AspLeuMetHisArgArgGlnArgTpaAlaAlaArgTyrSerProGlyProLeuProLeu 40
Db 61 GACCTGATGCACCGCGCGCAACGCTGGCTGGCTACCGCTACCCACAGGCCCTTGCACATG 120
Qy 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
Db 121 CCGCGCTGGGCAACCTGCTGCATGTGGACTTCCAGAAACACACCATACTGCTTCGACCAG 180
Qy 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaThrThrProValValVal 80
Db 181 TTGGCGCGCGCTTCGGGAGCGTGTTCAGCTTGCAGCTGGCTGGACCGCGGTGGTGGTGG 240
Qy 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
Db 241 CTCATGGCTGGCGCGCTGGCGCGCTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 300
Qy 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln----- 117
Db 301 CGCGCGCTGTGCCCATCACCAGATCCTGGGTTTCGGGCGCGCTTCCAGAGGGGTGTTTC 360
Qy 117 ----- 117
Db 361 CTGGCGCGCTATGGCGCGCGCTGGCGCGAGAGAGCGCTTCTCCGCTCTCCACCTTGGCG 420
Qy 117 ----- 117
Db 421 AACTTGGCGCTGGGCAAGAGTCTGGAGCAGTGGTGGTGGTGGTGGTGGTGGTGGTGGT 480
Qy 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
Db -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
```

```
Db 481 TGTGCGCGCTTCGCCAACACCTCCGAGCGCCCTTTGCGCCCAACGGTCTCTTGTGACAAA 540
Qy 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspSerPro 149
Db 541 GCGGTGAGCAAGTATGCTCCCTCCCTACCTCGCGCGCGCGCTTCGAGTACGACACCT 600
Qy 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLeuGluSerGlyPheLeu 169
Db 601 CGCTTCCTCAGGCTGCTGGACCTAGCTCAGGAGGACTGAGAGGAGGCTCGGCGCTTCG 660
Qy 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189
Db 661 CGCGAGGTGCTGAATGCTGCTCCCTCTCTGCTATATCCAGCGCTGGTGCAGAGTC 720
Qy 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
Db 721 CTACGCTTCCAAAGGCTTCTCTGACCGAGCTGAGTGTCTAACTGAGCAGCAGGATG 780
Qy 210 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
Db 781 ACTGGGACCCAGCCAGCCCGGAGACCTGACTGAGGCTTCTGCGAGAGATGGAG 840
Qy 230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 249
Db 841 AAGGCCAAGGGAAACCTGAGAGCAGCTTCAATGATGAGAACCTGCGCATAGTGTGCT 900
Qy 250 AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeu 269
Db 901 GACCTGTTCCTGCGCGGATGTGACCACTGACCGCTGCGCTGGCGCTCTCTGCTC 960
Qy 270 MetIleLeuHisProAspValGlnArgArgValGlnGlnGluIleAspAspValIleGly 289
Db 961 ATGATCTTACATCCGATGTGCGAGCGCGCTGTCACAGGAGATCGACAGCTGATAGG 1020
Qy 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrAlaValIle 309
Db 1021 CAGGTGCGCGACAGAGATGGTGCACCGAGCTCATGCTCCCTACCACTGCGGTGAT 1080
Qy 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
Db 1081 CATGAGGTGCAGCGCTTGTGGGACATCGTCCCGTGGGTGTGACCATATGACATCCCGT 1140
Qy 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 349
Db 1141 GACATCGAAGTACAGGCTTCGCGATCCCTAGGGAACGACACTCATCAACACCTGTCA 1200
Qy 350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
Db 1201 TCGGTGCTGAAGATGAGGCGCTGTGGGAGAGCCCTTCGCTTCCACCCGACACTTC 1260
Qy 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
Db 1261 CTGGATGCCAGGCGCACTTTGTGAAGCGGAGGCGCTTCCTGCTTCTCAGCAGCGCGC 1320
Qy 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu 409
Db 1321 CGTGATGCTCGGGGAGCCCTGCGCGCATGGAGCTTCTCTCTTCTTACCTCCCTG 1380
Qy 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyVal 429
Db 1381 CTGCAGCACTTCAGCTTCTCGGTGCGCACTGGAGAGCCCGCGCCAGCCACCATGTGTC 1440
Qy 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
Db 1441 TTTGCTTTCCTGTGAGCCCATCCCGCTATGAGCTTGTGTGTGCTGCTGCGCCGC 1491
RESULT 13
ACF06056
ID ACF06056 standard; cDNA; 1494 BP.
XX
AC ACF06056;
XX
PT 22-SEP-2003 (first entry)
```

```
XX Human cytochrome P450 2D6 encoding cDNA.
DE
XX Human; protein array; protein moiety; phenotype; drug discovery;
KW naturally occurring variant; pharmacogenomic; diagnostic;
KW parallel analysis; tumour suppressor; p53; cytochrome P450; gene; ss.
OS Homo sapiens.
XX
XX WO2003048768-A2.
PN 12-JUN-2003.
XX
XX 05-DEC-2002; 2002WO-GB005499.
XX
XX 05-DEC-2001; 2001US-0335806P.
PR 16-SEP-2002; 2002US-0410815P.
XX
XX (SENS-) SENSE PROTEOMIC LTD.
PA
XX
XX Boutell JM, Godber BLJ, Hart DJ, Blackburn JD;
PI
XX
XX WPI; 2003-569063/53.
DR P-PSDB; ABR82026.
XX
XX New protein array, useful for determining the phenotype of a naturally
PT occurring variant of a DNA sequence of interest, comprises a surface upon
PT which at least two protein moieties are deposited.
XX
XX Example 5; Fig 13A; 84pp; English.
XX
XX The present invention describes a protein array comprising a surface upon
CC which at least two protein moieties are deposited at spatially defined
CC locations, where the protein moieties are naturally occurring variants of
CC a DNA sequence of interest. Also described: (1) making a protein array;
CC (2) screening a set of protein moieties for molecules that interact with
CC one or more proteins; and (3) simultaneously determining the relative
CC properties of members of a set of protein moieties. The protein array can
CC be used for determining the phenotype of a naturally occurring variant of
CC a DNA sequence of interest. The protein array is useful for drug
CC discovery, pharmacogenomics and diagnostics. The protein array allows the
CC parallel analysis of closely related proteins with a sensitivity that is
CC at least comparable to existing methods, if not better, with small
CC volumes of potentially expensive ligands, and in a quantitative,
CC comparative functional analysis manner not previously possible. ACF06000
CC to ACF06056 and ABR81975 to ABR82026 represent sequences used in the
CC exemplification of the present invention
XX
SQ Sequence 1494 BP; 248 A; 507 C; 448 G; 291 T; 0 U; 0 Other;
Alignment Scores:
Pred. No.: 3,59e-223 Length: 1494
Score: 2282.50 Matches: 443
Percent Similarity: 89.54% Conservativity: 2
Best Local Similarity: 89.13% Mismatches: 1
Query Match: 97.96% Indels: 51
DB: Gaps: 1
US-09-820-788A-2 (1-446) x ACF06056 (1-1494)
Qy 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
Db 1 ATGGGGCTAGAAAGCACTGGTGGCCCTGAGTAGTGGCCATCTTCTCTCTCTCTG 60
Qy 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuProLeu 40
Db 61 GACCTGATGACCGCGCGCAACGCTGGGCTGACGCTACCCACCGAGCCCTTGCACCTG 120
Qy 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
Db 121 CCCGGGTGGGCAACCTGCTGCTGAGCTTCCAGAACACACCATATCTGCTTGCACGAG 180
Qy 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal 80
```

181 TTGCGCGCGCTTGGGAGCGTGTTCAGCCTGCGAGTGGCTGGCGCGGTGGTGGT 240
81 LeuAsnGlyLeuAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
241 CTCATGGGCTGGCGCGCTGGCGAGGCGCTGGTACCCACGCGAGGACACCCCGAC 300
101 ArgProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln----- 117
301 CGCCGCGCTGTGCCCATCACCCAGATCCTGGGTTCCTGGGCGCGTTCCTCCAGGGGTGTTTC 360
117 ----- 117
361 CTGGCGCGCTATGGGCGCGCTGGCGCGAGAGCGGCTTCTCGGTGTCCACCTTGGCG 420
117 ----- 117
421 AACTTGGGCTGGCGAGAGTGCCTGGAGAGTGGGTGACCGAGAGCGCCCTGCCTT 480
118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
481 TGTGGCGCTTCGCCAACCACTCCGGAGCGCCCTTTCGCCCAACGGTCTCTTGGACAA 540
130 AlaValSerAsnValIleAlaSerIleThrCysGlyArgArgPheSerIleThrAspPro 149
541 GCGGTGAGCAACGTCATCGCTCCCTCACCTCGGGCGCGCTTCGAGTACGACGACCT 600
150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu 169
601 CCGTCTCCTCAGGCTGTGGACCTAGCTCAGGAGGAGCTGAAGAGGAGTGGGGCTTCTG 660
170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189
661 CCGAGGTGCTGAATGCTGTCCCGCTCTCTCTGCATATCCAGCGCTGGCTGGCAAGTTC 720
190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
721 CTACGCTTCCAAAGGCTTCTCTGACCCAGCTGGATGAGCTGAATGAGCACTGAGCAGGATG 780
210 ThrTrpAspProAlaGlnProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
781 ACCTGGACCCAGCCAGCCCGGAGACCTGAGCTGAGGCGCTTCTGGCAGAGTGGAG 840
230 LysAlaLysGlyAsnProGluSerPheAsnAspGluAsnLeuArgIleValValAla 249
841 AAGGCCAAGGGACCTCAGAGCAGCTTCATGATGAACTGCGCATAGTGGTGGCT 900
250 AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeuLeu 269
901 GACCTGTTCTTGGCGGATGGTACCACTCGACCGCTGGCGCTGGCGCTCTCTGCTC 960
270 MetIleLeuHisProAspValGlnArgArgValGlnGlnGluLeuAspValIleGly 289
961 ATGATCTCATCTCGGATGTGAGCGCGCTGTCCAAACAGGAGATCGACGACGTGATAGG 1020
290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 309
1021 CAGGTGGCGGACGAGATGGGTGACAGGCTCATGCTCCCTACCACTCCCGGTGATT 1080
310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
1081 CATGAGTGCAGCGCTTTCGGGACATCGTCCCGCTGGGTATGACCACTATGACATCCCGT 1140
330 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 349
1141 GACATCGAATGACAGGCTTCGCGCATCCCTTAAGGGAACACACTCATCAACCACTGTCA 1200
350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
1201 TCGGTGCTGAAGATGAGCGCGTCTGGGAGAGCCCTTCCGCTTCCACCCCGAACACTTC 1260
370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389

1261 CTGATGCCAGGGCCACTTTGTGAAGCCGAGGCGCTTCTGCGCTTCTCAGCAGGCGCG 1320
390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePheThrSerLeu 409
1321 CGTGCATGCTCGGGAGCCCTGGCCCGCATGGAGCTTCTCTTCTTCCACTCCCTG 1380
410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
1381 CTGAGCAGCTTTCAGCTTCTCGGTGCCACTGGACAGCCCGCGCCAGCCACCATGGTGC 1440
430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
1441 TTTGCTTTCTGGTGAGCCCATCCCTTATGAGCTTTGTGTGTGCCCCGCG 1491

RESULT 14
ACA61303
ID ACA61303 standard; cDNA; 1567 BP.
XX
AC ACA61303;
XX
DT 16-JUL-2003 (first entry)
XX
DE Human cytochrome p450 gene CYP2D6, wild-type cDNA.
XX
KW Human; ss; gene; cytochrome P450; CYP2D6; chromosome 22; SNP;
KW single nucleotide polymorphism; drug metabolism; cardiovascular disorder;
KW psychiatric disorder; drug sensitivity.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT CDS 1..1494
FT /tag= a
FT /product= "CYP2D6 protein"
XX
PN EPI281755-A2.
XX
PD 05-FEB-2003.
XX
PF 16-JUL-2002; 2002EP-00254972.
XX
PR 31-JUL-2001; 2001US-0309111P.
XX
PA (PFIZ) PFIZER PROD INC.
XX
PI Milos PM, Webb SM;
XX
DR WPI; 2003-373769/36.
DR P-PSDB; ABU09593.
XX
PT New cytochrome P450 2D6 gene variants and polypeptides, useful for
PT determining if a subject has or is at risk of developing a drug
PT sensitivity condition or disorder that is associated with an aberrant
PT CYP2D6 activity.
XX
PS Claim 2; Fig 4; 88pp; English.
XX
CC The invention relates to an isolated nucleic acid comprising a cytochrome
CC P450 2D6 gene variant, e.g. G5799C or C5816A (referring to the genomic
CC sequence or the same variant nucleotide in the corresponding cDNA
CC sequences). Also included are probes, primers (allele specific
CC oligonucleotides) and arrays used to detect and/or amplify the CYP2D6
CC gene polymorphic regions, the variant polypeptides, antibodies which are
CC capable of distinguishing between the variant and wild-type polypeptides,
CC determining whether a subject has a genetic deficiency for metabolising a
CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6 and
CC determining whether an individual is susceptible to being a poor
CC metaboliser of drugs. The DNA probe is useful for hybridising to a
CC variant form of the CYP2D6 gene. The primer is useful for amplifying the
CC C5816A allelic variant. The allele specific nucleotide is useful for the
CC detection of the C5816A allelic variant. The methods are useful for
CC determining whether a subject has a genetic deficiency for metabolising a
CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6, and

CC determining if an individual is susceptible to being a poor metaboliser
 CC of drugs. The nucleic acids are useful as probes or primers for
 CC determining whether a subject has a genetic deficiency for metabolising
 CC drugs that are substrates of P450 CYP2D6. The methods are useful for
 CC determining if a subject has or is at risk of developing a drug
 CC sensitivity condition or disorder that is associated with an aberrant
 CC CYP2D6 activity, e.g. an aberrant level of a CYP2D6 protein or an
 CC aberrant CYP2D6 bioactivity. The methods are also useful in selecting the
 CC appropriate drugs or determining the course of treatment to administer to
 CC a subject to treat cardiovascular or psychiatric disorders, or for
 CC treating a subject with a drug sensitivity or disorder associated with a
 CC specific allelic variant of a polymorphic region of the CYP2D6 gene. The
 CC antibodies are useful for monitoring CYP2D6 protein levels in an
 CC individual for determining whether a subject has a disease or conditions
 CC associated with an aberrant CYP2D6 protein level. The gene is located on
 CC human chromosome 22. The present sequence is the wild-type CYP2D6 cDNA
 XX

SQ Sequence 1567 BP; 267 A; 527 C; 465 G; 308 T; 0 U; 0 Other;

Alignment Scores:

Pred. No.:	3,848-223	Length:	1567
Score:	2282.50	Matches:	443
Percent Similarity:	89.54%	Conservative:	2
Best Local Similarity:	89.13%	Mismatches:	1
Query Match:	97.96%	Indels:	51
DB:	7	Gaps:	1

US-09-820-788A-2 (1-446) x ACA61303 (1-1567)

QY	1	MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal	20
DB	1	ATGGGGCTAGAAAGCACTGGTCCCTGGCCGTGATAGTGGCCATCTTCTCTCTCTG	60
QY	21	AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuProLeu	40
DB	61	GACCTGATGACCCGCGCCCAACGCTGGCGCTGCACGCTACCCACAGGCCCTCTGCACTG	120
QY	41	ProGlyLeuGlyAsnLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln	60
DB	121	CCCGGGCTGGGCACTGCTGATGAGTGGCTTCCAGAACACACACCATCTGTTGACCCAG	180
QY	61	LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaIleThrProValVal	80
DB	181	TTGGGCGCCGCTTCGGGGACGTGTTACGCTGCAGCTGGCGTGGCGACGCCGCTGGTGGT	240
QY	81	LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp	100
DB	241	CTCAATGGGCTGGCGGCGGTGGCGAGGCGCTGGTGACCCACGCGGAGCACCGCCGAC	300
QY	101	ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln	117
DB	301	CGCCGCGCTGTGCCCATCACCAGATCTGGGTTCGGGGCCGCTTCCCAAGGGGTGTTTC	360
QY	117	-----	117
DB	361	CTGGCGCGCTATGGSCCGGTGGCGGCGAGCAGAGCGCTTCTCGTGTCCACCTTGGCG	420
QY	117	-----	117
DB	421	AACTTGGCGCTGGGCAAGAGTCGCTGGAGCAGTGGGTGACCGGAGCGCGCTTGCCTT	480
QY	118	-----GlyArgProPheArgProAsnGlyLeuLeuAspLys	129
DB	481	TGTGGCGCTTGGCAACCACTCCGAGCGCCCTTTCGCCCAACGGTCTCTTGACAAA	540
QY	130	AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro	149
DB	541	GCCGTGACACAGTATGCTCTCTCCTACCTGGGGCGCGCTTCGAGTAGACGACCT	600
QY	150	ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu	169
DB	601	CGCTTCTCTGAGCTGCTGAGCTAGCTCAGGAGGAGTGAAGGAGGAGTGGGCTTCTG	660

QY	170	ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal	189
DB	661	CGCAGGCTGCTGAATGCTGTCCCGTCTCTCTGATATCCACGCGCTGGCTGGCAAGGTC	720
QY	190	LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet	209
DB	721	CTACGCTTCCAAAGGCTTCTCTGACCGCTGGATGAGCTGCTAACTGAGCACAGGATG	780
QY	210	ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu	229
DB	781	ACCTGGGACCCAGCCCGACCCCGACCTGAGGCTTCTCTGGCAGAGATGGAG	840
QY	230	LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla	249
DB	841	AAGGCCAAGGGGAACCTTGAGAGCAGCTTCAATATGAGAACCTTGGCGATAGTGGTGGCT	900
QY	250	AspLeuPheSerAlaGlyMetValThrThrSerThrLeuAlaIleThrGlyLeuLeu	269
DB	901	GACCTGTCTCTGCGGGATGGTGCACCTCGACCGCTGGCTGGCGCTCTCTGCTC	960
QY	270	MetIleLeuHisProAspValGlnArgValGlnGlnGlnIleAspAspValIleGly	289
DB	961	ATGATCTCTACATCCGATGTCAGCGCGCTGTCCAAACAGGAGATCGACGCTGATAGGG	1020
QY	290	GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle	309
DB	1021	CAGGTGGCGGACCCAGAGATGGGTGACCGCTCACATGCCCTACACACTGCGCTGATT	1080
QY	310	HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg	329
DB	1081	CATGAGGTGACGCGCTTTGGGGACATCGTCCCTCGGTGGTATGACCATATGACATCCCGT	1140
QY	330	AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer	349
DB	1141	GACATCGAAGTACAGGGCTTCCGATCCCTAAGGGAACGACACTCATCACAACCTGTCA	1200
QY	350	SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe	369
DB	1201	TCGGTGTGAAGATGAGCGCTCTGGAGAAAGCGCTTCCGCTTCCACCCGACACTTC	1260
QY	370	LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg	389
DB	1261	CTGATGCCAGGCGCACTTTGTGAAGCGGAGCGCTTCTCGCTTCTCTGAGCGCGC	1320
QY	390	ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu	409
DB	1321	CGTGATGCTTCGGGGAGCGCTTGGCGCGCATGGAGCTTCTCTCTTCTTCCCTCCCTG	1380
QY	410	LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal	429
DB	1381	CTGCAGCACTTTCAGCTTCTCGGTGCGCCACTGGAGAGCGCGCGCCAGCCAGCCATGGTGT	1440
QY	430	PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg	446
DB	1441	TTTGCTTCTCTGTTGAGCCCATCCCTCTATGAGCTTGTGTGTCGCCCGC	1491
RESULT 15			
ID	AAQ87729	standard; cDNA; 1494 BP.	
XX	XX	AAQ87729;	
AC	XX		
DT	25-MAR-2003	(revised)	
DT	15-NOV-1995	(first entry)	
XX	XX	Human auxillary cytochrome P450 species 2D6 coding region.	
DE	XX		
KW	XX	Human cytochrome P450; amplification; PCR; primer; expression vector;	
KW	XX	yeast NADPH-P450 reductase; safety; fusion protein; metabolite;	
XX	XX	carcinogen; mutagen; liver metabolism; ds.	
OS	XX	Homo sapiens.	
XX	XX		

PN EP644267-A2.
 XX 22-MAR-1995.
 XX 20-JUL-1994; 94BP-00111298.
 XX 20-JUL-1993; 93JP-00201120.
 PR 21-JUL-1993; 93JP-00180246.
 PR 30-JUL-1993; 93JP-00208279.
 XX (SUMO) SUMITOMO CHEM CO LTD.
 XX Hayaashi K, Sakaki T, Yabusaki Y, Komai K, Kaneko H, Nakatsuka I;
 PI WPI; 1995-116991/16.
 DR P-PSDB; AAR72375.
 XX Evaluation of safety of a chemical cpd. - using recombinant yeast
 PT expressing human cytochrome P450 and a yeast NADPH-P450 reductase.
 XX Example; Page 82-84; 124pp; English.
 XX The nucleotide sequence of the cDNA coding region for the human auxiliary
 CC cytochrome P450 species 2C6. The gene encodes a protein of 497 amino
 CC acids. The cDNA was amplified by PCR using the primers AAQ87763-6. The
 CC product was cloned into the yeast expression vectors pAAH5N or pAHRH to
 CC produce the vectors p2D6 for the expression of the cytochrome P450 alone
 CC or p2D6R for co-expression with the yeast NADPH-P450 reductase. The
 CC vectors are used in a method for evaluating the safety of a chemical
 CC compound by reacting the chemical compound with recombinantly produced
 CC human cytochrome P450 molecular species 1A2 (AAQ87714), 2C9 (AAQ87715),
 CC 2E1 (AAQ87716), or 3A4 (AAQ87717) or their auxiliary species and variants
 CC (AAQ87718-32), and yeast NADPH-P450 reductase, either as a fused protein
 CC or in cell extracts, and analysing the resulting metabolite to assess the
 CC safety of the chemical compound. The method is useful for determining
 CC whether the chemical compound, or its metabolite, will be converted into
 CC a carcinogenic or mutagenic form through metabolism in the liver.
 CC (Updated on 25-MAR-2003 to correct PN field.)
 XX Sequence 1494 BP; 248 A; 508 C; 446 G; 292 T; 0 U; 0 Other;
 SQ

Alignment Scores:
 Pred. No.: 4,548-223 Length: 1494
 Score: 2281.50 Matches: 444
 Percent Similarity: 89.34% Conservative: 0
 Best Local Similarity: 89.34% Mismatches: 2
 Query Match: 97.92% Indels: 51
 DB: 2 Gaps: 1

US-09-820-788A-2 (1-446) x AAQ87729 (1-1494)
 QY 1 MetGlyLeuAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
 DB 1 ATGGGGCTAGAGACACTGGTGGCCCTGGCGGTGATGGGCTTCCTGCTCTCTGGTG 60
 QY 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeu 40
 DB 61 GACCTGATGACCGGGCCCAACGCTGGGTGACGCTACCCACAGGCCCTTGGCACTG 120
 QY 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
 DB 121 CCCGGCTGGGAACCTGCTGCATGTGGACTTCCAGAACACACACCATACTGCTTCGACCAG 180
 QY 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValVal 80
 DB 181 TTGGCGCGCGCTTGGGGACGTGTTCAGCTGCGAGCTGGCTGGACCGCGGTGGTGGT 240
 QY 81 LeuAsnGlyLeuAlaAlaValArgGlnAlaLeuValThrHisGlyGluAspThrAlaAsp 100
 DB 241 CTCATGGGCTGGCGCGCTGGCGAGGGCTGGTGGACCCACGGCGAGGACACCGCCGAC 300
 QY 101 ArgProProValProIleThrGlnLeuLeuGlyPheGlyProArgSerGln----- 117

Db 301 CGCCCGCTGTGCCCATCCACCAGATCTCTGGGTTTTCGGGCCCGGTTTCCCAAGGGGTGTTTC 360
 QY 117 ----- 117
 Db 361 CTGGCGCGCTATGGGCGCGCTGGCGGAGCAGAGCGGCTTCTCCGTCTCCACCTTGGCGC 420
 QY 117 ----- 117
 Db 421 AACTTTGGGCTGGGCAAGAAGTCTGTGGAGCAGTGGGTGACCGAGGAGCGCGCTTCCTT 480
 QY 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
 Db 481 TGTGGCGCTTTCGCAACACCTCCCGAGCGCCCTTTTCGCCCAACGGTCTCTTTGGACAA 540
 QY 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro 149
 Db 541 GCGGTGAGCAGACGTGATCGCTTCCCTACCTGCGGGCGCGCTTTCGAATACGACGACCT 600
 QY 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu 169
 Db 601 CGCTTCTCAGGCTGCTGACCTAGCTCAGGAGGAGTGAAGAGGAGTGGGCTTCTTCG 660
 QY 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyVal 189
 Db 661 CGCGAGGTGCTGAATGCTGCTCCCGCTCTCTGTCATATCCACGCGTGGCTGGCAAGTTC 720
 QY 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
 Db 721 CTACGCTTCCAAAGGCTTCTGACCCAGCTGGATGAGCTGCTAACTGAGCAGAGATG 780
 QY 210 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
 Db 781 ACCTGGGACCCAGCCCGCCCGAGACCTGACTGAGGCTTCTTCTGGCAGAGATGGAG 840
 QY 230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 249
 Db 841 AAGCCCAAGGGGAACCTCGAGAGCAGCTTCAATGATGAGAACCTGTGCATAGTGGTGGCT 900
 QY 250 AspLeuPheSerAlaGlyMetValThrThrSerThrLeuAlaTrpGlyLeuLeuLeu 269
 Db 901 GACCTGTTCTCTGGCGGATGGTGACCTGACACCGCTGGCTGGGCGCTTCTTCGCTC 960
 QY 270 MetIleLeuHisProAspValGlnArgValGlnGlnGluIleAspAspValIleGly 289
 Db 961 ATGATCTTACATCCGATGTGCAGCGCGTGTGCCAACAGGAGATCGACGACGTGATGG 1020
 QY 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 309
 Db 1021 CAGGTGGCGGACACAGAGATGGGTGACAGGCTCATATGCTCCCTACACCATCGCGGT 1080
 QY 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
 Db 1081 CATGAGGTGACGCGCTTTGGGGACATCGTCCCTCGGGTGTGACCATATGATCCCGT 1140
 QY 330 AspileGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 349
 Db 1141 GACATCGAAGTACAGGCTTCCGATCCCTAAGGGAACGACACTCATCACCACTGTCA 1200
 QY 350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
 Db 1201 TCGGTGCTGAAGGATGAGCGCTCTGGGAGAAGCGCTTCCGCTTCCACCCCGAACACTTC 1260
 QY 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
 Db 1261 CTGGATGCCAGGGCCACTTTGTGAAGCCGAGGCGCTTCTCTGCTCTTCTCAGAGCGCGC 1320
 QY 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuLeuPhePheThrSerLeu 409
 Db 1321 CGTGATGCTCGGGAGCCCTGCGCGCATGGAGCTTCTCTCTTCTTCTTCTTCTTCTTCT 1380
 QY 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
 Db 1381 CTGCAGCACTTTCAGCTTCTCGGTGCCACTGGACAGCCCGCGCCCGCCAGCCATGGTGTTC 1440

Qy 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
Db 1441 TTTGCTTTCTGCTGACCCCATCCCCCTATGAGCTTTGTGCTGTGCCCGC 1491

Search completed: February 29, 2004, 00:10:25
Job time : 418 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - nucleic search, using frame_plus_p2n model

Run on: February 28, 2004, 16:51:14 ; Search time 3605 Seconds
(without alignments)
5362.273 Million cell updates/sec

Title: US-09-820-788a-2
Perfect score: 2330
Sequence: 1 MGLEALVPLAIVIAIFLLV.....HGVFALVTPSPYELCAVPR 446

Scoring table: BLOSUM62
Xgapop 10.0 , Xgapext 0.5
Ygapop 10.0 , Ygapext 0.5
Fgapop 6.0 , Fgapext 7.0
Delop 6.0 , Delext 7.0

Searched: 3470272 seqs, 21671516995 residues

Total number of hits satisfying chosen parameters: 6940544

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Command line parameters:
-MODEL=frame+ p2n.model -DEV=xlh
-O=/cgn2_1/USPTO.spool/US09820788/runat_24022004_141407_9084/app_query.fasta_1.583
-DB=GenEmbl -OPMT=fastap -SUFFIX=ige -MINMATCH=0.1 -LOOPCL=0 -LOOPEXT=0
-UNITS=bits -START=1 -END=1 -MATRIX=blosum62 -TRANS=human40.cdi -LIST=45
-DOCALLIGN=200 -THR SCORE=pct -THR MAX=100 -THR MIN=0 -ALIGN=15 -MODE=LOCAL
-OUTFMT=ptc -NORM=ext -HEAPSIZE=500 -MINLEN=0 -MAXLEN=200000000
-USER=US09820788 @CGN 1 1 2372 @runat_24022004_141407_9084 -NCPU=6 -ICPU=3
-NO MAP -LARGEQUERY -NEG SCORES=0 -WAIT -DSPBLOCK=100 -LONGLOG
-DEV TIMEOUT=120 -WARN TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6
-FGAPEXT=7 -YGAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

Database :

GenEmbl.*
1: gb.ba.*
2: gb.htg.*
3: gb.in.*
4: gb.om.*
5: gb.ov.*
6: gb.pat.*
7: gb.ph.*
8: gb.pl.*
9: gb.pr.*
10: gb.ro.*
11: gb.sts.*
12: gb.sy.*
13: gb.un.*
14: gb.vi.*
15: em.ba.*
16: em.fun.*
17: em.hum.*
18: em.in.*
19: em.mu.*
20: em.om.*
21: em.or.*
22: em.ov.*
23: em.pat.*
24: em.ph.*
25: em.pl.*
26: em.ro.*
27: em.ste.*
28: em.un.*

29: em.vi.*
30: em.htg.hum.*
31: em.htg.inv.*
32: em.htg.other.*
33: em.htg.mus.*
34: em.htg.pin.*
35: em.htg.rod.*
36: em.htg.mam.*
37: em.htg.vrt.*
38: em.sy.*
39: em.htgo.hum.*
40: em.htgo.mus.*
41: em.htgo.other.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	2289.5	98.3	1494	6	E10868
2	2289.5	98.3	1494	6	AR399336
3	2285.5	98.1	1494	6	E10647
4	2285.5	98.1	1494	6	E10869
5	2285.5	98.1	1494	6	AR399337
6	2282.5	98.0	1567	6	AX687029
7	2282.5	98.0	1567	9	HSDBI
8	2281.5	97.9	1494	6	E10867
9	2281.5	97.9	1494	6	AR399335
10	2281.5	97.9	1494	6	E10870
11	2277.5	97.7	1494	6	AR399338
12	2277.5	97.7	1494	6	AX687033
13	2271.5	97.5	1565	6	AX687030
14	2267.5	97.3	1568	6	AR084365
15	2254	96.7	1566	6	AR084365
16	2250.5	96.6	1545	6	E15820
17	2241.5	96.2	1568	6	A20907
18	2241	96.2	1568	6	AR084372
19	2205	94.6	1566	6	AR084374
20	2197.5	94.3	1585	9	AF301911
21	2141.5	91.9	1571	6	AR084373
22	2140.5	91.9	1494	9	MFU38218
23	2140.5	91.9	1569	6	AR084375
24	2138.5	91.8	1494	9	AY082602
25	2093.5	89.8	1593	6	AX195173
26	2069.5	88.8	1615	9	D29822
27	1908.5	81.9	1501	6	AR084376
28	1769	75.9	1615	4	BTCPY2DA
29	1751	75.2	1503	4	AB008785
30	1739	74.6	1852	4	SSVD325H
31	1734.5	74.4	1538	4	BTCPY2D
32	1722.5	73.9	1632	10	AB008425
33	1719.5	73.8	1195	6	AR380887
34	1719.5	73.8	1195	9	HUMP450DB1
35	1712	73.5	1218	9	HSP450
36	1708.5	73.3	1778	10	RNU48219
37	1708.5	73.3	2746	6	AX401787
38	1708.5	73.3	2746	6	AX827330
39	1708.5	73.3	2746	10	RNU48220
40	1704.5	73.2	1609	10	AF221525
41	1700.5	73.0	5503	9	HUMCPY2DG
42	1698.5	72.9	1741	10	BC016256
43	1697	72.8	1503	4	AB008784
44	1690	72.5	1631	4	AB004268
45	1690	72.5	1665	4	DOGCPY2D

ALIGNMENTS

RESULT 1

Db	1391	CTGAGACACTTCAGCTTCTCGGTGCCACTGCAGAGCCCGCCAGCCACCATGGTGTGTC	1440
Qy	430	PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg	446
Db	1441	TTTGCTTTCTGGTGACCCCATCCCTATGAGCTTTGTGCTGTGCCCGC	1491
RESULT 2			
LOCUS	AR399336	1494 bp	linear
DEFINITION	Sequence 17 from patent US 6620593.		
ACCESSION	AR399336		
VERSION	AR399336.1	GI:40141144	
KEYWORDS	Unknown.		
SOURCE	Unknown.		
ORGANISM	Unknown.		
REFERENCE	Unclassified.		
AUTHORS	1 (bases 1 to 1494)		
	Hayashi,K., Sakaki,T., Yabusaki,Y., Komai,K., Kaneko,H. and Nakatsuka,I.		
TITLE	Method for safety evaluation of chemical compound using recombinant yeast expressing human cytochrome p450		
JOURNAL	Patent: US 6620593-A 17 16-SEP-2003.		
FEATURES	Location/Qualifiers		
source	1..1494		
	/organism="unknown"		
ORIGIN	/mol_type="genomic DNA"		
Alignment Scores:			
Pred. No.:	2,28-185	Length:	1494
Score:	2289.50	Matches:	445
Percent Similarity:	89.54%	Conservative:	0
Best Local Similarity:	89.54%	Mismatches:	1
Query Match:	98.26%	Indels:	51
DB:	6	Gaps:	1
US-09-820-788A-2 (1-446) x AR399336 (1-1494)			
Qy	1	MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal	20
Db	1	ATGGGGCTAGAGACACTGTGGCCCTGGCGGTATAGTGGCCATCTTCCTCTCTGGTG	60
Qy	21	AspLeuMetHisArgArgGlnArgTtpAlaAlaArgTyrSerProGlyProLeuProLeu	40
Db	61	GACCTGATGCACGGCGCCAAACGTGGGTGCACGTACCCACAGGCCCTCCCTGCAC	120
Qy	41	ProGlyLeuGlyAsnLeuLeuHisValAspPheClnAsnThrProTyrCysPheAspGln	60
Db	121	CCCGGGCTGGGCAACCTGTGCTGCACTGTGGACTTCAGAACACACATCTCTCGAC	180
Qy	61	LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaThrProValValVal	80
Db	181	TTGGCGCCCGCTTCGGGGHAGTGTTCAGCTGCAGCTGGCCCTGGAGCCGGGTGGTG	240
Qy	81	LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp	100
Db	241	CTCAATGGGCTGGCGCCGTCGCGAGGGCGCTGCTGACCCACGCGGAGACACCGCCG	300
Qy	101	ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln	117
Db	301	CGCCCGCTGTGCCCATCACCCAGATCTCGGGTTTCGGGCGCGCTTCCCAAGGGGTG	360
Qy	117	-----	117
Db	361	CTGGCGCGCTATGGGCCCGCTGGCGGAGCAGGGCGTCTTCCTCTCCACTTGGCG	420
Qy	117	-----	117
Db	421	AACTTGGGCTGGGCAAGAGTCGTGGAGCAGTGGGTGACCGAGGAGCGCGCTGCCT	480
Qy	118	-----GlyArgProPheArgProAsnGlyLeuLeuAspTys	129

```

SOURCE      Homo sapiens (human)
ORGANISM    Homo sapiens
REFERENCE   1 (bases 1 to 1494)
AUTHORS     Funae,Y., Imaoka,S., Mateuki,Y., Hayashi,K. and Yabusaki,Y.
TITLE       ANTIBODY RECOGNIZING CYTOCHROME P4502D6 ORIGINATED FROM MAN
JOURNAL     Patent: JP 1996027199-A 8 30-JAN-1996;
            SUMITOMO CHEM CO LTD
COMMENT     OS Homo sapiens (human)
            PN JP 1996027199-A/8
            PD 30-JAN-1996
            PE 15-JUL-1994 JP 1994164186
            PI FUNAE YOSHIHIKO, IMAOKA SUSUMU, MATSUKI YASUSHI, HAYASHI KOJI,
            PY YABUSAKI YOSHIYASU
            PC C07K16/18,C12N15/09//C12N1/19,C12N9/02,G01N33/53,G01N33/53; CC
            strandedness: Double;
            CC topology: Linear;
            FH Key      Location/Qualifiers
            FT source   1..1494
                        /organism='Homo sapiens'
                        /tissue type='liver'
            FT CDS      1..1494
                        /product='cytochrome P4502D6'
FEATURES    source
            Location/Qualifiers
            1..1494
            /organism='Homo sapiens'
            /mol_type='genomic RNA'
            /db_xref='taxon:9606'
ORIGIN
Alignment Scores:
Pred. No.:      4,82e-185      Length:      1494
Score:          2285.50        Matches:    444
Percent Similarity: 89.54%      Conservative: 1
Best Local Similarity: 89.34%    Mismatches: 1
Query Match:     98.09%         Indels:     51
DB:              6              Gaps:       1
US-09-820-788a-2 (1-446) x E10647 (1-1494)
QY      1 MetGlyLeuAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
DB      1 ATGGGCTAGAGCACTGGTGGCCCTGGCGGTATAGTGGCCATCTCTCTCTGGTG 60
QY      21 AspLeuMetHisArgGlnArgTrpAlaAlaAATGTYrSerProGlyProLeuProLeu 40
DB      61 GACCTGATGCACCGCGCCCAACGCTGGCTGCACGCTACCCACGAGCCCTGCCACTG 120
QY      41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTYrCysPheAspGln 60
DB      121 CCGGGCTGGCAACCTGCTGCTGATGTGGACTTCCAGAACACACCATCTGCTCGACCA 180
QY      61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal 80
DB      181 TTGGCGCGCGCTTCGGGACAGTGTTCAGCTGCAGCTGCCTGGCGCGCGGTGGTGGT 240
QY      81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
DB      241 CTCAATGGGCTGGCGCGCGCTGGCGAGGCGCTGGTGACCCACGCGGAGGACACCGCG 300
QY      101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln----- 117
DB      301 CGCGCCGCTGTGCCCATCACCAGATCCTGGGTTTCGGGCGCGGTTCCCAAGGGGTGTTTC 360
QY      117 ----- 117
DB      361 CTGGCGCGGTATGGGCGCGGTGGCGGAGACAGAGCGGCTTCTCCGTCTCCACCTTGGCG 420
QY      117 ----- 117
DB      421 AACTTGGGCTGGGCAAGAAGTCGCTGGAGCAGTGGGTGACCGAGGAGCGCGCTGCCTT 480

```

RESULT 4

E10869

LOCUS

DEFINITION

E10869 1494 bp RNA linear PAT 29-SEP-1997
 cdna encoding human cytochrome P450.

```

QY      118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
DB      481 TGTGGCGGCTTCGCAACACATCCCGGAGCGCCCTTCGCCCAACGGTCTCTTGGACAAA 540
QY      130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTYrAspAspPro 149
DB      541 GCGGTGAGCAACGTGATCGCTCCCTACCTGCGGGCGCGCTTCGATATACGACGACCTT 600
QY      150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu 169
DB      601 CGCTTCTCTCAGGCTGCTGACCTAGCTCAGGAGGAGCTGAAGGAGGAGTGGGCTTCTG 660
QY      170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189
DB      661 CGCAGGAGTCTGAATGCTGTCCTCCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 720
QY      190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
DB      721 CTACGCTTCCAAAGGCTTCTCTGACCCAGCTGGATGAGCTGCTAACTGAGCAGGATG 780
QY      210 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
DB      781 ACCTGGGACCCAGCCAGCCCGGAGACCTGACTGAGGCTTCTCTGCGCAGATGGAG 840
QY      230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 249
DB      841 AAGGCCAAGGGGAACCTTGAGAGCAGCTTCAATGATGAGAACCTGCGCATGATGGTGGCT 900
QY      250 AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeuLeu 269
DB      901 GACCTGTTCTCTGCGGGATGGTGACCACTCGACCACTGCGCTGGCGCTTCTGCTC 960
QY      270 MetIleLeuHisProAspValGlnArgArgValGlnGlnGlnIleAspAspValIleGly 289
DB      961 ATGATCTTACATCCGATGTGCGGCGCTGTGCAACAGGAGATCGACGACGTGATGGG 1020
QY      290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTYrThrThrAlaValIle 309
DB      1021 CAGGTGGCGGACCAAGAGATGGTGACCACTGACCACTGACCACTGACCACTGCGGTATT 1080
QY      310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
DB      1081 CATGAGGTGCAGCGCTTGGGAGCATGTCCTCCCTGGGTGACCATATGATGATCCCT 1140
QY      330 AspileGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 349
DB      1141 GACATCGAAGTACAGGCTTCCGCATCCCTAAGGGAACGACACTCATCAACCACTGTCA 1200
QY      350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
DB      1201 TCGGTGCTGAAGGATGAGGCGCTGCGGAGAGCGCTTCCGCTTCCACCCGACACTTC 1260
QY      370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
DB      1261 CTGGATGCCAGGCGCACCTTGTGAAGCGGAGGCTTCTGCTGCTTCTCAGCAGGCCGC 1320
QY      390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuLeuPheLeuPhePheThrSerLeu 409
DB      1321 CGTGATGCTCTCGGAGGCGCTTGGCGCGCATGGAGCTTCTCTCTCTCTCTCTCTCTCT 1380
QY      410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
DB      1381 CTGACGACCTTACGCTTCTCGGTGCCACTTGGACAGCCCCCGGCCACCATGATGTGTC 1440
QY      430 PheAlaPheLeuValThrProSerProTYrGluLeuCysAlaValProArg 446
DB      1441 TTTGTTTCTCTGAGGCGCATCCCTATGAGCTTGTGCTGTGCTGCTGCTGCTGCTGCT 1491

```

ACCESSION E10869
VERSION E10869.1 GI:22027963
KEYWORDS JP 1996056695-A/18.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
REFERENCE Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
AUTHORS Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 1494)
Hayashi, K., Sakaki, T., Yabusaki, Y., Komai, K., Kaneko, H. and
Nakatsuka, I.
TITLE METHOD FOR EVALUATING SAFETY
JOURNAL Patent: JP 1996056695-A 18 05-MAR-1996;
SUMITOMO CHEM CO LTD
COMMENT OS Homo sapiens (human)
PN JP 1996056695-A/18
PD 05-MAR-1996
PF 15-JUL-1994 JP 1994164184
PR 20-JUL-1993 JP 93P 201120, 30-JUL-1993 JP 93P 208279, PR
17-JUN-1994 JP 94P 136053
PI HAYASHI KOJI, SAKAKI TOSHIYUKI, YABUSAKI YOSHIYASU, PI KOMAI
KOICHIRO,
PI KANEKO HIDEO, NAKATSUKA IWAQ
PC C12Q1/02.C12M1/34.C12Q1/26;
CC strandedness: Double;
CC topology: Linear;
CC CC hypothetical: No;
CC anti-sense: No;
FH Key Location/Qualifiers
FT source 1..1494
FT /organism="Homo sapiens"
FT CDS 1..1494
FT /product="human cytochrome P450 2D6".
FEATURES
source
1..1494
/organism="Homo sapiens"
/mol_type="genomic RNA"
/db_xref="taxon:9606"
ORIGIN
Alignment Scores:
Pred. No.: 4.82e-185 Length: 1494
Score: 2285.50 Matches: 444
Percent Similarity: 89.54% Conservative: 1
Best Local Similarity: 89.34% Mismatches: 1
Query Match: 98.09% Indels: 51
DB: 6 Gaps: 1
US-09-820-788A-2 (1-446) x E10869 (1-1494)
Qy 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
Db 1 ATGGGGCTAGAACACCTGGTGGCCCTGGCGTGTAGTGGCCATCTTCCTGCTCTGGTG 60
Qy 21 AspLeuMetHisArgArgGlnArgTTPAlaAlaArgTyrSerProGlyProLeuProLeu 40
Db 61 GACCTGATGACACCGCGCAACCTGGCGTGGCGTGCACCTACCCACGAGCCCTGCCACTG 120
Qy 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
Db 121 CCGGGGCTGGGCAACCTGGCTGACGTGGAGCTTCAGAACACACCATACTGCTTCGACCAG 180
Qy 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTTPThrProValValVal 80
Db 181 TTGGGGCGCGCTTCGGGGACGTGTTTCAGCTGCAGCTGGCCCTGGAGCCCGGTGGTGGTG 240
Qy 81 LeuAsnGlyLeuAlaValAlaArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
Db 241 CTCAATGGGCTGGCGCGCTGGCGAGCGCTGGTGACCCACCGCGGAGGACACCGCGCAC 300
Qy 101 ArgProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln----- 117
Db 301 CGCCCGCTGTGCCCATCACCCAGATCTCGGGTTTCGGGCGCGGTTTCCCAAGGGGTGTTTC 360

Qy 117 ----- 117
Db 361 CTGGCGGCTATGGGCGCGCTGGCGGAGCAGAGGGCGCTTCTCCGTCTCCACCTTGGC 420
Qy 117 ----- 117
Db 421 AACTTGGGCTGGGCAAGAAAGTCGCTGGAGCAGTGGGTGACCGAGGAGCGCGCTTGCCT 480
Qy 118 ----- GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
Db 481 TGTGGCGCCTTCGCCAACCACTCGGAGCGCCCTTTCGCCCAACGGCTCTCTGGACAAA 540
Qy 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGlyTyrAspAspPro 149
Db 541 GCCGTGAGCAACGTCATCGCTCCCTCACCTCGGGCGCGCTTCGAAATACGACGACCT 600
Qy 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGlyLeuLysGluGluSerGlyPheLeu 169
Db 601 CGCTTCTCAGGCTGCTGGACCTAGCTCAGAGGGGACTGAAGGAGGAGTGGGGCTTCTG 660
Qy 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189
Db 661 CGGAGGTGCTGAATGCTGTCCCGCTCTCTGCATATCCAGCGCTGGCTGGCAAGTC 720
Qy 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
Db 721 CTACGCTTCCAAAAGGCTTCTGACCCAGCTGGATGAGCTGCTAAGTACGACGACGATG 780
Qy 210 ThrTTPAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
Db 781 ACCTGGGACCCAGCCAGCCCGAGACCTGACTGAGCGCTTCTCTGGCAGAGATGGAG 840
Qy 230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 249
Db 841 AAGCCCAAGGGGAACCTTGAGACGAGCTTCAATGATGAGAACCTGGCGCATAGTGGTG 900
Qy 250 AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTTPGlyLeuLeu 269
Db 901 GACCTGTCTCTCGCGGATGGTGACCACTCGACCACTGGCTGGCGCTCTCTGCTC 960
Qy 270 MetIleLeuHisProAspValGlnArgArgValGlnGlnGlnIleAspAspValIleGly 289
Db 961 ATGATCTTACATCCGGATGTGACGCGCGTGTCCAACAGAGAGATCGACGACGTATAGG 1020
Qy 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 309
Db 1021 CAGGTGGCGGACACAGAGATGGGTGACAGGCTCACATGCCCCCTACACCACTGGCGT 1080
Qy 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
Db 1081 CATGAGGTGACGCGCTTGGGACATCGTCCCTGGGTGTGACCCATATGACATCCCGT 1140
Qy 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 349
Db 1141 GACATCGAAGTACAGGGCTTCGCAATCCCTTAAGGGAACGACACTCATACCAACCTGCA 1200
Qy 350 SerValLeuLysAspGluAlaValTTPGluLysProPheArgPheHisProGluHisPhe 369
Db 1201 TCGGTGCTGAAGGATGAGGCGCTCGGGGAAGCCCTTCGCTTCCACCCGCAACACTTC 1260
Qy 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
Db 1261 CTGGATGCCAGGGCCACCTTGTGAAGCGCGAGGCCCTTCTGCTTCTCTCAGCAGGCCG 1320
Qy 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu 409
Db 1321 CGTGATGCTCGGGGAGCCCTGGCGCGCATGGAGCTCTCTCTCTTCTTCACTCCCTG 1380
Qy 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
Db 1381 CTGACGACCTTCACTTCTCGTGCCCTTGGACAGCCCGCGCCGACCCACCATGGTGTC 1440

QY 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
Db 1441 TTTCCTTTCTGGTGGCCCAATCCCTTAAGAGCTTTTGCTGTGCCCCGC 1491

RESULT 5
AR399337
LOCUS AR399337 1494 bp DNA linear PAT 18-DEC-2003
DEFINITION Sequence 18 from patent US 6620593.
ACCESSION AR399337
VERSION AR399337.1 GI:40141146
KEYWORDS
SOURCE Unknown.
ORGANISM Unknown.
REFERENCE Unclassified.
AUTHORS Hayashi,K., Sakaki,T., Yabusaki,Y., Komai,K., Kaneko,H. and Nakatsuka,I.
TITLE Method for safety evaluation of chemical compound using recombinant yeast expressing human cytochrome P450
JOURNAL Patent: US 6620593-A 18 16-SEP-2003;
FEATURES Location/Qualifiers
source 1..1494
/organism="unknown"
/mol_type="genomic DNA"

ORIGIN

Alignment Scores:
Pred. No.: 4,82e-185 Length: 1494
Score: 2285.50 Matches: 444
Percent Similarity: 89.54% Conservative: 1
Best Local Similarity: 89.34% Mismatches: 51
Query Match: 98.09% Indels: 51
DB: 6 Gaps: 1

US-09-820-788A-2 (1-446) x AR399337 (1-1494)

QY 1 MetGlyLeuAlaLeuValProLeuAlaValAlaLeuValPheLeuLeuVal 20
Db 1 ATGGGGCTAGAGCACTGGTGGCCCTGGCGGTGATAGTGGCCATCTTCTGCTCTGGTG 60

QY 21 AspLeuMetHisArgArgGlnArgTTPAlaAlaArgTyrSerProGlyProLeuProLeu 40
Db 61 GACCTGATGACCGCGCCCAACGCTGGCTGCACGCTACCCACGAGCGCCCTGGCCACTG 120

QY 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
Db 121 CCGGGCTGGCAACCTGCTGATGTGGACTTCCAGAACACACCACTACTGCTTCGACCA 180

QY 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTTPThrProValValVal 80
Db 181 TTGCGCGCGCTTCGGGAGCGTGTTCAGCTGCAGCTGGCTGGAGCGCGGTGGTGGTG 240

QY 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
Db 241 CTCAATGGCTGGCGCGCTGGCGAGCGCTGGTGCACCCAGCGGAGGACACCGCGGAC 300

QY 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln 117
Db 301 CGCGCGCTGTGCCCATCACCAGATCCTGGGTTCGGGCGCGGTTCGCCAAGGGGTGTTC 360

QY 117 ----- 117

Db 361 CTGGCGCGTATGGGCGCGGTGGCGGAGAGCGGTTCCTCCCTCCACTTGGCG 420

QY 117 ----- 117

Db 421 AACTTGGCGCTGGCAAGAGTCTGAGCACTGGGTGACCGAGGAGCGCGCTCCCTT 480

QY 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
Db 481 TGTGGCGCTTCGCCCAACCACTCCGAGCGCCCTTTCCGCCCAACCGCTCTTTGGACAAA 540

QY 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspPro 149

Db 541 GCCGTGAGCAACGTGATCGCTCCCTCACCTCGGGGCGCGCTTCGAATACGACGACCT 600

QY 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu 169
Db 601 CGCTTCTCAGGCTGCTGACCTAGCTCAGAGGAGCTGAAGAGGAGTTCGGGCTTCTG 660

QY 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189
Db 661 CCGGAGGTGCTGAATGCTGCTCCCTCTCCATATCCAGCGCTGCTGCAAGTTC 720

QY 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
Db 721 CTACGCTTCCAAAGGCTTCTCGACCCAGCTGGATGAGCTGCTAACTGAGCACGAGATG 780

QY 210 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
Db 781 ACCTGGGAGCCAGCCAGCCCGGAGACCTGACTGAGGCGCTTCTGTCAGAGATGGAG 840

QY 230 LysAlaLysGlyAsnProGluSerPheAsnAspGluAsnLeuArgIleValValAla 249
Db 841 AAGGCCAAGGGGAACCTTGAGAGCAGCTTCAATGATGAGAACTGCGCATAGTGTGGCT 900

QY 250 AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTTPGlyLeuLeuLeu 269
Db 901 GACCTGTCTCTCGCGGATGTTGACCACTCGACCGCTGGCTGGGCGCTCTCTGCTC 960

QY 270 MetIleLeuHisProAspValGlnArgValGlnGlnGluIleAspAspValIleGly 289
Db 961 ATGATCTTACATCCGATGTGAGCGCGCTGTCCAACAGAGATCGACGCTGATAGG 1020

QY 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 309
Db 1021 CAGGTGCGGCGACAGAGATGGTGACAGGCTTCATGCTCCCTACACCACTGCGCGAT 1080

QY 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
Db 1081 CATGAGTGCAGCGCTTTGGGAGCATCTGCCCTGGGTGTCACCATATGATCATCCCT 1140

QY 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrIleThrAsnLeuSer 349
Db 1141 GACATCGAAGTACAGGCTTCGCGCATCCCTAAGAGGAACGACACTCATACCACTGTCA 1200

QY 350 SerValLeuLysAspGluAlaValTPGluLysProPheArgPheHisProGluHisPhe 369
Db 1201 TCGGTGCTGAAGAGTGGCGCTTGGGAGAGCCCTTCGCTTCACCCCGGACACTTC 1260

QY 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
Db 1261 CTGGATGCCAGGCGCACCTTTGTGAAGCGGAGGCGCTTCTGCTTCTCAGCAGGCGCG 1320

QY 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu 409
Db 1321 CGTGATGCTCGGGAGCGCTTGGCGCGCATGGAGCTTCTCTCTTCTTCTTCTTCT 1380

QY 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
Db 1381 CTGAGCACTTCACTTCTCGGTGCGCACTGGAGAGCGCGCGCGGCGGAGCGGCGG 1440

QY 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
Db 1441 TTTCCTTTCTGGTGGCCCAATCCCTATGAGCTTTGTGCTGCGCGCGC 1491

RESULT 6

AX687029
LOCUS AX687029 1567 bp DNA linear PAT 31-MAR-2003
DEFINITION Sequence 3 from Patent EP1281755.
ACCESSION AX687029
VERSION AX687029.1 GI:29409533
KEYWORDS Homo sapiens (human)
SOURCE Homo sapiens
ORGANISM Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

REFERENCE 1 Mammalia; Eutheria; Primates; Catarrhini; Hominiidae; Homo.

AUTHORS Milos, P.M. and Webb, S.M.

TITLE Variants of the human cyp2d6 gene

JOURNAL Patent: EP 1281755-A 3 05-FEB-2003; Pfizer Products Inc. (US)

FEATURES Location/Qualifiers

source 1..1567

ORIGIN /organism="Homo sapiens"

/mol_type="unassigned DNA"

/db_xref="taxon:9606"

Alignment Scores:

Pred. No.: 9,23e-185 Length: 1567

Score: 2282.50 Matches: 443

Percent Similarity: 89.54% Conservative: 2

Best Local Similarity: 89.13% Mismatches: 1

Query Match: 97.96% Indels: 51

DB: 6 Gaps: 1

US-09-820-788a-2 (1-446) x AX687029 (1-1567)

Qy 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20

Db 1 ATGGGCTAGAACGACTGGTCCCTGGCCGTGATGAGTGGCCATCTTCCTGCTCCTGGTG 60

Qy 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuProLeu 40

Db 61 GACCTGATGACCGGGCCACGCTGGCTGCAGCTACCCACGAGCCCTCCGCCACTG 120

Qy 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60

Db 121 CCCGGCTGGGCAACCTGCTCATGTGGACTTCCAGAACACACCATACTGCTTCGACCAG 180

Qy 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal 80

Db 181 TTGGCGGCGCGCTTTCGGGGAGCTGTTCAGCCCTGAGCTGGCTGGAGCGCGGTGCTG 240

Qy 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100

Db 241 CTCATGGGCTGGGGCGCTGCGGAGCGCTGTGACCCACGCGGAGGACACCGCCGAC 300

Qy 101 ArgProValProIleThrGlnIleLeuGlyPheGlyPheGlyProArgSerGln----- 117

Db 301 CGCCCGCTGTGCCCATCACCCAGATCTGGGTTTCGGGCGCGCTTCCCAAGGGGTGTC 360

Qy 117 ----- 117

Db 361 CTGGCGGCTATGGGCGCGCGTGGCGGAGCAGAGCGCTTCTCCGTGTCCACCTTGGCG 420

Qy 117 ----- 117

Db 421 AACTTGGGCTGGGCAAGAGTCTCTGGAGCAGTGGGTGACCGAGGAGCGCGCTTGCCT 480

Qy 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129

Db 481 TGTGCCGCTTCGGCAACCACTCCGGAGCGCCCTTTCGCCCAACGGTCTCTTGACAAA 540

Qy 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro 149

Db 541 GCCGTGAGCAACGATGATCGCTCCCTCACCTGGCGGCGCGCTTCGAGTACGACGACCT 600

Qy 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu 169

Db 601 CGCTTCTCAGGCTGTGGACTAGCTCAGAGGAGTGAAGAGGAGTGGGGTTCCTG 660

Qy 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189

Db 661 CGCGAGGTGCTGAATGTGTCCCGCTCTCTGTATATCCAGCGCTGGCTGGCAAGGTC 720

Qy 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209

Db 721 CTACGCTTCCAAAAGGCTTCTCTGACCCAGCTGGATGAGCTGCTAACTAGCAGCAGGATG 780

Qy 210 ThrTrpAspProAlaGlnProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229

Db 781 ACCTGGGACCCAGCCAGCCCTCCGAGACCTGACTGAGGCTTCTCTGGCAGAGATGGAG 840

Qy 230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 249

Db 841 AAGCCCAAGGGGAACCTCGAGCAGCTTCAATGATGAGAACCCTGCGCATAGTGGTGGCT 900

Qy 250 AspLeuPheSerAlaGlyMetValThrThrSerThrLeuAlaTrpGlyLeuLeuLeu 269

Db 901 GACCTGTCTCTGCGGGATGGTACCACTCGACCGCTGCGCTGGGCTGCGGCTCTCTGTC 960

Qy 270 MetIleLeuHisProAspValGlnArgValGlnGlnGluIleAspAspValIleGly 289

Db 961 ATGATCTTACATCCGGATGTGACGGCGCTGTCCACAGGAGATCGACGAGTATAGGG 1020

Qy 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 309

Db 1021 CAGGTGGCGGACCCAGAGATGGGTGACCCAGGCTCACATGCCCTACACCACTGCCGTATT 1080

Qy 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329

Db 1081 CATGAGGTGACGCGCTTTGGGGACATCTGCCCTGGGTATGACCCATATGACATCCCGT 1140

Qy 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 349

Db 1141 GACATCGAGTACAGGGCTTCCGCATCCCTAAGGGAACGACACTCATCCACCACTGTGA 1200

Qy 350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369

Db 1201 TCGGTGTGAAGGATGAGGCGCTCTGGAGAGGCCCTTCGCTTCCACCCGACACATTC 1260

Qy 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389

Db 1261 CTGGATCCCGAGGGCCACTTTGTGAAGCCGAGGCTTCTGCTCTTCTTCAGCAGGCGCG 1320

Qy 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu 409

Db 1321 CGTGATGCTTCGGGAGGCCCTTGCCCGCATGAGCTCTTCTTCTTCCCTCCCTGCTG 1380

Qy 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyVal 429

Db 1381 CTGCAGCACTTACGCTTCTCGGTGCCACTGGACAGCCCGCCGCCACCCATGGTGTG 1440

Qy 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446

Db 1441 TTTGCTTCTGCTGAGCCCATCCCTATGAGCTTTGTGCTGTGCGCGCGC 1491

RESULT 7

LOCUS HSDB1 1567 bp mRNA linear PRI 15-JUN-2000

DEFINITION Homo sapiens mRNA for cytochrome P450 db1.

ACCESSION X08006 Y00300

VERSION X08006.1 GI:30450

KEYWORDS cytochrome P450; cytochrome P450 db1.

SOURCE Homo sapiens (human)

ORGANISM Homo sapiens

REFERENCE 1 (bases 1 to 1567)

AUTHORS Gonzalez, F.J., Skoda, R.C., Kimura, S., Umeno, M., Zanger, U.M., Nebert, D.W., Gelboin, H.V., Hardwick, J.P. and Meyer, U.A.

TITLE Characterization of the common genetic defect in humans deficient in debrisoquine metabolism

JOURNAL Nature 331 (6155), 442-446 (1988)

MEDLINE 88122614

PUBMED 3123997

REFERENCE 2

AUTHORS Nebert, D.W.

Direct Submission

TITLE Submitted (30-JUN-1988) Nebert D.W., NIH, Bethesda, Maryland 20892

JOURNAL

COMMENT see also X07618 (variant a), X07619 (variant b) and X07620 (variant b').

FEATURES

source Location/Qualifiers
 1..1567
 /organism="Homo sapiens"
 /mol_type="mRNA"
 /db_xref="taxon:9606"
 /chromosome="22"
 /map="22q11.2-qter"
 /cell_type="hepatocyte"
 /tissue_type="liver"
 /clone_lib="lambda gtl1"
 1..1494
 /codon_start=1
 /product="cytochrome P450 db1"
 /protein_id="CAA30807.1"
 /db_xref="GI:30451"
 /db_xref="GOA:P10635"
 /db_xref="SWISS-PROT:P10635"
 /translation="MGLEALVPLAVIAVIFLLVLVDLHRRQWAAEYPPGPLEPLGLG
 NLHVDFTPTPCDQRRRFGVDSQLAWTPVVLNGLAAVREALVTHGEDTADRP
 PVEITILGFPSQGVFLARYGPAWRQRFSVTLRNIGLKKLSLEQWVTEEAACL
 CAAFNHSGRPFPGNLIDKAVSNVIASTLCGRFEDDPFRFLRLDLAQEGKEESG
 FLRELVNVPVLHIIPALAGKVLRFQKFLTDLELLEHRTMTDPAQPPRDI TEAFL
 AEMEKAGNPESSEFNENLRIIVVADLFSGMTVTTSTLLAWGLLMLILHPDVORRVOE
 IDVIGQVRPPENGDAQHMPYTTAVIHEVORFGDIVPLGWTMTSRDIEVQGERIEPK
 TLUITNLSSVLKDEAWKEKFRFHPPEHFLDAQGHFKVPEAFLPFSAGRACLGEPAR
 MELUFLFTSLILQHSFVSPTGQPRRHGHGVAFPLVSPSYELCAVR"

CDS

polyA_signal

1546..1550

/notes="putative"

polyA_site

1567

/note="polyA site"

ORIGIN

Alignment Scores:

Pred. No.: 9,23e-185 Length: 1567
 Score: 2282.50 Matches: 443
 Percent Similarity: 89.54% Conservativeness: 2
 Best Local Similarity: 89.13% Mismatches: 1
 Query Match: 97.96% Indels: 51
 DB: 9 Gaps: 1

US-09-820-788A-2 (1-446) x HSDBI (1-1567)

Qy 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
 Db 1 ATGGGGCTAGAACACTGGTGGCCCTGGCCGTGATAGTGGCCATCTTCTCTGCTCCTGGTG 60
 Qy 21 AspLeuMetHisArgArgGlnArgTTPAlaAlaArgTyrSerProGlyProLeuProLeu 40
 Db 61 GACCTGATGCACGGCGCCCAACGCTGGCGTGCACGCTACCCACAGGCCCCCTGCCACTG 120
 Qy 41 ProGlyLeuGlyAsnLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
 Db 121 CCGGGCTGGCAACCTGCTGCATGTGACTTCCAGAACACACACTACTGCTTCGACCA 180
 Qy 61 LeuArgArgArgPheGlyAspValPheSerIleuGlnLeuAlaTTPProValValVal 80
 Db 181 TTGGCGCGCGCTTCGGGGACGCTTTCAGCGCTGCAGCTGGCGCTGGACGCGCGTGGTGGTG 240
 Qy 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
 Db 241 CTCNATGGGCTGGCGCGCGCTGGCGAGCGCTGTGTGACCCACGCGCAGGACACCGCCGAC 300
 Qy 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln----- 117
 Db 301 CGCCCCGCTGTGCCCATCACCCAGATCCTTGGTTTTCGGCGCGCGCTTCCCAAGGGGTGTC 360
 Qy 117 ----- 117
 Db 361 CTGGCGCGCTATGGCGCGCGTGGCGGAGCAGAGCGGCTTCTCCGTTCACACCTTCGCGC 420
 Qy 117 ----- 117

RESULT 8
 HUMCYPDB1

Db 421 AACTTGGGCTGGGCAAGAGTGCCTGGAGCAGTGGGTGACCGGAGAGGCGCGCTGCCTT 480
 Qy 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
 Db 481 TGTGCGCGCTTCGCCAACACCTCCCGACGCCCCCTTTCGCCCAACCGTCTCTTGGGCAAA 540
 Qy 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgPheGluTyrAspAspPro 149
 Db 541 GCGGTGAGCAACGTGATCGCTCCCTCCTCAGCTGGGGCGCGCTTCAGGTACGACGACCT 600
 Qy 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu 169
 Db 601 CGCTTCTCAGGCTGCTGACCTAGCTCAGGAGGAGCTGAAGGAGGAGTGGCGCTTCTG 660
 Qy 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189
 Db 661 CGCGAGGTGCTGAATGCTGCTCCCGCTCTCTGCATATCCAGCGCTGGCTGCAAGGTC 720
 Qy 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
 Db 721 CTACGCTTCCAAAGGCTTCTTGACCCAGCTGGATGAGCTGCTAACTGAGCACAGATG 780
 Qy 210 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
 Db 781 ACCTGGGACCCAGCCCGAGACCTGACTGAGGCGCTTCTCTGGCAGAGATGGAG 840
 Qy 230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValAla 249
 Db 841 AAGGCCAAGGGGAACCTCGAGAGCAGCTTCAATGATGAGAACCTGCGCATAGTGGTGGCT 900
 Qy 250 AspLeuPheSerAlaGlyMetValThrThrSerThrLeuAlaTTPGlyLeuLeuLeu 269
 Db 901 GACCTGTTCTCTCCGGGATGGTGACCACTCGACCACTGGCGCTTGGGCGCTTCTGTCTC 960
 Qy 270 MetIleLeuHisProAspValGlnArgArgValGlnGlnGluLeuAspValIleGly 289
 Db 961 ATGATCTCTACCTCGGATGTGCAGCGCGTGTCCAACAGAGATCGACGACGTGATAGGG 1020
 Qy 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 309
 Db 1021 CAGGTGCGCGACAGAGATGGGTGACAGGCTCAGTGGCCCTACACCTGCGCGTATT 1080
 Qy 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
 Db 1081 CATGAGGTGACGCGCTTTCGGGACATCGTCCCTCGGTATGACCCATATGACATCCCGT 1140
 Qy 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 349
 Db 1141 GACATCGAAGTACAGGCTTTCGCGCATCCCTAAGGGAAACGACACTCATCAACACCTGCA 1200
 Qy 350 SerValLeuLysAspGluAlaValTTPGluLysProPheArgPheHisProGluHisPhe 369
 Db 1201 TCGGTGCTGAAGATGAGCGCGTCTGGGAAAGCCCTTCGCTTCCACCCGACACTTC 1260
 Qy 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
 Db 1261 CTGGATGCCAGGGCCACTTGTGAAGCCGAGGCGCTTCTCTGCTTCTCAGCAGGCGCGC 1320
 Qy 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePheThrSerLeu 409
 Db 1321 CGTGATGCTCGGGGAGCCCTGGCCGCGCATGGAGCTCTTCTCTTCTTTCACCTCCCTG 1380
 Qy 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
 Db 1381 CTCGACACTTCAGCTTCTCGGTGCCACTGAGACAGCCCCGCGCCAGCCACCATGGTGTG 1440
 Qy 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
 Db 1441 TTGTCTTCTCTGTAGCCCATCCCTCATGAGCTTGTGTGTGCTGCCCCG 1491

LOCUS HUMCYPDB1 1567 bp mRNA linear PRI 02-NOV-1994
DEFINITION Human cytochrome P450 db1 mRNA, complete cds.
ACCESSION M20403.1 M19637
VERSION M20403.1 GI:181349
KEYWORDS cytochrome P450; debrisoquine 4-hydroxylase.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 1567)
AUTHORS Gonzalez, F.J., Vilbois, F., Hardwick, J.P., McBride, O.W.,
Nebert, D.W., Gelboin, H.V. and Meyer, U.A.
TITLE Human debrisoquine 4-hydroxylase (P450IID1): cDNA and deduced amino
acid sequence and assignment of the CYP2D locus to chromosome 22
JOURNAL Genomics 2 (2), 174-179 (1988)
MEDLINE 88314109
* PUBMED 3410476
COMMENT Original source text: Human hepatocyte, cDNA to mRNA.
Draft entry and printed copy of sequence for [1] kindly provided by
D.W.Nebert, 15-JUL-1988.
FEATURES
source
1..1567
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/map="22q11.2-qter"
1..1567
/gene="CYP2D"
1..1567
/gene="CYP2D"
/product="CY P450 db1 mRNA"
1..1494
/notes="debrisoquine 4-hydroxylase"
/codon_start=1
/protein_id="AA52153.1"
/db_xref="GI:181350"
/db_xref="GDB:G00-119-832"
/translations="MGLEALVPLAVIVAIFFLLVLDLMHRRQWAARYPPGPIPLPGIG
NLLHVDVONTPTCYCDLRRFQGVSLQALWTVVVLNGLAAVREALVTHGBDADRP
PVPITOLIGPESQGVFLARVCPAMREORFESVTLNLGLKKSLEQWTEEAACL
CAFANHSGRPFPPNGILLDKAVSNVTSITGRRFYDDPRFLRLDLAQGLKESG
FLEKNAVPLVLIHPALGKRVKQFALQIDELTDEHRTWDPQPPRLDTEAPL
AEMKAKGPSSFNENLRIVVADFSAGMTVTSTLAWGLLMLTLHPDQVRVQOE
IDVIVQVRRPENGQAHMPTTAVIHEVQFGDIVPLGWTMTSDIEVQGFRIPKG
TTLITNLSVLKDEAVWEKPFPHPEHFLDAQGHFKPEAFPLPFSAGRACLEPLAR
MELFLFTSLQLHFSVSPTGQPRPSHHGVFAFLVSPSYELCAVR"
ORIGIN Chromosome 22.
Alignment Scores:
Pred. No.: 9,23e-185 Length: 1567
Score: 2282.50 Matches: 443
Percent Similarity: 89.54% Conservative: 2
Best Local Similarity: 89.13% Mismatches: 1
Query Match: 97.96% Indels: 51
DB: 9 Gaps: 1
US-09-820-788A-2 (1-446) x HUMCYPDB1 (1-1567)
QY 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
DB 1 ATGGGGCTAGAACACTGTGGCCCTGGCGTGTATAGTGGCCATCTTCTGCTCTCTGGTG 60
QY 21 AspleuMethiSargArgGlnArgTTPAlaAlaArgTySersProGlyProLeuProLeu 40
DB 61 GACCTGATGACCGGGCCCAACGCTGGCTGACAGCTTACCACCGCCCTGGCCACTG 120
QY 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
DB 121 CCCGGGCTGGGCAACCTGTGATGTGGACTTCCAGNACACACATCTGCTTCGACCAG 180
QY 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpProValValVal 80

181 TTGCGCGCGCGCTTCTGGGAGAGTGTTCAGCGCTGACGCTGGCGCTGGAGCGCGGTGTCGTG 240
QY 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
DB 241 CTCAATGGGCTGGCGCGCGTGGCGAGAGCGTGGTGACCCACCGCGAGGACACCGCGGAC 300
QY 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln----- 117
DB 301 CGCGCGCGCTGTGGCCATCACCCAGATCTCTGGGTTTCTGGGCGCGCTTCCCAAGGGGTGTTTC 360
QY 117 ----- 117
DB 361 CTGGCGCGCTATGGGCGCGCGTGGCGCGAGAGAGCGGCTTCTCCGTGTCCACCTTGGCGC 420
QY 117 ----- 117
DB 421 AACTTGGCGCTGGCGAAGAAGTCGCTGGAGCAGTGGGTGACCGAGGAGCGCGCTGCCTT 480
QY 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
DB 481 TGTGCGCGCTTGGCCCAACCACTCCGAGCGCGCTTTCGCGCCCAACCGGTCTCTTGGACAA 540
QY 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyArgAspPro 149
DB 541 GCGGTGAGCAACGTGATCGCTCCCTCACCTGGGCGCGCGCTTCGAGTACGACGACCT 600
QY 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu 169
DB 601 CGCTTCTCAGGCTGCTGACCTAGCTCAGGAGGACTGAGAGGAGGAGTGGGCTTCTG 660
QY 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyIleVal 189
DB 661 CGCGAGGTCTGAATGCTGCTCCCGTCTCTGATATCCAGCGCTGGGTGCAAGGTC 720
QY 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
DB 721 CTACGCTTCCAAAGGCTTCTGACCCAGCTGGATGAGCTGCTAACTGACGACAGGATG 780
QY 210 ThrTrpAspProAlaGlnProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
DB 781 ACCTGGGACCCAGCCAGCCCGCCCGGAGACCTGACTGAGGCTTCTCTGGCAGAGATGGAG 840
QY 230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 249
DB 841 AAGGCCAAGGGAAACCTCAGAGCAGCTTCAATGATGAGAACTCGGCATAGTGGTGGCT 900
QY 250 AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeuLeu 269
DB 901 GACCTGTCTCTGCGCGGATGGTGACCACTCGACCGCTGCCTGGCGGCTCTCTGCTC 960
QY 270 MetIleLeuHisProAspValGlnArgArgValGlnGlnIleAspAspValIleGly 289
DB 961 ATGATCTCATCTCGGATGTGAGCGCGCTGTCACACAGAGATCGACGAGTATAGG 1020
QY 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 309
DB 1021 CAGGTGGCGCGACAGAGATGGTGACAGGCTCATCGCTTACACCATGCGCGGAT 1080
QY 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
DB 1081 CATGAGGTGACGCGCTTGGGAGCATCGTCCCGCTGGGTATGACCATATGACATCCCGT 1140
QY 330 AspileGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 349
DB 1141 GACATCGAAGTACAGGCTTCCGATCCCTAAGGGAACGACACTCATACCAACCTGTCA 1200
QY 350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
DB 1201 TCGGTGCTGAGGATGAGCGCGTCTGGGAGAGCGCTTCCGCTTCCACCCGCAACTTTC 1260
QY 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
DB 1261 CTGGATGCCAGGGCCACTTTGTGAAGCGGAGGCGCTTCTGCTTTCTCAGCAGCGCGC 1320


```
QY 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPhePheThrSerLeu 409
Db 1321 CGTGATGCTCGGGGAGCCCTGGCCGCGATGGAGCTTCTCTTCTTCACTCCCTG 1380
QY 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
Db 1381 CTCGACACTTCAGCTTCTCGGTGCCACTGGACAGCCGCCGACCCACCATGGTGTG 1440
QY 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
Db 1441 TTGTCTTCTCGTGAGCCCATCCCTATGAGCTTGTGTGTCGCCCGC 1491

RESULT 9
E10867
LOCUS E10867 1494 bp RNA linear PAT 29-SEP-1997
DEFINITION cDNA encoding human cytochrome P450.
ACCESSION E10867
VERSION E10867.1 GI:22027961
KEYWORDS JP 1996056695-A/16.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 1494)
AUTHORS Hayashi,K., Sakaki,T., Yabusaki,Y., Komai,K., Kaneko,H. and
Nakatsuka,I.
TITLE METHOD FOR EVALUATING SAFETY
JOURNAL Patent: JP 1996056695-A 16 05-MAR-1996;
SUMITOMO CHEM CO LTD
COMMENT OS Homo sapiens (human)
PN JP 1996056695-A/16
PD 05-MAR-1996
PR 15-JUL-1994 JP 1994164184
PR 20-JUL-1993 JP 93P 201120, 30-JUL-1993 JP 93P 208279, PR
17-JUN-1994 JP 94P 136053
PI HAYASHI KOJI, SAKAKI TOSHIYUKI, YABUSAKI YOSHIYASU, PI KOMAI
KOICHIRO.
PI KANEKO HIDEO, NAKATSUKA IWAO
PC C12Q1/02,C12M1/34,C12Q1/26;
CC strandedness: Double;
CC topology: Linear;
CC hypothetical: No;
CC anti-sense: No;
FH Key Location/Qualifiers
FT source 1..1494 /organism='Homo sapiens'
FT CDS 1..1494 /product='human cytochrome P450 2D6'.
FEATURES
source
Location/Qualifiers
1..1494
/organism="Homo sapiens"
/mol_type="genomic RNA"
/db_xref="taxon:9606"

ORIGIN
Alignment Scores:
Pred. No.: 1.06e-184 Length: 1494
Score: 2281.50 Matches: 444
Percent Similarity: 89.34% Conservative: 0
Best Local Similarity: 89.34% Mismatches: 2
Query Match: 97.92% Indels: 51
DB: 6 Gaps: 1

US-09-820-788A-2 (1-446) x E10867 (1-1494)

QY 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
Db 1 ATGGGGCTAGACACTGGTGGCCCTGGCGGTGATGGCCATCTTCTGCTCTCTGGTG 60
QY 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuProLeu 40
Db 1141 GACATCGAAGTACAGGGCTTCGGCATCCCTAAGGGAACGACACTCATCAACCACTGTC 1200
```


QY 350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
DB 1201 TCGGTGCTGAAGGATGAGGCGCTGGGAGAACCCCTTCGGCTTCCACCCGAACTTC 1260
QY 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
DB 1261 CTGGATGCCAGGCGCACCTTGTGAAGCCGGAGGCGCTTCCTGCTTTCTCAGCAGGCCGC 1320
QY 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePheThrSerLeu 409
DB 1321 CGTGATGCTCGGGAGCCCTTGGCCCGCATGGAGCTTCTCTCTTCTTCTTCTTCTTCTTCT 1380
QY 410 LeuGlnHisPheSerPheSerValProThrGlnProArgProSerHisGlyVal 429
DB 1381 CTCGACACTTCAGCTTCTCGGTGCCCACTGGACAGCCCGGCCAGCCACCATGGTGTG 1440
QY 430 PheAlaPheLeuValThrProSerProTyTrpGluLeuCysAlaValProArg 446
DB 1441 TTTGCTTTCTGTGTGACCCCATCCCTATGAGCTTTGTGTGTGCTGCTGCTGCTGCTGCTGCT 1491

RESULT 10

AR399335
LOCUS AR399335 1494 bp DNA linear PAT 18-DEC-2003
DEFINITION Sequence 16 from patent US 6620593.
ACCESSION AR399335
VERSION AR399335.1 GI:40141142
KEYWORDS
SOURCE Unknown.
ORGANISM Unclassified.
REFERENCE 1 (bases 1 to 1494)
AUTHORS Hayashi,K., Sakaki,T., Yabuzaki,Y., Komai,K., Kaneko,H. and Nakatsuka,I.
TITLE Method for safety evaluation of chemical compound using recombinant yeast expressing human cytochrome P450
JOURNAL Patent: US 6620593-A 16 SEP-2003;
FEATURES Location/Qualifiers
source 1..1494
/organism="unknown"
/mol_type="genomic DNA"

ORIGIN

Alignment Scores:
Pred. No.: 1,06e-184 Length: 1494
Score: 2281.50 Matches: 444
Percent Similarity: 89.34% Conservative: 0
Best Local Similarity: 89.34% Mismatches: 2
Query Match: 97.92% Indels: 51
DB: 6 Gaps: 1

US-09-820-788A-2 (1-446) x AR399335 (1-1494)

QY 1 MetGlyLeuAlaLeuValProLeuAlaValileValAlaPheLeuLeuVal 20
DB 1 ATGGGGCTAGAAGCACTGGTGCCCTCGGCGGTGATAGTGCCATCTTCTGCTCTCTG 60
QY 21 AspLeuMetHisArgArgGlnArgTrpAlaArgTyTrpSerProGlyProLeuProLeu 40
DB 61 GACCTGATGACCGCGCCCAACGCTGGCTGACGCTACCCACGAGCCCTTGGCCACTG 120
QY 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyTrpCysPheAspGln 60
DB 121 CCGGGCTGGGCAACCTGCTGATGTGGACTTCCAGACACACCATCTGCTTGGACCA 180
QY 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValVal 80
DB 181 TTGCGCGCGCGCTTGGGGAGCGTTCAGCTTCAGCTGCGCTGCGCTGCGCGCGGTG 240
QY 81 LeuAsnGlyLeuAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
DB 241 CTCATATGGGCTGGCGCGCTGGCGCGAGCGCTGTGACCCACGCGGAGGACACCGCG 300

QY 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln 117
DB 301 CGCCGCGCTGTGCCATCACCAGATCTCTGGGTTCCTGGGCGCGCTTCCCAAGGGGTGTTTC 360
QY 117 117
DB 361 CTGGCGCGCTATGGGCGCGCTGGCGGAGAGGCGCTTCTCCGCTCTCCACCTTGGCG 420
QY 117 117
DB 421 AACTTTGGGCGCTGGCAAGAGTCGCTGGAGCAGTGGGTGACCGAGGAGCGCGCTGCCCTT 480
QY 118 118
DB 481 TGTGGCGCTTCCGCCAACACCTCCGAGACGCCCTTTCGCCCAACAGCTCTCTTGGCAAA 540
QY 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTrpAspPro 149
DB 541 GCGGTGAGCACTGATGCTCCCTTCCCTCGGGCGCGCTTCGAAATACGACGACCTT 600
QY 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu 169
DB 601 CGCTTCTCAGGCTGCTGGACCTAGCTCAGGAGGAGCTGAAGAGGAGTGGGCTTCTG 660
QY 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189
DB 661 CGGAGGTGCTGAATGCTGCTCCCTTCTTCCATATCCAGCGCTGGCTGGCAAGGTC 720
QY 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
DB 721 CTACGCTTCCAAAGGCTTTCGACCCAGCTGGATGAGTGTCTAATCAGACAGAGTGT 780
QY 210 ThrTpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
DB 781 ACTTGGACCCAGCCCGAGCCCGGAGACCTGACTGAGGCTTCTTGGCAGAGATGGAG 840
QY 230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 249
DB 841 AAGGCCAAGGGGAACTCTGAGAGGAGCTTCAATGATGAGAACTGTGCTAGTGTGGCT 900
QY 250 AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeuLeu 269
DB 901 GACCTGTCTCTGCGGGATGGTACCCTCGACCCACCTGGCGCTGGCGCTCTCTGCTC 960
QY 270 MetIleLeuHisProAspValGlnArgArgValGlnGlnGluLeuAspValIleGly 289
DB 961 ATGATCTTACATCCGATGTGGAGCGCGCTGTCCACAGAGAGATCGACCGCTGATGGG 1020
QY 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyTrpThrThrAlaVal 309
DB 1021 CAGGTGGCGGACCAAGAGATGGGTGACAGGCTCATGCTCCCTACACCATGCGGTGATT 1080
QY 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
DB 1081 CATGAGGTGACGCGCTTGGGAGCATCGTCCCGCTGGGTGTGACCCATATGATATCCCGT 1140
QY 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 349
DB 1141 GACATCGAAGTACAGGCTTCCGATCCCTAAGGGAACGACACTCATACCAACCTGTCA 1200
QY 350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
DB 1201 TCGGTGCTGAAGGATGAGGCGCTTGGGAGAGGCCCTTCCGCTTCCACCCGAACTTC 1260
QY 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
DB 1261 CTGGATGCCAGGCGCACCTTGTGAAGCCGGAGGCGCTTCTGCTTCTTCTTCTTCTTCT 1320
QY 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePheThrSerLeu 409
DB 1321 CTGATGCTGCTGGGAGGCCCTTGGCGCGAGCTTCTTCTTCTTCTTCTTCTTCTTCT 1380
QY 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429

Db 121 CCCGGCTGGGCAACCTGCTGCATGTGGACTTCAGAACACACCATACTGCTTCGACCAG 180

61	Leu	Arg	Arg	Arg	Phe	Gly	Asp	Val	Phe	Ser	Leu	Gln	Leu	Ala	Trp	Thr	Pro	Val	Val	80
181	TT	CGCG	CGCG	CGCT	TC	CGG	GAC	AGT	GT	TT	CAG	CGT	CGAG	CT	GT	GG	CGC	CGCG	CGCG	240
81	Leu	Asn	Gly	Leu	Ala	Ala	Val	Arg	Glu	Ala	Leu	Val	Thr	His	Gly	Glu	Asp	Thr	Ala	100
241	CT	CAAT	TGGG	CT	TGG	CGCG	CGT	CGCG	AGG	CGCT	GGT	GAC	CCC	CAC	GGC	GAG	GAC	AC	CGCG	300
101	Arg	Pro	Pro	Val	Pro	Ile	Thr	Gln	Ile	Leu	Gly	Phe	Gly	Pro	Arg	Ser	Gln			117
301	CG	CCG	CGCT	GT	GCC	CAT	CAC	CC	AGAT	CCT	TGG	GT	TC	GG	CGCG	CGCT	TC	CC	CA	360
117																				117
361	CT	GG	CGCG	CT	AT	TGG	CGCG	CGCT	TGG	CGCG	AG	CAG	AGG	CGCT	TT	CT	CCG	CT	CC	420
117																				117
421	AAC	TTGGG	CTGGG	CAAG	AGT	CGCT	TGG	AGC	AGT	GGT	GTAC	CGAG	GAG	GGCG	CGCT	TGC	CTT			480
118																				129
481	TGT	GGCG	CGCT	TCGCC	AAAC	CACT	CCG	AGCG	CCCT	TT	TCGCC	CCAA	CGGT	CT	CT	TGG	ACAA			540
130	Ala	Val	Ser	Asn	Val	Ile	Ala	Ser	Leu	Thr	Cys	Gly	Arg	Arg	Phe	Glu	Tyr	Asp	Asp	149
541	GCG	GT	GAG	CAAC	GT	GAT	CGCT	CCCT	CAC	CTG	CGG	CGCG	CGCT	TCGA	ATA	ACG	ACG	AC	CCCT	600
150	Arg	Phe	Leu	Arg	Leu	Asp	Phe	Ala	Gln	Gln	Gly	Leu	Ser	Glu	Ser	Gly	Phe	Leu		169
601	CG	CT	CT	CGG	CT	GT	GAC	CT	TAG	CT	CA	GAG	GGG	ACT	GA	AG	GAG	AGT	CGG	660
170	Arg	Glu	Val	Leu	Asn	Ala	Val	Pro	Val	Leu	His	Ile	Pro	Ala	Leu	Ala	Gly	Val		189
661	CGG	AGG	TGCT	GAAT	GCT	GT	CCCC	CT	CT	CT	CGAT	AT	CCC	AG	CGCT	TGG	CT	GCA	AGG	720
190	Leu	Arg	Phe	Gln	Tyr	Ser	Ala	Phe	Leu	Thr	Gln	Leu	Asp	Glu	Leu	Leu	Thr	Glu	His	209
721	CT	ACG	CT	TC	CAAA	AGG	CT	TT	CCT	TGAC	CC	AGT	CGAT	GAT	GCT	TAAC	TAG	CAC	AGG	780
210	Thr	Trp	Asp	Pro	Ala	Gln	Pro	Pro	Arg	Asp	Leu	Thr	Glu	Ala	Phe	Leu	Ala	Glu	Met	229
781	AC	CT	TGG	AGCC	AC	CC	CAG	CGCC	CCCC	CGAG	ACCT	GA	CT	TGAG	CGCT	TT	CT	TGG	CAG	840
230	Lys	Ala	Lys	Gly	Asn	Pro	Glu	Ser	Ser	Phe	Asn	Asp	Glu	Asn	Leu	Arg	Ile	Val	Val	249
841	AAG	CCCA	AGGG	GAAC	CCCT	GAG	AGC	AGCT	TCAT	GAT	GAG	AGAC	CT	TGTCAT	AGT	TGGT	GGCT			900
250	Asp	Leu	Phe	Ser	Ala	Gly	Met	Val	Thr	Thr	Ser	Thr	Leu	Ala	Trp	Gly	Leu	Leu		269
901	GAC	CT	GT	CT	CT	CGCG	GAT	GGT	GAC	CA	CT	CGAC	CA	CGT	TGG	CGCT	CGG	CGCT	CT	960
270	Met	Ile	Leu	His	Pro	Asp	Val	Gln	Arg	Arg	Val	Gln	Gln	Ile	Leu	Asp	Asp	Val	Ile	289
961	AT	GAT	CT	CAT	CCG	GAT	TGCA	CGCG	CGT	GT	CCAA	CAG	GAGAT	TCG	ACG	ACG	TGAT	AGG		1020
290	Gln	Val	Arg	Arg	Pro	Glu	Met	Gly	Asp	Gln	Ala	His	Met	Pro	Tyr	Thr	Thr	Ala	Val	309
1021	CAG	GT	CGG	CGG	CA	CAG	AT	GGT	GTG	AC	AGG	CT	CAT	AT	CGCT	TAC	AC	CT	CGG	1080
310																				

```
Db 1261 CTGGATGCCAGGCGCACCTTTGTGAAGCCGGAGCGCTTCTCGCTTTCTCAGAGCGCCG 1320
QY 390 ArgAlaCysLeuGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu 409
Db 1321 CGTGATGCTCGGGAGCCCTTGGCCGATGAGAGCTTCTCTCTTCTCACTCCCTG 1380
QY 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyVal 429
Db 1381 CTGCAGCACTTCAGCTTCTCGGTGCCCACTGGACAGCCCGGCCAGCCACCATGGTGC 1440
QY 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
Db 1441 TTTGCTTTCTGTGAGCCCATCCCTCATGAGCTTTGTGCTGTGCCCCGC 1491

RESULT 12
AR399338
LOCUS AR399338 1494 bp DNA linear PAT 18-DEC-2003
DEFINITION Sequence 19 from patent US 620593.
ACCESSION AR399338
VERSION AR399338.1 GI:40141148
KEYWORDS
SOURCE
ORGANISM
Unclassified.
REFERENCE
1 (bases 1 to 1494)
Hayashi, K., Sakai, T., Yabuseaki, Y., Komai, K., Kaneko, H. and
Nakatsuka, I.
TITLE
Method for safety evaluation of chemical compound using recombinant
yeast expressing human cytochrome P450
JOURNAL
Patent: US 620593-A 19 SEP-2003;
FEATURES
Location/Qualifiers
source 1..1494
/mol_type="genomic DNA"

ORIGIN
Alignment Scores:
Pred. No.: 2,31e-184 Length: 1494
Score: 2277.50 Matches: 443
Percent Similarity: 89.34% Conservative: 1
Best Local Similarity: 89.13% Mismatches: 2
Query Match: 97.75% Indels: 51
DB: 6 Gaps: 1

US-09-820-788a-2 (1-446) x AR399338 (1-1494)

QY 1 MetGlyLeuGluAlaLeuValProLeuAlaValAlaValAlaLeuLeuVal 20
Db 1 ATGGGGCTAGAGCACTGGTGGCCCTGGCCGTGATAGTGGCCATCTTCTGCTCTCTGGTG 60
QY 21 AspLeuMetHisArgArgGlnArgTtpAlaAlaArgTyrSerProGlyProLeuProLeu 40
Db 61 GACTGATGACCGGGCGCCAAACGCTGGCTGACGCTACCCACAGCCCTTGGCCACTG 120
QY 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
Db 121 CCCGGCTGGGCAACCTGCTGCATGTGGACTTCCAGAACACACACATACCTGCTCGACCAG 180
QY 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTtpThrProValValVal 80
Db 181 TTGGCGCGCGCTTTCGGGAGCGTGTTCAGCCTGCAGCTGGCCCTGGAGCGCGGTGGT 240
QY 81 LeuAsnGlyLeuAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
Db 241 CTCAATGGGCTGGCGCGCGTGGCGAGCGCGCTGGTGACCCACGCGGAGGACACCGCGAC 300
QY 101 ArgProProValProThrGlnLeuLeuGlyPheGlyProArgSerGln----- 117
Db 301 CGCCCGCGCTGTGCCCATCACCGAGATCCTGGGTTCGGGCGCGCTTCCCNAGGGGTGTC 360
QY 117 ----- 117
```

```
Db 361 CTGGCGCGCTATAGGGCCCGCTGGCGCGAGCAGAGCGGCTTCTCCGCTCTCCACCTTGGCG 420
QY 117 ----- 117
Db 421 AACTTTGGGCTTGGCGAAGTTCGCTGGAGCAGTGGGTGACCGAGGAGCGCGCTTGCCTT 480
QY 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
Db 481 TGTGCGCGCTTGGCCAAACCACTCCGGAGCGCCCTTTGCGCCCAACCGTCTCTTGGACAA 540
QY 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluThrArgAspPro 149
Db 541 GCGTGAGCAACGTGATCGCTCCCTCACCTGCGGGCGCGCTTCCGAATACGACGACCT 600
QY 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluLeuSerGlyPheLeu 169
Db 601 CGCTTCTCAGGCTGCTGGACCTAGCTCAGAGGGGACTGAAGGAGGAGTGGGCTTCTG 660
QY 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189
Db 661 CGCGAGGTGCTGAATGCTGTCCTCCCGCTCTCTGCATATCCACGCGCTGGCTGCAAGTGC 720
QY 190 LeuArgPheGluLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
Db 721 CTACGCTTCCAAAGGCTTCTGACCCAGCTGGATGAGTGTAACTGAGCACAGATG 780
QY 210 ThrTtpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
Db 781 ACCTGGGACCCAGCCCGCAGCCCTGCTGAGGAGCTGCTGAGGCGCTTCTTGGCAGAGATGGAG 840
QY 230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 249
Db 841 AAGGCCAAGGGAAACCTCAGAGCAGCTTCAATGATGAGAAACCTGTGCATAGTGGTGGCT 900
QY 250 AspLeuPheSerAlaGlyMetValThrThrSerThrLeuAlaTtpGlyLeuLeuLeu 269
Db 901 GACCTGTTCTTGGCGGGATGGTACCCTGACCCACGCTGGCGCTGGGCGCTTCTTGCTC 960
QY 270 MetIleLeuHisProAspValGlnArgArgValGlnGlnGluIleAspAspValIleGly 289
Db 961 ATGATCTACATCCGGATGTGAGCGCGCTGTCCACAGAGAGATCCAGCAGCTGATAGGG 1020
QY 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 309
Db 1021 CAGGTGCGGCGCACAGAGATGGTGCACAGGCTCATCATGCCCTACACCATGCGCGTATT 1080
QY 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
Db 1081 CATAGGTGCAGCGCTTTGGGGACATCGTCCCCCTGGGTGTGACCCATATGACATCCCCG 1140
QY 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 349
Db 1141 GACATCGAAGTACAGGGCTTCCGCATCCCTAAGGGNACACACTCATACCACTGTCA 1200
QY 350 SerValLeuLysAspGluAlaValTtpGluLysProPheArgPheHisProGluHisPhe 369
Db 1201 TCGGTGCTGAAGATGAGCGCGTTCGGGAGAGCGCTTCCGCTTCCACCCGAACACTTC 1260
QY 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
Db 1261 CTGGATGCCAGGGCCACTTTGTGAAGCCGAGGCGCTTCTGCTTTCTCAGCAGCGCCG 1320
QY 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu 409
Db 1321 CGTGATGCTCGGGAGCGCCCTGGCCCGCATGGAGCTTCTCTCTTCTTCACTCCCTG 1380
QY 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyVal 429
Db 1381 CTGCAGCACTTCAGCTTCTCGGTGCCCACTGGAGACCGCCCGGCCAGCCACCATGGTGC 1440
QY 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
Db 1441 TTTGCTTTCTGTGAGCCCATCCCTCATGAGCTTTGTGCTGTGCCCCGC 1491
```

```
RESULT 13
AX687033
LOCUS AX687033 1565 bp DNA linear PAT 31-MAR-2003
DEFINITION Sequence 7 from Patent EP1281755.
ACCESSION AX687033
VERSION AX687033.1 GI:29409535
KEYWORDS
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
1 Milos, P.M. and Webb, S.M.
AUTHORS Variants of the human cyp2d6 gene
TITLE Patent: EP 1281755-A 7 05-FEB-2003;
JOURNAL Pfizer Products Inc. (US)
FEATURES
Location/Qualifiers
source 1..1565
/organism="Homo sapiens"
/mol_type="unassigned DNA"
/db_xref="taxon:9606"
ORIGIN
Alignment Scores:
Pred. No.: 7,96e-184 Length: 1565
Score: 2271.50 Matches: 443
Percent Similarity: 89.36% Conservative: 2
Best Local Similarity: 88.96% Mismatches: 1
Query Match: 97.49% Indels: 52
DB: Gaps: 1
US-09-820-788a-2 (1-446) x AX687033 (1-1565)
QY 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
Db 1 ATGGGGCTAGAACCACTGGTGGCCCTGGCGGTGATAGTGGCCATCTTCTGCTCTGTTG 60
QY 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuProLeu 40
Db 61 GACCTGATGACCGCGCGCAAGCTGGGTGACGCTACCCACGAGGCCCTGGCACTG 120
QY 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
Db 121 CCGGGCTGGGCAACCTGCTGATGGACTTCCAGACACACACCACTACTGCTTCGACCAG 180
QY 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValVal 80
Db 181 TTGGCGCGCGCTTCGGGGACGTGTTACGCTGCAGCTGGCTGGACGCGGTGCTGCTG 240
QY 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
Db 241 CTCATATGGGCTGGCGCGCTGGCGAGGCGCTGGTACCCACGCGGAGGACACCCCGCAC 300
QY 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln----- 117
Db 301 CCGCGCGCTGTGCCCCATCACCCAGATCTTGGGTTTTCGGGCGCGCTTCCCAAGGGGTGTT 360
QY 117 ----- 117
Db 361 CTGGCGCGCTATGGCGCGCGTGGCGCGAGCAGAGCGGCTTCTCCGTGTCCACCTTGGCG 420
QY 117 ----- 117
Db 421 AACTTTGGGCTGGGCAAGAGTGGCTGGAGCAGTGGGTGACCGAGGAGGCGCGCTTGCCTT 480
QY 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
Db 481 TGTGGCGCTTCGCCAACCACTCCCGAGCGCCCTTTCGCCCAACCGGTCTCTTGGACAAA 540
QY 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluThrAspAspPro 149
Db 541 GCCGTGAGCAAGTGTATCGCCTCCCTCACCTGCGGGCGCGCTTCGAGTACGACGACCT 600
QY 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGlnGlyLeuLysGluLysSerGlyPheLeu 169
Db 601 CGCTTCTTCAGCGTGTCTGAGACTAGCTCAGAGGAGTGAAGAGGAGTCTGGGCTTTCTG 660
QY 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189
Db 661 CGCGAGGTGCTGAATGCTGCTCCCGCTCTCTGATATCCCGAGCGCTGGTGGCAAGTCT 720
QY 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
Db 721 CTAGCTTCCAAAAGGCTTCTCTGACCCAGCTGGATGAGTCTAACTGAGCAGCAGGATG 780
QY 210 ThrTrpAspProAlaGlnProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
Db 781 ACCTGGGACCCAGAGCCCGAGACCTGAGCTGAGGGCTTCTCTGGCAGAGATGAGAG 840
QY 230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 249
Db 841 AAGGCCAAGGGAGACCTTGAGAGCAGCTTCAATGATGAGAACCTGGCGATAGTGGTGGCT 900
QY 250 AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeuLeu 269
Db 901 GACCTGTTCTCTGCGGGATGGTGACCACTCGACCGCTCACATGCCCTACACCACTGCCGTGATT 960
QY 270 MetIleLeuHisProAspValGlnArgArgValGlnGlnGlnIleAspAspValIleGly 289
Db 961 ATGATCTCTACATCCGATGTCAGCGCGCTGTCACACAGGAGATCGACGATGATAGGG 1020
QY 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 309
Db 1021 CAGGTGCGCGCACGAGAGTGGGTGACCACTCACATGCCCTACACCACTGCCGTGATT 1080
QY 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
Db 1081 CATGAGGTGACGCGCTTGGGGACATGCTCCCTCGGTATGACCATATGACATCCCGT 1140
QY 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrLeuIleThrAsnLeuSer 349
Db 1141 GACATCGAAGTACAGGGCTTCCGATCCCTAAGGGAAGCAGCACTCATCACCACTGTCA 1200
QY 350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
Db 1201 TCGGTGCTGAAGATGAGCGCTCTGGAGAGAGCGCTTCCGCTTCCACCCGACACTTC 1260
QY 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
Db 1261 CTGGATGCCAGGCGCACTTTGTGAAGCGGAGCGCTTCTCTGCTTCTCAGCAGGCGCGC 1320
QY 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuLeuPhePheThrSerLeu 409
Db 1321 CGTGCATGCTTCGGGAGCGCTGCGCGCGATGAGCTCTTCTCTTCTTCCCTCCCTG 1380
QY 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
Db 1381 CTGACGACTTCAGCTTCTCGGTGCCACTGGACAGCGCCCGCCAGCAGCAGCATGGTGTCT 1440
QY 430 PheAlaPheLeuValThrProSerProTyrGlu-LeuCysAlaValProArg 446
Db 1441 TTTGCTTCTTCTGCTGACCCCATCCCTTATGAGTATTTGTGCTGTGCGCCCGC 1492
RESULT 14
AX687030
LOCUS AX687030 1568 bp DNA linear PAT 31-MAR-2003
DEFINITION Sequence 4 from Patent EP1281755.
ACCESSION AX687030
VERSION AX687030.1 GI:29409534
KEYWORDS
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1
```

AUTHORS Milos, P.M. and Webb, S.M.
TITLE Variants of the human cyd2d6 gene
JOURNAL Patent: EP 1281755-A 4 05-FEB-2003;
Pfizer Products Inc. (US)
FEATURES Location/Qualifiers
source 1..1568
/organism="Homo sapiens"
/mol_type="unassigned DNA"
/db_xref="taxon:9606"

ORIGIN
Alignment Scores:
Pred. No.: 1,75e-183 Length: 1568
Score: 2267.50 Matches: 442
Percent Similarity: 89.36% Conservative: 3
Best Local Similarity: 88.76% Mismatches: 1
Query Match: 97.32% Indels: 52
DB: 6 Gaps: 1

US-09-820-788A-2 (1-446) x AX687030 (1-1568)

Qy 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
Db 1 ATGGGCTAGAACACTGGTGGCCCTGGCGTGTATAGTGGCCATCTTCTGCTCTGGTG 60
Qy 21 AspLeuMetHisArgArgGlnArgTTPAlaAlaArgTyrSerProGlyProLeuProLeu 40
Db 61 GACCTGATGACCGCGCCCAACGCTGGGCTGCACGCTACCCACAGCGCCCTGCCACTG 120
Qy 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
Db 121 CCGGGCTGGCAACCTGCTGCATGTGGACTTCAGAACACACCATACTGCTTCGACCG 180
Qy 61 LeuArgArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal 80
Db 181 TTGCGGCGCGCTTCGGGACGTTTTCAGCTGACCTGCGCTGGAGCGCGTGGTGGTG 240
Qy 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
Db 241 CTCAATGGGCTGGCGCGCGTGGCGAGGCGCTGTGACCCAGCGAGGACACCGCGGAC 300
Qy 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln 117
Db 301 CGCGCGCTGTGCCCATACCCAGATCCTGGGTTTCGGGCGCGCTTCCCAAGGGGTGTT 360
Qy 117 ----- 117
Db 361 CTGGCGGCTATGGGCGCGCTGGCGGACGAGGCGCTTCTCCGTGTCCACTTGGCG 420
Qy 117 ----- 117
Db 421 AACTTGGGCTGGCAAGAGTCTGAGCAGTGGGTGACCGAGGAGCGCGCTGCCTT 480
Qy 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129
Db 481 TGTGCGCGCTTCGCCAACCACTCCGGACGCGCTTTCGCCCAACGCTCTCTGGACAAA 540
Qy 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro 149
Db 541 GCGGTGAGCAACGTATGCTCCCTACCTCGGCGCGCGCTTCGAGTACGACGACCCCT 600
Qy 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGlyPheLeu 169
Db 601 CGCTTCTCAGGCTGTGGACCTAGCTCAGGAGGACTGAAGGAGGAGTGGGCTTCTG 660
Qy 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189
Db 661 CGGAGGTGCTGAATGTGTCCCGTCTCTGCATATCCAGCGCTGGGTGGCAAGGTC 720
Qy 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209
Db 721 CTACGCTTCCAAAGGCTTCTCTGACCCAGCTGGATGCTGTAACGTAGCAGCAGGATG 780

Qy 210 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229
Db 781 ACCTGGGACCCAGCCAGCCCGAGACCTGACTGAGGCTTCTTGGCAGAGATGGAG 840
Qy 230 LysAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgIleValValAla 249
Db 841 AAGGCCAAGGGAAACCTGAGAGCAGCTTCATGATGAGAACTGGGCATAGTGGTGGCT 900
Qy 250 AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeuLeu 269
Db 901 GACCTGTTCTCTGCGGGATGGTACCACCTCGACCGCTGGCGCTGGCGCTCTCTGCTC 960
Qy 270 MetIleLeuHisProAspValGlnArgValGlnGlnGluIleAspAspValIleGly 289
Db 961 ATGATCTTACATCCGGATGTGAGCGCGCTGTCCAACAGGAGATCGACACGCTGATAGG 1020
Qy 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 309
Db 1021 CAGGTGCGGCGACAGAGATGGTGACAGGCTCATGCTCCCTACCCACTGCGGTGATT 1080
Qy 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
Db 1081 CATGAGGTGCAGCGCTTTGGGCGACATCGTCCCGCTGGGTATGACCCATATGACATCCC 1140
Qy 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrThrIleLeuThrAsnLeuSer 349
Db 1141 GACATCGAAGTACAGGCTTTCGCGCATCCCTAAGGGAACGACACTCATCAACCACTGTCA 1200
Qy 350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
Db 1201 TCGGTGCTGAAGGATGAGCGCTCTGGGAGAGACCTTCCGCTTCCACCCGACACTTC 1260
Qy 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
Db 1261 CTGGATGCCAGGCGCACTTCTGAAGCGGAGGCTTCTGCTTCTCAGCAGCGCGC 1320
Qy 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu 409
Db 1321 CGTGATGCTCGGGGAGCGCTGCGCGCATGAGCTTCTCTCTTCTTCTTCTTCTTCT 1380
Qy 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
Db 1381 CTGAGCACTTCACTTCTCGGTGCCACTGAGAGCGCGCGCGCGCGCGCGCGCGCG 1440
Qy 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
Db 1441 TTTGCTTCTGCTGAGCCCATCCCTATGATGATTGCTGTGCTGCTGCTGCTGCTGCT 1492

RESULT 15
AR084365 LOCUS 1566 bp DNA linear PAT 01-SEP-2000
DEFINITION Sequence 13 from patent US 5981174.
ACCESSION AR084365
VERSION AR084365.1 GI:10011136
KEYWORDS Unknown.
ORGANISM Unknown.
REFERENCE Unclassified.
1 (bases 1 to 1566)
AUTHORS Wolf,C.Roland., Miles,J.Stephens., Spurr,N.Kay. and Gough,A.Charles.
TITLE Genetic assay
JOURNAL Patent: US 5981174-A 13 09-NOV-1999;
FEATURES Location/Qualifiers
1..1566
/organism="unknown"
/mol_type="unassigned DNA"

ORIGIN

Alignment Scores:
Pred. No.: 2,46e-182 Length: 1566
Score: 2254.00 Matches: 442
Percent Similarity: 89.34% Conservative: 2
Best Local Similarity: 88.93% Mismatches: 2

Query Match: 96.74% Indels: 52
DB: 6 Gaps: 1
US-09-820-788A-2 (1-446) x AR084365 (1-1566)

QY 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
DB 1 ATGGGGCTAGAACACTGGTGGCCCTGGCGGTGATAGTGGCCATCTTCTCTGCTCTGTTG 60

QY 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrSerProGlyProLeuProLeu 40
DB 61 GACCTGATACACGGCGGCAACGCTGGGTGACGCTACCCACGAGGCCCTGGCACTG 120

QY 41 ProGlyLeuGlyAsnLeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGln 60
DB 121 CCGGGCTGGGAACCTGCTGATGGACTTCCAGAACACACCATCTGCTTCGACCAG 180

QY 61 LeuArgArgPheGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValVal 80
DB 181 TTGGCGCGCGCTTGGGGACGTTTTCAGCCTGCAGCTGGCCTGGACGCGGTGGTCTG 240

QY 81 LeuAsnGlyLeuAlaAlaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAsp 100
DB 241 CTCAATGGGCTGGCGCGCGCTGGCGAGCGCTGGTACCCACGCGGAGACACCGCCGAC 300

QY 101 ArgProProValProIleThrGlnIleLeuGlyPheGlyProArgSerGln----- 117
DB 301 CGCCCGCTTGTGCCCATCACCCAGATCTGGGTTTCGGGCCGCTTCCCAAGGGGTGTT 360

QY 117 ----- 117

DB 361 CTGGCGCGCTATGGGCGCGCTGGCGGAGCAGAGCGGCTTCTCGGTGCCACTTGGCG 420

QY 117 ----- 117

DB 421 AACTTGGGCTGGGAAGAAGTCGCTGGAGCAGTGGTGACCGAGGAGCGCGCTTGCCTT 480

QY 118 -----GlyArgProPheArgProAsnGlyLeuLeuAspLys 129

DB 481 TGTGGCGCTTCGCCACACCTCCGGAGCGCCCTTTCGCCCAACGGTCTTTGGACAAA 540

QY 130 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPro 149

DB 541 GCGGTGAGCAACGTCATGCTCCCTCCCTCACCTCGCGGCGCGCTTCGAGTACGAGACCT 600

QY 150 ArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLeu 169

DB 601 CGCTTCTCAGGCTGCTGGACCTAGCTCAGGAGGAGCTGAAGGAGGAGTTCGGGCTTCTG 660

QY 170 ArgGluValLeuAsnAlaValProValLeuLeuHisIleProAlaLeuAlaGlyLysVal 189

DB 661 CGCGAGGTGCTGAATGCTGTCCTCCGCTCTCTGCTATATCCAGCGCTGGTGGCAAGTTC 720

QY 190 LeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuThrGluHisArgMet 209

DB 721 CTACGCTTCCAAAGGCTTTCCTGACCCAGCTGGATGAGTCTTAACCTGAGCACAGGATG 780

QY 210 ThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeuAlaGluMetGlu 229

DB 781 ACCTGGGACCCAGCCCGCCCGAGACCTGACTGAGGGCTTCTTGGCAGAGATGGAG 840

QY 230 LysAlaLysGlyAsnProGluSerPheAsnAspGluAsnLeuArgIleValValAla 249

DB 841 AAGGCNAGGGGAACCTTGAGAGCAGCTTCATGATGAGAACCTGGCATAGTGGTGGCT 900

QY 250 AspLeuPheSerAlaGlyMetValThrThrSerThrThrLeuAlaTrpGlyLeuLeuLeu 269

DB 901 GACCTGTTCTCTGCGGGATGTTGACCACTCGACCACTGGCTGGCGCTCTCTGCTC 960

QY 270 MetIleLeuHisProAspValGlnArgValGlnGlnIleAspAspValIleGly 289

DB 961 ATGATCCTACATCCGGATGTGCAGC--CGTGTCCAACAGGAGATCGACGAGCTGATGGG 1018

Search completed: February 29, 2004, 01:10:51
Job time : 3629 secs

QY 290 GlnValArgArgProGluMetGlyAspGlnAlaHisMetProTyrThrThrAlaValIle 309
DB 1019 CAGGTGCGCGCACCCAGAGATGGGTGACGAGCTACATGCTCCCTACACACTGCCGTGATT 1078

QY 310 HisGluValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArg 329
DB 1079 CATGAGGTGCAGCGCTTTGGGGACATCTGCTCCCTGGGTATGACCATATGACATCCCGT 1138

QY 330 AspIleGluValGlnGlyPheArgIleProLysGlyThrLeuIleThrAsnLeuSer 349
DB 1139 GACATCGAAGTACAGGGCTTCGCAATCCCTAAGGAGACGACACTCATCACAACCTGTCA 1198

QY 350 SerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHisProGluHisPhe 369
DB 1199 TCGGTGCTGAAGATGAGCGCGTCTGGGAGAGCGCTTCCGCTTCCACCCGGAACACTTC 1258

QY 370 LeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPheSerAlaGlyArg 389
DB 1259 CTGGATGCCAGGGCCACTTTGTGAAGCGGAGGCGCTTCTGCTTCTTCTCAGCAGGCGCG 1318

QY 390 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePheThrSerLeu 409
DB 1319 CGTGATCCCTCGGGGAGCGCCCTGGCCGCAATGGAGCTTCTTCTTCTTCTTCTTCTTCT 1378

QY 410 LeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisGlyVal 429
DB 1379 CTGCAGCACTTCAGCTTCTCGGTGCCCACTGGACGAGCGCCCGCCAGCACCATGGTGTTC 1438

QY 430 PheAlaPheLeuValThrProSerProTyrGluLeuCysAlaValProArg 446
DB 1439 TTTGCTTCTCTGCTGAGCCCATCCCTTATGAGCTTTGTGCTGTGCTGCTGCTGCTGCTGCT 1489

GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: February 28, 2004, 01:39:30 ; Search time 2367.9 Seconds
(without alignments)
18439.552 Million cell updates/sec

Title: US-09-820-788A-3
Perfect score: 10278
Sequence: 1 agccttacaagtctgtgga.....ccagggtcagtcggcaggt 10278

Scoring table: IDENTITY NUC
Gapop 10.0 , Gapext 1.0

Searched: 3373863 seqs, 2124099041 residues
Total number of hits satisfying chosen parameters: 6747726

Minimum DB seq length: 0
Maximum DB seq length: 200000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : N Geneseq_29Jan04:*
1: Geneseqn1980s:*
2: Geneseqn1990s:*
3: Geneseqn2000s:*
4: Geneseqn2001as:*
5: Geneseqn2001bs:*
6: Geneseqn2002s:*
7: Geneseqn2003as:*
8: Geneseqn2003bs:*
9: Geneseqn2003cs:*
10: Geneseqn2004s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	10179	99.0	10278	7 AAL53566	Aal53566 Genomic D
2	5325.6	51.8	9432	6 AAD34213	Aad34213 Human cyt
3	5325.6	51.8	9432	7 ACA61301	Aca61301 Human cyt
4	5314.6	51.7	9433	7 ACA61302	Aca61302 Human cyt
5	5070.2	49.3	6472	6 ABQ72215	Abq72215 Human cyt
6	5061	49.2	6472	6 ABQ72364	Abq72364 Human cyt
7	3983.6	37.8	4500	7 ADB25775	Adb25775 Human cyt
8	2000	19.5	2170	9 ADC36793	Adc36793 Human lip
9	1999.4	19.5	2170	7 ABT33958	Abt33958 Human lip
10	1999.4	19.5	2170	7 ABT33957	Abt33957 Human pig
11	1999.4	19.5	2170	9 ADC26596	Adc26596 Human cyt
12	1999.4	19.5	2170	9 ADC26591	Adc26591 Human cyt
13	1999.2	19.4	2170	9 ADC26595	Adc26595 Human cyt
14	1984.8	19.3	2240	9 ADC26792	Adc26792 Human lip
15	1984.2	19.3	2240	7 ABT33960	Abt33960 Human pig
16	1984.2	19.3	2240	9 ADC26594	Adc26594 Human cyt
17	1970.4	19.2	2170	7 ABT33959	Abt33959 Human pig
18	1927.6	18.8	5884	6 ABK39958	Abk39958 Human che
19	1927.6	18.8	5884	6 ABL32556	Ab132556 Human imm
20	1743.4	17.0	2170	7 ABT33964	Abt33964 Human pig
21	1743.4	17.0	2170	7 ABT33965	Abt33965 Human pig
22	1687.6	16.4	1820	7 ABT33962	Abt33962 Human pig
23	1631.6	15.9	5884	6 ABK39959	Abk39959 Human che

C	24	1631.6	15.9	5884	6	ABL32557	Ab132557 Human imm
	25	1330	12.9	1450	4	AAD09849	Aad09849 Human CYP
	26	1220.4	11.9	1680	6	AAD34214	Aad34214 Human CYP
	27	1207.4	11.7	1669	5	Aah26179	Aah26179 Human cyt
	28	1207.4	11.7	1669	5	Aah26169	Aah26169 Human cyt
	29	1086	10.6	1737	4	Aai98895	Aai98895 Human exc
C	30	1086	10.6	1737	5	AAL63345	Aal63345 Human kid
	31	1061.8	10.3	1190	9	ADC26818	Adc26818 Human lip
	32	1061.2	10.3	1190	7	ABT33976	Abt33976 Human pig
	33	930.2	9.1	1050	7	ABT33963	Abt33963 Human pig
	34	920.6	9.0	1050	7	ABT33961	Abt33961 Human pig
	35	789.4	7.7	175590	9	ADD50850	Ad50850 BAC seque
	36	769.6	7.5	28818	4	AAL35901	Aal35901 Human mus
	37	769.6	7.5	28818	7	ABX58889	Abx58889 cDNA enco
	38	758	7.4	142299	9	ADD50651	Add50651 BAC seque
	39	687.6	6.7	788	9	ADC26740	Adc26740 Human lip
	40	676.6	6.6	163350	6	AAD46127	Aad46127 Human tum
C	41	671.6	6.5	1872	5	AAS83445	Aas83445 DNA encod
	42	647.2	6.3	335199	9	ADC24703	Adc24703 Human wil
	43	641.6	6.2	50000	3	AAA96363	Aaa96363 Polymorph
C	44	635.6	6.2	91000	8	AAL61326	Aal61326 Human far
C	45	629.4	6.1	121724	6	ABQ88143	Abq88143 Human ost

ALIGNMENTS

RESULT 1
AAL53566
ID AAL53566 standard; DNA; 10278 BP.
XX
AC AAL53566;
XX
DT 30-JAN-2003 (first entry)
XX
DE Genomic DNA encoding the drug-metabolising enzyme protein.
XX
KW Cytostatic; antiparkinsonian; gene therapy; cancer; Parkinson's disease;
KW human drug-metabolising protein; enzyme; gene; ds.
XX
OS Homo sapiens.
XX
FH Key
FH CDS
FT
FT /tag= a
FT /product= "Human drug-metabolising protein"
FT /note= "Coding sequence contains 7 introns"
FT exon
FT 2078..2258
FT /tag= b
FT /number= 1
FT intron
FT 2259..2961
FT /tag= c
FT /number= 1
FT exon
FT 2962..3133
FT /tag= d
FT /number= 2
FT variation
FT replace(3101,Y)
FT /tag= q
FT /standard_name= "Single nucleotide polymorphism"
FT intron
FT 3134..3903
FT /tag= e
FT /number= 2
FT variation
FT replace(3439,G)
FT /tag= x
FT /standard_name= "Single nucleotide polymorphism"
FT exon
FT 3904..4064
FT /tag= f
FT /number= 3
FT intron
FT 4065..4496
FT /tag= g
FT /number= 3
FT exon
FT 4497..4673
FT /tag= h

```
FT intron /number= 4
FT 4674..4865
FT /*tag= i
FT /number= 4
FT 4866..5007
FT /*tag= j
FT /number= 5
FT replace(4908,T)
FT /*tag= s
FT /standard_name= "Single nucleotide polymorphism"
FT 5008..5201
FT /*tag= k
FT /number= 5
FT 5202..5389
FT /*tag= l
FT /number= 6
FT 5390..5843
FT /*tag= m
FT /number= 6
FT replace(5627,A)
FT /*tag= t
FT /standard_name= "Single nucleotide polymorphism"
FT 5844..5985
FT /*tag= n
FT /number= 7
FT 5986..9556
FT /*tag= o
FT /number= 7
FT replace(6733,C)
FT /*tag= u
FT /standard_name= "Single nucleotide polymorphism"
FT 5986..9556
FT /*tag= v
FT replace(7788,C)
FT /*tag= w
FT /standard_name= "Single nucleotide polymorphism"
FT 5986..9556
FT /*tag= x
FT replace(7948,T)
FT /standard_name= "Single nucleotide polymorphism"
FT 5957..9732
FT /*tag= p
FT /number= 8
FT WO200279233-A1.
```

XX PN

XX PD

XX PF

XX P-PSDB; AAO26404.

XX 30-MAR-2001; 2001US-00820788.

XX (PEKE) PE CORP NY.

XX PA (DFRA/) DI FRANCESCO V.

XX PA (BEAS/) BEASLEY E M.

XX PI Shao W, Yan C;

XX WPI; 2003-040649/03.

XX P-PSDB; AAO26404.

XX New human drug-metabolizing proteins and nucleic acids related to the Cytochrome P450 11D drug-metabolizing enzyme subfamily, useful for treating a condition mediated by a human enzyme protein e.g., cancer.

XX Claim 4; Fig 3A-C; 72pp; English.

XX The invention relates to a novel isolated polypeptide comprising a 446-amino acid sequence or its allelic variant, orthologue or fragment. The allelic variant or orthologue is encoded by a nucleic acid that hybridizes under stringent conditions to the opposite strand of the nucleic acid comprising a sequence having 1537 or 10278 bp. The fragment comprises at least 10 contiguous amino acids of the 446-amino acid

CC sequence. The polypeptide is useful for preparing a pharmaceutical composition for treating a disease or condition mediated by a human enzyme protein, e.g. cancer or Parkinson's disease. This polynucleotide sequence represents the genomic DNA encoding the human drug-metabolising protein of the invention

SQ Sequence 10278 BP; 2071 A; 2851 C; 3130 G; 2127 T; 0 U; 99 Other;

Query Match 99.0%; Score 10179; DB 7; Length 10278;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 10278; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
QY 1 AGCCTTACAAAGTGTCTGGATTACCTGGTGGAGCCACCGGTCGGGCTCTTTATGTCTT 60
DB 1 AGCCTTACAAAGTGTCTGGATTACCTGGTGGAGCCACCGGTCGGGCTCTTTATGTCTT 60
QY 61 ACTGTACTGTCTGTCTTGAAGAAGTACTTATTTTGAATGGTTCATCATTTAGTCTAA 120
DB 61 ACTGTACTGTCTGTCTTGAAGAAGTACTTATTTTGAATGGTTCATCATTTAGTCTAA 120
QY 121 TTAATAAAGAGTAGTTTACACACCAATTTACAGTATTAATACTCTGTTTCTGTG 180
DB 121 TTAATAAAGAGTAGTTTACACACCAATTTACAGTATTAATACTCTGTTTCTGTG 180
QY 181 TGCTTACTATTACAGTGTGTTTGTACCTTTAGATGATTTCTTCTCTCATTAATATC 240
DB 181 TGCTTACTATTACAGTGTGTTTGTACCTTTAGATGATTTCTTCTCTCATTAATATC 240
QY 241 CTTTTTTTTTTCAGATTGAAAAACTCCCTTTAGCATTTCTTGTGGATATAGTCTGGTG 300
DB 241 CTTTTTTTTTTCAGATTGAAAAACTCCCTTTAGCATTTCTTGTGGATATAGTCTGGTG 300
QY 301 TTGATGAATCTCGCAGCTTTTGTGTCTGGAGGCTTTTATTTCTTCTCTGTTGG 360
DB 301 TTGATGAATCTCGCAGCTTTTGTGTCTGGAGGCTTTTATTTCTTCTCTGTTGG 360
QY 361 AAGGATATTTTGGCAGATAGTTTATCTAGCTTAAAGTCTTTTCTTCTTCTGACACAT 420
DB 361 AAGGATATTTTGGCAGATAGTTTATCTAGCTTAAAGTCTTTTCTTCTTCTGACACAT 420
QY 421 AAATATGTATGCCACTCCCTCCCTGGCTGTAAAGTCTTCCATGGAAGTGGTGGCCCC 480
DB 421 AAATATGTATGCCACTCCCTCCCTGGCTGTAAAGTCTTCCATGGAAGTGGTGGCCCC 480
QY 481 ATGTCATGTATGGAGCTCTACTGATGTTTATTTGTTTCTTCTTCTGCTCTTTAGG 540
DB 481 ATGTCATGTATGGAGCTCTACTGATGTTTATTTGTTTCTTCTTCTGCTCTTTAGG 540
QY 541 ATCTTTCTTTTATCTTGCACCTTTCCGAGTTTAAATATATCAGATGCTTTGAGTCTCTTC 600
DB 541 ATCTTTCTTTTATCTTGCACCTTTCCGAGTTTAAATATATCAGATGCTTTGAGTCTCTTC 600
QY 601 TTTGGTTTAAATCTCTTGGTGTCTATAAACTTTCTGTACAAAAAATCAGCCAGCATG 660
DB 601 TTTGGTTTAAATCTCTTGGTGTCTATAAACTTTCTGTACAAAAAATCAGCCAGCATG 660
QY 661 GTGTGGGCACCTGTATATCCAGCTACTTGGAGGCTGAGGAGAGATGCTTTGAAC 720
DB 661 GTGTGGGCACCTGTATATCCAGCTACTTGGAGGCTGAGGAGAGATGCTTTGAAC 720
QY 721 CTGGAGGTGGAGGTGGCAGTCCAGATCGCATCTTTCACCTCCACCTGGGGGACAG 780
DB 721 CTGGAGGTGGAGGTGGCAGTCCAGATCGCATCTTTCACCTCCACCTGGGGGACAG 780
QY 781 AGCAAAAATCTCGTCTCAAAAAAATTTATTTGGGCTCGGTGGTCTGTAGTCCAGCT 840
DB 781 AGCAAAAATCTCGTCTCAAAAAAATTTATTTGGGCTCGGTGGTCTGTAGTCCAGCT 840
QY 841 ACTTGGAGGAGGAGGTCCACTTGTATGTTGAGATGAGGAGGAGGATGCTTCCACT 900
DB 841 ACTTGGAGGAGGAGGTCCACTTGTATGTTGAGATGAGGAGGAGGATGCTTCCACT 900
QY 901 GCATCTCCGGCCCGGCAACAGAGTGAGACCTGTCTAAAGAAAAAATAAAAAAAG 960
```


Db 5281 CACCATGCGCGTGAATCACGAGGTGACGGCTTTGGGACATCATCCCCCTGAGTGTGAC 5340
Qy
Db 5341 CCATATGACATCCCGTGACATCGAAGTACAGGGCTTCGCGATCCCTAAGGTAGGCTGGC 5400
Db 5341 CCATATGACATCCCGTGACATCGAAGTACAGGGCTTCGCGATCCCTAAGGTAGGCTGGC 5400
Qy 5401 GCCCTCTCACCCAGCTCAGCACAGGACCTGTGTATAGCCCGAGCATGGCTACTGCCA 5460
Db 5401 GCCCTCTCACCCAGCTCAGCACAGGACCTGTGTATAGCCCGAGCATGGCTACTGCCA 5460
Qy 5461 GGTGGGCCCACTCTAGGAACCTCGGCCACTAGTCTCAATGCGCCACACACTGACTGTCC 5520
Db 5461 GGTGGGCCCACTCTAGGAACCTCGGCCACTAGTCTCAATGCGCCACACACTGACTGTCC 5520
Qy 5521 CCATCTGGGTGGGGGTCCAGAGTATAGGCAGGGCTGGCCCTGTCATCCAGAGCCCCCGT 5580
Db 5521 CCATCTGGGTGGGGGTCCAGAGTATAGGCAGGGCTGGCCCTGTCATCCAGAGCCCCCGT 5580
Qy 5581 CTAGTGGGGAGACAAACAGGACCTGCCAGATGTTGGAGGACCCAGCGCTCGAGGAG 5640
Db 5581 CTAGTGGGGAGACAAACAGGACCTGCCAGATGTTGGAGGACCCAGCGCTCGAGGAG 5640
Qy 5641 AGGGGCGAGTGTGGGTGCTCTGAGAGGTGTGACTGCGCCCTGCTGTGGGGTGGAGAGG 5700
Db 5641 AGGGGCGAGTGTGGGTGCTCTGAGAGGTGTGACTGCGCCCTGCTGTGGGGTGGAGAGG 5700
Qy 5701 GTACTGTGGAGCTTCTCGGGCGAGGACTAGTTGACAGAGTCCAGCTGTGTGCCAGGCG 5760
Db 5701 GTACTGTGGAGCTTCTCGGGCGAGGACTAGTTGACAGAGTCCAGCTGTGTGCCAGGCG 5760
Qy 5761 TGTGTGTCCCGGTGTGTTGGTGGCAGGGTCCAGCATCTCTAGAGTCCAGTCCCACT 5820
Db 5761 TGTGTGTCCCGGTGTGTTGGTGGCAGGGTCCAGCATCTCTAGAGTCCAGTCCCACT 5820
Qy 5821 CTCACCTGATCTCTCGCCAGGAGACGACACTCATCACCACTGTCTATCGGTGCTGA 5880
Db 5821 CTCACCTGATCTCTCGCCAGGAGACGACACTCATCACCACTGTCTATCGGTGCTGA 5880
Qy 5881 AGGATGAGGCGCTCTGGGAGAGCCCTTCGCGCTTCCACCCCGAACCTTCTCGATGCC 5940
Db 5881 AGGATGAGGCGCTCTGGGAGAGCCCTTCGCGCTTCCACCCCGAACCTTCTCGATGCC 5940
Qy 5941 AGGGCCACTTTGTGAACCGGAGCCCTTCTGCTTTCTCAGCAGGTGCTGTGGGAGC 6000
Db 5941 AGGGCCACTTTGTGAACCGGAGCCCTTCTGCTTTCTCAGCAGGTGCTGTGGGAGC 6000
Qy 6001 CCGGCTCCCTGTCCCTTCCGTGGAGTCTTGGCAGGGGTATCACCCAGAGCCAGGCTCAC 6060
Db 6001 CCGGCTCCCTGTCCCTTCCGTGGAGTCTTGGCAGGGGTATCACCCAGAGCCAGGCTCAC 6060
Qy 6061 TGACGCCCTCCCTCCCCACAGCGCGCTGCATGCTCGGGAGCCCTCGCCCGCAT 6120
Db 6061 TGACGCCCTCCCTCCCCACAGCGCGCTGCATGCTCGGGAGCCCTCGCCCGCAT 6120
Qy 6121 GGAGCTCTTCTCTTCACTCTCTGCTGACGACTTTCAGTCTTCTCGGTGGCCCGCG 6180
Db 6121 GGAGCTCTTCTCTTCACTCTCTGCTGACGACTTTCAGTCTTCTCGGTGGCCCGCG 6180
Qy 6181 ACAGCCCGGCGCCAGGCACTCTCGTGTGTGAGTCTTGGTGAACCCCATTCGCCPACGA 6240
Db 6181 ACAGCCCGGCGCCAGGCACTCTCGTGTGTGAGTCTTGGTGAACCCCATTCGCCPACGA 6240
Qy 6241 GCTTTGTGTGTGTCGCCCGGTAGAAAGGGGTACCTAGTCCCGAGCGCTCCCTAGCCAGA 6300
Db 6241 GCTTTGTGTGTGTCGCCCGGTAGAAAGGGGTACCTAGTCCCGAGCGCTCCCTAGCCAGA 6300
Qy 6301 GGCTCTAATGTACAATAAGCAATGTGGTAGTTCCAACTTGGGTCCCGCTGCTCAGCCCT 6360
Db 6301 GGCTCTAATGTACAATAAGCAATGTGGTAGTTCCAACTTGGGTCCCGCTGCTCAGCCCT 6360
Qy 6361 CGTTGGGATCATCTCTCCTCAGGGCAACCCCAACCCCTGCTCATCTCTGCTTACCCACCG 6420

Db 6361 CGTTGGGATCATCTCTCCTCAGGGCAACCCCAACCCCTGCTCATCTCTGCTTACCCACCG 6420
Qy
Db 6421 CCTGGCCGATTTGAGACCGGTACGTTGAGGCTGAGCAGATGTCACTTACCTTGGCCAT 6480
Db 6421 CCTGGCCGATTTGAGACCGGTACGTTGAGGCTGAGCAGATGTCACTTACCTTGGCCAT 6480
Qy 6481 AATCCCATGTCCCCCACTGACCCAACTCTGACTGCCAGATTGGTGCAGAGGACTACAT 6540
Db 6481 AATCCCATGTCCCCCACTGACCCAACTCTGACTGCCAGATTGGTGCAGAGGACTACAT 6540
Qy 6541 GTCTCTGCGATGTGGGGAAGGGCCAGAAATGGGCTGACTAGAGGTGTCACTCAGCCCTGGA 6600
Db 6541 GTCTCTGCGATGTGGGGAAGGGCCAGAAATGGGCTGACTAGAGGTGTCACTCAGCCCTGGA 6600
Qy 6601 TGTGTGTGGAGAGGCGAGGACTCAGCCTGGAGGCCATATTTTCAAGGCTTACTCAGCCAC 6660
Db 6601 TGTGTGTGGAGAGGCGAGGACTCAGCCTGGAGGCCATATTTTCAAGGCTTACTCAGCCAC 6660
Qy 6661 CCCACATCAGGGACAGCAGTCTCTGCCAGCACCATCACACAGTCACTCCCTTCATATAT 6720
Db 6661 CCCACATCAGGGACAGCAGTCTCTGCCAGCACCATCACACAGTCACTCCCTTCATATAT 6720
Qy 6721 GACACCCCAAAATGGAAGCAAAATCATGTGAGGAGCTATATGCCAGGGCTACTCCTCCAG 6780
Db 6721 GACACCCCAAAATGGAAGCAAAATCATGTGAGGAGCTATATGCCAGGGCTACTCCTCCAG 6780
Qy 6781 GGTCTAGTCCGAGGTGCCAGAACATTTCCCTGGAGAGGCCCCAGGAAACCCAGGACCGA 6840
Db 6781 GGTCTAGTCCGAGGTGCCAGAACATTTCCCTGGAGAGGCCCCAGGAAACCCAGGACCGA 6840
Qy 6841 GCCACGCCCTCAGCCTGTCACTTGTGTCCAAATTTGGTGGGTCTTGTGTCTCACTGAC 6900
Db 6841 GCCACGCCCTCAGCCTGTCACTTGTGTCCAAATTTGGTGGGTCTTGTGTCTCACTGAC 6900
Qy 6901 TTTCAAGATGAAGCGGTGACCCCTCAGCGTGAAGTTTCACTTCTTAAAGATGGTGTGT 6960
Db 6901 TTTCAAGATGAAGCGGTGACCCCTCAGCGTGAAGTTTCACTTCTTAAAGATGGTGTGT 6960
Qy 6961 CAGAGTTGTCTCTCTGATGTTAAGACGTGTTCAAGCTTCTTCTCTCTGTTGGGTGGC 7020
Db 6961 CAGAGTTGTCTCTCTGATGTTAAGACGTGTTCAAGCTTCTTCTCTCTGTTGGGTGGC 7020
Qy 7021 TGGTCTTGTGCTTTCAGGAGTGAAGCTGCAGACCTTCAAGTGAAGTGTACGGCTCTTA 7080
Db 7021 TGGTCTTGTGCTTTCAGGAGTGAAGCTGCAGACCTTCAAGTGAAGTGTACGGCTCTTA 7080
Qy 7081 AGGCTGACGTAAGGAGTGTTCATTTCTTCTGTTGGGTGTTGTGTCTCACTGGCCTCAG 7140
Db 7081 AGGCTGACGTAAGGAGTGTTCATTTCTTCTGTTGGGTGTTGTGTCTCACTGGCCTCAG 7140
Qy 7141 GAGTGAACCTGAGTCCCTTCCAGTGTTCACATCTAAGAGGAGTGTGGACCCCATGAGG 7200
Db 7141 GAGTGAACCTGAGTCCCTTCCAGTGTTCACATCTAAGAGGAGTGTGGACCCCATGAGG 7200
Qy 7201 GAGCAGCAGCAGCAAGACTTACTGCACAAACAGCAAAAGAAATGATGCAACAGGTTGCCCG 7260
Db 7201 GAGCAGCAGCAGCAAGACTTACTGCACAAACAGCAAAAGAAATGATGCAACAGGTTGCCCG 7260
Qy 7261 TGGTACTTTCAGGAGCTGCTTTTATTCCTTATCTGACCCCAACCCACATCTGCTGAT 7320
Db 7261 TGGTACTTTCAGGAGCTGCTTTTATTCCTTATCTGACCCCAACCCACATCTGCTGAT 7320
Qy 7321 TGGCCCATTTTACAGACAGTGGATTGGTCCACTTACAGAGACTGATTTGGTCAATTACA 7380
Db 7321 TGGCCCATTTTACAGACAGTGGATTGGTCCACTTACAGAGACTGATTTGGTCAATTACA 7380
Qy 7381 ATCCCTGAGCTAGACACAGAGTACTGATTTGGTATATTTTCAAACTTGAAGTAGACACAG 7440
Db 7381 ATCCCTGAGCTAGACACAGAGTACTGATTTGGTATATTTTCAAACTTGAAGTAGACACAG 7440
Qy 7441 AGTGTGAATGGTGTATTTTACAAATCCCTTAGCTAGACATAAAGGTTGTCCAGTCCCCAC 7500
Db 7441 AGTGTGAATGGTGTATTTTACAAATCCCTTAGCTAGACATAAAGGTTGTCCAGTCCCCAC 7500

QY	7501	TAGATTAGCTAGATAGATAGACAGAGACATGATTGGTGGCTTTACAAACCTTGAGTT	7560
DB	7501	TAGATTAGCTAGATAGATAGACAGAGACATGATTGGTGGCTTTACAAACCTTGAGTT	7560
QY	7561	AGACACAGGGTGTGACTGGTGTGTTTACAAACCTTGAGCTAGACACAGAGTGGCTGATTG	7620
DB	7561	AGACACAGGGTGTGACTGGTGTGTTTACAAACCTTGAGCTAGACACAGAGTGGCTGATTG	7620
QY	7621	GTGTATTTTACAATCTTTTATAGCTAGAAATAAAGGTTCCCAAGTCCCAACAGATTAGCTA	7680
DB	7621	GTGTATTTTACAATCTTTTATAGCTAGAAATAAAGGTTCCCAAGTCCCAACAGATTAGCTA	7680
QY	7681	GATAGAGTCTAATTTGGTGCATGACGAAACCCGGAGCTAGACACAGAGTGGCTGATTGGT	7740
DB	7681	GATAGAGTCTAATTTGGTGCATGACGAAACCCGGAGCTAGACACAGAGTGGCTGATTGGT	7740
QY	7741	CATATACAAATCTCTGGCTAGACATAAAGTTTCTCCAAAGTCCCACTGACTCAGAGCC	7800
DB	7741	CATATACAAATCTCTGGCTAGACATAAAGTTTCTCCAAAGTCCCACTGACTCAGAGCC	7800
QY	7801	CAGCCAGCTTCGCTAGTGGATCTTATGCCCAGGGCCACAGGAGAGCTGCTGTAGTCC	7860
DB	7801	CAGCCAGCTTCGCTAGTGGATCTTATGCCCAGGGCCACAGGAGAGCTGCTGTAGTCC	7860
QY	7861	CACACGGGACCTGACTCTCTCAGCCCTTGGGAGTGGACCGGACAGGTCCTGGAG	7920
DB	7861	CACACGGGACCTGACTCTCTCAGCCCTTGGGAGTGGACCGGACAGGTCCTGGAG	7920
QY	7921	CAGTGGAGGACCCATCCGGAGGCTCGGGCTCGCAGGAGCCACCCGTAGGAGGCT	7980
DB	7921	CAGTGGAGGACCCATCCGGAGGCTCGGGCTCGCAGGAGCCACCCGTAGGAGGCT	7980
QY	7981	TGGGCATGCGAGGCTGCAAGTCTTCTGAGCCCTCCCGCGGGAGGTGACTGAGGCTGGC	8040
DB	7981	TGGGCATGCGAGGCTGCAAGTCTTCTGAGCCCTCCCGCGGGAGGTGACTGAGGCTGGC	8040
QY	8041	GACAAATTCAGTGTGGTGTAGCCCGGAGGCGCAGCAGTACTTGGGGACCCGGTGGCCCT	8100
DB	8041	GACAAATTCAGTGTGGTGTAGCCCGGAGGCGCAGCAGTACTTGGGGACCCGGTGGCCCT	8100
QY	8101	CTGCACTGCTGGCCAGGTGCTTAAGCCCTCACTGCTTGGGGCCAGAGGACACAGCCGG	8160
DB	8101	CTGCACTGCTGGCCAGGTGCTTAAGCCCTCACTGCTTGGGGCCAGAGGACACAGCCGG	8160
QY	8161	CCGCTCCGAGTGCAGGCGCCGTGAGCCCTTCACTGCTTGGGGCCAGAGGACACAGCCGG	8220
DB	8161	CCGCTCCGAGTGCAGGCGCCGTGAGCCCTTCACTGCTTGGGGCCAGAGGACACAGCCGG	8220
QY	8221	GCAACCCAGGTTCCGCAACGCTTCCCTCCATACCTCCCGCAAGCAGAGGCGG	8280
DB	8221	GCAACCCAGGTTCCGCAACGCTTCCCTCCATACCTCCCGCAAGCAGAGGCGG	8280
QY	8281	GCTCAGAGCTCCACAGTCCAGAGGGGCTCCACAGTGCAGCGCTGGGCTGAACAAG	8340
DB	8281	GCTCAGAGCTCCACAGTCCAGAGGGGCTCCACAGTGCAGCGCTGGGCTGAACAAG	8340
QY	8341	TCTTACGCTTCCAAAGGCTTTCTGACCCAGCTGGATGAGTGTAACTGAGCAGGA	8400
DB	8341	TCTTACGCTTCCAAAGGCTTTCTGACCCAGCTGGATGAGTGTAACTGAGCAGGA	8400
QY	8401	TGACCTGGGACCCAGCCAGCCCTCCCTCCATACCTCCCGCAAGCAGAGATG	8460
DB	8401	TGACCTGGGACCCAGCCAGCCCTCCCTCCATACCTCCCGCAAGCAGAGATG	8460
QY	8461	GAGAAAGTGTAGAGTGGCTGCCACGGTGGGGGCAAGGTTGGGTTGAGCGTCCACAGA	8520
DB	8461	GAGAAAGTGTAGAGTGGCTGCCACGGTGGGGGCAAGGTTGGGTTGAGCGTCCACAGA	8520
QY	8521	GGAATGAGGGAGGCTGGGCAAAAGGTTGACAGTGCATACCCCGGAGCCGATCTG	8580
DB	8521	GGAATGAGGGAGGCTGGGCAAAAGGTTGACAGTGCATACCCCGGAGCCGATCTG	8580

QY	8581	GGCTGACAGGTGCAGAAATTTGGAGGTCAATTTGGGGGTACCCCGTTCTGTCCGAGTATGC	8640
DB	8581	GGCTGACAGGTGCAGAAATTTGGAGGTCAATTTGGGGGTACCCCGTTCTGTCCGAGTATGC	8640
QY	8641	TCTCGGCCCTGTCTCAGGCCAAGGGGAAACCTTGAGAGAGCTTCAATGATGAGAACTCGG	8700
DB	8641	TCTCGGCCCTGTCTCAGGCCAAGGGGAAACCTTGAGAGAGCTTCAATGATGAGAACTCGG	8700
QY	8701	CATAGTGTGGTGTGACTGTTCTCTGCGGGATGTGACCACTCTGCAACAGCTGGGCTG	8760
DB	8701	CATAGTGTGGTGTGACTGTTCTCTGCGGGATGTGACCACTCTGCAACAGCTGGGCTG	8760
QY	8761	GGGCTCTCTGCTCATGATCTTACATCCCGATGTCAGCGTGCAGCCATCTGGGAAACAGT	8820
DB	8761	GGGCTCTCTGCTCATGATCTTACATCCCGATGTCAGCGTGCAGCCATCTGGGAAACAGT	8820
QY	8821	GCAGGGGCGGAGGAGGAGGTACAGGCGGGGGCCATGAACTTTGCTGGGACACCCGG	8880
DB	8821	GCAGGGGCGGAGGAGGAGGTACAGGCGGGGGCCATGAACTTTGCTGGGACACCCGG	8880
QY	8881	GGCTCCAAAGCAAGGCTTTGACAGGATCTCTGTAAGCTGACCTCTCCCAACATAGAGGC	8940
DB	8881	GGCTCCAAAGCAAGGCTTTGACAGGATCTCTGTAAGCTGACCTCTCCCAACATAGAGGC	8940
QY	8941	AAGAGAGTGTCTCAGGCGCGGACCCCTGGGTGCTGACCCATTTGGGGACGCGATGCTG	9000
DB	8941	AAGAGAGTGTCTCAGGCGCGGACCCCTGGGTGCTGACCCATTTGGGGACGCGATGCTG	9000
QY	9001	TCCAGGCCCTGTCCAAACAGAGGATCGACGCTGATAGGGAGGTGCGCGACACAGAGAT	9060
DB	9001	TCCAGGCCCTGTCCAAACAGAGGATCGACGCTGATAGGGAGGTGCGCGACACAGAGAT	9060
QY	9061	GGGTGACAGGCTCATGCTCCCTACACACTGCGGTGATTCATGAGTGCAGCGCTTTGG	9120
DB	9061	GGGTGACAGGCTCATGCTCCCTACACACTGCGGTGATTCATGAGTGCAGCGCTTTGG	9120
QY	9121	GGACATCGTCCCTGGGTGTGACCCATACATCCCGTGCATTCGAACTACAGGCT	9180
DB	9121	GGACATCGTCCCTGGGTGTGACCCATACATCCCGTGCATTCGAACTACAGGCT	9180
QY	9181	TCCGATCCTCTAAGGTAGGCTTGGCGCCNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN	9240
DB	9181	TCCGATCCTCTAAGGTAGGCTTGGCGCCNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN	9240
QY	9241	NN	9300
DB	9241	NN	9300
QY	9301	NNNNNNCTGCCAGGGAAACGACACTCATCAACAACTGTCTCGGTGTGAAGATGA	9360
DB	9301	NNNNNNCTGCCAGGGAAACGACACTCATCAACAACTGTCTCGGTGTGAAGATGA	9360
QY	9361	GGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCCGAACACTTCTCTGGATGCCAGGGCA	9420
DB	9361	GGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCCGAACACTTCTCTGGATGCCAGGGCA	9420
QY	9421	CTTTGTGAGCGGAGGCTTCTGCTTCTCAGAGGTGCTGTGGGAGCCCGGCTC	9480
DB	9421	CTTTGTGAGCGGAGGCTTCTGCTTCTCAGAGGTGCTGTGGGAGCCCGGCTC	9480
QY	9481	CCTGTCCCTTCCGTTGGAGTCTTCAGGGGTATCACCCAGGAGCCAGGCTCACTGACGCC	9540
DB	9481	CCTGTCCCTTCCGTTGGAGTCTTCAGGGGTATCACCCAGGAGCCAGGCTCACTGACGCC	9540
QY	9541	CCTCCCTTCCCAACAGGCGCGCTGCTCCTCGGGAGCCCTGGCCCGCATGGAGCTC	9600
DB	9541	CCTCCCTTCCCAACAGGCGCGCTGCTCCTCGGGAGCCCTGGCCCGCATGGAGCTC	9600
QY	9601	TTCTCTTTTCACTCTCTGTGAGCACTTCACTGCTTCTCGGTGCCCATGGAAGGCC	9660
DB	9601	TTCTCTTTTCACTCTCTGTGAGCACTTCACTGCTTCTCGGTGCCCATGGAAGGCC	9660
QY	9661	CGGCCAGCCACCATGGTGTCTTTGCTTCTGGTGGAGCCCATCCCTCATGAGCTTTGT	9720

QY	1329	AATGTGTGCCCCGTAGTGTCAAGTGTGAGTGTCTGTGTATGTGAATATTGTCTTTGTGTGGG	1388
DB	871	AATGTGTGCCCCTAAGTGTCAAGTGTGAGTGTCTGTGTATGTGTGAATATTGTCTTTGTGTGGG	930
QY	1389	TGATTTTCTGCATCTGTAAATCGTGTCCCTCCAGTGTGACAAAGTGTGACAAAGTGTCTGGG	1448
DB	931	TGATTTTCTGCGTGTGTAAATCGTGTCCCTCCAGTGTGAAACAAAGTGTGACAAAGTGTCTGGG	990
QY	1449	AGTGGACAAAGAGATCTGTGCAACCATCAGGTGTGTGCAATAGCGTCTGTGCAATGTCAAGAGT	1508
DB	991	AGTGGACAAAGAGATCTGTGCAACCATCAGGTGTGTGCAATAGCGTCTGTGCAATGTCAAGAGT	1050
QY	1509	GCAAGGTGAAGTGAAGGGAACAGGCCCATATGATGCCACTCATATCATCAGAGCTCTAAGGCC	1568
DB	1051	GCAAGGTGAAGTGAAGGGAACAGGCCCATATGATGCCACTCATATCATCAGAGCTCTAAGGCC	1110
QY	1569	CCAGTAAAGTCCCAAGTGCACAGATAAAGGTGCTGAAGTCTCACTCTGGAGTGGGCAAGTGGG	1628
DB	1111	CCAGTAAAGTCCCAAGTGCACAGATAAAGGTGCTGAAGTCTCACTCTGGAGTGGGCAAGTGGG	1170
QY	1629	GGTAGGGAAAGGCAAGGTCAATGTTCTCGAGGAGGGGTTGTGACTCATATTAGGGTGTATG	1688
DB	1171	GGTAGGGAAAGGCAAGGCCATGTTCTCGAGGAGGGGTTGTGACTCATATTAGGGTGTATG	1230
QY	1689	AGCTTAGCTGGAGAGTGGATGGCCGGGTCCAATGAGACCTCTGTTATPCCAGAAAGCCTGT	1748
DB	1231	AGCCTTAGCTGGAGAGTGGATGGCCGGGTCCAATGAAACCCCTGGTTATCCAGAAAGCCTTT	1290
QY	1749	GTGGGCTTGGGAGCTTGGAGTGGGAGAGGGGTGACTTCTCCGACCAAGCCTTCTCTAC	1808
DB	1291	GCAGGCTTTCAGGAGCTTGGAGTGGGAGAGGGGGTGACTTCTCCGACCAAGGCCCTCCAC	1350
QY	1809	CACCTTACCCTGGGTAAAGGGCTTGGAGCAAGGAAGCAGCGCAAGGACCTCTGGAGCAGCC	1868
DB	1351	CGGCTTACCCTGGGTAAAGGGCTTGGAGCAAGGAAGCAGCGGCAAGACCTCTGGAGCAGCC	1410
QY	1869	CATACCTGCCCCGTGCGCTGAATCTTGCCAATGGCAGCAAGTCAACACAGCAGGTTCACTCA	1928
DB	1411	CATACCGCCCCGTGCGCTGACTCTGCCACTGGCAGCAAGTCAACACAGCAGGTTCACTCA	1470
QY	1929	CAGCAGAGGGCGAAGGCCATCATCAGCTCCCTTTTAAAGGAAAGGGTCAAGCCTCGGTG	1988
DB	1471	CAGCAGAGGGCGAAGGCCATCATCAGCTCCCTTTTAAAGGAAAGGGTCAAGCCTCGGTG	1530
QY	1989	TGCCGAGAGTGTCTGCTGCTGTGTCTGTGTGCTGTGGGTGTGGGGTGTCCAGGTGTGTC	2048
DB	1531	TGCTGAGAGTGTCTGCTGCTGTGTCTGTGTGCTGTGGGTGTGGGGTGTCCAGGTGTGTC	1590
QY	2049	AGAGGAGCCCAAGTTGGTAGTGAGCAGCCATGGGGCTTAGAAGCACTGGTGTCCCTGGCCA	2108
DB	1591	AGAGGAGCCCAATTTGGTAGTGAGCAGGATAGGGGCTTAGAAGCACTGGTGTCCCTGGCCG	1650
QY	2109	TGATAGTGGCCATCTTCTGCTCTGTGTGACCTGTATGCACCGGCAACCAAGCTGGGCTG	2168
DB	1651	TGATAGTGGCCATCTTCTGCTCTGTGTGACCTGTATGCACCGGCGCAACGCTGGGCTG	1710
QY	2169	CACGCTACCCGCCAGGTCCCTGCTGCCATGTGCCCGGGCTGGGCAACCTTGTGTCAATGTGAC	2228
DB	1711	CACGCTACCCACAGGCCCTGTCATGTGCCATGTGGAGGAGAGGTCTCTGGAGGGCGGCAGA	1769
QY	2229	TTCCAGAACACACCATACTGTTTCGACCAAGTGTGAGGAGAGGTCTCTGGAGGGCGGCAGA	2288
DB	1770	TTCCAGAACACACCATACTGTTTCGACCAAGTGTGAGGAGAGGTCTCTGGAGGGCGGCAGA	1829
QY	2289	GGTCTCTGAGGATGCCCCACACCAAGCAAAATATGGGTGTGGGTGTAAACCAACAGGCTGGAT	2348
DB	1830	GGTCTCTGAGGCTCCCTCTACCAAGCAAAATATGGATGTGGGTGTAAACCAACAGGCTGGAC	1889
QY	2349	CAGAAGCCAGGCTGAGAAGGGGAAGCAGGTTTGGGGGACGTTCTCTGGGGAAGGACATTTTA	2408
DB	1890	CAGAAGCCAGGCTGAGAAGGGGAAGCAGGTTTGGGGGACG-TCTGTGAGAAGGCAATTTA	1948

QY	2409	TACATGGATGAAGGACTGTGATTTTCCAAAGGCCAAGAAAGATAGGGCAAGGGCCTGGGA	2468
DB	1949	TACATGGCATGAAGGACTGTGATTTTCCAAAGGCCAAGAAAGATAGGGCAAGGGCCTGGGA	2008
QY	2469	GGTGGAGCTGGACTTGGCAGTGGGCATGCAAGCCCATTTGGGCAACATATCTTTATGAGTA	2528
DB	2009	GGTGGAGCTGGACTTGGCAGTGGGCATGCAAGCCCATTTGGGCAACATATGTTATGAGTA	2068
QY	2529	CAAAAGTCCCTTCTGCTGACACCAAGAAAGGCCCTTTGGGAAATGGAAGATGAGTTAGTCC	2588
DB	2069	CAAAAGTCCCTTCTGCTGACACCAAGAAAGGCCCTTTGGGAAATGGAAGATGAGTTAGTCC	2128
QY	2589	TGAGTGGCGGTTAAATCAACAAATCGAGATGAAGGGGGTGCAGTGACCCGGTTCAAACC	2648
DB	2129	TGAGTGGCGGTTAAATCAACAAATCGAGATGAAGGGGGTGCAGTGACCCGGTTCAAACC	2188
QY	2649	TTTTTGCACTGGGTCTCTCGGGCTCACTG-CTCACCGGCATGGACCATCATCTGGGAAT	2707
DB	2189	TTTTTGCACTGGGTCTCTCGGGCTCACTGCTCTCACCGGCATGGACCATCATCTGGGAAT	2248
QY	2708	GGGATGCTAACTGGGGCTCTCGGCAATTTTGGTGACTCTTGCAAAGTCACTACCTGGGTG	2767
DB	2249	GGGATGCTAACTGGGGCTCTCGGCAATTTTGGTGACTCTTGCAAAGTCACTACCTGGGTG	2308
QY	2768	ACGCATCCAAACTGAGTTCTCTCATCACAGAAGGTGTGACCCCAACCCCTGCCCCACGAT	2827
DB	2309	ACGCATCCAAACTGAGTTCTCTCATCACAGAAGGTGTGACCCCAACCCCTGCCCCACGAT	2368
QY	2828	CAGAGGCTGGGTCTCTCTCTTGCACCTGTCTACTCTGTGTAGCCCGGGGGTGTCTCAA	2887
DB	2369	CAGAGGCTGGGTCTCTCTCTTGCACCTGTCTACTCTGTGTAGCCCGGGGGTGTCTCAA	2428
QY	2888	GTTTCAATAGGACTAGGACTGTGAGTCTGGGGTGATCTCTGGCTGCACAGAGGCCCTGA	2947
DB	2429	GTTTCAATAGGACTAGGACTGTGAGTCTGGGGTGATCTCTGGCTGCACAGAGGCCCTGA	2488
QY	2948	CCCTCCCTCTGCAGTTTGGCGCGCGCTTCCGGGACGTGTTTACGCTGCAGCTGGCCTGGA	3007
DB	2489	CCCTCCCTCTGCAGTTTGGCGCGCGCTTCCGGGACGTGTTTACGCTGCAGCTGGCCTGGA	2548
QY	3008	CGCCGGTGTGTGCTCAATGGGCTGGCGGCGCTGTGGCGAGGGCGATGTGACCCGCGCG	3067
DB	2549	CGCCGGTGTGTGCTCAATGGGCTGGCGGCGCTGTGGCGAGGGCGCTGTGACCCGCGCG	2608
QY	3068	AGGACACGGCCGACCGGCCCTCGGCCCATCTACACAGGTCTCTGGGCTTCGGGCCCGGCTT	3127
DB	2609	AGGACACGGCCGACCGGCCCTCGGCCCATCTACCCAGATCTCTGGGTTTCGGGCCCGGCTT	2668
QY	3128	CCCAAGGCAAGCGCGTGGGGGACAGAGACCGCTTTCCGTGGGCCCGCGGGTGGACGT	3187
DB	2669	CCCAAGGCAAGCGCGT-GGGGACAGAGACAG-AATTTCCGTGGGACCCCGGTGGGTGAT	2726
QY	3188	GACCGTAGCCCAAGCAGCGCCGACAGGGCGTGGGGTCTGTGGAAGTGAACACAGAGATAAAG	3247
DB	2727	GACCGTAGTCCGAGCTGGGACAGAGGGCGCGGGGCTGTGGAATGGAACATGAAC-	2778
QY	3248	GCCACGAGTGGGCTGAGGACAGTGGGCCAGGAAACCACTGACAGGGGAGGTGCGAGT	3307
DB	2779	GCCACGAGTGG-----GGACAGCGGCGCAAGAAACCACTGCACTAGGAGGTGTGAGC	2833
QY	3308	CTGTGGGCTGG-----GAGGGGCGGGGCTACTCTCCACAGACCCCGCCAGAA	3352
DB	2834	ATGGGGACAGGGGCGGGCTTGTGACGAGTGGGCGGGGCCACTCGCGAGACCTGGCAGGA	2893
QY	3353	GCCCGGTGGGCGAGGCTG-----ATGCGTCCAAAGTGGCGGTGCGGGG	3394
DB	2894	GCCCAATGGGTGAGCGTGGCGGCAATTTCCACAGCTGGAATCCGGTGTCCAAATGGGGGCGGG	2953
QY	3395	GACCGCGCTTACTCTCGGGCTCAGTGTGG-----CGGGACGGCGGGATCTTCTCTTGA	3449
DB	2954	GACCGCACCTGTGCTGTAACTCAGTGTGGGTGGCGCGGGGCCCGCGGGGTCTTCCCTGA	3013
QY	3450	GTGAAAGGTGGTCAGGGTGGGCGAGAGACGAGGTGGGGGCCAAACCCCGCCCCACGGCAGGG	3509

Db 3014 GTGCAAGGCGGTGAGGTTGGGAGAGACAGAGTGGGG-CAAAAGCCTGCCCCAGCCAAGG 3072
QY GAGCAATGTGGGTGAGCAAAAGTGGGCCCTGTGCCAGCTGACCGGGCTAGGACTGC 3569
Db 3073 GAGCAAGTGTGATGACAAAGTGGGCCCTGTGACCAAGTGTGACAGAGCCAGGACTGC 3132
QY GGGAGACCTTGTGGAGCCCGCAGGGTTGGAGTGGGTGGCGAGGGTGGGGCAAGGCTTC 3629
Db 3133 GGGAGACCAAGGGGGAGC-ATAGGTTGGAGTGGGTGGTGGTGGTGGGCTAATGCTTC 3191
QY ATGCAACCCACAGCTGTCCGTCCTCCGCCCCCAGGGGTGATCTGTGCGGTATGGGCCCG 3689
Db 3192 ATGGCCACCGCGACGTGCCGTCCACCCCAAGGGGTGTTCTGGCGCGCTATGGGCCCG 3251
QY CGTGGGCGAGCAGAGGCGCTTCTCCGTGTCCACTTTCGCAACTTGGGCTCGGCAAGA 3749
Db 3252 CGTGGGCGAGCAGAGGCGCTTCTCCGTGTCCACTTTCGCAACTTGGGCTCGGCAAGA 3311
QY AGTCGTGGAGCAGTGGGTGACCGAGAGCGCGCTGCTGCTTGTGCG-CTTCGCGGACC 3808
Db 3312 AGTCGTGGAGCAGTGGGTGACCGAGAGCGCGCTGCTGCTTGTGCGCGCTTTCGCAACC 3371
QY AACCCGCTGGGTGATGGGCAAGAGGACAAAGCGGGAACTGGGAAAGCGGGGACGGG 3868
Db 3372 ACTCCGCTGGGTGATGGGCAAGAGGACAAAGCGGGAACTGGGAAAGCGGGGACGGG 3431
QY AAGGCAACCCCTTACCGGATCTCCCAACCCCGAGAGCGCCCTTTCGCCCCCAACGGCCT 3928
Db 3432 AAGGCAACCCCTTACCGGATCT-CCCAACCCCGAGAGCGCCCTTTCGCCCCCAACGGTCT 3490
QY CTTTGGCAAAAGCCGTGAGCAACGTGATCGCTCCCTCACTGCGGGCGCGCTTCGAGTA 3988
Db 3491 CTTTGGCAAAAGCCGTGAGCAACGTGATCGCTCCCTCACTGCGGGCGCGCTTCGAGTA 3550
QY CGACGACCTTCGCTTCTCAGGCTGTGGACCTAGCTCAGGAGGACTGAAGAGAGTTC 4048
Db 3551 CGACGACCTTCGCTTCTCAGGCTGTGGACCTAGCTCAGGAGGACTGAAGAGAGTTC 3610
QY GGGCTTCTGCGGAGTGGGAGCGAGACCGAGAGTCTCTGACGGCGGAGCTCCCTG 4108
Db 3611 GGGCTTCTGCGGAGTGGGAGCGAGACCGAGAGTCTCTGACGGCGGAGCTCCCG 3670
QY AGAGGTGCCGGGCTGACTGGGCTCCGAAAGGAGGATTTGCATAGATGGTTGGG 4168
Db 3671 AGAGGTGCCGGGCTGACTGGGCTCCGAAAGGAGGATTTGCATAGATGGTTGGG 3730
QY AAAGGACATTTCCAGGAGACCCCACTGTGAAGAGGCTTGAGAGGAGGAGGACATCTCAG 4228
Db 3731 AAAGGACATTTCCAGGAGACCCCACTGTGAAGAGGCTTGAGAGGAGGAGGAGGACATCTCAG 3790
QY ACATGTTCTGCGGAGAGTGTGCCGGGTCAGGGGACCCAGAGAGGCTCAGGAGGCTCAG 4288
Db 3791 ACATGTTCTGCGGAGAGTGTGCCGGGTCAGGGGACCCAGAGAGGCTCAGGAGGCTCAG 3850
QY TACC-CCCCCTCCACGTTGAGATTTGATTTTAGTTTCTCTCTGCGGCAAGAGAGAGG 4347
Db 3851 TACCTCTATCCACGTGAGATTTGATTTTAGTTTCTCTCTGCGGCAAGAGAGAGG 3910
QY GTGAGGCTGGCACTTGGGAGGAGCTTGGTGAGGTGAGTGTGAAGGACAGGAGGCGCT 4407
Db 3911 GTGAGGCTGGCACTTGGGAGGAGCTTGGTGAGGTGAGTGTGAAGGACAGGAGGCGCT 3970
QY GGGTCTACCTGGAGATGGCTGGGCTGAGACTTGTCCAGGTCAACGCGAGCAGAGGAG 4467
Db 3971 GGGTCTACCTGGAGATGGCTGGGCTGAGACTTGTCCAGGTCAACGCGAGCAGAGGAG 4030
QY GGATTTGAGACCCGCTTCTGTCTGGTGTAGTGTGATGCTGTGCCCGCTCTCTGCATA 4527
Db 4031 GGATTTGAGACCCGCTTCTGTCTGGTGTAGTGTGATGCTGTGCCCGCTCTCTGCATA 4090
QY TCCAGCGCTGGTGGCAAGGTCCTACGCTTCCAAAGGCTTTCCTGACCCAGCTGGATG 4587

Db 4091 TCCAGCGCTGGCTGCAAGGCTCTAGGCTTCCAAAGGCTTTCCTGACCCAGCTGGATG 4150
QY AGTGTCTAACTGAGCACAGGATGACCTGGGACCCAGCCAGCCAGCCAGGACTGACTG 4647
Db 4151 AGTGTCTAACTGAGCACAGGATGACCTGGGACCCAGCCAGCCAGCCAGGACTGACTG 4210
QY AGGCTTCTCTGGCAAAAGAGGAGGAGTGGCTGCTGCTCAGCGTGGGGGGCAAGGCTG 4707
Db 4211 AGGCTTCTCTGGCAGAGATGAGAGGAGTGGCTGCTGCTCAGCGTGGGGGGCAAGGCTG 4270
QY GTGGGTGTAAGCTCCAGGAGGAAAGAGGGAGGCTGGGCAAAAGGCTGGACCAAGTGCAT 4767
Db 4271 GTGGGTGTAAGCTCCAGGAGGAAAGAGGGAGGCTGGGCAAAAGGCTGGACCAAGTGCAT 4330
QY CACCCGCGAGCGCATCTGGGCTGACAGGTGAGAAATTTGGAGGTCAATTTGGGGGCTTACC 4827
Db 4331 CACCCGCGAGCGCATCTGGGCTGACAGGTGAGAAATTTGGAGGTCAATTTGGGGGCTTACC 4390
QY CGGTTCTATCCCTGAGTATCTCTGCGCCCTGCTCAGGCCAAGGGGAGCCCTGAGAGCA 4887
Db 4391 CGGTTCTGCTCC- -GAGTATGCTCTCGGCCCTGCTCAGGCCAAGGGGAAACCTTGAAGCA 4448
QY GCTTCAATCATGAGAACCTGCGCATAGTGGTGGCTGACCTGTTCTCTGCCGGATGGTGA 4947
Db 4449 GCTTCAATCATGAGAACCTGCGCATAGTGGTGGCTGACCTGTTCTCTGCCGGATGGTGA 4508
QY CCACCTTCGACCACTGGGCTCGGCGCTCTCATGATCTCTACACTGGATGTGCAGC 5007
Db 4509 CCACCTTCGACCACTGGGCTCGGCGCTCTCATGATCTCTACACTGGATGTGCAGC 4568
QY GTGAGCCCACTCTGGGAAACAGTGCAGGGGCGGAGGAGGAAAGGTTACAGCGGGGCCCC 5067
Db 4569 GTGAGCCCACTCTGGGAAACAGTGCAGGGGCGGAGGAGGAAAGGTTACAGCGGGGCCCC 4628
QY TGGGCTTACTGGGACACCGGGGCTTCCAGCACAGGCTGCGGAGGCTCTGTAGGCTT 5127
Db 4629 TGAACCTTCTGGGACACCGGGGCTTCCAAAGCACAGGCTTGACCAAGGATCTGTAAAGCT 4688
QY AACTTCTCTCAACACAGGAGGAGGAGTGT-----CCCCCTGGGTGCTGAC 5174
Db 4689 GACCTCTCTCAACATAGGAGGCAAGAGAGTGTGAGGGCCGGACCCCTGGGTGCTGAC 4748
QY CCATTGTGGGACGCAATGCTGTCCAGTCCGTGTCCAAAGGAGATGCGACGCTGATAG 5234
Db 4749 CCATTGTGGGACGCAATGCTGTCCAGGCGGTGTCCAAAGGAGATGCGACGCTGATAG 4808
QY GGCAGTGGCGGACGACAGAGATGGGTGACAGGCTCAGATGCCCTACACCACTGCCGTGA 5294
Db 4809 GGCAGTGGCGGACGACAGAGATGGGTGACAGGCTCAGATGCCCTACACCACTGCCGTGA 4868
QY TTTACAGAGTGCAGCGCTTTTGGGACATCATCCCTGAGTGTGACCCATATGACATCCC 5354
Db 4869 TTTACAGAGTGCAGCGCTTTTGGGACATCGTCCCCCTGGGTGTGACCCATATGACATCCC 4928
QY GTGACATCGAAGTACAGGCTTTCCGCAATCCCTAAGGTAGGCTTGGCGCCCTCTCACCCC 5414
Db 4929 GTGACATCGAAGTACAGGCTTTCCGCAATCCCTAAGGTAGGCTTGGCGCCCTCTCACCCC 4988
QY AGCTCAGCACACGACCTGGTGTATAGCCCCCAGGATGGCTTACTGCGAGGTGGGCGCACTCT 5474
Db 4989 AGCTCAGCACACGACCTGGTGTATAGCCCCCAGGATGGCTTACTGCGAGGTGGGCGCACTCT 5048
QY AGGAACCTTGGCACCTAGTCTCAATGCGCACCACTGCTGTCTCCCACTTGGGTGGGG 5534
Db 5049 AGGAACCTTGGCACCTAGTCTCAATGCGCACCACTGCTGTCTCCCACTTGGGTGGGG 5108
QY GGTCCAGAGTATAGGCGAGGCTGGCTGTCCATTCAGAGCCCCCGCTCTAGTGGGGAGACA 5594
Db 5109 GGTCCAGAGTATAGGCGAGGCTGGCTGTCCATTCAGAGCCCCCGCTCTAGTGGGGAGACA 5168
QY AACCCAGGACCTGCCAGATTTGGAGGACCCAGCGCTTCAGAGGAGGGGGCAGTGTGG 5654
Db 5169 AACCCAGGACCTGCCAGATTTGGAGGACCCAGCGCTTCAGAGGAGGGGGCAGTGTGG 5228

QY 5655 GTGGCTCTCAGAGGTGTGACTGGCCCTGCTGTGGGTGGAGAGGTACTGTGGAGCTT 5714
Db 5229 GTGGCTCTCAGAGGTGTGACTGGCCCTGCTGTGGGTGGAGAGGTACTGTGGAGCTT 5288
QY 5715 CTGGGCGCAGGACTAGTTGACAGAGTCCAGCTGTGTGCGCAGCAGTGTGTGCCCGCT 5774
Db 5289 CTGGGCGCAGGACTAGTTGACAGAGTCCAGCTGTGTGCGCAGCAGTGTGTGCCCGCT 5348
QY 5775 GTTTTGTGTGGCAGGGTCCCAGCATCTTAGAGTCCAGTCCCACTCTCACCCCTGCATCT 5834
Db 5349 GTTTTGTGTGGCAGGGTCCCAGCATCTTAGAGTCCAGTCCCACTCTCACCCCTGCATCT 5408
QY 5835 CTGGCCAGGAAACGACACTATCACCACTGTGTGCGTGTGATGAGATGAGGCGGTC 5894
Db 5409 CTGGCCAGGAAACGACACTATCACCACTGTGTGCGTGTGATGAGATGAGGCGGTC 5468
QY 5895 TGGGAGAACCCCTTCGGCTTCCACCCCGAACTCTCTGGATGCCAGGGCCACTTTGTG 5954
Db 5469 TGGGAGAACCCCTTCGGCTTCCACCCCGAACTCTCTGGATGCCAGGGCCACTTTGTG 5528
QY 5955 AAGCCGAGGCTTCTGCTCTTCTGAGCAGTGTGTGGGAGCCCGGCTCCCTGTGC 6014
Db 5529 AAGCCGAGGCTTCTGCTCTTCTGAGCAGTGTGTGGGAGCCCGGCTCCCTGTGC 5588
QY 6015 CCTTCGCTGAGTCTTGAGGGGTATCACCCAGGAGCCAGGCTCACTGACGCCCTCCCC 6074
Db 5589 CCTTCGCTGAGTCTTGAGGGGTATCACCCAGGAGCCAGGCTCACTGACGCCCTCCCC 5648
QY 6075 TCCACACAGCCCGCTGCATGCTCGGGAGCCCTGCGCGATGAGGCTTCTCTCT 6134
Db 5649 TCCACACAGCCCGCTGCATGCTCGGGAGCCCTGCGCGATGAGGCTTCTCTCT 5708
QY 6135 TCTTCACTCCTGTGTGACGACTTTCAGTCTTCTGCTGCGCCGAGAGCCCGGCCCA 6194
Db 5709 TCTTCACTCCTGTGTGACGACTTTCAGTCTTCTGCTGCGCCGAGAGCCCGGCCCA 5768
QY 6195 GCACTCTGCTGTGTCAGCTTCTGCTGACCCCATCCCTTACAGCTTGTGTGTGTC 6254
Db 5769 GCACTCTGCTGTGTCAGCTTCTGCTGACCCCATCCCTTATGAGCTTGTGTGTGTC 5828
QY 6255 CCGCTAGAAATGGGTACCTAGTCCCGAGCTGCTCCCTGAGCAGAGCTCTAAATGACA 6314
Db 5829 CCGCTAGAAATGGGTACCTAGTCCCGAGCTGCTCCCTGAGCAGAGCTCTAAATGACA 5888
QY 6315 ATAAAGCAATGTGTAGTTCCTCACTTGGGTCCCTGCTCACGCCCTCGTTGGGATCATCC 6374
Db 5889 ATAAAGCAATGTGTAGTTCCTCACTTGGGTCCCTGCTCACGCCCTCGTTGGGATCATCC 5948
QY 6375 TCTCAGGGCAACCCGACCCCTGCTCACTTCTGCTTACCCGAGCTGCGCGGATTTG 6434
Db 5949 TCTCAGGGCAACCCGACCCCTGCTCACTTCTGCTTACCCGAGCTGCGCGGATTTG 6008
QY 6435 AGAC - GGTAGCTGTGAGCTCAGCAGATGTCAGTTACCTTGGCCCAATCCCATGTC 6492
Db 6009 AGACAGGGTACCTGTGAGCTGAGCAGATGTGAGTTACCTTGGCCCAATCCCATGTC 6068
QY 6493 CCCACTGACCCCACTCTGACTGCCAGATTTGGTGACAGGACTACATTTCTTGGCATGT 6552
Db 6069 CCCACTGACCCCACTCTGACTGCCAGATTTGGTGACAGGACTACATTTCTTGGCATGT 6128
QY 6553 GGGGAAGGGCCAGAAATGGGCTGACTAGAGTGTGATGAGCCCTGGATGTGGTGAGAG 6612
Db 6129 GGGGAAGGGCCAGAAATGGGCTGACTAGAGTGTGATGAGCCCTGGATGTGGTGAGAG 6188
QY 6613 GCAGGACTCAGCTGGAGGCCCATATTTTACGGCTTAACTCAGCCCAACCCACATCAGG 6672
Db 6189 GCAGGACTCAGCTGGAGGCCCATATTTTACGGCTTAACTCAGCCCAACCCACATCAGG 6248
QY 6673 ACAGGACTCTGCCAGCACCATTACACAGAGTCACTCCCTTATATATGACACCCCAAAA 6732
Db 6249 ACAGGACTCTGCCAGCACCATTACACAGAGTCACTCCCTTATATATGACACCCCAAAA 6308

QY 6733 TGAAGACAAATCAT---GTGAGGAGCTATATGCCAGG---CTACTCCAGGGGCTC 6785
Db 6309 CGGAAGACAAATCATGGCGTCAGGAGCTATATGCCAGGGCTACTACTCTCCAGGGGCTC 6368
QY 6786 AGTCGCGCAGGTGCGCAGAAACATTTCCTGGGAAGGCCCCAGGAAACCCAGGACCCAGCCAC 6845
Db 6369 AGTCGCGCAGGTGCGCAGAAACATTTCCTGGGAAGGCCCCAGGACCCAGGACCCAGCCAC 6428
QY 6846 CGCCCTCAGCCT 6857
Db 6429 CACCCCTCAGCCT 6440

RESULT 3
ACA61301
ID ACA61301 standard; DNA; 9432 BP.
XX ACA61301;
XX
DT 16-JUL-2003 (first entry)
XX
DE Human cytochrome p450 gene CYP2D6, wild-type.
XX
KW Human; ds; gene; cytochrome P450; CYP2D6; chromosome 22; SNP;
KW single nucleotide polymorphism; drug metabolism; cardiovascular disorder;
KW psychiatric disorder; drug sensitivity.
XX
OS Homo sapiens.
XX

Key Location/Qualifiers
FT variation replace(226..227,ATT)
FT FT /tag= a
FT variation /standard_name= "Single nucleotide polymorphism"
FT FT replace(971,G)
FT FT /tag= b
FT variation /standard_name= "Single nucleotide polymorphism"
FT FT replace(1111,T)
FT FT /tag= c
FT variation /standard_name= "Single nucleotide polymorphism"
FT FT replace(1726,C)
FT FT /tag= d
FT variation /standard_name= "Single nucleotide polymorphism"
FT FT replace(1846,A)
FT FT /tag= f
FT variation /standard_name= "Single nucleotide polymorphism"
FT FT replace(1846,G)
FT FT /tag= e
FT variation /standard_name= "Single nucleotide polymorphism"
FT FT replace(2064,A)
FT FT /tag= g
FT variation /standard_name= "Single nucleotide polymorphism"
FT FT replace(3023,A)
FT FT /tag= h
FT variation /standard_name= "Single nucleotide polymorphism"
FT FT replace(5799,C)
FT FT /tag= i
FT variation /standard_name= "Single nucleotide polymorphism"
FT FT replace(5816,TA)
FT FT /tag= j
FT FT /standard_name= "Single nucleotide polymorphism"
XX
PN EP1281755-A2.
XX
PD 05-FEB-2003.
XX
PF 16-JUL-2002; 2002EP-00254972.
XX
PR 31-JUL-2001; 2001US-0309111P.
XX (PFIZ) PFIZER PROD INC.
XX PI Milos PM, Webb SM;
XX

Db 1591 AGAGGAGCCCAATTGGTAGTGAGGAGGATATGGGCTAGAGCACTGGTGCCCTGGCG 1650
Qy 2109 TGATAGTGGCAATCTTCCTGCTCTGCTGGTGGACCTGATGACCGGCACACAGCTGGGCTG 2168
Db 1651 TGATAGTGGCAATCTTCCTGCTCTGCTGGTGGACCTGATGACCGGCACACAGCTGGGCTG 1710
Qy 2169 CACGCTACCGCGCAGGTCCCTGCGCACTCCCGGGCTGGCAACCTTGCTGATGTGGAC 2228
Db 1711 CAGCTACCCACAGGCCCTCTGCCACTGCTCCCGGGCTGGCAACCT-TGCTGATGTGGAC 1769
Qy 2229 TTCCAGAACACACCACTACTGCTTCGACCAAGGTGAGGAGGAGGTCTCTGGAGGCGGCAG 2288
Db 1770 TTCCAGAACACACCACTACTGCTTCGACCAAGGTGAGGAGGAGGTCTCTGGAGGCGGCAG 1829
Qy 2289 GGTCTGAGGATGCCCCACACACAGCAACATGCGGTGGTGGTTAAACACAGGCTGGAT 2348
Db 1830 GGTCTGAGGCTCCCCCTACCAAGCAACATGCGATGGTGGGTGAACACACAGGCTGGAC 1889
Qy 2349 CAGAAGCCAGGCTGAGAGGGGAAGCAGGTTTTGGGGACGTTCTTGGGGAAGGACATTTA 2408
Db 1890 CAGAAGCCAGGCTGAGAGGGGAAGCAGGTTTTGGGGACG-TCTTGGGAAGGACATTTA 1948
Qy 2409 TACATGGCATGAAGGATGGATTTTCCAAAGGCCAAGGAAGTAGTGGGCAAGGGCTGGA 2468
Db 1949 TACATGGCATGAAGGATGGATTTTCCAAAGGCCAAGGAAGTAGTGGGCAAGGGCTGGA 2008
Qy 2469 GGTGAGCTGGATTTGGAGTGGGATGCAAGCCCATTTGGGCACATATGTTATGGAGTA 2528
Db 2009 GGTGAGCTGGATTTGGAGTGGGATGCAAGCCCATTTGGGCACATATGTTATGGAGTA 2068
Qy 2529 CAAAGTCCCTTCTGCTGACACAGAGGAAGGAGGCTTTGGGAATGGAAGATGATTTAGTCC 2588
Db 2069 CAAAGTCCCTTCTGCTGACACAGAGGAAGGAGGCTTTGGGAATGGAAGATGATTTAGTCC 2128
Qy 2589 TGAGTGCCTTTAAATCAGAAATCGAGATGAAGGGGTGCAGTGACCCCGGTTCAAACC 2648
Db 2129 TGAGTGCCTTTAAATCAGAAATCGAGATGAAGGGGTGCAGTGACCCCGGTTCAAACC 2188
Qy 2649 TTTTGCATCTGGTCTCGGGCTCAGTG-CTCACCAGCATGAGCATCATCTGGGAAT 2707
Db 2189 TTTTGCATCTGGTCTCGGGCTCAGTGCCCTCACCAGCATGAGCATCATCTGGGAAT 2248
Qy 2708 GGGATCTAACTGGGSCCTCTCGGCAATTTGGTGACTCTTCAAGGTCTATACCTGGGTG 2767
Db 2249 GGGATCTAACTGGGSCCTCTCGGCAATTTGGTGACTCTTCAAGGTCTATACCTGGGTG 2308
Qy 2768 ACGCATCCAACTGAGTTCCTCCATCAGAAAGGTGTGACCCCAACCCCTGCCCCACAGAT 2827
Db 2309 ACGCATCCAACTGAGTTCCTCCATCAGAAAGGTGTGACCCCAACCCCTGCCCCACAGAT 2368
Qy 2828 CAGGAGGCTGGTCTCCTCTCTCCACCTGCTCACTCTGGTAGCCCGGGGTGCTCCAA 2887
Db 2369 CAGGAGGCTGGTCTCCTCTCTCCACCTGCTCACTCTGGTAGCCCGGGGTGCTCCAA 2428
Qy 2888 GGTTCAAATAGGACTAGGACCTGTAGTCTGGGGTGTACTGCTGTGACAAAGAGGCCCTGA 2947
Db 2429 GGTTCAAATAGGACTAGGACCTGTAGTCTGGGGTGTACTGCTGTGACAAAGAGGCCCTGA 2488
Qy 2948 CCTCTCCTCTGAGTTGCGGCGCGCTTCGGGGAAGTGTTCAGCCTGCACTGGCTGGA 3007
Db 2489 CCTCTCCTCTGAGTTGCGGCGCGCTTCGGGGAAGTGTTCAGCCTGCACTGGCTGGA 2548
Qy 3008 CGCGGTGTGTGCTCAATAGGCTGGCGCGCTGCGAGGCGATGTTGAACCGCGGG 3067
Db 2549 CGCGGTGTGTGCTCAATAGGCTGGCGCGCTGCGAGGCGCTGTTGACCCACCGG 2608
Qy 3068 AGSACACGCGGACCGCGCTGCGCCCATCTACAGGTCTGTGGCTTCGGGCGCGGTT 3127
Db 2609 AGSACACGCGGACCGCGCTGCGCCCATCTACAGGTCTGTGGCTTCGGGCGCGGTT 2668
Qy 3128 CCCAAGGCAAGCGGCTGGGGACAGAGACCGGTTTTCCGTGGGCGCGCGGTGGACAGT 3187
Db 2669 CCCAAGGCAAGCGGCTGGGGACAGAGACCGGTTTTCCGTGGGCGCGGTTGGTGTAT 2726

Qy 3188 GACCGTAGCCCAAGCAGCGCCGACAGGSCGTGGGTCTCTGGACGTGAACACAGAGATAAG 3247
Db 2727 GACCGTAGCCGAGCTGGGACAGAGGCGCGGGTCTGTGGACATGAAC-----AG 2778
Qy 3248 GCCACGAGTGGGCTGAGGACAGTGGGCCAGGAAACCACTGCAAGGGGAGGTGCGAGT 3307
Db 2779 GCCACGAGTGG-----GGACAGCGGCCCAAGAAACACCTGCACTAGGAGGTGTGAGC 2833
Qy 3308 CTGTGGGCTGG-----GAGGGGCGGGGCTACTGCCAGAGCCCGCCAGAA 3352
Db 2834 ATGGGACAGAGGCGGGGCTTTGTGACAGTGGGCGGGCCACTGCGGAGACCTTGCAGGA 2893
Qy 3353 GCCCGTGGCGAGGCTG-----ATGCGTTCGAAGTGGCGGTGCGGG 3394
Db 2894 GCCCAATGGGTGAGGCTGGCGGATTTCCAGCTGGAATCCCGTGTGGAAGTGGGGGCGGG 2953
Qy 3395 GACCGGCTATGCTGCGGGCTCAGTGTGG-----GCGGACCGGCGGGATCTTCTTTGA 3449
Db 2954 GACCGCACTGTGCTGTAAGCTCAGTGTGGGTGGCGCGGGCCCGCGGGTCTTCCCTGA 3013
Qy 3450 GTGGAAGGTGTGAGGTGGGCGAGAGTGGGCGCAAAACCCCGCCCGCAGGCGAGG 3509
Db 3014 GTGCAAAAGCGGTGAGGTGGGCGAGAGTGGGCGGGG-CAAAGCTTCCCGCAGCAAG 3072
Qy 3510 GAGCAATGTGGGTGAGCAAGAGTGGGCTGTGCCAGCTGGACCGGGCTAGGAGCTGC 3569
Db 3073 GAGCAAGTGTGATGACAAAGAGTGGGCTCTGTGACAGCTGGACAGAGCCAGGAGCTGC 3132
Qy 3570 GGGAGACCTTGTGGAGCGCCAGGTTGAGTGGGTGGCGAGGTTGGGGCCCAAGGCTTTC 3629
Db 3133 GGGAGACCGGGGAGC-ATAGGTTGGAGTGGGTGGTGGATGGTGGGCTTAATGCTTTC 3191
Qy 3630 ATGGCAACCGCCAGTGTCCGTCGCCCGCCAGAGGTTGATCTGTGCGCTATGGGCGG 3689
Db 3192 ATGGCAACCGCCAGTGTCCGTCGCCCGCCAGAGGTTGATCTGTGCGGCTATGGGCGG 3251
Qy 3690 CGTGGCGGACAGAGGCGCTTCTCGGTGCCACCTTGGCAACTTGGGCTTGGCAAGA 3749
Db 3252 CGTGGCGGACAGAGGCGCTTCTCGGTGCCACCTTGGCAACTTGGGCTTGGCAAGA 3311
Qy 3750 AGTCTCTGAGCAGTGGGTGACCGAGAGGCGCTGCTCTTTGTGCGG-CTTTCGCGGACC 3808
Db 3312 AGTCTCTGAGCAGTGGGTGACCGAGAGGCGCTGCTCTTTGTGCGGCTTTCGCAACC 3371
Qy 3809 AAGCGGTGGGTGATGGGCGAGAGGCAAGAGGGAACCTGGGAAGCGGGGAGCGAG 3868
Db 3372 ACTCGGTGGGTGATGGGCGAGAGGCAAGAGGGAACCTGGGAAGCGGGGAGCGGG 3431
Qy 3869 AAGCAACCCCTTACCGCATCTCCCAACCCCGAGGCGCTTTCGCCCAACCGGCT 3928
Db 3432 AAGCGACCCCTTACCGCATCT-CCCAACCCCGAGGCGCTTTCGCCCAACCGGCT 3490
Qy 3929 CTTGGAACAAAGCCGTGAGCAACGTGATCGCTCTCCCTCAGCTGCGGGCGCGCTTCAGTA 3988
Db 3491 CTTGGAACAAAGCCGTGAGCAACGTGATCGCTCTCCCTCAGCTGCGGGCGCGCTTCAGTA 3550
Qy 3989 CGACACCTCGCTTCTCAGCTGCTGGAACCTAGCTCAGAGGGAACCTGAAGGAGGTC 4048
Db 3551 CGACACCTCGCTTCTCAGCTGCTGGAACCTAGCTCAGAGGGAACCTGAAGGAGGTC 3610
Qy 4049 GGGCTTCTGCGGAGGTGCGGAGCGAGACCGAGGAGTCTCTCAGGGCGAGCTCTTG 4108
Db 3611 GGGCTTCTGCGGAGGTGCGGAGCGAGACCGAGGAGTCTCTCAGGGCGAGCTCTTG 3670
Qy 4109 AGAGTGGCGGGCTTGGACTGGGGCTCCGAAGGCGAGGATTTGATAGATGGGTTGGG 4168
Db 3671 AGAGTGGCGGGCTTGGACTGGGGCTCCGAAGAGCAGGATTTGATAGATGGGTTGGG 3730
Qy 4169 AAAGGACATTCAGGAGACCCCACTGTAAAGAGGCGCTTGGAGGAGGAGGAGCATCTCAG 4228
Db 3731 AAAGGACATTCAGGAGACCCCACTGTAAAGAGGCGCTTGGAGGAGGAGGAGCATCTCAG 3790


```
Db 5949 TCCTCAGGGCAACCCACCCCTGCCTCATTCCTGTTATCCCCACCGCCTGGCGCATTTG 6008
QY 6435 AGAC--GGGTAGCTGAGGCTCAGCAGATGTGAGTTACCTTGCCCAATAATCCCATGTC 6492
Db 6009 AGACAGGGGTAGCTGAGGCTCAGCAGATGTGAGTTACCTTGCCCAATAATCCCATGTC 6068
QY 6493 CCCACTGACCCCAACTCTGACTGCCAGATTTGTCACAGGACTACATGTTCTTGGCATGT 6552
Db 6069 CCCACTGACCCCAACTCTGACTGCCAGATTTGTCACAGGACTACATGTTCTTGGCATGT 6128
QY 6553 GGGGAAGGGCCAGAAATGGCTGACTAGAGTGTGAGTGTGAGTGTGAGTGTGAGTGTGAG 6612
Db 6129 GGGGAAGGGCCAGAAATGGCTGACTAGAGTGTGAGTGTGAGTGTGAGTGTGAGTGTGAG 6188
QY 6613 GGCAGGACTCAGCTGGAGGCCATATTTTCAGGCTTAATCTAGCCCAACCCACATCAGG 6672
Db 6189 GGCAGGACTCAGCTGGAGGCCATATTTTCAGGCTTAATCTAGCCCAACCCACATCAGG 6248
QY 6673 ACAGCAGTCTGTCAGCACCATTACAAAGTGTGAGTGTGAGTGTGAGTGTGAGTGTGAG 6732
Db 6249 ACAGCAGTCTGTCAGCACCATTACAAAGTGTGAGTGTGAGTGTGAGTGTGAGTGTGAG 6308
QY 6733 TGGAGACAAATCAT---GTCAGGAGCTATATGCCAGGG-----CTACCTCCAGGGCTC 6785
Db 6309 CGGAGACAAATCATGGCTCAGGAGCTATATGCCAGGGCTACCTACCTCCAGGGCTC 6368
QY 6786 AGTGGCAGTGGCAGAACTTCCCTGGGAAGGCCCGAGGAAACCCAGGACCGAGCCAC 6845
Db 6369 AGTGGCAGTGGCAGAACTTCCCTGGGAAGGCCCGAGGAAACCCAGGACCGAGCCAC 6428
QY 6846 CGCCCTCAGCCT 6857
Db 6429 CACCTTCAGCCT 6440
```

RESULT 4

```
ACA61302
ID ACA61302 standard; DNA; 9433 BP.
XX ACA61302;
XX
DT 16-JUL-2003 (first entry)
DE Human cytochrome p450 gene CYP2D6, variant sequence.
XX
KW Human; ds; gene; cytochrome P450; CYP2D6; chromosome 22; SNP;
KW single nucleotide polymorphism; drug metabolism; cardiovascular disorder;
KW psychiatric disorder; drug sensitivity.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT variation replace(226..227,ATT)
FT /tag= a
FT /standard_name= "Single nucleotide polymorphism"
FT replace(971,G)
FT /tag= b
FT /standard_name= "Single nucleotide polymorphism"
FT replace(1111,T)
FT /tag= c
FT /standard_name= "Single nucleotide polymorphism"
FT replace(1726,C)
FT /tag= d
FT /standard_name= "Single nucleotide polymorphism"
FT replace(1846,A)
FT /tag= f
FT /standard_name= "Single nucleotide polymorphism"
FT replace(1846,G)
FT /tag= e
FT /standard_name= "Single nucleotide polymorphism"
FT replace(2064,A)
FT /tag= g
FT /standard_name= "Single nucleotide polymorphism"
FT
```

```
FT variation replace(3023,A)
FT /tag= h
FT /standard_name= "Single nucleotide polymorphism"
FT replace(5799,G)
FT /tag= i
FT /standard_name= "Single nucleotide polymorphism"
FT replace(5816..5817,C)
FT /tag= j
FT /standard_name= "Single nucleotide polymorphism"
XX
XX EPI281755-A2.
XX
XX 05-FEB-2003.
XX
XX 16-JUL-2002; 2002EP-00254972.
XX
XX 31-JUL-2001; 2001US-0309111P.
XX (PFIZ ) PFIZER PROD INC.
XX
XX Milos PM, Webb SM;
XX
XX WPI; 2003-373769/36.
XX
XX New cytochrome P450 2D6 gene variants and polypeptides, useful for
XX determining if a subject has or is at risk of developing a drug
XX sensitivity condition or disorder that is associated with an aberrant
XX CYP2D6 activity.
XX
XX Claim 3; Fig 3; 88pp; English.
XX
XX The invention relates to an isolated nucleic acid comprising a cytochrome
XX P450 2D6 gene variant, e.g. G5799C or C5816AT (referring to the genomic
XX sequence or the same variant nucleotide in the corresponding cDNA
XX sequences). Also included are probes, primers (allele specific
XX oligonucleotides) and arrays used to detect and or amplify the CYP2D6
XX gene polymorphic regions, the variant polypeptides, antibodies which are
XX capable of distinguishing between the variant and wild-type polypeptides,
XX determining whether a subject has a genetic deficiency for metabolising a
XX drug, evaluating therapy with a drug metabolised by P450 CYP2D6 and
XX determining whether an individual is susceptible to being a poor
XX metaboliser of drugs. The DNA probe is useful for hybridising to a
XX variant form of the CYP2D6 gene. The primer is useful for amplifying the
XX C5816TA allelic variant. The allele specific nucleotide is useful for the
XX detection of the C5816TA allelic variant. The methods are useful for
XX determining whether a subject has a genetic deficiency for metabolising a
XX drug, evaluating therapy with a drug metabolised by P450 CYP2D6, and
XX determining if an individual is susceptible to being a poor metaboliser
XX of drugs. The nucleic acids are useful as probes or primers for
XX determining whether a subject has a genetic deficiency for metabolising
XX drugs that are substrates of P450 CYP2D6. The methods are useful for
XX determining if a subject has or is at risk of developing a drug
XX sensitivity condition or disorder that is associated with an aberrant
XX CYP2D6 activity, e.g. an aberrant level of a CYP2D6 protein or an
XX aberrant CYP2D6 bioactivity. The methods are also useful in selecting the
XX appropriate drugs or determining the course of treatment to administer to
XX a subject to treat cardiovascular or psychiatric disorders, or for
XX treating a subject with a drug sensitivity or disorder associated with a
XX specific allelic variant of a polymorphic region of the CYP2D6 gene. The
XX antibodies are useful for monitoring CYP2D6 protein levels in an
XX individual for determining whether a subject has a disease or conditions
XX associated with an aberrant CYP2D6 protein level. The gene is located on
XX human chromosome 22. The present sequence is the variant CYP2D6 gene
XX carrying both the G5799C and C5816AT variations
```

Sequence 9433 BP; 1965 A; 2647 C; 2975 G; 1846 T; 0 U; 0 Other;

Query Match 51.7%; Score 5314.6; DB 7; Length 9433;

Best Local Similarity 93.4%; Pred. No. 0;

Matches 5895; Conservative 0; Mismatches 269; Indels 149; Gaps 27;

QY 637 TGTACAAATAATCAGCCAGGATGTGTTGGGACCTCTTAATCCAGCTACTTGGAGGC 696

Db 186 TGAATAACAAAAGCTAGACGTGGTGGGCACACACCTGTAAATCCAGCTACTTAGAGGC 245
Qy 697 TGAGGCAGGAGAAATCGCTTGAACCCCTGGAGGTGGAGGTTCAGGTGAGCCGAGATCGCATC 756
Db 246 TGAGGCAGGAGAAATCGCTTGAAGCCTAGAGGTGAAGGTTCAGGTGAGCCGAGATTCATC 305
Qy 757 ATTGCA-----CTCCACCTGGCGAC--AGAGCAAAATCCTCGTCTC----- 796
Db 306 ATTGCAAAATGGAGGGAGCCAGCCTCTGGCAACAAAGAGAAATCTCCGTCTCCAAA 365
Qy 797 -----AAAAAATAATTTGGCTCGGTGGTGGTCTAGTCCAGCTACTTCGGAG 849
Db 366 AAAAAAATAAAGAAATTAGCTGGTGGTGGTCTAGTCCAGCTACTTCGGAG 425
Qy 850 GCAGGAGTCCACTGTGATGTGAGATTGCAATGAGTGGCCATGATCTGCACTGCACTCCCG 909
Db 426 GCAGGGGTCCACTGTGATGTGAGATGCAATGAGTGGCCATGATCTGCACTGCACTCCCG 485
Qy 910 CCCGGGCAACAGAGTGAACCCCTGTCTAAAGAAAAAATAAATAAAGCAACATATC 969
Db 486 CCTGGGCAACAGAGTGAACCCCTGTCTAAAGAA-----AAAAAATAAAGCAACATATC 540
Qy 970 CTAATAAAGGATCTCTCAATAATGTTTCCACAGATTCTTAATCAGAAACATGAGGCCA 1029
Db 541 CTGAAACAAAGATCTCTCAATAAGTTCCACAGATTCTTAATCAGAAACATGAGGCCA 600
Qy 1030 GGAAGCAGTGGAGATGAACGACCTCAGGCAGCCCTGGAGGATGCTGTACAGCTGGGG 1089
Db 601 GAAAGCAGTGGAGAGGACGACCTCAGGCAGCCCTGGAGGATGTTGTACAGCTGGGG 660
Qy 1090 CAAGGGCTTCAGGCTACCACTGGAGCTCTGGAAACAGCCCTGTTGCAAAACAGAAAT 1149
Db 661 CAAGGGCTTCAGGCTACCACTGGAGCTCTGGAAACAGCCCTGTTGCAAAACAGAAAT 720
Qy 1150 CATGGCCGCGCAGAGCCCA--GAATGTGGCTCAGCTGGATCCATGTGACACTTGAG 1208
Db 721 CATAGCCGCGCAGAGCCCAAGAAATGTGGCTGGCT----- 757
Qy 1209 GCTCACCGGAGCAGCTCTGGACAGAGAGTCCCATCCAGAAACCTCGGCACTGGCT 1268
Db 758 -----GGGAGCAGCTCTGGACAGAGTGGTCCCATCCAGAAACCTCGGCACTGGCT 810
Qy 1269 GGAAGTGGGATATTGGTCCGGGCTGTAATGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 1328
Db 811 GGAAGTGGGATATTGGTCCGGGCTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 870
Qy 1329 AATGTGTCCCTCAGTGTGAGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 1388
Db 871 AATGTGTCCCTAAGTGTGAGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 930
Qy 1389 TGATTTTCTGCATGTGTAATCGTGTCCCTGCAAGTGTGAACAGTGGACAAAGTGTCTGGG 1448
Db 931 TGATTTTCTGCATGTGTAATCGTGTCCCTGCAAGTGTGAACAGTGGACAAAGTGTCTGGG 990
Qy 1449 AGTGGACAGAGATCTGTGCACCATCAGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 1508
Db 991 AGTGGACAGAGATCTGTGCACCATCAGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 1050
Qy 1509 GCAAGTGAAGTGAAGGACAGGCCCATGATCCCACTCATCATCAGGAGCTCTAAGGCC 1568
Db 1051 GCAAGTGAAGTGAAGGACAGGCCCATGATCCCACTCATCATCAGGAGCTCTAAGGCC 1110
Qy 1569 CCAAGTGAAGTGAAGGACAGGCCCATGATCCCACTCATCATCAGGAGCTCTAAGGCC 1628
Db 1111 CCAAGTGAAGTGAAGGACAGGCCCATGATCCCACTCATCATCAGGAGCTCTAAGGCC 1170
Qy 1629 GGTAGGAAAGGCAAGGTCATGTTCTGGAGGAGGGTGTGTGTGTGTGTGTGTGTGTGTGT 1688
Db 1171 GGTAGGAAAGGCAAGGTCATGTTCTGGAGGAGGGTGTGTGTGTGTGTGTGTGTGTGTGT 1230
Qy 1689 AGCCTAGCTGGAGGTGGATGGCCGGTCCATGAGACCTCTGTTATCCAGAGCCTGT 1748
Db 1231 AGCCTAGCTGGAGGTGGATGGCCGGTCCATGAGAAACCTCTGTTATCCAGAGGCTTTT 1290

Qy 1749 GTGGCTTGGGAGCTTGGAGTGGGAGAGGGGTGACTTCTCCGACCAAGCCCTTCTTAC 1808
Db 1291 GCAGGCTTCAGGAGCTTGGAGTGGGAGAGGGGTGACTTCTCCGACCAAGCCCTTCTTAC 1350
Qy 1809 CACCTTACCTTGGTGAAGGGCTTGGAGCAGAGGAGAGGAGGAGGAGGAGGAGGAGGAGG 1868
Db 1351 CGGCTTACCTTGGTGAAGGGCTTGGAGCAGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 1410
Qy 1869 CATACCTGCTGGCTGACTCTGCCACTTGGCAGCAGTCAACACAGCAGGTTCACTCA 1928
Db 1411 CATACCTGCTGGCTGACTCTGCCACTTGGCAGCAGTCAACACAGCAGGTTCACTCA 1470
Qy 1929 CAGCAGAGGCGAAGGCCATCATCAGCTCCCTTTTAAAGGAGGAGGAGGAGGAGGAGGAG 1988
Db 1471 CAGCAGAGGCGAAGGCCATCATCAGCTCCCTTTTAAAGGAGGAGGAGGAGGAGGAGGAG 1530
Qy 1989 TGGCAGAGTGTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 2048
Db 1531 TGTGAGAGTGTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 1590
Qy 2049 AGAGGAGCCAGTGTGTGAGGAGCAGCAGTGGGCTAGAGCAGTGTGCTGCTGCTGCTG 2108
Db 1591 AGAGGAGCCATTTGTGAGGAGGAGGATGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 1650
Qy 2109 TGATGTGGCCATCTTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 2168
Db 1651 TGATGTGGCCATCTTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 1710
Qy 2169 CAGCTACCCGCGAGTCCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 2228
Db 1711 CAGCTACCCGCGAGTCCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 1769
Qy 2229 TTCCAGAACACACCACTACTGCTTCCAGCAGGTGAGGAGGAGGAGGAGGAGGAGGAG 2288
Db 1770 TTCCAGAACACACCACTACTGCTTCCAGCAGGTGAGGAGGAGGAGGAGGAGGAGGAG 1829
Qy 2289 GGTCTGTAGGATGCCCAACACAGCAACATGGGTGGTGGGTGTTAAACACAGGCTGGAT 2348
Db 1830 GGTCTGTAGGATGCCCAACACAGCAACATGGGTGGTGGGTGTTAAACACAGGCTGGAT 1889
Qy 2349 CAGAGCCAGGCTGAGAGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 2408
Db 1890 CAGAGCCAGGCTGAGAGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 1948
Qy 2409 TACATGGGATGAAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 2468
Db 1949 TACATGGGATGAAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 2008
Qy 2469 GGTGAGCTGGATCTGGGAGTGGGATGCAAGCCATTTGGGCAACATATGTTATGAGTA 2528
Db 2009 GGTGAGCTGGATCTGGGAGTGGGATGCAAGCCATTTGGGCAACATATGTTATGAGTA 2068
Qy 2529 CAAAGTCCCTTCTGTGACACAGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 2588
Db 2069 CAAAGTCCCTTCTGTGACACAGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 2128
Qy 2589 TGAGTGGCTTTAAATCAGAAATCGAGGATGAAAGGAGGAGGAGGAGGAGGAGGAGGAG 2648
Db 2129 TGAGTGGCTTTAAATCAGAAATCGAGGATGAAAGGAGGAGGAGGAGGAGGAGGAGGAG 2188
Qy 2649 TTTTGTGCTGCTGGGCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 2707
Db 2189 TTTTGTGCTGCTGGGCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 2248
Qy 2708 GGGATGCTAACTGGGCTCTCGGCAATTTTGGTGAATTTTGGTGAATTTTGGTGAATTTT 2767
Db 2249 GGGATGCTAACTGGGCTCTCGGCAATTTTGGTGAATTTTGGTGAATTTTGGTGAATTTT 2308
Qy 2768 AGCCTACCAACTGATGCTCTCCATCAGAGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 2827
Db 2309 AGCCTACCAACTGATGCTCTCCATCAGAGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 2368

Db 4509 CCACCTCGACCAACGCTGGCGCTTCTGCTCATGATCCTTACATCCGGATGTGCAGC 4568
Qy 5008 GTGAGCCAGCTGGGGCCCAAGCAGGAGCTGAGGGAGGAAGGATCAGACTGGGGGCCCC 5067
Db 4569 GTGAGCCCATCTGGGAAACAGTGCAGGGGCCGAGGAGGAAGGATACAGGGCGGGGCCCA 4628
Qy 5068 TGGGCTTTAGCTGGGACACACCGGGGCTTCCAGCACAGGGGTGGCAGAGCTCTGTGAAGCCT 5127
Db 4629 TGAATCTTGTGGGACACCGGGGCTTCAAGCACAGGCTTGAACAGGATCCTGTGAAGCCT 4688
Qy 5128 AACTTCTCTCAACACAGGAGGAAGGAGTGT-----CCCTGGGTGCTGAC 5174
Db 4689 GACCTCTCTCAATAGAGGACAGAAAGAGTGTACGGCGGAGACCCCTGGGTGCTGAC 4748
Qy 5175 CCATTGTGGGACGCATCTCTGTCCAGTCCGTGTGTCACAGGAGATCGACGACGTGATAG 5234
Db 4749 CCAATTGTGGGACGCATCTCTGTCCAGGCGGTGTCCAACAGGAGATCGACGAGCTGATAG 4808
Qy 5235 GGCAGGTGGCGGACCAAGATGGGTGACCAAGGCTCAATGCCCTTACCACTGCGGTGA 5294
Db 4809 GGCAGGTGGCGGACCAAGATGGGTGACCAAGGCTCAATGCCCTTACCACTGCGGTGA 4868
Qy 5295 TTACAGAGGTGCAGCGCTTTGGGACACATCATCCCTGAGTGTGACCCATATGACATCCC 5354
Db 4869 TTATAGAGGTGCAGCGCTTTGGGACACATCTGTCCTGGGTGTGACCATATGACATCCC 4928
Qy 5355 GTGACATCGAAGTACAGGGCTTCCGCTATCCCTAAGGTAGGCTGGCGCCCTCTCACCCC 5414
Db 4929 GTGACATCGAAGTACAGGGCTTCCGCTATCCCTAAGGTAGGCTGGCGCCCTCTCACCCC 4988
Qy 5415 AGCTCAGCACAGCACTGTGTATGATGACCCAGCATGCTATCTGCGAGGTGGGCCCCACTCT 5474
Db 4989 AGCTCAGCACAGCACTGTGTATGATGACCCAGCATGCTATCTGCGAGGTGGGCCCCACTCT 5048
Qy 5475 AGGAACCTCGCCACCTAGTCTCAATGACCACACACTGCTGCTCCCACTTGGGTGGG 5534
Db 5049 AGGAACCTCGCCACCTAGTCTCAATGACCACACACTGCTGCTCCCACTTGGGTGGG 5108
Qy 5535 GGTCAGAGTATAGCGAGGGCTGGCTGTGCTATCCAGAGCCCCGCTAGTGTGGGAGACA 5594
Db 5109 GGTCAGAGTATAGCGAGGGCTGGCTGTGCTATCCAGAGCCCCGCTAGTGTGGGAGACA 5168
Qy 5595 AACAGGACCTGCGCAGAAATGTTGGAGAACCAAGCGCTGCGAGGAGGGGGCAGTGTGG 5654
Db 5169 AACAGGACCTGCGCAGAAATGTTGGAGAACCAAGCGCTGCGAGGAGGGGGCAGTGTGG 5228
Qy 5655 GTGCTCTGAGAGGTGTGACTGCGCCCTGCTGTGGGTGCGAGAGGTACTGTGGAGCTT 5714
Db 5229 GTGCTCTGAGAGGTGTGACTGCGCCCTGCTGTGGGTGCGAGAGGTACTGTGGAGCTT 5288
Qy 5715 CTGGGGCGCAGGACTAGTGTGACAGAGTCCAGCTGTGTGCGCAGGAGTGTGTCCCCCGT 5774
Db 5289 CTGGGGCGCAGGACTAGTGTGACAGAGTCCAGCTGTGTGCGCAGGAGTGTGTCCCCCGT 5348
Qy 5775 GTGTTTGGTGGCAGGGGTCCAGCATCTTAGAGTCCAGTCCCACTCTCACCCCTGCATCT 5834
Db 5349 GTGTTTGGTGGCAGGGGTCCAGCATCTTAGAGTCCAGTCCCACTCTCACCCCTGCATCT 5408
Qy 5835 CTGGCCAGGGAAGACACTCATCAACAACTGTATCGGTGTGTAAGATAGGCGGCTC 5894
Db 5409 CTGGCCAGGGAAGACACTCATCAACAACTGTATCGGTGTGTAAGATAGGCGGCTC 5468
Qy 5895 TGGGAGAGCCCTTCGCTTCCAGCCGGAACACTTCTGTGATGCCAGGGCCACTTTGTG 5954
Db 5469 TGGGAGAGCCCTTCGCTTCCAGCCGGAACACTTCTGTGATGCCAGGGCCACTTTGTG 5528
Qy 5955 AAGCCGAGGACCTTCTGCTCTTCTCAGAGGTGCTGTGGGAGCCCGGCTCCCTGTCC 6014
Db 5529 AAGCCGAGGACCTTCTGCTCTTCTCAGAGGTGCTGTGGGAGCCCGGCTCCCTGTCC 5588
Qy 6015 CTTTCCGTGAGTCTTCCAGGGGTATCAACCCAGAGCCAGGCTCACTGAGCCCTCCCC 6074
Db 5589 CTTTCCGTGAGTCTTCCAGGGGTATCAACCCAGAGCCAGGCTCACTGAGCCCTCCCC 5648

Qy 6075 TCCCCACAGGCCCGCTGCAATGCTCGGGAGAGCCCTTGGCCGCGCATGGAGCTTCTCTCT 6134
Db 5649 TCCCCACAGGCCCGCTGCAATGCTCGGGAGAGCCCTTGGCCGCGCATGGAGCTTCTCTCT 5708
Qy 6135 TCTTCACTCCCTGCTGCGAGCACTTCACTTCTCGGTGGCGCGGAGACGCCCCGGCCCA 6194
Db 5709 TCTTCACTCCCTGCTGCGAGCACTTCACTTCTCGGTGGCGCGGAGACGCCCCGGCCCA 5768
Qy 6195 GCCACTCTGCTGCTGCTGCTTCTGCTGACCCCATCCCTCTAGAG-CTTTGTGCTGTG 6253
Db 5769 GCCACCATGGTGTCTTCTGCTGACCCCATCCCTCTATGATATTTGTGCTGTG 5828
Qy 6254 CCCCGCTAGAAATGGGTACCTAGTCCCGAGCCTGCTCCCTAGCAGAGGCTCTAAATGTAC 6313
Db 5829 CCCCGCTAGAAATGGGTACCTAGTCCCGAGCCTGCTCCCTAGCAGAGGCTCTAAATGTAC 5888
Qy 6314 AATAAAGCAATGTGTAGTTCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6373
Db 5889 AATAAAGCAATGTGTAGTTCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 5948
Qy 6374 CTCTCAGGGCAACCCACCCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6433
Db 5949 CTCTCAGGGCAACCCACCCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6008
Qy 6434 GAGAC--GGGTAGCTTGAGGCTGAGCAGATGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6491
Db 6009 GAGACAGGGGTAGCTTGAGGCTGAGCAGATGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6068
Qy 6492 CCCCACTGACCCCACTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6551
Db 6069 CCCCACTGACCCCACTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6128
Qy 6552 TGGGGAAGGGGCGAGAAATGGGCTGCTAGAGGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6611
Db 6129 TGGGGAAGGGGCGAGAAATGGGCTGCTAGAGGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6188
Qy 6612 GGCAGAGCTCAGCCTTGGAGGCCCATATTTTCCAGGCTTAACTCAGCCCAACCCACATCAGG 6671
Db 6189 GGCAGAGCTCAGCCTTGGAGGCCCATATTTTCCAGGCTTAACTCAGCCCAACCCACATCAGG 6248
Qy 6672 GACAGAGTCTTCCAGCAGCAGCATCAACAGTCACTTCCCTTCAATATATGACACCCCAAA 6731
Db 6249 GACAGAGTCTTCCAGCAGCAGCATCAACAGTCACTTCCCTTCAATATATGACACCCCAAA 6308
Qy 6732 ATGGAAGCAATATCAT--GTGAGGAGCTATATGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6784
Db 6309 ATGGAAGCAATATCAT--GTGAGGAGCTATATGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6368
Qy 6785 CAGTCCGAGGTCGAGAAATTTCCCTGCGAAGGGCCCGAGGAAACCCAGAGCCGAGGCCA 6844
Db 6369 CAGTCCGAGGTCGAGAAATTTCCCTGCGAAGGGCCCGAGGAAACCCAGAGCCGAGGCCA 6844
Qy 6845 CCGCCCTCAGCCT 6857
Db 6429 CCACCCCTCAGCCT 6441

RESULT 5
ABQ72215

ID ABQ72215 standard; DNA; 6472 BP.

XX AC ABQ72215;

XX XX 02-SEP-2002 (first entry)

XX XX Human CYP2D6 gene, SEQ ID NO:1 version #1.

XX XX Human; cytochrome P450; subfamily 1D polypeptide 6; CYP2D6; enzyme;
XX XX chromosome 22q13.1; drug metabolism; detoxification; mono-oxygenase;
XX XX antirhythmic; arrhythmia; adrenoreceptor antagonist; hypertension;
XX XX tricyclic antidepressant; procainamide; drug induced lupus syndrome;
XX XX environmentally linked disease; Parkinson's disease; haplotyping;

KW genotyping; haplotype; genetic variant; single nucleotide polymorphism;
 KW SNP; drug screening; drug discovery; gene; ds.
 XX Homo sapiens.
 XX
 XX Key Location/Qualifiers
 FT variation replace(636, A)
 FT /tag= a
 FT /label= PS1
 FT /note= "Novel single nucleotide polymorphism (SNP); given
 FT as R in the specification"
 FT variation replace(678, C)
 FT /tag= b
 FT /label= PS2
 FT /note= "Novel single nucleotide polymorphism (SNP); given
 FT as Y in the specification"
 FT variation replace(769, C)
 FT /tag= c
 FT /label= PS3
 FT /note= "Novel single nucleotide polymorphism (SNP); given
 FT as S in the specification"
 FT variation replace(776, G)
 FT /tag= d
 FT /label= PS4
 FT /note= "Novel single nucleotide polymorphism (SNP); given
 FT as R in the specification"
 FT variation replace(825, A)
 FT /tag= e
 FT /label= PS5
 FT /note= "Known single nucleotide polymorphism (SNP); given
 FT as R in the specification"
 FT variation replace(915, C)
 FT /tag= f
 FT /label= PS6
 FT /note= "Novel single nucleotide polymorphism (SNP); given
 FT as Y in the specification"
 FT CDS 1001..5217
 FT /tag= g "CYP2D6"
 FT /product= "CYP2D6"
 FT 1001..1180
 FT /tag= h
 FT /number= 1
 FT variation replace(1019, A)
 FT /tag= i
 FT /label= PS7
 FT /note= "Known single nucleotide polymorphism (SNP); given
 FT as R in the specification; causes the amino acid
 FT substitution V7M"
 FT variation replace(1031, A)
 FT /tag= j
 FT /label= PS8
 FT /note= "Known single nucleotide polymorphism (SNP); given
 FT as R in the specification; causes the amino acid
 FT substitution V11M"
 FT variation replace(1100, T)
 FT /tag= k
 FT /label= PS9
 FT /note= "Known single nucleotide polymorphism (SNP); given
 FT as Y in the specification; causes the amino acid
 FT substitution P34S"
 FT intron 1181..1883
 FT /tag= l
 FT /number= 1
 FT variation replace(1827, C)
 FT /tag= m
 FT /label= PS10
 FT /note= "Novel single nucleotide polymorphism (SNP); given
 FT as S in the specification"
 FT variation replace(1843, G)
 FT /tag= n
 FT /label= PS11
 FT /note= "Known single nucleotide polymorphism (SNP); given
 FT as K in the specification"
 FT

FT exon 1884..2055
 FT /tag= o
 FT /number= 2
 FT variation replace(1966, A)
 FT /tag= p
 FT /label= PS12
 FT /note= "Novel single nucleotide polymorphism (SNP); given
 FT as R in the specification; causes the amino acid
 FT substitution R88H"
 FT variation replace(1974, A)
 FT /tag= q
 FT /label= PS13
 FT /note= "Known single nucleotide polymorphism (SNP); given
 FT as M in the specification; causes the amino acid
 FT substitution L91M"
 FT variation replace(1984, G)
 FT /tag= r
 FT /label= PS14
 FT /note= "Novel single nucleotide polymorphism (SNP); given
 FT as R in the specification; causes the amino acid
 FT substitution H94R"
 FT variation replace(1997, G)
 FT /tag= s
 FT /label= PS15
 FT /note= "Novel single nucleotide polymorphism (SNP); given
 FT as S in the specification"
 FT variation replace(2014, C)
 FT /tag= t
 FT /label= PS16
 FT /note= "Novel single nucleotide polymorphism (SNP); given
 FT as Y in the specification; causes the amino acid
 FT substitution V104A"
 FT variation replace(2022, T)
 FT /tag= u
 FT /label= PS17
 FT /note= "Novel single nucleotide polymorphism (SNP); given
 FT as W in the specification; together with PS18 causes the
 FT amino acid substitution T107P"
 FT variation replace(2023, T)
 FT /tag= v
 FT /label= PS18
 FT /note= "Novel single nucleotide polymorphism (SNP); given
 FT as Y in the specification; together with PS17 causes the
 FT amino acid substitution T107P"
 FT variation replace(2028, G)
 FT /tag= w
 FT /label= PS19
 FT /note= "Novel single nucleotide polymorphism (SNP); given
 FT as R in the specification; causes the amino acid
 FT substitution I109V"
 FT variation replace(2036, C)
 FT /tag= x
 FT /label= PS20
 FT /note= "Novel single nucleotide polymorphism (SNP); given
 FT as Y in the specification"
 FT variation replace(2039, T)
 FT /tag= y
 FT /label= PS21
 FT /note= "Known single nucleotide polymorphism (SNP); given
 FT as Y in the specification"
 FT intron 2056..2605
 FT /tag= z
 FT /number= 2
 FT /cons_splice= (5'site:NO, 3'site:YES)
 FT variation replace(2062, G)
 FT /tag= aa
 FT /label= PS22
 FT /note= "Novel single nucleotide polymorphism (SNP); given
 FT as R in the specification"
 FT variation replace(2067, G)
 FT /tag= ab
 FT /label= PS23
 FT /note= "Novel single nucleotide polymorphism (SNP); given

Db 3611 GGAGAGGTGAGTGGCTGCCACGGTGGGGGCAAGGTTGGTGGTTGAGCGTCCAGG 3670
Qy 4727 AGGAATGAGGGAGGCTGGGCAAAAGTTGGACCAAGTGCATCAACCGGAGCGGCATCT 4786
Db 3671 AGGAATGAGGGAGGCTGGGCAAAAGTTGGACCAAGTGCATCAACCGGAGCGGCATCT 3730
Qy 4787 GGCTGACAGGTGACAGATTTGAGAGTCAATTTGGGGCTACCCGTTCTATCCCTCAGTA 4846
Db 3731 GGCTGACAGGTGACAGATTTGAGAGTCAATTTGGGGCTACCCGTTCTGTCCTC - GAGTA 3788
Qy 4847 TCCTCTCGGCCCTGCTCAGGCCAAGGGAGCCCTGAGAGCAGCTTCAATGATGAGAACCT 4906
Db 3789 TGCTCTCGGCCCTGCTCAGGCCAAGGGAGCCCTGAGAGCAGCTTCAATGATGAGAACCT 3848
Qy 4907 GCGCATAGTGGTGGGTAACTGTTCTCTGTCGCGGATGGTGACCACTCGACACCGTGGC 4966
Db 3849 GCGCATAGTGGTGGGTGACCTGTTCTCTGCGCGGATGGTGACCACTCGACACCGTGGC 3908
Qy 4967 CTGGGGCTCTCTGCTCATGATCTACACCTGATGTGACGCTGAGCCGAGCTGGGGCCC 5026
Db 3909 CTGGGGCTCTCTGCTCATGATCTACATCCGATGTGACGCTGAGCCGAGCTGGGAAAC 3968
Qy 5027 AAGCGAGGACTGAGGAGGAGGTTACAGCTGGGGCCCTCGGCTTACGCTGGGACAC 5086
Db 3969 AGTGCAAGGGCCGAGGAGGAGGTTACAGGCGGGGCCCATGAATTTGCTGGGACAC 4028
Qy 5087 CGGGCTTCACAGACAGGCGTGGCCAGGCTCTCTGTAAGCCTAACTTCTCCCAACACAGGA 5146
Db 4029 CGGGCTTCACAGACAGGCTTGACAGGATCTCTGTAAGCCTGACCTCTCCACATAGGA 4088
Qy 5147 GGAAGGAGAGTGT-----CCCCCTGGGTGCTGACCCCATGTTGGGGACGATGT 5193
Db 4089 GGAAGGAGAGTGTGAGGGCCGAGACCCCTGGGTGCTGACCCCATGTTGGGGACGATGT 4148
Qy 5194 CTGTCCAGTCCGCTCCACAGAGATCGACGCTGTAGGACAGTGGCGGACGACGA 5253
Db 4149 CTGTCCAGGCGGTGTCCACAGAGATCGACGACRTGTAGGGCAGTGGCGGACGACGA 4208
Qy 5254 GATGGGTGACAGGCTCACATGCCCTACACCACTGCGCTGATTCACAGAGTGGCAGGCTT 5313
Db 4209 GATGGGTGACAGGCTCACATGCCCTACACCACTGCGCTGATTCACAGAGTGGCAGGCTT 4268
Qy 5314 TGGGGACATCATCCCTGAGTGTGACCCCATATGACATCCGTTGACATCGAAGTACAGGG 5373
Db 4269 TGGGGACATCGTCCCTCGGTGTGACCCCATATGACATCCGTTGACATCGAAGTACAGGG 4328
Qy 5374 CTTCCGATCCCTAAGGTAGGCTGGGGCTCTCTCAGCCAGCTCAGCACGACCTG 5433
Db 4329 CTTCCGATCCCTAAGGTAGGCTGGGGCTCTCTCAGCCAGCTCAGCACGACCTG 4388
Qy 5434 GTGATAGCCCAAGCATGGCTTACTGCGAGGTGGGCCCACTCTAGGAACCTGGCCACCTAG 5493
Db 4389 GTGATAGCCCAAGCATGGCTTACTGCGAGGTGGGCCCACTCTAGGAAMCCTGGCCACCTAG 4448
Qy 5494 TCCTCAATGCCACACACTGACTGTCCCACTTGGGTGGGGGTCCAGAGTATAGGCAGG 5553
Db 4449 TCCTCAATGCCACACACTGACTGTCCCACTTGGGTGGGGGTCCAGAGTATAGGCAGG 4508
Qy 5554 GCTGGCTGTCCATCAGAGCCCCCTGTAGTGGGGAGACAAACAGGACCTGCCAGAAAT 5613
Db 4509 GCTGGCTGTGCCATCAGAGCCCCCTGTAGTGGGGAGACAAACAGGACCTGCCAGAAAT 4568
Qy 5614 GTTGGAGGACCCAGCCCTGACGGAGAGGGGCGAGTGGGTGCTCTGAGAGGTGTGA 5673
Db 4569 GTTGGAGGACCCAAACCCCTGACGGAGAGGGGCGAGTGGGTGCTCTGAGAGGTGTGA 4628
Qy 5674 CTGCGCTCTGCTGTGGGGTCCGAGAGGGTACTGTGAGGTCTCTCGGGCGCAGGACTAGTT 5733
Db 4629 CTGCGCTCTGCTGTGGGGTCCGAGAGGGTACTGTGAGGTCTCTCGGGCGCAGGACTAGTT 4688
Qy 5734 GACAGAGTCAGTGTGTGCGCAGGACAGTGTGTGCTCCCGTGTGTTGTGGCAGGGGTC 5793
Db 4689 GACAGAGTCAGTGTGTGCGCAGGACAGTGTGTGCTCCCGTGTGTTGTGGCAGGGGTC 4748

Qy 5794 CCAGCATCTTAGAGTCCAGTCCCACTCTCACCTGCATCTCTCTGCCCCAGGGAACGACAC 5853
Db 4749 CCAGCATCTTAGAGTCCAGTCCCACTCTCACCTGCATCTCTCTGCCCCAGGGAACGACAC 4808
Qy 5854 TCATCACCAACCTGTCTCATCGGTGCTGAAGGATGAGCGCTCTGGGAGAGCCCTTCGGCT 5913
Db 4809 TCATCACCAACCTGTCTCATCGGTGCTGAAGGATGAGCGCTCTGGGAGAGCCCTTCGGCT 4868
Qy 5914 TCACCCCAACACACTCTCTGAGTGCACAGGGCCACTTTGTGAAGCCGAGGCTCTCTGTC 5973
Db 4869 TCACCCCAACACACTCTCTGAGTGCACAGGGCCACTTTGTGAAGCCGAGGCTCTCTGTC 4928
Qy 5974 CTTTCTCAGCAGGTGCTGTGGGAGCCCGGTCTCTGTCCTCTCTCTCTCTCTCTCTCTCT 6033
Db 4929 CTTTCTCAGCAGGTGCTGTGGGAGCCCGGTCTCTGTCCTCTCTCTCTCTCTCTCTCTCT 4988
Qy 6034 GGGGTATCACCCAGGAGCCAGGCTCATCTGACGCGCTCTCTCTCTCTCTCTCTCTCTCT 6093
Db 4989 GGGGTATCACCCAGGAGCCAGGCTCATCTGACGCGCTCTCTCTCTCTCTCTCTCTCTCT 5048
Qy 6094 ATGCTCTGGGGAGCCCTGCGCCGATGAGCTCTTCTCTCTCTCTCTCTCTCTCTCTCTCT 6153
Db 5049 ATGCTCTGGGGAGCCCTGCGCCGATGAGCTCTTCTCTCTCTCTCTCTCTCTCTCTCTCT 5108
Qy 6154 GCACCTCAGCTTCTCTGTTGGCCGCGGACAGCCCGGCGCCAGCCTCTCTGTTCTCTCTCT 6213
Db 5109 GCACCTCAGCTTCTCTGTTGGCCGCGGACAGCCCGGCGCCAGCCTCTCTGTTCTCTCTCT 5168
Qy 6214 CTTTCTGTTGACCCCATCCCTCTAGAGCTTTGTGTTGTTGTTGTTGTTGTTGTTGTTGTT 6273
Db 5169 TTTCTCTGTTGASCCCATCCCTCTATGAGCTTTGTGTTGTTGTTGTTGTTGTTGTTGTTGTT 5228
Qy 6274 TAGTCCCGAGCTGCTCCCTAGCAGAGCTCTTAATGTACATAAAGCAATGTGGTAGTT 6333
Db 5229 TAGTCCCGAGCTGCTCCCTAGCAGAGCTCTTAATGTACATAAAGCAATGTGGTAGTT 5288
Qy 6334 CCAACTTGGGTCTCTGTTGCTCAGCGCTCTCTGGGATCATCTCTCAGGCGCAACCCACCC 6393
Db 5289 CCAACTTGGGTCTCTGTTGCTCAGCGCTCTCTGGGATCATCTCTCAGGCGCAACCCACCC 5348
Qy 6394 CTGCTCTCATCTCTGTTACCCCAAGCTGCTGCGCGCATTTGAGAC--GGGTAGTTGAGG 6451
Db 5349 CTGCTCTCATCTCTGTTACCCCAAGCTGCTGCGCGCATTTGAGACAGAGGCTAGCTTGAGG 5408
Qy 6452 CTGAGCAGATGTCAGTTACCTTTGCCATAATCCCATGTTCCCTCTGACCTGACCTCTGTA 6511
Db 5409 CTGAGCAGATGTCAGTTACCTTTGCCATAATCCCATGTTCCCTCTGACCTGACCTCTGTA 5468
Qy 6512 CTGCCCAGATTGTTGACAGGACTACATTTGCTCTGCGATGTGGGAGGGGCGCAGAAATGG 6571
Db 5469 CTGCCCAGATTGTTGACAGGACTACATTTGCTCTGCGATGTGGGAGGGGCGCAGAAATGG 5528
Qy 6572 GCTGACTAGAGTGTGAGTCTGAGTGTGGTGGAGGGGAGGACTCAGCTCTGGAG 6631
Db 5529 GCTGACTAGAGTGTGAGTCTGAGTGTGGTGGAGGGGAGGACTCAGCTCTGGAG 5588
Qy 6632 GCCCATATTTAGGGCTTAAGTCTAGCCCAACCCCATCATCAGGAGCAGAGTCTCTGCGACGAC 6691
Db 5589 GCCCATATTTAGGGCTTAAGTCTAGCCCAACCCCATCATCAGGAGCAGAGTCTCTGCGACGAC 5648
Qy 6692 CATCAACAGTCACTCTCTCTCATATGACACCCCAAAATGGGAAGACAAATCAT--G 6748
Db 5649 CATCAACAGTCACTCTCTCTCATATGACACCCCAAAATGGGAAGACAAATCATGCGG 5708
Qy 6749 TCAGGGAGCTATATGCCAGG---CTACCTCCAGGGCTCAGTCTGGCAGGAGTCCAGAAC 6804
Db 5709 TCAGGGAGCTATATGCCAGGCTACCTACCTCCAGGGCTCAGTCTGGCAGGAGTCCAGAAC 5768
Qy 6805 ATTCTCTGGGAAGGCCCCAGGAAACCCAGGACCCAGGACCCGCTCTCAGCT 6857
Db 5769 GTTCTCTGGGAAGGCCCCATGGAAGCCAGGACTGAGCCACCACTCTCAGCT 5821

```

RESULT 6
AB072364
ID AB072364 standard; DNA; 6472 BP.
XX AC
XX AC AB072364;
XX 02-SEP-2002 (first entry)
XX DE
XX Human CYP2D6 gene, SEQ ID NO:1 version #2.
XX KW Human; cytochrome P450; subfamily IID polypeptide 6; CYP2D6; enzyme;
XX chromosome 22q13.1; drug metabolism; detoxification; mono-oxygenase;
XX antiarrhythmic; arrhythmia; adrenoceptor antagonist; hypertension;
XX tricyclic antidepressant; procainamide; drug induced lupus syndrome;
XX environmentally linked disease; Parkinson's disease; haptotyping;
XX genotyping; haplotype; genetic variant; single nucleotide polymorphism;
XX SNP; drug screening; drug discovery; gene; ds.
XX OS
XX Homo sapiens.
XX FH
XX Key Location/Qualifiers
FH variation replace(636, A)
FT /tag= a
FT /label= PS1
FT /note= "Novel single nucleotide polymorphism (SNP)"
FT variation replace(678, C)
FT /tag= b
FT /label= PS2
FT /note= "Novel single nucleotide polymorphism (SNP)"
FT variation replace(769, C)
FT /tag= c
FT /label= PS3
FT /note= "Novel single nucleotide polymorphism (SNP)"
FT variation replace(776, G)
FT /tag= d
FT /label= PS4
FT /note= "Novel single nucleotide polymorphism (SNP)"
FT variation replace(825, A)
FT /tag= e
FT /label= PS5
FT /note= "Known single nucleotide polymorphism (SNP)"
FT variation replace(915, C)
FT /tag= f
FT /label= PS6
FT /note= "Novel single nucleotide polymorphism (SNP)"
FT CDS 1001..5217
FT /tag= g
FT /product= "CYP2D6"
FT exon 1001..1180
FT /tag= h
FT /number= 1
FT variation replace(1019, A)
FT /tag= i
FT /label= PS7
FT /note= "Known single nucleotide polymorphism (SNP);
FT causes the amino acid substitution V7M"
FT variation replace(1031, A)
FT /tag= j
FT /label= PS8
FT /note= "Known single nucleotide polymorphism (SNP);
FT causes the amino acid substitution V11M"
FT variation replace(1100, T)
FT /tag= k
FT /label= PS9
FT /note= "Known single nucleotide polymorphism (SNP);
FT causes the amino acid substitution P34S"
FT intron 1181..1883
FT /tag= l
FT /number= 1
FT variation replace(1827, C)
FT /tag= m
FT /label= PS10
FT /note= "Novel single nucleotide polymorphism (SNP)"
FT /note= "Novel single nucleotide polymorphism (SNP)"
FT replace(1843, G)
FT /tag= n
FT /label= PS11
FT /note= "Known single nucleotide polymorphism (SNP)"
FT exon 1884..2055
FT /tag= o
FT /number= 2
FT variation replace(1966, A)
FT /tag= p
FT /label= PS12
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution R88H"
FT variation replace(1974, A)
FT /tag= q
FT /label= PS13
FT /note= "Known single nucleotide polymorphism (SNP);
FT causes the amino acid substitution L91M"
FT variation replace(1984, G)
FT /tag= r
FT /label= PS14
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution H94R"
FT variation replace(1997, G)
FT /tag= s
FT /label= PS15
FT /note= "Novel single nucleotide polymorphism (SNP)"
FT variation replace(2014, C)
FT /tag= t
FT /label= PS16
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution V104A"
FT variation replace(2022, T)
FT /tag= u
FT /label= PS17
FT /note= "Novel single nucleotide polymorphism (SNP);
FT together with PS18 causes the amino acid substitution
FT T107F"
FT /tag= v
FT /label= PS18
FT /note= "Novel single nucleotide polymorphism (SNP);
FT together with PS17 causes the amino acid substitution
FT T107F"
FT variation replace(2023, T)
FT /tag= w
FT /label= PS19
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution I109V"
FT variation replace(2036, C)
FT /tag= x
FT /label= PS20
FT /note= "Novel single nucleotide polymorphism (SNP)"
FT variation replace(2039, T)
FT /tag= y
FT /label= PS21
FT /note= "Known single nucleotide polymorphism (SNP)"
FT intron 2056..2605
FT /tag= z
FT /number= 2
FT /cons_splice= (5'site:NO, 3'site:YES)
FT variation replace(2062, G)
FT /tag= aa
FT /label= PS22
FT /note= "Novel single nucleotide polymorphism (SNP)"
FT variation replace(2067, G)
FT /tag= ab
FT /label= PS23
FT /note= "Novel single nucleotide polymorphism (SNP)"
FT variation replace(2118, T)
FT /tag= ac
FT /label= PS24
FT /note= "Novel single nucleotide polymorphism (SNP)"

```

```
FT variation replace(2170, A)
FT /*tag= ad
FT /label= PS25
FT /note= "Known single nucleotide polymorphism (SNP)"
FT variation replace(2179, C)
FT /*tag= ae
FT /label= PS26
FT /note= "Novel single nucleotide polymorphism (SNP)"
FT exon 2606..2758
FT /*tag= af
FT /number= 3
FT variation replace(2611, A)
FT /*tag= ag
FT /label= PS27
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution F120I"
FT variation replace(2635, C)
FT /*tag= ah
FT /label= PS28
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution W128R"
FT variation replace(2659, A)
FT /*tag= ai
FT /label= PS29
FT /note= "Novel single nucleotide polymorphism (SNP);
FT together with PS30 causes the amino acid substitution
FT V136I"
FT variation replace(2661, C)
FT /*tag= aj
FT /label= PS30
FT /note= "Known single nucleotide polymorphism (SNP);
FT together with PS29 causes the amino acid substitution
FT V136I"
FT variation replace(2704, G)
FT /*tag= ak
FT /label= PS31
FT /note= "Known single nucleotide polymorphism (SNP);
FT causes the amino acid substitution Q151E"
FT variation replace(2716, A)
FT /*tag= al
FT /label= PS32
FT /note= "Novel single nucleotide polymorphism (SNP);
FT causes the amino acid substitution E155K"
FT intron 2759..2846
FT /*tag= am
FT /number= 3
FT variation replace(2846, A)
FT /*tag= an
FT /label= PS33
FT /note= "Known single nucleotide polymorphism (SNP)"
FT exon 2847..3007
FT /*tag= ao
FT /number= 4
FT intron 3008..3440
FT /*tag= ap
FT /number= 4
FT variation replace(3292, A)

Query Match 49.2%; Score 5061; DB 6; Length 6472;
Best Local Similarity 94.2%; Pred. No. 0;
Matches 5532; Conservative 0; Mismatches 225; Indels 116; Gaps 22;

QY 1049 GACCCTCAGGACGCTGGAGGATGCTGCACAGGCTGGGGCAAGGCCCTTCAGGCTACC 1108
DB 1 GACCCTCAGGACGCTGGAGGATGTTGTACAGGCTGGGGCAAGGCCCTTCAGGCTACC 60
QY 1109 AACTGGGAGCTCTGGGAACAGCCCTGTTGCAAAACAGGAAGTCATGGCCCGGCCAGAGCCC 1168
DB 61 AACTGGGAGCTCTGGGAACAGCCCTGTTGCAAAACAGGAAGCCATAGCCCGGCCAGAGCCC 120
QY 1169 A-GAATGTGGGCTGAGTGGGATCCATGTGACAGCTTTGAGGCTTCACCGGGAGCAGCCTC 1227
DB 121 AGGAATGTGGGCTGGGCT-----GGAGCAGCCTC 150
```

```
QY 1228 TGCACAGGAGAGGTCCCATCCAGAAACCTCGGCGCATCGGTGGGAAGTGGGTAATTGGT 1287
DB 151 TGCACAGGAGAGGTGGTCCCATCCAGAAACCTCCGGCATGGCTGGGAAGTGGGTAATTGGT 210
QY 1288 GCCGGGTCTGTATGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 1347
DB 211 GCCGGGTCTGTATGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 270
QY 1348 AGTGTGAGTCTGTGTGTGTGTGTGAATATTGTCTTTGTGTGGGTGATTTCTTGTGCATGTCTAA 1407
DB 271 AGTGTGAGTCTGTGTGTGTGTGTGAATATTGTCTTTGTGTGGGTGATTTCTTGTGCATGTCTAA 330
QY 1408 TCGTGTCCCTGCAAGTGTGTGAACAAGTGGCAAGTGTCTGGGAGTGGCAAGAGATCTGTGTG 1467
DB 331 TCGTGTCCCTGCAAGTGTGTGAACAAGTGGCAAGTGTCTGGGAGTGGCAAGAGATCTGTGTG 390
QY 1468 CACCATCAGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 1527
DB 391 CACCATCAGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 450
QY 1528 CCAGGCCCATGTATGCCACTCATCATCAGGAGCTCTAAGGCCCCAGGTTAAGTGCACAGTAC 1587
DB 451 CCAGGCCCATGTATGCCACTCATCATCAGGAGCTCTAAGGCCCCAGGTTAAGTGCACAGTAC 510
QY 1588 AGATAAGGGTGTCTGAAGGTGTCATCTCGAGTGGGCGAGTGGGGGTAGGGAAAGGCGCAAGGT 1647
DB 511 AGATAAGGGTGTCTGAAGGTGTCATCTCGAGTGGGCGAGTGGGGGTAGGGAAAGGCGCAAGGT 570
QY 1648 CATGTTCTGAGAGAGGGGTTGTGACTACATTAGGGTGTATGACCTAGCTTGGAGAGTGGGA 1707
DB 571 CATGTTCTGAGAGAGGGGTTGTGACTACATTAGGGTGTATGACCTAGCTTGGAGAGTGGGA 630
QY 1708 TGSCCGGGTCCACTGAGAGCCCTGGTTATCCAGAGCCCTGTGTGGGCTTGGGAGGCTTGG 1767
DB 631 TGSCCGGGTCCACTGAGAGCCCTGGTTATCCAGAGCCCTTTCAGGAGCTTCAGGAGCTTGG 690
QY 1768 AGTGGGGAGAGGGGGTGAACCTTCTCCGACCAAGGCTTTTACACACCTTACCTCGGTAAAG 1827
DB 691 AGTGGGGAGAGGGGGTGAACCTTCTCCGACCAAGGCTTTTACACACCTTACCTCGGTAAAG 750
QY 1828 GCCTGAGCAGGAGAGCAGCGGCAAGGACCTCTGTGAGAGAGCCCATATCTGCCCTTGGCCTGA 1887
DB 751 GCCTGAGCAGGAGAGCAGCGGCAAGGACCTCTGTGAGAGAGCCCATATCTGCCCTTGGCCTGA 810
QY 1888 CTCTGCCACTGGCAGCACAGTCAACACAGAGGTTTCACTCACAGCAGAGGGCGCAAGGCCA 1947
DB 811 CTCTGCCACTGGCAGCACAGTCAACACAGAGGTTTCACTCACAGCAGAGGGCGCAAGGCCA 870
QY 1948 TCATCAGCTCCCTTTATTAAGGGAAGGGTCAAGGCTCGGTGTGCGGAGAGTGTCTTGCCT 2007
DB 871 TCATCAGCTCCCTTTATTAAGGGAAGGGTCAAGGCTCGGTGTGCGGAGAGTGTCTTGCCT 930
QY 2008 GGTCTCTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 2067
DB 931 GGTCTCTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 990
QY 2068 TGAGGCGAGCATGGGGCTAGAGCACTGTGTGCCCTTGGCCATGATAGTGGCCATCTTCTCT 2127
DB 991 TGAGGCGAGCATGGGGCTAGAGCACTGTGTGCCCTTGGCCATGATAGTGGCCATCTTCTCT 1050
QY 2128 GCTCTGTGTGGACTTCATGACCGGCCAACAAAGCTGGGGTGCACGCTACCCCGCAGGTCC 2187
DB 1051 GCTCTGTGTGGACTTCATGACCGGCCAACAAAGCTGGGGTGCACGCTACCCCGCAGGTCC 1110
QY 2188 CTTGCCACTGCCCGGGCTGGGCAACCTTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 2247
DB 1111 CTTGCCACTGCCCGGGCTGGGCAACCTTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 1169
QY 2248 GCTTCGACAGGTGAGGAGAGGAGTCTCTGGAGGGCGGAGAGGTCTCTGAGGATGCCCCC 2307
DB 1170 GCTTCGACAGGTGAGGAGAGGAGTCTCTGGAGGGCGGAGAGGTCTCTGAGGATGCCCCC 1229
```

QY 2308 CACCAGCAAACTGGGTGGTGGTTAAACCAACAGGCTGGATCAGAAAGCCAGGCTCAGAAAG 2367
DB 1230 CAGAGCAAACTGGATGGTGGTGBAAACCAACAGGCTGGACAGAAAGCCAGGCTGAGAA 1289
QY 2368 GGGAAAGAGGTTTGGGGGACGTTTCTTGGGGAAGGACATTTATACATGGATGAAGAGCTG 2427
DB 1290 GGGAAAGAGGTTTGGGGGACG-TCTGTGAGAAAGGCAATTTATACATGGATGGATGAAGAGCTG 1348
QY 2428 GATTTTCAAAGGCAAGGAGAGTAGGCAAGAGGCTGGAGTGGAGTGGACTTGGCA 2487
DB 1349 GATTTTCAAAGGCAAGGAGAGTAGGCAAGAGGCTGGAGTGGAGTGGACTTGGCA 1408
QY 2488 GTGGGCATCAAGACCCATTTGGGCAACATATGTTATGGAGTCAAAAGTCCCTTCTGTGAC 2547
DB 1409 GTGGGCATCAAGACCCATTTGGGCAACATATGTTATGGAGTCAAAAGTCCCTTCTGTGAC 1468
QY 2548 ACCAGAAGAAAGGCTTGGGAATGGAAATGAAGATGAGTTAGTCTGAGTGGCGTTTAAATCAC 2607
DB 1469 ACCAGAAGAAAGGCTTGGGAATGGAAATGAGTTAGTCTGAGTGGCGTTTAAATCAC 1528
QY 2608 GAAATCGAGGATGAAGGGGTGACGTGACCCGGTTTCAACCTTTTGGACTGTGGGTCTC 2667
DB 1529 GAAATCGAGGATGAAGGGGTGACGTGACCCGGTTTCAACCTTTTGGACTGTGGGTCTC 1588
QY 2668 GGGCCTCACTG-CTCACCGGCATGACCATCATCTGGGAATGGGATGCTTAACTGGGGCT 2726
DB 1589 GGGCCTCACTGCTTACCGGCATGACCATCATCTGGGAATGGGATGCTTAACTGGGGCT 1648
QY 2727 CTGGCAATTTTGGTGACTCTTGCAGAGTCTATCTGGGTGACGATCCAACTGAGTTTC 2786
DB 1649 CTGGCAATTTTGGTGACTCTTGCAGAGTCTATCTGGGTGACGATCCAACTGAGTTTC 1708
QY 2787 CTCCATCAGAAAGTGTGACCCCAACCCCTGCCCCACGATCAGAGGCTGGGTCTCCTC 2846
DB 1709 CTCCATCAGAAAGTGTGACCCCAACCCCTGCCCCACGATCAGAGGCTGGGTCTCCTC 1768
QY 2847 CTTCACCTGCTCACTCTCTGTAGCCCGGGGTGCTCAAGTTTCAATAGACTAGGA 2906
DB 1769 CTTCACCTGCTCACTCTCTGTAGCCCGGGGTGCTCAAGTTTCAATAGACTAGGA 1828
QY 2907 CTGTAGTCTGGGTGATCCTGGCTTGAAGAGGCTTGAACCTTCTCTGAGTTGG 2966
DB 1829 CCGTGTAGTCTGGGTGATCCTGGCTTGAAGAGGCTTGAACCTTCTCTGAGTTGG 1888
QY 2967 GCGCGCTTCCGGGACGTTTCAAGCTGAGCTGGCTGGAGCGCGGTGGTCTGCTCA 3026
DB 1889 GCGCGCTTCCGGGACGTTTCAAGCTGAGCTGGCTGGAGCGCGGTGGTCTGCTCA 1948
QY 3027 TGGGCTTGGCGCGCTGCGGAGCGATGGTGAACCGCGCGAGGACACGCGCGACCGCC 3086
DB 1949 TGGGCTTGGCGCGCTGCGGAGCGCTGGTGAACCGCGCGAGGACACGCGCGACCGCC 2008
QY 3087 GCCTGGCCCATCTACAGGCTCTGGGCTTGGGCTTGGGCGCGCTTCCCAAGGCAAGCGGCTG 3146
DB 2009 GCCTGTGCCCATCTACAGGCTCTGGGCTTGGGCTTGGGCGCGCTTCCCAAGGCAAGCGGCT- 2067
QY 3147 GGGGACAGAGCGGCTTTCGTGGGCCCCGGGTGGAACGTTAGCCGTAGCCCAAGAGCG 3206
DB 2068 GGGGACAGAGCAG-ATTTCGTGGGACCCGGGTGATGACCGGTAGTCCGAGCTGG 2126
QY 3207 CCGACAGGGCGTGGGTCTGTGACGTGAACAGAGATAAGGCCACGAGTGGGTGAGG 3266
DB 2127 CAGAGAGGCGCGGCTGTGGACATGAAC-----AGGCCAGCGAGTGG-----GG 2173
QY 3267 ACAGTGGGCGAGGAAACCACTTGCACGGGGAGGTGCGAGTCTGTGGCTGG----- 3318
DB 2174 ACAGCGGCGCAAGAAACCACTTGCATAGGGAGGTGTGAGCATGGGACAGGGCGGCG 2233
QY 3319 -----GAGGGGGCGGGGCTACTGCCAGACCCCGCAGAACCGCGTGGGGGAGGCTG- 3370
DB 2234 TTGTGACGAGTGGGGGGGCGCACTGCCGAGACCTGGCAGAGGCCCAATGGGTGAGCGTGG 2293
QY 3371 -----ATGCGTGAAGTGGCGGTGGCGGGGACCGCGCCTATGTCGG 3413

DB 2294 CGCATTTCCAGCTCGAATCCGGTGTGAAAGTGGGGCGGGACCGCACCTGTGTGTAA 2353
QY 3414 GCTCAGTGTGGCGGGACGG-----GCGGGAATCTTCTTGTAGTGAAGAGTGGTCAAGGT 3468
DB 2354 GCTCAGTGTGGGTGGCGGGGCGCGCGGGGTCTTCCCTGAGTGAAGAGCGGTCAAGGT 2413
QY 3469 GGGCAGAGACAGAGTGGGGCGCAAAACCCCGCCAGGAGGGGAGCAATGTGGGTGAGCAA 3528
DB 2414 GGGCAGAGACAGAGTGGGG-CAAAGCTTGGCCCAAGGAGGAGCAAGTGTGATGCACAA 2472
QY 3529 AGAGTGGGCTCTGTGCCAGCTGGACCGGGCTAGGAGCTTGGCGGAGACCTTGTGGAGCGC 3588
DB 2473 AGAGTGGGCTCTGTGACCAAGCTGGACAGAGCCAGGGAATGGCGGAGACCCAGGGGAGC-A 2531
QY 3589 CAGGTTTGGAGTGGGTGGCGAGGGTGGGCGCAAGCCCTTCAATGCAACGCCCAAGTGTGTC 3648
DB 2532 TAGGGTTGGAGTGGGTGGATGGTGGGGCTTAATGCGCTTCAATGCGCCACGCGACGTGCC 2591
QY 3649 CGTCCCGCCCGCAGGGGTGATCTGTGCGCTATGCGGCCGCGTGGCGGAGCAGAGCG 3708
DB 2592 CGTCCCAACCCCGAGGGGTGTTCTTGGCGGCTATGCGGCCGCGTGGCGGAGCAGAGCG 2651
QY 3709 CTTCTCCGTGCTCACTTTCGCAACTTGGGCTTGGGCAAGAGTCTGCTGGAGCAGTGGGT 3768
DB 2652 CTTCTCCGTGCTCACTTTCGCAACTTGGGCTTGGGCAAGAGTCTGCTGGAGCAGTGGGT 2711
QY 3769 GACCGAGAGGCGCGCTGCTTGTGGCG-CTTTCGCCAGCCAGCGGTGGGTGATGGGC 3827
DB 2712 GACCGAGAGGCGCGCTGCTTGTGGCGCTTTCGCCAACTCTCGGTGGGTGATGGGC 2771
QY 3828 AGAGGGCACAAGCGGGAATGGGAAGCGGGGACCGGAGGAAACCCCTTACCCGC 3887
DB 2772 AGAGGGCACAAGCGGGAATGGGAAGCGGGGACCGGAGGAAAGCGACCCCTTACCCGC 2831
QY 3888 ATCTCCCGCACCCAGGACGCGCTTTCGCCCAACCGGCTCTTGGACAAAGCCGTGAGC 3947
DB 2832 ATCT-CCCGCACCCAGGACGCGCTTTCGCCCAACCGGCTCTTGGACAAAGCCGTGAGC 2890
QY 3948 AACGTGATCGCTTCCCTCACTGCGGGCGCGCTTGGAGTAGCAGACCCCTGCTTCTC 4007
DB 2891 AACGTGATCGCTTCCCTCACTGCGGGCGCGCTTTCGAGTAGCAGACCCCTGCTTCTC 2950
QY 4008 AGGCTGTGGACCTAGCTCAGAGGAGCTGAAGAGGAGTGGGCTTCTTGGCGGAGGTG 4067
DB 2951 AGGCTGTGGACCTAGCTCAGAGGAGCTGAAGAGGAGTGGGCTTCTTGGCGGAGGTG 3010
QY 4068 CCGAGCAGAGACCCGAGGAGTCTCTGACGGGCGAGCTCTCTGAGAGGTGCGGGGCTGGAC 4127
DB 3011 CCGAGCAGAGACCCGAGGAGTCTCTGACGGGCGAGCTCCCGAGAGGTGCGGGGCTGGAC 3070
QY 4128 TGGGCGCTCCGAGAGGCGAGATTGCTAGATAGTGGTTTGGGAAAGGACATTCAGAGAC 4187
DB 3071 TGGGCGCTCCGAGAGCAGGAGTTTGCATAGATGGTTTGGGAAAGGACATTCAGAGAC 3130
QY 4188 CCCACTGTAAAGAGGCTTGGAGGAGGAGGAGCACTCTCAGACATGCTGCTGGGAGAGGT 4247
DB 3131 CCCACTGTAAAGAGGCTTGGAGGAGGAGGAGCACTCTCAGACATGCTGCTGGGAGAGGT 3190
QY 4248 GTGCCCGGCTCAGGGGGCACCCAGAGAGGCGCAAGGACTCTGTACC-CCCGTCCAGGTTGG 4306
DB 3191 GTGCCCGGCTCAGGGGGCACCCAGAGAGGCGCAAGGACTCTGTACTCTCTATCCAGTCA 3250
QY 4307 AGATTTCAATTTAGGTTTCTCTCTGGCAGAGGAGAGGAGGAGGCTGGCACTTGGG 4366
DB 3251 AGATTTCAATTTAGGTTTCTCTCTGGCAGAGGAGGAGGAGGAGGCTGGCACTTGGG 3310
QY 4367 GAGGACCTTGGTGGTGGTAAAGGACAGGAGGCGCTGGGTCTACCTGAGATGCG 4426
DB 3311 GAGGACCTTGGTGGTGGTAAAGGACAGGAGGCGCTGGGTCTACCTGAGATGCG 3370
QY 4427 TGGGCGCTGAGACTTGTCTCAGGTGAACCGACAGACAGGAGGAGTTGAGACCCCGTCTG 4486

[illegible]

QY 6632 GCCATATTTTCAGGCTTAACCTAGCCACCCACATCAGGACAGCAGTCTCTGCCAGCAC 6691
DB 5589 GCCATATTTTCAGGCTTAACCTAGCCACCCACATCAGGACAGCAGTCTCTGCCAGCAC 5648
QY 6692 CATCAACAACAGTCACCTCCCTTCATATATGACACCCCAAAATGGAAGACAAATCAT--G 6748
DB 5649 CATCAACAACAGTCACCTCCCTTCATATATGACACCCCAAAACGGAAGACAAATCATGCGG 5708
QY 6749 TCAGGAGCTATATGCGCAGG---CTACCTCCAGGGCTCAGTCGGCAGGTGCCAGAAC 6804
DB 5709 TCAGGAGCTATATGCGCAGGCTACCTACCTCCAGGGCTCAGTCGGCAGGTGCCAGAAC 5768
QY 6805 ATTTCCTCTGGAAGGCCCCAGGAAACCCAGGACCCAGCCAGCCCTCAGCCT 6857
DB 5769 GTTCCCTGGGAAGGCCCCATGGAAGCCAGGACTGAGCCACCCTCAGCCT 5821

RESULT 7

ADB25775
ID ADB25775 standard; DNA; 4500 BP.

XX AC ADB25775;

XX XX 20-NOV-2003 (first entry)

XX XX Human CYP2D6-related DNA sequence.

XX XX human; mutant CYP2D6 gene; drug analysis; drug testing; gene; ds.

XX OS Homo sapiens.

XX XX WO2003050282-A1.

XX XX 19-JUN-2003.

XX PF 05-DEC-2002; 2002WO-JP012748.

XX PR 06-DEC-2001; 2001JP-00372548.

XX XX (TSUR) TSUMURA & CO.

XX PI Taniyama M, Ogawa K, Tsuchiya N, Hibino T;

XX WPI; 2003-505401/47.

XX PT Genetic polymorphisms of CYP2D6 gene in human population for analysis of
PT drug effect on individual patients and testing of new drugs.

XX PS Claim 1; Page 36-39; 75pp; Japanese.

XX CC The invention comprises mutant forms of the human CYP2D6 gene, containing
CC one or more of the following mutations G125A, C1858T, T2874C and C2875T.
CC The mutant human CYP2D6 genes of the invention are useful for analysing
CC the effect of drugs on individual patients and testing of new drugs. The
CC present DNA sequence represents a human gene of the invention.

XX SQ Sequence 4500 BP; 855 A; 1308 C; 1502 G; 835 T; 0 U; 0 Other;

Query Match 37.8%; Score 3883.6; DB 7; Length 4500;

Best Local Similarity 94.1%; Pred. No. 0;

Matches 4255; Conservative 0; Mismatches 189; Indels 78; Gaps 18;

QY 2078 ATGGGGCTAGAGACACTGGTGGCCCTGGCCCATGATAGTGGCCATCTTCTGCTCTGTTG 2137

DB 1 ATGGGGCTAGAGACACTGGTGGCCCTGGCCCATGATAGTGGCCATCTTCTGCTCTGTTG 60

QY 2138 GACCTGATGACCGGACCAACGCTGGGCTGACGCTACCGCCAGGTCCCTGCCACTG 2197

DB 61 GACCTGATGACCGGACCAACGCTGGGCTGACGCTACCGCCAGGTCCCTGCCACTG 120

QY 2198 CCCGGCTGGCAACCTTGTGCTGATGTGGAATTCAGAAACACACCACTACTGCTTCGACCA 2257

DB 121 CCCGGCTGGCAACCTTGTGCTGATGTGGAATTCAGAAACACACCACTACTGCTTCGACCA 179

QY 2258 GGTGAGGAGGAGGTCTCTGAGGGCGGAGAGTCTCTGAGGATGCCCCACACCCAGCAAA 2317
DB 180 GGTGAGGAGGAGGTCTCTGAGGGCGGAGAGTCTCTGAGGATGCCCCACACCCAGCAAA 239
QY 2318 CATGGTGTGGTGTAAACCAACAGGCTGGATCAGAAAGCAGGCTGAGAAAGGGAAGCAGG 2377
DB 240 CATGGTGTGGTGTAAACCAACAGGCTGGATCAGAAAGCAGGCTGAGAAAGGGAAGCAGG 299
QY 2378 TTGTTGGGACGTTCTCTGGGGAAGGACATTTATATGATGATGAAGGACTGGAATTTTCAA 2437
DB 300 TTGTTGGGACG-TCTCTGGAAGGCAATTTATATGATGATGAAGGACTGGAATTTTCAA 358
QY 2438 AGGCCAAGAGAGAGTAGGCAAGGCTTGAAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGG 2497
DB 359 AGGCCAAGAGAGAGTAGGCAAGGCTTGAAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGG 418
QY 2498 AAGCCCATTTGGGCAACATATATTATGAGGATCAAAAGTCCCTCTCTGACACACAGAAGA 2557
DB 419 AAGCCCATTTGGGCAACATATATTATGAGGATCAAAAGTCCCTCTCTGACACACAGAAGA 478
QY 2558 AAGGCTTTGGGAATGGAATGAGTATTAGTCTGAGTGCCTTTAAATCAAGAAATCGAGG 2617
DB 479 AAGGCTTTGGGAATGGAATGAGTATTAGTCTGAGTGCCTTTAAATCAAGAAATCGAGG 538
QY 2618 ATGAGGGGGTGCAGTGAAGGCTTCAACCTTTTGAAGTGGGCTCTCTGGGCTCACT 2677
DB 539 ATGAGGGGGTGCAGTGAAGGCTTCAACCTTTTGAAGTGGGCTCTCTGGGCTCACT 598
QY 2678 G-CTCACCGGATGAGGATCATCTGGAATGGGATGCTTAACCTGGGGCTCTCTGGCAATT 2736
DB 599 GCCTCACCGGATGAGGATCATCTGGAATGGGATGCTTAACCTGGGGCTCTCTGGCAATT 658
QY 2737 TTGTTGACTTTTGAAGGCTCATCTGAGTGAAGGATCAAACTGAGTTCCTCATCA 2796
DB 659 TTGTTGACTTTTGAAGGCTCATCTGAGTGAAGGATCAAACTGAGTTCCTCATCA 718
QY 2797 GAAGGTGTACCCCGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGG 2856
DB 719 GAAGGTGTACCCCGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGG 778
QY 2857 CTCACCTCTGTTAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGG 2916
DB 779 CTCACCTCTGTTAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGG 838
QY 2917 GGGGTGATCTGTTGTTGAAGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGG 2976
DB 839 GGGGTGATCTGTTGTTGAAGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGG 898
QY 2977 GGGGACGTTTCAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGG 3036
DB 899 GGGGACGTTTCAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGG 958
QY 3037 GCGGTGCGGAGGCGGATGTTGACCGCGGCGGAGGACACGCGCGGCGGCGGCGGCGGCGGCGGCGG 3096
DB 959 GCGGTGCGGAGGCGGATGTTGACCGCGGCGGAGGACACGCGCGGCGGCGGCGGCGGCGGCGGCGG 1018
QY 3097 ATCTACAGGCTCTGTTGGGCTTGGGCGGCTTCCAAAGGCAAGCGGCGGCTGAGGCGGCGGCGGCGG 3156
DB 1019 ATCTACAGGCTCTGTTGGGCTTGGGCGGCTTCCAAAGGCAAGCGGCGGCTGAGGCGGCGGCGGCGG 1077
QY 3157 ACCGCGTTTCGTTGGGCGGCGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGG 3216
DB 1078 ACAG-ATTTTCGTTGGGCGGCGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGG 1136
QY 3217 GTGGGCTCTGAGCGTGAACACAGAGATAAGAGCGGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGG 3276
DB 1137 GCGGGCTCTGAGCGTGAACACAGAGATAAGAGCGGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGG 1183
QY 3277 AGGAACCACTGACCGGCGGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGG 3321
DB 1184 AGGAACCACTGACCGGCGGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGGCTGAGG 1243

Qy	3322	GGGCGGGGCTACTCCAGACCCGCCAAGACCCCGGTGGCGGAGCGTG-----	3370
Db	1244	TGGCGGGGCGACCTGCCGAGACTCTGGCAGAGGCCAATGGGTGAGCGTGGCGCATTTCCC	1303
Qy	3371	-----ATGCGTCGAAGTGCAGTGGCGGACCGCGCTATGCTGCGGGCTCAGTGTG	3423
Db	1304	AGCTGGAATCCGGTGTGCAAGTGGGGCGGGGACCGCACCTGTGCTGTAACTCAGTGTG	1363
Qy	3424	G-----GCGGGA CGGGCGGGATCTTCTTGATGTGAAAGGTGGTCAAGGTGGCAGAGAC	3478
Db	1364	GGTGGCGGGGCCCGCGGGGTCTTCTCGAGTGCAAAGCGGTCAAGGTGGCAGAGAC	1423
Qy	3479	GAGTGGGGCCAAACCCCGCCCCCAGGCAGGGGAGCAATGTGGGTGACAAAGAGTGGGCC	3538
Db	1424	GAGTGGGG--CAAAAGCCTGCCACCGCAAGGAGCAAGGTGATGCAAAAGAGTGGGCC	1482
Qy	3539	CTGTGCCAGCTGCACCGGCTAGGGACTGCGGGAGACCTTGTGGAGCGCCAGGTTGGA	3598
Db	1483	CTGTGACAGCTGCACAGACCGAGGAACTGCGGAGACAGGGGAGC--ATAAGGTTTGA	1541
Qy	3599	GTGGGTGGCAGAGGTGGGGCCAAAGGCTTTTCATGGCAACGCCACAGCTGTCCGTCCCGCCC	3658
Db	1542	GTGGGTGGTGATGTGGGCTAATGCTTCATGCGCCACCGGCAGCTGCCGTCACACCC	1601
Qy	3659	CCAGGGGTGATCTGTTCGCTATGGGCGCGCGTGGCGCAGACAGGCGCTTCTCCGTG	3718
Db	1602	CCAGGGGTGTTTCTTGGGCGCTATATGGCCCGCGTGGCGCAGCAGAGCGCTTCTCCGTC	1661
Qy	3719	TCCACCTTGGCAACTTGGGCGTGGGCAAGAGTGCCTGGAGCAGTGGGTGACCGAGGAG	3778
Db	1662	TCCACCTTGGCAACTTGGGCGTGGGCAAGAGTGCCTGGAGCAGTGGGTGACCGAGGAG	1721
Qy	3779	GCCGCTTGCCTTTGTGCGC--CTTCCGCCACCAAGCCGTTGGGTGATGGGCAGAAAGGCAC	3837
Db	1722	GCCGCTTGCCTTTGTGCGCGCTTCCCAACCACTCCGTTGGGTGATGGGCAGAAAGGCAC	1781
Qy	3838	AAAGCGGAACTGGGAAGCGGGGGA CGGGAAGGCAACCCCTTACCCGCATCTCCCCAC	3897
Db	1782	AAAGCGGAACTGGGAAGCGGGGGA CGGGAAGGCGACCCCTTACCCGCATCT--CCAC	1840
Qy	3898	CCCCAGACGCCCTTTTCGCCCCAAAGCGCTCTTGGCAAGCCGTGAGCAACGTATCG	3957
Db	1841	CCCCAGACGCCCTTTTCGCCCCAAAGCGCTCTTGGCAAGCCGTGAGCAACGTATCG	1900
Qy	3958	CCTCCCTCACCTGCGGCGCGCTTTCAGTACACAGCACCTCGCTTCTCAGGCTGCTGG	4017
Db	1901	CCTCCCTCACCTGCGGCGCGCTTTCAGTACACAGCACCTCGCTTCTCAGGCTGCTGG	1960
Qy	4018	ACCTAGCTCAGGAGGGA CTGAAAGAGAGTGGGCTTTCTGCGCAGAGTGCAGGAGGAGA	4077
Db	1961	ACCTAGCTCAGGAGGGA CTGAAAGAGAGTGGGCTTTCTGCGCAGAGTGCAGGAGGAGA	2020
Qy	4078	GACCGAGAGTCTCTGACGGCGAGCTCTTGAGAGGTGCGGGGCTGGACTGGGGCTTC	4137
Db	2021	GACCGAGAGTCTCTGACGGCGAGCTCTCCGAGAGGTGCGGGGCTGGACTGGGGCTTC	2080
Qy	4138	GAAGGCGAGGATTTGCATAGATGGTTTGGGAAGGACATTCACAGAGACCCACATGTAA	4197
Db	2081	GAAGCAGGATTTGCATAGATGGTTTGGGAAGGACATTCACAGAGACCCACATGTAA	2140
Qy	4198	GAAGGCTTGGAGGAGGGGACATCTCAGACATGTTGTTGGGAGAGGTGTGCCCGGTT	4257
Db	2141	GAAGGCTTGGAGGAGGGGACATCTCAGACATGTTGTTGGGAGAGGTGTGCCCGGTT	2200
Qy	4258	CAGGGGGA CAGAGAGGCCAAGGA CTCTGTACC--CCGTTCAAGTTGAGATTTTCAT	4316
Db	2201	CAGGGGGA CAGAGAGGCCAAGGA CTCTGTACC--CCGTTCAAGTTGAGATTTTCAT	2260
Qy	4317	TTTAGTTTCTCTCTCGGCAAGGAGAGAGGTGGAGCTGGCACTTGGGGAGGACTTTC	4376
Db	2261	TTTAGTTTCTCTCTCGGCAAGGAGAGAGGTGGAGCTGGCACTTGGGGAGGACTTTC	2320
Qy	4377	GTAGGTCAGTGTGTAAGGACAGGCAGGCCCTTGGGTCTTACCTGGAGATGGCTGGGCGCTGA	4436

QY 4398 GGCAGGCCCCGGTCTACCTGGAGATGGCTGGGGCCCTGAGACTTGTCCAGGTGAACGCAG 4457
DB 181 GGCAGGCCCCGGTCTACCTGGAGATGGCTGGGGCCCTGAGACTTGTCCAGGTGAACGCAG 240
QY 4458 AGCACAGGAGGGATTGAGACCCCGTTCCTGTCGTGTAGGTGTGTAATGCTGTCCCGCTC 4517
DB 241 AGCACAGGAGGGATTGAGACCCCGTTCCTGTCGTGTAGGTGTGTAATGCTGTCCCGCTC 300
QY 4518 CTCCTGCACATCCCAGCGCTGGCTGGCAAGGTCCTAGCTTCCAAAGGCTTTCCTGACC 4577
DB 301 CTCCTGCATATCCAGCGCTGGCTGGCAAGGTCCTAGCTTCCAAAGGCTTTCCTGACC 360
QY 4578 CAGCTGGATGAGCTGTAACTGAGCAGACAGATGACCTGGGACCCAGCCAGCCACCCCGA 4637
DB 361 CAGCTGGATGAGCTGTAACTGAGCAGACAGATGACCTGGGACCCAGCCAGCCACCCCGA 420
QY 4638 GACTGACTCAGCGCTTCCTGGCAAGAGAGGTGAGTGGCTGGCTGCCACCGTGGGG 4697
DB 421 GACTGACTCAGCGCTTCCTGGCAAGAGAGGTGAGTGGCTGGCTGCCACCGTGGGG 480
QY 4698 GGCAAGGGTGGTGGGTTGAACGCTCCAGGAGGAATGAGGGGAGCGCTGGGCAAAAGGTTGG 4757
DB 481 GGCAAGGGTGGTGGGTTGAACGCTCCAGGAGGAATGAGGGGAGCGCTGGGCAAAAGGTTGG 540
QY 4758 ACCAGTGATCATCCCGCGAGCCGCTATCTGGGCTGACAGGTGAGAAATTGGAGGTCAATT 4817
DB 541 ACCAGTGATCATCCCGCGAGCCGCTATCTGGGCTGACAGGTGAGAAATTGGAGGTCAATT 600
QY 4818 GGGGGCTACCCCGTTCATCCCTGAGTATCTCTCGGCCCTCTCAGGCCCAAGGGGAGC 4877
DB 601 GGGGGCTACCCCGTTCATCCCTGAGTATCTCTCGGCCCTCTCAGGCCCAAGGGGAGC 658
QY 4878 CCTGAGAGCAGCTTCAATGATGAGAACCTGCGCATAGTGTGGGTAACTGTTCTCTTGGC 4937
DB 659 CCTGAGAGCAGCTTCAATGATGAGAACCTGCGCATAGTGTGGGTAACTGTTCTCTTGGC 718
QY 4938 GGGATGTGACACCTGACACGCTGGCTGGCGCTCTGCTCATGATCTTACACCTG 4997
DB 719 GGGATGTGACACCTGACACGCTGGCTGGCGCTCTGCTCATGATCTTACACCTG 778
QY 4998 GATGTGAGCGTGGAGCCAGCTGGGCCCCAAGCAGGACTGAGGGAGGAGGTACAGC 5057
DB 779 GATGTGAGCGTGGAGCCAGCTGGGAAAAAGTGCAGGGGCCGAGGGAGGAGGTACAGG 838
QY 5058 TGGGGGGCCCTGGCTGAGTGGGACACCCGGGCTTCCAGCACAGCGCTGGCGCAGGCTC 5117
DB 839 CGGGGGCCCATGAATTTGCTGGGACACCCGGGGCTTCCAGCACAGCGCTTGACAGGATC 898
QY 5118 CTGTAAAGCCTAACTTCTCCAAACAGAGGAGGAGAGTGT-----CCCTT 5164
DB 899 CTGTAAAGCCTGACCTCTCTCCAAACATAGGAGGCAAGAAGAGTGTTCAGGGGCCGAGCCCTT 958
QY 5165 GGGTGTGACCCATTTGGGGAGCGCATGCTGTCCAGTCCGTGTCCAAGGAGATCGAC 5224
DB 959 GGGTGTGACCCATTTGGGGAGCGCTGTCTGTCCAGGGCCGTTCCAACAGGAGATCGAC 1018
QY 5225 GAGCTGATAGGGCAGGTGGCGGACACAGAGATGGGTGACACAGGCTCACATGCCCTACACC 5284
DB 1019 RAGCTGATAGGGCAGGTGGYGCACCNAGATGGGTGACCGWGGCTRCATGCCCTTCAYC 1078
QY 5285 ACTGCCGTGATTCACGAGGTGACGCGCTTTGGGGACATCATATCCCTCGATGTGACCCAT 5344
DB 1079 ACTGCCGTGATTCAYGAGGTGACGCGCTTTGGGGACATCGTCTCCCTGGGTGTGACCCAT 1138
QY 5345 ATGACATCCCGTGACATCGAAGTACAGGGCTTCGGCATCCCTAAGGTAGGCCCTGGGGCCC 5404
DB 1139 ATGACATCCCGTGACATCGAAGTACAGGGCTTCGGCATCCCTAAGGTAGGCCCTGGGGCCC 1198
QY 5405 TCCTCACCCCGAGCTCAGCACACGACCTGTGTATAGCCCGCAGCATGGCTACTGCCAGGTG 5464
DB 1199 TCCTCACCCCGAGCTCAGCACACGACCTGTGTATAGCCCGCAGCATGGCTACTGCCAGGTG 1258
QY 5465 GGCCCCACTCTAGGAACCTGGGCCACCTAGTCTCAATGTCACCACTGACTGTCCCCAC 5524

RESULT 9
ABT33958

ID ABT33958 standard; DNA; 2170 BP.

XX
AC ABT33958;XX
DT 29-MAY-2003 (first entry)XX
DE Human pigmentation trait-related DNA - SEQ ID No 57.

DB 1259 GGCCTASTCTAGGAAMCCTGGCCACCACTAGTCTCAATGCCACCACTGACTGTCCCCAC 1318
QY 5525 TTGGGTGGGGGTCCAGAGTATAGGACAGGCTGGCTGTCTGCATCCAGAGCCCGCTCTAG 5584
DB 1319 TTGGGTGGGGGTCCAGAGTATAGGACAGGCTGGCTGTCTGCATCCAGAGCCCGCTCTAG 1378
QY 5585 TGGGGAGACAAACACAGGACCTGCCAGAAATGTTGGAGAACCCAGCGCTGCAGGGAGAGGG 5644
DB 1379 TGGGGAGACAAACACAGGACCTGCCAGAAATGTTGGAGAACCCAGCGCTGCAGGGAGAGGG 1438
QY 5645 GGCAGTGTGGGTGGCTCTCAGAGGTGTGACTGGCGCCCTCTGTGGGGTGGAGAGGGTAC 5704
DB 1439 GGCAGTGTGGGTGGCTCTCAGAGGTGTGACTGGCGCCCTCTGTGGGGTGGAGAGGGTAC 1498
QY 5705 TGTGGAGCTTCTCGGGCGCAGGACTAGTTGACAGAGTGCAGCTGTGTGCCAGGACAGTGTG 5764
DB 1499 TGTGGAGCTTCTCGGGCGCAGGACTAGTTGACAGAGTGCAGCTGTGTGCCAGGACAGTGTG 1558
QY 5765 TGTCCCCCTGTGTTTGGTGGCAGGGTCCCAGATCTCTAGAGTCCAGTCCCCCACTCTCA 5824
DB 1559 TGTCCCCCTGTGTTTGGTGGCAGGGTCCCAGATCTCTAGAGTCCAGTCCCCCACTCTCA 1618
QY 5825 CCTGTCATCTCTGCCAGGGAACGACATCATCAACAACCTGTCTATCGGTGCTGAAGGA 5884
DB 1619 CCTGTCATCTCTGCCAGGGAACGACATCATCAACAACCTGTCTATCGGTGCTGAAGGA 1678
QY 5885 TGAGGCGCTGTGGGAGAACCTTCCGCTTCCACCCCGCAACACTTCTTGATCCCCAGGG 5944
DB 1679 TGAGGCGCTGTGGGAGAACCTTCCGCTTCCACCCCGCAACACTTCTTGATCCCCAGGG 1738
QY 5945 CCACTTTGTGAAGCCGGAGGCCCTTCTGCTTTTCTCAGCAGGTGCTGTGGGGAGCCCGG 6004
DB 1739 CCACTTTGTGAAGCCGGAGGCCCTTCTGCTTTTCTCAGCAGGTGCTGTGGGGAGCCCGG 1798
QY 6005 CTCCCTGTCCCTTCCGTGGAGTCTTGCAGGGGTATCACCCAGGAGCCAGGCTCACTGAC 6064
DB 1799 CTCCCTGTCCCTTCCGTGGAGTCTTGCAGGGGTATCACCCAGGAGCCAGGCTCACTGAC 1858
QY 6065 GCCCTCTCCCTCCCCACAGCGCCGTCATGCTCGGGAGGCCCTTGGCCCGCATGGAG 6124
DB 1859 GCCCTCTCCCTCCCCACAGCGCCGTCATGCTCGGGAGGCCCTTGGCCCGCATGGAG 1918
QY 6125 CTCTTCTCTTCTTCACTCCCTGCTGTCAGCACTTTCAGCTTCTCGTGGCGCCGGACAG 6184
DB 1919 CTCTTCTCTTCTTCACTCCCTGCTGTCAGCACTTTCAGCTTCTCGTGGCCCACTGGACAG 1978
QY 6185 CCCCAGCCAGCCACTCTCGTGTGTCAGCTTTCGTGTGACCCCATCCCCCTACGAGCTT 6244
DB 1979 CCCCAGCCAGCCACTCTCGTGTGTCAGCTTTCGTGTGACCCCATCCCCCTATGAGCTT 2038
QY 6245 TGTGCTGTGCCCGCTAGAAATGGGGTACCTAGTCCCCAGCCTGCTCCCTAGCCAGAGGCT 6304
DB 2039 TGTGCTGTGCCCGCTAGAAATGGGGTACCTAGTCCCCAGCCTGCTCCCTAGCCAGAGGCT 2098
QY 6305 CTAATGTACAAATAAGCAATGTGGTAGTTCCAACTTGGGTCCCCCTGCTCACGCCCTCGTT 6364
DB 2099 CTAATGTACAAATAAGCAATGTGGTAGTTCCAACTCGGGTCCCCCTGCTCACGCCCTCGTT 2158
QY 6365 GGGATCATCTC 6376
DB 2159 GGGATCATCTC 2170

XX Human; single nucleotide polymorphism; SNP; ds; melanocortin-1 receptor;
KW Genetic pigmentation trait; MC1R; agouti signaling protein; ASIP; race;
KW hair colour; eye colour; forensic tool.
XX Homo sapiens.
OS
XX
PN WO200297047-A2.
XX
PD 05-DEC-2002.
XX
PF 28-MAY-2002; 2002WO-US016789.
XX
PR 25-MAY-2001; 2001US-0293560P.
PR 21-JUN-2001; 2001US-0300187P.
PR 07-AUG-2001; 2001US-0310781P.
PR 17-SEP-2001; 2001US-0323662P.
PR 26-OCT-2001; 2001US-0344418P.
PR 15-NOV-2001; 2001US-0334674P.
PR 02-JAN-2002; 2002US-0346303P.
XX
PA (DNAP-) DNAPRINT GENOMICS INC.
XX
XX Fridakis T;
XX
XX WPI; 2003-239091/23.
XX
XX
XX Inferring genetic pigmentation trait such as hair/eye color or shade from
PT nucleic acid sample of human subject, by identifying a pigmentation-
PT related haplotype allele of a pigmentation gene in the sample.
XX
XX Claim 50; Page 337-339; 396pp; English.
XX
XX The invention comprises a method for inferring a genetic pigmentation
CC trait of a human. The method involves identifying a single nucleotide
CC polymorphism (SNP) in a pigmentation gene - where the pigmentation gene
CC is not melanocortin-1 receptor (MC1R) and agouti signaling protein
CC (ASIP). The method of the invention is useful for inferring a genetic
CC pigmentation trait of a human, especially for inferring the race of a
CC human subject. The method is useful for inferring a genetic pigmentation
CC trait such as hair shade or colour, or eye shade or colour of a human
CC subject. The method may be used as a forensic tool for obtaining
CC information relating to physical characteristics of a potential crime
CC victim or a perpetrator of a crime from a nucleic acid sample present at
CC a crime scene. The present human DNA sequence is used in the
CC exemplification of the invention
XX
XX Sequence 2170 BP; 395 A; 650 C; 686 G; 424 T; 0 U; 15 Other;
Query Match 19.5%; Score 1999.4; DB 7; Length 2170;
Best Local Similarity 95.6%; Pred. No. 0;
Matches 2076; Conservative 14; Mismatches 66; Indels 16; Gaps 3;
4219 GACATCTCAGACATGGTCTGGAGAGGTGTCGCCGGGTGACGGGSCACAGAGAGGCC 4278
1 GACATCTCAGACATGGTCTGGAGAGGTGTCGCCGGGTGACGGGSCACAGAGAGGCC 60
4279 AAGGACTCTGTACC-CCCGTCCACGTTGGAGATTTTCGATTTTAGGTTTCTCTCTGGGCA 4337
61 AAGGACTCTGTACCTCTATCAGGTGACAGATTTTCGATTTTAGGTTTCTCTCTGGGCA 120
4338 AGGAGAGAGGTGGAGGCTGGCACTTGGGAGGAGCTTGGTGAAGTGAAGGCA 4397
121 AGGAGAGAGGTGGAGGCTGGCACTTGGGAGGAGCTTGGTGAAGTGAAGGCA 180
4398 GGCAGGCTCTGGTCTTACCTGAGAGATGGCTGGGGCTGAGACTTGTCCAGGTGAACGAG 4457
181 GGCAGGCTCTGGTCTTACCTGAGAGATGGCTGGGGCTGAGACTTGTCCAGGTGAACGAG 240
4458 AGCAGAGGAGGATTAAGACCCCGTTCTGTCTGGTGTAGGTGCTGAATGCTCTCCCGGTC 4517
241 AGCAGAGGAGGATTAAGACCCCGTTCTGTCTGGTGTAGGTGCTGAATGCTCTCCCGGTC 300

QY 4518 CTCCTGCACATCCAGCGCTGCTGGCAAGGTCTTACGCTTCCAAAAGCTTTCTCTGACC 4577
DB 301 CTCCTGCATATCCAGCGCTGCTGGCAAGGTCTTACGCTTCCAAAAGCTTTCTCTGACC 360
QY 4578 CAGCTGGATGAGCTCTAACTGAGCACAGGATGACCTGGGACCCAGCCAGCCACCCCGA 4637
DB 361 CAGCTGGATGAGCTCTAACTGAGCACAGGATGACCTGGGACCCAGCCAGCCACCCCGA 420
QY 4638 GACCTGACTGAGGCTTCTCTGGCAAGAAAGAGAGAGGTGAGAGTGCTGCTGCAAGTGGG 4697
DB 421 GACCTGACTGAGGCTTCTCTGGCAGAGATGGAGAAAGGTGAGAGTGCTGCTGCAAGTGGG 480
QY 4698 GGCAGAGGTGGTGGGTGCAACGCTCCAGAGGAATGAGGGAGGCTGGGCAAAAGTGG 4757
DB 481 GGCAGAGGTGGTGGGTGCAACGCTCCAGAGGAATGAGGGAGGCTGGGCAAAAGTGG 540
QY 4758 ACCAGTGATCACCCGGGAGCGCATCTGGGCTGACAGGTGACAGATTTGAGAGTCAITTT 4817
DB 541 ACCAGTGATCACCCGGGAGCGCATCTGGGCTGACAGGTGACAGATTTGAGAGTCAITTT 600
QY 4818 GGGGGCTACCCGTTCTATCCCTGAGTATCTCTGGGCTGCTCAGGCCAAGGGAGC 4877
DB 601 GGGGGCTACCCGTTCTGTCCTCC--GAGTATGCTCTCGGCTCTCAGGCCAAGGGAGC 658
QY 4878 CTTGAGAGCAGCTTCAATGATGAGAACCTGCGCATAGTGGGTAACTGTTCTCTGCC 4937
DB 659 CTTGAGAGCAGCTTCAATGATGAGAACCTGCGCATAGTGGGTAACTGTTCTCTGCC 718
QY 4938 GGGAGTGTGACCACTCGACACAGCTGGGCTTGGGGCTCTCTGCTCATGATCTTACACCTG 4997
DB 719 GGGAGTGTGACCACTCGACACAGCTGGGCTTGGGGCTCTCTGCTCATGATCTTACATCG 778
QY 4998 GATGTGAGGTGAGCCAGCTGGGGCCCAAGGACAGGACTGAGGAGGAAGGTTACAGC 5057
DB 779 GATGTGAGGTGAGCCAGCTTGGGAAACAGTGTGAGGGGCGGAGGAGGAGGTTACAGC 838
QY 5058 TGGGGGGCTTGGGCTTGGGACACCCGGGGCTTCCAGCACAGGCGTGGCCAGGCTC 5117
DB 839 GGGGGGGCTTGGGCTTGGGACACCCGGGGCTTCCAGCACAGGCTTGGCCAGGATC 898
QY 5118 TTGTAAAGCTTAACCTTCTTCCAAACAGGAGGAGGAGAGTGT-----CCCT 5164
DB 899 TTGTAAAGCTTAACTTCTTCCAAACAGGAGGAGGAGGAGTGTGAGGGCGGAGCCCT 958
QY 5165 GGGTGTGACCCATTTGGGAGCAGCATGTGTCTCAGTCCGTTGTCACAGAGATTCGAC 5224
DB 959 GGGTGTGACCCATTTGGGAGCAGCATGTGTCTGTCAGGCGCTGTCTCAGGAGATTCGAC 1018
QY 5225 GACGTGATAGGCGAGGTGGGGGACAGAGATGGGTGACCGCTCAGATGCCCTTACACC 5284
DB 1019 RACGTGATAGGCGAGGTGGGGGACAGAGATGGGTGACCGCTCAGATGCCCTTACACC 1078
QY 5285 ACTGCGGTGATTTACAGAGGTGAGCGCTTTGGGACATCATCCCCCTGAGTGTGACCCAT 5344
DB 1079 ACTGCGGTGATTTACAGAGGTGAGCGCTTTGGGACATCGTCCCCCTGGGTGTGACCCAT 1138
QY 5345 ATGACATCCGTTGACATCGAAGTACAGGGCTTCCGCTTCCCTTAAGTGTAGGCTTGGGGCC 5404
DB 1139 ATGACATCCGTTGACATCGAAGTACAGGGCTTCCGCTTCCCTTAAGTGTAGGCTTGGGGCC 1198
QY 5405 TCCTCACCCAGCTCAGCACAGGACCTGGGTGATAGCCCGAGTGGCTACTGCCAGGTG 5464
DB 1199 TCCTCACCCAGCTCAGCACAGGACCTGGGTGATAGCCCGAGTGGCTACTGCCAGGTG 1258
QY 5465 GGGCCACTCTAGGAACCTTGGCCACTTAGTCTCTCAATGCCACCACTGACTGTGCCCCAC 5524
DB 1259 GGGCCACTCTAGGAACCTTGGCCACTTAGTCTCTCAATGCCACCACTGACTGTGCCCCAC 1318
QY 5525 TTGGGTGGGGGTTCAGAGTATAGGAGGGCTGGCTGTCTCATCAGAGCCCCCGTCTAG 5584
DB 1319 TTGGGTGGGGGTTCAGAGTATAGGAGGGCTGGCTGTCTCATCAGAGCCCCCGTCTAG 1378
QY 5585 TGGGGAGACAAACAGGACCTGCCAGATTTTGGAGGAGCCAGCGCTTGCAGGGAGAGGG 5644

PR 13-SEP-2001; 2001US-0322478P.
XX (DNAP-) DNAPRINT GENOMICS INC.
XX Frudakis T;
XX WPI; 2003-239174/23.
XX
XX Inferring a statin response from a nucleic acid sample, by haplotype
XX allele indicative of statin response, a decrease in total cholesterol, or
XX in low density lipoprotein infers a statin response of the subject.
XX
XX Claim 162; SEQ ID NO 6; 323pp; English.
XX
XX The invention relates to a novel method for inferring a statin response
XX from a nucleic acid sample comprising identifying in the nucleic acid
XX sample, at least one haplotype allele indicative of a statin response.
XX The haplotype allele may comprise nucleotides of the cytochrome p450 3A4
XX (CYP3A4) gene, nucleotides of the cytochrome p450 2D6 (CYP2D6) gene or
XX nucleotides of the 3-hydroxy-3-methylglutaryl-coenzyme A reductase
XX (HMGCR) gene. The method of the invention may be useful for inferring a
XX statin response of a human subject from a nucleic acid sample, where the
XX human subject is a Caucasian subject and the statin is atorvastatin or
XX simvastatin. The method may also be useful for determining whether to
XX prescribe statin to a patient with elevated serum cholesterol levels in
XX order to prevent heart attack. The current sequence is that of the human
XX CYP2D6 variant DNA of the invention which contains a single nucleotide
XX polymorphism.
XX
XX Sequence 2170 BP; 395 A; 650 C; 686 G; 424 T; 0 U; 15 Other;
XX
XX Query Match 19.5%; Score 1999.4; DB 9; Length 2170;
XX Best Local Similarity 95.6%; Pred. No. 0;
XX Matches 2076; Conservative 14; Mismatches 66; Indels 16; Gaps 3;
XX
QY 4219 GACATCTCAGACATGGTCTGGGAGAGGTGTGCCGGGTGAGGGGACAGAGAGGCC 4278
DB 1 GACATCTCAGACATGGTCTGGGAGAGGTGTGCCGGGTGAGGGGACAGAGAGGCC 60
QY 4279 AAGGACTCTGTACC - CCGCTCCACGTTGGAGATTTTCGATTTTAGTTTCTCTCTGGCA 4337
DB 61 AAGGACTCTGTACTCTCTATCCAGTCAGAGATTTTCGATTTTAGTTTCTCTCTGGCA 120
QY 4338 AGGAGAGAGGTGGAGCTGGCACTTTGGGAGGAGTCTGGTGGAGTCAAGTGGTAAGGACA 4397
DB 121 AGGAGAGAGGTGGAGCTGGCACTTTGGGAGGAGTCTGGTGGAGTCAAGTGGTAAGGACA 180
QY 4398 GGAGGCGCTGGGTCTACCTGGAGATGGCTGGGGCTGAGACTTGTCCAGGTGAACGCAG 4457
DB 181 GGAGGCGCTGGGTCTACCTGGAGATGGCTGGGGCTGAGACTTGTCCAGGTGAACGCAG 240
QY 4458 AGCAGAGGGGATTGAGACCCGTTCTGTCTGTGTAGTGTGTAATGCTGTCCCGTC 4517
DB 241 AGCAGAGGGGATTGAGACCCGTTCTGTCTGTGTAGTGTGTAATGCTGTCCCGTC 300
QY 4518 CTCCTGCATATCCAGCGTGGCTGGCAAGTCTTACGCTTCCAAAGGCTTTCTCTGACC 4577
DB 301 CTCCTGCATATCCAGCGTGGCTGGCAAGTCTTACGCTTCCAAAGGCTTTCTCTGACC 360
QY 4578 CAGCTGGATGAGTCTGTAAGTACGACAGATGACCTGGAGCCAGCCAGCCAGCCAGCC 4637
DB 361 CAGCTGGATGAGTCTGTAAGTACGACAGATGACCTGGAGCCAGCCAGCCAGCCAGCC 420
QY 4638 GACTGACTCAGGCTTCTCTGGCAAGAGAGGAGTGAAGTGTGCTGCGGCGGG 4697
DB 421 GACTGACTCAGGCTTCTCTGGCAAGAGAGTGAAGTGTGCTGCGGCGGG 480
QY 4698 GGCAAGGGTGGTGGTGAAGCTGCCAGGAGGATGAGGGAGGCTGGGCAAGGTTGG 4757
DB 481 GGCAAGGGTGGTGGTGAAGCTGCCAGGAGGATGAGGGAGGCTGGGCAAGGTTGG 540
QY 4758 ACCAGTGATCAACCCGGCAGCCGATCTGGGCTGACAGGTGAGATTTGAGGTCATTT 4817
DB

DB 541 ACCAGTGCATCATCCCGCGAGCCGCACTCTGGGCTGACAGGTGAGAAATTTGAGGTTCATTT 600
QY 4818 GGGGGCTACCCCGTTCTATCCCTGAGTATCTCTCGGCCCTGCTCAGGCAAGGGGAGC 4877
DB 601 GGGGGCTACCCCGTTCTGTGCCC -- GAGTATGCTCTCGGCCCTGCTCAGGCAAGGGGAGC 658
QY 4878 CTTGAGAGCAGCTTCAATGATGAGAACTCTGCGCATAGTGGTGAACCTGTTCTCTTGGCC 4937
DB 659 CTTGAGAGCAGCTTCAATGATGAGAACTCTGCGCATAGTGGTGAACCTGTTCTCTTGGCC 718
QY 4938 GGGATGGTACCACTTCGACGAGCTGGCTGGCTGGGCTCTCTGCTCATGATCTTACACCTG 4997
DB 719 GGGATGGTACCACTTCGACGAGCTGGCTGGGCTCTCTGCTCATGATCTTACATCCG 778
QY 4998 GATGTGAGCTGAGCCAGCTGGGCGCCAGGACGAGGACTGAGGGAGGAGGTATACAGC 5057
DB 779 GATGTGAGCTGAGCCAGCTTGGGAAACAGTGCAGGGGCGGAGGAGGAGGTATACAGG 838
QY 5058 TGGGGGCGCTTGGGCTTGGGACACCCGGGGCTTTCAGACACAGCGCTGGCCAGGCTC 5117
DB 839 CGGGGGCGCTTGGGCTTGGGACACCCGGGGCTTTCAGACACAGCGCTTGGCCAGGATC 898
QY 5118 CTGTAGGCTTAACTTCTCCACACAGGAGGAGGAGGTGT-----CCCT 5164
DB 899 CTGTAGGCTTAACTTCTCCACATAGGAGGAGGAGGTGTTCAGGGCGCGACCCCT 958
QY 5165 GGGTGTGACCCATTTGTGGGACGCTGTCTGTCAGGGCGGTGTCCACAGGAGATCGAC 5224
DB 959 GGGTGTGACCCATTTGTGGGACGCTGTCTGTCAGGGCGGTGTCCACAGGAGATCGAC 1018
QY 5225 GACGTGATAGGGCAGGTGGCGGACAGAGATGGGTGACAGGCTCACAATGCCCTACACC 5284
DB 1019 RACGTGATAGGGCAGGTGGYGACAGAGATGGGTGACCGGCTCRCACTGCTTCAYC 1078
QY 5285 ACTGCCGTGATTCACAGAGTGCAGCGCTTTGGGACATCATCCCTCTGAGTGTGACCCAT 5344
DB 1079 ACTGCCGTGATTCAYAGAGTGCAGCGCTTTGGGACATCATGCTCCCTCTGGGTGTGACCCAT 1138
QY 5345 ATGACATCCCGTGACATCAAGGTACAGGGCTTCGCGATCCCTAAGGTAGGCTGGGCGCC 5404
DB 1139 ATGACATCCCGTGACATCAAGGTACAGGGCTTCGCGATCCCTAAGGTAGGCTGGGCGCC 1198
QY 5405 TCTTCAACCCAGCTCAGCACACAGCCTGCTGTGATAGCCCGCAGCATGGTCTAGTCCAGGTG 5464
DB 1199 TCTTCAACCCAGCTCAGCACACAGCCTGCTGTGATAGCCCGCAGCATGGTCTAGTCCAGGTG 1258
QY 5465 GGGCCACTCTAGGAACCTTGGCCACCTAGTCTCTCAATGCAACACACATGACTGTCTCCAC 5524
DB 1259 GGGCCACTCTAGGAAMCCTTGGCCACCTAGTCTCTCAATGCAACACACATGACTGTCTCCAC 1318
QY 5525 TTGGGTGGGGGTTCACAGAGTATAGGAGGGCTGGGCTGTCCATCCAGAGCCCCCGCTAG 5584
DB 1319 TTGGGTGGGGGTTCACAGAGTATAGGAGGGCTGGGCTGTCCATCCAGAGCCCCCGCTAG 1378
QY 5585 TGGGGAGACAAACAGGACCTGCCAGAAATTTTGGAGGACCCAGCGCTTCAGGGAGAGGG 5644
DB 1379 TGGGGAGACAAACAGGACCTGCCAGAAATTTTGGAGGACCCAGCGCTTCAGGGAGAGGG 1438
QY 5645 GGCAGTGTGGGTGCTCTGAGAGGTGTGACTGGGCGCTGCTGTGGGGTGGAGAGGGTAC 5704
DB 1439 GGCAGTGTGGGTGCTCTGAGAGGTGTGACTGGGCGCTGCTGTGGGGTGGAGAGGGTAC 1498
QY 5705 TGTGGAGCTTCTCGGGCGCAGGACTAGTTTGACAGAGTGCAGCTGTGTCGAGGAGGTGTG 5764
DB 1499 TGTGGAGCTTCTCGGGCGCAGGACTAGTTTGACAGAGTGCAGCTGTGTCGAGGAGGTGTG 1558
QY 5765 TGTCCCGCTGTGTTTGGTGGCAGGGGTCCCGCATCTCTAGAGTCCAGTCCCCCCTCTCA 5824
DB 1559 TGTCCCGCTGTGTTTGGTGGCAGGGGTCCCGCATCTCTAGAGTCCAGTCCCCCCTCTCA 1618
QY 5825 CCTGTGATCTCTGCGCCAGGGAAACGACACTCATATCAACAACTGTGTCTATCGGTGTGAGGA 5884
DB 1619 CCTGTGATCTCTGCGCCAGGGAAACGACACTCATATCAACAACTGTGTCTATCGGTGTGAGGA 1678


```
QY 5885 TGAGGCGTCTGGGAGAGCCCTCGCTTCCACCCGACACACTTCTGGATGCCAGG 5944
DB 1679 TGAGGCGTCTGGGAGAGCCCTCGCTTCCACCCGACACACTTCTGGATGCCAGG 1738
QY 5945 CCACCTTTGTGAAGCCGGAGCCCTTCTGCTTTCTCAGCAGGTGCTGTGGGAGCCCGG 6004
DB 1739 CCACCTTTGTGAAGCCGGAGCCCTTCTGCTTTCTCAGCAGGTGCTGTGGGAGCCCGG 1798
QY 6005 CTCCCTGTCCCTTCCGTGGAGTCTTGCAGGGGTATCACCCAGGAGCCAGGCTCACTGAC 6064
DB 1799 CTCCCTGTCCCTTCCGTGGAGTCTTGCAGGGGTATCACCCAGGAGCCAGGCTCACTGAC 1858
QY 6065 GGCCTCCCTCCACACAGCCGCGGTGATGCTGCGGGAGCCCTGCGCCGCGATGAG 6124
DB 1859 GGCCTCCCTCCACACAGCCGCGGTGATGCTGCGGGAGCCCTGCGCCGCGATGAG 1918
QY 6125 CTCTTCTCTCTTCTTCACTCCCTGCTGACGACTTTCAGCTTCTCGTGGCCGCGACAG 6184
DB 1919 CTCTTCTCTCTTCTTCACTCCCTGCTGACGACTTTCAGCTTCTCGTGGCCGCGACAG 1978
QY 6185 CCCCGGCCACGACACTCTCGTGTGCTGAGCTTTCTTGTGACCCCATCCCTTACGAGCTT 6244
DB 1979 CCCCGGCCACGACACTCTCGTGTGCTGAGCTTTCTTGTGAGCCCATCCCTTATGAGCTT 2038
QY 6245 TGTGCTGTCCCGGTAGAAATGGGTACTAGTCCCGACGCTGCTCCCTAGCCAGAGCT 6304
DB 2039 TGTGCTGTCCCGGTAGAAATGGGTACTAGTCCCGACGCTGCTCCCTAGCCAGAGCT 2098
QY 6305 CTAATGTACAATAAGCAATGTGTAGTTTCCAACTTGGGTCCCTGCTCACGCCCTCGTT 6364
DB 2099 CTAATGTACAATAAGCAATGTGTAGTTTCCAACTTGGGTCCCTGCTCACGCCCTCGTT 2158
QY 6365 GGGATCATCCTC 6376
DB 2159 GGGATCATCCTC 2170

RESULT 12
ADC26591
ID ADC26591 standard; DNA; 2170 BP.
AC ADC26591;
XX
DT 18-DEC-2003 (first entry)
XX
DE Human CYP2D6 variant DNA - CYP2D6E7_339.
XX
KW statin response; cytochrome p450 3A4; CYP3A4; 2D6; CYP2D6;
KW 3-hydroxy-3-methylglutaryl-coenzyme A reductase; HMGCR; atorvastatin;
KW simvastatin; serum cholesterol level; heart attack;
KW single nucleotide polymorphism; SNP; human; ds.
XX
OS Homo sapiens.
XX
PN WO2003002721-A2.
XX
PD 09-JAN-2003.
XX
PF 01-JUL-2002; 2002WO-US020847.
XX
PR 29-JUN-2001; 2001US-0301867P.
PR 07-AUG-2001; 2001US-0310783P.
PR 13-SEP-2001; 2001US-0322478P.
XX
PA (DNAP-) DNAPRINT GENOMICS INC.
XX
PI Prudakis T;
XX
WPI; 2003-239174/23.
XX
DR
PT Inferring a statin response from a nucleic acid sample, by haplotype
PT allele indicative of statin response, a decrease in total cholesterol, or
```

PT in low density lipoprotein infers a statin response of the subject.

XX Claim 43; SEQ ID NO 1; 323pp; English.

CC The invention relates to a novel method for inferring a statin response from a nucleic acid sample comprising identifying in the nucleic acid sample, at least one haplotype allele indicative of a statin response. The haplotype allele may comprise nucleotides of the cytochrome p450 3A4 (CYP3A4) gene, nucleotides of the cytochrome p450 2D6 (CYP2D6) gene or nucleotides of the 3-hydroxy-3-methylglutaryl-coenzyme A reductase (HMGCR) gene. The method of the invention may be useful for inferring a statin response of a human subject from a nucleic acid sample, where the human subject is a Caucasian subject and the statin is atorvastatin or simvastatin. The method may also be useful for determining whether to prescribe statin to a patient with elevated serum cholesterol levels in order to prevent heart attack. The current sequence is that of the human CYP2D6 variant DNA of the invention which contains a single nucleotide polymorphism.

XX Sequence 2170 BP; 395 A; 650 C; 586 G; 424 T; 0 U; 15 Other;

Query Match 19.5%; Score 1999.4; DB 9; Length 2170;
Best Local Similarity 95.6%; Pred. No. 0;
Matches 2076; Conservative 14; Mismatches 66; Indels 16; Gaps 3;

QY 4219 GACATCTCAGACATGCTGCTGGAGAGGTGTCGCCGCTCAGGGGGACACAGAGAGGCC 4278

DB 1 GACATCTCAGACATGCTGCTGGAGAGGTGTCGCCGCTCAGGGGGACACAGAGAGGCC 60

QY 4279 AAGGACTCTGTACC-CCCGTCCACGTTGCGAGATTCGATTTTAGGTTTCTCTCTGGGCA 4337

DB 61 AAGGACTCTGTACCCTCTATCACTCAGAGATTCGATTTTAGGTTTCTCTCTGGGCA 120

QY 4338 AGGAGAGAGGTGGAGGCTGGCCTTGGGGAGGAGCTTGGTAGGTAGTGGTAAGGACA 4397

DB 121 AGGAGAGAGGTGGAGGCTGGCCTTGGGGAGGAGCTTGGTAGGTAGTGGTAAGGACA 180

QY 4398 GCGAGGCCCTGGGTCTACTCTGAGATGCTGGGCTGAGACTTGTCCAGGTGACGAG 4457

DB 181 GCGAGGCCCTGGGTCTACTCTGAGATGCTGGGCTGAGACTTGTCCAGGTGACGAG 240

QY 4458 AGCAGAGAGGATTTGAGACCCCGTTCTGTCTGGTGTAGGTGCTGAATGCTGCCCGTC 4517

DB 241 AGCAGAGAGGATTTGAGACCCCGTTCTGTCTGGTGTAGGTGCTGAATGCTGCCCGTC 300

QY 4518 CTCTTGCAATCCAGCGCTGGCTGGCAAGGTCTCTACGCTTCCAAAAGGCTTTCTGACC 4577

DB 301 CTCTTGCAATCCAGCGCTGGCTGGCAAGGTCTCTACGCTTCCAAAAGGCTTTCTGACC 360

QY 4578 CAGCTGGATGAGCTGCTTAATCTGAGCAGAGATGACCTGGGACCCAGCCAGCCCGCA 4637

DB 361 CAGCTGGATGAGCTGCTTAATCTGAGCAGAGATGACCTGGGACCCAGCCAGCCCGCA 420

QY 4638 GACCTGACTGAGGCTTCTCTGCGAAAGAGAGAGGTGAGAGTGGCTGCCACGGTGGG 4697

DB 421 GACCTGACTGAGGCTTCTCTGCGAGATGAGAGAGGTGAGAGTGGCTGCCACGGTGGG 480

QY 4698 GGCAGGCTGTGGGTGAAAGCTCCAGGAGGAATGAGGGAGGCTGGGCAAAAGGTTGG 4757

DB 481 GGCAGGCTGTGGGTGAAAGCTCCAGGAGGAATGAGGGAGGCTGGGCAAAAGGTTGG 540

QY 4758 ACCAGTGATCACCCGGGAGCGCATCTGGGTGACAGAGGTGCAAAATGGAGGTCATTT 4817

DB 541 ACCAGTGATCACCCGGGAGCGCATCTGGGTGACAGAGGTGCAAAATGGAGGTCATTT 600

QY 4818 GGGGGCTACCCGCTTCTATCCCTGAGTATCTCTCGGCCCTGCTCAGGCCAAAGGGAGC 4877

DB 601 GGGGGCTACCCGCTTCTATCCCTGAGTATCTCTCGGCCCTGCTCAGGCCAAAGGGAGC 658

QY 4878 CTTGAGAGCAGCTTCAATGATGAGAACCTGCGCATAGTGGTGGGTAACTGTTCTTGGC 4937

DB 659 CTTGAGAGCAGCTTCAATGATGAGAACCTGCGCATAGTGGTGGGTAACTGTTCTTGGC 718

991 GTCTCTGTGCTGTGGGGTGGGGTGCAGGTGTCTCAGAGAGCCCAATTTGTAGT 1050
 2069 GAGGAGCCATGGGGTAGAAGCACTGGTCCCTGGCCATCATAGTGGCCATCTTCCTG 2128
 1051 GAGGAGGATGGGGTAGAAGCACTGGTCCCTGGCCATCATAGTGGCCATCTTCCTG 1110
 2129 CTCCTGTGTGACCTGATGACCGGACCAACGCTGGGCTGCAGCTACCCGCGAGTCCC 2188
 1111 CTCCTGTGTGACCTGATGACCGGACCAACGCTGGGCTGCAGCTACCCGCGAGTCCC 1170
 2189 CTGCCATCTCCCGGCTGGGCAACCTTGTCTGATGTGGACTTCCAGAACACACCACTACTG 2248
 1171 CTGCCATCTCCCGGCTGGGCAACCTTGTCTGATGTGGACTTCCAGAACACACCACTACTG 1229
 2249 CTTCGACAGGTGAGGAGGAGGTCTGAGGGGCGGAGAGGTCTGAGGATGCCCCACC 2308
 1230 CTTCGACAGGTGAGGAGGAGGTCTGAGGGGCGGAGAGGTCTGAGGATGCCCCACC 1289
 2309 ACCAGCAACATGGGTGGGTGTTAAACCAACAGGCTGGATCAGAGCCAGGCTGAGAAGG 2368
 1290 AGAAGCAACATGGATGTGGGTGAAACCAACAGGCTGGACCAAGGCTGAGAAGG 1349
 2369 GGAAGCAGGTTTGGGGGAGCTTCTGGGGAAGGACATTTATACATGGCATGAAGGACTGG 2428
 1350 GGAAGCAGGTTTGGGGGAGC-TCTTGGAGAAGGCATTTATACATGGCATGAAGGACTGG 1408
 2429 ATTTCCTCAAGGCAAGGAGTAGGCAAGGCTGAGGCTGAGGTGAGCTGGAGCTGGGCG 2488
 1409 ATTTCCTCAAGGCAAGGAGTAGGCAAGGCTGAGGCTGAGGCTGGAGCTGGGCG 1468
 2489 TGGGATGCAAGCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACA 2548
 1469 TGGGATGCAAGCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACA 1528
 2549 CCAGAAGGAAAGGCTTGGGAATGGAAGTAGTGTAGTCTGAGTGCCGCTTTAAATCAG 2608
 1529 CCAGAAGGAAAGGCTTGGGAATGGAAGTAGTGTAGTCTGAGTGCCGCTTTAAATCAG 1588
 2609 AAATCGAGGATGAAGGGGTGAGTGACCGGCTTGAAGCTTTGCACTGTGGGCTCTCG 2668
 1589 AAATCGAGGATGAAGGGGTGAGTGACCGGCTTGAAGCTTTGCACTGTGGGCTCTCG 1648
 2669 GGCCTCAGTG-CTCACCGGCATGGACCATCATCTGGGAATGGATGATTAACCTGGGCGCTC 2727
 1649 GGCCTCAGTGCTCACCGGCATGGACCATCATCTGGGAATGGATGATTAACCTGGGCGCTC 1708
 2728 TCGGCAATTTTGTGACTCTTCAAGGTCTATACCTGGGTGAGCGCATCCAAACTGAGTTCC 2787
 1709 TCGGCAATTTTGTGACTCTTCAAGGTCTATACCTGGGTGAGCGCATCCAAACTGAGTTCC 1768
 2788 TCATCACAAGAGGTGACACCCCAACCCCTGCGCCCAAGATCAGGAGGTGGGTCTCTCTCC 2847
 1769 TCATCACAAGAGGTGACACCCCAACCCCTGCGCCCAAGATCAGGAGGTGGGTCTCTCTCC 1828
 2848 TTCCACCTGCTCACTCTGTAGTGGGCTGGTCCAGGCTTCAATAGGACTAGGAC 2907
 1829 TTCCACCTGCTCACTCTGTAGTGGGCTGGTCCAGGCTTCAATAGGACTAGGAC 1888
 2908 CTGTAGTCTGGGCTGATCTGGCTTGACAAGAGGCGCTGACCTCTCTGAGTTGGG 2967
 1889 CTGTAGTCTGGGCTGATCTGGCTTGACAAGAGGCGCTGACCTCTCTGAGTTGGG 1948
 2968 CGCGCTTGGGAGAGTGTTCAGCTGAGCTGGGCTGAGCGCGGTGGTGTCTGTCAAT 3027
 1949 CGCGCTTGGGAGAGTGTTCAGCTGAGCTGGGCTGAGCGCGGTGGTGTCTGTCAAT 2008
 3028 GGGCTGGGCGGCTGGCGAGGAGTGTGACCGGGGAGGACACGCGCCAGCCCGCG 3087
 2009 GGGCTGGGCGGCTGGCGAGGAGTGTGACCGGGGAGGACACGCGCCAGCCCGCG 2068
 3088 CTGGGCGCCATCTACAGGTCTCTGGGCTTCTGGGCGCGCTTCCCAAGGCAAGCGGGTGG 3147

Db 2069 CCTGTGCCCATCACAGATCCTGGGTTTCCGGCCGCTTCCAAAGCAAGCAGCGGT-G 2127
 Qy 3148 GGGCAGAGAGCCGCTTTCCGTTGGGCCCGCGGTGACAGTACCTAGCCCAAGCAGCGC 3207
 Db 2128 GGGCAGAGAGCAG-ATTTCCGTTGGAGCCCGGGTGGGTATGACCTAGTCCGAGCTGGGC 2186
 Qy 3208 CCACAGGGCGTGGGGTCTCTGGACGTGAACACAG 3239
 Db 2187 AGAGAGGGCGCGGCTCTGGACATGAACACAG 2218

RESULT 15

ABT33960

ID ABT33960 standard; DNA; 2240 BP.

XX ABT33960;

XX 29-MAY-2003 (first entry)

XX Human pigmentation trait-related DNA - SEQ ID No 59.

XX Human; single nucleotide polymorphism; SNP; ds; melanocortin-1 receptor;
 KW genetic pigmentation trait; MC1R; agouti signaling protein; ASIP; race;
 KW hair colour; eye colour; forensic tool.

XX Homo sapiens.

XX WO200297047-A2.

XX 05-DEC-2002.

XX 28-MAY-2002; 2002WO-US016789.

XX 25-MAY-2001; 2001US-0293560P.

XX 21-JUN-2001; 2001US-0300187P.

XX 07-AUG-2001; 2001US-0310781P.

XX 17-SEP-2001; 2001US-0323662P.

XX 26-OCT-2001; 2001US-0344418P.

XX 15-NOV-2001; 2001US-0334674P.

XX 02-JAN-2002; 2002US-0346303P.

XX (DNAP-) DNAPRINT GENOMICS INC.

XX Prudakis T;

XX WPI; 2003-239091/23.

XX Claim 50; Page 340-341; 396pp; English.

The invention comprises a method for inferring a genetic pigmentation trait of a human. The method involves identifying a single nucleotide polymorphism (SNP) in a pigmentation gene - where the pigmentation gene is not melanocortin-1 receptor (MC1R) and agouti signaling protein (ASIP). The method of the invention is useful for inferring a genetic pigmentation trait of a human, especially for inferring the race of a human subject. The method is useful for inferring a genetic pigmentation trait such as hair shade or colour, or eye shade or colour of a human subject. The method may be used as a forensic tool for obtaining information relating to physical characteristics of a potential crime victim or a perpetrator of a crime from a nucleic acid sample present at a crime scene. The present human DNA sequence is used in the exemplification of the invention

SQ Sequence 2240 BP; 466 A; 565 C; 771 G; 437 T; 0 U; 1 Other;

Query Match

Best Local Similarity 19.3%; Score 1984.2; DB 7; Length 2240;

Matches 2137; Conservative 0; Mismatches 79; Indels 36; Gaps 7;

Db 2128 GGGACAGACAG-ATTTCCGTGGGACCCGGGTGGGTGATGACCGTAGTCCGAGCTGGGC 2186

Qy 3208 CGACAGGGCGTGGGTCTCTGGACGTGAACAG 3239

Db 2187 AGAGAGGGCGCGGGTCTGTGGACATGAACAG 2218

Search completed: February 28, 2004, 03:29:25
Job time : 2404.9 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM nucleic - nucleic search, using sw model
Run on: February 28, 2004, 01:41:15 ; Search time 25578.9 Seconds
(without alignments)
17415.928 Million cell updates/sec

Title: US-09-820-788A-3
Perfect score: 10278
Sequence: 1 agcctacaaagtctggga.....ccagggtcagtcggcaggt 10278

Scoring table: IDENTITY NUC
Gapop 10.0 , Gapext 1.0
Searched: 3470272 seqs, 21671516995 residues
Total number of hits satisfying chosen parameters: 6940544

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : GenEmbl:
1: gb_ba:*
2: gb_htg:*
3: gb_in:*
4: gb_om:*
5: gb_ov:*
6: gb_pat:*
7: gb_ph:*
8: gb_pl:*
9: gb_pr:*
10: gb_ro:*
11: gb_sta:*
12: gb_sy:*
13: gb_un:*
14: gb_vi:*
15: em_ba:*
16: em_fun:*
17: em_hum:*
18: em_in:*
19: em_mu:*
20: em_om:*
21: em_or:*
22: em_ov:*
23: em_pat:*
24: em_ph:*
25: em_pl:*
26: em_ro:*
27: em_sta:*
28: em_un:*
29: em_vi:*
30: em_htg_hum:*
31: em_htg_inv:*
32: em_htg_other:*
33: em_htg_mus:*
34: em_htg_pln:*
35: em_htg_rod:*
36: em_htg_mam:*
37: em_htg_vrt:*
38: em_sy:*
39: em_htgo_hum:*
40: em_htgo_mus:*
41: em_htgo_other:*

Pred. No. is the number of results predicted by chance to have a

score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB	ID	Description
C 1	8254.6	80.3	114846	9	HS257120	AL021878 Human DNA
C 2	8173.8	79.5	133246	9	BX247885	BX247885 Human DNA
C 3	7169.4	69.8	13677	9	HSCYP2D7B	X58468 Human CYP2D
C 4	6908	67.2	13278	9	HSCYP2D7A	X58467 Human CYP2D
C 5	6413.4	62.4	17060	9	HUMCYP2P	M3387 Human debri
C 6	5325.6	51.8	9432	6	AX394456	AX394456 Sequence
C 7	5325.6	51.8	9432	6	AX687027	AX687027 Sequence
C 8	5314.6	51.7	9433	6	HUMCYP2D6	M3388 Human cyloc
C 9	5314.6	51.7	9433	6	AX687028	AX687028 Sequence
C 10	4854	47.2	5503	9	HUMCYP2DG	M3389 Human debri
C 11	1927.6	18.8	5884	6	AX345458	AX345458 Sequence
C 12	1927.6	18.8	5884	6	AX348344	AX348344 Sequence
C 13	1631.6	15.9	5884	6	AX345459	AX345459 Sequence
C 14	1631.6	15.9	5884	6	AX348345	AX348345 Sequence
C 15	1330	12.9	1450	6	AX192411	AX192411 Sequence
C 16	1220.4	11.9	1680	6	AX394457	AX394457 Sequence
C 17	1207.4	11.7	1669	6	AX207224	AX207224 Sequence
C 18	1068.8	10.4	1506	9	BC037807	BC037807 Homo sapi
C 19	940.4	9.1	179691	4	BX296515	BX296515 Pig DNA s
C 20	877.2	8.5	179798	9	AL359532	AL359532 Human DNA
C 21	875.4	8.5	173509	9	AP002436	AP002436 Homo sapi
C 22	875.4	8.5	176053	2	AC068190	AC068190 Homo sapi
C 23	875.4	8.5	187946	9	AP003402	AP003402 Homo sapi
C 24	875.4	8.5	190960	2	AC036188	AC036188 Homo sapi
C 25	873.2	8.5	185624	9	AC103923	AC103923 Homo sapi
C 26	872.6	8.5	187204	9	AC084082	AC084082 Homo sapi
C 27	866.8	8.4	1315	9	HS245011	X16866 Human mRNA
C 28	862.6	8.4	99592	9	AF263284	AF263284 Homo sapi
C 29	862.6	8.4	191231	9	AC131005	AC131005 Homo sapi
C 30	861.6	8.4	330836	2	AC108703	AC108703 Homo sapi
C 31	844.6	8.2	77111	9	AC097655	AC097655 Homo sapi
C 32	841.4	8.2	185228	9	CNS01RGU	AL160192 Human chr
C 33	837.8	8.2	55284	9	AL136318	AL136318 Human DNA
C 34	831.4	8.1	134060	9	AC010389	AC010389 Homo sapi
C 35	829.8	8.1	163673	9	AC093240	AC093240 Homo sapi
C 36	827.8	8.1	157152	9	AC073427	AC073427 Homo sapi
C 37	824.6	8.0	173821	9	AC020599	AC020599 Homo sapi
C 38	813.8	7.9	159667	9	AC078953	AC078953 Homo sapi
C 39	813.2	7.9	142494	9	AC115112	AC115112 Homo sapi
C 40	810.6	7.9	164194	9	AC108477	AC108477 Homo sapi
C 41	809.8	7.9	191134	9	AC006065	AC006065 Homo sapi
C 42	809.2	7.9	165067	9	AL138927	AL138927 Human DNA
C 43	805.2	7.8	166381	2	AC116943	AC116943 Pan trogl
C 44	804.2	7.8	125977	9	CNS057C5	AL355053 Human chr
C 45	803.6	7.8	211515	9	AC144479	AC144479 Pan trogl

ALIGNMENTS

RESULT 1
HS257120/c
LOCUS
DEFINITION Human DNA sequence from clone Rp1-257120 on chromosome 22q13.1-13.2, complete sequence.
ACCESSION AL021878.2 GI:17065905
VERSION AL021878
KEYWORDS HTG.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
REFERENCE Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
AUTHORS 1 (bases 1 to 114846)
TITLE Bridgeman,A.
Direct Submission

JOURNAL

Submitted (22-NOV-2001) Wellcome Trust Sanger Institute, Hinxton, Cambridgeshire, CB10 1SP, UK. E-mail enquiries: humquery@sanger.ac.uk
 On Nov 25, 2001 this sequence version replaced gi:3204432.
 During sequence assembly data is compared from overlapping clones. Where differences are found these are annotated as variations together with a note of the overlapping clone name. Note that the variation annotation may not be found in the sequence submission corresponding to the overlapping clone, as we submit sequences with only a small overlap as described above.
 The following abbreviations are used to associate primary accession numbers given in the feature table with their source databases:
 Em: ENBL; Sw: SWISSPROT; Tr: TREMBL; Wp: WORMPEP; Information on the WORMPEP database can be found at http://www.sanger.ac.uk/Projects/C_elegans/wormpep
 This sequence was finished as follows unless otherwise noted: all regions were either double-stranded or sequenced with an alternate chemistry or covered by high quality data (i.e., phred quality >= 30); an attempt was made to resolve all sequencing problems, such as compressions and repeats; all regions were covered by at least one plasmid subclone or more than one M13 subclone; and the assembly was confirmed by restriction digest. This sequence was generated from part of bacterial clone contigs of human chromosome 22, constructed by the Sanger Centre Chromosome 22 Mapping Group. Further information can be found at <http://www.sanger.ac.uk/HGP/Chr22>
 RPI-257120 is from the library RPCI-1 constructed by the group of Pieter de Jong. For further details see <http://www.chori.org/bacpac/home.htm>
 VECTOR: pCVPAC2
 This sequence is the entire insert of clone RPI-257120 The true right end of clone RPI-18601 is at 20171 in this sequence.

FEATURES

```

source
    1..114846
        /organism="Homo sapiens"
        /mol_type="genomic DNA"
        /db_xref="RZPD:RPCI704120257"
        /db_xref="taxon:9606"
        /chromosome="22"
        /map="q13.1-13.2"
        /clone="RPI-257120"
        /clone_lib="RPCI-1"
        /note="1682"
        /note="match: GSS: Em:AQ887153"
        /note="1600"
        /note="match: GSS: Em:AQ563517"
        /note="match: complement(3894..4138)"
        /note="match: GSS: Em:AQ140240"
        /note="match: GSS: Em:AQ684484"
        /note="match: GSS: Em:AQ684484"
        /note="match: STS: Em:HS324WC5"
        /note="match: STS: Em:HS324WC5"
        /note="20 copies 2 mer ac 82% conserved"
        /note="7369..7551"
        /note="match: STS: Em:HS324WC5"
        /note="7972..9283"
        /note="match: STS: Em:HS324WC5"
        /note="match: CpG island"
        /evidence=not_experimental
        /note="9981..10378"
        /note="match: GSS: Em:AQ124532"
        /note="13208..14275"
        /note="MERLIC repeat: matches 1..1057 of consensus"
        /note="16086..16507"
        /note="L1MD repeat: matches 1552..1964 of consensus"
        /note="17055..17127"
        /note="L1MD repeat: matches 1482..1552 of consensus"
        /note="17434..17688"
        /note="L1MD repeat: matches 1222..1482 of consensus"
        /note="19152..19153"
        /note="clone RPI-18601 aa in this entry deletion"
        /note="match: STS: Em:G27630"

repeat_region
    19836..19939
        /replace="aaaaa"
        /note="L1P repeat: matches 2416..2459 of consensus"
        /note="20246..20284"
        /note="L1P repeat: matches 2378..2416 of consensus"
        /note="20594..20660"
        /note="L1P repeat: matches 2311..2378 of consensus"
        /note="20985..20982"
        /note="L1P repeat: matches 2294..2311 of consensus"
        /note="21270..22130"
        /note="L1P repeat: matches 1445..2294 of consensus"
        /note="22425..22499"
        /note="L1P repeat: matches 1370..1445 of consensus"
        /note="22502..22994"
        /note="L1P repeat: matches 1..510 of consensus"
        /note="23020..25379"
        /note="L1P repeat: matches 4243..6625 of consensus"
        /note="25398..25662"
        /note="match: STS: Em:G07321"
        /note="25597..26083"
        /note="match: GSS: Em:B13982"
        /note="25611..25853"
        /note="match: GSS: Em:B14069"
        /note="complement(26269..26446)"
        /note="match: GSS: Em:AF046780"
        /note="26890..26995"
        /note="match: GSS: Em:AZ083430"
        /note="27147..28076"
        /note="match: STS: Em:G07321"
        /note="28386..30853"
        /note="match: STS: Em:G07321"
        /note="30843..30912"
        /note="match: STS: Em:G07321"
        /note="30902..30971"
        /note="match: STS: Em:G07321"
        /note="30961..31556"
        /note="match: STS: Em:G07321"
        /note="31873..33456"
        /note="match: STS: Em:G07321"
        /note="33464..33959"
        /note="match: STS: Em:G07321"
        /note="33960..34110"
        /note="match: STS: Em:G07321"
        /note="34415..35367"
        /note="match: STS: Em:G07321"
        /note="37163..37323"
        /note="match: STS: Em:G07321"
        /note="37324..37437"
        /note="match: STS: Em:G07321"
        /note="complement(join(42379..42591,42916..43112))"
        /note="match: STS: Em:G27508"
        /note="complement(join(42491..42603,42916..42945))"
        /note="match: STS: Em:G43129"
        /note="43992..44915"
        /note="match: STS: Em:G43129"
        /note="44916..45564"
        /note="match: STS: Em:G43129"
        /note="48350..49467"
        /note="match: STS: Em:G43129"
        /note="evidence=not_experimental"
        /note="54417..54450"
        /note="match: STS: Em:G43129"
        /note="54578..55083"
        /note="match: STS: Em:G43129"
        /note="58051..59086"
        /note="match: STS: Em:G43129"
        /note="evidence=not_experimental"
        /note="65436..65550"
        /note="match: STS: Em:G43129"
        /note="65916..65961"
        /note="match: STS: Em:G43129"
        /note="complement(65929..66250)"
        /note="match: STS: Em:G43129"

```



```
repeat_region 66514..66549
misc_feature /note="18 copies 2 mer aa 80% conserved"
66530..66802
misc_feature /note="match: GSS: Em:AQ617313"
66577..66930
misc_feature /note="match: GSS: Em:AQ084812"
66603..66893
misc_feature /note="match: GSS: Em:AQ044403"
66974..67017
repeat_region /note="22 copies 2 mer cc 75% conserved"
misc_feature complement(69196..69374)
misc_feature /note="match: GSS: Em:B14383"
69710..70103
misc_feature /note="match: GSS: Em:AQ181535"
misc_feature complement(78378..78961)
misc_feature /note="match: GSS: Em:AQ389013"
misc_feature complement(78421..78533)
misc_feature /note="match: GSS: Em:AQ042556"
misc_feature complement(78453..78977)
misc_feature /note="match: GSS: Em:AQ533248"
misc_feature complement(81846..82274)
misc_feature /note="match: GSS: Em:AQ618257"
82587..83003
repeat_region /note="L1M5A repeat: matches 5857..6292 of consensus"
83609..83702
repeat_region /note="MER21B repeat: matches 703..787 of consensus"
83697..83797
repeat_region /note="MER21B repeat: matches 686..794 of consensus"
83910..84357
repeat_region /note="MER21B repeat: matches 76..540 of consensus"
85375..85430
repeat_region /note="28 copies 2 mer aa 76% conserved"
misc_feature complement(90629..90900)
repeat_region /note="match: GSS: Em:B13983"
96343..96364
misc_feature /note="11 copies 2 mer ac 100% conserved"
99274..99444
repeat_region /note="Other . Weak data"
104028..104091
misc_feature /note="32 copies 2 mer aa 67% conserved"
complement(107923..108378)

Query Match 80.3%; Score 8254.6; DB 9; Length 114846;
Best Local Similarity 99.8%; Pred. No. 0;
Matches 8319; Conservative 0; Mismatches 14; Indels 6; Gaps 5;

QY 1 AGCCTTACAAAGTGTGGAGTACCTGGGTGAGCCACCGGTCCGGCTCTTTATGCTTT 60
DB 52430 AGCCTTACAAAGTGTGGAGTACCTGGGTGAGCCACCGGTCCGGCTCTTTATGCTTT 52371

QY 61 ACTGTACTGTCTCTTTGAAAGTACTTATTTATTTGATTTGTTTCATCATTTAGTCTAA 120
DB 52370 ACTGTACTGTCTCTTTGAAAGTACTTATTTATTTGATTTGTTTCATCATTTAGTCTAA 52311

QY 121 TTAATAATAGAGTAGTTTACACCAATACAGTATTAATAATCTGTTTTTCTGTG 180
DB 52310 TTAATAATAGAGTAGTTTACACCAATACAGTATTAATAATCTGTTTTTCTGTG 52251

QY 181 TGCCTTACTATTACAGTGTGTTTGTACCTTTAGATGATTTCTTCTGCTCATTATATC 240
DB 52250 TGCCTTACTATTACAGTGTGTTTGTACCTTTAGATGATTTCTTCTGCTCATTATATC 52191

QY 241 CTTTTTTTTTTCAGATTGAAAACTCCCTTTAGCATTTCTTTGGGATATAGTCTGGTG 300
DB 52190 CTTTTTTTTTTCAGATTGAAAACTCCCTTTAGCATTTCTTTGGGATATAGTCTGGTG 52131

QY 301 TTGATGAATCTCCGAGCTTTTGTCTGCGAAGGTCTTTATTTTCTCCTTCTGTGG 360
DB 52130 TTGATGAATCTCCGAGCTTTTGTCTGCGAAGGTCTTTATTTTCTCCTTCTGTGG 52071

QY 361 AAGGATATTTTCCAGATACGTTATTTCTAGGCTAAAGTTTTTTTTTCTTCAGCACTTT 420
DB 52070 AAGGATATTTTCCAGATACGTTATTTCTAGGCTAAAGTTTTTTTTTCTTCAGCACTTT 52011
```

```
QY 421 AAATATGTATGCCACTCCCCCTGGCTGTAAAGTTTCCACTGGAAGTGTGCTGCCCC 480
DB 52010 AAATATGTATGCCACTCCCCCTGGCTGTAAAGTTTCCACTGGAAGTGTGCTGCCCC 51951

QY 481 ATGTATGTATTTGGAGCTCTACTGCATGTATTTGTTTCTTTCTTCTGCTTTTAGG 540
DB 51950 ATGTATGTATTTGGAGCTCTACTGCATGTATTTGTTTCTTTCTTCTGCTTTTAGG 51891

QY 541 ATCTCTTTTATTTATCTCTGACCTTTTCGAGTGTAAATATCAGATGCCCTTGAGTGTCTTC 600
DB 51890 ATCTCTTTTATTTATCTCTGACCTTTTCGAGTGTAAATATCAGATGCCCTTGAGTGTCTTC 51831

QY 601 TTTGGTTAAATCTGCTTGGTGTCTTATAAATCTTTGTACAAAAAATCAGCCAGCATG 660
DB 51830 TTTGGTTAAATCTGCTTGGTGTCTTATAAATCTTTGTACAAAAAATCAGCCAGCATG 51771

QY 661 GTGGTGGGCACTGTAAATCCAGCTACTTTGGGAGCTGAGGAGGAGTATCGCTTGAACC 720
DB 51770 GTGGTGGGCACTGTAAATCCAGCTACTTTGGGAGCTGAGGAGGAGTATCGCTTGAACC 51711

QY 721 CTGGAGGTGGAGTGTGACGTGAGCCGAGATCGCATCATTTGCCACTCCACCTGGGCGACAG 780
DB 51710 CTGGAGGTGGAGTGTGACGTGAGCCGAGATCGCATCATTTGCCACTCCACCTGGGCGACAG 51651

QY 781 AGCAAAATCCGTCTCAAAAAAATAATTTTGGGCTCGGTGGTGTCTGTAGTCCAGCT 840
DB 51650 AGCAAAATCCGTCTCAAAAAAATAATTTTGGGCTCGGTGGTGTCTGTAGTCCAGCT 51591

QY 841 ACTTGGGAGGAGGAGGTCCACTTGATGTGTAGATGTGCACTGAGCCATGATCTGCACT 900
DB 51590 ACTTGGGAGGAGGAGGTCCACTTGATGTGTAGATGTGCACTGAGCCATGATCTGCACT 51531

QY 901 GCACTCCGGCCCGGCAACAGAGTGTGAGCCCTGTCTTAAAGAAAAATAAAAAAAG 960
DB 51530 GCACTCCGGCCCGGCAACAGAGTGTGAGCCCTGTCTTAAAGAAAAATAAAAAAAG 51471

QY 961 CAACATATCTTAATAAAGGATCCCTCATATATTTTCCACCGAGATTTCTAATCAGAAACA 1020
DB 51470 CAACATATCTTAATAAAGGATCCCTCATATATTTTCCACCGAGATTTCTAATCAGAAACA 51411

QY 1021 TGGAGCCAGGAAGCAGTGTGAGAAATGACGACCTCTAGGAGCCCTGAGAGATCTGTCTAC 1080
DB 51410 TGGAGCCAGGAAGCAGTGTGAGAAATGACGACCTCTAGGAGCCCTGAGAGATCTGTCTAC 51351

QY 1081 AGGCTGGGGCAAGGGCTTTTCAAGCTACCACTGGGAGCTCTGGGAAACAGCCCTGTTGCAA 1140
DB 51350 AGGCTGGGGCAAGGGCTTTTCAAGCTACCACTGGGAGCTCTGGGAAACAGCCCTGTTGCAA 51291

QY 1141 ACAGGAAGTCAATGGCCCGGCCAGAGCCAGAAATGTGGGCTGAGCTGGGATCCATGTGACA 1200
DB 51290 ACAGGAAGTCAATGGCCCGGCCAGAGCCAGAAATGTGGGCTGAGCTGGGATCCATGTGACA 51231

QY 1201 GCTTTGAGGCTCACCGGAGGAGCCCTCTGGAAGAGAGGTCCCATCCAGGAACCTCGG 1260
DB 51230 GCTTTGAGGCTCACCGGAGGAGCCCTCTGGAAGAGAGGTCCCATCCAGGAACCTCGG 51171

QY 1261 GCATGCTGGGAAGTGGGTACTTGGTCCGGGTCTGTATGTGTGTGCTGCTGTGTG 1320
DB 51170 GCATGCTGGGAAGTGGGTACTTGGTCCGGGTCTGTATGTGTGTGCTGCTGTGTG 51111

QY 1321 TGAGAGAGATCTGTGCCCTCAGTGTGAGTCTGTGTATGTGTGATGTGTAATTTGCTT 1380
DB 51110 TGAGAGAGATCTGTGCCCTCAGTGTGAGTCTGTGTATGTGTGTAATTTGCTT 51051

QY 1381 TGTGTGGGTGATTTTCTGCATGTGTAATCTGTCTCCCTCAAGTGTGAAACAAGTGAAG 1440
DB 51050 TGTGTGGGTGATTTTCTGCATGTGTAATCTGTCTCCCTCAAGTGTGAAACAAGTGAAG 50991

QY 1441 TGTCTGGGAGTGGCAAGAGATCTGTGACCATCAGGTGTGTCATAGCTGTGTGATG 1500
DB 50990 TGTCTGGGAGTGGCAAGAGATCTGTGACCATCAGGTGTGTCATAGCTGTGTGATG 50931
```

Qy	1501	TC	AAGAGTGC	AAGGTG	AGTAAGTGAAGGAC	CAGGCCCATGATGCCACTCATCATCAGAGCT	1560
Db	50930	TC	AAGAGTGC	AAGGTG	AAAGTGAAGGAC	CAGGCCCATGATGCCACTCATCATCAGAGCT	50871
Qy	1561	CT	AAGGCC	CAGGTAA	GTGCACGTACAGATAAGG	GTGCTGAAGTCACTCTGGAAGTGG	1620
Db	50870	CT	AAGGCC	CAGGTAA	GTGCACGTACAGATAAGG	GTGCTGAAGTCACTCTGGAAGTGG	50811
Qy	1621	CAG	GTGGGGT	TGGGAAAGG	CCAAAGTCTATGTTCTTGGAGGAGGGGTGTGACTACATATTAG	1680	
Db	50810	CAG	GTGGGGT	TGGGAAAGG	CCAAAGTCTATGTTCTTGGAGGAGGGGTGTGACTACATATTAG	50751	
Qy	1681	GGT	GTATAG	ACCTAG	CTGGGAGTGTGATGGCCGGGTCCACTGAGACCTCTGTTATCCAG	1740	
Db	50750	GGT	GTATAG	ACCTAG	CTGGGAGTGTGATGGCCGGGTCCACTGAGACCTCTGTTATCCAG	50691	
Qy	1741	AAG	CTGTGTGG	CTTGGGAGCTT	TGGAGTGGGAGAGGGGTGTACTTCTCCGACCAAGGC	1800	
Db	50690	AAG	CTGTGTGG	CTTGGGAGCTT	TGGAGTGGGAGAGGGGTGTACTTCTCCGACCAAGGC	50631	
Qy	1801	CTT	TCTACCA	CCCTACC	TCTGGGTAAAGGGCTGTGAGCAGGAAGCAGCGCAAGGACCTCTG	1860	
Db	50630	CTT	TCTACCA	CCCTACC	TCTGGGTAAAGGGCTGTGAGCAGGAAGCAGCGCAAGGACCTCTG	50571	
Qy	1861	GAG	CAGCCCAT	CCTGCCCTGG	CTGACTGCCACTTGGCAGCAGTCAACACACAGCAGG	1920	
Db	50570	GAG	CAGCCCAT	CCTGCCCTGG	CTGACTGCCACTTGGCAGCAGTCAACACACAGCAGG	50511	
Qy	1921	TT	CACTC	CACAGCAGGGCG	AAGGCCCATCATCAGCTCCCTTTTAAAGGGAAGG	1980	
Db	50510	TT	CACTC	CACAGCAGGGCG	AAGGCCCATCATCAGCTCCCTTTTAAAGGGAAGG	50451	
Qy	1981	GCT	CGGTGTCC	CAGAGTGTCT	CTGCTGTCTGTGCTCGTGGGGTGGGGTGCAG	2040	
Db	50450	GCT	CGGTGTCC	CAGAGTGTCT	CTGCTGTCTGTGCTCGTGGGGTGGGGTGCAG	50391	
Qy	2041	GT	GTGCCAGAG	AGCCCAAGTTGGT	AGTGAAGCAGCATTGGGGCTAGAGCACTGGTGCC	2100	
Db	50390	GT	GTGCCAGAG	AGCCCAAGTTGGT	AGTGAAGCAGCATTGGGGCTAGAGCACTGGTGCC	50331	
Qy	2101	CCT	GGCCATGATAGT	GGCCATCTTCTGCTCTCTGTGTGACCTGATGCA	CCCGCACCACCAAGC	2160	
Db	50330	CCT	GGCCATGATAGT	GGCCATCTTCTGCTCTCTGTGTGACCTGATGCA	CCCGCACCACCAAGC	50271	
Qy	2161	CT	GGGCTG	CACGCTAC	CCCGCAGTCCCTGCCACTGCCCGGGCTGGGCAACTTGCTGC	2220	
Db	50270	CT	GGGCTG	CACGCTAC	CCCGCAGTCCCTGCCACTGCCCGGGCTGGGCAACTTGCTGC	50211	
Qy	2221	AT	TGGACTTCC	AGAAACACACCACTACTGTT	TCAGCCAGGTGAGGAGAGGTCTGTGAGG	2280	
Db	50210	AT	TGGACTTCC	AGAAACACACCACTACTGTT	TCAGCCAGGTGAGGAGAGGTCTGTGAGG	50151	
Qy	2281	GG	GCAGAGAGTCT	TGAGATGCCCAACACAGACAA	CATGGGTGGTGGGTAAACCA	2340	
Db	50150	GG	GCGCAGAGTCT	TGAGATGCCCAACACAGACAA	CATGGGTGGTGGGTAAACCA	50091	
Qy	2341	GG	CTGATC	AGAACCCAGT	CTGAAGGGGAAGCAGGTTTGGGGGACGTTCTCTGGGGAG	2400	
Db	50090	GG	CTGATC	AGAACCCAGT	CTGAAGGGGAAGCAGGTTTGGGGGACGTTCTCTGGGGAG	50032	
Qy	2401	GAC	ATTATATAC	TGGATGAAGGACTTGGATTTTCCAAAGGCCAAGAAAGATAGTAGGCAAG	2460		
Db	50031	GAC	ATTATATAC	TGGATGAAGGACTTGGATTTTCCAAAGGCCAAGAAAGATAGTAGGCAAG	49972		
Qy	2461	GG	CTTGGAGGT	TGAGCTG	GACCTTGGCAGTGGGCATGCAAGCCCATTTGGCAACATATGTT	2520	
Db	49971	GG	CTTGGAGGT	TGAGCTG	GACCTTGGCAGTGGGCATGCAAGCCCATTTGGCAACATATGTT	49912	
Qy	2521	AT	GAGTAC	AAAGTCTCTCTCTGCTGACAC	CAGAAAGGAAGGCTTTGGGAATGGAAGATGA	2580	
Db	49911	AT	GAGTAC	AAAGTCTCTCTCTGCTGACAC	CAGAAAGGAAGGCTTTGGGAATGGAAGATGA	49852	
Qy	2581	GTT	TAGTCTCT	GAGTGCCTTTAAAT	CA	CGAAATCGAAGATGAAGGGGGTGCAGTGCACCGG	2640

49851	GTTAGTCTCTGAGTCGGTTAAATCAGAAATCGAAGATGAAGGGGTGCAGTGACCCGG	49792
2641	TTCAAAACCTTTTGGCACTGTGGGTCTCTCGGGCTCACTGCTCACCGGCATGGACCATCATC	2700
49791	TTCAAACCTTTTGGCACTGTGGGTCTCTCGGGCTCACTGCTCACCGGCATGGACCATCATC	49732
2701	TGGGAATGGGATGCTAACTAGTGGGCCCTCTCGGCAATTTTGGTGACTTTGCAAGGTCTATAC	2760
49731	TGGGAATGGGATGCTAACTAGTGGGCCCTCTCGGCAATTTTGGTGACTTTGCAAGGTCTATAC	49672
2761	CTGGGTGACGATCCAAACTGATGTTCTCTCCATCACAAGAAGTGTGACCCCCCCTGCCC	2820
49671	CTGGGTGACGATCCAAACTGATGTTCTCTCCATCACAAGAAGTGTGACCCCCCCTGCCC	49612
2821	CCACGATCAGGAGGCTGGGTCTCTCTCTTCCACCTGCTCACCTCTGTTAGTGGTGGGGGT	2880
49611	CCAGGATCAGGAGGCTGGGTCTCTCTCTTCCACCTGCTCACCTCTGTTAGTGGTGGGGGT	49552
2881	CGTCCAAGGTTCAAAATAGGACTAGGACCTGTAGTCTGGGGTGATCTGGCTTGACAAGAG	2940
49551	CGTCCAAGGTTCAAAATAGGACTAGGACCTGTAGTCTGGGGTGATCTGGCTTGACAAGAG	49492
2941	GGCTTGACCTCTCTTGCAATTGGCGGCCGCTTCGGGGAAGTGTTCAGCTTCAGCTG	3000
49491	GGCTTGACCTCTCTTGCAATTGGCGGCCGCTTCGGGGAAGTGTTCAGCTTCAGCTG	49432
3001	GGCTTGACCGCGTGGTCTGTCTCAATGGCTGGCGGCGTGGCGAGCGGATGGTGACC	3060
49431	GGCTTGACCGCGTGGTCTGTCTCAATGGCTGGCGGCGTGGCGAGCGGATGGTGACC	49372
3061	CGCGGCGAGGACA CGGCCGACCGCCGCTCGCGCCCATCTACAGAGTCTCGGGCTTCGGG	3120
49371	CGCGGCGAGGACA CGGCCGACCGCCGCTCGCGCCCATCTACAGAGTCTCGGGCTTCGGG	49312
3121	CGCGGTTCCAAAGGCAAGCGGCGGTGGGGGA CAGAGA CCGCGTTTCCGTGGGCGCCGGGT	3180
49311	CGCGGTTCCAAAGGCAAGCGGCGGTGGGGGA CAGAGA CCGCGTTTCCGTGGGCGCCGGGT	49252
3181	GGACAGTAGCCTGAGCCCAAGCAGCGCCAGCAGGSGCTGGGGTCTCTGACGCTGAACAGA	3240
49251	GGACAGTAGCCTGAGCCCAAGCAGCGCCAGCAGGSGCTGGGGTCTCTGACGCTGAACAGA	49192
3241	GATAAGGCCAGCGAGTGGGCTTGAGACAAGTGGGCCAGGAAACCACTGCACGGGGGAGG	3300
49191	GATAAGGCCAGCGAGTGGGCTTGAGACAAGTGGGCCAGGAAACCACTGCACGGGGGAGG	49132
3301	TGCGAGTCTGTGGGCTGGAGGGGCGGGCTTACTTGCCCAGAACCCGCCAGAAAGCCCGGTG	3360
49131	TGCGAGTCTGTGGGCTGGAGGGGCGGGCTTACTTGCCCAGAACCCGCCAGAAAGCCCGGTG	49072
3361	GGCGAGGCTGATGCGTTCGAAAGTGGCGGTGGCGGGACCGCGCTATGCTCGGGGCTCAGT	3420
49071	GGCGAGGCTGATGCGTTCGAAAGTGGCGGTGGCGGGACCGCGCTATGCTCGGGGCTCAGT	49012
3421	GTGGGCGGACCGGCGGGATCTTCTTGTAGTGGAAAGTGTGTGAGGTGGGCGAGACGA	3480
49011	GTGGGCGGACCGGCGGGATCTTCTTGTAGTGGAAAGTGTGTGAGGTGGGCGAGACGA	48952
3481	GGTGGGGCCAAACCCCGCCCAAGGAGCAATGTGGGTGAGCAAAAGATGGGCCCTT	3540
48951	GGTGGGGCCAAACCCCGCCCAAGGAGCAATGTGGGTGAGCAAAAGATGGGCCCTT	48892
3541	GTGCCCAGCTGACCGGGCTAGGGACTCGGGAGACCTGTGGAGCGCCAGGTTGGAGT	3600
48891	GTGCCCAGCTGACCGGGCTAGGGACTCGGGAGACCTGTGGAGCGCCAGGTTGGAGT	48832
3601	GGGTGCGGAGGGTGGGGCCAAAGGCTTTCATGGCAACGCCACGCTGCTCCGCTCCCGCCCC	3660
48831	GGGTGCGGAGGGTGGGGCCAAAGGCTTTCATGGCAACGCCACGCTGCTCCGCTCCCGCCCC	48772
3661	AGGGGTGATCTGTCTCGCGCTATGGGCCCGCGTGGCGGCGAGCAGAGCGCTTCTTCGTGTCT	3720

Db 48771 AGGGTGATCTGTGCGCTATGGGCGCGTGGCGGAGAGAGGCGCTTCTCCGTGTC 48712
Qy 3721 CACTTGGCGCACTTGGGCTGGGCAAGAAGTCCGTGGAGCAGTGGGTGACGAGGAGGC 3780
Db 48711 CACTTGGCGCACTTGGGCTGGGCAAGAAGTCCGTGGAGCAGTGGGTGACGAGGAGGC 48652
Qy 3781 CGCTGCTTTGTGCGG - CTTGCGCGACCAAGCCGGTGGGTGATGGGCAAGAGGACAA 3839
Db 48651 CGCTGCTTTGTGCGGCTTTCGCGGACCAAGCCGGTGGGTGATGGGCAAGAGGACAA 48592
Qy 3840 AGCGGAACTGGGAAGCGGCGGACGAGAAAGCAACCCCTTACCCGCACTCTCCACACC 3899
Db 48591 AGCGGNACTGGGAAGCGGCGGACGAGAAAGCAACCCCTTACCCGCACTCT - CCACACC 48533
Qy 3900 CAGGAGCGCCCTTTGCGCCCAACGCGCTCTTGGACAAAGCCGTGAGCAACGTGATCGCC 3959
Db 48532 CCAGGAGCGCCCTTTGCGCCCAACGCGCTCTTGGACAAAGCCGTGAGCAACGTGATCGCC 48473
Qy 3960 TCCCTCACCTGCGGCGCGCTTTCGAGTACGACGACCCCTGCTTCTCAGGCTGCTGGAC 4019
Db 48472 TCCCTCACCTGCGGCGCGCTTTCGAGTACGACGACCCCTGCTTCTCAGGCTGCTGGAC 48413
Qy 4020 CTAGCTCAGAGGAGCTGAAGAGGAGTGGGCTTTCTGCGGAGGTGCGGACGAGAGA 4079
Db 48412 CTAGCTCAGAGGAGCTGAAGAGGAGTGGGCTTTCTGCGGAGGTGCGGACGAGAGA 48353
Qy 4080 CCGAGGAGTCTCTGACGGCGAGCTCCTGAGAGGTGCGGCGCTGGACTGGGCGCTCCGA 4139
Db 48352 CCGAGGAGTCTCTGACGGCGAGCTCCTGAGAGGTGCGGCGCTGGACTGGGCGCTCCGA 48293
Qy 4140 AGGGCAGGATTTGCATAGATGGGTTTGGGAAGGACATTTCCAGGAGACCCCACTGTAAGA 4199
Db 48292 AGGGCAGGATTTGCATAGATGGGTTTGGGAAGGACATTTCCAGGAGACCCCACTGTAAGA 48233
Qy 4200 AGGGCTGAGAGGAGGAGGACATCTCAGACATGCTGCGGAGAGTGTGCCGGGTCA 4259
Db 48232 AGGGCTGAGAGGAGGAGGACATCTCAGACATGCTGCGGAGAGTGTGCCGGGTCA 48173
Qy 4260 GGGGCGCACGAGGAGGCGCAAGGACTCTGTACCCCGCTCCAGCTTGGAGATTTCCGATTTT 4319
Db 48172 GGGGCGCACGAGGAGGCGCAAGGACTCTGTACCCCGCTCCAGCTTGGAGATTTCCGATTTT 48113
Qy 4320 AGGTTTCTCTCTGGGCAAG - GAGAGAGGTGGAGGTGGCACTTTGGGAGGGACTTG 4377
Db 48112 AGGTTTCTCTCTGGGCAAGAGAGAGAGAGGCTGGAGCTGGCACTTTGGGAGGGACTTG 48053
Qy 4378 TGAGGTCACTGTGTAAGGACAGGCGGCTTGGCTCTACCTGGAGATGGCTGGGCGCTGAG 4437
Db 48052 TGAGGTCACTGTGTAAGGACAGGCGGCTTGGCTCTTCTGGAGATGGCTGGGCGCTGAG 47993
Qy 4438 ACTTGTCCAGGTGAACGCGAGACACAGGAGGATTCAGACCCCGTTCTGTCTGTGCTAG 4497
Db 47992 ACTGTGCCAGGTGAACGCGAGACACAGGAGGATTCAGACCCCGTTCTGTCTGTGCTAG 47933
Qy 4498 TGTGTAATGCTGCTCCGCTCTCTCCATCCAGCTGGCTGGCTGGCAAGGCTCTACGCT 4557
Db 47932 TGTGTAATGCTGCTCCGCTCTCTCCGCAATCCAGCTGGCTGGCTGGCAAGGCTCTACGCT 47873
Qy 4558 TCCAAAGGCTTTCTGACCCAGCTGGATGAGTGTCTAAGTACGAGACAGGATGACCTGG 4617
Db 47872 TCCAAAGGCTTTCTGACCCAGCTGGATGAGTGTCTAAGTACGAGACAGGATGACCTGG 47813
Qy 4618 ACCAGCCAGCCACCCGAGACCTGACTGAGGCTTTCTGGCAAAAGAGAGAGGTGA 4677
Db 47812 ACCAGCCAGCCACCCGAGACCTGACTGAGGCTTTCTGGCAAAAGAGAGAGGTGA 47753
Qy 4678 GAGTGTGCTGCCAGGTGGGGGCAAGGCTGGTGGTTGAACGCTCCAGGAGGAATGAGGG 4737
Db 47752 GAGTGTGCTGCCAGGTGGGGGCAAGGCTGGTGGTTGAACGCTCCAGGAGGAATGAGGG 47693
Qy 4738 GAGGCTGGGCAAGGTTGGAACAGTGCATCACCCGCGAGCGGCACTTGGGCTGACAGG 4797
Db 47692 GAGGCTGGGCAAGGTTGGAACAGTGCATCACCCGCGAGCGGCACTTGGGCTGACAGG 47633

Qy 4798 TGCAGAAATTGGAGGTCAATTTGGGGGCTACCCCGTTCTTATCCCTGAGTATCCTCTCGGCC 4857
Db 47632 TGCAGAAATTGGAGGTCAATTTGGGGGCTACCCCGTTCTTATCCCTGAGTATCCTCTCGGCC 47573
Qy 4858 CTGCTCAGGCAAGGGAGGCTCTGAGAGAGCTTCAATGATGAGAACTTCGGCATATGG 4917
Db 47572 CTGCTCAGGCAAGGGAGGCTCTGAGAGAGCTTCAATGATGAGAACTTCGGCATATGG 47513
Qy 4918 TGGGTAACTGTTCTTTCGCGGATGTCACACCTTCGACGCTGGGCTGGGCGCTCC 4977
Db 47512 TGGGTAACTGTTCTTTCGCGGATGTCACACCTTCGACGCTGGGCTGGGCGCTCC 47453
Qy 4978 TGTCTATGATCTCTACACCTTGGATGTGACGCTGAGCCCAAGCTGGGCGCCAAAGCAGGAG 5037
Db 47452 TGTCTATGATCTCTACACCTTGGATGTGACGCTGAGCCCAAGCTGGGCGCCAAAGCAGGAG 47393
Qy 5038 TGAAGGAGAAAGGTAACGCTGGGCGCTTGGGCTTGGTGGGACACCCGGGGCTTCCA 5097
Db 47392 TGAAGGAGAAAGGTAACGCTGGGCGCTTGGGCTTGGTGGGACACCCGGGGCTTCCA 47333
Qy 5098 GCACAGCGTGGCCAGGCTCTGTAAGCCTTAACTTCTTCTCCACACAGGAGGAGAGAGT 5157
Db 47332 GCACAGCGTGGCCAGGCTCTGTAAGCCTTAACTTCTTCTCCACACAGGAGGAGAGAGT 47273
Qy 5158 GTCCCTGGGTGCTGACCCCAATTTGGGGAGCGATGTCTGTCAGTCCGTCTCCAAACAGGA 5217
Db 47272 GTCCCTGGGTGCTGACCCCAATTTGGGGAGCGATGTCTGTCAGTCCGTCTCCAAACAGGA 47213
Qy 5218 GATCGACGAGTGAATAGGCGAGTGGCGGACACAGAGATGGGTGACAGGCTCACATGCC 5277
Db 47212 GATCGACGAGTGAATAGGCGAGTGGCGGACACAGAGATGGGTGACAGGCTCACATGCC 47153
Qy 5278 CTACACCACTGCGGTGATTCAGAGGTGACGCGCTTTGGGGACATCATCCCCCTGAGTGT 5337
Db 47152 CTGACCACTGCGGTGATTCAGAGGTGACGCGCTTTGGGGACATCATCCCCCTGAGTGT 47093
Qy 5338 GACCCATATGACATCCCGTGACATCGAAGTACAGGCTTTCCGATCCCTTAAGGTAGGCGCT 5397
Db 47092 GACCCATATGACATCCCGTGACATCGAAGTACAGGCTTTCCGATCCCTTAAGGTAGGCGCT 47033
Qy 5398 GGGCGCTCTCTCACCCAGCTCAGCACAGCACTGGTGTATAGCCCGACGATGGCTACTG 5457
Db 47032 GGGCGCTCTCTCACCCAGCTCAGCACAGCACTGGTGTATAGCCCGACGATGGCTACTG 46973
Qy 5458 CCAGGTGGGCGCACTCTAGGAACCTTGGCCACTAGTCTCTCAATGSCACCACTGACTG 5517
Db 46972 CCAGGTGGGCGCACTCTAGGAACCTTGGCCACTAGTCTCTCAATGSCACCACTGACTG 46913
Qy 5518 TCCCCCACTTGGGTGGGGGTCCAGAGTATAGGACGGCTGGCTGTCCATCCAGAGGCC 5577
Db 46912 TCCCGCTTGGATGGGGGTCCAGAGTATAGGACGGCTGGCTGTCCATCCAGAGGCC 46853
Qy 5578 CGTCTAGTGGG - AGACAAACAGGACCTTGGCAGAAATTTGGAGGACCCAGCGCTGCGAG 5636
Db 46852 AGTCTAGTGGGAGAGACAAATCAGGACCTGCGCAGAAATTTGGAGGACCCAGCGCTGCGAG 46793
Qy 5637 GAGAGGGGCGAGTGTGGGTGCTCTGAGAGGTGACTTGGCGCTGCTGTGGGGTGGGA 5696
Db 46792 GAGAGGGGCGAGTGTGGGTGCTCTGAGAGGTGACTTGGCGCTGCTGTGGGGTGGGA 46733
Qy 5697 GAGGCTACTGTGAGGCTTCTCGGGCGCAGGACTAGTTTGAACAGAGTCCAGCTGTGCCAG 5756
Db 46732 GAGGCTACTGTGAGGCTTCTCGGGCGCAGGACTAGTTTGAACAGAGTCCAGCTGTGCCAG 46673
Qy 5757 GCAGTGTGTCTCCCGTGTGTTTGGTGGCAGGGGTCCAGCATCTTAGAGTCCAGTCCC 5816
Db 46672 GCAGTGTGTCTCCCGTGTGTTTGGTGGCAGGGGTCCAGCATCTTAGAGTCCAGTCCC 46613
Qy 5817 CACTCTACCTTGCATCTCTGCCAGGGAACGACACTCATCACCAACCTGTCTCGGTG 5876
Db 46612 CACTCTACCTTGCATCTCTGCCAGGGAACGACACTCATCACCAACCTGTCTCGGTG 46553

Qy	5877	CTGAAGGATGAGGCGCTGTGGGAGAGCCCTTCCGCTTCCACCCCGAAACACTTCTCTGGAT	5936
Db	46552	CTGAAGGATGAGGCGGCTGTGAAGAAGCCCTTCGGCTTCCACCCCGAAACACTTCTCTGGAT	46493
Qy	5937	GCCCAGGGCCACTTTGTGAAGCCGGAGGCTTCTCGCTTTCTCAGCAGGTGCTGTGGG	5996
Db	46492	GCCCAGGGCCACTTTGTGAAGCCGGAGGCTTCTCGCTTTCTCAGCAGGTGCTGTGGG	46433
Qy	5997	GAGCCCGGCTCCCTGTCCCTTCCGTGTGAGTCTTGACGGGTATCACCCAGGAGCCAGGC	6056
Db	46432	GAGCCCGGCTCCCTGTCCCTTCCGTGTGAGTCTTGACGGGTATCACCCAGGAGCCAGGC	46373
Qy	6057	TCACGTAGCGCCCTCCCTCCCCACAGGCGCGTGCAATGCTCGGGAGCCCTTGCGCC	6116
Db	46372	TCACGTAGCGCCCTCCCTCCCCACAGGCGCGTGCAATGCTCGGGAGCCCTTGCGCC	46313
Qy	6117	GCATGGAGCTCTTCTCTTCTTCACTCCCTGCTGACACATTCAGCTTCTCGTGGCGG	6176
Db	46312	GCATGGAGCTCTTCTCTTCTTCACTCCCTGCTGACACATTCAGCTTCTCGTGGCGG	46253
Qy	6177	CCGGACAGCCCCGGCCCCAGCACATCTCTGTGCTGCTCAGCTTTCTTGGTAGCCCCATCCCCCT	6236
Db	46252	CCGGACAGCCCCGGCCCCAGCACATCTCTGTGCTGCTCAGCTTTCTTGGTAGCCCCATCCCCCT	46193
Qy	6237	ACGAGCTTTGTGTGTGCCCGCTAGAAATGGGGTACTAGTCCCCAGCTGCTCCCTAGC	6296
Db	46192	ACGAGCTTTGTGTGTGCCCGCTAGAAATGGGGTACTAGTCCCCAGCTGCTCCCTAGC	46133
Qy	6297	CAGAGGCTCTAATGTACAAATAAGACAAATGTGTGTAGTTTCCAACTTGGTCCCTGTCTCAG	6356
Db	46132	CAGAGGCTCTAATGTACAAATAAGACAAATGTGTGTAGTTTCCAACTTGGTCCCTGTCTCAG	46073
Qy	6357	CCCTCTGTTGGGATCATCTCCTCAGGGCAACCCACCCTGCTCATCTCGCTTACCCC	6416
Db	46072	CCCTCTGTTGGGATCATCTCCTCAGGGCAACCCACCCTGCTCATCTCGCTTACCCC	46013
Qy	6417	ACGCGCTGGCGCATTTGAGACGGGTACGTTGAGGCTGAGCAGATGTCAAGTTACCTTTGC	6476
Db	46012	ACGCGCTGGCGCATTTGAGACGGGTACGTTGAGGCTGAGCAGATGTCAAGTTACCTTTGC	45953
Qy	6477	CCATAATCCCATGTCCCCACTGACCCAACTCTGACTGCGCAGATTGGTGACAAGACTA	6536
Db	45952	CCATAATCCCATGTCCCCACTGACCCAACTCTGACTGCGCAGATTGGTGACAAGACTA	45893
Qy	6537	CATTGTCTCGCATGTGGGAAAGGGCCAGAAATGGGCTGACTAGAGGTGCTCAGTCAGCCC	6596
Db	45892	CATTGTCTCGCATGTGGGAAAGGGCCAGAAATGGGCTGACTAGAGGTGCTCAGTCAGCCC	45833
Qy	6597	TGGATGTGTGGAGAGGCGAGGACTCAGCCTGGAGGCCCATATTTTCAGGCGCTAACTCAGC	6656
Db	45832	TGGATGTGTGGAGAGGCGAGGACTCAGCCTGGAGGCCCATATTTTCAGGCGCTAACTCAGC	45773
Qy	6657	CCACCCACATCAGGGACAGCAGTCTGCGCAGCACCATCACAAACAGTCACTTCCCTTCAAT	6716
Db	45772	CCACCCACATCAGGGACAGCAGTCTGCGCAGCACCATCACAAACAGTCACTTCCCTTCAAT	45713
Qy	6717	ATATGACACCCCAAAATGGAAGACAATCATGTACGGGAGCTATATGCCAGGCGTACCTTC	6776
Db	45712	ATATGACACCCCAAAATGGAAGACAATCATGTACGGGAGCTATATGCCAGGCGTACCTTC	45653
Qy	6777	CCAGGGCTCAGTCGGCAGGTGCCAGAACATTCCTCTGGGAAGGCCCCAGGAAACCCAGGA	6836
Db	45652	CCAGGGCTCAGTCGGCAGGTGCCAGAACATTCCTCTGGGAAGGCCCCAGGAAACCCAGGA	45593
Qy	6837	CCGAGCCACCGCCCTCAGCCTGTCACTTGTGTGCCAAAATTTGGTGGGTTCTTGGTCTCAC	6896
Db	45592	CCGAGCCACCGCCCTCAGCCTGTCACTTGTGTGCCAAAATTTGGTGGGTTCTTGGTCTCAC	45533
Qy	6897	TGACTTCAAGAAATGAAGCCGTGGACCTCAGCGTGAGTGTTAACAGTCTTTAAAGATGGTG	6956
Db	45532	TGACTTCAAGAAATGAAGCCGTGGACCTCAGCGTGAGTGTTAACAGTCTTTAAAGATGGTG	45473
Qy	6957	TGTTTCAGAGTTTGTTCCTCTCTGATGTAAAGACGCTGTTTCAGAGTTTCTTCTCTTCTGGGG	7016

[illegible]

QY	901	GCACTTCGGGCCCGGCAACAGAGTGAGACCTGTCTTAAAGAAAAATAAAAAAATGAAAAAG	960	24044	GCTCGGTGTGTGAGAGTGTCTCTGCTCGGTCTCTGTGCTGTGTGGGTGGGGTGGCGTGCACG	23988
DB	25124	GCACTTCGGGCCCGGCAACAGAGTGAGACCTGTCTTAAAGAAAAATAAAAAAATGAAAAAG	25065			
QY	961	CAACATATCCTTAAATAAAGGATCCTCATATGTTTCCACAGATTTCTTAATCAGAAACA	1020	2041	GTGTGTCAGAGGAGCCAGTTGGTGTAGTGAGCGACGCATGGGGCTAGAACACACTGTTGTC	2100
DB	25064	CAACATATCCTTAAATAAAGGATCCTCATATGTTTCCACAGATTTCTTAATCAGAAACA	25005	23984	GTGTGTCAGAGGAGCCAGTTGGTGTAGTGAGCGACGCATGGGGCTAGAACACACTGTTGTC	23925
QY	1021	TGGAGGCCAGGAACAGTGGAGATGACGCCCTCAGCGAGCCCTGGAGGATCCTGTAC	1080	2101	CTCGGCCATGATAGTGGGCATCTTCTGCTCCTCGTGTGACCTGATGACCGCGCACCAACG	2160
DB	25004	TGGAGGCCAGGAACAGTGGAGATGACGCCCTCAGCGAGCCCTGGAGGATCCTGTAC	24945	23924	CCTGGCCATGATAGTGGGCATCTTCTGCTCCTCGTGTGACCTGATGACCGCGCACCAACG	23865
QY	1081	AGGCTGGGGCAAGGCCCTTCAGGCTACCAACTGGAGCTCTGGGAACAGCCCTGTGCAA	1140	2161	CTGGGCTGCACGCTAACCCGACAGTCCCTGCCACTGCCCCGGGTGGGCAACCTTGTCTGC	2220
DB	24944	AGGCTGGGGCAAGGCCCTTCAGGCTACCAACTGGAGCTCTGGGAACAGCCCTGTGCAA	24885	23864	CTGGGCTGCACGCTAACCCGACAGTCCCTGCCACTGCCCCGGGTGGGCAACCTTGTCTGC	23805
QY	1141	ACAGGAAGTCATGCGCCCGGCAGAGCCAGAACAGATGTGGGCTGAGCTGGGATCCATGTGACA	1200	2221	ATGTGGACTTCCAGNACACACATACTGCTTTCGACAGGTGAGGAGGAGGTCTCTGGAGG	2280
DB	24884	ACAGGAAGTCATGCGCCCGGCAGAGCCAGAACAGATGTGGGCTGAGCTGGGATCCATGTGACA	24825	23804	ATGTGGACTTCCAGNACACACATACTGCTTTCGACAGGTGAGGAGGAGGTCTCTGGAGG	23745
QY	1201	GCTTTGAGGCTCACCGGAGCAGCCTCTGGACAGGAGGTCCCATCCAGGAACCTCGG	1260	2281	GCGGCAGAGGTCTTGAGGATCCCCACACAGCAAAACATGGGTGGGTGTTAAACACA	2340
DB	24824	GCTTTGAGGCTCACCGGAGCAGCCTCTGGACAGGAGGTCCCATCCAGGAACCTCGG	24765	23744	GCGGCAGAGGTCTTGAGGATCCCCACACAGCAAAACATGGGTGGGTGTTAAACACA	23685
QY	1261	GCATGGCTGGGAAGTGGGGTACTTGGTGCCGGGTCTGTATGTGTGTGATGTGATGTTGTG	1320	2341	GGCTGGATCAGAAAGCAGGCTGAGAAAGGGAAGCAGGTTTGGGGGAAGCTTCTCTGGGAAG	2400
DB	24764	GCATGGCTGGGAAGTGGGGTACTTGGTGCCGGGTCTGTATGTGTGTGATGTGATGTTGTG	24705	23684	GGCTGGATCAGAAAGCAGGCTGAGAAAGGGAAGCAGGTTTGGGGGAAGCTTCTCTGGGAAG	23626
QY	1321	TGAGAGAGATGTGTGCCCTGAGTGTGAGTGTGAGTGTGATGTGTGATGTGTGATGTGTT	1380	2401	GACATTTATATCATGGCATGAAGGACTGGATTTTCCAAAGCCCAAGGAAGAGTAGTGGGCAAG	2460
DB	24704	TGAGAGAGATGTGTGCCCTGAGTGTGAGTGTGAGTGTGATGTGTGATGTGTGATGTGTT	24645	23625	GACATTTATATCATGGCATGAAGGACTGGATTTTCCAAAGCCCAAGGAAGAGTAGTGGGCAAG	23566
QY	1381	TGTTGGGTGATTTTCTGCATGTGTATCTGTGTCCTGCAAGTGTGAACAAGTGGACAAG	1440	2461	GGCCTGGAGGTGGAGCTGAGCTTGGCAGTGGGCATGCAAGCCCATGCGGCAACATATGTT	2520
DB	24644	TGTTGGGTGATTTTCTGCATGTGTATCTGTGTCCTGCAAGTGTGAACAAGTGGACAAG	24585	23565	GGCCTGGAGGTGGAGCTGAGCTTGGCAGTGGGCATGCAAGCCCATGCGGCAACATATGTT	23506
QY	1441	TGTTGGGAGTGGACAAGAGATCTGTGCACCATCAGGTGTGTGCATAGCGTCTGTGCATG	1500	2521	ATGGAGTACAAAGTCCCTTCTGTGTGACACCAAGAAAGGAAGGCTTGGGAATGGGAAGATGA	2580
DB	24584	TGTTGGGAGTGGACAAGAGATCTGTGCACCATCAGGTGTGTGCATAGCGTCTGTGCATG	24525	23505	ATGGAGTACAAAGTCCCTTCTGTGTGACACCAAGAAAGGAAGGCTTGGGAATGGGAAGATGA	23446
QY	1501	TCAAGAGTGCNAGTGAAGTGAAGGACAGGCGCCATGATGCCACTCATCAGAGCT	1560	2581	GTATGCTGTGAGTGGCGCTTTAAATCAGGAATCAGGATCAGAGGGGTGCAAGTACCCGG	2640
DB	24524	TCAAGAGTGCNAGTGAAGTGAAGGACAGGCGCCATGATGCCACTCATCAGAGCT	24465	23445	GTATGCTGTGAGTGGCGCTTTAAATCAGGAATCAGGATCAGAGGGGTGCAAGTACCCGG	23386
QY	1561	CTAAGGCCCAAGTGAAGTGCAGTGACAGATAAGGTTGCTGAAGTGCATCTGGAGTGGG	1620	2641	TTCAAAACCTTTTGACATGTGGGCTCTCGGGCTCCTGCGGCTCAGTCCACCGCATGACCATCATC	2700
DB	24464	CTAAGGCCCAAGTGAAGTGCAGTGACAGATAAGGTTGCTGAAGTGCATCTGGAGTGGG	24405	23385	TTCAAAACCTTTTGACATGTGGGCTCTCGGGCTCCTGCGGCTCAGTCCACCGCATGACCATCATC	23326
QY	1621	CAGTGGGGTGAAGAAAGGCAAGGTCAATGTTCTGGAGAGGGTGTGACTACATTAAG	1680	2701	TGGGAATGGGATGTAACTGGGGCTCTCGGGCAATTTTGGTGAATCTTTGCAAGGTCTATAC	2760
DB	24404	CAGTGGGGTGAAGAAAGGCAAGGTCAATGTTCTGGAGAGGGTGTGACTACATTAAG	24345	23325	TGGGAATGGGATGTAACTGGGGCTCTCGGGCAATTTTGGTGAATCTTTGCAAGGTCTATAC	23266
QY	1681	GGTGTATAGCTAGCTGGAGGTGGATGCGCGGCTCCTAGAGACCTGGTTATCCCAAG	1740	2761	CTGGGTGACGATCCAAACTGAGTTCTCCATCAGAGAGGTGTGACCCCCACCCCTGCC	2820
DB	24344	GGTGTATAGCTAGCTGGAGGTGGATGCGCGGCTCCTAGAGACCTGGTTATCCCAAG	24285	23265	CTGGGTGACGATCCAAACTGAGTTCTCCATCAGAGAGGTGTGACCCCCACCCCTGCC	23206
QY	1741	AAGCCTGTGTGGGCTTGGGAGCTTGGAGTGGGAGAGGGGTGACTTCTCCAGCAGGC	1800	2821	CCAGATCAGAGAGCTGGGCTCTCTCTTCCACCTGCTCACTCTCTGTGTAGCCCCGGGGGT	2880
DB	24284	AAGCCTGTGTGGGCTTGGGAGCTTGGAGTGGGAGAGGGGTGACTTCTCCAGCAGGC	24225	23205	CCAGATCAGAGAGCTGGGCTCTCTCTTCCACCTGCTCACTCTCTGTGTAGCCCCGGGGGT	23146
QY	1801	CTTTTCTACCACTTACCTGGGTGAAGGCCCTGGAGCAGGAAGCAGCGGCAAGGACCTCTG	1860	2881	CGTCCAAAGTTCAAATAGGACTAGGACTGTGTGTCTGGGGTGAATCTCTGGCTTGAACAAGAG	2940
DB	24224	CTTTTCTACCACTTACCTGGGTGAAGGCCCTGGAGCAGGAAGCAGCGGCAAGGACCTCTG	24165	23145	CGTCCAAAGTTCAAATAGGACTAGGACTGTGTGTCTGGGGGATCTCTGGCTTGAACAAGAG	23086
QY	1861	GAGCAGGCCATACCTGCGCTGAGTCTGTGCACTGGCAGCAGATGCAACAGCAGG	1920	2941	GCCCTGACCTTCCCTCTGAGTTCGGGGCGCGCTTCCGGGACGTGTGTTCAGCTGTGACCTG	3000
DB	24164	GAGCAGGCCATACCTGCGCTGAGTCTGTGCACTGGCAGCAGATGCAACAGCAGG	24105	23085	GCCCTGACCTTCCCTCTGAGTTCGGGGCGCGCTTCCGGGACGTGTGTTCAGCTGTGACCTG	23026</

Db 22965 CGCGGAGGACACGGCCGACCGCCGCTTGGCCCATCTACAGGTCCTGGGCTTCGGG 22906
Qy 3121 CCGGTTTCCAAAGCAAGCGCGGTGGGGAACAGACCGCGTTTCGTTGGGCCCCGGGT 3180
Db 22905 CCGGTTTCCAAAGCAAGCGCGGTGGGGAACAGACCGCGTTTCGTTGGGCCCCGGGT 22846
Qy 3181 GGACGTGACCGGTAGCCCAAGCAGCGCCGACAGCGGTGGGTCTTGGAGCTGAACAGA 3240
Db 22845 GGACGTGACCGGTAGCCCAAGCAGCGCCGACAGCGGTGGGTCTTGGAGCTGAACAGA 22786
Qy 3241 GATAAAGGCCAGCGAGTGGGCTCAGGACAGTGGGCCAGAGAAACACCTGACCGGGGAGG 3300
Db 22785 GATAAAGGCCAGCGAGTGGGCTCAGGACAGTGGGCCAGAGAAACACCTGACCGGGGAGG 22726
Qy 3301 TGCAGTCTCTGGGCTGGAGGGGGGGGCTACTGCCAGACCCGCCAGAAACCCGGGTG 3360
Db 22725 TGCAGTCTCTGGGCTGGAGGGGGGGGCTACTGCCAGACCCGCCAGAAACCCGGGTG 22666
Qy 3361 GCGAGGCTGATCGGTGAGTGGCGGTGGCGGGACCGGCTATGCTGCGGGCTCAGT 3420
Db 22665 GCGAGGCTGATCGGTGAGTGGCGGTGGCGGGACCGGCTATGCTGCGGGCTCAGT 22606
Qy 3421 GTGGGCGGACCGCGGGAATCTTCTTGAAGTGAAGAGTGGTCAGGGTGGGACAGACGA 3480
Db 22605 GTGGGCGGACCGCGGGAATCTTCTTGAAGTGAAGAGTGGTCAGGGTGGGACAGACGA 22546
Qy 3481 GTGGGCGCAAAACCCCGCCAGGAGGGAGCAATGTGGGTGAGCAAAAGTGGGCCCT 3540
Db 22545 GTGGGCGCAAAACCCCGCCAGGAGGGAGCAATGTGGGTGAGCAAAAGTGGGCCCT 22486
Qy 3541 GTGCCAGTGGACCGGGCTAGGGAATGCGGGAGACCTTGTGAGCGGACAGGGTTGAGT 3600
Db 22485 GTGCCAGTGGACCGGGCTAGGGAATGCGGGAGACCTTGTGAGCGGACAGGGTTGAGT 22426
Qy 3601 GGGTGGCGAGGGTGGGCCAAGGCTTCAATGCAAGCCGACAGTTCGTCGCCGCCCC 3660
Db 22425 GGGTGGCGAGGGTGGGCCAAGGCTTCAATGCAAGCCGACAGTTCGTCGCCGCCCC 22366
Qy 3661 AGGGGTGATCTGTCGCGTATGGGCCGCGGCGAGCAGAGCGCTTCTCCGTGTC 3720
Db 22365 AGGGGTGATCTGTCGCGTATGGGCCGCGGCGAGCAGAGCGCTTCTCCGTGTC 22306
Qy 3721 CACCTTGGCAACTTGGGCTGGGCAAGAGTCTGAGAGCAGTGGGTGACCGAGAGGC 3780
Db 22305 CACCTTGGCAACTTGGGCTGGGCAAGAGTCTGAGAGCAGTGGGTGACCGAGAGGC 22246
Qy 3781 CGCTCGCTTGTGCGG-CTTCCGCGACCAAGCGGTGGGTGATGGGAGAGGGCACAA 3839
Db 22245 CGCTCGCTTGTGCGGCTTCCGCCACCAAGCGGTGGGTGATGGGAGAGGGCACAC 22186
Qy 3840 AGCGGAACTGGGAAGCGGGGACGAGAAAGCAACCCCTTACCGCATCTCCCGCC 3899
Db 22185 AGCGGAACTGGGAAGCGGGGACGAGAAAGCAACCCCTTACCGCATCTCCCGCC 22127
Qy 3900 CAGGACGCGCTTTCGCCCCAACCGGCTTGGCAAAAGCGGTGAGCAACGTGATCGCC 3959
Db 22126 CAGGACGCGCTTTCGCCCCAACCGGCTTGGCAAAAGCGGTGAGCAACGTGATCGCC 22067
Qy 3960 TCCCTCACCTGGGCGCGCTTCGAGTACGACGACCCCTGCTTCTCAGGCTGCTGAC 4019
Db 22066 TCCCTCACCTGGGCGCGCTTCGAGTACGACGACCCCTGCTTCTCAGGCTGCTGAC 22007
Qy 4020 CTAGCTCAGAGGACCTGAAGAGGAGTGGGCTTTCGCGAGGTGGGACGAGACA 4079
Db 22006 CTAGCTCAGAGGACCTGAAGAGGAGTGGGCTTTCGCGAGGTGGGACGAGACA 21953
Qy 4080 CCGAGAGTCTCTGACGGGCGAGCTCCTGAGAGGTGCGGGGCTGGACTGGGCGCTCCGA 4139
Db 21952 ---AAGGGTCTTTGACGGGCGAGCTCCTGAGAGTGGCGGGCTGACTGGGCGCTCCGA 21896
Qy 4140 AGGGCAGGATTTGATAGATGGTTTGGAAAGGACATTTCCAGGAGACCCCACTGTGA 4199
Db 21895 AGGGCAGGATTTGATAGATGGTTTGGAAAGGACATTTCCAGGAGACCCCACTGTGA 21836

Qy 4200 AGGGCTGAGGAGGAGGGGACATCTCAGACATGGTCTGGGAGAGGTGTGCCGGTCA 4259
Db 21835 AGGGCTGAGGAGGAGGGGACATCTCAGACATGGTCTGGGAGAGGTGTGCCGGTCA 21776
Qy 4260 GGGGGCACGAGGAGAGGCCCAAGGACTCTGTACCCCGTCCACGTTGGAGATTTGATTTT 4319
Db 21775 GGGGGCACGAGGAGAGGCCCAAGGACTCTGTACCCCGTCCACGTTGGAGATTTGATTTT 21716
Qy 4320 AGGTTTCTCTCTGGGCAAG--GAGAGAGGTGGAGCTGGCACTTTGGGAGGACTTGG 4377
Db 21715 AGGTTTCTCTCTGGGCAAGGAGAGAGGTGGAGCTTGGCACTTTGGGAGGACTTGG 21656
Qy 4378 TGAAGTCACTGTGTAGGACAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 4437
Db 21655 TGAAGTCACTGTGTAGGACAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 21596
Qy 4438 ACTGTTCAGGTGAACGAGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 4497
Db 21595 ACTGTTCAGGTGAACGAGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 21536
Qy 4498 TGTGATCTGTCTCCCGTCTCTGACATCCAGCGCTGGCTGGCAAGGAGGAGGAGGAGG 4557
Db 21535 TGTGATCTGTCTCCCGTCTCTGACATCCAGCGCTGGCTGGCAAGGAGGAGGAGGAGG 21476
Qy 4558 TCCAAAGGCTTCTCTGACCCAGCTGAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAG 4617
Db 21475 TCCAAAGGCTTCTCTGACCCAGCTGAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAG 21416
Qy 4618 ACCAGCCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAG 4677
Db 21415 ACCAGCCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAGCAG 21356
Qy 4678 GAGTGGCTGCGCAGGCTGGGGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 4737
Db 21355 GAGTGGCTGCGCAGGCTGGGGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 21296
Qy 4738 GAGGCTGGGCAAAAGGCTGGAGCAGTGCATCACCGCGGAGCGCATCTGGGCTGACAGG 4797
Db 21295 GAGGCTGGGCAAAAGGCTGGAGCAGTGCATCACCGCGGAGCGCATCTGGGCTGACAGG 21236
Qy 4798 TCGAAGTTGAGGCTCATTTGGGGGCTACCCGCTTCTATCCCTGAGTATCTCTCGGCC 4857
Db 21235 TCGAAGTTGAGGCTCATTTGGGGGCTACCCGCTTCTATCCCTGAGTATCTCTCGGCC 21176
Qy 4858 CTGCTCAGCAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 4917
Db 21175 CTGCTCAGCAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 21116
Qy 4918 TGGGTAACTGTTCTTGGCGGATGGTGACACCTCGACACGCTGGGCTGGGGCTCC 4977
Db 21115 TGGGTAACTGTTCTTGGCGGATGGTGACACCTCGACACGCTGGGCTGGGGCTCC 21056
Qy 4978 TGCTCATGATCTTACCTTGGATGTGACGCTGAGCAGCAGCTGGGGCCCAAGGAGGAGC 5037
Db 21055 TGCTCATGATCTTACCTTGGATGTGACGCTGAGCAGCAGCTGGGGCCCAAGGAGGAGC 20996
Qy 5038 TGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 5097
Db 20995 TGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 20936
Qy 5098 GCACAGGCTGGCCAGGCTCTGTAGGCTTCTTCCACACAGGAGGAGGAGGAGGAGGAGG 5157
Db 20935 GCACAGGCTGGCCAGGCTCTGTAGGCTTCTTCCACACAGGAGGAGGAGGAGGAGGAGG 20876
Qy 5158 GTCCCTGGGCTGACCCATTTGGGAGCGCATGTCTGTCAGTCCGCTGTCCAAACAGGA 5217
Db 20875 GTCCCTGGGCTGACCCATTTGGGAGCGCATGTCTGTCAGTCCGCTGTCCAAACAGGA 20816
Qy 5218 GATCGACGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 5277
Db 20815 GATCGACGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 20756

QY	5278	CTACACCACTGCGGTGATTCACAGGTGCAGCGCTTTGGGACATCATCCCCCTCAGTGT	5337
Db	20755	CTACACCACTGCGGTGATTCACAGGTGCAGCGCTTTGGGACATCATCCCCCTCAGTGT	20696
QY	5338	GACCAATATGACATCCCGTGAATCGAAGTACAGGCTTCCGCATCCCTTAAGGTAGGCT	5397
Db	20695	GACCAATATGACATCCCGTGAATCGAAGTACAGGCTTCCGCATCCCTTAAGGTAGGCT	20636
QY	5398	GGCGCCCTCTCACCCAGCTCAGCACAGACCTGGTGTATAGCCCCAGCATGGCTACTG	5457
Db	20635	GGCGCCCTCTCACCCAGCTCAGCATCAGC-CCCGGTGGTATAGCCCCAGCATGGCTACTG	20577
QY	5458	CCAGGTGGGCCCACTCTAGGAACCTGGCCACTAGTCTCAATGCCACCACTGACTG	5517
Db	20576	CCAGGTGGGCCCACTCTAGGAACCTGGCCACTAGTCTCAATGCCACCACTGACTG	20517
QY	5518	TCCCACTTTGGGTGGGGGTCCAGAGTATAGCAGGCTGGCTGTCCATCCAGAGCCCC	5577
Db	20516	TCCCGCTTGGATGGGGGTCCAGAGTATAGCAGGCTGGCTGTCCATCCAGAGCCCC	20457
QY	5578	CGTCTAGTGGGG-AGACAAACAGGACCTGCCAGAAATGTTGAGAACCCAGCCCTGCAG	5636
Db	20456	CGTCTAGTGGGAAGACAAATCAGGACCTGCCAGAAATGTTGAGAACCCAGCCCTGCAG	20397
QY	5637	GGAGAGGGGGCAGTGTGGGTGCTCTGAGAGGTGTACTGCGCCCTGCTGTGGGGTCGGA	5696
Db	20396	GGAGAGGGGGCAGTGTGGGTGCTCTGAGAGGTGTACTGCGCCCTGCTGTGGGGTCGGA	20337
QY	5697	GAGGCTACTGTGAGAGCTTCTCGGGCGCAGGACTAGTTGACAGAGTCCAGCTGTGTGCCAG	5756
Db	20336	GAGGCTACTGTGAGAGCTTCTCGGGCGCAGGACTAGTTGACAGAGTCCAGCTGTGTGCCAG	20277
QY	5757	GAGTGTGTGTCCTCCGCTGTGTTGGTGGCAGGGTCCAGCATCCTTAGAGTCCAGTCCC	5816
Db	20276	GAGTGTGTGTCCTCCGCTGTGTTGGTGGCAGGGTCCAGCATCCTTAGAGTCCAGTCCC	20217
QY	5817	CACTCTCACCTGACATCTCTCCAGAGGAGACACTATCACCAACTGTTCATCGGTG	5876
Db	20216	CACTCTCACCTGACATCTCTCCAGAGGAGACACTATCACCAACTGTTCATCGGTG	20157
QY	5877	CTGAAGGATGAGCGCTGTGGAGAGCCCTTCCGCTTCCACCCCGAAACACTTCTCGAT	5936
Db	20156	CTGAAGGATGAGCGCTGTGGAGAGCCCTTCCGCTTCCACCCCGAAACACTTCTCGAT	20097
QY	5937	GGCCAGGGCCACTTGTGAGCCGAGGCTTCTCGCTTCTCAGCAGGTGCTGTGGG	5996
Db	20096	GGCCAGGGCCACTTGTGAGCCGAGGCTTCTCGCTTCTCAGCAGGTGCTGTGGG	20037
QY	5997	GAGCCGGCTCCTGTGCCCTTCCGTGGAGTCTTGCAGGGGTATCACCCAGGAGCAGGC	6056
Db	20036	GAGCCGGCTCCTGTGCCCTTCCGTGGAGTCTTGCAGGGGTATCACCCAGGAGCAGGC	19977
QY	6057	TCACTGACGCCCTCCTCCCTCCACAGGCGCGCTGCATGCTCCGGGAGCCCTTGGGCC	6116
Db	19976	TCACTGACGCCCTCCTCCCTCCACAGGCGCGCTGCATGCTCCGGGAGCCCTTGGGCC	19917
QY	6117	GCATGAGCTCTTCTCTTCTCACTCCCTGCTGAGCATTTCAGTCTCCCGTGGCG	6176
Db	19916	GCATGAGCTCTTCTCTTCTCACTCCCTGCTGAGCATTTCAGTCTCCCGTGGCG	19857
QY	6177	CCGACAGCCCGGCCAGCCTCTCGTGTGCTGAGTCTTCTGGTGAACCCCATCCCT	6236
Db	19856	CCGACAGCCCGGCCAGCCTCTCGTGTGCTGAGTCTTCTGGTGAACCCCATCCCT	19797
QY	6237	ACGAGCTTTGTGCTGTGCCCTCCTAGAAATGGGTATCCTAGTCCCGAGCTGTCTCCCTAGC	6296
Db	19796	ACGAGCTTTGTGCTGTGCCCTCCTAGAAATGGGTATCCTAGTCCCGAGCTGTCTCCCTAGC	19737
QY	6297	CAGAGCTCTAATGTACAAATGAAGCAATGTGTGATGTTCCAACTTGGGTCCCTGTCTCAG	6356
Db	19736	CAGAGCTCTAATGTACAAATGAAGCAATGTGTGATGTTCCAACTTGGGTCCCTGTCTCAG	19677
QY	6357	CCCTCGTTGGGATCATCTCTCCTCAGGGCAACCCACCCCTGCTCATCTCTTACCCC	6416

Db	19676	CCCTCGTTGGGATCATCTCTCCTCAGGGCAACCCACCCCTGCTCATCTCTGCTTACCCC	19617
QY	6417	ACCGCTGGCCGCAATTTGAGACGGGTACGTTGAGGCTGAGCAGATGTGAGTACCTTGC	6476
Db	19616	ACCGCTGGCCGCAATTTGAGACGGGTACGTTGAGGCTGAGCAGATGTGAGTACCTTGC	19557
QY	6477	CCATAATCCCATGTCCCCCACTGACCCCACTCTGACTGCCCAGATTTGTTGACAAAGACTA	6536
Db	19556	CCATAATCCCATGTCCCCCACTGACCCCACTCTGACTGCCCAGATTTGTTGACAAAGACTA	19497
QY	6537	CATTGTCTGTCATGTGGGGAAGGGCCAGAAATGGGTGACTAGAGGTGTGAGTACAGCCC	6596
Db	19496	CATTGTCTGTCATGTGGGGAAGGGCCAGAAATGGGTGACTAGAGGTGTGAGTACAGCCC	19437
QY	6597	TGGATGTGGAGAGGCGCAGGACTCAGCTGTGGAGGCCATATTTTACGGCCTTAATCAGC	6656
Db	19436	TGGATGTGGAGAGGCGCAGGACTCAGCTGTGGAGGCCATATTTTACGGCCTTAATCAGC	19377
QY	6657	CCACCCCATCAGGACAGCAGTCTCTGCCAGCACCATCAACAAGTCACCTCCCTTCAT	6716
Db	19376	CCACCCCATCAGGACAGCAGTCTCTGCCAGCACCATCAACAAGTCACCTCCCTTCAT	19317
QY	6717	ATATGACACCCCAAAATGGAAGACAATCATGTGAGGGAGCTATATGTCAGGGGTACCTC	6776
Db	19316	ATATGACACCCCAAAATGGAAGACAATCATGTGAGGGAGCTATATGTCAGGGGTACCTC	19257
QY	6777	CCAGGGTCACTGCGCAGGTGCCAGAACTTCCCTGGGAAGGCCCGAGGAAAACCCAGGA	6836
Db	19256	CCAGGGTCACTGCGCAGGTGCCAGAACTTCCCTGGGAAGGCCCGAGGAAAACCCAGGA	19197
QY	6837	CCGAGCCACCGCCCTCAGCCTGTCACTTGTGTCCAAATTTGGTGGTCTTGGTCTCAC	6896
Db	19196	CCGAGCCACCGCCCTCAGCCTGTCACTTGTGTCCAAATTTGGTGGTCTTGGTCTCAC	19137
QY	6897	TGACTTCAAGAAATGAAGCCGTCGAGCCCTCAAGGTGAGTGTTCACAGTCTTAAAGATGCTG	6956
Db	19136	TGACTTCAAGAAATGAAGCCGTCGAGCCCTCAAGGTGAGTGTTCACAGTCTTAAAGATGCTG	19077
QY	6957	TGTTTCAAGATTTGTTCTTCTGATGTTTAAAGACGTGTTTCAAGATTTCTTCTTCTGGTGGG	7016
Db	19076	TGTTTCAAGATTTGTTCTTCTGATGTTTAAAGACGTGTTTCAAGATTTCTTCTTCTGGTGGG	19017
QY	7017	TGCTGTGCTTGTGCTTCAAGGAGTGAAGCTGCAGACCTTCAAGTGTGTTTACGCT	7076
Db	19016	TGCTGTGCTTGTGCTTCAAGGAGTGAAGCTGCAGACCTTCAAGTGTGTTTACGCT	18957
QY	7077	CTTAAAGCTGCACCTTACGAGTGTTCATTTCTTCTTGTGGGTGTTTGTGCTCTCACTGGCC	7136
Db	18956	CTTAAAGCTGCACCTTACGAGTGTTCATTTCTTCTTGTGGGTGTTTGTGCTCTCACTGGCC	18897
QY	7137	TCAGAGTGAATTCAGTCTTCCAGTGTTCACCTCATTAAGCAGTGTGGACCCAAAT	7196
Db	18896	TCAGAGTGAATTCAGTCTTCCAGTGTTCACCTCATTAAGCAGTGTGGACCCAAAT	18837
QY	7197	GAGGAGCAGCAGCAGCAGTCTTACTGCAACAGCAAAAGAAATGATGGCAACAGGTTG	7256
Db	18836	GAGGAGCAGCAGCAGCAGTCTTACTGCAACAGCAAAAGAAATGATGGCAACAGGTTG	18777
QY	7257	CCGCTGTCTTCTCAGGAGCCTGCTTTTATTTTCCCTTATCTGACCCCAACCACTCTGCTG	7316
Db	18776	CCGCTGTCTTCTCAGGAGCCTGCTTTTATTTTCCCTTATCTGACCCCAACCACTCTGCTG	18717
QY	7317	TGATTTGGCCCAATTTTACAGACAGTGGATGTGCTCACTTACAGAGCTGTGTTGGTCAAT	7376
Db	18716	TGATTTGGCCCAATTTTACAGACAGTGGATGTGCTCACTTACAGAGCTGTGTTGGTCAAT	18657
QY	7377	TACAACTCCCTGAGCTAGACACAGAGTACTGATTTGGTATATTTTAAACCTTTGAGCTAGAC	7436
Db	18656	TACAACTCCCTGAGCTAGACACAGAGTACTGATTTGGTATATTTTAAACCTTTGAGCTAGAC	18597
QY	7437	ACAGAGTCTCAATGGTGTATTTTAACTCCCTTAGCTAGACATAAAGGTTTGTCCAGTCC	7496

Qy	2347	ATCAGAGCCAGGCTGAGAAAGGGGAAAGAGGTTTGGGGGACGTTTCTCGGGGAAAGGACATT	2400
Db	1890	ACCAGAAAGCCAGGCTGAGAAAGGGGAGCAGGTTTGGGGGAC-TTCCTGGAGAAAGGGCATT	1948
Qy	2407	TATACATGGCATGAAGACACTGGATTTTCCAAAGGCCAAGGAGTAGTAGGCAAGGCGCTG	2466
Db	1949	TATACATGGCATGAAGACACTGGATTTTCCAAAGGCCAAGGAGTAGTAGGCAAGGCGCTG	2008
Qy	2467	GAGGTGGAGCTGGACTTGGCAGTGGGCATGCAAGCCCATTTGGGCAACATATGTTATGGAG	2526
Db	2009	GAGGTGGAGCTGGACTTGGCAGTGGGCATGCAAGCCCATTTGGGCAACATATGTTATGGAG	2068
Qy	2527	TACAAAGTCCCTTCCTGCTGACACACAGAAAGAAAGCCCTTGGGAATGGAAGATGAGTTAGT	2586
Db	2069	TACAAAGTCCCTTCCTGCTGACACACAGAAAGAAAGCCCTTGGGAATGGAAGATGAGTTAGT	2128
Qy	2587	CCTCAGTGCCTTTAAATACAGAAATCGAGGATGAAGGGGTGCAGTGACCCCGTTCCAA	2646
Db	2129	CCTCAGTGCCTTTAAATACAGAAATCGAGGATGAAGGGGTGCAGTGACCCCGTTCCAA	2188
Qy	2647	CCTTTTGCACGTGGGTCTCTGGGCTCCTCAGTCTCACCGGCATGGACCATCATCTGGGAA	2706
Db	2189	CCTTTTGCACGTGGGTCTCTGGGCTCCTCAGTCTCACCGGCATGGACCATCATCTGGGAA	2248
Qy	2707	TGGGATGCTTAACCTGGGCTCTCGGCAATTTTGGTGACTCTCTGCAAGGTCAATACCTGGGT	2766
Db	2249	TGGGATGCTTAACCTGGGCTCTCGGCAATTTTGGTGACTCTCTGCAAGGTCAATACCTGGGT	2308
Qy	2767	GACGCATCCAAACTGAGTTCCTCCATCACAGAAAGGTGTGACCCCAACCCCTGCGCCACGA	2826
Db	2309	GACGCATCCAAACTGAGTTCCTCCATCACAGAAAGGTGTGACCCCAACCCCTGCGCCACGA	2368
Qy	2827	TCAGAGGCTGGGTCTCTCTCTCCACCTGTCTCACTCTGCTAGCCCGCGGGGTCTGTCGA	2886
Db	2369	TCAGAGGCTGGGTCTCTCTCTCCACCTGTCTCACTCTGCTAGCCCGCGGGGTCTGTCGA	2428
Qy	2887	AGTPTCAAAATAGGACTAGGACCTGTAGTCTGGGTGATCTCTGCTTGACAAGAGGCCCTG	2946
Db	2429	AGTPTCAAAATAGGACTAGGACCTGTAGTCTGGGGGATCTCTGCTTGACAAGAGGCCCTG	2488
Qy	2947	ACCTCCCTCTGCAGTTTCCGCGCCGCTTTCGGGGACGTGTTCAGCTGACGCTGGGCTGG	3006
Db	2489	ACCTCCCTCTGCAGTTTCCGCGCCGCTTTCGGGGACGTGTTCAGCTGACGCTGGGCTGG	2548
Qy	3007	ACGCCGCTGGTCTGCTCAATGGGCTCGCGCCGCTGCGCAGGCGATGGTGACCCCGCGC	3066
Db	2549	ACGCCGCTGGTCTGCTCAATGGGCTCGCGCCGCTGCGCAGGCGATGGTGACCCCGCGC	2608
Qy	3067	GAGGACACGGCCGACCGCCGCTGCGCCCATCTACAGGTCTCTGGGCTTCGGGCGCGCT	3126
Db	2609	GAGGACACGGCCGACCGCCGCTGCGCCCATCTACAGGTCTCTGGGCTTCGGGCGCGCT	2668
Qy	3127	TCCCAAGGCAGCGCGGTGGGGACAGAGACCGCGTTTCGCTGGGCCCCCGGCTGCACAG	3186
Db	2669	TCCCAAGGCAGCGCGGTGGGGACAGAGACCGCGTTTCGCTGGGCCCCCGGCTGCACAG	2728
Qy	3187	TGACCGTAGCCCAAGCAGCGCCGACAGGGCGTGGGGTCTCTGGGACGTGAAACAGAGATAA	3246
Db	2729	TGACCGTAGCCCAAGCAGCGCCGACAGGGCGTGGGGTCTCTGGGACGTGAAACAGAGATAA	2788
Qy	3247	GGCCAGCGAGTGGGCTGAGGACAGTGGGCCAGGAAACCACTGCACGGGGGAGGTGCGAG	3306
Db	2789	GGCCAGCGAGTGGGCTGAGGACAGTGGGCCAGGAAACCACTGCACGGGGGAGGTGCGAG	2848
Qy	3307	TCTGTGGGCTGGGAGGGGGCGGGCTACTGCGCAGACCCCGCAGAGCCCGGTGGGCGAG	3366
Db	2849	TCTGTGGGCTGGGAGGGGGCG-GGGCTACTGCGCCAGACCCCGCAGAAACCCCGTGGGCGAG	2907
Qy	3367	GCTCATGCTCGAAGTGGCGTGGCGGGGACCGCGCTATGCTGCGGGCTCAGTGTGGGC	3426
Db	2908	GCTCATGCTCGAAGTGGCGTGGCGGGGACCGCGCTATGCTGCGGGCTCAGTGTGGGC	2967
Qy	3427	GGGACGGGCGGGATCTTCTTGTGTAAGAAAGTGGTCAGGGGTGGGACAGACAGAGTGGG	3486

2968	Db	 GGGACGGCGGGGATCTTCTTTAGTGTAAAGGTGGTCAGCGGTGGCAGACAGAGTGCGG
3487	Qy	GCCAAACC CGCC CCA GGCAGGAGGGGAGCAATGTCGGGTGAGCAAAGAGTGGGCCCTGTGSCCC
3028	Db	GCCAAACC CGCC CCA GGCAGGAGGGGAGCAATGTCGGGTGAGCAAAGAGTGGGCCCTGTGCC
3547	Qy	AGCTGGACCGGGGTAGGGACTGCGGGAGACCTTTGTGAGCGCCAGGGTTGGAGTGGGTGG
3088	Db	AGCTGGACCGGGCTTAGGGACTGCGGGAGACCTTTGTGAGCGCCAGGGTTGGAGTGGGTGG
3607	Qy	CGAGGGTGGGGCCAAGGCCCTTCATGGAACGGCCACGTCGTTCGTCCGCCCCCAAGGGGT
3148	Db	CGAGGGT - GGGCCAAGGCCCTTCATGGAACGGCCACGTCGTTCGTCCGCCCCCAAGGGGT
3667	Qy	GATCCTGTGCGCTATTGGGCCCGCTGGCGGAGCAGAGGCGCTTCTCCGTGTCCACCTT
3207	Db	GATCCTGTGCGCTATTGGGCCCGCTGGCGGAGCAGAGGCGCTTCTCCGTGTCCACCTT
3727	Qy	GCACAATTGGGCTTGGGCAAGAAGTCGTGTGAGCAGTGGGTGACCGAGGAGCCGCTG
3267	Db	GCACAATTGGGCTTGGGCAAGAAGTCGTGTGAGCAGTGGGTGACCGAGGAGCCGCTG
3787	Qy	CCTTTGTCCG - CTTCGCCAACAGCGCGTGGTGAATGGGCAGAGGGGCACAAAGCGGG
3327	Db	CCTTTGTGCGCCTTCGCCAACAGCGCGTGGTGAATGGGCAGAGGGGCACACAGCGGG
3846	Qy	AAC TGGGAGGCGGGGAGCGGAGAAGGCACCCCTTACCCGCATCTCCCCACCCCCCAGGA
3387	Db	AAC TGGGAGGCGGGGAGCGGAGAAGGCACCCCTTACCCGCATCT - CCCACCCCCCAGGA
3906	Qy	CGCCCCCTTCGCCCCCAACGGCCTTTTGGACAAAGCCGTGAGCAACGTGATCGCCTCCCTC
3446	Db	CGCCCCCTTCGCCCCCAACGGCTCTTTGGACAAAGCCGTGAGCAACGTGATCGCCTCCCTC
3966	Qy	ACTTGGGGCGCGCTTTCGAGTAACGACCCCTCGCTTCTCAAGGTGCTTGGACCTTAGCT
3506	Db	ACTTGGGGCGCGCTTTCGAGTAACGACCCCTCGCTTCTCAAGGTGCTTGGACCTTAGCT
4026	Qy	CA - GGAGGACTCAAGGAGGAGTCGGGCTTCTCGCGAGGTGCGGAGCGAGAGCCGAG
3566	Db	CAGGAGGAGTCAAGGAGGAGTCGGGCTTCTCGCGAGGTGCGGAGC-----AA
4085	Qy	GAGTCTCTGCAGGGCGAGCTCTCTGAGAGGTGCGGGGCTGGACTGGGGCCCTCGAAGGGC
3617	Db	GGGTCTTTGCAGGCGAGCTCTCTGAGAGGTGCGGGGCTGGACTGGGGCCCTCGAAGGGC
4145	Qy	AGATTTCATAGATGGGTTTGGGAAAGGACATTCAGAGAGACCCCATGTATAAGAGGGC
3677	Db	AGGNTTTGCTAGATGGGTTTGGGAAAGGACATTCAGAGAGACCCCATGTATAAGAGGGC
4205	Qy	CTGAGGAGGAGGGGACATCTCAGACATGTCGTGTGGAGAGGTGTCGCCGGGTGAGGGG
3737	Db	CTGAGGAGGAGGGGACATCTCAGACATGTCGTGTGGAGAGGTGTCGCCGGGTGAGGGG
4265	Qy	CACAGGAGAGGCCAAGGACTCTGTACCCCGCTCCAGTTTGGAGATTTCCATTTTAGTTT
3797	Db	CACAGGAGAGGCCAAGGACTCTGTACCCCGCTCCAGTTTGGAGATTTCCATTTTAGTTT
4325	Qy	TCTCCTCTGGGCAAG - GAGAGAGGTGAGGCTGCACTTGGGAGGGGACTTTGGTGAGG
3857	Db	TCTCCTCTGGGCAAGGAGAGAGAGGGTGGAGGCTGGCACTTGGGGAGGGACTTTGGTGAGG
4383	Qy	TCAGTGTAGGACAGGAGCCCTGGTCTACTCGAGATGGCTGGGGCTGAGACTTG
3917	Db	TCAGTGTGTAGGACAGGAGCCCTGGTCTTCTCGAGATGGCTGGGGCTGAGACTTG
4443	Qy	TCCAGGTGAACGACGAGCACAGGAGGATTTGAGACCCCGTTCTGTCTGGTGTAGGTGCTG
3977	Db	TCCAGATGAACGACGAGCACAGGAGGATTTGAGACCCCGTTCTGTCTGGTGTAGGTGCTG
4503	Qy	AATGCTGTCCCCTCTCTCTGCAATCCAGCGCTGGCTGGCAAGGTCTCTACGCTTCCAA

Db	4037	AATGCTGTCCCGCTCTCCCGCACATCCCAAGCGCTGCTGGCAAGGTCTCTACGCTTCCAA	4099
Qy	4563	AAGGCTTTCTTGACCCAGCTGGATGAGTGTCTAACTGAGCACAGGATGACCTGGGACCCA	4622
Db	4097	AAGGCTTTCTTGACCCAGCTGGATGAGTGTCTAACTGAGCACAGGATGACCTGGGACCCA	4156
Qy	4623	GCCAGAGCACCCCGAGACCTGACTGAGGCGCTTCTTGCCAAAGAAAGGATGAGAGTG	4682
Db	4157	GCCAGAGCACCCCGAGACCTGACTGAGGCGCTTCTTGCCAAAGAAAGGATGAGAGTG	4216
Qy	4683	GCTGCCAGGTGGGGGCAAGGGTGGGTGGATGAACTGCCAGGAGGAATGAGGGGAGGC	4742
Db	4217	GCTGCCAGGTGGGGGCAAGGGTGGGTGGATGAACTGCCAGGAGGAATGAGGGGAGGC	4276
Qy	4743	TGGGCAAAAGTTTGGACAGTGCATCACCCGGGAGCGCATCTGGGCTGCACAGGTGCAG	4802
Db	4277	TGGGCAAAAGTTTGGACAGTGCATCACCCGGGAGCGCATCTGGGCTGCACAGGTGCAG	4336
Qy	4803	AAATTGGAGGTCAATTTGGGGGCTACCCCGTTCTATCCCTCGAGTATCCTCTCGGCCCTGCT	4862
Db	4337	AAATTGGAGGTCAATTTGGGGGCTACCCCGTTCTATCCCTCGAGTATCCTCTCGGCCCTGCT	4396
Qy	4863	CAGGCCAAGGGGAGCCCTGAGAGCAGCTTCAATGATGAGAACTCGCGCATAGTGTGGGT	4922
Db	4397	CAGGCCAAGGGGAGCCCTGAGAGCAGCTTCAATGATGAGAACTCGCGCATAGTGTGGGT	4456
Qy	4923	AACCTGTTCTTTCGCGGATGGTGACACCTCGACACGCTGACCTGGGGGCTCTGCTC	4982
Db	4457	AACCTGTTCTTTCGCGGATGGTGACACCTTGAACACCTTGAACACGCTGGGCTGGGG	4515
Qy	4983	ATGATCTCTACACCTTGGATGTGCAGCGTGAGCCAGCTGGGGGCCCAAGGCAAGGACTGAGG	5042
Db	4516	ATGATCTCTACACCTTGGATGTGCAGCGTGAGCCAGCTGGGGGCCCAAGGCAAGGACTGAGG	4575
Qy	5043	GAGGAAGGTTACAGCTGGGGGCCCTCGGCTTATCTGGGACACCCGGGGCTTCCAGCAC	5102
Db	4576	GAGGAAGGTTACAGCTGGGGGCCCTCGGCTTATCTGGGACACCCGGGGCTTCCAGCAC	4635
Qy	5103	GGCGTGCCAGGCTCTGTAAGCCTAACTTCTTCCACACAGAGGAAGAGAGTGTCCC	5162
Db	4636	GGCGTGCCAGGCTCTGTAAGCCTAACTTCTTCCACACAGAGGAAGAGAGTGTCCC	4695
Qy	5163	CTGGGTGCTGACCCATTTGGGGACGATGTCTGTCCAGTCCGCTGTCCAAACAGGAGATCG	5222
Db	4696	CTGGGTGCTGACCCATTTGGGGACGATGTCTGTCCAGTCCGCTGTCCAAACAGGAGATCG	4755
Qy	5223	ACGACGTGATAGGCAGGTGGGGACACAGAGATGGGTGACAGGCTCAATGCCCTTACA	5282
Db	4756	ACGACGTGATAGGCAGGTGGGGACACAGAGATGGGTGACAGGCTCAATGCCCTTACA	4815
Qy	5283	CCACTGCCGTGATTCACAGGTGCAGCGCTTGGGGACATCATCCCTCGAGTGTGACCC	5342
Db	4816	CCACTGCCGTGATTCACAGGTGCAGCGCTTGGGGACATCATCCCTCGAGTGTGACCC	4875
Qy	5343	ATATGACATCCCGTGACATCGAAGTACAGGCTTTCGCATCCCTTAAGGTAGGCTTGGCGC	5402
Db	4876	ATATGACATCCCGTGACATCGAAGTACAGGCTTTCGCATCCCTTAAGGTAGGCTTGGCGC	4935
Qy	5403	CCTCCTCACCCAGCTCAGCACACGACCTGTGGTATAGCCCCACGATATGGCTACTGGCAGG	5462
Db	4936	CCTCCTCACCCAGCTCAGCACACGACCTGTGGTATAGCCCCACGATATGGCTACTGGCAGG	4995
Qy	5463	TGGGCCCACTCTAGGAACCTGGCCACTAGTCTCAATGCCACCACTGACTGTGTCCCC	5522
Db	4996	TGGGCCCACTCTAGGAACCTGGCCACTAGTCTCAATGCCACCACTGACTGTGTCCCC	5055
Qy	5523	ACTTGGGTGGGGGTCCAGAGTATAGGCAAGGCTTGGCTGTGTCATCCAGAGCCCCGTCT	5582
Db	5056	ACTTGGGTGGGGGTCCAGAGTATAGGCAAGGCTTGGCTGTGTCATCCAGAGCCCCGTCT	5115
Qy	5583	AGTGGGAGACAAACCAAGACCTGCCAGAAATTTGGAGGACCCAGCGCCCTGCAGGGAGAG	5642
Db	5116	AGTGGGAGACAAACCAAGACCTGCCAGAAATTTGGAGGACCCAGCGCCCTGCAGGGAGAG	5175

QY	5643	GGGCGAGTGTGGGGTCCTCTTGAGAGGTGTGACTGCGCCCTCTGTGTGGGGTCGAGAGGGT	5702
DB	5176	GGGCGAGTGTGGGGTCCTCTTGAGAGGTGTGACTGCGCCCTCTGTGTGGGGTCGAGAGGGT	5235
QY	5703	ACTGTGAGCTTTCTCGGGCCGACGACTAGTTGAACAGAGTCCAGCTGTGTGTCGCAGGCAGTG	5762
DB	5236	ACTGTGAGCTTTCTCGGGCCGACGACTAGTTGAACAGAGTCCAGCTGTGTGTCGCAGGCAGTG	5295
QY	5763	TGTGTCCCCTGTGTGTGTGGTCGAGGGTCCCAAGATCCTTAGAGTCCAGTGTGCCACCTCT	5822
DB	5296	TGTGTCCCCTGTGTGTGTGGTCGAGGGTCCCAAGATCCTTAGAGTCCAGTGTGCCACCTCT	5355
QY	5823	CACCCTGCATCTCCTGCCCCAGGGAACGACACTCATCACCAACCTGTCAATCGGTCTGTAAG	5882
DB	5356	CACCCTGCATCTCCTGCCCCAGGGAACGACACTCATCACCAACCTGTCAATCGGTCTGTAAG	5415
QY	5883	GATGAGCGCTCTGGGAGAAGCCCTTCGCTTCGACCCCGAACAACCTTCCTTGGATGCCAG	5942
DB	5416	GATGAGCGCTCTGGGAGAAGCCCTTCGCTTCGACCCCGAACAACCTTCCTTGGATGCCAG	5475
QY	5943	GGCCACTTTGTGAAGCCGGAGGCCCTTCCTGCCCTTTCTCAGCAGGTGCTGTGGGAGCCC	6002
DB	5476	GGCCACTTTGTGAAGCCGGAGGCCCTTCCTGCCCTTTCTCAGCAGGTGCTGTGGGAGCCC	5535
QY	6003	GGCTCCCTGTCCCCCTTCGCTGAGATCTTGACGGGGTATCACCCAGGAGCCAGGCTCACTG	6062
DB	5536	GGCTCCCTGTCCCCCTTCGCTGAGATCTTGACGGGGTATCACCCAGGAGCCAGGCTCACTG	5595
QY	6063	ACGCCCTTCCCCTCCCAACAGGCGCGTGCATGCCTTCGGGGAGCCCTTGGCCCGCANYG	6122
DB	5596	ACGCCCTTCCCCTCCCAACAGGCGCGTGCATGCCTTCGGGGAGCCCTTGGCCCGCANYG	5655
QY	6123	AGCTCTTCTCTTCTTCCACTCCCTGCTGCAGACATTACGCTTCTCGTGGCGCCGCGEAC	6182
DB	5656	AGCTCTTCTCTTCTTCCACTCCCTGCTGCAGACATTACGCTTCTCGTGGCGCCGCGEAC	5715
QY	6183	AGCCCCGGCCACAGCACTCTCGTGTCTGACGCTTTCTGGTGACCCCATCCCCCTACGAGC	6242
DB	5716	AGCCCCGGCCACAGCACTCTCGTGTCTGACGCTTTCTGGTGACCCCATCCCCCTATGAGC	5775
QY	6243	TTTGTGTGTGCCCCGTAGAAATGGGGTACCTAGTCCCAAGCTGTCTCCTAGCCAGAGG	6302
DB	5776	TTTGTGTGTGCCCCGTAGAAATGGGGTACCTAGTCCCAAGCTGTCTCCTAGCCAGAGG	5835
QY	6303	CTCTAATGTACATAAAGCAATGTGTAGTTTCCAACTTGGGTCCCTGTCTCAGCCCTCG	6362
DB	5836	CTCTAATGTACATAAAGCAATGTGTAGTTTCCAACTTGGGTCCCTGTCTCAGCCCTCG	5895
QY	6363	TTGGGATCATCTCCTCCTCAGGGCAACCCACCCCTGCCTCATCTCGTGTACCCCAACCGCC	6422
DB	5896	TTGGGATCATCTCCTCCTCAGGGCAACCCACCCCTGCCTCATCTCGTGTACCCCAACCGCC	5955
QY	6423	TGGCCGCAATTTGAGACGGGTACGTTGAGGCTGAGCAGATGTCAATTACCTTGCCTATAA	6482
DB	5956	TGGCCGCAATTTGAGACGGGTACGTTGAGGCTGAGCAGATGTCAATTACCTTGCCTATAA	6015
QY	6483	TCCCATGTCCCCCACTGACCCAACTCTGCACTGCCAGATTGGTGACAGAGCTACATTGT	6542
DB	6016	TCCAAGTGTCCCCCACTGACCCAACTCTGCACTGCCAGATTGGTGACAGAGCTACATTGT	6075
QY	6543	CCTGGCATGTGGGGAGGGGCCAGAAATGGGCTGACATAGAGGTGTCACTCAGCCCTGTGATG	6602
DB	6076	CCTGGCATGTGGGGAGGGGCCAGAAATGGGCTGACATAGAGGTGTCACTCAGCCCTGTGATG	6135
QY	6603	TGTTGGAGAGGCGAGGACTCAGCCCTGGAGGCCATATTTTCAGGCCCTAACCTCAGCCCAACC	6662
DB	6136	TGTTGGAGAGGCGAGGACTCAGCCCTGGAGGCCATATTTTCAGGCCCTAACCTCAGCCCAACC	6195
QY	6663	CACATCAGGGACAGCAGTCTGCCAGCACCATCACAAAGTCACTCTCCCTCATATATGA	6722
DB	6196	CACATCAGGGACAGCAGTCTGCCAGCACCATCACAAAGTCACTCTCCCTCATATATGA	6255

6723 QY CACCCCAAATGAAGACAAATCATGTGAGGAGCTATATGCGAGGGCTACTCCAGGG 6782
6256 Db CACCCCAAATGAAGACAAATCATGTGAGGAGCTATATGCGAGGGCTACTCCAGGG 6315
6783 QY CTGAGTCGGCAGGTGCGAGAACATCCCTGGGAGGCCCCAGAAAACCCAGACCGAGC 6842
6316 Db CTGAGTCGGCAGGTGCGAGAACATCCCTGGGAGGCCCCAGAAAACCCAGACCGAGC 6375
6843 QY CACCGCCCTCAGCGCTGTACCTTGTGTCAAAATTTGGTGGGTTCTTGGTCTCACTGACTT 6902
6376 Db CACCGCCCTCAGCGCTGTACCTTGTGTCAAAATTTGGTGGGTTCTTGGTCTCACTGACTT 6435
6903 QY CAAGAATGAAGCCGTCGAGACCTCACGGTGAGTGTACAGTCTTTAAAGATGTTGTTCA 6962
6436 Db CAAGAATGAAGCTGTG - ACCTCACGGTGAGTGTACAGTCTTTAAAGATGTTGTTCA 6493
6963 QY GAGTTTGTCTTCTGATGTAAAGCGTGTACAGTCTTCTTCTTCTGTTGGTGGTGGT 7022
6494 Db GAGTTTGTCTTCTGATGTAAAGCGTGTACAGTCTTCTTCTTCTGTTGGTGGTGGT 6553
7023 QY GTCTTGTGCTTCAGAGTGAAGCTGCAGACCTTCACAGTGAGTGTACGGGCTCTTAAG 7082
6554 Db GTCTTGTGCTTCAGAGTGAAGCTGCAGACCTTCACAGTGAGTGTACGGGCTCTTAAG 6613
7083 QY GTGCGACGTACGGAGTTGTTCACTTCTTCTGTTGGTGGTGGTGTCTCACTGGCCTCAGGA 7142
6614 Db GTGCGACATACGGAGTTGTTCACTTCTTCTGTTGGTGGTGGTGTCTCACTGGCCTCAGGA 6673
7143 QY GTGAACTGCGTCTTCCAGTGTTCACACTCATAAAGCAGTGTGAGCCCAATGAGGA 7202
6674 Db GTGAACTGCGTCTTCCAGTGTTCACACTCATAAAGCAGTGTGAGCCCAATGAGGA 6733
7203 QY GCAGCAGCAGCAGACTTACTGCAAAACAGCAAAAGAAATGATGCAACAGGTTGCCGCTG 7262
6734 Db GCAGCAGCAGCAGACTTACTGCAAAACAGCAAAAGAAATGATGCAACAGGTTGCCGCTG 6793
7263 QY CTACTTCAGCAGCCTGCTTTTATTCCTTATCTGACACCCCAACACATCCTGCTGATTG 7322
6794 Db CTACTTCAGCAGCCTGCTTTTATTCCTTATCTGACACCCCAACACATCCTGCTGATTG 6853
7323 QY GCCCATTTTACAGACAGTGTGTTGCTCCACTTACAGAGCTGATTGGTGCAATTTACAAT 7382
6854 Db GCCCATTTTACAGACAGTGTGTTGCTCCACTTACAGAGCTGATTGGTGCAATTTACAAT 6913
7383 QY CCTGTAGCTAGACACAGAGTACTGATTGGTGTATTTTACAAACCTTCAGCTAGACACAGAG 7442
6914 Db CCTGTAGCTAGACACAGAGTACTGATTGGTGTATTTTACAAACCTTCAGCTAGACACAGAG 6973
7443 QY TGCTGAATGGTGTATTTACAATCCCTTAGCTAGACATAAAGGTTGTCCAGTCCCCCACTA 7502
6974 Db TGCTGAATGGTGTATTTACAATCCCTTAGCTAGACATAAAGGTTGTCCAGTCCCCCACTA 7033
7503 QY GATTAGCTAGATAGTAGACAGAGACACTGATTGGTGGTGTTCACAACTTGAAGTTAG 7562
7034 Db GATTAGCTAGATAGTAGACAGAGACACTGATTGGTGGTGTTCACAACTTGAAGTTAG 7093
7563 QY ACACAGGCTGCTACCTGTTGTTTACAACTTGTAGCTAGACACAGAGTGTGATTGCT 7622
7094 Db ACACAGGCTGCTACCTGTTGTTTACAACTTGTAGCTAGACACAGAGTGTGATTGCT 7153
7623 QY GTATTTTACAATCTTTTAGCTAGAAAATAAAGGTTTCCCAAGTCCCAACAGATTAGCTAGA 7682
7154 Db GTATTTTACAATCTTTTAGCTAGAAAATAAAGGTTTCCCAAGTCCCAACAGATTAGCTAGA 7213
7683 QY T--AGAGTGCTAATTTGGTGCATGCAAGAACCCGAGCTAGACACAGAGTGTGATTGGTG 7740
7214 Db TACAGAGTGTAAATTTGGTGCATGCAAGAACCCGAGCTAGACACAGAGTGTGATTGGTG 7273
7741 QY CATATACATCTCTGCTAGACATAAAGTCTTCCAGTCCCCACCTGACTCAGAGCC 7800
7274 Db CATATACATCTCTGCTAGACATAAAGTCTTCCAGTCCCCACCTGACTCAGAGCC 7333
7801 QY CAGCCAGCTTCGCTTAGTGTGATCCTATGCGAGGGCCACAGGCAGAGCTGCTGCTAGTCC 7860

7334 Db CAGCCAGCTTCGCTTAGTGTGATCCTATGCGAGGGCCACAGGCAGAGCTGCTGCTAGTCC 7393
7861 QY CACACCGGCACCTGTACTCTCAGCCCTTGGGAGTGCAGCGGACACAGTGCCTGGAG 7920
7394 Db CACACCGGCACCTGTACTCTCAGCCCTTGGGAGTGCAGCGGACACAGTGCCTGGAG 7453
7921 QY CAGTGGGAGGACCCCATCCGCGAGGCTCGGGGCTCGCAGGGAGCCACCATGAGGAGGCT 7980
7454 Db CAGTGGGAGGACCCCATCCGCGAGGCTTGGGCTCGCAGGGAGCCACCATGAGGAGGCT 7513
7981 QY TGGGANTGCGAGGCTGCAAGTCTGAGCCCTGCTGCCCCCGGGGAGGTGACTGAGGCTTGGC 8040
7514 Db TGGGANTGCGAGGCTGCAAGTCTGAGCCCTGCTGCCCCCGGGGAGGTGACTGAGGCTTGGC 7573
8041 QY GACAATTCAGTGTGTGAGCCCGCAGCGCCAGCAGTACTGGGGACCCCGTGGCCCCCT 8100
7574 Db GACAATTCAGTGTGTGAGCCCGCAGCGCCAGCAGTACTGGGGACCCCGTGGCCCCCT 7633
8101 QY CTGCGAGCTGCTGGCCCGAGGTGCTAAGCCCTCACTGCTTGGGGCCAGAGGCACCGCCG 8160
7634 Db CTGCGAGCTGCTGGCCCGAGGTGCTAAGCCCTCACTGCTTGGGGCCAGAGGCACCGCCG 7693
8161 QY CCGCTCCGAGTGCAGGCCCCGCTGAGCCCTGCCCCCAGAACCTGGTCTGGCCCCGCA 8220
7694 Db CCGCTCCGAGTGCAGGCCCCGCTGAGCCCTGCCCCCAGAACCTGGTCTGGCCCCGCA 7753
8221 QY GCNAACCCAGGTTCCCGCACACGCTCTCCCTCATACCTCCCGCAGCAGCGAGCCG 8280
7754 Db GCNAACCCAGGTTCCCGCACACGCTCTCCCTCATACCTCCCGCAGCAGCGAGCCG 7813
8281 QY GCTCAGAGCTCCACAGTCCAGAGGGGCTCCACAGTGCAGCGCTGGGCTGAA 8335
7814 Db GCTCAGAGCTCCACAGTCCAGAGGGGCTCCACAGTGCAGCGCTGGGCTGAA 7868

RESULT 4
HSCYP2D7A

LOCUS 13278 bp DNA linear PRI 21-OCT-1992
DEFINITION Human CYP2D7A pseudogene for cytochrome P450 2D6.

ACCESSION X58467.1 GI:30336
VERSION CYP2D7A gene; Cytochrome P450; cytochrome P450 2D6; pseudogene.
KEYWORDS Homo sapiens (human)
SOURCE Homo sapiens
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE

1 Heim, M.H. and Meyer, U.A.
Evolution of a highly polymorphic human cytochrome P450 gene
AUTHORS
TITLE
JOURNAL
MEDLINE
PUBMED
REFERENCE 2 (bases 1 to 13278)
Genomics 14 (1), 49-58 (1992)
1358797
Heim, M.H.
Direct Submission
Submitted (25-MAR-1991) M.H. Heim, Dept of Pharmacology, Biocentre
University of Basel, Klingelbergstr 70, 4056 Basel, SWITZERLAND
See X58468, and Am. J. Hum. Genet. 47:994-1001(1990).

FEATURES

Source
1..13278
/organism="Homo sapiens"
/mol_type="genomic DNA"
/db_xref="taxon:9606"
/chromosome="22"
/clone_lib="42"
/dev_stage="adult"
1154..5489
/gene="CYP2D7A"
/pseudo
join(1154..1424,2125..2296,2823..2975,3064..3225,

3651. .3827,4020. .4161,4356. .4542,4998. .5139,5238. .5489)
/gene="CYP2D7AP"
/pseudo
1154. .1424
/gene="CYP2D7AP"
/number=1
/pseudo
join(1242. .1424,2125. .2296,2823. .2975,3064. .3225,
3651. .3827,4020. .4161,4356. .4542,4998. .5139,5238. .5416)
/gene="CYP2D7AP"
/pseudo
/codon_start=1
1425. .2124
/gene="CYP2D7AP"
/number=1
2125. .2296
/gene="CYP2D7AP"
/number=2
/pseudo
2297. .2822
/gene="CYP2D7AP"
/number=2
2823. .2975
/gene="CYP2D7AP"
/number=3
/pseudo
2976. .3063
/gene="CYP2D7AP"
/number=3
3064. .3225
/gene="CYP2D7AP"
/number=4
/pseudo
3226. .3650
/gene="CYP2D7AP"
/number=4
3651. .3827
/gene="CYP2D7AP"
/number=5
/pseudo
3828. .4019
/gene="CYP2D7AP"
/number=5
4020. .4161
/gene="CYP2D7AP"
/number=6
/pseudo
4162. .4355
/gene="CYP2D7AP"
/number=6
4356. .4542
/gene="CYP2D7AP"
/number=7
/pseudo
4543. .4997
/gene="CYP2D7AP"
/number=7
4998. .5139
/gene="CYP2D7AP"
/number=8
/pseudo
5140. .5237
/gene="CYP2D7AP"
/number=8
5238. .5489
/gene="CYP2D7AP"
/number=9
/pseudo
repeat_region
7887. .7908
/note="ACCCCTCCCC repeat"
ORIGIN
Query Match 67.2%; Score 6908; DB 9; Length 13278;

Best Local Similarity 99.0%; Pred. No. 0;
Matches 7089; Conservative 0; Mismatches 45; Indels 24; Gaps 13;
QY 1185 TGGGATCCATGTGACAGCTTTGAGGCTCACCGGAGAGAGCCCTCTGGACAGAGAGGTCCC 1244
DB 349 TAGGATCCACGTGACAGCTTTGAGGCTCACCGGAGAGAGCCCTCTGGACAGAGAGGTCCC 408
QY 1245 ATCCAGGAAACCTCGGCGATCGCTGGGAAGTGGGGTACTTGGTCCCGGCTCTGTATGTGT 1304
DB 409 ATCCAGGAAACCTTTGGGCGATCGCTGGGAAGTGGGGTACTTGGTCCCGGCTCTGTATGTGT 468
QY 1305 GTGTGACTGTGTGTGAGAGAGAATGTGTGCCCTGAGTGTCAAGTGTGAGTGTCTGTAT 1364
DB 469 GTGTGACTGTGTGTGAGAGAGAGATGTGTGCCCTGAGTGTCAAGTGTGAGTGTCTGTAT 528
QY 1365 GTGTGAATATTGTCTTTGTGTGGGTGATTTTCTGCANTGTAAATCGTTCCTGCAAGTG 1424
DB 529 GTGTGAATATTGTCTTTGTGTGGGTGATTTTCTGCANTGTAAATCGTTCCTGCAAGTG 588
QY 1425 TGAACAAGTGGACAAGTGTCTGGGAGTGGACAAGAGATCTGTGCACCATCAGGTGTGTC 1484
DB 589 TGAACAAGTGGACAAGTGTCTGGGAGTGGACAAGAGATCTGTGCACCATCAGGTGTGTC 648
QY 1485 ATAGCGTCTGTGCATGTCAAGAGTCAAGGTGAAGTGAAGGACCCAGGCCCATGTGCCA 1544
DB 649 ATAGCGTCTGTGCATGTCAAGAGTCAAGGTGAAGTGAAGGACCCAGGCCCATGTGCCA 708
QY 1545 CTCATCATCAGAGCTCTAAGGCCCCAGGTAAAGTGCAGTGCACAGATAAAGGTGTCTAAG 1604
DB 709 CTCATCATCAGAGCTCTAAGGCCCCAGGTAAAGTGCAGTGCACAGATAAAGGTGTCTAAG 768
QY 1605 GTCACTCTGGAGTGGGAGGTGGGGTAGGAAAGGGCAAGGTGATTTCTGGAGGAGGG 1664
DB 769 GTCACTCTGGAGTGGGAGGTGGGGTAGGAAAGGGCAAGGTGATTTCTGGAGGAGGG 828
QY 1665 GTTGTGACTACATTTAGGGTGTATGAGCCTAGTGTGGAGGTGGATGGCCGGTCCACTGAG 1724
DB 829 GTTGTGACTACATTTAGGGTGTATGAGCCTAGTGTGGAGGTGGATGGCCGGTCCACTGAG 888
QY 1725 ACCCTGGTTATCCAGAGAGCCTGTGTGGGCTTTGGGAGCTTTGGAGTGGGAGAGGGGTG 1784
DB 889 ACCCTGGTTATCCAGAGAGCCTGTGTGGGCTTTGGGAGCTTTGGAGTGGGAGAGGGGTG 948
QY 1785 ACTTCTCCGACAGGCTTTTCTACACCTTACCTGGTGGTAAAGGCTCTGGAGCAGAGCA 1844
DB 949 ACTTCTCCGACAGGCTTTTCTACACCTTACCTGGTGGTAAAGGCTCTGGAGCAGAGCA 1008
QY 1845 GCGCAAGGAGCTCTGGAGCAGGCCATACCTGGCCCTGGCTGACTCTGCCACTGGCAGCA 1904
DB 1009 GCGCAAGGAGCTCTGGAGCAGGCCATACCTGGCCCTGACTCTGCCACTGGCAGCA 1068
QY 1905 CAGTCAACACAGCAGGTTTCACTCAAGCAGAGGGGAAAGGCCATCATCAGTCCCTTTAT 1964
DB 1069 CAGTCAACACAGCAGGTTTCACTCAAGCAGAGGGGAAAGGCCATCATCAGTCCCTTTAT 1128
QY 1965 AAGGGAAGGTTCAAGCGCTCGGTGTGCGAGAGTGTCTGCTGCTGCTCTGTGCTGCT 2024
DB 1129 AAGGGAAGGTTCAAGCGCTCGGTGTGCGAGAGTGTCTGCTGCTGCTCTGTGCTGCT 1188
QY 2025 GGGGTGGGGTGGCCAGGTGTGTCCAGAGAGGCCATTTGGTAGTGAGGAGCAGCATGGGGC 2084
DB 1189 GGGGTGGGGTGGCCAGGTGTGTCCAGAGAGGCCATTTGGTAGTGAGGAGCAGCATGGGGC 1248
QY 2085 TAGAAGCACTGGTGCCTCGCCCATGATAGTGGCCATCTTCTGCTCTGTGTGAGACCTGA 2144
DB 1249 TAGAAGCACTGGTGCCTCGCCCATGATAGTGGCCATCTTCTGCTCTGTGTGAGACCTGA 1308
QY 2145 TGCACCGGCACCAAGCTGGGCTGCACCGCTACCGCCAGGTCCCTTGCACCTGCCCGGGC 2204
DB 1309 TGCACCGGCACCAAGCTGGGCTGCACCGCTACCGCCAGGTCCCTTGCACCTGCCCGGGC 1368
QY 2205 TGGGCAACCTTGTGCTGATGTGAGTTCAGAAACACACCATATCTGTTCTGCACAGGTGAGG 2264

Db 1369 TGGGCAACCTTGCTGATGTGGACTTCCAGAAACACACCATATAGTCTTCGACCAAGGTGAGG 1428
QY 2265 GAGGAGGTCTCTGAGGGCGGACAGAGTCTCTGAGGATGCCCAACACAGCAACATATGGT 2324
Db 1429 GAGGAGGTCTCTGAGGGCGGACAGAGTCTCTGAGGATGCCCAACACAGCAACATATGGT 1488
QY 2325 GGTGGGTAAACACACAGGCTGGATCAGAGCCAGGCTGAGAGGGGAAGAGGTTTGGGG 2384
Db 1489 GGTGGGTAAACACACAGGCTGGATCAGAGCCAGGCTGAGAGGGGAAGAGGTTTGGGG 1548
QY 2385 GAGCTTCTGGGGAAGACATTTATACATGGCATGAAGACTGGAATTTTCCAAAGGCCAA 2444
Db 1549 GACG-TCTTGGGGAAGACATTTATACATGGCATGAAGACTGGAATTTTCCAAAGGCCAA 1607
QY 2445 GGAAGAGTAGGGCAAGGGCTTGAGGTGGAGCTTGGCAAGTGGGATGCAAGCCCA 2504
Db 1608 GGAAGAGTAGGGCAAGGGCTTGAGGTGGAGCTTGGCAAGTGGGATGCAAGCCCA 1667
QY 2505 TTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGTGTGACACACAGAGGAAGAGGCT 2564
Db 1668 TTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGTGTGACACACAGAGGAAGAGGCT 1727
QY 2565 TGGGAATGGAGATGATAGTCTCTGAGTGGCGGTTTAAATCAGAAATCGAGATCAAG 2624
Db 1728 TGGGAATGGAGATGATAGTCTCTGAGTGGCGGTTTAAATCAGAAATCGAGATCAAG 1787
QY 2625 GGTGTGAGTACCCGGTTCAAACCTTTTGACATGTGGTCTCTGGGCTTCACTGTCAAC 2684
Db 1788 GGTGTGAGTACCCGGTTCAAACCTTTTGACATGTGGTCTCTGGGCTTCACTGTCAAC 1847
QY 2685 GGCATGGACCATCATCTGGGAATGGGATGGATCTAACTGGGGCTCTCGGCCAATTTTGGTGAC 2744
Db 1848 GGCATGGACCATCATCTGGGAATGGGATGGATCTAACTGGGGCTCTCGGCCAATTTTGGTGAC 1907
QY 2745 TCTTGAAGGTATACCTGGGTGACCGCATCAAACTGAGTTCTTCCATCAGAGAGGTGT 2804
Db 1908 TCTTGAAGGTATACCTGGGTGACCGCATCAAACTGAGTTCTTCCATCAGAGAGGTGT 1967
QY 2805 GACCCACACCTGCCCCAGATCAGAGGCTGGGTCTCTCTCTCCACTGCTCACTCC 2864
Db 1968 GACCCACACCTGCCCCAGATCAGAGGCTGGGTCTCTCTCTCCACTGCTCACTCC 2027
QY 2865 TGGTAGCCCCGGGGTCTGTCAGAGTTCAAAATAGGACTAGGACTGTAGTCTGGGGTGAT 2924
Db 2028 TGGTAGCCCCGGGGTCTGTCAGAGTTCAAAATAGGACTAGGACTGTAGTCTGGGGTGAT 2087
QY 2925 CTTGGCTTGACAGAGCCCTGACCTCTCTGAGTTTGGCGCGCGCTTGGGAGCGT 2984
Db 2088 CTTGGCTTGACAGAGCCCTGACCTCTCTGAGTTTGGCGCGCGCTTGGGAGCGT 2147
QY 2985 GTTCAGCTGCACTGGGCTGGAGCGCGGTGGTCTCAATGGGCTGGCGCGGTGG 3044
Db 2148 GTTCAGCTGCACTGGGCTGGAGCGCGGTGGTCTCAATGGGCTGGCGCGGTGG 2207
QY 3045 CGAGGCGATGGTGACCCGGCGGAGGACACGGCCGACCGCCGCTTGGCGCCATCTACCA 3104
Db 2208 CGAGGCGATGGTGACCCGGCGGAGGACACGGCCGACCGCCGCTTGGCGCCATCTACCA 2267
QY 3105 GGTCTTGGGCTTGGGCGCGGTTCCAAAGCAAGCGGCTGGGGGACAGACCGCGTT 3164
Db 2268 GGTCTTGGGCTTGGGCGCGGTTCCAAAGCAAGCGGCTGGGGGACAGACCGCGTT 2327
QY 3165 TCCGTGGGCGCGGTGGAGTACCGTAGCCCAAGCAGCGCGGAGGGGTGGGTC 3224
Db 2328 TCCGTGGGCGCGGTGGAGTACCGTAGCCCAAGCAGCGCGGAGGGGTGGGTC 2387
QY 3225 CTGGAAGTGAACAGAGATTAAGGCCAGAGTGGGTGAGGACAGTGGGCCAGGAAAC 3284
Db 2388 CTGGAAGTGAACAGAGATTAAGGCCAGAGTGGGTGAGGACAGTGGGCCAGGAAAC 2447
QY 3285 ACCTGACCGGGAGGTGCGAGTCTGTGGGCTGGGAGGGGCGGCTACTGCCCCAGACC 3344
Db 2448 ACCTGACCGGGAGGTGCGAGTCTGTGGGCTGGGAGGGGCGG-GGGCTACTGCCACAGACC 2506

QY 3345 CGCCAGAAAGCCCGGTGGGCGAGGCTGATCGTCTGAAGTGGCGGTGGCGGGACCGCGCT 3404
Db 2507 CGCCAGAAAGCCCGGTGGGCGAGGCTGATCGTCTGAAGTGGCGGTGGCGGGAC-CGCGCT 2565
QY 3405 ATGCTGCGGGCTCAGTGTGGGCGGACCGGCGGGATCTTCTTGTAGTGAAGAGGTGGTCA 3464
Db 2566 ATGCTGCGGGCTCAGTGTGGGCGGACCGGCGGGATCTTCTTGTAGTGAAGAGGTGGTCA 2625
QY 3465 GGTGGGCGAGAGACGAGGTGGGGCCAAACCCCGCCCGAGGAGGAGCAATGTGGGTGA 3524
Db 2626 GGTGGGCGAGAGACGAGGTGGGGCCAAACCCCGCCCGAGGAGGAGCAATGTGGGTGA 2685
QY 3525 GCAAGAGTGGGCTCTGTGCCAGTGGACCGGGCTAGGGACTGCGGGAGACTTGTGGA 3584
Db 2686 GCAAGAGTGGGCTCTGTGCCAGTGGACCGGGCTAGGGACTGCGGGAGACTTGTGGA 2745
QY 3585 GGCACAGGTGTGAGTGGGTGGGAGGTTGGGGCCAAAGCCCTTCAATGCAACGCCACG 3644
Db 2746 GGCACAGGTGTGAGTGGGTGGGAGGTTGGGGCCAAAGCCCTTCAATGCAACGCCACG 2804
QY 3645 TGTTCGTCCCGCCCGAGGGGTGATCTGTGCGCTTATGGGCCCGGCTGCGCGAGCAGA 3704
Db 2805 TGTTCGTCCCGCCCGAGGGGTGATCTGTGCGCTTATGGGCCCGGCTGCGCGAGCAGA 2864
QY 3705 GGCCTTCTTCGTGTCCACTTTCGCAACTTTCGGGCTGCGGCAAGAGTCCGCTGGAGCAGT 3764
Db 2865 GGCCTTCTTCGTGTCCACTTTCGCAACTTTCGGGCTGCGGCAAGAGTCCGCTGGAGCAGT 2924
QY 3765 GGTGACCGAGAGGCGGCTGCTTGTGGCG-CTTTCGCGCAAGCGGCTGGGTGAT 3823
Db 2925 GGTGACCGAGAGGCGGCTGCTTGTGGCGCTTTCGCGCAAGCGGCTGGGTGAT 2984
QY 3824 GGGCAGAGGGCACAAAGCGGGAATGGGAAGCGGGGACGAGAGCAACCCCTTAC 3883
Db 2985 GGGCAGAGGGCACACAGCGGGAATGGGAAGCGGGGACGAGAGCAACCCCTTAC 3944
QY 3884 CGGCATCTCCCCACCCAGGACGCGCTTTCGCGCCCAACGCGCTCTTGGACAAGAGCCGT 3943
Db 3045 CGGCATCT-CCCCACCCAGAGAGCGCTTTCGCGCCCAACGCTCTTTCGACAAGAGCCGT 3103
QY 3944 GAGCAACGTGATCGCTCCCTCAGTGGGCGCGCTTCGAGTACGACGACCTCGCTT 4003
Db 3104 GAGCAACGTGATCGCTCCCTCAGTGGGCGCGCTTCGAGTACGACGACCTCGCTT 3163
QY 4004 CTTGAGGCTGCTGGACCTAGCTCA-GGAGGACTGAGAGGAGTTCGGGCTTCTCGCG 4062
Db 3164 CTTGAGGCTGCTGGACCTAGCTCAGGAGGAGTTCGAGAGGAGTTCGGGCTTCTCGCG 3223
QY 4063 AGGTGCGAGCGAGAGACCGAGGAGTCTCTGAGGCGGAGCTCTGAGAGTCCCGGGC 4122
Db 3224 AGGTGCGAGC-----AGGGTCTTTCGAGGCGGAGCTCTGAGAGTCCCGGGC 3274
QY 4123 TGGACTGGGCTCTCCGAGGCGAGATTTGATAGATGGTTTGGAAAGGACATTCAG 4182
Db 3275 TGGACTGGGCTCTCCGAGGCGAGATTTGCGTAGATGGTTTGGAAAGGACATTCAG 3334
QY 4183 GAGACCCCACTGTAGAGAGGCTGGAGAGAGGGGACATCTCAGACATGTTCTGGGA 4242
Db 3335 GAGACCCCACTGTAGAGAGGCTGGAGAGAGGGGACATCTCAGACATGTTCTGGGA 3394
QY 4243 GAGGTGTGCCGGGTGAGGGGACCCAGAGAGGCGCAAGGACTCTGTACCCCGTCCACG 4302
Db 3395 GAGGTGTGCCGGGTGAGGGGACCCAGAGAGGCGCAAGGACTCTGTACCCCGTCCACG 3454
QY 4303 TTGGAGATTTGATTTAGTTTCTCTCTGGGCAAG--GAGAGGGGTGGAGGTGGCA 4360
Db 3455 TTGGAGATTTGATTTAGTTTCTCTCTGGGCAAGGAGAGAGGGGTGGAGGTGGCA 3514
QY 4361 CTTGGGAGGAGCTTGTGAGGTGAGTGAAGGACAGGCGGCTTGGGTCTACCTGGA 4420
Db 3515 CTTGGGAGGAGCTTGTGAGGTGAGTGAAGGACAGGCGGCTTGGGTCTTCTGGA 3574

QY 4421 GATGGCTGGGGCTGAGACTTGTCCAGGTGAACGACAGACAGAGAGGATTGAGACCC 4480
DB 3575 GATGGCTGGGGCTGAGACTTGTCCAGATGAACGACAGACAGAGAGGATTGAGACCCG 3634
QY 4481 GTTCTGTCTGGTGTAGTGTCTGAATGCTGTCTCCCGTCTCTCTGTCATCTCCAGCGCTGGC 4540
DB 3635 GTTCTGTCTGGTGTAGTGTCTGAATGCTGTCTCCCGTCTCTCCGTCATCTCCAGCGCTGGC 3694
QY 4541 TGGCAAGTCTCTACGCTTCCAAAGGCTTCTCTGACCCAGCTGGATGAGCTCTAACTGA 4600
DB 3695 TGGCAAGTCTCTACGCTTCCAAAGGCTTCTCTGACCCAGCTGGATGAGCTCTAACTGA 3754
QY 4601 GCACAGGATGACTGGGACCCAGCCAGCCAGCCAGCCAGCCAGCTGAGGCTTCTCTGSC 4660
DB 3755 GCACAGGATGACTGGGACCCAGCCAGCCAGCCAGCCAGCTGAGGCTTCTCTGSC 3814
QY 4661 AAAGAAGGAGAGGTGAGTGGCTGCCACGCTGGGGGCAAGGGTGGTGGTGAACGT 4720
DB 3815 AAAGAAGGAGAGGTGAGTGGCTGCCACGCTGGGGGCAAGGGTGGTGGTGAACGT 3874
QY 4721 CCCAGGAGAAAGAGGGGCTGGGCAAAAGGTTGGACCACTGATCAACCCGGCGAGCC 4780
DB 3875 CCCAGGAGAAAGAGGGGCTGGGCAAAAGGTTGGACCACTGATCAACCCGGCGAGCC 3934
QY 4781 GCATCTGGGCTGACAGGTGCAAAATGGAGGTCAATTTGGGGGCTACCCCGTTCTATCC 4840
DB 3935 GCATCTGGGCTGACAGGTGCAAAATGGAGGTCAATTTGGGGGCTACCCCGTTCTATCC 3994
QY 4841 TGAGTATCTCTCGGCCCTGCTCAGGCCAAGGGAGGCCCTGAGACGAGCTTCAATGATGA 4900
DB 3995 TGAGTATCTCTCGGCCCTGCTCAGGCCAAGGGAGGCCCTGAGACGAGCTTCAATGATGA 4054
QY 4901 GAACCTGGCATAAGTGGGTAACTGTTCTTCGCGGGATGGTGAACACCTCGACAC 4960
DB 4055 GAACCTGGCATAAGTGGGTAACTGTTCTTCGCGGGATGGTGAACACCTCGACAC 4114
QY 4961 GCTGGCTGGGGCTCTCTCATATCATCTACCTGATGTCAGCGTGGAGCCAGCTG 5020
DB 4115 GCTGGCTGGGGCTCTCTCATATCATCTACCTGATGTCAGCGTGGAGCCAGCTG 4174
QY 5021 GGGCCCAAGGCAAGGACTGAGGGAGGAGGGTACAGCTGGGGGCCCTGGGCTTAGCTGG 5080
DB 4175 GGGCCCAAGGCAAGGACTGAGGGAGGAGGGTACAGCTGGGGGCCCTGGGCTTAGCTGG 4234
QY 5081 GACACCGGGGCTTCAGACAGGGGTGGCGAGGCTCTCTGTAAGCCTTAATCTCTCCAC 5140
DB 4235 GACACCGGGGCTTCAGACAGGGGTGGCGAGGCTCTCTGTAAGCCTTAATCTCTCCAC 4294
QY 5141 ACAGAGGAGGAGAGTGTCCCTGGGTGCTGACCCATTTGTGGGAGCGATGCTGTCCA 5200
DB 4295 ACAGAGGAGGAGAGTGTCCCTGGGTGCTGACCCATTTGTGGGAGCGATGCTGTCCA 4354
QY 5201 GTCCGTGTCAAACAGGAGATCGACAGCTGATAGGGCAGGTGCGGCGACACAGAGATGGGT 5260
DB 4355 GTCCGTGTCAAACAGGAGATCGACAGCTGATAGGGCAGGTGCGGCGACACAGAGATGGGT 4414
QY 5261 GACAGGCTCAATGCCCTTACACACTGCGCTGATTCAGAGGTGCGAGGCTTTGGGAC 5320
DB 4415 GACAGGCTCAATGCCCTTACACACTGCGCTGATTCAGAGGTGCGAGGCTTTGGGAC 4474
QY 5321 ATCATCCCCCTGAGTGTGACCATATGATACCTCGTGATCATCGAAGTACAGGGCTTCCGC 5380
DB 4475 -TCGTCCCCCTGGGTGTGACCATATGATACCTCGTGATCATCGAAGTACAGGGCTTCCGC 4533
QY 5381 ATCCCTTAAGGTAGGCTTGGGCGCTCTCACCCAGCTCAGCACACAGCAGCTGGGTATAG 5440
DB 4534 ATCCCTTAAGGTAGGCTTGGGCGCTCTCACCCAGCTCAGCACACAGCAGCTGGGTATAG 4593
QY 5441 CCCAGCATGGTACTGCGAGGTGGGCGCACTCTAGGAAACCTGAGGCACTAGTCTCAA 5500
DB 4594 CCCAGCATGGTACTGCGAGGTGGGCGCACTCTAGGAAACCTGAGGCACTAGTCTCAA 4653
QY 5501 TGCCACCACTGATGTCTCCCACTTTGGTGGGGGCTCCAGAGTATAGGACGGCTGGCC 5560

DB 4654 TGCCACCACTGATGTCTCCCACTTTGGTGGGGGTCCAGATATAGGACGGCTGGCC 4713
QY 5561 TGTCCATCCAGAGCCCCGTCTAGTGGG - AGACAAACAGAGACTGCGCAGAAATTTGA 5619
DB 4714 TGTCCATCCAGAGCCCCGTCTAGTGGGAAAGACAAACAGAGACTGCGCAGAAATTTGA 4773
QY 5620 GGACCCAGGGCTGACAGGAGAGGGGCGAGTGTGGGTGCTCTGAGAGGTGATGTCGC 5679
DB 4774 GGACCCAGGGCTGACAGGAGAGGGGCGAGTGTGGGTGCTCTGAGAGGTGATGTCGC 4833
QY 5680 CCTGTGTGGGTGCGAGAGAGGTACTGTGAGCTTCTCGGGCGCAGGACTAGTTACAGA 5739
DB 4834 CCTGTGTGGGTGCGAGAGAGGTACTGTGAGCTTCTCGGGCGCAGGACTAGTTACAGA 4893
QY 5740 GTCCAGCTGTGTGCGCAGGAGTGTGTCTCCCGTGTGTTGGTGGCAGGGTCCAGCA 5799
DB 4894 GTCCAGCTGTGTGCGCAGGAGTGTGTCTCCCGTGTGTTGGTGGCAGGGTCCAGCA 4953
QY 5800 TCCTAGAGTCCAGTCCCGCAGCTCTCACCTGATCTCTGCCAGGAAACGACACTCATCA 5859
DB 4954 TCCTAGAGTCCAGTCCCGCAGCTCTCACCTGATCTCTGCCAGGAAACGACACTCATCA 5013
QY 5860 CCAACTGTCTCATCGTGTCTGAAGGATGAGGCGCTCTGGGAGAGGCCCTTCGCTTCCACC 5919
DB 5014 CCAACTGTCTCATCGTGTCTGAAGATGAGGCGCTCTGAAAGAGGCCCTTCGCTTCCACC 5073
QY 5920 CGAAACTTCTCTGGATGCCAGGCGCACTTTGTGAAGCCGAGGCCCTTCGCTTCTCT 5979
DB 5074 CGAAACTTCTCTGGATGCCAGGCGCACTTTGTGAAGCCGAGGCCCTTCGCTTCTCT 5133
QY 5980 CAGCAGTGTCTGTGGGAGCCCGGCTCTCTGTCCTTCCGTSAGTCTTGCAGGGTA 6039
DB 5134 CAGCAGTGTCTGTGGGAGCCCGGCTCTCTGTCCTTCCGTSAGTCTTGCAGGGTA 5193
QY 6040 TCACCCAGGAGCAGGCTCACTGACGCGCTCTCCCTCCCAAGCCGCGTGCATGCT 6099
DB 5194 TCACCCAGGAGCAGGCTCACTGACGCGCTCTCCCTCCCAAGCCGCGTGCATGCT 5253
QY 6100 CGGGAGCCCTGGCGCGCATGGAGCTTCTCTTCTTCACTCTCTGCTGTCAGCACTT 6159
DB 5254 CGGGAGCCCTGGCGCGCATGGAGCTTCTCTTCTTCACTCTCTGCTGTCAGCACTT 5313
QY 6160 CAGCTTCTCTGGCGCGCAGCAGCCCGCGCAGCCACTCTGCTGCTGCTGCTTCT 6219
DB 5314 CAGCTTCTCTGGCGCGCAGCAGCCCGCGCAGCCACTCTGCTGCTGCTGCTTCT 5373
QY 6220 GGTGACCCCATCTCCCTACGAGCTTTGTGCTGTGCTGCTGCTGCTGCTGCTGCTGCT 6279
DB 5374 GGTGACCCCATCTCCCTACGAGCTTTGTGCTGTGCTGCTGCTGCTGCTGCTGCTGCT 5433
QY 6280 CCAGCTGCTCTCTAGCAGAGGCTCTAATGTACAATAAGCAATGTGGTGTCTCAACT 6339
DB 5434 CCAGCTGCTCTCTAGCAGAGGCTCTAATGTACAATAAGCAATGTGGTGTCTCAACT 5493
QY 6340 TGGTCCCTCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6399
DB 5494 CGGGTCCCTCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 5553
QY 6400 TCATTCTCTGCTTACCCCAAGCCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6459
DB 5554 TCATTCTCTGCTTACCCCAAGCCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 5613
QY 6460 ATGTGAGTACCTTTGGCCATAATCCCACTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6519
DB 5614 ATGTGAGTACCTTTGGCCATAATCCCACTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 5673
QY 6520 ATGTGAGTACCTTTGGCCATAATCCCACTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6579
DB 5674 ATGTGAGTACCTTTGGCCATAATCCCACTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 5733
QY 6580 GAGTGTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6639

5734 GAGGTGTCTAGTCCCTGGATGTGGTGGAGAGGGCAGGACTCAGCCTGAGAGCCCATAT 5793
6640 TTCAAGCTAACTCAGCCCAACATCAGGACAGCAGTCTCTGCGAGCACCATCACAA 6699
5794 TTCAAGCTAACTCAGCCCAACATCAGGACAGCAGTCTCTGCGAGCACCATCACAA 5853
6700 CAGTCACTCCCTTATATATATGACACCCCAAAATGGAAGACAAATCATGTGAGGAGCTA 6759
5854 CAGTCACTCCCTTATATATATGACACCCCAAAATGGAAGACAAATCATGTGAGGAGCTA 5913
6760 TATGCCAGGCTACCTCCAGGCTCAGTCGGCAGGTGCCAGAACATTCCTCGGAGGC 6819
5914 TATGCCAGGCTACCTCCAGGCTCAGTCGGCAGGTGCCAGAACATTCCTCGGAGGC 5973
6820 CCCAGGAAACCCAGGACCGAGCCCTCAGCCTGTGCTGTTGTGTCACAAATTTG 6879
5974 CCCAGGAAACCCAGGACCGAGCCCTCAGCCTGTGCTGTTGTGTCACAAATTTG 6033
6880 TGGGTTCTTGGTCTCTGACTCAAGATGAAGCCGTGGACCTCAGCGTGAAGTTAC 6939
6034 TGGGTTCTTGGTCTCTGACTCAAGATGAAGCTGTGGACCTCAGCGTGAAGTTAC 6093
6940 AGTTCTTAAAGATGTTGTTCAAGTGTGTTCTCTGATGTTAAGCGTGTTCAGAGT 6999
6094 AGTTCTTAAAGATGTTGTTCAAGTGTGTTCTCTGATGTTAAGCGTGTTCAGAGT 6153
7000 TTCTTCTCTTGGTGGTGGTCTGCTGCTTGGCTTCAAGAGTGAAGCTGCAGACCTTCA 7059
6154 TTCTTCTCTTGGTGGTGGTCTGCTGCTTGGCTTCAAGAGTGAAGCTGCAGACCTTCA 6213
7060 CAGTGAAGTTACGGCTTTAAGGCTGCAGTACGAGTGTGTTCAATCTTCTGTTGGGT 7119
6214 CAGTGAAGTTACGGCTTTAAGGCTGCAGTACGAGTGTGTTCAATCTTCTGTTGGGT 6273
7120 TTGTGTTCTCAGTGGCTCAGGAGTGAAGCTGCTTCCAGTGTCAACTCATAA 7179
6274 TTGTGTTCTCAGTGGCTCAGGAGTGAAGCTGCTTCCAGTGTCAACTCATAA 6333
7180 GGCAGTGTGACCCCAATAGGAGGAGCAGCAGCAGACCTTACTGCAACAGCAAGAA 7239
6334 GGCAGTGTGACCCCAATAGGAGGAGCAGCAGCAGACCTTACTGCAACAGCAAGAA 6393
7240 TGATGCAACACGAGTTGCCGCTGCTACTTCCAGCAGCCTGCTTTTATTCCTTATCTGAC 7299
6394 TGATGCAACACGAGTTGCCGCTGCTACTTCCAGCAGCCTGCTTTTATTCCTTATCTGAC 6453
7300 CCCACCCACATCTCTGCTGATTTGGCCCATTTTACAGACAGTGAATTTGGTCCACTTACAG 7359
6454 CCCACCCACATCTCTGCTGATTTGGCCCATTTTACAGACAGTGAATTTGGTCCACTTACAG 6513
7360 GAGCTGATTTGCTGATTTACAAATCCCTGAGCTAGACACAGAGTACTGATTTGGTATATTTA 7419
6514 GAGCTGATTTGCTGATTTACAAATCCCTGAGCTAGACACAGAGTACTGATTTGGTATATTTA 6573
7420 CAAACCTTGAGCTAGACACAGAGTGTGATTTTACAAATCCCTTACTGAGTACAT 7479
6574 CAAACCTTGAGCTAGACACAGAGTGTGATTTTACAAATCCCTTACTGAGTACAT 6633
7480 AAGGTTGTCAGTCCCACTAGATTTAGTATAGATAGATAGACAGAGCACTGATTTG 7539
6634 AAGGTTGTCAGTCCCACTAGATTTAGTATAGATAGATAGACAGAGCACTGATTTG 6693
7540 TGGGTTTACAAACCTTGAGTTAGACACAGGCTGCTGCTGTTTCAAACTTTAG 7599
6694 TGGGTTTACAAACCTTGAGTTAGACACAGGCTGCTGCTGTTTCAAACTTTAG 6753
7600 CTAGACACAGAGTGTGATTTTACAAATCTTTTACTGATAGAAATTAAGGTTTCCC 7659
6754 CTAGACACAGAGTGTGATTTTACAAATCTTTTACTGATAGAAATTAAGGTTTCCC 6813
7660 AAGTCCCAACAGATAGCTAGAT--AGAGTGTAAATTTGGTGTGATGCAAGAACCCGAGC 7717
6814 AAGTCCCAACAGATAGCTAGATGATGATGCTAATTTGGTGTGATGCAAGAACCCGAGC 6873

7718 TAGACACAGAGTGTGATTTGGTGCATATACATCTCTGGCTAGACATATAAGTTCTTCCA 7777
6874 TAGACACAGAGTGTGATTTGGTGCATATACATCTCTGGCTAGACATATAAGTTCTTCCA 6933
7778 AGTCCCACTGACTCAGAGCCAGCAGCTTGGCTAGTGGATCTTATGCGAGGCCA 7837
6934 AGTCCCACTGACTCAGAGCCAGCAGCTTGGCTAGTGGATCTTATGCGAGGCCA 6993
7838 CAGGACAGAGTGTGCTGCTAGTCCACACCGGGCAGCTGACTCTCAGCCCTTGGGAGT 7897
6994 CAGGACAGAGTGTGCTGCTAGTCCACACCGGGCAGCTGACTCTCAGCCCTTGGGAGT 7053
7898 GGAACGAGACAGGTCCTGCTGAGAGCAGTGGAGGCAACCCATCCGGGAGGTTCGGGCTCGC 7957
7054 GGAACGAGACAGGTCCTGCTGAGAGCAGTGGAGGCAACCCATCCGGGAGGTTCGGGCTCGC 7113
7958 AGGAGACCCACGTTAGGAGGCTTGGGATGAGCAGGCTCAAGTCTGAGCCCTGCCCCG 8017
7114 AGGAGACCCACGTTAGGAGGCTTGGGATGAGCAGGCTCAAGTCTGAGCCCTGCCCCG 7173
8018 CGGGAGAGTGTGACTGAGGCTGCGCAATTTCAAGTGTGAGCGCCGCGCAGCCAGCAG 8077
7174 CGGGAGAGTGTGACTGAGGCTTGGGATGAGCAGTCAAGTGTGAGCGCCGCGCAG--CAGCAG 7231
8078 TACTGGGGACCCGGTGGCCCTCTGCTGAGCTGTGCTGCGCCAGGTTGAAGCCCTCACTGC 8137
7232 TACTGGGGACCCGGTGGCCCTCTGCTGAGCTGTGCTGCGCCAGGTTGAAGCCCTCACTGC 7291
8138 CTGGGGCAGAGGACACAGCCGCGCTCCGATGAGCGCCGCTGAGCCCTGCGCCAC 8197
7292 CTGGGGCAGAGGACACAGCCGCGCTCCGATGAGCGCCGCTGAGCCCTGCGCCAC 7351
8198 CCAGAACTGCTGCTGCGCCGCGCAGCAACCCAGGTTCCCGCACACGCTCTCCCTCCATAC 8257
7352 CCAGAACTGCTGCTGCGCCGCGCAGCAACCCAGGTTCCCGCACACGCTCTCTCTCCATAC 7411
8258 CTCCCGCAGAGCAGCGAGCCGGTCCAGCTTCCAGCTTCCAGCTTCCAGAGGGGCTCCACA 8317
7412 CTCCCGCAGAGCAGCGAGCCGGTCCAGCTTCCAGCTTCCAGAGGGGCTCCACA 7471
8318 GTGAGCGCTGGGCTGAA 8335
7472 GTGAGCGCTGGGCTGAA 7489

RESULT 5
HUMCYP8P
LOCUS
DEFINITION
HUMAN debrisoquine 4-hydroxylase (CYP2D8P) and (CYP2D7) pseudogenes complete sequences.

ACCESSION
M33387
VERSION
M33387.1 GI:181320
KEYWORDS
debrisoquine 4-hydroxylase.
SOURCE
Homo sapiens (human)
ORGANISM
Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE
AUTHORS
TITLE
The human debrisoquine 4-hydroxylase (CYP2D) locus: sequence and identification of the polymorphic CYP2D6 gene, a related gene, and a pseudogene
Am. J. Hum. Genet. 45 (6), 889-904 (1989)

JOURNAL
MEDLINE
PUBMED
COMMENT
90072069
2574001
Original source text: Human DNA, clones lambda-2D-A and lambda-2D-B.
Draft entry and computer-readable sequence for [1] kindly submitted by S.Kimura, 29-MAR-1990.
Location/Qualifiers
1. .17060
/organism="Homo sapiens"

TATA signal	/mol_type="genomic DNA"		exon	13147..13307	
	/db_xref="taxon:9606"			/gene="CYP2D7"	
prim_transcript	1276..1282		exon	number=4	
	/note="CYP2D8 mRNA and introns"			/pseudo	
gene	Join(1392..1568,3189..3360,3907..4059,4148..4310,4758..4934,5121..5262,5467..5651,6101..6242,6339..6516)		exon	13733..13909	
	/gene="CYP2D8"			/gene="CYP2D7"	
CDS	Join(1392..1568,3189..3360,3907..4059,4148..4310,4758..4934,5121..5262,5467..5651,6101..6242,6339..6516)		exon	number=5	
	/gene="CYP2D8"			/pseudo	
exon	/codon_start=1		exon	14102..14243	
	/product="debrisoquine 4-hydroxylase"			/gene="CYP2D7"	
exon	1392..1568		exon	number=6	
	/gene="CYP2D8"			/pseudo	
exon	number=1		exon	14438..14625	
	3189..3360			/gene="CYP2D7"	
exon	/gene="CYP2D8"		exon	number=7	
	number=2			/pseudo	
exon	/pseudo		exon	15080..15221	
	3907..4059			/gene="CYP2D7"	
exon	/gene="CYP2D8"		exon	number=8	
	number=3			/pseudo	
exon	/pseudo		exon	15320..>15496	
	4148..4310			/gene="CYP2D7"	
exon	/gene="CYP2D8"		exon	number=9	
	number=4			/pseudo	
exon	/pseudo		exon	15320..>15496	
	4758..4934			/number=9	
exon	/gene="CYP2D8"		exon	15320..>15496	
	number=5			/number=9	
exon	/pseudo		exon	15320..>15496	
	5121..5262			/number=9	
exon	/gene="CYP2D8"		exon	15320..>15496	
	number=6			/number=9	
exon	/pseudo		exon	15320..>15496	
	5467..5651			/number=9	
exon	/gene="CYP2D8"		exon	15320..>15496	
	number=7			/number=9	
exon	/pseudo		exon	15320..>15496	
	6101..6242			/number=9	
exon	/gene="CYP2D8"		exon	15320..>15496	
	number=8			/number=9	
exon	/pseudo		exon	15320..>15496	
	6339..56516			/number=9	
TATA signal	/note="CYP2D7 mRNA and introns"		exon	13307..13507	
	Join(11324..11504,12206..12377,12906..13058,13147..13307,13733..13909,14102..14243,14438..14625,15080..15221,15320..15496)			/gene="CYP2D7"	
prim_transcript	11236..15571		exon	number=9	
	/note="CYP2D7 mRNA and introns"			/pseudo	
gene	Join(11324..11504,12206..12377,12906..13058,13147..13307,13733..13909,14102..14243,14438..14625,15080..15221,15320..15496)		exon	11209..11215	
	/gene="CYP2D7"			/number=9	
CDS	Join(11324..11504,12206..12377,12906..13058,13147..13307,13733..13909,14102..14243,14438..14625,15080..15221,15320..15496)		exon	11236..15571	
	/gene="CYP2D7"			/number=9	
exon	/pseudo		exon	11236..15571	
	/codon_start=1			/number=9	
exon	/product="debrisoquine 4-hydroxylase"		exon	11209..11215	
	11324..11504			/number=9	
exon	number=1		exon	11209..11215	
	12206..12377			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=2			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=3			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=4			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=5			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=6			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=7			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=8			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=9			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=10			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=11			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=12			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=13			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=14			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=15			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=16			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=17			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=18			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=19			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=20			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=21			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=22			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=23			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=24			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=25			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=26			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=27			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=28			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=29			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=30			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=31			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=32			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=33			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=34			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=35			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=36			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=37			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=38			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=39			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=40			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=41			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=42			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=43			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=44			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=45			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=46			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=47			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=48			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=49			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=50			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=51			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=52			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=53			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=54			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058			/number=9	
exon	/gene="CYP2D7"		exon	11209..11215	
	number=55			/number=9	
exon	/pseudo		exon	11209..11215	
	12906..13058				

Qy	1845	GC	GCAAGGACCTCTGGAGCAGCCCATATCGTCCCTGGCCTGACTGTG---CCAATGGCA	1901
Db	11088	GC	GCAAGGACCTCTGCAGCAGCCCATACCGGCCCTGGCCTGACCCTGCACCCACTGGCA	11147
Qy	1902	GC	CAGTCACAAGCAGAGTTCACTCACAGCAGAGGGGCAAGGCCCATCATCAGCTCCCTT	1961
Db	11148	GC	CAGTCACAAGCAGAGTTGGCTCACAGCAGAGGGCGAAGGCCCATCATCAGCTCCCTT	11207
Qy	1962	TATA	AGGGAAGGGTCACGCGCTCGGTGTGCCAGAGTGTCCTGCGCTGGTCTCTGTGGCT	2021
Db	11208	TATA	AGGGAAGGGTCACGCGCTCGGTGTGCTGAGAGTGTCCTGCTGTCTCTGTGGCT	11267
Qy	2022	GGT	GGGTGGGGTGCACAGTGTGTCCAGAGAGGCCACAGTTGGTAGTGAGGCAGCCATGG	2081
Db	11268	GST	GGGGTGGGGGTGCCAGGTGTGTCCAGAGGAGCCAGTTGGTAGTGAGGCAGCCATGG	11327
Qy	2082	GGCT	TAGAAGCACATGGTGGCCCCCTGGCCCATGATAGTGGCCATCTTCCTGCTCTGGTGACC	2141
Db	11328	GGCT	TAGAAGCACATGGTGGCCCCCTGGCCCATGATAGTGGCCATCTTCCTGCTCTGGTGACC	11387
Qy	2142	TGAT	GCACCGGCACCAACGCTGGGCTGCACGCTTACCCGCCAGGTCCCCTGCCACTGCCCCG	2201
Db	11388	TGAT	GCACCGGCACCAACGCTGGGCTGCACGCTTACCCGCCAGGTCCCCTGCCACTGCCCCG	11447
Qy	2202	GGCT	TGGGCAACCTTGCTGCATGTGGACTTCCAGAACACACCATATCTGCTTCGACAGGTG	2261
Db	11448	GGCT	TGGGCAACCTTGCTGCATGTGGACTTCCAGAACACACCATATCTGCTTCGACAGGTG	11507
Qy	2262	AGGG	AGAGGTCTCTGGAGGGCGCAGAGTCTCTGAGGATGCCCAACCCACAGCAACATG	2321
Db	11508	AGGG	AGAGGTCTCTGGAGGGCGCAGAGTCTCTGAGGATGCCCAACCCACAGCAACATG	11567
Qy	2322	GTT	GTTGGGTTAAACACACAGGCTGGATCAGAACGAGGCTGAGAAAGGGAAGCAGTTTG	2381
Db	11568	GTT	GTTGGGTTAAACACACAGGCTGGATCAGAACGAGGCTGAGAAAGGGAAGCAGTTTG	11627
Qy	2382	GGGG	AGCTTCTCTGGGAAGGACATTTATATATGGCATGAAGACTGGATTTTTCAAAGGC	2441
Db	11628	GGGG	AGCTTCTCTGGGAAGGACATTTATATATGGCATGAAGACTGGATTTTTCAAAGGC	11685
Qy	2442	CA	AGGAGAGTAGGGCNAGGGCCCTGAGGTGGAGCTGGACTTGGCAGTGGGCATGCAAGC	2501
Db	11686	CA	AGGAGAGTAGGGCNAGGGCCCTGAGGTGGAGCTGGACTTGGCAGTGGGCATGCAAGC	11745
Qy	2502	CCAT	TGGGCAACATATGTTATTGAGTACAAAGTCCCTCTCTGTGTGACACACAGAAAGAAAGG	2561
Db	11746	CCAT	TGGGCAACATATGTTATTGAGTACAAAGTCCCTCTCTGTGTGACACACAGAAAGAAAGG	11805
Qy	2562	CTTT	TGGGAATCGAAGATGAGTTAGTCTCAGTGGCCGCTTTAAATACAGAAATCGAGGATGA	2621
Db	11806	CTTT	TGGGAATCGAAGATGAGTTAGTCTCAGTGGCCGCTTTAAATACAGAAATCGAGGATGA	11865
Qy	2622	AGGG	GTGAGTGAAGTGAACCCGGTTTAAAACCTTTTGACATGTGGGTCTCTGGGCCTCACTGCTC	2681
Db	11866	AGGG	GTGAGTGAAGTGAACCCGGTTTAAAACCTTTTGACATGTGGGTCTCTGGGCCTCACTGCTC	11925
Qy	2682	ACGG	CATGACCATCATCTGGCAATGGGATGCTTAACCTGGGGCCTCTGGCAATTTTGGT	2741
Db	11926	ACGG	CATGACCATCATCTGGCAATGGGATGCTTAACCTGGGGCCTCTGGCAATTTTGGT	11985
Qy	2742	GACT	CTTTGCAAGGTTCATCTCGGGTGACGCATCCAAACTGAGTTCCTCCATCACAGAAAGG	2801
Db	11986	GACT	CTTTGCAAGGTTCATCTCGGGTGACGCATCCAAACTGAGTTCCTCCATCACAGAAAGG	12045
Qy	2802	TGT	GACCCCAACCCCTGCCCCCAGATCAGAGGCTGGGTCTCCTCTCTCCACCTGCTCAC	2861
Db	12046	TGT	GACCCCAACCCCTGCCCCCAGATCAGAGGCTGGGTCTCCTCTCTCCACCTGCTCAC	12105
Qy	2862	TCCT	GTTAGCCCCGGGGGTGCTCCAAGTTTCAAATAGGACTAGGACCTGTAGTCTGGGGT	2921
Db	12106	TCCT	GTTAGCCCCGGGGGTGCTCCAAGTTTCAAATAGGACTAGGACCTGTAGTCTGGGGT	12165
Qy	2922	GAT	CCTGGCTTGAACAGAGGCCCTGACCTCCTCTCTGCAAGTTTGGCGCGCGCTTCGGGGA	2981

Db	12166		GATCTCTGGCTTGACAAAGAGCCCTGACCCCTCCCTCTGCAGTTGGCGCGCCGCTTCGGGGA	12225
Qy	2982	CGTGTTTCAGCCTTGACGCTGGCCCTGACGCGCGTGCTGCTCAATGGGCTGGCGGCCGT	3041	
Db	12226	CGTGTTTCAGCCTTGACGCTGGCCCTGACGCGCGTGCTGCTCAATGGGCTGGCGGCCGT	12285	
Qy	3042	GGCGAGGGCGATGCTGAACCCGCGGCGAGGACAACGGCCGACCGCCGCTGCGCCCATCTA	3101	
Db	12286	GGCGAGGGCGATGCTGAACCCGCGGCGAGGACAACGGCCGACCGCCGCTGCGCCCATCTA	12345	
Qy	3102	CNAGTCTTGGGCTTGGGCGCGCTTCCAAAGGCNAGCGGCGGTGGGGGACAGAGACCGC	3161	
Db	12346	CCAGGTCTTGGGCTTGGGCGCGCTTCCAAAGGCNAGCGGCGGTGGGGGACAGAGACCGC	12405	
Qy	3162	GTTTCCGTCGGGCCCGGGGTGGACGTGACCGTAGCCCAAGCAGCGCCGACAGGAGCGCTGGG	3221	
Db	12406	GTTTCCGTCGGGCCCGGGGTGGACGTGACCGTAGCCCAAGCAGCGCCGACAGGAGCGCTGGG	12465	
Qy	3222	GTCTTGGACGTGAAACACAGAGATAAAGGCGCAGCGAGTGGGCTGAGGACAGTGGGCGCAGAA	3281	
Db	12466	GTCTTGGACGTGAAACACAGAGATAAAGGCGCAGCGAGTGGGCTGAGGACAGTGGGCGCAGAA	12525	
Qy	3282	ACCACCTGACCGGGGAGGTGCGAGTCTGTGGGCTTGGAGGGGCGGGCTACTGCCGAG	3341	
Db	12526	ACCACCTGACCGGGGAGGTGCGAGTCTGTGGGCTTGGAGGGGCGGGCTACTGCCGAG	12585	
Qy	3342	ACCCGCGCAAGCCCGGTGGGCGAGGCTGATGCTGCAAGTGGCGGTGGCGGGGACCGCG	3401	
Db	12586	ACCCGCGCAAGCCCGGTGGGCGAGGCTGATGCTGCAAGTGGCGGTGGCGGGGACCGCG	12644	
Qy	3402	CTTATCTCTCGGGCTCAGTGTGGGCGGGAACGGGCGGGATCTTCTTGAAGTGGAAAGGTGG	3461	
Db	12645	CTTATCTCTCGGGCTCAGTGTGGGCGGGAACGGGCGGGATCTTCTTGAAGTGGAAAGGTGG	12704	
Qy	3462	TCAGGTGGGCAAGACGAGGTGGGGCCAAACCCCGCCCCACGACGAGGAGGCAATGTGGG	3521	
Db	12705	TCAGGTGGGCAAGACGAGGTGGGGCCAAACCCCGCCCCACGACGAGGAGGAGCAATGTGGG	12764	
Qy	3522	TGAGCAAGAGGTGGGCCCTGTGCCAGCTGAGNCGGGCTAGGGACTCGCGGAGACCTTGT	3581	
Db	12765	TGAGCAAGAGGTGGGCCCTGTGCCAGCTGAGNCGGGCTAGGGACTCGCGGAGACCTTGT	12824	
Qy	3582	GGAGCCACAGGTTGAGTGGGTGGCGAGGTTGGGGCCAAAGGCTTTCATGGCAACGCC	3641	
Db	12825	GGAGCCACAGGTTGAGTGGGTGGCGAGGTTGGGGCCAAAGGCTTTCATGGCAACGCC	12884	
Qy	3642	ACGTGTCCGTCCCGCCCCAGGGGTGATCTGTGCGCTATGGGCCCGCTGGCGCGAGC	3701	
Db	12885	ACGTGTCCGTCCCGCCCCAGGGGTGATCTGTGCGCTATGGGCCCGCTGGCGCGAGC	12944	
Qy	3702	AGAGGCGCTTCCGTGTCCACTTGGCCACTTGGGCTGGGCAAGAGTCSGCTGGAGC	3761	
Db	12945	AGAGGCGCTTCCGTGTCCACTTGGCCACTTGGGCTGGGCAAGAGTCSGCTGGAGC	13004	
Qy	3762	AGTGGGTGACGAGGAGGCGGCTGCCCTTGTGCGCG - CTTCGCGGACCAAGCCCGGTGGGT	3820	
Db	13005	AGTGGGTGACGAGGAGGCGGCTGCCCTTGTGCGCGCTTCGCGCAACCAACCGGTGGGT	13064	
Qy	3821	GATGGGCAAGGGGCAAAAGCGGAACTGGGAAGGCGGGGGAACGGAAGGCAACCCCT	3880	
Db	13065	GATGGGCAAGGGGCAACAGCGGGAACCTGGGAAGGCGGGGGAACGGAAGGCAACCCCT	13124	
Qy	3881	TACCCGCATCTCCCAACCCAGGAGCGCCCTTTTCGCCCCCAACCGCTCTTTGGACAAGC	3940	
Db	13125	TACCCGCATCT - CCAACCCCAAGGACCGCCCTTTTCGCCCCCAACCGCTCTTTGGACAAGC	13183	
Qy	3941	CGTGAGCAACGTGATCGCCTCCCTCACTGCGGGGCGCGCTTCGAGTACGACGACCCCTCG	4000	
Db	13184	CGTGAGCAACGTGATCGCCTCCCTCACTGCGGGGCGCGCTTCGAGTACGACGACCCCTCG	13243	
Qy	4001	CTTCTCTCAGGCTGCTGGACCTTAGCTCAGAGGGACTGAAGAGGAGTGGGCTTTCTGCG	4060	

13244 CTTCCTCAGGCTGCTGGACCTAGCTCAGGAGGCACTGAAGAGGAGTCCGGCTTCCTCGC 13303
QY
4061 CGAGGTGGGAGCGAGACCGAGGAGTCTCTGACGGGCGAGCTCTGAGAGTCCCGGG 4120
Db
13304 CGAGGTGGGAGC-----AAGGGTCTTTGCAAGGGCGAGCTCTGAGAGTCCCGGG 13354
QY
4121 GCTGACGTGGGCTCCGAAAGGCGAGATTTCATAGATGGGTTTGGGAAAGGACATTCC 4180
Db
13355 GTTGACATGGGCTCCGAAAGGCGAGATTTCGCTAGATGGGTTTGGGAAAGGACATTCC 13414
QY
4181 AGGAGACCCACTGTAAGAAAGGCTCTGGAGGAGGAGGACATCTCAGACATGGTCTGG 4240
Db
13415 AGGAGACCCCACTGTAAGAAAGGCTCTGGAGGAGGAGGAGACATCTCAGACATGGTCTGG 13474
QY
4241 GAGAGGTGTCCCGGTGAGGGGACACAGGAGAGGCCAAGACATCTGTATCCCGCTGCA 4300
Db
13475 GAGAGGTGTCCCGGTGAGGGGACACAGGAGAGGCCAAGACATCTGTATCCCGCTGCA 13534
QY
4301 CGTTGGAGATTTCGATTTTGGGTTTCTCTCTCTGGGCAAG--GAGAGAGGTTGGAGGCTGG 4358
Db
13535 CGTTGGAGATTTCGATTTTGGGTTTCTCTCTCTGGGCAAGGAGAGAGGTTGGAGGCTGG 13594
QY
4359 CACTTGGGAGGACCTTGGTAGGTCAAGGACAGGACAGGCGCCCTGGGTCTACCTG 4418
Db
13595 CACTTGGGAGGACCTTGGTAGGTCAAGGACAGGACAGGCGCCCTGGGTCTTCTCTG 13654
QY
4419 GAGATGGCTGGGCTGAGACTTCTCAGGTGAAAGGAGACAGGAGGAGGATGAGACC 4478
Db
13655 GAGATGGCTGGGCTGAGACTTCTCAGGTGAAAGGAGACAGGAGGAGGATGAGACC 13714
QY
4479 CCGTCTGTCTGTGTAGTGTGTAATGTGTCTCTCTCTGGGCAAGGAGAGGAGGATGAGACC 4538
Db
13715 CCGTCTGTCTGTGTAGTGTGTAATGTGTCTCTCTCTGGGCAAGGAGAGGAGGATGAGACC 13774
QY
4539 GCTGCAAGGCTCTACGCTTCCAAAGGCTTTCTGACCCAGCTGGATGAGTGTAACT 4598
Db
13775 GCTGCAAGGCTCTACGCTTCCAAAGGCTTTCTGACCCAGCTGGATGAGTGTAACT 13834
QY
4599 GAGCAGAGATGACCTGGGACCCAGCCAGCCAGCCAGGAGCTGACTGAGGCTTCTCTG 4658
Db
13835 GAGCAGAGATGACCTGGGACCCAGCCAGCCAGCCAGGAGCTGACTGAGGCTTCTCTG 13894
QY
4659 GCAAGAGAGGAGTGAAGTGTGCTGCGAGGTGGGGGCAAGGGTGGTGGTGAAC 4718
Db
13895 GCAGAGATGAGAGTGAAGTGTGCTGCGAGGTGGGGGCAAGGGTGGTGGTGAAC 13954
QY
4719 GTCCAGGAGGAATGAGGGAGGCTGGGCAAGGTTGGACACAGTGCATCACCCGGCGAG 4778
Db
13955 GTCCAGGAGGAATGAGGGAGGCTGGGCAAGGTTGGACACAGTGCATCACCCGGCGAG 14014
QY
4779 CGGATCTGGGCTGACAGGTGAGAAATTGGAGGTCAATTTGGGGGTACCCGGTCTATCC 4838
Db
14015 CGGATCTGGGCTGACAGGTGAGAAATTGGAGGTCAATTTGGGGGTACCCGGTCTATCC 14074
QY
4839 CTTGAGTATCTCTCGGCCCTCTCAGGCCAAGGGAGCCCTGAGAGAGTTCATGAT 4898
Db
14075 CTTGAGTATCTCTCGGCCCTCTCAGGCCAAGGGAGCCCTGAGAGAGTTCATGAT 14134
QY
4899 GAGAACCTGCGATAGTGGTGGTAACTGTTCTCTTGGCGGATGGTGACACCTCGACC 4958
Db
14135 GAGAACCTGCGATAGTGGTGGTAACTGTTCTCTTGGCGGATGGTGACACCTTGACC 14194
QY
4959 AGCTGGCTTGGGCTCTCTGCTCATGATCTTACACCTTGGATGTGAGCGGTGAGGCCAGC 5018
Db
14195 AGCTGGCTTGGGCTCTCTGCTCATGATCTTACACCTTGGATGTGAGCGGTGAGGCCAGC 14254
QY
5019 TGGGGCCCAAGGACAGGACTGAGGAGGAGGAGGTACAGTGGGGGCCCTGGGCTTAGCT 5078
Db
14255 TGGGGCCCAAGGACAGGACTGAGGAGGAGGAGGTACAGTGGGGGCCCTGGGCTTAGCT 14314
QY
5079 GGGACACCCGGGCTTCCAGCACAGGCGTGGCCAGGCTCTCTGTAAGCCTAACTTCTCTCA 5138
Db
14315 GGGACACCCGGGCTTCCAGCACAGGCGTGGCCAGGCTCTCTGTAAGCCTAACTTCTCTCA 14374

QY 5139 ACACAGGAGGAAGGAGAGTGTCCCTGGTGTCTGACCCATTGTGGGGACGATGTCTGTC 5198
Db 14375 ACACAGGACGAAGAGAGTGTCCCTGGTGTCTGACCCATTGTGGGGACGATGTCTGTC 14434
QY 5199 CAGTCCGTGTCCAAACAGAGAGATCGACACGTGTAGGGCAGGTGCGGCGACAGAGATGG 5258
Db 14435 CAGTCCGTGTCCAAACAGAGAGATCGACACGTGTAGGGCAGGTGCGGCGACAGAGATGG 14494
QY 5259 GTGACAGGCTCAATGCTTACACCACTGCGGTGATTCACAGGTGAGCGCTTTGGGG 5318
Db 14495 GTGACAGGCTCAATGCTTACACCACTGCGGTGATTCACAGGTGAGCGCTTTGGGG 14554
QY 5319 ACATCATCCCCCTGAGTGTGACCCATATGACATCCCGTGAATCGAAGTACAGGCTTCC 5378
Db 14555 ACATCATCCCCCTGAGTGTGACCCATATGACATCCCGTGAATCGAAGTACAGGCTTCC 14614
QY 5379 GCATCCCTAAGGTAGGCTGGCGCTCTCTCAACCCAGCTCAGACACAGCACTGGTGAT 5438
Db 14615 GCATCCCTAAGGTAGGCTGGCGCTCTCTCAACCCAGCTCAGCACTCAGC-CCCGTGGT 14673
QY 5439 AGCCCCAGCATGGCTATCTGCGAGGTGGGCCCACTCTAGGAAACCTTGGCCACTAGTCTC 5498
Db 14674 AGCCCCAGCATGGCTATCTGCGAGGTGGGCCCACTCTAGGAAACCTTGGCCACTAGTCTC 14733
QY 5499 AATGCCACACACTGACTGTCTCCCACTTTGGGTGGGGTCCAGAGTATAGCAGGCGCTGG 5558
Db 14734 AATGCCACACACTGACTGTCTCCCGCTTTGGGTGGGGTCCAGAGTATAGCAGGCGCTGG 14793
QY 5559 CTTGTCCATCCAGAGCCCCCTCTAGTGGGG--AGACAAACAGGACCTGCCAGAAATGTTG 5617
Db 14794 CTTGTCCATCCAGAGCCCCCTCTAGTGGGGAAAGCAAAATCAGGACCTGCCAGAAATGTTG 14853
QY 5618 GAGAACCCAGCGCTGACAGGAGAGGGGCAAGTGTGGGTGCTCTTGAGAGGTGACTGTC 5677
Db 14854 GAGAACCCAGCGCTGACAGGAGAGGGGCAAGTGTGGGTGCTCTTGAGAGGTGACTGTC 14913
QY 5678 GCTTGTGTGGGTGCGAGAGGGTACTGTGGAGCTTCTCGGCGCAGGACTAGTGTGACA 5737
Db 14914 GCTTGTGTGGGTGCGAGAGGGTACTGTGGAGCTTCTCGGCGCAGGACTAGTGTGACA 14973
QY 5738 GAGTCCAGCTGTGTGCGAGGCAAGTGTGTCTCCCGCTGTGTGTGGTGCAGGGGTCCAG 5797
Db 14974 GAGTCCAGCTGTGTGCGAGGCAAGTGTGTCTCCCGCTGTGTGTGGTGCAGGGGTCCAG 15033
QY 5798 CATCTAGAGTCCAGTCCCACTCTCACTCTGCACTCTCTGCGCCAGGGAACGACACTCAT 5857
Db 15034 CATCTAGAGTCCAGTCCCACTCTCACTCTGCACTCTCTGCGCCAGGGAACGACACTCAT 15093
QY 5858 CACCAACCTGTCTGCTGCTGAAGGATGAGGCGCTCTGGGAGAGCCCTTCCGCTTCCA 5917
Db 15094 CACCAACCTGTCTGCTGCTGAAGGATGAGGCGCTCTGGGAGAGCCCTTCCGCTTCCA 15153
QY 5918 CCGCGAACACTTCTGAGTGCACAGGGCACTTTGTGAAGCGGAGGCTTCTCTGCTTT 5977
Db 15154 CCGCGAACACTTCTGAGTGCACAGGGCACTTTGTGAAGCGGAGGCTTCTCTGCTTT 15213
QY 5978 CTCAGAGTGCCTGTGGGGAGCCGGCTCCCTGTCCCTTTCCTGTGAGTCTTTCAGGGG 6037
Db 15214 CTCAGAGTGCCTGTGGGGAGCCGGCTCCCTGTCCCTTTCCTGTGAGTCTTTCAGGGG 15273
QY 6038 TATCACCAGAGAGCCAGGCTCACTGACGCCCTCTCCCTCCCAAGGCGCGCTGCATGC 6097
Db 15274 TATCACCAGAGAGCCAGGCTCACTGACGCCCTCTCCCTCCCAAGGCGCGCTGCATGC 15333
QY 6098 CTCGGGAGCCCTGGGCCCGCATGAGCTCTTCTCTTCTTTCACCTCCCTGCTGAGCAC 6157
Db 15334 CTCGGGAGCCCTGGGCCCGCATGAGCTCTTCTCTTCTTTCACCTCCCTGCTGAGCAC 15393
QY 6158 TTCAGCTTCTCCGTGGCCCGGACAGCCCGGCGCCAGCCACTCTCTGCTGCTGAGCTTT 6217
Db 15394 TTCAGCTTCTCCGTGGCCCGGACAGCCCGGCGCCAGCCACTCTCTGCTGCTGAGCTTT 15453

```
QY 6218 CTGGTGACCCATCCCGCTACGAGCTTTGTGCTGTGCGCCCGCTAGAAATGGGGTACCTAGT 6277
DB 15454 CTGGTGACCCATCCCGCTACGAGCTTTGTGCTGTGCGCCCGCTAGAAATGGGGTACCTAGT 15513
QY 6278 CCCAGCTGCTCCCTAGCCAGAGGCTCTAAATGTAACAATAAAGCAATGTGGTAGTTCCAA 6337
DB 15514 CCCAGCTGCTCCCTAGCCAGAGGCTCTAAATGTAACAATAAAGCAATGTGGTAGTTCCAA 15573
QY 6338 CTTGGTCCCTGCTCAACGCTCTGTTGGGATCATCTCTCCAGGGCAACCCACCCCTG 6397
DB 15574 CTTGGTCCCTGCTCAACGCTCTGTTGGGATCATCTCTCCAGGGCAACCCACCCCTG 15633
QY 6398 CCTCATCTCTGCTTACCCACCCCTGCGCGCATTTGAGAGCGGTAAGTTGAGGCTGAGC 6457
DB 15634 CCTCATCTCTGCTTACCCACCCCTGCGCGCATTTGAGAGCGGTAAGTTGAGGCTGAGC 15693
QY 6458 AGATGTCAGTTACCTTTGCCATAATCCCATGTCCTCCACTGACCCCACTCTGACCTGCC 6517
DB 15694 AGATGTCAGTTACCTTTGCCATAATCCCATGTCCTCCACTGACCCCACTCTGACCTGCC 15753
QY 6518 AGATTGGTGACAAAGGACTACATTGCTCTGTCATGTGGGAAGGGGCCAGAAATGGGCTGAC 6577
DB 15754 AGATTGGTGACAAAGGACTACATTGCTCTGTCATGTGGGAAGGGGCCAGAAATGGGCTGAC 15813
QY 6578 TAGAGTGTCACTCAGCCCTGATGTGGTGAGAGGGCGAGACTCAGCTTGGAGGCCCAT 6637
DB 15814 TAGAGTGTCACTCAGCCCTGATGTGGTGAGAGGGCGAGACTCAGCTTGGAGGCCCAT 15873
QY 6638 ATTTAGGCGCTAACTCAGCCCAACCCACATCAGGACAGGATCTCTGCCAGCACCATCAC 6697
DB 15874 ATTTAGGCGCTAACTCAGCCCAACCCACATCAGGACAGGATCTCTGCCAGCACCATCAC 15933
QY 6698 AACAGTCACTCTCCCTTATATATGACACCCCAAAATGGAAGACAAATCATGTGAGGAGC 6757
DB 15934 AACAGTCACTCTCCCTTATATATGACACCCCAAAATGGAAGACAAATCATGTGAGGAGC 15993
QY 6758 TATATGCCAGGGCTACCTCCAGGGCTCAGTGGCAGGTGCCAGAAATTCCTGGGAAG 6817
DB 15994 TATATGCCAGGGCTACCTCCAGGGCTCAGTGGCAGGTGCCAGAAATTCCTGGGAAG 16053
QY 6818 GCCCAGGAAACCCAGGACCGAGCCACCCCTCAGCTGCTGACCTGTGTCCTGTCCTGTCCTG 6877
DB 16054 GCCCAGGAAACCCAGGACCGAGCCACCCCTCAGCTGCTGACCTGTGTCCTGTCCTGTCCTG 16113
QY 6878 GTGGGTTCTTGTCTCACTCACTTCAAGAAATGAAGCCGTGGACCTCAGCGTGAAGTGT 6937
DB 16114 GTGGGTTCTTGTCTCACTCACTTCAAGAAATGAAGCCGTGGACCTCAGCGTGAAGTGT 16173
QY 6938 ACAGTTCTTAAAGATGGTGTTCAGAGTTTGTCTTCTGATTTAAGACGTGTTTCA 6997
DB 16174 ACAGTTCTTAAAGATGGTGTTCAGAGTTTGTCTTCTGATTTAAGACGTGTTTCA 16233
QY 6998 GTTCTTCTTCTGTTGGTGGTGTCTGCTGCTTGGCTTCCAGAGTGAAGCTGAGACCTT 7057
DB 16234 GTTCTTCTTCTGTTGGTGGTGTCTGCTGCTTGGCTTCCAGAGTGAAGCTGAGACCTT 16293
QY 7058 CACAGTGAAGTTTACGGCTCTTAAAGCTCAGTACGAGTGTGTTCACTTCTTCTGTTGG 7117
DB 16294 CACAGTGAAGTTTACGGCTCTTAAAGCTCAGTACGAGTGTGTTCACTTCTTCTGTTGG 16353
QY 7118 GTTGTGTTCTCACTGGCTCAGGAGTGAACCTGACGTCTTCCAGTGTTTTACAACTCAT 7177
DB 16354 GTTGTGTTCTCACTGGCTCAGGAGTGAACCTGACGTCTTCCAGTGTTTTACAACTCAT 16413
QY 7178 AAGGAGTGTGACCCCAATGAGGAGCAGCAGCAGCAAGCTTATCTGCAAAACAGCAAAAG 7237
DB 16414 AAGGAGTGTGACCCCAATGAGGAGCAGCAGCAGCAAGCTTATCTGCAAAACAGCAAAAG 16473
QY 7238 AATGATGGCAACAGGTTGCGCTGCTACTTCCAGGAGCCTGCTTTTATCTTCTTATCTG 7297
DB 16474 AATGATGGCAACAGGTTGCGCTGCTACTTCCAGGAGCCTGCTTTTATCTTCTTATCTG 16533
QY 7298 ACCCCACCCACATCCTGCTGATTGGCCCATTTTACAGACAGTGGATTGGTCCACTTACA 7357
```

```
DB 16534 ACCCCACCCACATCCTGCTGATTGGCCCATTTTACAGACAGTGGATTGGTCCACTTACA 16593
QY 7358 GAGAGCTGATTGGTGCATTTTCAATCCCTGAGCTAGACACAGAGTACTGATTCGTATATT 7417
DB 16594 GAGAGCTGATTGGTGCATTTTCAATCCCTGAGCTAGACACAGAGTACTGATTCGTATATT 16653
QY 7418 TACAAACCTTGGAGCTAGACACAGAGTGTGAATGGTGTATTTTACAAATCCCTTAGCTAGAC 7477
DB 16654 TACAAACCTTGGAGCTAGACACAGAGTGTGAATGGTGTATTTTACAAATCCCTTAGCTAGAC 16713
QY 7478 ATAAAGTTGTCCAGTCCCACTAGATTAGCTAGATAGATAGACAGAGACACTGATTT 7537
DB 16714 ATAAAGTTGTCCAGTCCCACTAGATTAGCTAGATAGATAGACAGAGACACTGATTT 16773
QY 7538 GTTGGTGTTTACAAACCTTGGATTAGACACAGAGTGTGACTGTGTGTTTACAAACCTTGG 7597
DB 16774 GTTGGTGTTTACAAACCTTGGATTAGACACAGAGTGTGACTGTGTGTTTACAAACCTTGG 16833
QY 7598 AGCTAGACACAGAGTGTGATTGGTGTATTTTACAAATCTTTTAGCTAGAAATAAAGTTTCC 7657
DB 16834 AGCTAGACACAGAGTGTGATTGGTGTATTTTACAAATCTTTTAGCTAGAAATAAAGTTTCC 16893
QY 7658 CCAAGTCCCAACAGATTAGCTAGAT--AGAGTGTCTAATTTGGTGCATGCACGCCGA 7715
DB 16894 CCAAGTCCCAACAGATTAGCTAGATACAGAGTGTCTAATTTGGTGCATGCAC--AACCCGA 16952
QY 7716 GCTAGACACAGAGTGTGATTGGTGCATATACAACTCTCTGCTAGACATAAAGTTCTC 7775
DB 16953 GCTAGACACAGAGTGTGATTGGTGCATATACAACTCTCTGCTAGACATAAAGTTCTC 17012
QY 7776 CAAAGTCCCACTGACTCAGGAGCCAGCAGCTTCGCTAGTGGATCC 7824
DB 17013 CAAAGTCCCACTGACTCA--GAGCCAGCCAGCTTCGCTAGTGGATCC 17060

RESULT 6
LOCUS AX394456 9432 bp DNA linear PAT 18-MAY-2002
DEFINITION Sequence 1 from Patent WO0218638.
ACCESSION AX394456
VERSION AX394456.1 GI:21065594
KEYWORDS
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
1
AUTHORS Risinger,C., Andersson,M.K., Lewander,T. and Oliasson,E.
TITLE Detection of cyp2d6 polymorphisms
JOURNAL Patent: WO 0218638-A 1 07-MAR-2002;
GEMINI Genomics PLC (GB)
FEATURES
Location/Qualifiers
source 1..9432
/organism="Homo sapiens"
/mol_type="unassigned DNA"
/db_xref="taxon:9606"

ORIGIN
Query Match 51.8%; Score 5325.6; DB 6; Length 9432;
Best Local Similarity 93.4%; Pred. No. 0;
Matches 5895; Conservative 0; Mismatches 269; Indels 148; Gaps 26;

QY 637 TGTCAAAAATCAGCCAGGCGATGGTGGGCGACCTGTAATCCAGCTACTTGGGAGGC 696
DB 186 TGAATAACAAAAGCTAGACGCTGGTGGCACACCTGTAATCCAGCTACTTGGGAGGC 245
QY 697 TGAGCAGAGGAATCGTCTGAACCTGGAGGTGGAGTTGCGAGTGGCCGAGATCGCATC 756
DB 246 TGAGCAGAGGAATGCTTTGAAGCCTTAGAGGTGAAGGTTGTAGTGAGCCGAGATTGCATC 305
QY 757 ATTGCA-----CTCCACCTGGGCGAC-AGAGCAAAATCTCCGTCTC----- 796
```


QY 2948 CCTCCCTCTGAGTTGCGCGCGCGCTTCCGGGACGTGTTTACGCTGCGAGCTGGCCTTGA 3007
Db 2489 CCTCCCTCTGCAAGTTGCGCGCGCGCTTCCGGGACGTGTTTACGCTGCGAGCTGGCCTTGA 2548
QY 3008 CGCGGTGCTGCTCAATGGGCTGCGCGCGCTGCGCGAGGCGATGGTACCCGCGCG 3067
Db 2549 CGCGGTGCTGCTCAATGGGCTGCGCGCGCTGCGCGAGGCGCTGGTACCCAGCGCG 2608
QY 3068 AGGACACGCGCGCGCGCTGCGCGCGCTTACAGAGTCTTGGGCTTCCGGCCCGCTT 3127
Db 2609 AGGACACGCGCGCGCGCTGCGCGCGCTTACAGAGTCTTGGGCTTCCGGCCCGCTT 2668
QY 3128 CCCAAGCAAGCGCGCTGGGGACAGAGACCGCGTTTCCGTGGGCGCCCGGGTGGACGT 3187
Db 2669 CCCAAGCAAGCAGCGCT--GGGGACAGACAG--ATTTCGTGGGACCCCGGTGGGTGAT 2726
QY 3188 GACCGTAGCCCAAGCAGCGCGCGCTGGGCTGGGCTGCGAGCTGAACACAGAGATAAG 3247
Db 2727 GACCGTAGTCCGAGCTGGGACAGAGGCGCGGGTCTGGGACATGAAC-----AG 2778
QY 3248 GCCAGCAGTGGCTGAGGACAGTGGGCCAGGAAACACCTGCACGGGGAGGTGGAGT 3307
Db 2779 GCCAGCAGTGG-----GGACAGCGGCCAAGAAACACCTGCACTAGGAGGTGGAGC 2833
QY 3308 CTGTGGGCTGG-----GAGGGGCGGGGCTACTGCCAGACCGCCAGAA 3352
Db 2834 ATGGGACAGAGGCGCGGGCTTGTGACAGTGGGCGGGGCGACCTGCCAGACCTGGCAGGA 2893
QY 3353 GCCCGGTGGGCGAGGCTG-----ATGCGTCGAAGTGGCGTGGCGGG 3394
Db 2894 GCCCAATGGGTGAGCTGGCGCAATTTCCAGCTGGAAATCCGGTGTGAAAGTGGGGCGGG 2953
QY 3395 GACCGCGCTTATCTGCGGCTCAGTGTGG-----GCGGACCGGGCGGATCTTCTTCA 3449
Db 2954 GACCGCACCTGTCTGTAGCTCAGTGTGGGTGGCGGGCGCGGGGTCTTCCCTGA 3013
QY 3450 GTGGAAGGTGTGAGGTGGGAGAGACAGAGTGGGGCAAAACCCCGCCCAAGGAGG 3509
Db 3014 GTGCAAAAGCGGTGAGGTGGGAGAGACAGAGTGGGG--CAAAGCTGCCCCAGGCAAG 3072
QY 3510 GAGCAATGGGTGAGCAAGAGTGGGCGCTGTGCCAGCTGACCGGGTAGGAGCTGC 3569
Db 3073 GAGCAAGGTGATGCAAAAGAGTGGGCGCTGTGACCACTGACAGAGCCAGGAGCTGC 3132
QY 3570 GGGAGACCTTGTGGAGCGCCAGGCTTGGAGTGGGTGGCGAGGTGGCGGCAAGGCTTC 3629
Db 3133 GGGAGACCGGGAGC--ATAGGTTGGAGTGGGTGGTGGATGGTGGGCTAATGCTTC 3191
QY 3630 ATGGCAACGCCACGTGTGCTCCCGCCCGCCAGGGGTGATCTGTGCGCTATGGGCCCG 3689
Db 3192 ATGGCCACGCGACGTGCGCGCTCCACCCCGAGGGGTGTTCTTGGCGCTATGGGCCCG 3251
QY 3690 CGTGGCGGAGCAGAGCGCTTCTCGTGTCCACTTGGCACTTGGGCTTGGGCAAGA 3749
Db 3252 CGTGGCGGAGCAGAGCGCTTCTCGTGTCCACTTGGCACTTGGGCTTGGGCAAGA 3311
QY 3750 AGTCCGTGAGCAGTGGGTGACCGAGGCGCGCTTGTGTGCGG--CTTCCGCGACC 3808
Db 3312 AGTCCGTGAGCAGTGGGTGACCGAGAGGCGCGCTTGTGTGCGGCTTCCGCAACC 3371
QY 3809 AAGCGGTGGTGTATGGGAGAGGCAAAAGCGGAACTGGGAAAGCGGGGAGCGAG 3868
Db 3372 ACTCCGCTGGTGTATGGGAGAGGCAAAAGCGGAACTGGGAAAGCGGGGAGCGGG 3431
QY 3869 AAGGCAACCCCTTACCGGATCTCCCAACCCAGAGCGCCCTTTCGGCCCAACCGGCT 3928
Db 3432 AAGGCAACCCCTTACCGGATCT--CCACCCCGAGAGCGCCCTTTCGCCCCAACCGTCT 3490
QY 3929 CTTGGCAAAAGCGGTGAGCAACGTGTATCGCTTCCCTCACCTGCGGCGCGCTTCAGTA 3988
Db 3491 CTTGGCAAAAGCGGTGAGCAACGTGTATCGCTTCCCTCACCTGCGGCGCGCTTCAGTA 3550
QY 3989 CGACGACCCCTCGCTTCTCAGGCTGTGACCTAGCTCAGGAGGAGTGAAGGAGTGC 4048

Db 3551 CGACGACCCCTCGCTTCTCAGGCTGTGACCTAGCTCAGGAGGAGCTGAAGGAGGATC 3610
QY 4049 GGGCTTTCTGCGCGAGTGGCGGAGCCAGAGACCGAGAGTCTCTGAGGSCGAGCTCCTG 4108
Db 3611 GGGCTTTCTGCGCGAGTGGCGGAGGAGACCGAGAGTCTCTGAGGSCGAGCTCCTG 3670
QY 4109 AGAGGTGCGCGGCTGAGCTGGGGCTCCGAAAGGGCAGGATTTGCAATAGATGCTGGT 4168
Db 3671 AGAGGTGCGCGGCTGAGCTGGGGCTCCGAAAGAGCAGGATTTGCAATAGATGCTGG 3730
QY 4169 AAGAGCATTTCAAGAGACCCCACTGTAAAGGGCTGGAGAGAGGGGAATCTCTCAG 4228
Db 3731 AAGAGCATTTCCAGGAGACCCCACTGTAAAGGGCTGGAGAGAGGGGAATCTCTCAG 3790
QY 4229 ACATGCTCTGGGAGAGTGTGCGCGGTGCGGGGSCACAGAGAGGGCCAAAGACTCTG 4288
Db 3791 ACATGCTCTGGGAGAGTGTGCGCGGTGCGGGGSCACAGAGAGGGCCAAAGACTCTG 3850
QY 4289 TACC--CCGCTCCACGTTGGAGATTTTCGATTTTAGGTTTCTCTCTGGGCAAGGAGAGG 4347
Db 3851 TACCTCCTATCCACGTCAGAGATTTTCGATTTTAGGTTTCTCTCTGGGCAAGGAGAGG 3910
QY 4348 GTGGAGGCTGGCACTTTGGGAGGGACTTGGTGAAGTCACTGTGTAAAGGAACGAGGCCCT 4407
Db 3911 GTGGAGGCTGGCACTTTGGGAGGGACTTGGTGAAGTCACTGTGTAAAGGAACGAGGCCCT 3970
QY 4408 GGGCTTACCTGAGATGGCTGGGCTGAGACTTGTCCAGGTGAACGAGAGCAGAGGAG 4467
Db 3971 GGGCTTACCTGAGATGGCTGGGCTGAGACTTGTCCAGGTGAACGAGAGCAGAGGAG 4030
QY 4468 GGATTGAGACCCCGTTCTGTCTGTGTAGTGTCTGAATGCTGTCCCGCTCTCTCGACACA 4527
Db 4031 GGATTGAGACCCCGTTCTGTCTGTGTAGTGTCTGAATGCTGTCCCGCTCTCTCGATA 4090
QY 4528 TCCAGCGCTGTGCTGCAAGTCTTACGCTTCCAAAGGCTTCTCTGAACCAAGTCTGATG 4587
Db 4091 TCCAGCGCTGTGCTGCAAGTCTTACGCTTCCAAAGGCTTCTCTGAACCAAGTCTGATG 4150
QY 4588 AGCTGCTAATCAGCACAGATGACCTGGGACCCAGCCAGCCACCCGAGAGCTTACCTG 4647
Db 4151 AGCTGCTAATCAGCACAGATGACCTGGGACCCAGCCAGCCACCCGAGAGCTTACCTG 4210
QY 4648 AGGCTTCTCTGCAAAAGAGAGAGTGTGCTGCCAGCGTGGGGGCAAGGGTG 4707
Db 4211 AGGCTTCTCTGCAAGATGAGAGAGTGTGCTGCCAGCGTGGGGGCAAGGGTG 4270
QY 4708 GTGGGTGAAACGTCCAGAGGAAATGAGGGAGGCTGGGCAAAAGTGTGAACAGTGCAT 4767
Db 4271 GTGGGTGAGCGTCCAGAGGAAATGAGGGAGGCTGGGCAAAAGTGTGAACAGTGCAT 4330
QY 4768 CACCGCGAGCGCATCTGGCTGACAGTGTGAGTGTGAGTGTGAGTGTGAGTGTGAGTGT 4827
Db 4331 CACCGCGAGCGCATCTGGCTGACAGTGTGAGTGTGAGTGTGAGTGTGAGTGTGAGTGT 4390
QY 4828 CGGTTCTATCCCTGAGTATCTCTCGGCTTCTCAGGAGGAGGAGGAGGAGGAGGAGG 4887
Db 4391 CGGTTCTATCC--GAGTATGCTCTCGGCTTCTCAGGAGGAGGAGGAGGAGGAGGAGG 4448
QY 4888 GCTTCAATGATGAACCTGTGCGCATAGTGTGGTAACTGTCTTCTGCGGAGTGGTGA 4947
Db 4449 GCTTCAATGATGAACCTGTGCGCATAGTGTGGTAACTGTCTTCTGCGGAGTGGTGA 4508
QY 4948 CCACTCGACAGCTGGGCTGGGCTCTCTCTATGATCTATGATCTATGATCTGATCTGATCT 5007
Db 4509 CCACTCGACAGCTGGGCTGGGCTCTCTCTATGATCTATGATCTATGATCTGATCTGATCT 4568
QY 5008 GTGAGCCAGCTGGGCGCCCAAGCAGGAGTCAAGGAGGAGGAGGAGGAGGAGGAGGAGG 5067
Db 4569 GTGAGCCCATCTGGGAAACAGTGTGAGGGCCGAGGAGGAGGAGGAGGAGGAGGAGGAGG 4628
QY 5068 TGGGCTTAGCTGGGACACCCCGGGGCTTCCAGACAGAGGCTGGCCAGGCTTCTGTAAAGCT 5127

D	b	4680	TGAACTTTTGCGGACACC	CGGGGCTCCAAGCAGCAGCGCTTGA	CCAGAGATCCTGTAGCGCT	4688
O	y	5174	AAC	TTCTCTCAACA	CAGAGAGAGAGAGTGT-----	CCCCCTGGGTGCTGAC
D	b	4748	GAC	CTCTCTCAACATAG	GAGGCAGAAGGAGTGT	CAGGGCGGACCCCCTGGGTGCTGAC
O	y	5234	CCATT	TG	GGGAGCGCATGTCTGTCCAGTC	CGGTGTCCAAACAGBAGATCGACGAGTGANTAG
D	b	4808	CCA	TGTGTGGGACGCATGTCTGTCCAGGCGGTGTCCAA	CAGGAGATCGACGAGCGTGANTAG	4808
O	y	5294	GGCAGG	TGCGGACACAGAGATGGTGAC	CAGAGCTCATGCCCTCACACCACTGCCGTGA	5294
D	b	4868	GGCAGG	TGCGGACACAGAGATGGTGAC	CAGAGCTCATGCCCTCACACCACTGCCGTGA	4868
O	y	5354	TTCA	CAGAGTGCACGCGTTTTGGGACATCAT	TCCCCTTAGTGAGTGACCCATGACATCCC	5354
D	b	4928	TTCA	TGAGTGCACGCGTTTTGGGACATCGT	TCCCCTTAGTGAGTGACCCATGACATCCC	4928
O	y	5414	GTGA	CATCGAAGTACAGGGCTTCGCGCATCCCTAAG	GTAGGCTTCGGGCGCTTCTCACCCC	5414
D	b	4988	GTGA	CATCGAAGTACAGGGCTTCGCGCATCCCTAAG	GTAGGCTTCGGGCGCTTCTCACCCC	4988
O	y	5474	AGCT	CAGCACGACCTGTGTAGTACCCACGATGGCTACT	GCCAGGTGGGCGCACTCT	5474
D	b	5048	AGCT	CAGCACGACCTGTGTAGTACCCACGATGGCTACT	GCCAGGTGGGCGCACTCT	5048
O	y	5534	AGGA	ACCTGGCCACCTAGTCTCAATGCCACACACTGACT	GTGCCCACTTGGGTGGGG	5534
D	b	5108	AGGA	ACCTGGCCACCTAGTCTCAATGCCACACACTGACT	GTGCCCACTTGGGTGGGG	5108
O	y	5594	GGT	CCAGAGTATAGGCGAGGCTGSCCTGTCCATCC	CAGAGCCCCCGTCTAGTGGGAGACA	5594
D	b	5168	GGT	CCAGAGTATAGGCGAGGCTGSCCTGTCCATCC	CAGAGCCCCCGTCTAGTGGGAGACA	5168
O	y	5654	AAC	CAGACCTGCCAGAAATGTTGGAGAACCCAGGCGCT	GACGAGGAGGGGCGAGTGTGG	5654
D	b	5228	AAC	CAGACCTGCCAGAAATGTTGGAGAACCCAGGCGCT	GACGAGGAGGGGCGAGTGTGG	5228
O	y	5714	GTG	CCTCTGAGAGTGTGACTTGCGCCCTGCTGTGGGGT	CCGAGAGGTACTGTGGAGCTT	5714
D	b	5288	GTG	CCTCTGAGAGTGTGACTTGCGCCCTGCTGTGGGGT	CCGAGAGGTACTGTGGAGCTT	5288
O	y	5774	CTCGG	CGCAGGACTAGTTGACAGTCCAGCTGTGTGCC	AGGCGAGTGTGTCCCCCGT	5774
D	b	5348	CTCGG	CGCAGGACTAGTTGACAGTCCAGCTGTGTGCC	AGGCGAGTGTGTCCCCCGT	5348
O	y	5834	GTG	TTTGGTGGCAGGGTCCGAGATCCTAGAGTC	AGTCCCACTCTACCCGTGANTCT	5834
D	b	5408	GTG	TTTGGTGGCAGGGTCCGAGATCCTAGAGTC	AGTCCCACTCTACCCGTGANTCT	5408
O	y	5894	CCT	CCCAGGGAACGACACTATCACCAA	CCTGTCTCGGTGTGGAAGGATAGGCCGTC	5894
D	b	5468	CCT	CCCAGGGAACGACACTATCACCAA	CCTGTCTCGGTGTGGAAGGATAGGCCGTC	5468
O	y	5954	TGG	GAGAAGCCCTTCCGCTTCCACCCCGAA	CACTTCTCGGATGCCAGGGCCACTTTGTG	5954
D	b	5528	TGG	GAGAAGCCCTTCCGCTTCCACCCCGAA	CACTTCTCGGATGCCAGGGCCACTTTGTG	5528
O	y	6014	AAG	CCGAGAGGCTTCTCGCTTTCTACGAGTG	CGTGTGGGAGCCCGGCTCCCTGTGTC	6014
D	b	5588	AAG	CCGAGAGGCTTCTCGCTTTCTACGAGTG	CGTGTGGGAGCCCGGCTCCCTGTGTC	5588
O	y	6074	CTT	CCGTGTGAGTCTTCAGGGGTATCAC	CCAGGAGCCAGGCTACTGTAGCGCCCTCCC	6074
D	b	5648	CTT	CCGTGTGAGTCTTCAGGGGTATCAC	CCAGGAGCCAGGCTACTGTAGCGCCCTCCC	5648
O	y	6134	TCCC	CACAGGCGCGCTGTGCATGCCCTCGGG	GAGCCCTTGGGCCGCGCATGGAGCTTCTCCTCT	6134
D	b	5708	TCCC	CACAGGCGCGCTGTGCATGCCCTCGGG	GAGCCCTTGGGCCGCGCATGGAGCTTCTCCTCT	5708
O	y	6194	TCTT	CACCTCGCTCGAGCATCTTACGTTCT	CGTGGCGCGCGGACAGCCCGGCGCA	6194
D	b	5768	TCTT	CACCTCGCTCGAGCATCTTACGTTCT	CGTGGCGCGCGGACAGCCCGGCGCA	5768

Qy	6195	GCACCTCTCGTGTGTCAGCTTTCTGGTGAACCCCATCCCCCTACGAGCTTTGTGCTGTGC	6354
Db	5769	GCCACCATGGTGTCTTTGTCTTCTGGTGTAGCCCATCCCCCTATGAGCTTTGTGCTGTGC	5928
Qy	6255	CCGCTAGAAATGGGTACCTAGTGTCCCGAGGCTGCTCCCTAGCCAGAGGCTCTTAATGTACA	6314
Db	5829	CCGCTAGAAATGGGTACCTAGTGTCCCGAGGCTGCTCCCTAGCCAGAGGCTCTTAATGTACA	5988
Qy	6315	ATAAGCAATGTGTAGTTTCCAACTTTGGGTCCCTGCTCAGCGCCCTCGTTGGGATCATCC	6374
Db	5889	ATAAGCAATGTGTAGTTTCCAACTCGGGTCCCTGCTCAGCGCCCTCGTTGGGATCATCC	5948
Qy	6375	TCCTCAGGGCAACCCCAACCCCTGCTCATTTCTCTGTCTTACCCCAACCGCTGGCCGCAATTG	6434
Db	5949	TCCTCAGGGCAACCCCAACCCCTGCTCATTTCTCTGTCTTACCCCAACCGCTGGCCGCAATTG	6008
Qy	6435	AGAC - GGGTACGTTGAGGGTGAGCAGATGTCTAGTTACCTTTGCCCATTAATCCATGTCC	6492
Db	6009	AGACAGGGGTACGTTGAGGGTGAGCAGATGTCTAGTTACCTTTGCCCATTAATCCATGTCC	6068
Qy	6493	CCCACTGACCAACTCTGACTGCCAGATTTGGTGACAAGGACTTACATTGTCTCGGCATGT	6552
Db	6069	CCCACTGACCAACTCTGACTGCCAGATTTGGTGACAAGGACTTACATTGTCTCGGCATGT	6128
Qy	6553	GGGGAAGGGGCCAGAATGGGCTGACTAGAGGTGTCTAGTCTCAGCCCTGGATGTGGAGAG	6612
Db	6129	GGGGAAGGGGCCAGAATGGGCTGACTAGAGGTGTCTAGTCTCAGCCCTGGATGTGGAGAG	6188
Qy	6613	GGCAGGACTCAGCTCGAGGCCCATTAATTTTCAGGCTTAACTCAGCCCAACCCCATCAGGG	6672
Db	6189	GGCAGGACTCAGCTCGAGGCCCATTAATTTTCAGGCTTAACTCAGCCCAACCCCATCAGGG	6248
Qy	6673	ACAGCAGTCTGCGCAGCACCATCACACAGTCACTCCCTTCATATATGACACCCCAAAA	6732
Db	6249	ACAGCAGTCTGCGCAGCACCATCACACAGTCACTCCCTTCATATATGACACCCCAAAA	6308
Qy	6733	TGGAAGACAATCAT --- GTCCAGGAGCTATATGCCAGGG --- CTACCTCCCGAGGCTC	6785
Db	6309	CGGAGACAATCATGGCGTCAGGAGCTATATGCCAGGCTACCTACCTCCCGAGGCTC	6368
Qy	6786	AGTCGGCAGGTGCCAGAACATTCCTCTGGAGGCCCCAGGAAACCCAGAGCCAGGCCAC	6845
Db	6369	AGTCGGCAGGTGCCAGAACATTCCTCTGGAGGCCCCAGGAAACCCAGAGCTGAGGCCAC	6428
Qy	6846	CGCCCTCAGCCT 6857	
Db	6429	CACCCCTCAGCCT 6440	
RESULT 7			
AX687027			
LOCUS	AX687027	9432 bp	DNA linear PAT 31-MAR-2003
DEFINITION	Sequence 1 from Patent EP1281755.		
ACCESSION	AX687027		
VERSION	AX687027.1	GI:29409531	
KEYWORDS	Homo sapiens (human)		
SOURCE	Homo sapiens		
ORGANISM	Homo sapiens		
REFERENCE	1. Milos, P. M. and Webb, S. M.		
AUTHORS	Variants of the human cyp2d6 gene		
TITLE	Patent: EP 1281755-A 1 05-FEB-2003;		
JOURNAL	Pfizer Products Inc. (US)		
FEATURES	Location/Qualifiers		
source	1. .9432		
	/organism="Homo sapiens"		
	/mol_type="unassigned DNA"		
	/db_xref="taxon:9606"		
ORIGIN			

Query Match	51.8%;	Score	5325.6;	DB	6;	Length	9432;
Best Local Similarity	93.4%;	Pred.	No. 0;				
Matches	5895;	Conservative	0;	Mismatches	269;	Indels	148;
							Gaps
							26;
QY	637	TGTACAAAATCAGCCAGGATGCTGTGGGACCTGTAATCCAGCTACTTTGGGAGGC	696				
DB	186	TGAATAACAAAAGCTAGACGTGTGGGACACACCTGTAAATCCAGCTACTTAGGAGGC	245				
QY	697	TGAGGCAGGAGAAATCGCTTGAACCTCGAGGTGAGGTTGCACTGAGCCGAGATCGCATC	756				
DB	246	TGAGGCAGGAGAAATGCTTGAAGCCTAGAGGTGAAGTTGTAGTGAGCCGAGATTGCATC	305				
QY	757	ATTGCA-----CTCCACCTGGGCGAC-AGAGCAAAATCTCGTCTC-----	796				
DB	306	ATTGCACAAATGAGGGGAGCCACACAGCCTGGGCAACAAGAGCAAAATCTCCGTCTCCAAA	365				
QY	797	-----AAAAAAATATTGGGCTCGGTGGTCTGTAGTCCAGCTACTTTGGGAG	849				
DB	366	AAAAAAATTTGGGCTCGGTGGTCTGTAGTCCAGCTACTTTGGGAG	425				
QY	850	GCAGGAGTCCACTTGTATGTTTGAGATTGCAGTGAGCCATGATCTGCGCACTGCACCTCCGG	909				
DB	426	GCAGGGGTCCACTTGTATGTTTGAGATTGCAGTGAGCCATGATCTGCGCACTGCACCTCCGG	485				
QY	910	CCGGGCAACAGAGTGAGACCTGTGTAAAGAAAATAAATAAATAAAGCAACATATC	969				
DB	486	CTGGGCAACAGAGTGAGACCTGTGTAAAGAAAATAAATAAATAAAGCAACATATC	540				
QY	970	CTAAATTAAGGATCTCCATATGTTTCCACAGATTTCTAATCAGAAAATGAGGCCA	1029				
DB	541	CTGAACAAGAGTCTTCCATATACGTTTCCACAGATTTCTAATCAGAAAATGAGGCCA	600				
QY	1030	GGAAGCAGTGGAGAAATGACGACCTTCAGGAGCCCTGGAGGATGCTGTCAAGGCTGGGG	1089				
DB	601	GAAAGCAGTGGAGGAGGACGACCTTCAGGAGCCCGGGAGGATGTTGTCAAGGCTGGGG	660				
QY	1090	CAAGGCTTTCAGGTACCAACTGGGAGCTCTGGGAAACAGCCCTGTGTGCAAAACAGGAAT	1149				
DB	661	CAAGGCTTTCAGGTACCAACTGGGAGCTCTGGGAAACAGCCCTGTGTGCAAAACAGGA	720				
QY	1150	CATGGCCGGCCAGAGCCCA-GAATGTGGGCTGAGCTGGGATCCATGTGACAGCTTTGAG	1208				
DB	721	CATAGCCGGCCAGAGCCCAAGAAATGTGGGCTGGGCT-----	757				
QY	1209	GCTCACCGGGAGCAGCTCTGGACAGGAGAGTCCCATCCAGGAAAACCTCGGGCATGGCT	1268				
DB	758	-----GGGAGCAGCCTCTGGAAGGAGTGGTCCATCCAGGAAAACCTCGGGCATGGCT	810				
QY	1269	GGGAAGTGGGTACTTGGTGCCGGGTCTGTATGTGTGTGACCTGTGTGTGAGAGAG	1328				
DB	811	GGGAAGTGGGTACTTGGTGCCGGGTCTGTATGTGTGTGACCTGTGTGTGAGAGAG	870				
QY	1329	AATGTGTGCCCTGAGTGTGAGTGTGAGTCTGTGTATGTGTGAATATTGTCTTTGTGGG	1388				
DB	871	AATGTGTGCCCTGAGTGTGAGTGTGAGTCTGTGTATGTGTGAATATTGTCTTTGTGGG	930				
QY	1389	TGATTTTCTGCATGTGTAATCTGTCTCCAGAGTGTGAACAAGTGGACAAAGTGTCTGGG	1448				
DB	931	TGATTTTCTGCATGTGTAATCTGTCTCCAGAGTGTGAACAAGTGGACAAAGTGTCTGGG	990				
QY	1449	AGTGGAACAAGATCTGTGCCAATCAGGTGTGTGCATAGCGTCTGTGCATGTCAAGAGT	1508				
DB	991	AGTGGAACAAGATCTGTGCCAATCAGGTGTGTGCATAGCGTCTGTGCATGTCAAGAGT	1050				
QY	1509	GCAAGGTGAAGTGAAGGACCAAGGCCCATGATGCCATCATCAGAGCTCTAAGGCC	1568				
DB	1051	GCAAGGTGAAGTGAAGGACCAAGGCCCATGATGCCATCATCAGAGCTCTAAGGCC	1110				
QY	1569	CCAGGTGAAGTGCAGTGACAGATTAAGGTGCTGAAGGTCACTCTGGAGTGGCAGGTGGG	1628				
DB	1111	CCAGGTGAAGTGCAGTGACAGATTAAGGTGCTGAAGGTCACTCTGGAGTGGCAGGTGGG	1170				
QY	1629	GGTAGGGAAGGGCAGGTCATGTTTCTGGAGGAGGGGTTGTGACTACATTAAGGCTGTATG	1688				

2249 GGGATGCTAACTGGGGCCCTCTCGGCAATTTTGGTGACTCTTGCAAGGTATACCTCGGGTG 2308
2768 AGCATCCAACTGATGTTCTCCATCAAGAAAGTGTGACCCCAACCCCTGCCCCACCAT 2827
2309 AGCATCCAACTGATGTTCTCCATCAGAAAGTGTGACCCCAACCCCTGCCCCACCAT 2368
2828 CAGGAGGCTGGGTCTCTCTCTTCCACCTGCTCACTCTGTTAGCCCGGGGTGCTCCAA 2887
2369 CAGGAGGCTGGGTCTCTCTCTTCCACCTGCTCACTCTGTTAGCCCGGGGTGCTCCAA 2428
2888 GGTTCAAATAGGACTAGGACTGTAGTCTTGGGGTGTATCTGGCTTTGAACAAGAGGCCCTGA 2947
2429 GGTTCAAATAGGACTAGGACTGTAGTCTTGGGGTGTATCTGGCTTTGAACAAGAGGCCCTGA 2488
2948 CCTCTCTCTGAGTGGGCGCGCTTCGGGGAAGTGTTCAGCTGCTGAGCTGGCTGGA 3007
2489 CCTCTCTCTGAGTGGGCGCGCTTCGGGGAAGTGTTCAGCTGCTGAGCTGGCTGGA 2548
3008 CGCCGGTGTGCTGCTCAATGGGCTGGCGGCGCTGGCGAGCGATGTAACCGCGGG 3067
2549 CGCCGGTGTGCTGCTCAATGGGCTGGCGGCGCTGGCGAGCGCTGTTGACCCACGCG 2608
3068 AGGACACGCGCGACCGCGCTGCGCCATCTACAGGTCTTGGGCTTGGGCGCGCTT 3127
2609 AGGACACGCGCGACCGCGCTGCGCCATCTACAGGTCTTGGGCTTGGGCGCGCTT 2668
3128 CCAAGGCAAGCGGCGTGGGGGACAGAGACCGCGTTCCTGGGCGCGCGTGGACAGT 3187
2669 CCAAGGCAAGCAGCGGT- GGGGAACAGAGACAG- ATTTCCGTGGGACCGCGGTGGGTGAT 2726
3188 GACCGTAGCCCAAGCAGCGCGACAGGCGTGGGCTCTGGACGTGAACAGAGATAAG 3247
2727 GACCGTAGCCCAAGCAGCGCGACAGGCGCGCGGTCTGGACATGAAC-----AG 2778
3248 GCACGAGTGGGCTCAGACAGTGGGCGCAGAAACCACTGCACGGGGAGGTGCGAGT 3307
2779 GCACGAGTGG- ----GGACAGCGGCCCAAGAACCACTGCATAGGGAGTGTGAGC 2833
3308 CTGTGGGCTG-----GAGGGGCGGGGCTACTGCCAGACCCCGCACAA 3352
2834 ATGGGGACGAGGCGGGGCTTGTGAGTGGGCGGGGCACTGCCAGACCTTGCAGGA 2893
3353 GCCCGTGGGCGAGCTG-----ATGCGTCAAGTGGCGGTGGCGGG 3394
2894 GCCCAATGGGTGAGCGTGGCGCATTTCCAGTGGAAATCCGGTGTGCAAGTGGGGCGGG 2953
3395 GACCGCGCTATGCTCGGGCTCAGTGTGG-----GCGGACGGGCGGATCTTCTTGA 3449
2954 GACCGCACTGTGCTTAAGCTCAGTGTGGGTGGCGCGGGGCCCGCGGGGTCTTCCCTGA 3013
3450 GTGGAAGGTGTGAGGTGGGCAAGACAGAGTGGGCGCAAAACCCCGCCAGCAGGG 3509
3014 GTGCAAGCGGTGAGGTGGGCAAGACAGAGTGGGG- CAAGGCTGCCCCAGCAAG 3072
3510 GAGCAATGTGGTGAAGAGTGGCGCTGTCGCCAGCTGGACCGGGCTAGGACTGC 3569
3073 GAGCAAGGTGATGACAAAGTGGGCTTGTGACAGCTGGAAGAGCCAGGACTGC 3132
3570 GGGACACTTGTGAGCGCGCAGGCTGGAGTGGGTGGGCGGGGTGGGCGCAAGGCTTC 3629
3133 GGGACACCAAGGGGAGC- ATAGGTTGGAGTGGGTGGATGGTGGGGCTAAATGCTTC 3191
3630 ATGGCAACGCCACTGTGCTCGCTCCCGCCCAAGGGGTGATCTGTGCGGTATAGGGCCG 3689
3192 ATGGCAACGCCACTGTGCTCGCTCCCGCCCAAGGGGTGATCTGTGCGGTATAGGGCCG 3251
3690 CGTGGCGGAGCAGAGGCGCTTCTCCGTGTCACCTTGGCACTTGGGCTGGGCAAGA 3749
3252 CGTGGCGGAGCAGAGGCGCTTCTCCGTGTCACCTTGGCACTTGGGCTGGGCAAGA 3311
3750 AGTCTGTGAGCAGTGGGTGACCGAGGAGCGCGCTGCTTTGTGCGG- CTTCGCGGAC 3808
3312 AGTCTGTGAGCAGTGGGTGACCGAGGAGCGCGCTGCTTTGTGCGGCTTCGCGCAAC 3371

QY 3809 AAGCGGTGGGTGATGGGCAAGGGCAAAAGCGGGAACCTGGGAAGCGGGGAGCGAG 3868
Db 3372 ACTCGGTGGGTGATGGGCAAGGGCAAAAGCGGGAACCTGGGAAGCGGGGAGCGAG 3431
QY 3869 AAGGCAACCCCTTACCGCATCTCCCAACCCCGAGGAGCGCCCTTTTCCGCCCAACGGCT 3928
Db 3432 AAGGCAACCCCTTACCGCATCT- CCAACCCCGAGGAGCGCCCTTTTCCGCCCAACGGCT 3490
QY 3929 CTTGCAAAAGCCGTGAGCAACGTGATCGCTCCCTCACTCTGCGGGCGCGCTTCAGTA 3988
Db 3491 CTTGCAAAAGCCGTGAGCAACGTGATCGCTCCCTCACTCTGCGGGCGCGCTTCAGTA 3550
QY 3989 CGAAGCCCTCGCTTCTCAGGCTGCTGGAACCTAGCTCAGAGGGAATGAAGGAGGATC 4048
Db 3551 CGAGACCCCTCGCTTCTCAGGCTGCTGGAACCTAGCTCAGAGGGAATGAAGGAGGATC 3610
QY 4049 GGGCTTTCTGCGGAGGTGCGGAGCAGAGACCGAGGAGTCTCTGCGGGCGAGCTCTG 4108
Db 3611 GGGCTTTCTGCGGAGGTGCGGAGCAGAGACCGAGGAGTCTCTGCGGGCGAGCTCCG 3670
QY 4109 AGAGTGGCGGGGCTGGAATCGGGCTCCGAAGGGCAGGATTTGCATAGATGGGTTGG 4168
Db 3671 AGAGTGGCGGGGCTGGAATCGGGCTCCGAAGGAGCAGGATTTGCATAGATGGGTTGG 3730
QY 4169 AAGAGCAATTCAGGAGACCCCACTGTGAAGAGGGCTTGGAGGAGGAGGACATCTCAG 4228
Db 3731 AAGAGCAATTCAGGAGACCCCACTGTGAAGAGGGCTTGGAGGAGGAGGACATCTCAG 3790
QY 4229 ACATGGTCTGGGAGAGGTGTCGGGTGAGGGGCAACAGGAGGAGGCAAGGACTCTG 4288
Db 3791 ACATGGTCTGGGAGAGGTGTCGGGTGAGGGGCAACAGGAGGAGGCAAGGACTCTG 3850
QY 4289 TACC- CCGGTCCAGTGGAGATTTGCATTTAGGTTTCTCTCTGGGCAAGGAGAGG 4347
Db 3851 TACCTCTATCCAGTCAAGATTTGCATTTAGGTTTCTCTCTGGGCAAGGAGAGG 3910
QY 4348 GTGAGGCTGGCACTTGGGAGGAGACTTGGTGAAGTGAAGGACAGGAGGCGCT 4407
Db 3911 GTGAGGCTGGCACTTGGGAGGAGACTTGGTGAAGTGAAGGACAGGAGGCGCT 3970
QY 4408 GGGTCTACTCGAGATGCTGGGCTGAGACTTGTCCAGGTGAACGAGAGCAGAG 4467
Db 3971 GGGTCTACTCGAGATGCTGGGCTGAGACTTGTCCAGGTGAACGAGAGCAGAG 4030
QY 4468 GGATGAGACCCCGTCTGTCTGGTGAAGTGTGAATGTCTCCCGTCTCTCTGCA 4527
Db 4031 GGATGAGACCCCGTCTGTCTGGTGAAGTGTGAATGTCTCCCGTCTCTCTGCA 4090
QY 4528 TCCAGGCTGGCTGGCAAGTCTTACGTTCCAAAGGCTTCTGTACCCAGCTGGATG 4587
Db 4091 TCCAGGCTGGCTGGCAAGTCTTACGTTCCAAAGGCTTCTGTGACCCAGCTGGATG 4150
QY 4588 AGCTGTAACCTGAGCAGAGTGAAGTGGGACCCAGCCAGCCAGCCAGACCTGACTG 4647
Db 4151 AGCTGTAACCTGAGCAGAGTGAAGTGGGACCCAGCCAGCCAGCCAGACCTGACTG 4210
QY 4648 AGGCTTCTCTGGCAAGAGAGTGAAGTGGCTGCGCAAGGTTGGGGGCAAGGCTG 4707
Db 4211 AGGCTTCTCTGGCAAGAGTGAAGTGGCTGCGCAAGGTTGGGGGCAAGGCTG 4270
QY 4708 GTGGTTGAACCTTCCAGGAGGATGAGGAGGCTGGGCAAGGTTGGACAGTGCAT 4767
Db 4271 GTGGTTGAGCTTCCAGGAGGATGAGGAGGCTGGGCAAGGTTGGACAGTGCAT 4330
QY 4768 CACCGGCGAGCGCATCTGGGCTGACAGTGTGAGATTTGGAGGTCAATTTGGGGCTACC 4827
Db 4331 CACCGGCGAGCGCATCTGGGCTGACAGTGTGAGATTTGGAGGTCAATTTGGGGCTACC 4390
QY 4828 CCGTTCTATCCCTGAGTATCTCTCGGCCCTGTCTAGGCCAAGGGAGGCGCTTGAGAGA 4887
Db 4391 CCGTTCTGTCCTCTCGGCCCTGTCTAGGCCAAGGGAGGCGCTTGAGAGA 4448

4888 GCTTCAATGATGAGAACCTGCGCATAGTGGTGGGTAACTGTTCTTCTGCGGATCGTGA 4947
|||||
4449 GCTTCAATGATGAGAACCTGCGCATAGTGGTGGGTAACTGTTCTTCTGCGGATCGTGA 4508
|||||
4948 CCACTTCGACACGCTGGCTGGGGCTCTGCTCATGATCCATACACCTGGATGTGCAGC 5007
|||||
4509 CCACTTCGACACGCTGGCTGGGGCTCTGCTCATGATCCATACCTGGATGTGCAGC 4568
|||||
5008 GTGAGCCAGCTGGGGCCMAGCGAGGGACTGAGGAGGAAGGTTACAGTGGGGCCCC 5067
|||||
4569 GTGAGCCCATCTGGGAAAAGTGCAGGGGCGGAGGAGGAAGGTTACAGCGGGGCCCA 4628
|||||
5068 TGGGCTTAGTGGGACACCGGGGCTTCCAGCACAGCGCTGGCAGGCTCCTGTAAGCTT 5127
|||||
4629 TGAACCTTTGCTGGGACACCGGGGCTTCCAGACACAGGCTTGACAGGATCCTGTAAGCTT 4688
|||||
5128 AACTTCCTCCAACACAGGAGGAAGGAGTGT-----CCCTGGGTGCTGAC 5174
|||||
4689 GACCTCTCCACATAGGAGGGAAGAGGAGTGTAGGGCGGACCCCTGGGTGCTGAC 4748
|||||
5175 CCATTGTGGGACGCGATGTTCTCCAGTCCGTGTCCAAAGAGGATCGACGAGTATAG 5234
|||||
4749 CCATTGTGGGACGCGATGTTCTCCAGGCGGTGTCCAAAGAGGATCGACGAGTATAG 4808
|||||
5235 GGCAGTGGCGGACACAGAGATGGGTGACAGGCTCACATGCCCTTACACATGCCGTGA 5294
|||||
4809 GGCAGTGGCGGACACAGAGATGGGTGACAGGCTCACATGCCCTTACACATGCCGTGA 4868
|||||
5295 TTACAGAGTGGACCGCTTTGGGACATCATCCCCCTGAGTGTGACCCATATGACATCCC 5354
|||||
4869 TTATAGAGTGGACCGCTTTGGGGAATGTCCTCCCTGGGTGTGACCCATATGACATCCC 4928
|||||
5355 GTGACATCGAAGTACAGGGCTTCCGCGATCCCTAAGGTAGGCTTGGGCGCTCTCTACCCC 5414
|||||
4929 GTGACATCGAAGTACAGGGCTTCCGCGATCCCTAAGGTAGGCTTGGGCGCTCTCTACCCC 4988
|||||
5415 AGCTCAGACACGACACTGGTGTATAGCCCGAGATGGCTACTGCGAGTGGGCCCACTCT 5474
|||||
4989 AGCTCAGACACGACACTGGTGTATAGCCCGAGATGGCTACTGCGAGTGGGCCCACTCT 5048
|||||
5475 AGGACCTTGGCCACCTAGTCTCAATGCAACACACTGACTGTCCCACTTGGGTGGGG 5534
|||||
5049 AGGAACTTGGCCACCTAGTCTCAATGCAACACACTGACTGTCCCACTTGGGTGGGG 5108
|||||
5535 GGTCCAGAGTATAGGACAGGCTGGCCCTGTCCATCCAGAGCCCGCTAGTGGGGAGACA 5594
|||||
5109 GGTCCAGAGTATAGGACAGGCTGGCCCTGTCCATCCAGAGCCCGCTAGTGGGGAGACA 5168
|||||
5595 AACCCAGGACCTGCCAGAAATGTTGGAGGACCCAGCGCTTGCAGGAGAGGGGCGAGTGG 5654
|||||
5169 AACCCAGGACCTGCCAGAAATGTTGGAGGACCCAGCGCTTGCAGGAGAGGGGCGAGTGG 5228
|||||
5655 GTGCCCTCAGAGGTGTGACTGGCCCTGCTGTGGGTGCGAGAGGTTACTGTGAGCTTT 5714
|||||
5229 GTGCCCTCAGAGGTGTGACTGGCCCTGCTGTGGGTGCGAGAGGTTACTGTGAGCTTT 5288
|||||
5715 CTCGGGCGCAGGACTAGTTGACAGAGTCCAGTGTGTGCGGACGAGTGTGTCCTCCGT 5774
|||||
5289 CTCGGGCGCAGGACTAGTTGACAGAGTCCAGTGTGTGCGGACGAGTGTGTCCTCCGT 5348
|||||
5775 GTGTTTGTGGGAGGGGTCCTCAGCATCTAGAGTCCAGTCCCACTCTCACCCTGCTCATCT 5834
|||||
5349 GTGTTTGTGGGAGGGGTCCTCAGCATCTAGAGTCCAGTCCCACTCTCACCCTGCTCATCT 5408
|||||
5835 CTGCCCCAGGGAACGACATCAATCAACCTGTATCGGTGCTGAAGGATGAGCCGCTC 5894
|||||
5409 CTGCCCCAGGGAACGACATCAATCAACCTGTATCGGTGCTGAAGGATGAGCCGCTC 5468
|||||
5895 TGGGAGAACCTTCCGCTTCCACCCCGAACACTTCTCGATGCCAGGCCACACTTTGTG 5954
|||||
5469 TGGGAGAACCTTCCGCTTCCACCCCGAACACTTCTCGATGCCAGGCCACACTTTGTG 5528
|||||
5955 AAGCCGGAGGCTTCTGCTGCTTCTCAGCAGGTGCTGTGGGGAGCCCGGCTCCCTGTGCC 6014
|||||

5529 AAGCCGGAGGCTTCTGCTGCTTCTCAGCAGGTGCTGTGGGAGCCCGCTCCCTGTGCC 5588
|||||
6015 CTTTCCGTGGAGTCTTTGACAGGGGTATACCCAGGAGCCAGGCTCACTGACGCCCTCCCCC 6074
|||||
5589 CTTTCCGTGGAGTCTTTGACAGGGGTATACCCAGGAGCCAGGCTCACTGACGCCCTCCCCC 5648
|||||
6075 TCCCAACAGCCCGCGTGCATGCCCTGGGGAGCCCTGCGCCGATGAGAGCTTCTCTCT 6134
|||||
5649 TCCCAACAGCCCGCGTGCATGCCCTGGGGAGCCCTGCGCCGATGAGAGCTTCTCTCT 5708
|||||
6135 TCTTCACTCCCTGCTGACAGCACTTTCAGCTTCTCGTGGCGCCGACAGCCCGGCCCA 6194
|||||
5709 TCTTCACTCCCTGCTGACAGCACTTTCAGCTTCTCGTGGCGCCGACAGCCCGGCCCA 5768
|||||
6195 GGCACCTCTCGTCTGCTGACAGCTTTCAGCTTCTCGTGGCGCCGACAGCCCGGCCCA 6254
|||||
5769 GGCACCATGCTGCTTTCAGCTTCTCGTGGCGCCGACAGCCCGGCCCACTGCTGCTG 5828
|||||
6255 CCCGCTAGAAATGGGGTACCTAGTCCCGCAGCTGCTCCCTAGCAGAGGCTCTAAATGACA 6314
|||||
5829 CCCGCTAGAAATGGGGTACCTAGTCCCGCAGCTGCTCCCTAGCAGAGGCTCTAAATGACA 5888
|||||
6315 ATAAAGCAATGTGGTGTAGTTCCAACTTTGGGTCCCTGCTCAACGCTCTGTTGGGATCATCC 6374
|||||
5889 ATAAAGCAATGTGGTGTAGTTCCAACTTTGGGTCCCTGCTCAACGCTCTGTTGGGATCATCC 5948
|||||
6375 TCCTCAGGGCAACCCCAACCTGCTCATTTCTGCTTACCCCAACGCTCTGGCGCATTTG 6434
|||||
5949 TCCTCAGGGCAACCCCAACCTGCTCATTTCTGCTTACCCCAACGCTCTGGCGCATTTG 6008
|||||
6435 AGAC--GGGTAGCTTGGAGCTGAGCAGATGTGAGTTCAGTTTACCTTTGCCATAATCCCATGTCC 6492
|||||
6009 AGACAGGGGTAGCTTGGAGCTGAGCAGATGTGAGTTCAGTTTACCTTTGCCATAATCCCATGTCC 6068
|||||
6493 CCCACTGACCCCAACTCTGACTGCCAGATTTGGTGAACAAGACTACATTTCTCTGGCATGT 6552
|||||
6069 CCCACTGACCCCAACTCTGACTGCCAGATTTGGTGAACAAGACTACATTTCTCTGGCATGT 6128
|||||
6553 GGGGAAGGGCCAGAAATGGGCTGACTAGAGTGTGAGTTCAGTTCAGCCCTGGATGTGGTGGAG 6612
|||||
6129 GGGGAAGGGCCAGAAATGGGCTGACTAGAGTGTGAGTTCAGTTCAGCCCTGGATGTGGTGGAG 6188
|||||
6613 GGCAGACTCAGCTGGAGGCCATATTTTACGGCTTAACTCAGCCACCCACCATCATCAGG 6672
|||||
6189 GGCAGACTCAGCTGGAGGCCATATTTTACGGCTTAACTCAGCCACCCACCATCATCAGG 6248
|||||
6673 ACAGCAGTCTCTGCCAGCACCATCAACAGTCACTCCCTTCCATATATGACACCCCAAAA 6732
|||||
6249 ACAGCAGTCTCTGCCAGCACCATCAACAGTCACTCCCTTCCATATATGACACCCCAAAA 6308
|||||
6733 TGGGAAGACAATCAT---GTCCGGAGCTATATGCCAGG---CTACCTCCAGGGCTC 6785
|||||
6309 CGGAAGACAAATCATTTGGGCTCAGGGAGCTATATGCGAGGGCTTACCTACCTCCAGGGCTC 6368
|||||
6786 AGTCGGCAGGTGCCAGAACATTTCCCTGGGAGGGCCCGAGGAAAACCCAGGACCGAGCCAC 6845
|||||
6369 AGTCGGCAGGTGCCAGAACATTTCCCTGGGAGGGCCCGAGGAAAACCCAGGACCGAGCCAC 6428
|||||
6846 GCGCCTCAGCCTT 6857
|||||
6429 CACCTCAGCCT 6440
|||||

RESULT 8

HUMCYP2D6

LOCUS

Human cytochrome

P450 IID6

M33388

ACCESSION

M33388.1

VERSION

GI:181303

KEYWORDS

cytochrome P450; cytochrome P450 IID6.

SOURCE

Homo sapiens (human)

ORGANISM

Homo sapiens

HUMCYP2D6 9432 bp DNA linear PRI 22-NOV-1994

Human cytochrome P450 IID6 (CYP2D6) gene, complete cds.

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 9432)
Kimura,S., Umeno,M., Skoda,R.C., Meyer,U.A. and Gonzalez,F.J.
The human debrisoquine 4-hydroxylase (CYP2D6) locus: sequence and
identification of the polymorphic CYP2D6 gene, a related gene, and
a pseudogene
Am. J. Hum. Genet. 45 (6), 889-904 (1989)
90072069
2574001
PUBMED
COMMENT
Original source text: Human DNA, clone lambda2D-18/2.
Draft entry and computer-readable sequence for [Am. J. Hum. Genet.
45, 889-904 (1989)] kindly submitted
by S.Kimura, 29-MAR-1990.
FEATURES
Location/Qualifiers
1..9432
/organism="Homo sapiens"
/mol_type="genomic DNA"
/db_xref="taxon:9606"
/map="22q13.1"
Join(1532..1799,2503..2674,3225..3377,3466..3626,
4060..4236,4427..4568,4776..4963,5418..5559,5658..5909)
/gene="CYP2D6"
Join(1532..1799,2503..2674,3225..3377,3466..3626,
4060..4236,4427..4568,4776..4963,5418..5559,5658..5909)
/gene="CYP2D6"
/product="cytochrome P450 IID6"
/note="G00-132-127"
1532..1799
/gene="CYP2D6"
/note="cytochrome P450 IID6; G00-132-127"
/number=1
Join(1620..1799,2503..2674,3225..3377,3466..3626,
4060..4236,4427..4568,4776..4963,5418..5559,5658..5836)
/gene="CYP2D6"
/codon_start=1
/product="cytochrome P450 IID6"
/protein_id="AA53500.1"
/db_xref="GI:181304"
/db_xref="GDB:G00-132-127"
/translation="MGLEALVPLAVIAIFLLVLMHRRORWAARYPPGPIPLPLGLG
NLLHVDFTQPCYFQRRRGVDFSLQAWTPVVLNGLAAVREALVTHGEDADRP
PVPVPIQLIGFGRSGQVLARYGPWRQRRESVSTENLGLGKSLQWYTERACL
CAAFANSGRPFRNGLLDKAVSNVIASTLCRRFEYDDPRFLRLDLAQGLKEESG
FLREVLNAPVLLHLPALAGKLVLFQKAPLTLQDELLTEHRMTWDPAPQPRDLTEAFL
AEMEKAGNPSSFNENLRIVYADLFSGAVPVTSTLAWGLLMLHPDVQRVQOE
IDDVIGQVRPMPGQAHMPYTTAVIHEVQRFQDIVPLGVTHMTSRDIEVOGFRIPKG
TTLTNLSVLKDEAVKPEFHPFHEFLDAQHFVKPEAFLPFSAGRRCLGLBELAR
MELFLFTSLQHFSSVPTGQPRFHHGVFAFLVSPSPYELCAVPR"
1800..2502
/gene="CYP2D6"
/note="G00-132-127"
/number=1
2503..2674
/gene="CYP2D6"
/note="G00-132-127"
/number=2
2675..3224
/gene="CYP2D6"
/note="G00-132-127; does not fit consensus"
/number=2
3225..3377
/gene="CYP2D6"
/note="G00-132-127"
/number=3
3378..3465
/gene="CYP2D6"
/note="G00-132-127"
/number=3
3466..3626
/gene="CYP2D6"
/note="G00-132-127"
/number=4

intron
3627..4059
/gene="CYP2D6"
/note="G00-132-127"
/number=4
4060..4236
/gene="CYP2D6"
/note="G00-132-127"
/number=5
4237..4426
/gene="CYP2D6"
/note="G00-132-127"
/number=5
4427..4568
/gene="CYP2D6"
/note="G00-132-127"
/number=6
4569..4775
/gene="CYP2D6"
/note="G00-132-127"
/number=6
4776..4963
/gene="CYP2D6"
/note="G00-132-127"
/number=7
4964..5417
/gene="CYP2D6"
/note="G00-132-127"
/number=7
5418..5559
/gene="CYP2D6"
/note="G00-132-127"
/number=8
5560..5657
/gene="CYP2D6"
/note="G00-132-127"
/number=8
5658..5909
/gene="CYP2D6"
/note="G00-132-127"
/number=9
ORIGIN
Query Match 51.8%; Score 5325.6; DB 9; Length 9432;
Best Local Similarity 93.4%; Pred. No. 0;
Matches 5895; Conservative 0; Mismatches 269; Indels 148; Gaps 26;
QY 637 TGTCAAAAAATCAGCAGGATGTTGGTGGGCACCTGTATATCCAGCTACTTTGGAGGC 696
Db 186 TGAATAACAAAAGCTAGACGTGTGGCACACACCTGTATATCCAGCTACTTAGAGGC 245
QY 697 TGAGCAGGAGATCGCTTGAAACCTGGAGGTGGAGTTGCAGTGAGCCGAGATCGCATC 756
Db 246 TGAGCAGGAGATTCCTTGAAGCTAGAGGTGAAGTTGTAGTGAGCCGAGATTGCATC 305
QY 757 ATTGCA-----CTCCCACTGGGGGAC-AGACAAAACCTCCGCTC----- 796
Db 306 ATTGCACAATGGAGGGGAGCCACCAGCCTGGGCACACAGAGAAATCTCCGCTCCAAAA 365
QY 797 -----AAAAAAAATTTATTGGGCTCGGTGGTGGCTGTAGTCCCAGCTACTTTGGGAG 849
Db 366 AAAAAAAAATAAAGAGATTAGGTGGGTGGTGGTGTAGTCCCAGCTACTTTGGGAG 425
QY 850 GCAGAGGTCCACTTGATTTGAGATTGCAGTGAGCCATGATCTTCGCACTGCCTCCGG 909
Db 426 GCAGGGGTCCACTTGATGTGCAGACTGCAGTGAGCCATGATCTTCGCACTGCCTCCGG 485
QY 910 CCCGGCAACAGAGTGAGACCTGTCTAAAGAAAAATAAATAAAGAAACACATATC 969
Db 486 CTGGGCAACAGAGTGAGACCTGTCTAAAGAA-----AAAAAATAAAGCAACATATC 540
QY 970 CTAATAAGGATCTCCATATATTTTCCACAGATTCTTAATCAGAAACATGGAGGCCA 1029
Db 541 CTGACAAGGATCTCCATTAACGTTCCACCAAGATTCTTAATCAGAAACATGGAGGCCA 600

5355 GTGACATCGAAGTACAGGGCTTCGGCATCCCTAAGGTAGGCTTGGCGCCCTCCTCACCCC 5414
5429 GTGACATCGAAGTACAGGGCTTCGGCATCCCTAAGGTAGGCTTGGCGCCCTCCTCACCCC 4988
5415 AGCTCAGCACCAGCACTGGTGTATAGCCAGCATGGCTACTGCGAGGTGGGCCACTCT 5474
4989 AGCTCAGCACCAGCACTGGTGTATAGCCAGCATGGCTACTGCGAGGTGGGCCACTCT 5048
5475 AGGAACCTCGGCCACCTAGTCCCTCAATGCCACACACTGACTGTGCCCACTTGGGTGGGG 5534
5049 AGGAACCTCGGCCACCTAGTCCCTCAATGCCACACACTGACTGTGCCCACTTGGGTGGGG 5108
5535 GGTCCAGAGTATAGGAGGCTGGCTGTGTCATCCAGAGCCCCCGTCTAGTGGGGAGACA 5594
5109 GGTCCAGAGTATAGGAGGCTGGCTGTGTCATCCAGAGCCCCCGTCTAGTGGGGAGACA 5168
5595 AACCAGGACCTGCCAAGTGTGGAGGCCAGCGCTGCGAGGAGAGGGGAGGTGG 5654
5169 AACCAGGACCTGCCAAGTGTGGAGGCCAGCGCTGCGAGGAGAGGGGAGGTGG 5228
5655 GTGCCCTCAGAGGTGTGACTGGCCCTGCTGTGGGGTGGAGAGGCTACTGTGGAGCTT 5714
5229 GTGCCCTCAGAGGTGTGACTGGCCCTGCTGTGGGGTGGAGAGGCTACTGTGGAGCTT 5288
5715 CTGGGCGCAGGACTAGTTGACAGAGTCCAGCTGTGTGCCAGGAGTGTGTGCCCCGT 5774
5289 CTGGGCGCAGGACTAGTTGACAGAGTCCAGCTGTGTGCCAGGAGTGTGTGCCCCGT 5348
5775 GTGTTTGGTGGCAGGGGTCCAGCATCTTAGAGTCCAGTCCCACTCTCACCTGATCT 5834
5349 GTGTTTGGTGGCAGGGGTCCAGCATCTTAGAGTCCAGTCCCACTCTCACCTGATCT 5408
5835 CTGGCCAGGGAACGACACTCATCACAACTGTCTGCTGATGAGTATGAGGCGC 5894
5409 CTGGCCAGGGAACGACACTCATCACAACTGTCTGCTGATGAGTATGAGGCGC 5468
5895 TGGGAGAAGCCCTTCGCTTCCACCCCGAACACTTCTTGATGTCGCCAGGCGCACTTTGTG 5954
5469 TGGGAGAAGCCCTTCGCTTCCACCCCGAACACTTCTTGATGTCGCCAGGCGCACTTTGTG 5528
5955 AAGCCGAGGCTTCTGCTTCTCAGAGGTGCTGTGGGAGCCGCGCTCCCTGTCC 6014
5529 AAGCCGAGGCTTCTGCTTCTCAGAGGTGCTGTGGGAGCCGCGCTCCCTGTCC 5588
6015 CCTTCCGTGAGTCTTGGAGGGTATCACCCAGAGCCAGGCTCACTGACGCCCTCC 6074
5589 CCTTCCGTGAGTCTTGGAGGGTATCACCCAGAGCCAGGCTCACTGACGCCCTCC 5648
6075 TCCCCACAGGCCCGCTGATGCTCGGGAGCCCTCGGCCGATGGAGCTCTTCTCT 6134
5649 TCCCCACAGGCCCGCTGATGCTCGGGAGCCCTCGGCCGATGGAGCTCTTCTCT 5708
6135 TCTTCACTCCCTGCTGACGACTTCACTGCTTCTCGTGGCGCGCGACAGCCGCGCCCA 6194
5709 TCTTCACTCCCTGCTGACGACTTCACTGCTTCTCGTGGTGGCGCGCGACAGCCGCGCCCA 5768
6195 GGCACCTGCTGTCGTCAGTCTGCTGACCCCACTCCCTACGAGCTTGTGCTGTC 6254
5769 GGCACCATGTCGTCGTCAGTCTGCTGACCCCACTCCCTATGAGCTTGTGCTGTC 5828
6255 CCGCTAGAGTGGGTACCTAGTCCCGCAGCTGCTCCCTAGCCAGAGGCTCTTAATGTACA 6314
5829 CCGCTAGAGTGGGTACCTAGTCCCGCAGCTGCTCCCTAGCCAGAGGCTCTTAATGTACA 5888
6315 ATAAAGCAATGTGGTATGTCATCTTGGGTCCCTGCTCAAGCCCTGCTTGGGATCATCC 6374
5889 ATAAAGCAATGTGGTATGTCATCTTGGGTCCCTGCTCAAGCCCTGCTTGGGATCATCC 5948
6375 TCCCTAGGCGCAACCCCACTGCTCATCTTCTGCTTACCCCACTGCTGCGGATTTG 6434
5949 TCCCTAGGCGCAACCCCACTGCTCATCTTCTGCTTACCCCACTGCTGCGGATTTG 6008

6435 AGAC--GGGTAGCTTGGCTGAGCGATGTGATTTACCTTGGCCCATATATCCATGTCC 6492
6009 AGACAGGGGTAGCTTGGCTGAGCGATGTGATTTACCTTGGCCCATATATCCATGTCC 6068
6493 CCCACTGACCCAACTCTGACTGCCAGATTGGTGAAGGACTACATTTCTTGGCATGT 6552
6069 CCCACTGACCCAACTCTGACTGCCAGATTGGTGAAGGACTACATTTCTTGGCATGT 6128
6553 GGGGAAGGGGCGCAAGTGGCTGACTAGAGGTGTGATGAGCCCTGGATGTGTGGAGAG 6612
6129 GGGGAAGGGGCGCAAGTGGCTGACTAGAGGTGTGATGAGCCCTGGATGTGTGGAGAG 6188
6613 GGCAGGACTCAGCTCAGGAGGCCCAATTTTCAGGCTTAATCTAGGCCCACTCAGGG 6672
6189 GGCAGGACTCAGCTCAGGAGGCCCAATTTTCAGGCTTAATCTAGGCCCACTCAGGG 6248
6673 ACAGCAGTCTCGCAGCAGCCATCAACAAGTCACTCCCTTATATATGACACCCCAAAA 6732
6249 ACAGCAGTCTCGCAGCAGCCATCAACAAGTCACTCCCTTATATATGACACCCCAAAA 6308
6733 TGGGAAGACAAATCAT---GTCCAGGAGCTATATGCCAGGG---CTACCTCCAGGGCTC 6785
6309 CGGAGACAAATCATGGCTCAGGAGCTATATGCCAGGGCTACCTACCTCCAGGGCTC 6368
6786 AGTCGAGGTGCCAGAACTTCCCTGGGAAGGCCCGCCAGGAAACCCAGAGCCGAC 6845
6369 AGTCGAGGTGCCAGAACTTCCCTGGGAAGGCCCGCCAGGAAACCCAGAGCCGAC 6428
6846 CGCCCTCAGCT 6857
6429 CACCCTCAGCT 6440

RESULT 9

AX687028
LOCUS AX687028 9433 bp DNA linear PAT 31-MAR-2003
DEFINITION Sequence 2 from Patent EP1281755.
ACCESSION AX687028
VERSION AX687028.1 GI:29409532
KEYWORDS
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1
AUTHORS Milos, P.M. and Webb, S.M.
TITLE Variants of the human cyp2d6 gene
JOURNAL Patent: EP 1281755-A 2 05-FEB-2003;
Pfizer Products Inc. (US)
FEATURES
Location/Qualifiers
1..9433
/organism="Homo sapiens"
/mol_type="unassigned DNA"
/db_xref="taxon:9606"

ORIGIN

Query Match 51.7%; Score 5314.6; DB 6; Length 9433;
Best Local Similarity 93.4%; Pred. No. 0;
Matches 5895; Conservative 0; Mismatches 269; Indels 149; Gaps 27;
637 TGTACAAAAAATCAGCCAGGCTAGTGGTGGGCACCTGTAATCCAGCTACTTTGGAGGC 696
186 TGAATAACAAAAAGCTAGACGCTGGTGGCACAACACCTGTAATCCAGCTACTTTAGGAGGC 245
697 TGAGCAGAGAAATCGCTTGAACCCCTGGAGGTGGAGTTGCAGTGGCCGAGATCCATC 756
246 TGAGCAGAGAAATCGCTTGAACCCCTGGAGGTGGAGTTGTAGTGGCCGAGATTCATC 305
757 ATTGCA-----CTCCCACTGGGCGAC-AGAGCAAAATCCGCTC----- 796
306 ATTGCAAAATGGAGGGAGCCACAGCTGGGCAACAAGAGGAATCTCCGCTCCAAAA 365
797 -----AAAAAAAATTTATTGGGCTCGGTGGTCTGTAGTCCCGACTACTTGGGAG 849

||||| 366 AAAAAAAAAAAAAAAAAAGAAATAGCTGGTGGTGCCTGTAGTCCCACTACTTTGGAG 425
QY 850 GCAGAGGTCCTTGAATGTGAGATTCAGTAGCCATGATPCCTGCCACTGCACTCCGG 909
Db 426 GCAGGGGTCCACTTGTATGTGCAGACTGCAGTAGCCATGATCCTGCCACTGCACTCCGG 485
QY 910 CCGGGCAACAGAGTGAGACCTGTCTAAAGAAAAAATAAATAAATAAAGCAATATC 969
Db 486 CCGGGCAACAGAGTGAGACCTGTCTAAAGAA-----AAAAAATAAAGCAATATC 540
QY 970 CTAATAAAGAGTCTCCATAATGTTCCACCAGATTTCTAATCAGAAACATGAGAGCCA 1029
Db 541 CTGAACAAGAGTCTCCATAAGTTCCACCAGATTTCTAATCAGAAACATGAGAGCCA 600
QY 1030 GGAAGCAGTGGAGATGACGACCTCAGCAGCCCTGGAGGATGCTGTCAACAGCTGGGG 1089
Db 601 GAAAGCAGTGGAGGAGGACGACCTCAGCAGCCCGGGAGGATGTTGTACAGGCTGGGG 660
QY 1090 CAAGGGCTTCAGGCTACCAACTGGAGCTCTGGGAACAGCCCTGTTGCAAAACAGGAAGT 1149
Db 661 CAAGGGCTTCAGGCTACCAACTGGAGCTCTGGGAACAGCCCTGTTGCAAAACAGGAAGC 720
QY 1150 CATGCCCGGCAGAGCCCA-CAATGTGGGCTGAGCTGGGATCCATGTGACAGCTTTGAG 1208
Db 721 CATAGCCCGGCAGAGCCAGGAATGTGGGCTGGGCT----- 757
QY 1209 GCTACCGGAGCAGCCTCTGACAGGAGAGGTCCCATCCAGGAAACCTCGGCAATGCT 1268
Db 758 -----GGGAGCAGCCTCTGACAGGAGTGTCTCCATCCAGGAAACCTCGGCAATGCT 810
QY 1269 GGAAGTGGGGTACTTGTGCGGGTCTGTATGTGTGTGACTGGTGTGTGAGAG 1328
Db 811 GGAAGTGGGGTACTTGTGCGGGTCTGTATGTGTGTGACTGGTGTGTGAGAG 870
QY 1329 AATGTGTGCTCAGTGTGAGTGTGAGTGTGATGTGTAATGTCTTTGTGTGG 1388
Db 871 AATGTGTGCTCAGTGTGAGTGTGATGTGTAATGTCTTTGTGTGG 930
QY 1389 TGATTTCTGATGTGTAATGTGTGCTGCAAGTGTGAACAAGTGGCAAGTGTCTGG 1448
Db 931 TGATTTCTGCTGTGTAATGTGTGCTGCAAGTGTGAACAAGTGGCAAGTGTCTGG 990
QY 1449 AGTGACAAGAGATCTGTGCACCATCAGTGTGTGCATAGCTGTGTGATGTCAAGAT 1508
Db 991 AGTGACAAGAGATCTGTGCACCATCAGTGTGTGCATAGCTGTGTGATGTCAAGAT 1050
QY 1509 GCAAGTGAAGTGAAGGACCAAGGCCATGATGCCACTCATCATCAGAGCTCTAAGGCC 1568
Db 1051 GCAAGTGAAGTGAAGGACCAAGGCCATGATGCCACTCATCATCAGAGCTCTAAGGCC 1110
QY 1569 CCAGGTAAGTGCAGTGCAGATAAGGGTGTGAAGGTCACTCTGGAGTGGGAGGTGG 1628
Db 1111 CCAGGTAAGTGCAGTGCAGATAAGGGTGTGAAGGTCACTCTGGAGTGGGAGGTGG 1170
QY 1629 GGTAGGGAAGGCAAGGTCAATGTTCTGGAGAGGGTGTGACTACATTAAGGTGTATG 1688
Db 1171 GGTAGGGAAGGCAAGGCATGTTCTGGAGAGGGGTGTGACTACATTAAGGTGTATG 1230
QY 1689 AGCTTAGCTGGAGGTGATGGCGGGTCCACTGAGACCTGTGTTATCCAGAGCCCTGT 1748
Db 1231 AGCTTAGCTGGAGGTGATGGCGGGTCCACTGAGAACCTGTGTTATCCAGAGCCCTGT 1290
QY 1749 GTGGCTTTGGAGCTTGGAGTGGGAGAGGGGTGACTTCTCCAGCAGGCTTTCTAC 1808
Db 1291 GCAGGCTTCAGGAGCTTGGAGTGGGAGAGGGGTGACTTCTCCAGCAGGCCCCCTCAC 1350
QY 1809 CACCTTACCTGGGTAAAGGCTTGAGCAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 1868
Db 1351 CGGCTTACCTGGGTAAAGGCTTGAGCAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 1410
QY 1869 CATACCTGCTGCTGACTGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 1928

Db 1411 CATACCCGCTCGCTGACTCTGCCACTGGCAGCAGTCAACACACAGAGTTCACTCA 1470
QY 1929 CAGCAGAGGGCGAAGGCCATCATCAGTCTCCTTTATAGGGAAGGTCACGCGCTCGGTG 1988
Db 1471 CAGCAGAGGGCGAAGGCCATCATCAGTCTCCTTTATAGGGAAGGTCACGCGCTCGGTG 1530
QY 1989 TGCCGAGAGTCTCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 2048
Db 1531 TGCTGAGAGTCTCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 1590
QY 2049 AGAGGAGCCAGTGTGAGTGAAGCAGCAGTGAAGCAGTGAAGCAGTGAAGCAGTGAAGC 2108
Db 1591 AGAGGAGCCAGTGTGAGTGAAGCAGCAGTGAAGCAGTGAAGCAGTGAAGCAGTGAAGC 1650
QY 2109 TGAATAGTGGCCTCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 2168
Db 1651 TGATAGTGGCCTCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 1710
QY 2169 CAGCTACCCGCGCAGTCTCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 2228
Db 1711 CAGCTACCCGCGCAGTCTCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 1769
QY 2229 TTCCAGAAACACACATCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 2288
Db 1770 TTCCAGAAACACACATCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 1829
QY 2289 GGTCTGAGGATGCCCAACACAGCAAAATGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 2348
Db 1830 GGTCTGAGGCTCCCTACCAAGAAACATGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 1889
QY 2349 CAGAGCAGCCTCAGAGGAGGAGAGGTTGGGAGAGCTTCCCTGGGAGAGGACATTTA 2408
Db 1890 CAGAGCAGCCTCAGAGGAGGAGAGGTTGGGAGAGCTTCCCTGGGAGAGGACATTTA 1948
QY 2409 TACATGGCATGAAGACTTGAATTTTCCAAAGGCCAAAGAGAGTAGGCAAGGGCTCGA 2468
Db 1949 TACATGGCATGAAGACTTGAATTTTCCAAAGGCCAAAGAGAGTAGGCAAGGGCTCGA 2008
QY 2469 GGTGAGCTGACCTTGGCAGTGGGATGCAAGCCCATTTGGGCAACATATGTTATGGA 2528
Db 2009 GGTGAGCTGACCTTGGCAGTGGGATGCAAGCCCATTTGGGCAACATATGTTATGGA 2068
QY 2529 CAAAGTCCCTTCTGCTGACACAGAGGAGGAGGTTGGGAGAGTGAAGTGAAGTGAAGT 2588
Db 2069 CAAAGTCCCTTCTGCTGACACAGAGGAGGAGGTTGGGAGAGTGAAGTGAAGTGAAGT 2128
QY 2589 TGAGTGGCTTTAAATCAAGAAATCGAGAGTGAAGGGGCTGAGTGAAGTGAAGTGAAGT 2648
Db 2129 TGAGTGGCTTTAAATCAAGAAATCGAGAGTGAAGGGGCTGAGTGAAGTGAAGTGAAGT 2188
QY 2649 TTTTGCACTGTGGTCTCGGCTCTCACTG-CTCAACCGGATGAGCAACATCATCTGGGAAT 2707
Db 2189 TTTTGCACTGTGGTCTCGGCTCTCACTG-CTCAACCGGATGAGCAACATCATCTGGGAAT 2248
QY 2708 GGGATGCTAACTGGGGCTCTCGGCAATTTTGGTGACTTTTGGTGAAGTGAAGTGAAGT 2767
Db 2249 GGGATGCTAACTGGGGCTCTCGGCAATTTTGGTGACTTTTGGTGAAGTGAAGTGAAGT 2308
QY 2768 ACGCATCAAACTCAGTTCCTCCATCAAGAGAGTGAAGGGGCTGAGGAGGAGGAGGAG 2827
Db 2309 ACGCATCAAACTCAGTTCCTCCATCAAGAGAGTGAAGGGGCTGAGGAGGAGGAGGAG 2368
QY 2828 CAGAGGCTGGTCTCTCTCTTCACTCTCTGAGTGAAGGGGCTGAGGAGGAGGAGGAG 2887
Db 2369 CAGAGGCTGGTCTCTCTCTTCACTCTCTGAGTGAAGGGGCTGAGGAGGAGGAGGAG 2428
QY 2888 GGTTCAAATAGGACTAGGAGCTGTGAGTGAAGGGGCTGAGTGAAGGGGCTGAGTGAAG 2947
Db 2429 GGTTCAAATAGGACTAGGAGCTGTGAGTGAAGGGGCTGAGTGAAGGGGCTGAGTGAAG 2488
QY 2948 CCCTCCCTCTCAGTGTGGGGCGGCTTCGGGGAGCTGTTTTCAGGCTGAGGCTGGGCTGGA 3007
Db 2489 CCCTCCCTCTCAGTGTGGGGCGGCTTCGGGGAGCTGTTTTCAGGCTGAGGCTGGGCTGGA 2548

QY 3008 CGCCGTTGTCGTCATATGGCTGGCGCCCTGTCGCGAGGCGATGGTGACCCCGCGGG 3067
DB |||||
QY 2549 CGCCGTTGTCGTCATATGGCTGGCGCCCTGTCGCGAGGCGCTGGTGACCCACGCGG 2608
DB |||||
QY 3068 AGGACACGCGCGACCGCCCTGCGCCATCTACACAGGTCCTGGGCTTCGGGCGCGCTT 3127
DB |||||
QY 2609 AGGACACGCGCGACCGCCCTGTCGCCATACCCAGATCTCTGGGTTTCGGGCGCGCTT 2668
DB |||||
QY 3128 CCCAAGGCAAGCGCGCTGGGGACAGAGACCCTGTTTCCGTGGGCCCCGGGTGGACAGT 3187
DB |||||
QY 2669 CCCAAGGCAAGCAGCGCT-GGGACACAGACAG-ATTTCCGTGGGACCCGGGTGGTGAT 2726
DB |||||
QY 3188 GACCGTAGCCAAAGCAGCGCCGACAGGCGCTGGGCTCTGGAGCTGAAACAGAGATAAAG 3247
DB |||||
QY 2727 GACCGTAGTCCAGCTGGGACAGAGGCGCGGGTCTGGAGCATGAAC-----AG 2778
DB |||||
QY 3248 GCCAGAGTGGGCTGAGGACAGTGGGCGAGGAACCACTGACAGGGGGAGTGCGAGT 3307
DB |||||
QY 2779 GCCAGCGAGTGG-----GGACAGCGGCGCAAGAAACCACTGCACTAGGGAGTGAGC 2833
DB |||||
QY 3308 CTGTGGGCTGG-----GAGGGGCGGGCTACTGCCAGACCCGCGCAGAA 3352
DB |||||
QY 2834 ATGGGACGAGGCGGGGCTTGTGACAGTGGGCGGGGCACTGCCAGACCTGGCAGGA 2893
DB |||||
QY 3353 GCCCGTGGCGGAGGCTG-----ATCGTCTGAAAGTGGCGGTGGCGGG 3394
DB |||||
QY 2894 GCCCAATGGGTGAGCGTGGCGCATTTCCAGCTGGAAATCCGGTGTGAAAGTGGGCGGG 2953
DB |||||
QY 3395 GACCGCGCTATGCTCGGGCTCAGTGTGG-----CGGGACGGGGCGGATCTTCTTGA 3449
DB |||||
QY 2954 GACCGCACCTGTCTGTAAAGTCACTGAGTGGGCGCGGGGCGCGGGGCTCTTCCCTGA 3013
DB |||||
QY 3450 GTGGAAGTGTGTCAGGCTGGGACAGAGAGTGGGCGCAAAACCCCGCCAGGCGAGG 3509
DB |||||
QY 3014 GTGGAAGGCGTCAAGGTGGGACAGACAGAGTGGGG-CAAGGCTGCCCCAGCCAGG 3072
DB |||||
QY 3510 GAGCAATGGTGGTGAAGAGTGGGCGCTGTGCCAGCTGACCGGGCTAGGGACTGC 3569
DB |||||
QY 3073 GAGCAAGTGGATGACAAAGAGTGGGCGCTGTGACCACTGGACAGAGCCAGGACTGC 3132
DB |||||
QY 3570 GGGAGACCTTGTGGAGCGCCAGGTTGGAGTGGGTGGCGAGGTGGGCGCAAGGCTTC 3629
DB |||||
QY 3133 GGGAGACCAAGGGGAGC-ATAGGGTTGGAGTGGGTGGGTGGGTGGGTGGGTGGGTGG 3191
DB |||||
QY 3630 ATGGCAACCGCACGTCGCTCCCGCCCGCAGGGGTGATCTGTGCGCTATAGGSCCG 3689
DB |||||
QY 3192 ATGGCCACCGGCACGTCGCTCCCGTCCACCCCGAGGGGTGTTCTGGCGCGCTATGGGCGCG 3251
DB |||||
QY 3690 CGTGGCGGACGAGAGCGCTTCTCGGTGTCCACCTTGGCGCAACTTGGGCGCTGGGCAAGA 3749
DB |||||
QY 3252 CGTGGCGGACGAGAGCGCTTCTCGGTGTCCACCTTGGCGCAACTTGGGCGCTGGGCAAGA 3311
DB |||||
QY 3750 AGTGGTGAAGAGTGGGTGACGAGAGGCGCGCTGCTTGTGGCG-CTTGGCGGACC 3808
DB |||||
QY 3312 AGTGGTGAAGAGTGGGTGACGAGAGGCGCGCTGCTTGTGGCGCTTTCGCGCAAC 3371
DB |||||
QY 3809 AAGCGGTGGGTGATGGGACAGAGGCAAAAGCGGGAATGGGAAGGCGGGGACGGAG 3868
DB |||||
QY 3372 ACTCGGTGGGTGATGGGACAGAGGCAAAAGCGGGAATGGGAAGGCGGGGACGGGG 3431
DB |||||
QY 3869 AAGGCAACCCCTTACCCGATCTTCCCGACCCCGAGGACCGCTTTCGCGCCCAAGCGGCT 3928
DB |||||
QY 3432 AAGGCGACCCCTTACCCGATCT-CCACCCCGAGGACCGCTTTCGCGCCCAAGCGGTCT 3490
DB |||||
QY 3929 CTTTGAACAAAGCGTGAACAGTATGCTCCCTCCTCAGTGGGCGCGCTTTCGAGTA 3988
DB |||||
QY 3491 CTTTGAACAAAGCGTGAACAGTATGCTCCCTCCTCAGTGGGCGCGCTTTCGAGTA 3550
DB |||||
QY 3989 CGACGACCCCTCCTCAGGCTCTGACCTAGCTCAGGAGGACTGAAGAGAGTTC 4048
DB |||||
QY 3551 CGACGACCCCTCCTCAGGCTCTGACCTAGCTCAGGAGGACTGAAGGAGGATC 3610
DB |||||

QY 4049 GGGCTTTCTGCGGAGAGGTGCGGAGCCGAGAGACCGAGAGTCTCTGACGGCGAGCTCCTG 4108
DB |||||
QY 3611 GGGCTTTCTGCGCGAGGTGCGGAGCCGAGAGACCGAGAGTCTCTGACGGCGAGCTCCCG 3670
DB |||||
QY 4109 AGAGGTGCGCGGGCTGGACTGGGCTCCGAAAGGCGAGATTTGCATAGATGGTTGGG 4168
DB |||||
QY 3671 AGAGGTGCGCGGGCTGGACTGGGCTCCGAAAGAGCAGATTTGCATAGATGGTTGGG 3730
DB |||||
QY 4169 AAAGACATTTCCAGGAGACCCCACTGTAAGAAAGGGCTCGAGAGGAGGGGACATCTCAG 4228
DB |||||
QY 3731 AAAGACATTTCCAGGAGACCCCACTGTAAGAAAGGGCTCGAGAGGAGGGGACATCTCAG 3790
DB |||||
QY 4229 ACATGTCTGTGGAGAGGTGTGCGCGGGTCAAGGGGCAACAGAGAGGCCAAGACTCTG 4288
DB |||||
QY 3791 ACATGTCTGTGGAGAGGTGTGCGCGGGTCAAGGGGCAACAGAGAGGCCAAGACTCTG 3850
DB |||||
QY 4289 TACC-CCCGTCCACGTTGGAGATTTGATTTTAGTTTCTCTCTGGGCAAGAGAGAGG 4347
DB |||||
QY 3851 TACCTCTTATCCACGTCAGAGATTTGATTTTAGTTTCTCTCTGGGCAAGAGAGAGG 3910
DB |||||
QY 4348 GTGGAGGCTGGCACTTGGGGAGGGACTTGGTGAAGTCACTGGTAAAGGACAGGCGGCCCT 4407
DB |||||
QY 3911 GTGGAGGCTGGCACTTGGGGAGGGACTTGGTGAAGTCACTGGTAAAGGACAGGCGGCCCT 3970
DB |||||
QY 4408 GGGTCTACTGTGAGATGGCTGGGCTGTAGACTTGTCTCAGGTGAACGACAGAGACAGGAG 4467
DB |||||
QY 3971 GGGTCTACTGTGAGATGGCTGGGCTGTAGACTTGTCTCAGGTGAACGACAGAGACAGGAG 4030
DB |||||
QY 4468 GAATTTGAGACCCCGTTCTGTCTGTGTAGTGTGTAATGCTGTCTCCCGTCTCTCTGCACA 4527
DB |||||
QY 4031 GGAATTTGAGACCCCGTTCTGTCTGTGTAGTGTGTAATGCTGTCTCCCGTCTCTCTGCATA 4090
DB |||||
QY 4528 TCCAGCGCTGTGCTGCAAGGTCTTACGCTTCCAAAGGCTTCTCTGACCCAGCTGATG 4587
DB |||||
QY 4091 TCCAGCGCTGTGCTGCAAGGTCTTACGCTTCCAAAGGCTTCTCTGACCCAGCTGATG 4150
DB |||||
QY 4588 AGCTGCTAACTGACACAGGATGACCTGGGACCCAGCCAGCCAGCCAGGAGCTGACTG 4647
DB |||||
QY 4151 AGCTGCTAACTGACACAGGATGACCTGGGACCCAGCCAGCCAGCCAGGAGCTGACTG 4210
DB |||||
QY 4648 AGGCTTCTTCTGCAAAAGAGAGAGTGAAGTGTGCTGCCACGTTGGGGGGGCAAGGGTG 4707
DB |||||
QY 4211 AGGCTTCTTCTGCAAGAGTGAAGAGTGTGCTGCCACGTTGGGGGGGCAAGGGTG 4270
DB |||||
QY 4708 GTGGGTGTAAAGTCTCCAGGAGGAAAGAGGGAGGTGGGCAAAAGTTCGACAGTGCAT 4767
DB |||||
QY 4271 GTGGGTGTAGCTCCAGAGAGGAAAGAGGGAGGCTGGGCAAAAGTTCGACAGTGCAT 4330
DB |||||
QY 4768 CACCGCGGAGCGCATCTGGGCTGACAGGTGACAGATTTGGAGGTCAITTTGGGGGTACC 4827
DB |||||
QY 4331 CACCGCGGAGCGCATCTGGGCTGACAGGTGACAGATTTGGAGGTCAITTTGGGGGTACC 4390
DB |||||
QY 4828 CGGTTCTATCCCTGAGTATCTCTCGGCTGTGCTCAGGCCAAGGGGAGCCCTGAGAGCA 4887
DB |||||
QY 4391 CGGTTCTGTCCC--GAGTATGCTCTCGGCTGTGCTCAGGCCAAGGGGAAACCTCTGAGAGCA 4448
DB |||||
QY 4888 GCTTCAATGATAGAACTGCGCATAGTGGTGGGTAACTGTTCTCTGCGGGATGGTGA 4947
DB |||||
QY 4449 GCTTCAATGATAGAACTGCGCATAGTGGTGGCTGACCTGTTCTCTGCGGGATGGTGA 4508
DB |||||
QY 4948 CACCTCGACACCGCTGGGCTGCGGCTCTCTCATGATCTACACCTGGATGTGCAGC 5007
DB |||||
QY 4509 CACCTCGACACCGCTGGGCTGCGGCTCTCTCATGATCTACATCCGGATGTGCAGC 4568
DB |||||
QY 5008 GTGAGCCAGCTGGGCGCCAAAGGACAGGATGAGGGAGAAAGGGTACAGCTGGGGGCCCC 5067
DB |||||
QY 4569 GTGAGCCCATCTGGGAAAACAGTGCAGGGGCGCGAGGGAGAAAGGGTACAGCGGGGCCCA 4628
DB |||||
QY 5068 TGGGCTTGTAGCTGGGACACCCCGGGCTTCCAGCAGAGGCTGCGGAGGCTCTCTGAAGCT 5127
DB |||||
QY 4629 TGAATTTGCTGGGACACCCCGGGCTCCAAAGCAGAGGCTTGACAGGATCTCTGAAGCT 4688
DB |||||
QY 5128 AACTTCTTCCACACAGGAGGAGAGTGT-----CCCCCTGGGTGCTGAC 5174
DB |||||

Qy	2525	AGTACAAAGTCCCTTCTGCTGACACACAGAAAGGCCCTTGGGAATGGAAGATGAGTTA	2584
Db	1259	AGTACAAAGTCCCTTCTGCTGACACACAGAAAGGCCCTTGGGAATGGAAGATGAGTTA	1318
Qy	2585	GTCTGTAGTCCCGTTTAAATCAGAAATCAGAGATGAAGGGGTGCACTGACCCGGTCA	2644
Db	1319	GTCTGTAGTCCCGTTTAAATCAGAAATCAGAGATGAAGGGGTGCACTGACCCGGTCA	1378
Qy	2645	AACCTTTTGCACTGTGGGTCTCTGGGCGCTCACTGTCTCACCGGATGACCATCATCTGGG	2704
Db	1379	AACCTTTTGCACTGTGGGTCTCTGGGCGCTCACTGTCTCACCGGATGACCATCATCTGGG	1438
Qy	2705	AATGGGATGCTAACTGGGGCTCTCGGCAATTTTGGTGACTCTTGCAAGGTCAATCTGG	2764
Db	1439	AATGGGATGCTAACTGGGGCTCTCGGCAATTTTGGTGACTCTTGCAAGGTCAATCTGG	1498
Qy	2765	GTGACGATCCAAACTGAGTTCTTCATCAACAGAGGTGTGACCCACACCCCTGCCCCAC	2824
Db	1499	GTGACGATCCAAACTGAGTTCTTCATCAACAGAGGTGTGACCCACACCCCTGCCCCAC	1558
Qy	2825	GATCAGAGGCTGGGTCTCTCTTTCACCTGCTCACTCTGTGTAGCCCGGGGTGCTC	2884
Db	1559	GATCAGAGGCTGGGTCTCTCTTTCACCTGCTCACTCTGTGTAGCCCGGGGTGCTC	1618
Qy	2885	CAAGGTTCAATAGGACTAGGACCTGTAGTCTTGGGGTGATCCTGGCTTGAACAAGGCC	2944
Db	1619	CAAGGTTCAATAGGACTAGGACCTGTAGTCTTGGGGTGATCCTGGCTTGAACAAGGCC	1678
Qy	2945	TGACCTTCCCTCTGCACTGGGCGCGCTTTCGGGGACGTGTTCAGCTGCACTGGCCT	3004
Db	1679	TGACCTTCCCTCTGCACTGGGCGCGCTTTCGGGGACGTGTTCAGCTGCACTGGCCT	1738
Qy	3005	GGACGCGGTGTCTGCTCAATGGGGTGGGCGCGTGCCGAGGGCGATGGTCAACCGCG	3064
Db	1739	GGACGCGGTGTCTGCTCAATGGGGTGGGCGCGTGCCGAGGGCGATGGTCAACCGCG	1798
Qy	3065	GCGAGGACAGCGCCGACCGCGCTTCGCCCATCAACCCAGATCCTGGGTTTCGGGCCG	3124
Db	1799	GCGAGGACAGCGCCGACCGCGCTTCGCCCATCAACCCAGATCCTGGGTTTCGGGCCG	1858
Qy	3125	GTTCCCAAGGACAGCGCGGTGGGGGACAGACACCGGTTTTCGTGGGCCCCCGGTGGAC	3184
Db	1859	GTTCCCAAGGACAGCGCGGTGGGGGACAGACACCGGTTTTCGTGGGCCCCCGGTGGAC	1916
Qy	3185	AGTCACGCTAGCCCAACAGCGCCGACAGGGCGTGGGGTCTCGACGTGAAACAGAGATA	3244
Db	1917	GATGACCGTGTCTCGAGCTGGGACAGAGGGCGCGGGTCTGAGCAATGAAACAGGCCAG	1976
Qy	3245	AAGGCCAGCGAGTGGGTGAGGACAGTGGGCGAGGAAACCACTGCACGGGGAGGTGCG	3304
Db	1977	CGAGTGGGACAGCGGGCCAGAAACCACTGCACGTAGGGAGGTGTGAGCATGGGACGA	2036
Qy	3305	AGTCTGTG--GGCTGGAGGGGGCGGGCTACTGCCCAGACCCCGCAGAAAGCCCGTGGG	3362
Db	2037	GGGCGGGCTGTGACAGTGGGCGGGCCCACTGCCGAGACCTGGCAGGAGCCCAATGGG	2096
Qy	3363	CGAGGCTATGC-----GTGCAAGTGGCGGTGGCGGGGACCCGGCC	3403
Db	2097	TGAGCTGGGCGCATTTCCCACTGGAATCCGGTGTGGAAGTGGGGGCGGGGACCCGACC	2156
Qy	3404	TATGCTCGGGCTCAGTGTGG-----CGGGGACGGGCGGGATCTTCTTCAGTGGAAAGG	3458
Db	2157	TGTGCTGTAGCTCAGTGTGGGTGGCGGGGGCCCGGGGGTCTTCCCTGAGTGCAGAGG	2216
Qy	3459	TGFTCAGGTTGGGACAGACGAGTGGGGCCAAACCCCGCCACGAGCAGGGGAGCAATGT	3518
Db	2217	CGGTGAGGTTGGGACAGACGAGGT--GGGCAAGCCCTGCCCCCAGCCAGGAGCAAGGT	2275
Qy	3519	GGGTGACCAAGAGTGGGCCCTGTGCCAGCTGGACCGGGCTAGGACTCGGGGAGACCT	3578
Db	2276	GGATGCAAAAGAGTGGGCCCTGTGACCGAGCTGGACAGAGCCAGGGACTCGGGAGACCA	2335
Qy	3579	TGTGGAGCGCCAGGGTTTGGAGTGGGTGGCGGAGGGTGGGGCCAAAGGCTTTCATGGCAACG	3638

2336	Db	GGGGGAGC-ATAGGGTTGGAGTGGGTGGATGGTGGGGCTAATGCGCTTTCATGGCCACG	2394
3639	Qy	CCACAGTGTCCGTCGCCGCCCCACAGGGGTGATCTCTGTCCGCTATGGCCCGCGCTGGCGCG	3698
2395	Db	CGCAGTGGCCGTCGCCACCCCAAGGGGTGTCTCGGCGCGCTATGGCCCGCGCTGGCGCG	2454
3699	Qy	AGCAGAGGCGCTTCTCCGTGTCCACCTTGGCGAACTTGGCCCTTGGGCAAGAACTCGTGTG	3758
2455	Db	AGCAGAGGCGCTTCTCCGTCTCACCTTGGCGAACTTGGCCCTTGGGCAAGAACTCGTGTG	2514
3759	Qy	AGCAGTGGGTGAACGAGGAGGCCCTGCTTGTGTGCG-CTTTCGCCGACCAAGCCGGTG	3817
2515	Db	AGCAGTGGGTGAACGAGGAGGCCCTGCTTGTGTGCGCGCTTTCGCGCAACCACTCCGGTG	2574
3818	Qy	GGTGATGGGCAGAAAGGGCAAAAGCGGGAACCTGGGAAGCGGGGACGGAAGGCAAC	3877
2575	Db	GGTGATGGGCAGAAAGGGCAAAAGCGGGAACCTGGGAAGCGGGGACGGGAAAGGCGAAC	2634
3878	Qy	CTTTACCCGATCTCCCAACCCACAGAGCCCTTTTCGCCCCAAAGCGCTCTTGGACAA	3937
2635	Db	CTTTACCCGATCT-CCCAACCCCAAGAGCCCTTTTCGCCCCAAAGCGCTCTTGGACAA	2693
3938	Qy	AGCCGTGAGCAACGTGATCGCTCCTCACTTCGCGCGCGCGTTTCGAGTACGACACC	3997
2694	Db	AGCCGTGAGCAACGTGATCGCTCCTCACTTCGCGCGCGCGTTTCGAGTACGACACC	2753
3998	Qy	TCGCTTCTCAGCGCTCTGCACTCAGAGGACCTGAAAGGAGAGTTCGGGCTTCT	4057
2754	Db	TCGCTTCTCAGCGCTCTGCACTCAGAGGACCTGAAAGGAGAGTTCGGGCTTCT	2813
4058	Qy	GC CGAGGTGCGAGCGAGAGACCGAGGAGTCTCTCGAGGCGAGCTCTCTGAGAGTGCC	4117
2814	Db	GC CGAGGTGCGAGCGAGAGACCGAGGAGTCTCTCGAGGCGAGCTCTCTGAGAGTGCC	2873
4118	Qy	GGGGCTGGACTGGGGCTTCGAAGGGCAGGATTTGCATAGATCGGTTTGGGAAAGACAT	4177
2874	Db	GGGGCTGGACTGGGGCTTCGAAGGGCAGGATTTGCATAGATCGGTTTGGGAAAGACAT	2933
4178	Qy	TCCAGGAGACCCCACTGTGAAGAGGCGCTGGAGAGGGGAGACATCTCAGACATGGTCG	4237
2934	Db	TCCAGGAGACCCCACTGTGAAGAGGCGCTGGAGAGGGGAGACATCTCAGACATGGTCG	2993
4238	Qy	TGGAGAGGTGTGCCCGGGTCAGCGGGCAACAGGAGGCAAGAGACTCTGTACC-CCCC	4296
2994	Db	TGGAGAGGTGTGCCCGGGTCAGCGGGCAACAGGAGGCAAGAGACTCTGTACCCTTA	3053
4297	Qy	TCCA CGTTGGAGATTTCGATTTTATGTTTCTCTCTGGGCAAGGAGAGGGTGGAGGCT	4356
3054	Db	TCCA CGTTGGAGATTTCGATTTTATGTTTCTCTCTGGGCAAGGAGAGGGTGGAGGCT	3113
4357	Qy	GGCACTTTGGGAGGGACTTGGTGAAGTCAAGTGAAGGACAGGCGAGGCGCTGTACC	4416
3114	Db	GGCACTTTGGGAGGGACTTGGTGAAGTCAAGTGAAGGACAGGCGAGGCGCTGTACC	3173
4417	Qy	TGAGATGGCTGGGGCTGAGACTGTGTCCAGGTGAACGAGACACAGGAGGATTTGAGA	4476
3174	Db	TGAGATGGCTGGGGCTGAGACTGTGTCCAGGTGAACGAGACACAGGAGGATTTGAGA	3233
4477	Qy	CCCCGTTCTGTCTGGTGTAGGTGCTGAATGCTGTCCCGCTCCTCTGCACATCCCCAGCGC	4536
3234	Db	CCCCGTTCTGTCTGGTGTAGGTGCTGAATGCTGTCCCGCTCCTCTGCATATCCCCAGCGC	3293
4537	Qy	TGCGTGGCAAGGTCTACCGCTTCCAAAGGCTTTCCTGACCCAGCTGGATGAGCTGCTAA	4596
3294	Db	TGCGTGGCAAGGTCTACCGCTTCCAAAGGCTTTCCTGACCCAGCTGGATGAGCTGCTAA	3353
4597	Qy	CTGAGCACAGGATGACTCGGACCCAGCCAGCCACCCCGAGACCTGACTGAGGCGCTTCC	4656
3354	Db	CTGAGCACAGGATGACTCGGACCCAGCCAGCCACCCCGAGACCTGACTGAGGCGCTTCC	3413
4657	Qy	TGGCAAAGAGGAGAGGTGAGAGTGGCTGCCACGTTGGGGGCAAGGGTGGTGGGTGA	4716

Db 3414 TGGCAGAGATGGAGAGGTGAGTGGCTGCCACGGTGGGGGGCAAGGGTGGTGGTTGA 3473
Qy 4717 ACCTCCAGAGAGAAATGAGGGAGGCTGGGCAAAAGGTTGGACAGTGCATCACCCGGG 4776
Db 3474 GCGTCCAGAGAGAAATGAGGGAGGCTGGGCAAAAGGTTGGACAGTGCATCACCCGGG 3533
Qy 4777 AGCCGATCTGGGCTGACAGGTGCAGAAATGGAGGTCAATTTGGGGGCTACCCGTTCTAT 4836
Db 3534 AGCCGATCTGGGCTGACAGGTGCAGAAATGGAGGTCAATTTGGGGGCTACCCGTTCTGT 3593
Qy 4837 CCCCTCAGTATCTCTCGCCCTGCTCAGGCCAAGGGAGCCCTGAGAGCAGCTCAATG 4896
Db 3594 CCC--GAGTATGCTCTCGCCCTGCTCAGGCCAAGGGAGCCCTGAGAGCAGCTCAATG 3651
Qy 4897 ATGAGAACCTGCGCATAGTGGTGGGTAACTGTTCTTGCCTGGGATGGTGAACACCTCGA 4956
Db 3652 ATGAGAACCTGCGCATAGTGGTGGGTAACTGTTCTTGCCTGGGATGGTGAACACCTCGA 3711
Qy 4957 CACGCTGGGCTGGGCTCTGCTCATGATCTTACCTGATGATGATGATGATGATGATGATG 5016
Db 3712 CACGCTGGGCTGGGCTCTGCTCATGATCTTACCTGATGATGATGATGATGATGATGATG 3771
Qy 5017 GCTGGGGCCCAAGGAGGAGTGAAGGAGGAGGAGTGAAGTGGGGCCCTGGGCTTAG 5076
Db 3772 TCTGGGAAACAGTGCAGGGGCCGAGGGAGGAGGAGTGAAGTGGGGCCCTGGGCTTAG 3831
Qy 5077 CTGGGACACCCGGGCTTCCAGCACAGGGCTGCGCAGGCTCTGTAAGCTTAACCTTCCTC 5136
Db 3832 CTGGGACACCCGGGCTTCCAGCACAGGCTTGAACAGGATCTGTAAGCTTGAACCTCTC 3891
Qy 5137 CAAACAGAGAGAGAGAGTGT-----CCCCCTGGGTGCTGACCCATTTGG 5183
Db 3892 CAAACATAGGAGGCAAGAGAGTGTTCAGGGCCCGGACCCCTGGGTGCTGACCCATTTGG 3951
Qy 5184 GAGCGATCTGTCCAGTCCGTGTCACACAGAGATGACAGCGTGAAGGAGGAGGCTGC 5243
Db 3952 GAGCGATCTGTCTCAGGCGGTGTCACACAGAGATGACAGCGTGAAGGAGGAGGCTGC 4011
Qy 5244 GCGACACAGAGATGGGTGACAGGCTCACATGCCCTTACACCACTGCGGTGATTCAGAGG 5303
Db 4012 GCGACACAGAGATGGGTGACAGGCTCACATGCCCTTACACCACTGCGGTGATTCAGAGG 4071
Qy 5304 TGACGCTTTGGGACATATCCCTCCTGAGTGTACCCATATGACATCCCTGACATCG 5363
Db 4072 TGACGCTTTGGGACATATCCCTCCTGAGTGTACCCATATGACATCCCTGACATCG 4131
Qy 5364 AAGTACAGGCTTCCGATCCCTAAGTAGGCTGGGCGCTCTCACCCGAGCTCAGCA 5423
Db 4132 AAGTACAGGCTTCCGATCCCTAAGTAGGCTGGGCGCTCTCACCCGAGCTCAGCA 4191
Qy 5424 CCAGACCTGGTGATAGCCCGCAGCATGGCTACTGCGAGGTGGGCCCACTCTAGGAACCT 5483
Db 4192 CCAGCCCTGGTGATAGCCCGCAGCATGGCTACTGCGAGGTGGGCCCACTCTAGGAACCT 4251
Qy 5484 GGCACCTAGTCTCAATGCCACCACTAGCTGTCCCATTTGGTGGGGGTCCAGAG 5543
Db 4252 GGCACCTAGTCTCAATGCCACCACTAGCTGTCCCATTTGGTGGGGGTCCAGAG 4311
Qy 5544 TATAGCAGGCTGGGCTCTCCATCCAGAGCCCGCTAGTGGGGAGACAAACAGGAC 5603
Db 4312 TATAGCAGGCTGGGCTCTCCATCCAGAGCCCGCTAGTGGGGAGACAAACAGGAC 4371
Qy 5604 CTGCCAGAGATTTGGAGGACCCAGCCCTGACAGGAGAGGGGAGGAGGAGGAGGAGG 5663
Db 4372 CTGCCAGAGATTTGGAGGACCCAGCCCTGACAGGAGAGGGGAGGAGGAGGAGGAGG 4431
Qy 5664 AGAGGTGTGACTCGCCCTGCTGTGGGGTGGAGAGGGTACTGTGGAGCTTCTCGGGGCG 5723
Db 4432 AGAGGTGTGACTCGCCCTGCTGTGGGGTGGAGAGGGTACTGTGGAGCTTCTCGGGGCG 4491
Qy 5724 AGGACTAGTTGACAGAGTCCAGTGTGTCAGGAGGAGTGTGTCCCGCTGTTGGT 5783
Db 4492 AGGACTAGTTGACAGAGTCCAGTGTGTCAGGAGGAGTGTGTCCCGCTGTTGGT 4551

Qy 5784 GGCAGGGTCCAGCATCTAGAGTCCAGTCCCACTCTCACCTGCTCATCTCTGCCCAG 5843
Db 4552 GGCAGGGTCCAGCATCTAGAGTCCAGTCCCACTCTCACCTGCTCATCTCTGCCCAG 4611
Qy 5844 GGAACGACATCTATCACCAACCTGCTGCTGAGGATGAGGCGCTCTGGGAGAG 5903
Db 4612 GGAACGACATCTATCACCAACCTGCTGCTGAGGATGAGGCGCTCTGGGAGAG 4671
Qy 5904 CCCTTCGCTTCCACCCGAACTCTCTGAGTCCAGGCGACCTTCTGAGAGCCGGAG 5963
Db 4672 CCCTTCGCTTCCACCCGAACTCTCTGAGTCCAGGCGACCTTCTGAGAGCCGGAG 4731
Qy 5964 GCCTTCGCTTCTTCAGCAGTGCCTGTGGGAGCCCGGCTCCCTGCTCCCTTCCGTC 6023
Db 4732 GCCTTCGCTTCTTCAGCAGTGCCTGTGGGAGCCCGGCTCCCTGCTCCCTTCCGTC 4791
Qy 6024 GAGTCTTGAGGGGTATCACCCAGAGCCAGGCTCATGACGCCCTCCCTGCCCCACAG 6083
Db 4792 GAGTCTTGAGGGGTATCACCCAGAGCCAGGCTCATGACGCCCTCCCTGCCCCACAG 4851
Qy 6084 GCGCGCTGCTGCTCGGGAGCCCTGCGGCGGATGAGGCTCTTCTTCTTCTTCTTCT 6143
Db 4852 GCGCGCTGCTGCTCGGGAGCCCTGCGGCGGATGAGGCTCTTCTTCTTCTTCTTCT 4911
Qy 6144 CCCTGCTGAGCATCTTCAGCTTCTCGGCGGCGGCGGAGCCCGGCGGAGCCACTCTC 6203
Db 4912 CCCTGCTGAGCATCTTCAGCTTCTCGGCGGCGGAGCCCGGCGGAGCCACTCTC 4971
Qy 6204 GTGCTGCTGCTTCTGCTGAGCCCTATCCCTGAGGCTTCTGCTGCTGCTGCTGCTG 6263
Db 4972 GTGCTGCTTCTGCTGAGCCCTATCCCTGAGGCTTCTGCTGCTGCTGCTGCTGCTG 5031
Qy 6264 ATGGGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 6323
Db 5032 ATGGGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 5091
Qy 6324 TGTGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 6383
Db 5092 TGTGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 5151
Qy 6384 CAAACCCAGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 6441
Db 5152 CAAACCCAGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 5211
Qy 6442 TACGTTGAGGCTGAGCAGATGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 6501
Db 5212 TATGTTGAGGCTGAGCAGATGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 5271
Qy 6502 CCAACTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 6561
Db 5272 CCAACTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 5331
Qy 6562 GCCAAGTGGGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 6621
Db 5332 GCCAAGTGGGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 5391
Qy 6622 CAGCCTGAGGCGCCATATTTGAGGCGCTTACCTCAGCCCGCCACATCAGGAGCAGCTC 6681
Db 5392 CAGCCTGAGGCGCCATATTTGAGGCGCTTACCTCAGCCCGCCACATCAGGAGCAGCTC 5451
Qy 6682 CTGCCAGCAGCATCAACAGTGCCTTCTCATATATGACACCCCAAAA 6732
Db 5452 CTGCCAGCAGCATCAACAGTGCCTTCTCATATATGACACCCCAAAA 5502

RESULT 11
AX345458
LOCUS
DEFINITION
ACCESSION
VERSION
KEYWORDS

AX345458
Sequence 529 from Patent WO0200928.
AX345458
AX345458.1 GI:18493344

DNA

linear

PAT 01-FEB-2002


```
QY 1621 CAGGTGGGGTGGGAGGCAAGGTCATGTTCTGGAGAGGGGTGTGACTACATTAG 1680
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
1341 CAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAA 1282
QY 1681 GGTGTATGAGCCTAGCTGGGAGGTGGATGCGCGGTCCACTGAGACCTGTGTTATCCAG 1740
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
1281 AATATATAAACCTTAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAA 1222
QY 1741 AAGCCTGTGTGGCTGGGAGCTGGAGTGGGAGGGGTGACTTCTCGACAGGC 1800
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
1221 AAACCTATATAAATTTAAATAAATAAATAAATAAATAAATAAATAAATAAATAA 1162
QY 1801 CTTTCTACCACTTCCCTGGGTAGGGCTGGAGCAGGAAGCAGCGGCAAGGACTGTG 1860
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
1161 CTTTCTACCACTTCCCTTAATAAATAAATAAATAAATAAATAAATAAATAAATAA 1102
QY 1861 GAGCAGCCCATCTGCCCTGCTGACTCTGCCACTGSCAGCAGTCAACACAGCAGG 1920
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
1101 AAACAACCCATACCTACCTAACTTACCCTAACCAACAACAACAACAACAACA 1042
QY 1921 TTCCTACAGCAGAGGGGGAAGGCATCATCAGCTCCCTTTATTAAGGAAGGTCAGC 1980
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
1041 TTCACTCACAACAAAAAGCAACCATCATCACTCCCTTTTATAAAAAAATAACGC 982
QY 1981 GCTCGGTGCGAGAGTCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 2040
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
981 GCTCGATATACCGAAATATCTTACTTAATCTCTATACCTTAATAAATAAATAA 922
QY 2041 GTGTGTCAGAGAGGCCAGTGTGTAGTGAGGAGCCATGAGGCTAGAGCACTGGTGC 2100
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
921 ATATATCCAAAAAACCCTAATAATAAATAAATAAATAAATAAATAAATAAATAA 862
QY 2101 CTTGGCATGATAGTGCCCATCTTCTGCTCTGCTGCTGCTGCTGCTGCTGCTGCTG 2160
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
861 CCTAACCAATAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAA 802
QY 2161 CTGGGTGTCAGCTACCCGCCAGGTCCCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 2220
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
801 CTAACCTACAGCTACCCGCCAATTCCTCTACCTACCTACCTACCTACCTACCTAC 742
QY 2221 ATGTGGACTTCCAGAACACACATATCTGCTTCCAGCAGGTGAGGAGGTCCTGGAG 2280
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
741 ATATAAATCTTCCAAACACACCATATCTTCTGACCAATAAATAAATAAATAAATA 682
QY 2281 GCGCAGAGGTCTGAGGATGCCACACAGCAAACTGGGTGGTGGTGGTGGTGGTGGT 2340
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
681 ACGACAAAAATCTAAAAATATCCCAACCAACAACAATAAATAAATAAATAAATAA 622
QY 2341 GGCTGATCAGAGCCAGGCTCAGAGGGGAGGAGGTTTGGGGAGCTTCTCTGGGAG 2400
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
621 AACTAAATCAAAACCAAACTAAAAAATAAATAAATAAATAAATAAATAAATAAATA 563
QY 2401 GACATTTATACATGCGATGAAGGACTGGATTTTCCAAAGGCCCAAGAGAGTAGGCAAG 2460
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
562 ACATTTATACATACATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATA 503
QY 2461 GGCCTGGAGGTGGAGTGAGCTTGGCAGTGGGCGATGCAAGCCATTTGGGCAACATATGTT 2520
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
502 AACCTAAAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATA 443
QY 2521 ATGGAGTACAAAGTCCCTTCTCTGACACCAAGGAAGGCTTGGGAATCGAAGATCA 2580
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
442 ATAAATACAAATCCCTTCTACTAACCAAAATAAATAAATAAATAAATAAATAAATA 383
QY 2581 GTTAGTCTGAGTGGCGTTTAAATCACGAATTCGAGGATGAAGGGGTGCAAGCCGG 2640
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
382 ATTAATCCTAATACCGTTTAAATCACGAATTCGAATAAATAAATAAATAAATAAATA 323
QY 2641 TTCAAAACCTTTGCACTGTGGGTCTCTCGGCGCTCATCTGCTACCGGCGATGGACCATATC 2700
Db      ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| |||
322 TTCAAAACCTTTTACACTATAAATCTCGAACTCTACTCACTCACTCACTCACTCACT 263
QY 2701 TGGGAATGGATGCTAACTGGGGCTCTCGGCAATTTTGTGACTCTTGCAGGCTCATAC 2760
```

```
Db 262 TAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAA 203
QY 2761 CTGGGTGAGCATCCAAACTGAGTTCCTCCATCACAGAAAGGTGTGACCCCACTGCG 2820
Db 202 CTAATAACGATCCAAACTGAGTTCCTCCATCACAAAAAATAAATAAATAAATAAATAA 143
QY 2821 CCACGATCAGAGGCTGGGTCTCTCTCTCCACCTGCTCAGTCTCTGCTGAGCCCGGGGT 2880
Db 142 CCAAAATCAAAAAATAAATCTCTCTCTCCACCTTACTCTCTCTCTCTCTCTCTCTCT 83
QY 2881 CGTCCAAAGTTCAAATAGGACTAGGACCTGTAGTCTGGGGTGCATCTCTGGCTTGAACAAG 2940
Db 82 CGTCCAAATTCAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAA 23
QY 2941 GCCCTGACCCCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT 2962
Db 22 ACCCTAACCCCTCCCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT 1

RESULT 14
AX348345/c
LOCUS AX348345
DEFINITION Sequence 40 from Patent WO0202806.
ACCESSION AX348345
VERSION AX348345.1 GI:18614381
KEYWORDS synthetic construct
SOURCE synthetic construct
ORGANISM synthetic construct
REFERENCE 1
AUTHORS Olek, A., Piepenbrock, C. and Berlin, K.
TITLE Method and nucleic acids for pharmacogenomic methylation analysis
JOURNAL Patent: WO 0202806-A 40 10-JAN-2002;
Epigenomics AG (DE)
FEATURES
    Location/Qualifiers
        1..5884
            /organism="synthetic construct"
            /mol_type="unassigned DNA"
            /db_xref="taxon:32630"
            /note="chemically treated genomic DNA (Homo sapiens)"

ORIGIN
Query Match 15.9%; Score 1631.6; DB 6; Length 5884;
Best Local Similarity 72.1%; Pred. No. 0;
Matches 2137; Conservative 0; Mismatches 824; Indels 1; Gaps 1;

QY 1 AGCCTTACAAAGTGTGGGATTACTCGTGTGAGCCAGCCGCGGTCCGGCTCTTTATGTCTT 60
Db 2961 AACCTTACAAATACTAAATAATCTAGTGTAAACCCGGAATCCGACCTCTTTATATCTT 2902
QY 61 ACTGTACTGTCTGTCTGAAAAAGTACTTATTATTTTGTGTTTTCATCTATTAGTCTAA 120
Db 2901 ACTTACTATCTATCTTAAAAAATACTATTATTATTTTAAATTAATTCATCATTTAATCTAA 2842
QY 121 TTAATAATGAAGTAGTTTACACACCAATTTACAGTATTATAATCTCTGTTTCTGTG 180
Db 2841 TTAATAATAAAAATAATTTACACCAATTTACATAATTTATAATACTCTATTTTCTATA 2782
QY 181 TGCTTACTATTACCAAGTCAGTGTGTTTGTACTTTTAGATGATTTCTTCTGCTCATTAATATC 240
Db 2781 TACTTACTATTACCAATATAATTTTATACCTTTAAATAATTTCTTCTTACTCATTAATATC 2722
QY 241 CTTTCTTTTTCAGATTGAAAAAATCCCTTTAGCATTTCTTGTGGATATAGGTCGTGGTG 300
Db 2721 CTTTCTTTTTCAAATTAATAAATAATCCCTTTTAAATTTCTTATAAAAATAAATACTAATA 2662
QY 301 TTGATGAATCTCGCAGCTTTTGTCTCGGAAGGTCTTTTATTCTTCTCTCTCTCTCTG 360
Db 2661 TTAATAAATAATCTCGCACTTTTATTATCTAAAAAATAATTTTATTTCTCTCTCTCTTAA 2602
QY 361 AAGGATATTTTGGCAGATAGTATTCTAGGCTAAAAAGTTTCTTCTCTCTCTCTCTCTCT 420
```


Db	1319	CGCATAGTGGTGGCTGACCTGTTCTCTGCGGGATGGTGTACACCTCGACCAACGCTGGCC	1378
Qy	4968	TGGGGCCCTCTGCTCATGATCCTACACCTGGATGTGACGGTGTGAGCCGCTGGGGCCCA	5027
Db	1379	TGGGGCCCTCTGCTCATGATCCTACATCCGGATGTGACGGTGTGAGCCCATCTGGGAAAC	1438
Qy	5028	AGGCAGGGACTG	5039
Db	1439	GTGACGGGGCCG	1450

Search completed: February 28, 2004, 11:39:56
Job time : 25617.9 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM nucleic - protein search, using frame_plus_n2p model

Run on: February 25, 2004, 02:12:03 ; Search time 432.346 Seconds
(without alignments)
13433.798 Million cell updates/sec

Title: US-09-820-788A-3
Perfect score: 18731
Sequence: 1 agcctacaaagtctggga.....ccagggtcagtcgscaggt.10278

Scoring table:
BLOSUM62 Xgapop 10.0 , Xgapext 0.5
Ygapop 10.0 , Ygapext 0.5
Fgapop 6.0 , Fgapext 7.0
Delop 6.0 , Delext 7.0

Searched: 1586107 seqs, 282547505 residues

Total number of hits satisfying chosen parameters: 3172214

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Command line parameters:
-MODEL=frame+ n2p.model -DEV=xlp
-O=/cn2_1/USPTO spool_p/US09820788/runat.24022004.141425.20017/app.query.fasta.1.12174
-DB=A_Geneseq.29Jan04 -QFMT=fastan -SUFFIX=rag -MINMATCH=0.1 -LOOFCU=0
-LOOPEXT=0 -UNITS=bits -START=1 -END=1 -MATRIX=blosum62 -TRANS=human40.cdi
-LIST=45 -DOALIGN=200 -THR SCORE=pct -THR MAX=100 -THR MIN=0 -ALIGN=15
-MODE=LOCAL -OUTFMT=ptc -NORM=ext -HEAPSIZ=500 -MINLEN=0 -MAXLEN=2000000000
-USER=US09820788 @CGN.1.1.859 @runat.24022004.141425.20017 -NCPU=6 -ICPU=3
-NO MAP -LARGEQUERY -NEG SCORES=0 -WAIT -DSPELOCK=100 -LONGLOG
-DEV_TIMEOUT=120 -WARN_TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6
-FGAPEXT=7 -YGAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

Database : A_Geneseq.29Jan04:.*
1: Geneseq1980s:.*
2: Geneseq1990s:.*
3: Geneseq2000s:.*
4: Geneseq2001s:.*
5: Geneseq2002s:.*
6: Geneseq2003as:.*
7: Geneseq2003bs:.*
8: Geneseq2004s:.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Match	Length	ID	Description
1	1807	9.6	502	6 ABU09595	Abu09595 Human cyt
2	1803	9.6	502	2 ABU09594	Abu09594 Human cyt
3	1802	9.6	497	2 AAR72376	Aar72376 Human aux
4	1802	9.6	497	2 AAR93183	Aar93183 Human cyt
5	1800	9.6	497	6 ADB25832	Adb25832 Human CYP
6	1799	9.6	497	2 AAW44869	Aaw44869 Cytochrom
7	1799	9.6	497	2 ABU09598	Abu09598 Human cyt
8	1798	9.6	497	2 AAR72377	Aar72377 Human aux
9	1798	9.6	497	2 AAR93184	Aar93184 Human cyt
10	1798	9.6	497	2 AAR81462	Aar81462 Human der

11	1798	9.6	497	5	ABB09563	Abb09563	Human	CYP
12	1798	9.6	497	6	AAB26405	Aao26405	Human	dru
13	1798	9.6	497	6	ADB25833	Adb25833	Human	CYP
14	1795	9.6	497	6	ABU09593	Abu09593	Human	cyt
15	1795	9.6	497	6	ABR82026	Abu82026	Human	cyt
16	1795	9.6	497	7	ADE60558	Ade60558	Human	Pro
17	1794	9.6	497	2	AAR72375	Aar72375	Human	aux
18	1794	9.6	497	2	AAR93182	Aar93182	Human	cyt
19	1790	9.6	497	2	AAR72378	Aar72378	Human	aux
20	1790	9.6	497	2	AAR93185	Aar93185	Human	cyt
21	1790	9.6	497	6	ADB25834	Adb25834	Human	CYP
22	1786	9.5	497	6	ADB25831	Adb25831	Human	CYP
23	1682	9.0	497	4	AAE05171	Aae05171	Human	dru
24	1551.5	8.3	446	6	AAO26404	Aao26404	Human	dru
25	1316.5	7.0	436	4	AAU68579	Aau68579	Human	nov
26	1273.5	6.8	500	7	ADE60556	Ade60556	Rat	Prote
27	1126	6.0	504	6	AAO22644	Aao22644	Protein o	
28	851	4.5	195	2	AAW44870	Aaw44870	Cytochrom	
29	823	4.4	184	4	AAG74361	Aag74361	Human	col
30	740	4.0	139	4	AAO00527	Aao00527	Human	pol
31	712.5	3.8	19938	6	ABP76679	Abp76679	Streptomy	
32	686.5	3.7	326	4	ABG28250	Abg28250	Novel	hum
33	666.5	3.6	159	2	AAW44871	Aaw44871	Cytochrom	
34	653.5	3.5	19938	6	ABP76679	Abp76679	Streptomy	
35	627.5	3.4	19938	6	ABP76681	Abp76681	Streptomy	
36	615.5	3.3	19938	6	ABP76678	Abp76678	Streptomy	
37	614	3.3	330	4	AAO03028	Aao03028	Human	pol
38	614	3.3	656	4	ABG27623	Abg27623	Novel	hum
39	606	3.2	19938	6	ABP76682	Abp76682	Streptomy	
40	601.5	3.2	19938	6	ABP76682	Abp76682	Streptomy	
41	601	3.2	19938	6	ABP76680	Abp76680	Streptomy	
42	599	3.2	390	4	ABG24889	Abg24889	Novel	hum
43	598	3.2	587	4	ABG27019	Abg27019	Novel	hum
44	598	3.2	682	4	ABG10590	Abg10590	Novel	hum
45	594	3.2	19938	6	ABB98398	Abb98398	Streptomy	

ALIGNMENTS

RESULT 1
ABU09595
ID ABU09595 standard; protein; 502 AA.
XX AC ABU09595;
XX AC

16-JUL-2003 (first entry)

Human cytochrome p450 gene CYP2D6, variant G5799C/C5816AT, protein.

Human; cytochrome P450; CYP2D6; chromosome 22; SNP;
single nucleotide polymorphism; drug metabolism; cardiovascular disorder;
psychiatric disorder; drug sensitivity.

OS Homo sapiens.

XX Key Location/Qualifiers

FT Misc-difference 486

FT /note= "Wild-type Ser substituted by Thr, as the result of a single nucleotide polymorphism"

FT Misc-difference 492.502

FT /note= "These amino acids replace the wild-type sequence (Leu-Cys-Ala-Val-Pro-Arg) as the result of a single-nucleotide polymorphism which causes a frameshift"

XX EP1281755-A2.

PN 05-FEB-2003.

PD 16-JUL-2002; 2002EP-00254972.

PR 31-JUL-2001; 2001US-0309111P.

PA (PFIZ) PFIZER PROD INC.

XX MILOS PM, Webb SM;
XX WPI; 2003-373769/36.
DR N-PSDB; ACA61305.
XX
PT New cytochrome P450 2D6 gene variants and polypeptides, useful for
PT determining if a subject has or is at risk of developing a drug
PT sensitivity condition or disorder that is associated with an aberrant
PT CYP2D6 activity.
XX
PS Claim 4; Fig 8; 88pp; English.
XX
CC The invention relates to an isolated nucleic acid comprising a cytochrome
CC P450 2D6 gene variant, e.g. G5799C or C5816A (referring to the genomic
CC sequence or the same variant nucleotide in the corresponding cDNA
CC sequences). Also included are probes, primers (allele specific
CC oligonucleotides) and arrays used to detect and/or amplify the CYP2D6
CC gene polymorphic regions, the variant polypeptides, antibodies which are
CC capable of distinguishing between the variant and wild-type polypeptides,
CC determining whether a subject has a genetic deficiency for metabolising a
CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6 and
CC determining whether an individual is susceptible to being a poor
CC metaboliser of drugs. The DNA probe is useful for hybridising to a
CC variant form of the CYP2D6 gene. The primer is useful for amplifying the
CC C5816A allelic variant. The allele specific nucleotide is useful for the
CC detection of the C5816A allelic variant. The methods are useful for
CC determining whether a subject has a genetic deficiency for metabolising a
CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6, and
CC determining if an individual is susceptible to being a poor metaboliser
CC of drugs. The nucleic acids are useful as probes or primers for
CC determining whether a subject has a genetic deficiency for metabolising
CC drugs that are substrates of P450 CYP2D6. The methods are useful for
CC determining if a subject has or is at risk of developing a drug
CC sensitivity condition or disorder that is associated with an aberrant
CC CYP2D6 activity, e.g. an aberrant level of a CYP2D6 protein or an
CC aberrant CYP2D6 bioactivity. The methods are also useful in selecting the
CC appropriate drugs or determining the course of treatment to administer to
CC a subject to treat cardiovascular or psychiatric disorders, or for
CC treating a subject with a drug sensitivity or disorder associated with a
CC specific allelic variant of a polymorphic region of the CYP2D6 gene. The
CC antibodies are useful for monitoring CYP2D6 protein levels in an
CC individual for determining whether a subject has a disease or conditions
CC associated with an aberrant CYP2D6 protein level. The gene is located on
CC human chromosome 22. The present sequence is the G5799C/C5816A double
CC variant CYP2D6 protein
XX
SQ Sequence 502 AA;

Alignment Scores:
Pred. No.: 502 Length: 502
Score: 1807.00 Matches: 469
Percent Similarity: 34.31% Conservative: 13
Best Local Similarity: 33.38% Mismatches: 20
Query Match: 9.65% Indels: 904
DB: 6 Gaps: 9

US-09-820-788A-3 (1-10278) x ABU09595 (1-502)

QY 2078 ATGGGGCTAGAGCACTGGTGGCCCTGGCCATGATAGTGGCCATCTTCTGCTCTGCTG 2137
DB 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
QY 2138 GACCTGATGACCGGACCAACGCTGGCTGGCTGACCTACCCGCCAGGTCCCTGCCACTG 2197
DB 21 AspLeuMetHisArgGlnArgTrpAlaAlaArgTrpProGlyProLeuProLeu 40
QY 2198 CCGGGCTGGCAACCTTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 2257
DB 41 ProGlyLeuGlyAsn-LeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspG1 60
QY 2258 GGTGAGGAGGAGGCTCTGGAGGCGCGCAGAGGCTCTGAGGATGCCCCACCACCAACCA 2317

Db 60 n----- 60
QY 2318 CATGGTGGTGGGTTAAACACACAGCTGGATCAGAACCCAGGCTGAGAGGGAGCAGG 2377
Db 60 ----- 60
QY 2378 TTTGGGGACGTTCTCTGGGGAAGCATTATATACATGSCATGAAGGACTGGATTTTCCAA 2437
Db 60 ----- 60
QY 2438 AGGCCAAGGAAGAGTAGGCGCAAGGGCCCTGGAGGTGGAGCTGGACTGGAGTGGGCATGC 2497
Db 60 ----- 60
QY 2498 AAGCCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACACCAAGGA 2557
Db 60 ----- 60
QY 2558 AAGGCTTTGGCAATGGAAGATGAGTTAGTCTCTGAGTCCGTTTAAATCAGAAATCGAGG 2617
Db 60 ----- 60
QY 2618 ATGAAGGGGGTGCAGTGCACCCGGTTCAAACTTTTGCACCTGGGTCCTCGGGCCTCACT 2677
Db 60 ----- 60
QY 2678 GCTCACCGGCATGACCATCATCTGGAATGGGATGTAATCGGGGCTCTCGGCAATTT 2737
Db 60 ----- 60
QY 2738 TGGTGACTCTTTGCAAGGTACATACCTGGGTGACGATCCAACTGAGTTCCTCCATCAG 2797
Db 60 ----- 60
QY 2798 AAGGTGTGACCCCAACCCCTGCCCCCAGATCAGGAGGTGGGTCTCTCTTCCACCTGC 2857
Db 60 ----- 60
QY 2858 TCACCTCTGGTAGCCCGGGGGTCTGTCAGGTTCAATAGGACTAGGACCTGATCTG 2917
Db 60 ----- 60
QY 2918 GGGTGATCTGGCTTGACAAGAGGCCCTGACCCCTCTCTGAGTTGGGCGCGCTTCG 2977
Db 61 ----- -Leu-ArgArgArgPheG 66
QY 2978 GGGACGTGTTTCAGCTGCTGAGTGGCTGGACGCGGTGCTGCTCAATGGGCTGGCGG 3037
Db 66 lyAspValPheSerLeuGlnLeuAlaTrpThrProValValLeuAsnGlyLeuAla 86
QY 3038 CCGTGGCGAGGCGATGGTGAACCCGGCGCAGGACACGCGCCGCTGCGGCCCA 3097
Db 86 laValArgGluAlaLeuValThrHisGlyGluAspThrAlaAspArgProValProI 106
QY 3098 TCTACCAAGTCTCTGGCTTCTGGCGCGCTTCCCAAGGCAACGCGGTGGGGGACAGAGA 3157
Db 106 leThrGlnIleLeuGlyPheGlyProArgSer-Gln----- 117
QY 3158 CCGGCTTTTCTGGTGGCGCCCGGGTGGACAGTGCACCGTAGCCCAAGCAGCGCCGACAGGCG 3217
Db 117 ----- 117
QY 3218 TGGGGTCTTGACGTGAAACAGAGATTAAGCCAGCGAGTGGGTGAGGACAGTGGGCCA 3277
Db 117 ----- 117
QY 3278 GGAACACCTGACGCGGGAGGTGCGAGTCTGTGGGTGGGAGGGGCGGGCTACTGC 3337
Db 117 ----- 117
QY 3338 CCAGACCCGCGAAGACCCCGTGGGCGAGGCTGATGCTCGAAGTGGCGGTGGCGGGAC 3397
Db 117 ----- 117

Db	391	-----	391	
QY	5618	GAGGACCCAGCGCCTGCAGGAGAGGGCGCAGTGTGGTGCTCTGAGAGGTTGTGACTGC	5677	
Db	391	-----	391	
QY	5678	GCCTGTCTGTGGGTCCGAGAGGGTACTGTGGAGCTTCTCGGGCGCAGGACTAGTTGACA	5737	
Db	391	-----	391	
QY	5738	GAGTCCAGCTGTGTGCCAGGAGTGTGTCTCCCGTGCTGTTGGTGGCGAGGGTCCAC	5797	
Db	391	-----	391	
QY	5798	CATCTAGAGTCCAGTCCCCACTCTCACCTGCATCTCTCCGCCAGGAGACGACACTCAT	5857	
Db	392	-----	396	---Gly-ThrThrLeuIle
QY	5858	CACCAACTGTTCATTCGTGTGTGAAGGATGAGCGCGTGTGGAGAAGCCCTTCGCGTTCCA	5917	
Db	396	eThrAsnLeuSerSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHi	416	
QY	5918	CCCCGAACACTTCTGTGATCCCGAGGCCACTTTGTGAACCGGAGGCCCTTCTGCCTTT	5977	
Db	416	sProGluHiPheLeuAspAlaGlnGlyHiPheValLysProGluAlaPheLeuProPh	436	
QY	5978	CTCAGCAGGTCCTGTGGGAGCGCGCTCCCTGTCCCTTCCGTGGAGTCTTTCAGGGG	6037	
Db	436	e-Ser-----	437	
QY	6038	TATCACCCAGGAGCCAGGCTCATGTAGCGCCCTCCCTCCCCACAGGCCCGCTGCATGC	6097	
Db	438	-----	443	---AlaGlyArgAlaCys
QY	6098	CTCGGAGCCCTGGCCGATGAGCTTCTCTTCTTCTACCTCCCTCCCTGCAGCAC	6157	
Db	444	LeuGlyLysProLeuAlaArgMetGluLeuPheLeuPhePheThrSerLeuLeuGlnHis	463	
QY	6158	TTCAGCTTCTCTCGTGGCGCGGACAGCCCGCGCCAGCCACTCTCGTGTGCTGTCAGCTTT	6217	----
Db	464	PheSerPheSerValProThrGlyGlnProArgProSerHisGlyValPheAlaPhe	483	
QY	6218	CTGGTAGCCCATCCCCCTACGAGCT--TTGTGTGTGCCCCCGCTAGATGGGTACC	6273	
Db	484	LeuValThrProSerProTyrGluLysCysAlaProLeuGluTrpGlyThr	502	

PF		16-JUL-2002; 2002EP-00254972.
XX		
XX		
PR		31-JUL-2001; 2001US-0309111P.
XX		
PA	(PFIZ) PFIZER PROD INC.	
XX		
PI	Milos PM, Webb SM;	
XX		
DR	WPI; 2003-373769/36.	
DR	N-PSDB; ACA61304.	
XX		
PT	New cytochrome P450 2D6 gene variants and polypeptides, useful for	
PT	determining if a subject has or is at risk of developing a drug	
PT	sensitivity condition or disorder that is associated with an aberrant	
PT	CYP2D6 activity.	
XX		
FS	Claim 4; Fig 5; 89pp; English.	
XX		
CC	The invention relates to an isolated nucleic acid comprising a cytochrome	
CC	P450 2D6 gene variant, e.g. G5799C or C5816AT (referring to the genomic	
CC	sequence or the same variant nucleotide in the corresponding cDNA	
CC	sequences). Also included are probes, primers (allele specific	
CC	oligonucleotides) and arrays used to detect and/or amplify the CYP2D6	
CC	gene polymorphic regions, the variant polypeptides, antibodies which are	
CC	capable of distinguishing between the variant and wild-type polypeptides,	
CC	determining whether a subject has a genetic deficiency for metabolising a	
CC	drug, evaluating therapy with a drug metabolised by P450 CYP2D6 and	
CC	determining whether an individual is susceptible to being a poor	
CC	metaboliser of drugs. The DNA probe is useful for hybridising to a	
CC	variant form of the CYP2D6 gene. The primer is useful for amplifying the	
CC	C5816TA allelic variant. The allele specific nucleotide is useful for the	
CC	detection of the C5816TA allelic variant. The methods are useful for	
CC	determining whether a subject has a genetic deficiency for metabolising a	
CC	drug, evaluating therapy with a drug metabolised by P450 CYP2D6, and	
CC	determining if an individual is susceptible to being a poor metaboliser	
CC	of drugs. The nucleic acids are useful as probes or primers for	
CC	determining whether a subject has a genetic deficiency for metabolising	
CC	drugs that are substrates of P450 CYP2D6. The methods are useful for	
CC	determining if a subject has or is at risk of developing a drug	
CC	sensitivity condition or disorder that is associated with an aberrant	
CC	CYP2D6 activity, e.g. an aberrant level of a CYP2D6 protein or an	
CC	aberrant CYP2D6 bioactivity. The methods are also useful in selecting the	
CC	appropriate drugs or determining the course of treatment to administer to	
CC	a subject to treat cardiovascular or psychiatric disorders, or for	
CC	treating a subject with a drug sensitivity or disorder associated with a	
CC	specific allelic variant of a polymorphic region of the CYP2D6 gene. The	
CC	antibodies are useful for monitoring CYP2D6 protein levels in an	
CC	individual for determining whether a subject has a disease or conditions	
CC	associated with an aberrant CYP2D6 protein level. The gene is located on	
CC	human chromosome 22. The present sequence is the C5816AT variant CYP2D6	
CC	protein	
XX		
SQ	Sequence 502 AA;	
	Alignment Scores:	
	Pred. No.: 9,54e-107 Length: 502	
	Score: 1803.00 Matches: 468	
	Percent Similarity: 34.31% Conservative: 14	
	Best Local Similarity: 33.31% Mismatches: 20	
	Query Match: 9.63% Indels: 904	
	DB: 6 Gaps: 9	
	US-09-820-788A-3 (1-10278) x ABU09594 (1-502)	
QY	2078 ATGGGCTAGAACACTGTGGCCCTGGCATGATAGTGGCACTCTCTGCTCTCGTG 2137	
Db	1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20	
QY	2138 GACCTGATGCACGGCACCAACGCTGGCTGGACGCTACC CGG CAGGTCCCTGCCACTG 2197	
Db	21 AspLeuMetHisArgGlnArgTrpAlaAlaArgTry-ProProGlyProLeuProLeu 40	
QY	2198 CCCGGGCTGGGCACCTTCGTGATGTGGACTTCCAGAAACACACCACTACTGCTTCGACCA 2257	

Db 41 ProGlyLeuGlyAsn-LeuLeuHisValAspPheGlnAsnThrProTyrCysPheAsp61 60
2258 GGTGAGGAGGAGGTCTCTGAGGGCGGACAGAGTCTCTGAGGATGCCCCACACAGCAAA 2317
60 n----- 60
2318 CATGGTGGTGGTTAAACACAGGCTGGATCAGAACGAGCGGTGAGAGGGGAGCAGG 2377
60 ----- 60
2378 TTTGGGGAGCTTCTTGGGGAAGACATTTATACATGGCATGAGACGTGGATTTTCCAA 2437
60 ----- 60
2438 AGGCCAAGGAAGTAGGCAAGGGCTTGAGGTGGAGCTGGACTTTGGCAGTGGGCATGC 2497
60 ----- 60
2498 AAGCCCATTTGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGTGTGACACAGGAAGGA 2557
60 ----- 60
2558 AAGGCCTTGGGAATGGAAGTAGTGTAGTCTGAGTGGCGTTTAAATCAGAAATCGAGG 2617
60 ----- 60
2618 ATGAAGGGGTGAGTGACCCCGTTCAAACTTTTGCACTGTGGTCTCTGGGCCTCACT 2677
60 ----- 60
2678 GCTCACCGGATGGACCATCATCTGGGAATGGATGCTAACTGGGGCCTCTCGGCAATTT 2737
60 ----- 60
2738 TGTGACTCTTCAAGGTATACCTGGGTGACGATCCAACTGAGTTCTTCCATCACAG 2797
60 ----- 60
2798 AAGGTGTGACCCACCCCTGCCCCAGATCAGAGGTGGGTCTCTCTTCCACCTGC 2857
60 ----- 60
2858 TCACTCTGTAGTCCCGGGGTGCTCAAGGTTCAATAGGACTAGGACCTGTAGTCTG 2917
60 ----- 60
2918 GGTGATCTGTGCTTGACAAGAGGCCCTGACCTCCTCTGAGTTGCGGCGCGCTTCG 2977
61 -----Leu-Arg-ArgPhe66
2978 GGGACGTGTTACCTGACGTGGCTTGACGCGGTGTGCTGCTCAATGGGCTGGCGG 3037
66 llyAspValPheSerLeuGlnLeuAlaTrpThrProValValLeuAsnGlyLeuAla 86
3038 CCGTGGCGAGGCGATGTTGACCGCGGAGACACGCGCGCGCTGCGCCCA 3097
86 lvalArgGluAlaLeuValThrHisGlyGluAspThrAlaAspArgProValProI 106
3098 TCTACAGGTCTCTGGGCTTGGGCGCGCTTCCCAAGGCAAGCGGTGGGGGACAGAGA 3157
106 lthrGlnIleLeuGlyPheGlyProArgSer-Gln----- 117
3158 CCGCGTTCTCGTGGGCGCGGTGGACAGTGTACCTGAGCCAGAGCGCGGACAGGCGG 3217
117 ----- 117
3218 TGGGTCCTGGACGTGAACAGAGATAAAGGCCAGCGAGTGGCTGAGACAGTGGGCCA 3277
117 ----- 117
3278 GGAACCACTGCACGGGGAGGTGCGAGTCTGTGGGCTGTGGAGGGGCGGGCTACTGC 3337

Db 117 ----- 117
3338 CCAGACCCCGCCAGAACCCCGGTGGCGAGGCTGATGCGTGAAGTGGCGGTGGCGGGAC 3397
117 ----- 117
3398 CCGCCTATGCTGCGGGTCTAGTGTGGCGGACCGGGCGGATCTTCTTGTAGTGAAG 3457
117 ----- 117
3458 GTGGTCAGGTGGGCGAGACGAGGTGGGGCCAAACCCCGCCAGGAGGAGCAATG 3517
117 ----- 117
3518 TGGGTGAGCAAGAGTGGGCCCTGTGCCAGCTGGACCGGCTAGGACTGCGGGAGACC 3577
117 ----- 117
3578 TTTGGAGCGCCAGGTTTGGAGTGGGTGGCGAGGTGGGCCCAAGGCCCTTCATGCAAC 3637
117 ----- 117
3638 GCCCAGGTGTCGTCCGCCCCAGGGGTGATCTGTGCGGTATGGGCCCGCGTGGCGC 3697
118 -----GlyValPheLeuAlaArgTyrGlyProAlaTrpArg 129
3698 GAGCAGAGCGCTTCTCGGTGTCACCTTGGCACTTGGGCTGGGCAAGAGTCGCTG 3757
130 GluGlnArgPheSerValSerThrLeuArgAsnLeuGlyLeuGlyLysSerLeu 149
3758 GAGCAGTGGGTGACGAGGAGCGCTGCTGCTTGTGCGCTTTCGCCGACCAACGCGGTG 3817
150 GluGlnTrpValThrGluGluAlaAlaCysLeuCyAlaAlaPheAlaAsn----- 166
3818 GGTGATGGCAGAGGGCACAAAGCGGAACTTGGGAAGCGGGGACGAGAGGCAAC 3877
166 ----- 166
3878 CCTTACCCGATCTCCACCCAGGAGCGCCCTTTCGCCCAACGCGCTCTTGACAA 3937
167 -----GlyArgProPheArgProAsnGlyLeuLeuAsp 180
3938 AGCCGTGACCAACGTGATCGCTCCTCCTCAGCTGGCGGCGCTTCGAGTACGACACC 3997
180 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAsp 200
3998 TCGTTCCTCAGGTGCTGACCTAGCTCAGAGGAGCTGAAGAGGAGTTCGGCTTTCT 4057
200 ArgPheLeuArgLeuLeuAspLeuAlaGlnGlyLeuLysGluGluSerGlyPheLe 220
4058 GCGCAGGTGGGACGAGAGACCGAGGAGTCTCTGCGGGGCGAGCTCTGAGAGGTGCC 4117
220 uArgGlu----- 222
4118 GGGGCTGAGCTGGGCGCTCCGAAGGCGAGGATTTGCATAGATGGGTTTGGGAAAGCAT 4177
222 ----- 222
4178 TCCAGGAGACCCCACTGTAAGAAGGCGCTGGAGGAGGAGGAGCATCTCAGACATGCTG 4237
222 ----- 222
4238 TGGGAGAGTGTGCCGGGTGAGGGGCGACAGGAGAGGCCAAGGACTCTGTACCCCGT 4297
222 ----- 222
4298 CCACTGTGAGATTTTCGATTTTAGGTTTCTCTCTGGGCAAGGAGAGGAGGCTG 4357
222 ----- 222
4358 GCCTTGGGAGGAGTCTTGGTGTGAGTGTGTAAAGGACAGGAGGCGCTGTACCT 4417
222 ----- 222

```
QY 4418 GGAGATGGCTGGGGCTGAGACTTGTCCAGGTGAACGACAGACACAGGAGGATTGAGAC 4477
Db 222 ----- 222
QY 4478 CCCGTTCTGTGTGGTGTAGTCTGAATGCTCTCCCGTCTCTCCGACATCCACGCGT 4537
Db 223 -----ValLeuAsnAlaValProValLeuLeuHisIleProAlaIle 236
QY 4538 GCCTGGCAAGTCTACGCTTCCAAAGGCTTCTGACCCAGCTGGATGAGCTCTTAAC 4597
Db 236 uAlaGlyIysValLeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuTh 256
QY 4598 TCAGCACAGGATGACTGGGACCCAGCCAGCCAGCCAGCCAGCCAGCTGAGGCGCTTCT 4657
Db 256 rGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeu 276
QY 4658 GCGAAGAGAGGAAGGTGAGAGTGGCTGCCACGGTGGGGGCAAGGGTGGTGGTTGAA 4717
Db 276 uAlaGluMetGluLys----- 281
QY 4718 CGTCCCAGGAGGAATGAGGGGAGGCTGGGCAAAAGGTTGGACCAGTGCATCACCCGGCGA 4777
Db 281 ----- 281
QY 4778 GCGGCATCTGGGCTGACAGGTGCAGAAATTGGAGGTCAATTGGGGGCTACCCCGTTCTATC 4837
Db 281 ----- 281
QY 4838 CCTGAGTATCTCTCGGCCCTGCTCAGGCCAAGGGAGCCCTGAGAGCAGCTTCAATGA 4897
Db 282 -----AlaLysGlyAsnProGluSerSerPheAsnAs 292
QY 4898 TGAGAACCTGCCATAGTGTGGGTAACTGTCTTCTGCGGGATGGTGACCACTCCGAC 4957
Db 292 pGluAsnLeuArgIleValValAlaAspLeuPheSerAlaGlyMetValThrThrSerTh 312
QY 4958 CACGCTGGCGTGGCGCTCTGCTCATCTCATCTCATCTCATCTGATGGAGCGTGAGCCGAC 5017
Db 312 rThrLeuAlaTrpGlyLeuLeuLeuMetIleLeuHisProAspValGln----- 328
QY 5018 CTGGGGCCCAAGCAGGACTGAGGGAGGAGGTACAGCTGGGGGCCCTGGGCTTAGC 5077
Db 328 ----- 328
QY 5078 TGGGACACCGGGGGCTTCAGACACAGGCGTGCCAGGCTCTGTAAAGCCTAACTTCCTCC 5137
Db 328 ----- 328
QY 5138 AACACAGGAGGAAGGAGAGTGTCCCTGGGTGCTGACCCATTGTGGGGACGCGATGTCTGT 5197
Db 328 ----- 328
QY 5198 CCAGTCCGTTGCCACAGAGATGACGACGTCGATAGGCGAGGTGCGGCGACAGAGATG 5257
Db 329 -Arg--ArgValGlnGlnGluIleAspValIleGlyGlnValArgProGluMet 347
QY 5258 GGTGACCAAGGCTCATGCTCCCTACACCTGCTGCTGATTCAGAGGTGACGCGCTTTGGG 5317
Db 348 GlyAspGlnAlaHisMetProTyrThrThrAlaValIleHisGluValGlnArgPheGly 367
QY 5318 GACATCATCCCTCGATGTGACCCCATGATGACATCCCGTGCATCGAAGTACAGGCTTC 5377
Db 368 AspIleValProGlyMetThrHisMetThrSerArgAspIleGluValGlnGlyPhe 387
QY 5378 CGCATCCCTTAAGGTAGGCGCTGGCGGCCCTCCTCACCCAGCTCAGCACCACTGGTGA 5437
Db 388 ArgIleProLys----- 391
QY 5438 TAGCCCCAGCATGGGTACTGCGAGGTGGGCCCACTCTAGGAACCTGGCCACCTAGTCCT 5497
Db 391 ----- 391
```

```
QY 5498 CAATGCCACCACACTGACTGTCCCACTTGGTGGGGGGTCCAGAGTATAGCAGGGCTG 5557
Db 391 ----- 391
QY 5558 GCCTGTCCATCCAGAGCCCGCTCTAGTGGGGGAGACAAACAGGACCTGCCAGAATGTTG 5617
Db 391 ----- 391
QY 5618 GAGGACCCAGCGCTGACGGAGAGGGGGCAGTGTGGTGCCTCTGAGAGGTGTGACTGC 5677
Db 391 ----- 391
QY 5678 GCCCTGCTGTGGGTTCGAGAGGGGTACTGTGGAGCTTCTCGGGGCGCAGGACTAGTTGACA 5737
Db 391 ----- 391
QY 5738 GAGTCCAGCTGTGTGCCAGGCAGTGTGTGTCCCGTGTGTGTGGTGGCAGGGGTCCOAG 5797
Db 391 ----- 391
QY 5798 CATCTAGAGTCCAGTCCCACTCTCACCTGTCATCTCTGCCAGGGAACGACACTCAT 5857
Db 392 -----Gly-ThrThrLeuIle 396
QY 5858 CACCAACCTGTATCGGTGTGAAGGATGAGCGCTCTGGGAGAGCCCTTCCGCTTCCA 5917
Db 396 eThrAsnLeuSerSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHi 416
QY 5918 CCGCAACACTTCTGATGCCAGGGCCACTTTTGAAGCCGAGGCTTCTTCCCTTT 5977
Db 416 sProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPh 436
QY 5978 CTCAGCAGTCCCTGTGGGGAGCCGGCTCCTCTGCTCCCTTCCGTGGAGTCTTGCAGGGG 6037
Db 436 e--Ser----- 437
QY 6038 TATCACCCAGGACGAGGCTCACTGACGCCCTCCCTCCACAGGCGCGCTGCATGC 6097
Db 438 -----AlaGlyArgArgAlaCys 443
QY 6098 CTCGGGAGCCCCCTGGCCCGCATGAGCTTCTCTTTCACCTCCCTGCTGCAGCAC 6157
Db 444 LeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeuLeuGlnHis 463
QY 6158 TTCAGCTTCTCCGTGGCGCGCGAGCAGCCCCGGCCAGCACTCTCGTGTCTGCTAGCTTT 6217
Db 464 PheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyValPheAlaPhe 483
QY 6218 CTGTGTGACCCCATCCCTACAGCT-TTGTGTGTGTGCCCGCTAGAAATGGGTACC 6273
Db 484 LeuValSerProSerProTyrGluTyrLeuCysAlaProLeuGluTrpGlyThr 502

RESULT 3
AAR72376
ID AAR72376 standard; protein; 497 AA.
XX
AC AAR72376;
XX
DT 25-MAR-2003 (revised)
DT 15-NOV-1995 (first entry)
XX
DE Human auxiliary cytochrome P450 species 2D6 variant 1 protein.
XX
KW Human cytochrome P450; amplification; PCR; primer; expression vector;
KW yeast NADPH-P450 reductase; safety; fusion protein; metabolite;
KW carcinogen; mutagen; liver metabolism.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT Misc-difference 296
FT /note= "Cys to Arg variation"
XX
```

PN EP644267-A2.
XX 22-MAR-1995.
XX 20-JUL-1994; 94EP-00111298.
XX 20-JUL-1993; 93JP-00201120.
PR 21-JUL-1993; 93JP-00180246.
PR 30-JUL-1993; 93JP-00208279.
XX (SUMO) SUMITOMO CHEM CO LTD.
XX Hayaashi K, Sakaki T, Yabusaki Y, Komai K, Kaneko H, Nakatsuka I;
PI WPI; 1995-116991/16.
XX N-PSDB; AAQ87730.
DR Evaluation of safety of a chemical cpd. - using recombinant yeast
XX expressing human cytochrome p450 and a yeast NADPH-P450 reductase.
PT Example; Page 87-89; 124pp; English.
XX The amino acid sequence of the human auxillary cytochrome P450 species
XX 2D6 variant 1. This variant contains a variation at residue 296: Cys to
CC Arg, caused by a variation at base 886: T to C in the DNA sequence. The
CC cDNA was amplified by PCR using the primers AAQ87763-6. The product was
CC cloned into the yeast expression vectors pAAH5N or pAHR to produce the
CC vectors p2D6 variant 1 for the expression of the cytochrome P450 alone or
CC p2D6R variant 1 for co-expression with the yeast NADPH-P450 reductase.
CC The vectors are used in a method for evaluating the safety of a chemical
CC compound by reacting the chemical compound with recombinantly produced
CC human cytochrome P450 molecular species 1A2 (AAQ87714), 2C9 (AAQ87715),
CC 2E1 (AAQ87716), or 3A4 (AAQ87718), or their auxillary species and
CC variants (AAQ87718-32), and yeast NADPH-P450 reductase, either as a fused
CC protein or in cell extracts, and analysing the resulting metabolite to
CC assess the safety of the chemical compound. The method is useful for
CC determining whether the chemical compound, or its metabolite, will be
CC converted into a carcinogenic or mutagenic form through metabolism in the
CC liver. (Updated on 25-MAR-2003 to correct PN field.)
XX Sequence 497 AA;
SQ
Alignment Scores:
Pred. No.: 1.1e-106 Length: 497
Score: 1802.00 Matches: 466
Percent Similarity: 34.14% Conservative: 12
Best Local Similarity: 33.29% Mismatches: 19
Query Match: 9.62% Indels: 903
DB: 2 Gaps: 9
US-09-820-788A-3 (1-10278) x AAR72376 (1-497)
QY 2078 ATGGGGCTAGAGCACTGGTCCCTGGCCATGATAGTGGCCATCTTCTGCTCTGGTG 2137
DB 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
QY 2138 GACCTGATGACCGGCACCAACGCTGGCTGCACTACCGCCAGGTCCCTGCCACTG 2197
DB 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgGlyProProGlyProLeuVal 40
QY 2198 CCCGGCTGGGCAACCTTCTGCATGTGGACTTCCAGAACACACCACTACTGTTGACCA 2257
DB 41 ProGlyLeuGlyAsn-LeuLeuHisValAspPheGlnAsnThrProTyrcysPheAspG1 60
QY 2258 GGTAGGGAGGAGGTCTCTGGAGGGGGGAGAGTCTCTGAGGATGCCCCACACCGCAMA 2317
DB 60 n----- 60
QY 2318 CATGGGTGTGGTTAAACACAGGCTGGATCAGAGCCAGGCTGAGAGGGGAGCAGG 2377
DB 60 ----- 60
QY 2378 TTTGGGGAGCTTCTCTGGGGAGGACATTTATACATGGCATGAAGGACTGGATTTTCCAA 2437

Db 60 ----- 60
QY 2438 AGGCCAAGGAAGTAGGTAGGCAAGGGCTTGGAGTGGAGCTTGGAGTGGCAGTGGCATGC 2497
Db 60 ----- 60
QY 2498 AAGCCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGTGTGACACCAAGGA 2557
Db 60 ----- 60
QY 2558 AAGGCTTTGGGAATGGAAGATGAGTTAGTCTGAGTGGCGCTTTAAATCAGAAATCGAGG 2617
Db 60 ----- 60
QY 2618 ATGAAGGGGTGACGTGACCCCGTTCAAACCTTTTGGCACTGTGGGTCTCTCGGCCTCACT 2677
Db 60 ----- 60
QY 2678 GCTCACCGCATGGACCATCATCTGGGAATGGATGCTAACTGGGGCTCTCGGCAATTT 2737
Db 60 ----- 60
QY 2738 TGGTGACTCTTCAAAGGTCAATACCTGGGTGAGCGCATCCAAACTGAGTCTCTCATCACAG 2797
Db 60 ----- 60
QY 2798 AAGGTGTGACCCCTGCTGCCCATCAGATCAGGAGGTGGGTCTCTCTCTCCACCTGC 2857
Db 60 ----- 60
QY 2858 TCACCTCTGTAGCCCCGGGGTCTGTCCAAGGTTCCTCAAGTTCCTCAAGTTCAGTACCTGTAGTCTG 2917
Db 60 ----- 60
QY 2918 GGGTGATCTGTGCTTGACAAGAGGCCCTGACCCCTCTCTGAGTTGCGGCGCGCTTCG 2977
Db 61 ----- 66
QY 2978 GGGAGCTTTTCAAGCTTGGAGTGGCTTGGAGCCCGGTGGTCTGCTCAATGGCTGGCGG 3037
Db 66 lAspValPheSerLeuGlnLeuAlaTrpThrProValValLeuAenGlyLeuAla 86
QY 3038 CGGTGGCGGAGCGATGGTGAACCCCGCGGAGGACACACCGCCCGCCCTGCGCCCA 3097
Db 86 lAlaArgGluAlaLeuValThrHisGlyGluAspThrAlaAspArgProProValProI 106
QY 3098 TCTACAGGTCTCTGGGCTTTCGGGCGCGGTTCCTCAAGAGGCAAGCGCGGTGGGGACAGAGA 3157
Db 106 lThrGlnIleLeuGlyPheGlyProArgSer-Gln----- 117
QY 3158 CGCGCTTTTCGTGGGCCCCCGGTGGAGCAGTACCGTCCCAAGCAGCCCGCAGCGGCG 3217
Db 117 ----- 117
QY 3218 TGGGGTCTTGGACGTGAAACAGAGATAAAGGCGAGTGGGCTCAGGACAGTGGGCCA 3277
Db 117 ----- 117
QY 3278 GGAAACCACTTGACCGGGGAGGTGCGAGTCTGTGGGTGGGAGGGGCGGGGCTACTGC 3337
Db 117 ----- 117
QY 3338 CCAGACCCGCAAGACCCGGTGGGAGGCTGATCGTCAAGTGGCGGTGGCGGGGAC 3397
Db 117 ----- 117
QY 3398 CGCGCTATGCTGCGGCTCAGTGTGGGCGGACGCGCGGATCTTCTTGTAGTGAAG 3457
Db 117 ----- 117
QY 3458 GTGGTGGGGGAGAGACGAGGTGGGGCCAAACCCCGCCCGAGGAGGGAGCAATG 3517

Db 117 ----- 117
Qy 3518 TGGGTGAGCAAGAGTGGSCCTGTGCCAGCTGACCGGGCTAGGGACTGCGGGAGACC 3577
Db 117 ----- 117
Qy 3578 TTGTGAGCGCCAGGCTTGGAGTGGTGGCGAGGTTGGGCCAAGGCTTCATGCGCAAC 3637
Db 117 ----- 117
Qy 3638 GCCACAGTGTCCGTCCGCCGCCAGGGGTGATCTGTGCGGTATGGGCGCGCGTGGCGC 3697
Db 118 -----GlyValPheLeuAlaArgTyrGlyProAlaTrpArg 129
Qy 3698 GAGCAGAGCGCTTCTCCGTGTCACCTTGCGCACTTGGGCTCGGCAAGAGTCGCTG 3757
Db 130 GluGlnA-ArgPheSerValSerThrLeuArgAsnLeuGlyLysSerLeu 149
Qy 3758 GAGCAGTGGTGACCGAGAGCGCCCTGCTTGTGCGCTTCCGCCGACCAAGCCGGTG 3817
Db 150 GluGlnTrpValThrGluAlaAlaCysLeuCysAlaAlaPheAlaAsn----- 166
Qy 3818 GGTGATGGCGAGAGGCGCAAAAGCGGAACTGGGAAGCGGGGACGAGAGGCAACC 3877
Db 166 ----- 166
Qy 3878 CCTTACCGCATCTCCACACCCCGAGAGCGCCCTTCGCCCAACGCGCTCTTGACAA 3937
Db 167 -----His-Ser-----GlyArgProPheArgProAsnGlyLeuLeuAspLys 180
Qy 3938 AGCCGTGAGCAACGTGATCGCTCCCTCACCTGCGGGCGCGCTTCGAGTACGACGCC 3997
Db 180 sAlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPr 200
Qy 3998 TCGCTTCTCAGGCTGCTGGACCTAGCTCAGAGGAGCTGAAGAGGAGTGGGCTTCT 4057
Db 200 oArgPheLeuArgLeuLeuAspLeuAlaGlnGlyLeuLysGluSerGlyPheLe 220
Qy 4058 GCGCAGGTGCGGAGCGAGAGACCGAGGAGTCTCTGCGGGGCGAGCTCTGAGAGTGCC 4117
Db 220 uArgGlu----- 222
Qy 4118 GGGGTGAGCTGGGGCTCCGAGGGCAGGATTTGCATAGATGGGTTTGGGAAAGACAT 4177
Db 222 ----- 222
Qy 4178 TCCAGGAGACCCCACTGTAAAGGGCCTGGAGAGGAGGGGACATCTCAGACATGGTGG 4237
Db 222 ----- 222
Qy 4238 TGGGAGAGTGTGCCGGGTGAGGGGCGACAGAGAGGCCAAGACTCTGTACCCCGT 4297
Db 222 ----- 222
Qy 4298 CCACGTGGAGATTTTCGATTTTTCCTCTCTGGGCAAGGAGAGGGTGGAGGCTG 4357
Db 222 ----- 222
Qy 4358 GCATTTGGGGAGGACTTGGTGAGGTGAGTGTGTAAGGACAGGCGCCCTGGGTCTACCT 4417
Db 222 ----- 222
Qy 4418 GGAGATGGCTGGGGCTGAGACTTGTCCAGGTGAACGCGAGACAGGAGGGATTGAGAC 4477
Db 222 ----- 222
Qy 4478 CCCGTTCTGCTGTAGTGTCAATGCTGTCCCGTCTCTCTGTCACATCCACAGCGCT 4537
Db 223 -----ValLeuAsnAlaValProValLeuLeuHisIleProAlaLe 236
Qy 4538 GCGTGGCAGGCTTACGCTTCCAAAGCTTTCCTGACCCAGCTGGATGAGCTCTAAC 4597
Db 236 uAlaGlyLysValLeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuTh 256

Qy 4598 TGAGCACAGGATGACCTGGGACCCAGCCAGCCAGCCAGACCTGACTGAGGCTTCT 4657
Db 256 rGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLe 276
Qy 4658 GGCAAAGAGAGAGAGTGTGAGTGGCTGCGCACCGTGGGGGCAAGGGTGTGGTTGAA 4717
Db 276 uAlaGluMetGluLys----- 281
Qy 4718 CGTCCCAGGAGGAATGAGGGGAGGCTGGGCAAAAGTTGGACCAGTGCATCACCCGCGA 4777
Db 281 ----- 281
Qy 4778 GCCGATCTGGCTGACAGGTGCAGAAATTGAGAGTCAATTTGGGGCTACCCGTTCTATC 4837
Db 281 ----- 281
Qy 4838 CCCTGAGTATCTCTCGGCCCTGCTCAGGCCAAGGGAGCCCTGAGACAGCTTCAATGA 4897
Db 282 -----AlaLysGlyAsnProGluSerSerPheAsnAs 292
Qy 4898 TGAGAACCTGGCATAGTGGTGGTAACTGTTCTTCCCGGATGGTGACCACTCCAC 4957
Db 292 pGluAsnLeuArgIleValValAlaAspLeuPheSerAlaGlyMetValThrSerTh 312
Qy 4958 CACGCTGGCTGGGGCTCTCTGCTCATGATCTACACCTGATGTGCAGCGTGAGCCAC 5017
Db 312 rThrLeuAlaTrpGlyLeuLeuMetIleLeuHisProAspValGln----- 328
Qy 5018 CTGGGGCCCAAGGCGAGGACTGAGGGAGGAGGTACAGTGGGGGCCCCCTGGGCTTAGC 5077
Db 328 ----- 328
Qy 5078 TGGGACACCCGGGCTTCCAGCACAGGCGTGGCCAGGCTCTGTAAAGCTTAATCTCTCC 5137
Db 328 ----- 328
Qy 5138 AACACAGAGGAAGGAGAGTGTCCCTGGTGTGACCCATTGTGGGACGCACTGCTGT 5197
Db 328 ----- 328
Qy 5198 CCAGTCTGTGTCACAGGAGATCGACACGTGATAGGGAGGTGCGGCGACAGAGATG 5257
Db 329 -Arg-ArgValGlnGlnIleAspAspValIleGlyGlnValArgArgProGluMet 347
Qy 5258 GGTGACAGGCTCACATGCTTACACCTGCGGTGATTACAGAGTGCAGGCTTGGG 5317
Db 348 GlyAspGlnAlaHisMetProTyrThrThrAlaValIleHisGluValGlnArgPheGly 367
Qy 5318 GACATATCCCTCAGTGTGACCATATGATCCCTGATCATCGAAGTACAGGCTTTC 5377
Db 368 AspIleValProLeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPhe 387
Qy 5378 GCGATCCCTAAGTAGGCTTGGCGCTCTCCTACCCAGCTCAGCACGACCTGGTGA 5437
Db 388 ArgIleProLys----- 391
Qy 5438 TAGCCCCAGCATGGCTACTGCCAGGTGGGCCCACTCTAGGAACCCCTGGCCACCTAGTCT 5497
Db 391 ----- 391
Qy 5498 CAATGCCACCACACTGACTGTCTCCACCTTGGTGGGGGTCCAGAGTATAGGACGGCTG 5557
Db 391 ----- 391
Qy 5558 GCCTGTCCATCCAGAGCCCCCTCTAGTGGGGAGACAAACGAGACCTGCCAGAAATGTTG 5617
Db 391 ----- 391
Qy 5618 GAGNCCCGCGCTGCGAGGAGAGGGGCGAGTGTGGGTGCTCTGAGAGGTGTGACTGC 5677
Db 391 ----- 391

QY 5678 GCCCTGCTGGGGTGGAGAGGGTACTGTGGAGCTTCTCGGGCCGAGGACTAGTTGACA 5737
Db 391 ----- 391
QY 5738 GAGTCCAGCTGTGTGCCAGGACGTGTGTGTCCTCCCGTGTGTTGGTGGCAGGGTCCCGAG 5797
Db 391 ----- 391
QY 5798 CATCTAGAGTCCAGTCCCACTCTCACCTGCATCTCTGCCAGGAGACGACACTCAT 5857
Db 392 -----Gly-ThrThrLeu1 396
QY 5858 CACCAACTGTATCGGTGCTGAAGATGAGGCGCTGTGGAGAACCTTCGCTTCCA 5917
Db 396 eThrAsnLeuSerSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHi 416
QY 5918 CCCCGAACACTTCTCGATGCCAGGGCCACTTTGTGAAGCCGAGGCGCTTCTGCTTT 5977
Db 416 sProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProH 436
QY 5978 CTGAGCAGGTGCTGTGTGGGAGCCCGCTCTCCCTGTCCTCCCTTCCGTCGAGTCTTGCAGGGG 6037
Db 436 e--Ser----- 437
QY 6038 TATCACCCAGGACCGAGCTCACTGAGCGCCCTCTCCCTCCCAACAGCGCCGTCATGC 6097
Db 438 -----AlaGlyArgArgAlaCys 443
QY 6098 CTCGGGGGCCCTGGCCCGCATGGAGCTTCTCTTTCACCTCCCTGCTGGAGCAC 6157
Db 444 LeuGlyGluProLeuAlaArgMetGluLeuPhePheThrSerLeuLeuGlnHis 463
QY 6158 TTCAGCTTCTCCGTGGCCGCGAGACAGCCCGCCAGCCACTCTCTGTCGTCAGCTTT 6217
Db 464 PheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyValPheAlaPhe 483
QY 6218 CTGGTACCCCATTCCTCCCTACGAGCTTTGTGCTGCCCGCC 6259
Db 484 LeuValThrProSerProTyrGluLeuCysAlaValProArg 497
RESULT 4
AAR93183
ID AAR93183 standard; protein; 497 AA.
AAR93183;
11-OCT-1996 (first entry)
Human cytochrome P450 molecular species 2D6 variant #2 protein.
Human cytochrome P450; amplified; PCR; polymerase chain reaction; primer;
liver; yeast; expression vector; NADPH-P450 reductase; ADH gene promoter;
evaluation; safety; fusion protein; metabolite; detoxification;
carcinogenic.
Homo sapiens.
JP08056695-A.
05-MAR-1996.
15-JUL-1994; 94JP-00164184.
20-JUL-1993; 93JP-00201120.
30-JUL-1993; 93JP-00208279.
17-JUN-1994; 94JP-00136053.
(SUMO) SUMITOMO CHEM CO LTD.
WPI; 1996-182311/19.
N-PSDB; AAT28396.
Novel method for the evaluation of the safety of a cpd. - using a human

cytochrome P450 and yeast NADPH reductase to determine whether the
analyte cpd. is detoxified or metabolised to a carcinogen.
Example 1; Page 51-53; 74pp; Japanese.
This is the amino acid sequence of the human cytochrome P450 molecular
species 2D6 variant #2 protein. The corresp. gene was amplified from a
human liver derived cDNA library as 2 fragments of 0.4 and 0.9 kb using
primers AAT26953-6. The prod. was cloned into the yeast expression vector
pAAH5N to generate plasmid p2D6 for prodn. of the cytochrome only or into
the vector pAHR to generate the plasmid p2D6R for co-prodn. with the
yeast NADPH-P450 reductase. The sequence is placed under control of the
yeast ADH gene promoter and terminator. The vectors are used in a method
for evaluating the safety of a cpd. by reacting the test cpd. with
recombinantly produced human cytochrome P450 mol. species 1A2 (AAT28380),
2C9 (AAT28381), 2B1 (AAT28382), 3A4 (AAT28383) or their variants
(AAT28384-98) together with yeast NADPH-P450 reductase (either as a fused
protein or as a cell extract) and analysing the resultant metabolite. The
cpd. is considered "safe" if it is detoxified or not rendered
carcinogenic or "unsafe" if it is not detoxified or is metabolised to a
carcinogenic cpd
XX Sequence 497 AA;
SQ
Alignment Scores:
Pred. No.: 1.1e-106 Length: 497
Score: 1802.00 Matches: 466
Percent Similarity: 34.14% Conservative: 12
Best Local Similarity: 33.23% Mismatches: 19
Query Match: 9.62% Indels: 903
DB: Gaps: 9
US-09-820-788A-3 (1-10278) x AAR93183 (1-497)
QY 2078 ATGGGGCTAGAGAGACTGTGTGCCCTGGCCATGATAGTGGCCATCTTCTGCTCTGGTG 2137
Db 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
QY 2138 GACCTGTATGCACCGCACCAACGCTGGGCTGCACCTACCCGCGAGTCCCTGCCACATG 2197
Db 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrProProGlyProLeuProLeu 40
QY 2198 CCGGGCTGGGCAACCTTGTCTGATGTGGACTTCCAGAACACACCATCTGCTTCCACCA 2257
Db 41 ProGlyLeuGlyAsn-LeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspGI 60
QY 2258 GGTGAGGGAGAGGTCTCTGGAGGGCGGAGAGGTCTCTGAGGATGCCCCACACCAAAA 2317
Db 60 n----- 60
QY 2318 CATGGTGTGGTGTAAACCAACAGCTGGATCAGAAGCCAGGCTGAGAGGGGAGCAGG 2377
Db 60 ----- 60
QY 2378 TTTGGGGGACGTTCCTGGGGAGGACATTTATACATGTCATGAAGGACTGGATTTTCCAA 2437
Db 60 ----- 60
QY 2438 AGGCCAAGAGAGTAGGGCAAGGGCCCTGGAGGTGGAGCTGGAGTGGGCGATGC 2497
Db 60 ----- 60
QY 2498 AAGCCCATTTGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACACCAAGGA 2557
Db 60 ----- 60
QY 2558 AAGGCTTTGGAAATGGAAGATGAGTTAGTCTCTGAGTGGCGTTTAAATCACGAAATCGAG 2617
Db 60 ----- 60
QY 2618 ATGAAGGGGTGACGTGACCCCGGTTCAAACTTTTGCACGTGGGGTCTCGGGCCTCACT 2677
Db 60 ----- 60

Qy	2678	GCTCACCGGCATGGACCATCATCTGGGAATGGGATGCTAACTGGGGGCTCTCGGCAATTT	2737
Db	60	-----	60
Qy	2738	TGGTGACTCTTGCNAAGTGCATACCTGGGTGACGCATCCAAACTGAGTTCTCTCCATCACAG	2797
Db	60	-----	60
Qy	2798	AAGGTGTGACCCCAACCCCTGCCCCACGATCAGGAGGCTGGGTCTCTCTCTCCACCTGC	2857
Db	60	-----	60
Qy	2858	TCACTCTGGTAGCCCCGGGGTCTGTCCAAAGTTCAAATAGGACTAGGACCTGTAGTCTG	2917
Db	60	-----	60
Qy	2918	GGGTGATCCTGGCTTGACAAGAGCCCTGACCTCCCTCTGCAGTTGCGGGCGCGCTTCG	2977
Db	61	-----	66
Qy	2978	GGGAGGTGTTACAGCTCAGCTGSCCTGGAGCGCGGTGTCGTCTCAATGGGCTGCGCG	3037
Db	66	lyAspValPheSerLeuGlnLeuAlaIrpThrProValValLeuAsnGlyLeuAla	86
Qy	3038	CCGTGCGGAGGCATGTGACCCGCGCGGAGGACACGCGCGACCGCCCTGCGCCCA	3097
Db	86	laValArgGluAlaLeuValThrHisGlyGluAspThrAlaAspArgProProValProI	106
Qy	3098	TCTACCAAGTCTCGGCTTCGGGCGCGGTTCCTCCAAAGCAAGCGCGGTGGGGACAGAGA	3157
Db	106	leThrGlnIleLeuGlyPheGlyProArgSer-Gln-----	117
Qy	3158	CCGCGTTTCGTGGGCCCGGTGGACAGTGCACGTAGCCCAAGCAGCGCCGACAGGGCG	3217
Db	117	-----	117
Qy	3218	TGGGTCCTGGACGTGAACAGAGATAAAGCCACGAGTGGGCTGAGGACAGTGGGCCA	3277
Db	117	-----	117
Qy	3278	GGAAACCACTGCACGGGGAGGTGCGAGTCTGTGGCTGGGAGGGGCGGGGCTACTGC	3337
Db	117	-----	117
Qy	3338	CCAGACCGCCAGAAAGCCCGGTGGCGAGGCTGATGCGTCAAAGTGGCGGTGGCGGGGAC	3397
Db	117	-----	117
Qy	3398	CGCGCTATGTCGCGGCTCAGTGTGGCGGGACGCGCGGATCTTCTTGTAGTGGAAAG	3457
Db	117	-----	117
Qy	3458	GTGTCAGGGTGGCGAGACGAGAGGTGGGGCCAAACCCCGCCACGAGCGGGAGCAATG	3517
Db	117	-----	117
Qy	3518	TGGGTGACAAAGATGGGCCCTGTGCCAGCTGGACCGGGCTAGGACTGCGGGAGACC	3577
Db	117	-----	117
Qy	3578	TTGTGGAGCGCAGGGTTGGAGTGGGTGGCGAGGGTGGGGCCCAAGGCCCTTCATGGCAAC	3637
Db	117	-----	117
Qy	3638	GCCACGTGTCCGTCCCGCCCCACGAGGTGATCTGTGCGGCTATGGGCCCGCTGCGCGC	3697
Db	118	-----GlyValPheLeuAlaArgTyrGlyProAlaIrpArg	129
Qy	3698	GAGCAGAGCGCTTCTCGGTGTCCACCTTGGCGCAACTTGGGCTTGGGCGGACAGAGTCTG	3757
Db	130	GluGlnArgArgPheSerValSerThrLeuArgAsnLeuGlyLeuGlyLysLysSerLeu	149

QY	3758	GAGCAGTGGGTGACGAGAGGGCGGCTTCGCTTTGTGTCGCGCTTCGCGGACCAAGCGCGTG	3811
Db	150	GlulnTrpValThrGlulnGluAlaAlaCysLeuCysAlaAlaPheAlaAsn	166
QY	3818	GGTGATGGGCAGAGGGGCACAAAGCGGGAACCTGGGAAGCGCGGGACGGAAGGCAACC	3877
Db	166	-----His-Ser-----	166
QY	3878	CCTTACCGCATCTCCCCACCCCCAGGAGCGCCCTTTCGCCCAACGGCGCTCTTGACAA	3937
Db	167	-----His-Ser-----	180
QY	3938	AGCGGTGAGCAACGTGATCGCTCCCTCACTCGCGGGCGCGCTTCGAGTAGCAGCACCC	3997
Db	180	sAlaValSerAsnValIleAlaSerLeuThrCysGlyArgPheGluTyArgPheAspPr	200
QY	3998	TCGCTTCCTCAGCTCTGACCTAGCTCAGGAGGAGCTCAAGGAGAGTCCGGCTTCCT	4057
Db	200	oArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluLysSerGlyPheLe	220
QY	4058	GCGCGAGGTTCGGAGCGAGAGACCGAGGAGTCTCTCGAGGGCGAGCTCTCTGAGAGTGC	4117
Db	220	uArgGlu-----	222
QY	4118	GGGCTGGACTGGGGCTCCGAAGGCGAGATTGTCATAGATGGTTGGTGGAAAGACAT	4177
Db	222	-----	222
QY	4178	TCCAGGAGCCCACTCTAAGAAGGGCCTTGAGGAGGGGGACATCTCAGACATGGTCG	4237
Db	222	-----	222
QY	4238	TGGAGAGGTGTGCCCCGGTCAGGGGGCACAGGAGAGGCCAAGGACTCTGTACCCCGT	4297
Db	222	-----	222
QY	4298	CCAGTTGGAGATTTCGATTTTAGTTTCTCTCTGGGCAAGGAGAGGGTGAGGCTG	4357
Db	222	-----	222
QY	4358	GCATTGGGAGGACCTTGGTGAGGTCACTGGTAAAGACAGGAGGCGCTTGGCTTACCT	4417
Db	222	-----	222
QY	4418	GGAGATGGCTGGGCGCTGAGACTTGTCCAGGTAAACGACAGCACAGGAGGATTGAGAC	4477
Db	222	-----	222
QY	4478	CCGTTCTGTCTGTGTGATGTGTGAATGTGTCCTCCGCTCTCTCGACATCCAGCGCT	4537
Db	223	-----ValLeuAsnAlaValProValLeuLeuHisIleProAlaLe	236
QY	4538	GGCTGGCAAGGTCTTACCTTCCAAAAGGTTTCTGACCCAGCTGGATGAGCTGTAC	4597
Db	236	uAlaGlyLysValLeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuTh	256
QY	4598	TGACACAGATGACCTGGGACCCAGCCAGCCACCCGAGACTGACTGAGCGCTTCCT	4657
Db	256	rGluHisArgMetThrTrpAspProAlaGlnProPArgAspLeuThrGluAlaPheLe	276
QY	4658	GGCAAGAAGAGAGAGTGAAGTGGCTGCCAGGTGGGGGCAAGGGTGGTGGGTGA	4717
Db	276	uAlaGluMetGluLys-----	281
QY	4718	CGTCCCAGGAGGAATGAGGGGAGGCTGGGCAAAAGTTGGAACCATGTCATCACC	4777
Db	281	-----	281
QY	4778	GCCGCATCTGGGCTGACAGGTGCAGAAATTGGAGGTCAATTGGGGGCTACCCCGTTCTATC	4837
Db	281	-----	281
QY	4838	CCCTGAGTATCTCTCGGCCCTGTCTAGGCAAGGGGAGCCCTGAGAGCAGCTTCAATGA	4897

Db	282	:::	AlaLysGlyAsnProGluSerPheAsnAs	292
Qy	4898	-----	-----	-----
Db	292	:::	AlaLysGlyAsnProGluSerPheAsnAs	292
Qy	4958	-----	-----	-----
Db	312	:::	AlaLysGlyAsnProGluSerPheAsnAs	312
Qy	5017	-----	-----	-----
Db	328	:::	AlaLysGlyAsnProGluSerPheAsnAs	328
Qy	5137	-----	-----	-----
Db	338	:::	AlaLysGlyAsnProGluSerPheAsnAs	338
Qy	5197	-----	-----	-----
Db	348	:::	AlaLysGlyAsnProGluSerPheAsnAs	348
Qy	5257	-----	-----	-----
Db	357	:::	AlaLysGlyAsnProGluSerPheAsnAs	357
Qy	5317	-----	-----	-----
Db	367	:::	AlaLysGlyAsnProGluSerPheAsnAs	367
Qy	5377	-----	-----	-----
Db	387	:::	AlaLysGlyAsnProGluSerPheAsnAs	387
Qy	5437	-----	-----	-----
Db	391	:::	AlaLysGlyAsnProGluSerPheAsnAs	391
Qy	5497	-----	-----	-----
Db	399	:::	AlaLysGlyAsnProGluSerPheAsnAs	399
Qy	5557	-----	-----	-----
Db	399	:::	AlaLysGlyAsnProGluSerPheAsnAs	399
Qy	5617	-----	-----	-----
Db	399	:::	AlaLysGlyAsnProGluSerPheAsnAs	399
Qy	5677	-----	-----	-----
Db	399	:::	AlaLysGlyAsnProGluSerPheAsnAs	399
Qy	5737	-----	-----	-----
Db	399	:::	AlaLysGlyAsnProGluSerPheAsnAs	399
Qy	5797	-----	-----	-----
Db	399	:::	AlaLysGlyAsnProGluSerPheAsnAs	399
Qy	5857	-----	-----	-----
Db	396	:::	AlaLysGlyAsnProGluSerPheAsnAs	396
Qy	5917	-----	-----	-----
Db	416	:::	AlaLysGlyAsnProGluSerPheAsnAs	416
Qy	5977	-----	-----	-----

Db	416	sProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPh	436
QY	5978	CTCAGCAGGTGCTGTGGGAGCCGGCTCCCTGTCCCTTCCGTGGAGTCTTCGAGGGG	6037
Db	436	e-Ser-----	437
QY	6038	TATCACCAGGAGCCAGGCTCATCTGAGCGCCCTCCCTCCCCACAGGCCCGCGTGCATGC	6097
Db	438	-----AlaGlyArgAlaCys	443
QY	6098	CTCGGGAGCCCTGCGCCGATGGAGTCTTCTCTTCTTCACTCCCTGCTGCAGCAC	6157
Db	444	LeuGlyGlnProLeuAlaArgMetGluLeuPhePheThrSerLeuLeuGlnHis	463
QY	6158	TTCAGCTTCTCCGTGGCGCGGACAGCCCGCGCCAGCCACTCTCGTGTGTCAGCTTT	6217
Db	464	PheSerPheSerValProThrGlyGlnProArgProSerHisGlyValPheAlaPhe	483
QY	6218	CTGTGTAGCCCATCCCTTACGAGCTTTGTGCTGTGCCCGCCG	6259
Db	484	LeuValThrProSerProTyrGluLeuCysAlaValProArg	497
RESULT 5			
AD	AD25832	standard; protein; 497 AA.	
AC	AD25832;		
DT	20-NOV-2003	(first entry)	
DE	Human CYP2D6-related protein #2.		
XX	human; mutant CYP2D6 gene; drug analysis; drug testing.		
OS	Homo sapiens.		
FN	WO2003050282-A1.		
PD	19-JUN-2003.		
PF	05-DEC-2002; 2002WO-JP012748.		
PR	06-DEC-2001; 2001JP-00372548.		
PA	(TSUR) TSUMURA & CO.		
PI	Taniyama M, Ogawa K, Tsuchiya N, Hibino T;		
DR	WPI; 2003-505401/47.		
DR	N-PSDB; ADB25777.		
PT	Genetic polymorphisms of CYP2D6 gene in human population for analysis of		
PT	drug effect on individual patients and testing of new drugs.		
PS	Claim 8; Page 43-46; 75pp; Japanese.		
CC	The invention comprises mutant forms of the human CYP2D6 gene, containing		
CC	one or more of the following mutations G125A, C1858T, T2874C and C2875T.		
CC	The mutant human CYP2D6 genes of the invention are useful for analysing		
CC	the effect of drugs on individual patients and testing of new drugs. The		
CC	present amino acid sequence represents a human protein of the invention.		
XX	Sequence 497 AA;		
Alignment Scores:			
Pred. NO.:	1.48e-106	Length:	497
Score:	1800.00	Matches:	466
Percent Similarity:	34.14%	Conservative:	12
Best Local Similarity:	33.29%	Mismatches:	19
Query Match:	9.61%	Indels:	903
DB:	6	Gaps:	9
US-09-820-788A-3 (1-10278) x ADB25832 (1-497)			

Db 222 ----- 222
QY 4298 CCAGTTGGAGATTTCGATTTTAGTTTCTCTCTGGCAAGGAGAGAGGGTGGAGGCTG 4357
Db 222 ----- 222
QY 4358 GCACCTGGGAGGGACTTGGTGAGGTCACTGGTAAAGACAGAGAGGCCCTGGGTCTACCT 4417
Db 222 ----- 222
QY 4418 GGAGATGGCTGGGGCCTGAGACTTGTCCAGGTGAACGCAGAGACAGAGGGATTGAGAC 4477
Db 222 ----- 222
QY 4478 CCGTTCTGTGTGTAGTGTGTAATGTGTCCTCTCTCCCTGTCACATCCAGCGCT 4537
Db 223 -----ValLeuAenAlaValProValLeuLeuHisIleProAlaLe 236
QY 4538 GGTGGCAAGTCTTACGCTTCCAAAGGTTTCTGACCCAGCTGGATGAGTGTCTAAC 4597
Db 236 uAlaGlyIysValLeuArgPheGlnIysAlaPheLeuThrGlnLeuAspGluLeuLeuTh 256
QY 4598 TGAGCACAGATGACCTGGGACCCAGCCAGCCAGCCAGACCTGACTGAGCCCTTCT 4657
Db 256 rGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLe 276
QY 4658 GGCAAAGAAGGAAGGTGAGAGTGTGCTGCCAGGTGGGGGCAAGGGTGGTGGTTGAA 4717
Db 276 uAlaGluMetGluLys----- 281
QY 4718 CGTCCAGGAGGAATGAGGGAGGCTGGGGCAAAAGTTGGACAGTGCATCACCCGGCGA 4777
Db 281 ----- 281
QY 4778 GCGCATCTGGGCTGACAGTGCAGATTTGGAGGTCAATTGGGGGTACCCGTTCTATC 4837
Db 281 ----- 281
QY 4838 CCTGAGTATCTCTCGGCCCTGCTCAGGCCAAGGGAGCCCTGAGAGCAGCTTCAATGA 4897
Db 282 -----AlaIysGlyAenProGluSerPheAenAs 292
QY 4898 TGAAACCTCGCATAGTGGTGGTAACCTGTTCCTGGGATGTGACACCTCGAC 4957
Db 292 pGluAenLeuArgIleValAlaAspLeuPheLeuAlaGlyMetValThrSerTh 312
QY 4958 CAGCTGGCTGGGGCTCTCTCATGATCTTACACCTGGATGTGACGGTGGAGCCAG 5017
Db 312 rThrLeuAlaIrpGlyLeuLeuMetIleLeuHisProAspValGln----- 328
QY 5018 CTGGGGCCCAAGCAGGAGCTGAGGGAGGAAGGTACAGCTGGGGGCCCTGGGCTTAGC 5077
Db 328 ----- 328
QY 5078 TGGGACACCCGGGCTTCCAGCACAGCGCTGGCCAGGCTCTGTAAAGCCTAACTTCTCC 5137
Db 328 ----- 328
QY 5138 AACACAGGAGGAGAGAGTGTCCCTGGGTGCTGACCATTTGTGGGAGCGATGTCTGT 5197
Db 328 ----- 328
QY 5198 CCAGTCCGTGTCCAACAGGAGATCGACGTGATAGGGCAGGTGGCGACACAGAGATG 5257
Db 329 -Arg--ArgValGlnGlnGluLeuAspValIleGlyGlnValArgArgProGluMet 347
QY 5258 GGTGACAGGCTCACATGCCCTACACACTGCGGTGATTACAGAGTGCAGCGCTTTGGG 5317
Db 348 GlyAspGlnAlaHisMetProTyThrThrAlaValIleHisGluValGlnArgPheGly 367
QY 5318 GACATCATCCCTGAGTGTGACCCCATATGACATCCCGTGACATCGAAGTACAGGCTTTC 5377
|||||:|||||

Db 368 AspIleValProLeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPhe 397
QY 5378 CGCATCCCTTAAGTAGGCTGGCGCCCTCTCTCACCCAGCTCAGCACACGACCTGGTGA 5437
Db 388 ArgIleProLys----- 391
QY 5438 TAGCCCCAGCATGGCTACTGCGCAGGTGGGCCCACTCTAGGAACCCCTGGCCACCTAGTCT 5497
Db 391 ----- 391
QY 5498 CAATGCCACCACTGACTGTCCCACTTGGGTGGGGGTCCAGAGTATAGGCAGGGCTG 5557
Db 391 ----- 391
QY 5558 GCCTGTCCATCCAGACCCCGCTCTAGTGGGGGAGCAAAACAGGACCTCCAGAAATGTTG 5617
Db 391 ----- 391
QY 5618 GAGGACCCAGCCCTGCAGGAGAGGGGACGTGTGGTGCCTCTGAGAGGTGTGACTGC 5677
Db 391 ----- 391
QY 5678 GCCCTGTCTGGGGTCGGAGAGGGTACTGTGGAGCTTCTCGGGCGCAGGACTAGTTGACA 5737
Db 391 ----- 391
QY 5738 GAGTCCAGCTGTGCCAGGACGTGTGTGTCTCCCGCTGTGTTGGTGGCAGGGTCCCAG 5797
Db 391 ----- 391
QY 5798 CATCTAGAGTCCAGTCCCACTCTCACCTGCATCTCTGCCAGGGAAACGACACTCAT 5857
Db 392 -----Gly-ThrThrLeuI 396
QY 5858 CACCAACCTGTCATCGTCTGAAGATGAGCGCTCTGGGAGAGCCCTTCCGCTTCCA 5917
Db 396 eThrAenLeuSerSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHi 416
QY 5918 CCCCCAACACTTCTGGATGCCAGGGCCACTTTGTGAAGCCGGAGGCCCTCTCGCTTT 5977
Db 416 sProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPh 436
QY 5978 CTCAGAGGTGCTGTGGGAGCCCGCTCTCTGTCCTCCCTTCCGTGGAGTCTTTGACGGG 6037
Db 436 e--Ser----- 437
QY 6038 TATCACCCAGGAGCCAGGCTCACTGACGCCCTCCCTCCACAGGCCCGCTGCATGC 6097
Db 438 -----AlaGlyArgArgAlaCys 443
QY 6098 CTCGGGAGCCCTGGCCCGCATGGAGTCTTCTCTTCTTCCCTTCCCTCTGCTGCAGCAC 6157
Db 444 LeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePheThrSerLeuLeuGlnHis 463
QY 6158 TTCAGTCTCTCGTGGCGCCGAGCAGCCCGCCAGCCACTCTCGTGTGTCAGCTTT 6217
Db 464 PheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyValPheAlaPhe 483
QY 6218 CTGTGACCCCATCCCTACGAGCTTTGTGCTGTGCTGCCCGC 6259
Db 484 LeuValThrProSerProTyTrpGluLeuCysAlaValProArg 497
RESULT 6
AAW44869
ID AAW44869 standard; protein; 497 AA.
XX
AC AAW44869;
XX
DT 18-SEP-1998 (first entry)
XX
DE Cytochrome P450IId6.
XX Human; cytochrome P450IId6; liver/kidney microsome; LXM-1; antibody;
KW

KW autoimmunohepatitis type II; AIH type II; hepatitis C virus.

XX Hepatitis C virus.

XX Key Location/Qualifiers

FT Misc-difference 65 /note= "encoded by CTT"

FT Misc-difference 66 /note= "encoded by CTT"

FT Misc-difference 72 /note= "encoded by CCG"

FT Misc-difference 72 /note= "encoded by CAN"

FT Misc-difference 287 /note= "encoded by GCG"

FT Misc-difference 374 /note= "encoded by GTG"

FT Misc-difference 388 /note= "encoded by NGC"

XX JP10101698-A.

XX 21-APR-1998.

XX 24-SEP-1996; 96JP-00273055.

XX 24-SEP-1996; 96JP-00273055.

XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX WPI; 1998-292131/26.

DR N-PSDB; AAV19496.

XX Amino acid sequence for liver/kidney microsomes (LKM) 1 antibody - to

PT human auto-immuno-hepatitis (AIH) type II and hepatitis C.

XX Disclosure; Fig 5; 9pp; Japanese.

XX The present sequence represents the protein of cytochrome P45011d6.

CC Specifically claimed regions of cytochrome P45011d6 are recognised by AIH

CC Type I/II LKM1 antibody, see AAW44870 and AAW44871 (encoded by

CC AAV19497 and AAV19498). The antigens and their complementing antibodies

CC are used in the detection of auto-immuno-hepatitis type II and hepatitis

CC C

XX Sequence 497 AA;

SQ Alignment Scores:

Pred. No.: 1.72e-106 Length: 497

Score: 1799.00 Matches: 465

Percent Similarity: 34.14% Conservative: 13

Best Local Similarity: 33.21% Mismatches: 19

Query Match: 9.60% Indels: 903

DB: 2 Gaps: 9

US-09-820-788a-3 (1-10278) x AAW44869 (1-497)

QY 2078 ATGGGGCTAGAGCACTGGTGGCCCTGGCCATGATAGTGGCCATCTTCTGCTCTCTGGTG 2137

DB 1 MetGlyLeuGluAlaLeuValProLeuAlaMetIleValAlaIlePheLeuLeuVal 20

QY 2138 GACCTGATGACCCGACCAACGCTGGGTGTCACCTACCCGACAGTCCCTGCTGCTG 2197

DB 21 AspLeuMetHisArgGlnArgIrpAlaAlaArgTyrProProGlyProLeuProLeu 40

QY 2198 CCCGGGCTGGCAACCTTGTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 2257

DB 41 ProGlyLeuGlyAsn-LeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspG1 60

QY 2258 GGTGAGGAGGAGGTCTCTGGAGGGCGGACAGAGGTCTGAGGATGCCCCACACACAGCAA 2317

DB 60 n----- 60

QY 2318 CATGGGTGGTGGTTAAACACACAGGCTGGATCAGAAGCCAGGCTGAGAAGGGGAAGCAGG 2377

Db 60 ----- 60

QY 2378 TTTGGGGACGTTCTCTGGGGAAGGACATTTATATACATGTCATGAAGGACTGGATTTTCCAA 2437

Db 60 ----- 60

QY 2438 AGGCCAAGGAAGAGTAGGGCAAGGCCCTGGAGGTGGAGCTGGACTTGGCAGTGGGCATGC 2497

Db 60 ----- 60

QY 2498 AAGCCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACACCAAGGA 2557

Db 60 ----- 60

QY 2558 AAGGCTTTGGGAATGGAAGATGAGTTAGTCTGAGTGCCGTTTAAATCAGAAATCGAGG 2617

Db 60 ----- 60

QY 2618 ATGAAGGGGTGTCAGTGACCCGGTTCAAACCTTTTGCACTGTGGTCTCTCGGCCCTCACT 2677

Db 60 ----- 60

QY 2678 GCTCACCAGCATGGACCATCATCTGGGAATGGGATGCTAACTGGGGCCTCTCGGCAATTT 2737

Db 60 ----- 60

QY 2738 TGGTGACTCTTGCAGAGGTATACCTGGGTGAGCATCCAAACTGAGTTCTTCCATCACAG 2797

Db 60 ----- 60

QY 2798 AAGTGTGACCCCCACCCCTGCCCCAGCATCAGGAGGTGGGTCTCTCTCTCCACCTGC 2857

Db 60 ----- 60

QY 2858 TCACTCTCTGTAGTCCCGGGGTCTGTCAGAGTTCAAATAGGACTAGGACCTGTAGTCTG 2917

Db 60 ----- 60

QY 2918 GGGTGTCTCTGGTTGACAAGAGGCCCTGACCCCTCTCTGCTGAGTTGGGGCGGCTTGC 2977

Db 61 ----- 66

QY 2978 GGGACGTCTTCAGCTGCAGCTGGCTGGACGCGGTGGTGTCTCAATGGCTGGCGG 3037

Db 66 lyAspValPheSerLeuGlnLeuAlaIrpThrProValValValLeuAsnGlyLeuAla 86

QY 3038 CCGTGGCGAGCGATGTGTGACCCGCGGAGGACACGCGGACGCGGCTGCGGCCA 3097

Db 86 laValArgGluAlaLeuValThrHisGlyGluAspThrAlaAspArgProValProI 106

QY 3098 TCTACAGGTCTCTGGGCTTGGGGCGGCTTCCCAAGCAAGCGGCTGGGGGACAGAGA 3157

Db 106 leThrGlnIleLeuGlyPheGlyProArgSer-Gln----- 117

QY 3158 CCGGCTTTCCGTGGGCCCCGGGTGGACAGTGCACCTAGCCCCAGCAGCGCCGACAGGGCG 3217

Db 117 ----- 117

QY 3218 TGGGCTCTCGACGCTGAAACAGAGATAAAGCCAGAGTGGGTGAGGACAGTGGGCGCA 3277

Db 117 ----- 117

QY 3278 GGAACACCTGCAAGGGGAGGTGGAGTCTGTGGGTGGAGGGGGGGGGCTACTGC 3337

Db 117 ----- 117

QY 3338 CCAGACCGCCAGAACCCGGTGGGGAGGCTGATGCTCGAAGTGGCGGTGGGGGAC 3397

Db 117 ----- 117

QY 3398 CGCGCTATGCTGGGGCTCAGTGTGGGGCGGACGGGGGGGATCTTCTTGTGATGGAAG 3457

Db 117 ----- 117

```
QY 3458 GTGGTCAGGGTGGGCAGACGAGAGGTGGGGCCAAACCCCGCCCCCAGCAGGAGGCAATG 3517
Db 117 ----- 117
QY 3518 TGGGTGAGCAAGAGTGGGCCCTGTGCCAGCTGGACCGGCTAGGACTGCCGGAGACC 3577
Db 117 ----- 117
QY 3578 TTGTGAGCGCCAGGGTTGAGTGGGTGGCGAGGGTGGGGCCCAAGCGCTTCATGCAAC 3637
Db 117 ----- 117
QY 3638 GCCCAGCTGTCCTCGGCCCCAGCGGGTGATCCTGTGCGCTATGGGCCCGCGTGGCGC 3697
Db 118 -----GlyValPheLeuAlaArgTyrGlyProAlaTrpArg 129
QY 3698 GAGCAGAGCGCTTCTCCGTGTCACCTTGGCAACTTGGCGCTGGCGAAGAGTCGCTG 3757
Db 130 GluGlnArgPheSerValSerThrLeuArgAsnLeuGlyLeuGlyLysLysSerLeu 149
QY 3758 GAGCAGTGGGTGACCGAGAGCGCGCTGCTCTTTGTGCGCTTTCGCGCCAGCAAGCGGTG 3817
Db 150 GluGlnTrpValThrGluAlaAlaCysLeuCysAlaAlaPheAlaAsn----- 166
QY 3818 GTGTATGGCGAGAAAGGCACAAAGCGGGAACCTGGGAAGCGGGGAGCGGAGAGGCAACC 3877
Db 166 ----- 166
QY 3878 CCTTACCCGATCTCCCAACCCAGGAGCGCCCTTTCGCCCAACGGGCTCTTGACAA 3937
Db 167 -----His-Ser-----GlyArgProPheArgProAsnGlyLeuLeuAsp 180
QY 3938 AGCGGTGAGCAACGTGATCGCTCCCTCACTCGCGCGCGCTTCGAGTACGACGACC 3997
Db 180 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPr 200
QY 3998 TCCTCTCTCAGGCTGTGACCTAGCTCAGGAGGACTGAAGGAGAGTTCGGGCTTTCT 4057
Db 200 oArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLe 220
QY 4058 GCGCGAGGTGCGGAGGAGACCGGAGGAGTCTCTGCGGGCGAGCTCTGAGAGTGCC 4117
Db 220 uArgGlu----- 222
QY 4118 GGGGCTGGACTGGGGCTCCGAAGGCGAGGATTTGCATAGATGGTTCGGAAAGACAT 4177
Db 222 ----- 222
QY 4178 TCAGGAGACCCCACTGTAAAGAGGCTTGAGGAGGAGGGGACATCTCAGACATGGTCG 4237
Db 222 ----- 222
QY 4238 TGGGAGAGGTGTCCCGGGTCAGGGGACCAAGGAGGCGCAAGGACTCTGTACCCCGT 4297
Db 222 ----- 222
QY 4298 CCACGTTGGAGATTTCGATTTTAGTTTCTCTCTGGGCAAGGAGAGGGTGGAGGCTG 4357
Db 222 ----- 222
QY 4358 GCACTTGGGAGGGACTTGGTGAGGTCAGTGGTAAGGACAGGCGAGCGCTTACCT 4417
Db 222 ----- 222
QY 4418 GGAGATGGCTGGGGCTGAGACTTTGTCCAGGTGAACGACAGACAGAGGAGATTGAGAC 4477
Db 222 ----- 222
QY 4478 CCCGTTCTGTGTGTAGTGTGAATGTGTCCTCCCGCTCTCTCAGCATCCAGCGCT 4537
Db 223 -----ValLeuAsnAlaValProValLeuLeuHisIleProAlaLe 236
QY 4538 GGCTGGCAAGGTCCTACGCTTCCAAAAGGCTTTCCTGAGCCAGCTGATGAGCTGCTAAC 4597
Db 236 uAlaGlyLysValLeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuTh 256
QY 4598 TGAGCACAGGATGACCTGGGACCCAGCCAGCCAGCCAGACCTGACTGAGGCTTCCT 4657
Db 256 rGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLe 276
QY 4658 GGCAAAGAGAGAGAGTGGCTGCCACGCTGGGGGGGCAAGGGTGGTGGGTGA 4717
Db 276 uAlaGluMetGluLys----- 281
QY 4718 CGTCCAGGAGGAATGAGGGAGGCTGGGCAAAAGGTTGGACCAAGTGCATCACCAGCGGA 4777
Db 281 ----- 281
QY 4778 GCCGCATCTGGGCTGACAGGTGCAGAAATTGGAGGTCAATTTGGGGGTACCCCGTTCTATC 4837
Db 281 ----- 281
QY 4838 CCTGTGATATCTCTCGGCCCTGCTCAGGCCAAGGGAGCCCTGAGAGCAGCTTCAATGA 4897
Db 282 -----AlaLysGlyAsnProGluSerSerPheAsnAs 292
QY 4898 TGAGAACTGCGCATAGTGGGTAACTGTTCTCTTCCCGGATGGTGACCACTCGAC 4957
Db 292 pGluAsnLeuArgIleValValAlaAspLeuPheSerAlaGlyMetValThrSerTh 312
QY 4958 CACGCTGGCGCTGGGCTCTCTCATGATCTACACCTGGATGTCAGCGTGAGCCAG 5017
Db 312 rThrLeuAlaTrpGlyLeuLeuMetIleLeuHisProAspValGln----- 328
QY 5018 CTGGGGCCCAAGGCGAGGACTGAGGAGGAAGGGTACAGCTGGGGGCCCTCGGCTTAGC 5077
Db 328 ----- 328
QY 5078 TGGGACACCCGGGGCTTCAGCACAGGCGTGCCAGGCTCTCTGTAAGCCTAACTTCCTCC 5137
Db 328 ----- 328
QY 5138 AACACAGGAGGAGGAGAGTGTCCCTGGGTGCTGACCCATTTGTGGGGACGATGCTGT 5197
Db 328 ----- 328
QY 5198 CCAGTCCGCTGTCAAACAGGAGATCGACGACGTATAGGCGAGGTGGCGACACAGATG 5257
Db 329 -Arg-Arg-ArgValGlnGlnIleAspValIleGlyGlnValArgArgProGluMet 347
QY 5258 GGTGACCGGCTCAATGCCCTTACACCTGCGGTGATTTCAGAGGTGACGCGCTTTGGG 5317
Db 348 GlyAspGlnAlaHisMetProTyrThrThrAlaValIleHisGluValGlnArgPheGly 367
QY 5318 GACATCATCCCTGAGTGTGACCATATGACATCCGTGACATCGAAGTACAGGCTTC 5377
Db 368 AspIleValProLeuGlyMetThrHisMetThrSerArgAspIleGluValGlnGlyPhe 387
QY 5378 CGCATCCCTTAAGTAGGCTGGGGCCCTCTCTCACCCAGCTCAGCACACGACCTGGTGA 5437
Db 388 ArgIleProLys----- 391
QY 5438 TAGCCCCAGCATGGCTACTGCGAGGTGGGCCCACTCTAGGAACCCCTGGGCACTATGCT 5497
Db 391 ----- 391
QY 5498 CAATGCCACCACTGACTGTCCCNACTTGGGTGGGGGTCCAGAGTATAGGACGGGCTG 5557
Db 391 ----- 391
QY 5558 GCCTGTCCATCCAGAGACCCCGCTAGTGGGGAGACAAACAGGACCTGCCAGAAATGTTG 5617
Db 391 ----- 391
QY 5618 GAGGACCCAGCGCTGACGAGAGGGGGGACGTGTGGGTGCCTCTGAGAGGTGTGACTGC 5677
```

```
Db 391 ----- 391
QY 5678 GCCCTGCTGGGTCGGAGAGGGTACTGTGGAGCTTCTCGGGCGCAGGACTAGTTGACA 5737
Db 391 ----- 391
QY 5738 GAGTCCAGCTGTGCCAGGAGTGTGTCTCCCGTGTGTTGGTGGCAGGGTCCAG 5797
Db 391 ----- 391
QY 5798 CATCTAGAGTCCAGTCCCACTCTCACCTGCATCTCTCGCCAGGAAACGACACTCAT 5857
Db 392 ----- 396
QY 5858 CACCAACTGTCTCATCGTCTCAAGATGAGCCGCTCTGGGAGAGCCCTCCCGTTCCA 5917
Db 396 eThraSenLeuSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHi 416
QY 5918 CCCGACACACTTCCTGGATGCCAGGCCACTTTGTGAAGCCGGAGGCTTCTCCCTTT 5977
Db 416 sProGluHiSPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPh 436
QY 5978 CTCAGCAGGTGCTGTGGGGAGCCCGGCTCCCTGTCTCCCTTCCGTGGAGTCTTGCAGGG 6037
Db 436 e--Ser----- 437
QY 6038 TATACCCAGGAGCCAGGCTCACTAGCCGCTCCCTCCACAGGCGCGTGCATGC 6097
Db 438 ----- 443
QY 6098 CTCGGGAGCCCTGGCCGATGAGCTTCTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTT 6157
Db 444 LeuGlyGluProLeuAlaArgMetGluLeuPhePheThrSerLeuLeuGlnHis 463
QY 6158 TTCAGTCTTCTCGTGGCCGCGCAGAGCCGCGCCGAGCCACTCTCTCGTGTCTGCTGCT 6217
Db 464 PheSerPheSerValProThrGlyGlnProArgProSerHisGlyValPheAlaPhe 483
QY 6218 CTGGTGACCCCATCCCTTACAGCTTTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 6259
Db 484 LeuValSerProSerProTyrGluLeuCysAlaValProArg 497
RESULT 7
ABU09598
ID ABU09598 standard; protein; 497 AA.
XX
AC ABU09598;
DT 16-JUL-2003 (first entry)
XX
DE Human cytochrome p450 gene CYP2D6, variant G5799C, protein.
XX
KW Human; cytochrome P450; CYP2D6; chromosome 22; SNP;
KW single nucleotide polymorphism; drug metabolism; cardiovascular disorder;
KW psychiatric disorder; drug sensitivity.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT Misc-difference 486
FT /note= "Wild-type Ser substituted by Thr, as the result
FT of a single nucleotide polymorphism"
XX
PN EP1281755-A2.
XX
PD 05-FEB-2003.
XX
PF 16-JUL-2002; 2002EP-00254972.
XX
PR 31-JUL-2001; 2001US-0309111P.
XX
PA (PFIZ ) PFIZER PROD INC.
```

```
XX PI Milos PM, Webb SM;
XX DR WPI; 2003-373769/36.
XX N-PSDB; ACA61331.
XX PT New cytochrome P450 2D6 gene variants and polypeptides, useful for
XX PT determining if a subject has or is at risk of developing a drug
XX PT sensitivity condition or disorder that is associated with an aberrant
XX PT CYP2D6 activity.
XX PS Claim 4; Fig 7; 88pp; English.
XX CC The invention relates to an isolated nucleic acid comprising a cytochrome
XX CC P450 2D6 gene variant, e.g. G5799C or C5816AT (referring to the genomic
XX CC sequence or the same variant nucleotide in the corresponding cDNA
XX CC sequences). Also included are probes, primers (allele specific
XX CC oligonucleotides) and arrays used to detect and/or amplify the CYP2D6
XX CC gene polymorphic regions, the variant polypeptides, antibodies which are
XX CC capable of distinguishing between the variant and wild-type polypeptides,
XX CC determining whether a subject has a genetic deficiency for metabolising a
XX CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6 and
XX CC determining whether an individual is susceptible to being a poor
XX CC metaboliser of drugs. The DNA probe is useful for hybridising to a
XX CC variant form of the CYP2D6 gene. The primer is useful for amplifying the
XX CC C5816TA allelic variant. The allele specific nucleotide is useful for the
XX CC detection of the C5816TA allelic variant. The methods are useful for
XX CC determining whether a subject has a genetic deficiency for metabolising a
XX CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6, and
XX CC determining if an individual is susceptible to being a poor metaboliser
XX CC of drugs. The nucleic acids are useful as probes or primers for
XX CC determining whether a subject has a genetic deficiency for metabolising
XX CC drugs that are substrates of P450 CYP2D6. The methods are useful for
XX CC determining if a subject has or is at risk of developing a drug
XX CC sensitivity condition or disorder that is associated with an aberrant
XX CC CYP2D6 activity, e.g. an aberrant level of a CYP2D6 protein or an
XX CC aberrant CYP2D6 bioactivity. The methods are also useful in selecting the
XX CC appropriate drugs or determining the course of treatment to administer to
XX CC a subject to treat cardiovascular or psychiatric disorders, or for
XX CC treating a subject with a drug sensitivity or disorder associated with a
XX CC specific allelic variant of a polymorphic region of the CYP2D6 gene. The
XX CC antibodies are useful for monitoring CYP2D6 protein levels in an
XX CC individual for determining whether a subject has a disease or conditions
XX CC associated with an aberrant CYP2D6 protein level. The gene is located on
XX CC human chromosome 22. The present sequence is the G5799C variant CYP2D6
XX CC protein
XX SQ Sequence 497 AA;
Alignment Scores:
Pred. No.: 1.72e-106 Length: 497
Score: 1799.00 Matches: 465
Percent Similarity: 34.14% Conservative: 13
Best Local Similarity: 33.21% Mismatches: 19
Query Match: 9.60% Indels: 903
DB: Gaps: 9
US-09-820-788A-3 (1-10278) x ABU09598 (1-497)
QY 2078 ATGGGGCTAGAACGACACTGGTCCCTGGCCATGATAGTGGCCATCTTCTGCTCTCTGGT 2137
Db 1 MetGlyLeuGluAlaLeuValProLeuAlaValLeuAlaValLeuLeuVal 20
QY 2138 GACCTGATGACCGGACACCAACGCTGGGCTGCACGCTACCCGCCAGGTCCCTGCTGCACTG 2197
Db 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrProGlyProLeuProLeu 40
QY 2198 CCGGGCTGGGCAACCTTGTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 2257
Db 41 ProGlyLeuGlyAsn-LeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspG1 60
QY 2258 GGTGAGGAGGAGGTCTCTGGAGGGCGGAGGAGGTCTCTGAGGATGCCCCACCACCAACCA 2317
```

Db 60 n----- 60
QY 2318 CATGGGTGGGTAAACACAGGCTGGATCAGAAAGCCAGGCTGAGAAAGGGAACGAGG 2377
Db 60 ----- 60
QY 2378 TTTGGGGAGCTTCCTGGGGAAGACATTTATATGATGGCATGAGGACTGGATTTCCAA 2437
Db 60 ----- 60
QY 2438 AGGCCAAGGAAGTAGGCAAGGCTGGAGGTGGAGCTGGACTTTGGCAGTGGGCATGC 2497
Db 60 ----- 60
QY 2498 AAGCCCATTTGGSCAACATATGTTATGGAGTACAAAGTCCCTTCTGTGTGACACAGAAAGGA 2557
Db 60 ----- 60
QY 2558 AAGGCCTTGGGAATGGAAGATGAGTTAGTCTCTGAGTGGCGTTTAAATCAGAAATCGAGG 2617
Db 60 ----- 60
QY 2618 ATGAAGGGGTGCAGTGACCCGGTTCAAACCTTTTGCACCTGTGGTCTCTCGGSCCTCACT 2677
Db 60 ----- 60
QY 2678 GCTCACCGGCATGGACCATCATCTGGGAATGGATGCTAACTGGGGCCTCTCGGCAATTT 2737
Db 60 ----- 60
QY 2738 TGGTGACTCTTGAAGTCAATACCTGGGTGACGCAATCCAAACTGAGTTCTCTCATCACAG 2797
Db 60 ----- 60
QY 2798 AAGGTGTACCCCAACCCCTGCCACGATCAGAGGCTGGGTCTCTCTTCCACCTGC 2857
Db 60 ----- 60
QY 2858 TCACTCTGTGACCCCGGGGTGCTCCAAGGTTCAAATAGGACTAGGACCTGTAGTCTG 2917
Db 60 ----- 60
QY 2918 GGGTGATCTGTGACAAAGAGCCCTGACCTCTGTGATTTGGCGCGCTTCG 2977
Db 61 ----- 60
QY 2978 GGGACGTGTTACGCTGCAGCTGGCTGGACGCGGTGGTCTGCTCAATGGGCTGGCG 3037
Db 66 lYAspValPheSerLeuGlnLeuAlaTrpThrProValValLeuAsnGlyLeuAla 86
QY 3038 CCGTGGCGAGGCGATGGTGACCCGCGGAGGACACGCGCCGACCCGCTGCGCCCA 3097
Db 86 lAValargGluAlaLeuValThrHisGlyGluAspThrAlaAspArgProProValProI 106
QY 3098 TTTACAGGTCTTGGGCTTGGGCGCGTTTCCAAAGGCAAGCGCGGTGGGAGACAGA 3157
Db 106 lThrGlnIleLeuGlyPheGlyProArgSer-Gln- 117
QY 3158 CCGCGTTTCGTGGGCGCGGTGGACAGTGACCTGACCCAGACGCGCGGACGGCG 3217
Db 117 ----- 117
QY 3218 TGGGGTCTTGACGTGAACACAGAGATAAAGGCCAGCGAGTGGGCTGAGGACAGTGGGCCA 3277
Db 117 ----- 117
QY 3278 GGAACCACTGCACGCGGGAGGTGGAGTCTCTGTGGCTGGAGGGCGGGGCTACTGC 3337
Db 117 ----- 117
QY 3338 CCAGACCCGCCAGAACCCGGTGGCGAGGCTGATCGGTGGAAGTGGCGGTGGCGGGAC 3397
Db 117 ----- 117

QY 3398 CCGCCTATGCTGCGGGCTCAGTGTGGCGGACCGGCGGGATCTTCTTGTAGTGAAAG 3457
Db 117 ----- 117
QY 3458 GTGGTCAGGTGGGCGAGACGAGGTGGGCGCCAAACCCCGCCAGGCGAGGAGCAATG 3517
Db 117 ----- 117
QY 3518 TGGGTGAGCAAAAGAGTGGGCGCTGTGCCAGCTGGACCGGCTAGGGACTGCGGAGACC 3577
Db 117 ----- 117
QY 3578 TTGTGAGCGCCAGGTTGGAGTGGGTGGCGGAGGTGGGCCAAAGCCCTTCATGCAAC 3637
Db 117 ----- 117
QY 3638 GCCACGTGCTCCGTCGCCGCCAGGGGTGATCTGTGCGGCTATGGGCGCGGTGGCG 3697
Db 118 -----GlyValPheLeuAlaArgTyrGlyProAlaTrpArg 129
QY 3698 GAGCAGAGCGCTTCTCGTGTCCACCTTGGCAACTTGGGCTGGGCAAGAGTGCCTG 3757
Db 130 GluGlnArgArgPheSerValSerThrLeuArgAsnLeuGlyGlyIysSerLeu 149
QY 3758 GAGCAGTGGGTGACCGAGGAGCGCTGCTTGTGCGCTTTCGCCGACCAAGCCGCTG 3817
Db 150 GluGlnTrpValThrGluAlaAlaCysLeuCybAlaAlaPheAlaAsn- 166
QY 3818 GGTGATGGCAGAACGGGCACAAAGCGGNACTGGGAGCGGGGAGCGGAGAGGCAACC 3877
Db 166 ----- 166
QY 3878 CCTTACCGCATCTCCCCACCCCGAGAGCGCCCTTTGCGCCCAACGCGCTCTTGACAA 3937
Db 167 -----His-Ser- 180
QY 3938 AGCCGTGAGCAACGTGATCGCTCCCTCACCTGCGGCGCGCTTCGAGTACGACGCC 3997
Db 180 sAlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPr 200
QY 3998 TCGCTTCTCAGCTGCTGGACCTAGCTCAGAGGAGCTGAAGAGGAGTTCGGGCTTTCT 4057
Db 200 oArgPheLeuArgLeuLeuAspLeuAlaGlnGlyLeuGlyLeuGluSerGlyPheLe 220
QY 4058 GCGCAGGTGCGGAGCGAGAGACCGAGGAGTCTCTGCGGCGGAGCTCTCTGAGAGGTGCC 4117
Db 220 uArgGlu- 222
QY 4118 GGGGCTGAGCTGGGCGCTCCGAAGGCGCAGGATTTGTCATAGATGGGTTTGGGAAGGACAT 4177
Db 222 ----- 222
QY 4178 TCCAGAGACCCCACTGTGAAGAGGCGCTGGAGGAGGAGGAGACATCTCAGACATGGTCG 4237
Db 222 ----- 222
QY 4238 TGGGAGAGGTGTCCCGGCTCAGGGGGCACAGAGAGGCCAAGGACTCTGTACCCCGT 4297
Db 222 ----- 222
QY 4298 CCACGTTGGAGATTTTCGATTTTGGTTTCTCCTCGGCAAGGAGAGAGGCTGGAGGCTG 4357
Db 222 ----- 222
QY 4358 GCACCTTGGGAGGGACTTGGTGAGGTCACTGTGTAAAGACAGGCGAGGCCCTTGGGTCTACCT 4417
Db 222 ----- 222
QY 4418 GGAGATGGCTGGGCGCTGAGACTTGTCCAGGTGAACGACAGACACAGAGGGGATTGAGAC 4477
Db 222 ----- 222

```
QY 4478 CCCGTTCTGCTGCTGAGTGTGCTGAATGCTGTCCCGCTCCTCTGCACATCCACGCGCT 4537
Db 223 -----ValLeuAsnAlaValProValLeuLeuHisIleProAlaLeu 236
QY 4538 GCCTGGCAAGGCTCTACGCTTCCAAAGGCTTTCTGAGCCCGAGCTGGATGCTCTAAC 4597
Db 236 uAlaGlyLyValLeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuTh 256
QY 4598 TGACACAGGATGACTGGGACCCAGCCAGCCAGCCAGCCAGCTGACTGAGGCTTCT 4657
Db 256 rGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLeu 276
QY 4658 GGCAAGAGAGAGAGAGTGTGAGAGTGGCTGCCACCGTGGGGGCAAGGTTGGTTCGA 4717
Db 276 uAlaGluMetGluLys----- 281
QY 4718 CGTCCAGGAGGAATGAGGGGAGGCTGGGCAAAAGTTGGACAGTGATCACCAGCGCA 4777
Db 281 ----- 281
QY 4778 GCGGATCTGGGCTGACAGGTGCAGATTGGAGGTCAATTTGGGGGCTACCCCGTTCTATC 4837
Db 281 ----- 281
QY 4838 CCCTGAGTATCTCTCGGCCCTGCTCAGGCCAAGGGAGCCCTGAGAGCAGCTTCAATGA 4897
Db 282 -----AlaLysGlyAsnProGluSerPheAsnAs 292
QY 4898 TGAGAACCTGCGCATAGTGGTGGGTAACCTGTTCTTCGCGGATGGTGACCACTCGAC 4957
Db 292 pGluAsnLeuArgIleValAlaAspLeuPheSerAlaGlyMetValThrSerTh 312
QY 4958 CAGCTGGCTGGGCTCTCTGCTCATGATCTCTACCTGGATGTGACGCTGAGCCAG 5017
Db 312 rThrLeuAlaTrpGlyLeuLeuMetIleLeuHisProAspValGln----- 328
QY 5018 CTGGGGCCCAAGCAGGACTGAGGGAGGAGGTACAGCTGGGGGCCCTGGGCTTAGC 5077
Db 328 ----- 328
QY 5078 TGGGACACCCGGGCTTCAGCACAGCGGTGGCCAGGCTCTGTAAAGCTTAACCTCTCC 5137
Db 328 ----- 328
QY 5138 AACACAGGAGGAGAGAGTGTCCCTGGTGTCTGACCCATTGTGGGAGCGCATGCTGT 5197
Db 328 ----- 328
QY 5198 CCAGTCCGTGTCCAAAGAGAGATCGACGACGTGATAGGAGGTGCGGCGACAGAGATG 5257
Db 329 -Arg--ArgValGlnGlnGluLeuAspValIleGlyGlnValArgProGluMet 347
QY 5258 GGTGACACGCTCACATGCCCTACACCACTGCGTGAATTCACGAGGTGCGCGCTTTGGG 5317
Db 348 GlyAspGlnAlaHisMetProTyThrThrAlaValIleHisGluValGlnArgPheGly 367
QY 5318 GACATCATCCCTGAGTGTGACCATATGACATCCGTGACATCGAGTACGAGGCTTC 5377
Db 368 AspIleValProGluMetThrHisMetThrSerArgAspIleGluValGlnGlyPhe 387
QY 5378 CGCATCCCTAAGGTAGGCTGGCGCCCTCTCACCAGCTCAGCACCCAGCCTGGTGA 5437
Db 388 ArgIleProLys----- 391
QY 5438 TAGCCCCCAGCATGGCTACTGCGAGGTGGGCCCACTCTAGGAACCTGGCCCACTAGTCT 5497
Db 391 ----- 391
QY 5498 CAATGCCACCACTGACTGTCCCACTTGGGTGGGGGTCCAGAGTATAGGCAGGGCTG 5557
Db 391 ----- 391
QY 5558 GCCTGTCCATCCAGAGCCCCCGTCTAGTGGGGAGACAAACAGGACCTGCCAGATGTTG 5617
```

```
Db 391 ----- 391
QY 5618 GAGGACCAGCGCCTGCAGGGAGAGAGGGGAGTGTGGTGCCTCTGAGAGGTGTGACTGC 5677
Db 391 ----- 391
QY 5678 GCCCTGTGTGGGTTCGGAGAGGGTACTGTGGAGCTTCTCGGGCGCAGGACTAGTTGACA 5737
Db 391 ----- 391
QY 5738 GAGTCCAGCTGTGTGCCAGGAGTGTGTGTCCCGTGTGTGTGGTGGCAGGGGTCCAG 5797
Db 391 ----- 391
QY 5798 CATCTAGATCCAGTCCCACTCTCACCTCGATCTCTGCCAGGGAAACGACATCAT 5857
Db 392 -----Gly-ThrThrLeuIle 396
QY 5858 CACCAACCTGTATCGGTGCTGAAGATGAGGCGCTCTGGGAGAGCCCTTCCGCTTCCA 5917
Db 396 eThrAsnLeuSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHi 416
QY 5918 CCCCAGAACACTTCTGATGCCAGGGCCACTTTGTGAAGCCGGAGGCTTCTCCTGCTTT 5977
Db 416 sProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPh 436
QY 5978 CTCAGCAGGTGCTGTGGGGAGCCCGCTCCTCTGCTCCCTTCCGTGGAGTCTTGACGGG 6037
Db 436 e-Ser----- 437
QY 6038 TATCACCAGGAGCCAGGCTCACTGACGCCCTCCCTCCCAAGGCGCGCTGCATGC 6097
Db 438 -----AlaGlyArgAlaCys 443
QY 6098 CTCGGGAGCCCTGGCCCGCATGAGCTTCTCTTCTTTCACCTCCTCCTGCTGCAGCAC 6157
Db 444 LeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeuLeuGlnHis 463
QY 6158 TTCAGCTTCTCCGTGGCGCGCGAGCAGCCCGCGCCAGCCACTCTCGTGTGCTGAGCTTT 6217
Db 464 PheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyValPheAlaPhe 483
QY 6218 CTGTGTGCCCTCCCTACGAGCTTGTGTGCTGCGCCCGC 6259
Db 484 LeuValThrProSerProTyLeuLeuCysAlaValProArg 497

RESULT 8
AAR72377
ID AAR72377 standard; protein; 497 AA.
XX
AC AAR72377;
XX
DT 25-MAR-2003 (revised)
DT 15-NOV-1995 (first entry)
XX
DE Human auxillary cytochrome P450 species 2D6 variant 2 protein.
XX
KW Human cytochrome P450; amplification; PCR; primer; expression vector;
KW Yeast NADPH-P450 reductase; safety; fusion protein; metabolite;
KW carcinogen; mutagen; liver metabolism.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT Misc-difference 296 /note= "Cys to Arg variation"
FT FT
FT Misc-difference 486 /note= "Thr to Ser variation"
FT FT
XX EP644267-A2.
XX
XX 22-MAR-1995.
```


XX 20-JUL-1994; 94EP-00111298.
 XX 20-JUL-1993; 93JP-00201120.
 PR 21-JUL-1993; 93JP-00180246.
 PR 30-JUL-1993; 93JP-00208279.
 XX (SUMO) SUMITOMO CHEM CO LTD.
 XX Hayaashi K, Sakaki T, Yabusaki Y, Komai K, Kaneko H, Nakatsuka I;
 XX WPI: 1995-116991/16.
 DR N-PSDB; AAQ87731.
 XX Evaluation of safety of a chemical cpd. - using recombinant yeast
 PT expressing human cytochrome p450 and a yeast NADPH-P450 reductase.
 XX Example; Page 91-93; 124pp; English.
 XX The amino acid sequence of the human auxiliary cytochrome P450 species
 CC 2D6 variant 2. This variant contains variations at residues 296: Cys to
 CC Arg and 486: Thr to Ser, caused by variations at bases 886: T to C and
 CC 1457: C to G in the DNA sequence. The cDNA was amplified by PCR using the
 CC primers AAQ87763-6. The product was cloned into the yeast expression
 CC vectors pAAH5N or pAHR to produce the vectors p2D6 variant 2 for the
 CC expression of the cytochrome P450 alone or p2D6R variant 2 for co-
 CC expression with the yeast NADPH-P450 reductase. The vectors are used in a
 CC method for evaluating the safety of a chemical compound by reacting the
 CC chemical compound with recombinantly produced human cytochrome P450
 CC molecular species 1A2 (AAQ87714), 2C9 (AAQ87715), 2E1 (AAQ87716), or 3A4
 CC (AAQ87718), or their auxiliary species and variants (AAQ87718-32), and
 CC yeast NADPH-P450 reductase, either as a fused protein or in cell
 CC extracts, and analysing the resulting metabolite to assess the safety of
 CC the chemical compound. The method is useful for determining whether the
 CC chemical compound, or its metabolite, will be converted into a
 CC carcinogenic or mutagenic form through metabolism in the liver. (Updated
 CC on 25-MAR-2003 to correct PN field.)
 XX Sequence 497 AA;
 SQ

Alignment Scores:
 Pred. No.: 1,99e-106 Length: 497
 Score: 1798.00 Matches: 465
 Percent Similarity: 34.14% Conservative: 13
 Best Local Similarity: 33.21% Mismatches: 19
 Query Match: 9.60% Indels: 903
 DB: 2 Gaps: 9

US-09-820-788a-3 (1-10278) x AAR72377 (1-497)

QY 2078 ATGGGGCTAGAACACTGGTGGCCCTGGCCATGATAGTGGCCATCTCTCTCTCTGGTG 2137
 Db 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
 QY 2138 GACCTGATGACCGGACCAAGCTGGGTGACGCTACCCGCGAGTCCCTGGCACTG 2197
 Db 21 AspLeuMetHisArgArgGlnArgTTPAlaAlaArgTyrProProGlyProLeuProLeu 40
 QY 2198 CCGGGCTGGCAACCTTCGATGCTGACTTCCAGACACACACACTACTGTTCCACCA 2257
 Db 41 ProGlyLeuGlyAsn-LeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspG1 60
 QY 2258 GGTGAGGGAGGAGTCTCTGGAGGGCGGAGAGTCTCTGAGGATGCCCCACCACGAAA 2317
 Db 60 n----- 60
 QY 2318 CATGGGTGGGTAAACACAGGCTGGATCAGAACCCAGGCTGAGAGGGGAGCAGG 2377
 Db 60 ----- 60
 QY 2378 TTTGGGGAGCTTCCTGGGGAAGACATTATACATGGCATGAGGACTGGATTTTCCAA 2437
 Db 60 ----- 60

QY 2438 AGGCCAAGGAAGAGTAGGGCCCTGGAGGTGGAGCTGGAGCTTTGGCAGTGGCATGC 2497
 Db 60 ----- 60
 QY 2498 AAGCCCATTTGGGCAACATATATTATGGAGTACAAAGTCCCTTCTGTGTGACACAGAGGA 2557
 Db 60 ----- 60
 QY 2558 AAGGCCTTGGGAATGGAAGATGAGTTAGTCTCTGAGTGGCGTTTAAATACACGAAATCGAGG 2617
 Db 60 ----- 60
 QY 2618 ATGAAGGGGGTGCAGTGAACCGGTTCAAACCTTTTGCACACTGTGGGTCTCTGGGCCCTCACT 2677
 Db 60 ----- 60
 QY 2678 GCTCACCGGCATGGACCATCATCTGGGAATGGATCTAACTGGGGCCTCTCGGCAATTT 2737
 Db 60 ----- 60
 QY 2738 TGGTGACTCTTGCAGGTCATACCTGGGTGACGCATCCAAACCTGAGTTCTCTCCATCACAG 2797
 Db 60 ----- 60
 QY 2798 AAGGTGTGACCCCAACCCCTGCCACGATCAGGAGGTGGGTCTCTCTTCCACCTGC 2857
 Db 60 ----- 60
 QY 2858 TCACCTCTGTAGTACCCCGGGGTCTGTCGAAGTTCAAATAGGACTAGGACCTGTAGTCTG 2917
 Db 60 ----- 60
 QY 2918 GGGTGATCTGGCTTGACAGAGGCCCTGACCCCTCTCTGAGTTGCGGCGCGCTTCG 2977
 Db 61 -----Leu-Arg-ArgPheG 66
 QY 2978 GGGAGCTGTTACGCTGACCTGGCTGGACCGCGGTGGTCTGCTCAATAGGCTGGCGG 3037
 Db 66 LysPheSerLeuGlnLeuAlaTTPThrProValValLeuLeuAenGlyLeuAla 86
 QY 3038 CCGTGGGAGGAGTGTGACCCCGGCGGAGACACGCGCCGCTGCGCCCTGCGCCCA 3097
 Db 86 laValArgGluAlaLeuValThrHisGlyGluAspThrAlaAspArgProValProI 106
 QY 3098 TCTACCACTCTCTGGGCTTGGGCGCGCTTCCCAAGGCAAGCGCGGTGGGGACAGAGA 3157
 Db 106 leThrGlnLeuGlyPheGlyProArgSer-Gln----- 117
 QY 3158 CCGCGTTTCCGTGGGCGCGGTGGACAGTACCGTAGCCCAAGCAGCGCCGACAGGGCG 3217
 Db 117 ----- 117
 QY 3218 TGGGGTCTTGGACGTGAAACAGAGATAAAGCCAGCGAGTGGGTGAGACAGTGGGCCA 3277
 Db 117 ----- 117
 QY 3278 GGAACACCCTGCACGGGGAGGTGCGAGTCTGTGGGTGGGAGGGGGGGGGCTACTGC 3337
 Db 117 ----- 117
 QY 3338 CCAGACCGCCAGAACCGGTGGGCGAGGCTGATCGTCGTAAGTGGCGGTGGCGGGGAC 3397
 Db 117 ----- 117
 QY 3398 CCGCGCTATGTGCGGGCTCAGTGTGGCGGACCGGGCGGATCTTCTTGTAGTGAAG 3457
 Db 117 ----- 117
 QY 3458 GTGGTCAGGGTGGGACAGACAGAGTGGGGCCAAACCCCGCCAGGAGGGAGCAATG 3517
 Db 117 ----- 117

QY 3518 TGGGTGAGCAAGAGTGGGCGCTGTGCCAGCTGACCGGGCTAGGGACTGCGGGAGACC 3577
Db 117 ----- 117
QY 3578 TTGTGGAGCGCCAGGGTTGGAGTGGGTGGCGAGGGTGGGGCCAAAGGCTTCATGGCAAC 3637
Db 117 ----- 117
QY 3638 GCCACAGTGTCCGTCGCCCGCCCGAGGGTGATCTGTGCGGTATGGCCCGCGTGGCGC 3697
Db 118 -----GlyValPheLeuAlaArgTyrGlyProAlaTrpArg 129
QY 3698 GAGCAGAGCGCTTCTCCGTGTCCACCTTGGCCAACTTGGGCTGGGCAAGAGTGGCTG 3757
Db 130 GluGlnArgArgPheSerValSerThrLeuArgAsnLeuGlyLeuGlyLysSerLeu 149
QY 3758 GAGCAGTGGGTGACGAGAGCGCCCTGCTTGTGCGCTTCCCGCAGCAAGCGGTG 3817
Db 150 GluGlnTrpValThrGluGluAlaAlaCysLeuCysAlaAlaPheAlaAsn----- 166
QY 3818 GGTGATGGCGAGAGGGCACAAGCGGNACTGGGAAGCGGGGACCGAGNAGGCAACC 3877
Db 166 ----- 166
QY 3878 CCTTACCGCATCTCCCGACCCCGAGAGCGCCCTTTGCGCCCAACGGCTCTTGACAA 3937
Db 167 -----His-Ser-----GlyArgProPheArgProAsnGlyLeuLeuAspLys 180
QY 3938 AGCCGTGAGCAACGTGATCGCTCCCTCACCTGCGGGCGCGCTTCGAGTAGCAGCACCC 3997
Db 180 sAlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPr 200
QY 3998 TGCCTTCTCAGGCTGCTGGACCTAGCTCAGAGGGGACTGAAGGAGGTGGGCTTCT 4057
Db 200 oArgPheLeuArgLeuLeuAspLeuAlaGlnGlyLeuLysGluGluSerGlyPheLe 220
QY 4058 GCGCAGGTGCGAGCGAGAGACCGAGGAGTCTCTGCGAGGGCGAGCTCTCGAGAGGTGCC 4117
Db 220 uArgGlu----- 222
QY 4118 GGGGTGAGCTGGGGCGCTCCGAAGGGCAGGATTTGCATAGATGGGTTTGGGAAGACAT 4177
Db 222 ----- 222
QY 4178 TCCAGGAGACCCACTGTAAAGAGGGCTTGAGGAGGGGAGACATCTCAGACATGGTCG 4237
Db 222 ----- 222
QY 4238 TGGGAGAGGTGTGCCCGGTGAGGGGCGCACGAGAGAGGCCAAGGACTCTGTACCCCGT 4297
Db 222 ----- 222
QY 4298 CCACGTTGGAGATTTCGATTTTGAAGTTTCTCCTCTGGGCAAGGAGAGGGTGGAGGCTG 4357
Db 222 ----- 222
QY 4358 GCACCTGGGAGGAGTGTGGTGAAGTGTAGTGTAGGACAGCGAGCGCCCTGGTCTACCT 4417
Db 222 ----- 222
QY 4418 GGAGATGGTGGGGCTGAGACTTGTCCAGGTGAACGCGAGAGACAGGAGGGATTGAGAC 4477
Db 222 ----- 222
QY 4478 CCGTTCTGTCTGGTGTAGGTGCTGAATGCTGTCTCCCGTCTCTCGCATCCCGCGCT 4537
Db 223 -----ValLeuAsnAlaValProValLeuLeuHisIleProAlaLe 236
QY 4538 GCCTGGCAAGTCTTACGCTTCCAAAGCTTCTGACCCAGCTGGATGAGCTGCTAAC 4597
Db 236 uAlaGlyLysValLeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuTh 256
QY 4598 TGAGCACAGGATGACTGGGACCCAGCGCCAGCCAGCTGACTGAGGCTTCTCT 4657

Db 256 rGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLe 276
QY 4658 GGCMAAGAGAGAGTGAAGTGAAGTGGTCCACCGTGGGGGGCAAGGGTGGTGGTTGAA 4717
Db 276 uAlaGluMetGluLys----- 281
QY 4718 CGTCCAGGAGGAATGAGGGGAGGCTGGGCAAAAGTTGGACCAGTGCATCACCCGCGCA 4777
Db 281 ----- 281
QY 4778 GCCGCATCTGGGCTGACAGGTGCAGATTGGAGGTCAATTTGGGGCTACCCCGTTCTATC 4837
Db 281 ----- 281
QY 4838 CCCTGAGTATCCTCTCGGCCCTGTCTCAGGCCAAGGGAGCCCTGAGAGCAGCTTCAATGA 4897
Db 282 -----AlaLysGlyAsnProGluSerSerPheAsnAs 292
QY 4898 TGAGAACCTGCGCATAGTGGGTAACTCTTCTTCCCGGATGTGACACCTCGAC 4957
Db 292 pGluAsnLeuArgIleValValAlaAspLeuPheSerAlaGlyMetValThrThrSerTh 312
QY 4958 CACGTGCGCTGGGGCTCTCTCTCATCATCTTACCTCATCTGATGTGACGCTGAGCCCGAG 5017
Db 312 rThrLeuAlaTrpGlyLeuLeuMetIleLeuHisProAspValGln----- 328
QY 5018 CTGGGGCCCAAGGCAGGACTGAGGGAGAAAGGTACAGCTGGGGGCCCCCTGGGGCTTAGC 5077
Db 328 ----- 328
QY 5078 TGGGACACCCGGGCTTCCAGCACAGGCGTGGCCAGGCTCTCTGTAAAGCTTAATCTCTCC 5137
Db 328 ----- 328
QY 5138 AACACAGGAGGAGAGAGTGTCCCTGGTGTGCTGACCCATTTGGGGACGCACTGTCTGT 5197
Db 328 ----- 328
QY 5198 CCAGTCTGTGTCCAAAGGAGATCGACGCTGATAGGGCAGGTGCGGGACCGAGAGATG 5257
Db 329 -Arg--ArgValGlnGlnGluIleAspAspValIleGlyGlnValArgProGluMet 347
QY 5258 GGTGACAGGCTCACATGCGCTTACACCACTGCGGTGATTACAGAGTGCAGCGCTTGGG 5317
Db 348 GlyAspGlnAlaHisMetProTyrThrAlaValIleHisGluValGlnArgPheGly 367
QY 5318 GACATCATCCCTGAGTGTGACCCCATATGACATCCCGTGACATCGAAGTACAGGGCTTC 5377
Db 368 AspIleValProLeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPhe 387
QY 5378 CGCATCCCTAAGGTAGGCTGGCGCTTCCATCCCCAGCTCAGCCAGCTCAGCACCGAGCTG 5437
Db 388 ArgIleProLys----- 391
QY 5438 TAGCCCCAGCATGGCTACTGCCAGTGGGCCCCACTCTAGGAAACCTTGCCACCTAGTCT 5497
Db 391 ----- 391
QY 5498 CAATGCCACACACTGACTGTCTCCCACTTGGGTGGGGGTCCAGAGTATAGCAGGGCTG 5557
Db 391 ----- 391
QY 5558 GCCTGTCCATCCAGAGCCCCCGTCTAGTGGGGGAGACAAACGAGGACCTGCCAGAAATGTTG 5617
Db 391 ----- 391
QY 5618 GAGGACCCAGCGCTGACAGGAGAGGGGCGAGTGTGGTGGCTCTGTAGAGGTGTGACTGC 5677
Db 391 ----- 391
QY 5678 GCCCTGTGTGGGTGCGAGAGGGTACTGTGGAGCTTCTCGGGGCGGAGGACTAGTTGACA 5737

Db 60 ----- 60
QY 2738 TGGTACTCTTGCAGAGTCAATACCTGGGTGACGCATCCAAACTGAGTTCCTCCATCACAG 2797
Db 60 ----- 60
QY 2798 AAGGTGTGACCCCAACCCCTGCCCCACGATCAGGAGGTGGGTCTCCTCTCCACCTGC 2857
Db 60 ----- 60
QY 2858 TCACTCTGTAGTCCCGGGTCTGCCAAGTTCAAATAGGACTAGGACCTGTAGTCTG 2917
Db 60 ----- 60
QY 2918 GGGTGATCCTGGCTTTGACAAGAGCCCTGACCCCTCTGCGATTGGCGCCGCTTCG 2977
Db 61 ----- 66
QY 2978 GGGACGTGTTAGCTGACCTGGCTGGACCGCCGGTGGTCTCAATGGGCTGGCGG 3037
Db 66 lYAspValPheSerLeuGlnLeuAlaTrpThrProValValLeuLeuAsnGlyLeuAlaA 86
QY 3038 CGGTGCGGAGCGGATGTGTACCGCGGAGGACACGCGCCGACCGCCGCTGGCGCCA 3097
Db 86 laValargGluAlaLeuValThrHisGlyGluAspThrAlaAspArgProProValProI 106
QY 3098 TCTACAGGTCTCGGCTTCGGGCTTCGCGCGTTCCTCAAGGCAAGCGCGGTGGGGGACAGAGA 3157
Db 106 leThrGlnileLeuGlyPheGlyProArgSer-Gln- 117
QY 3158 CGCGCTTCCGTGGGCCCCGGGTGGACAGTGCACCTAGCCCAAGCAGCGCCGACAGGGCG 3217
Db 117 ----- 117
QY 3218 TGGGCTCTGGAGCTGAACAGAGATAAGGCGAGTGGGCTGAGGACAGTGGGCA 3277
Db 117 ----- 117
QY 3278 GGAACACCTGCACGGGGAGGTGCGAGTCTGTGGGTGGGAGGGGGCGGGCTACTGC 3337
Db 117 ----- 117
QY 3338 CCAGACCCCGCAGAACCCGCTGGCGGAGGCTGATGCGTGAAGTGGCGGTGGCGGGAC 3397
Db 117 ----- 117
QY 3398 CGCGCTATGCTGCGGGCTCAGTGTGGCGGACGCGGGGATCTTCTTGAGTGGAAAG 3457
Db 117 ----- 117
QY 3458 GTGGTCAGGGTGGCAGAGACAGAGTGGGGCCAAACCCCGCCAGGCGGGAGCAATG 3517
Db 117 ----- 117
QY 3518 TGGGTGACCAAGAGTGGCCCTGTGCCAGCTGACCGGGCTAGGGACTGGCGGAGACC 3577
Db 117 ----- 117
QY 3578 TTGTGGAGCGCCAGGCTTGGAGTGGGTGGCGAGGTGGGGCCAAAGCCCTTCATGGCAAC 3637
Db 117 ----- 117
QY 3638 GCCCAGTGTCCGTCGCCCCCAAGGGGTGATCTGTGCGCTATGGCCCGCGTGGCGC 3697
Db 118 ----- 129
QY 3698 GAGCAGAGCGCTTCTCGTGTCCACCTTGCCCACTTGGGCTGGGCGCAAGAGTTCGCTG 3757
Db 130 GluGlnArgArgPheSerValSerThrLeuArgAsnLeuGlyLeuGlyLysSerLeu 149
QY 3758 GAGCAGTGGGTGACCGAGGAGCGCTTGTGCGGCTTCGCGGCTTCGCGGCAAGCGGTG 3817
Db 117 ----- 117

Db 150 GluGlnTrpValThrGluGluAlaAlaCysLeuCysAlaAlaPheAlaAsn- 166
QY 3818 GGTGATGGCAGAGGGCACAAACGGGAACCTGGAGGGCGGGGACGAGAGGCAACC 3877
Db 166 ----- 166
QY 3878 CTTTACCGGATCTCCCAACCCCGAGGACGCGCTTTTCGCCCAACGCGCTCTTTGGACAA 3937
Db 167 ----- 180
QY 3938 AGCGTGAGCAACCTGATCGCTCCCTACCTCGGGGCGCGCTTCAGTACGACGACCC 3997
Db 180 sAlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTrpAspPr 200
QY 3998 TCGCTTCTCAGGCTGTGGACCTAGCTCAGGAGGACTGAAGAGGAGTTCGGCTTCT 4057
Db 200 oArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLe 220
QY 4058 GCGGAGGTGGGAGCGAGACCGAGGAGTCTCTGCAGGGCGAGCTCTCAGAGGTGCC 4117
Db 220 uArgGlu- 222
QY 4118 GGGCTGAGCTGGGGCTCCGAGGCGAGGATTTCATAGATGGGTTTGGAAAGGACAT 4177
Db 222 ----- 222
QY 4178 TCCAGGAGACCCACTGTAGAAGGGCTGGAGGAGGGGACATCTCAGACATGGTCG 4237
Db 222 ----- 222
QY 4238 TGGGAGGTGTGCCCGGTTCAGGGGACCCAGGAGGCGCAAGGACTCTCTGACCCCGT 4297
Db 222 ----- 222
QY 4298 CCACGTTGAGATTTCGATTTTAGGTTTCTCTCTGGCAAGAGAGAGGTGGAGGTG 4357
Db 222 ----- 222
QY 4358 GCATTGGGAGGACTTGGTGAAGTCAAGTGAAGGAGGAGGCGGCTGGGTCTACCT 4417
Db 222 ----- 222
QY 4418 GGAGATGCTGGGCTGAGACTTGTCCAGGTGAACGAGAGCACAGGAGGATGAGAC 4477
Db 222 ----- 222
QY 4478 CCCGTTCTGTCTGTGTAGTGTGAATGTCTCCCGTCTCTCTGACATCCACGCGCT 4537
Db 223 ----- 236
QY 4538 GGCTGGCAGGTCTTACGCTTCCAAAGGCTTTCTGACCCAGCTGGATGAGCTGCTAAC 4597
Db 236 uAlaGlyLysValLeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuTh 256
QY 4598 TGAGCACAGGATGACCTGGGACCCAGCCAGCCAGCTGCTGAGCTGAGGCGCTTCT 4657
Db 256 rGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLe 276
QY 4658 GGCAGAGAGGAGAGGTGAGAGTGGCTGCCACGCTGGGGGCAAGGTTGGGTGGA 4717
Db 276 uAlaGluMetGluLys- 281
QY 4718 GTCACGAGGAGATGAGGGGAGGCTGGGAAAAGTTGGACAGTGCATCACCAGCGCA 4777
Db 281 ----- 281
QY 4778 GCCGATCTGGCTGACAGGTGACAGATTGGAGTTCATTTGGGGCTACCCGCTTCTATC 4837
Db 281 ----- 281
QY 4838 CCTGAGTATCTCTCGGCCCTGTCTCAGGCCAAGGGAGCCCTGAGACGACTTCAATGA 4897
Db 282 ----- 292
AlaLysGlyAsnProGluSerPheAsnAs

QY 4898 TGAGAACCTCGCATAGTGTGGGTAACTGTTCTCTTGGCGGATGTGACCACTCGAC 4957
Db |||||
292 pGluAsnLeuArgIleValValAlaAspLeuPheSerAlaGlyMetValThrThrSerTh 312
QY 4958 CAGCTGGCTGGCGCTCTCTGCTCATGATCTTACACCTGATGTGACGGTGCAGCCAG 5017
Db |||||
312 rThrLeuAlaIlePGLyLeuLeuLeuMetIleLeuHisProAspValGln 328
QY 5018 CTGGGGCCCAAGCAGGAGCTGAGGGAGAGGGGTACAGCTGGGGGCCCTGGGCTTAGC 5077
Db ----- 328
QY 5078 TGGGACACCCGGGGCTTCCAGCACAGCGGTGGCCAGGCTCTCTAAGCTTAATTCTCTCC 5137
Db ----- 328
QY 5138 AACACAGGAGGAGAGAGTGTCCCTGGGTGTGACCCATTGTGGGGAGCGATGTCTGT 5197
Db ----- 328
QY 5198 CCAGTCCGTGTCCACACAGAGATCGACAGCTGATAGGGCAGGTGCGGCACACAGATG 5257
Db |||||
329 -Arg-ArgValGlnGlnGlnIleAspAspValIleGlyGlnValArgArgProGluMet 347
QY 5258 GTGACACAGCTCACATGCCCTTACACACTGCCGTGATTACAGAGTGCAGCGCTTTGGG 5317
Db |||||
348 GlyAspGlnAlaHisMetProTyThrThrAlaValIleHisGluValGlnArgPheGly 367
QY 5318 GACATCATCCCTGAGTGCAGCCATATGACATCCGTGACATCAAGTACAGGCTTC 5377
Db |||||
368 AspIleValProLeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPhe 387
QY 5378 CGCATCCCTAAGTAGGCTGGCGCTCTCTCACCCAGCTCAGCAGCAGCAGCTGTGTA 5437
Db |||||
388 ArgIleProlys 391
QY 5438 TAGCCCCAGCATGGTACTGTCAGGTGGGCCACTCTAGGAACCTTGGCCACTAGTCTCT 5497
Db ----- 391
QY 5498 CAATGCCACCACTGACTGTCCCCACTTGGTGGGGGTCCAGAGTATAGGACGGGTG 5557
Db ----- 391
QY 5558 GCCTGTCCATCCAGAGCCCCGTCTAGTGGGGAGACAAACAGGACCTGCCAGATGTTG 5617
Db ----- 391
QY 5618 GAGGACCCAGCCCTGCAGGAGAGGGGGCAGTGTGGTGCTCTGAGAGGTGTGACTGC 5677
Db ----- 391
QY 5678 GCCTGTGTGGGGTCGGAGAGGGTACTGTGAGAGCTTCTCGGGCGCAGGACTAGTTGACA 5737
Db ----- 391
QY 5738 GAGTCCAGCTGTGTGCCAGCAGTGTGTCCCGCTGTGTTGGTGGCAGGGGTCCCAG 5797
Db ----- 391
QY 5798 CATCTTAGATCCAGTCCCACTCTCACCCCTGCATCTCTGCCAGGGAACGACACTCAT 5857
Db |||||
392 -----Gly-ThrThrLeuIle 396
QY 5858 CACCAACCTGTCTCGGTGTGAAGATGAGCGCTGTGGGAGAACCCCTTCGGCTTCCA 5917
Db |||||
396 eThrAsnLeuSerSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHis 416
QY 5918 CCCCAGACATTCCTCGATGCCAGGCGCCTTTGTGAAGCCGAGGCTTCTCTGCTTT 5977
Db |||||
416 sProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPh 436

QY 5978 CTCAGCAGGTGCTGTGGGGAGCCCGGCTCCCTGTCCCTTCCGTGGAGTCTTTCAGGGG 6037
Db |||||
436 e--Ser- 437
QY 6038 TATCACCCAGGAGCAGGCTCACTGACGCCCTCCCTCCCCACAGCGCCGCTGCATGC 6097
Db -----AlaGlyArgArgAlaCys 443
QY 6098 CTCGGGAGCCCTGGCCGATGAGAGTCTTCTCTTTCACCTCCCTGCTGCAGCAC 6157
Db |||||
444 LeuGlyGluProLeuAlaArgMetGluLeuPhePheThrSerLeuLeuGlnHis 463
QY 6158 TTCAGCTTCTCGTGGCCCGCGACAGCCCGGCCAGCACCTCTCTGTGTGTCAGCTTT 6217
Db |||||
464 PheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyValPheAlaPhe 483
QY 6218 CTGGTGACCCCTCCCTACGAGCTTGTGTGTCGCCCGC 6259
Db |||||
484 LeuValSerProSerProTyGluLeuCysAlaValProArg 497

RESULT 10
AAR81462
ID AAR81462 standard; protein; 497 AA.
XX
AC AAR81462;
XX
DT 01-AUG-1996 (first entry)
XX
DE Human derived cytochrome P450D6.
XX
KW Human derived cytochrome; P450D6; commercial cDNA library; yeast;
KW transfection; recombinant production; expression vector; mammal;
KW immunisation; sensitisation; antibody; determination; detection;
KW non-cross reactive.
XX
OS Homo sapiens.
XX
PN JP08027199-A.
XX
PD 30-JAN-1996.
XX
PF 15-JUL-1994; 94JP-00164186.
XX
PR 15-JUL-1994; 94JP-00164186.
XX
PA (SUMO) SUMITOMO CHEM CO LTD.
XX
DR WPI; 1996-136340/14.
DR N-PSDB; AAT17388.
XX
PT Antibody recognising human derived cytochrome P450D6 - allows specific
PT detection of cytochrome P450 species in humans.
XX
PS Example 1; Page 11-13; 13pp; Japanese.
XX
CC The present sequence is the human derived cytochrome (HDC) P450D6, which
CC was obtd. from a commercial cDNA library. Yeast were transfected with an
CC expression vector contg. the HDC cDNA, cultured and then disrupted to
CC give a microsomal fraction. The HDC was purified from the fraction, and
CC used to immunise and sensitise a mammal. Blood was drawn from the mammal,
CC and an anti-HDC antibody isolated. The antibody obtd. recognises HDC
CC P450D6, partic. at a serum dilution rate of 1:10000, and is
CC substantially without cross reaction to other HDC P450 spp.
XX
SQ Sequence 497 AA;
Alignment Scores:
Pred. No.: 1,99e-106 Length: 497
Score: 1798.00 Matches: 465
Percent Similarity: 34.14% Conservative: 13
Best Local Similarity: 33.21% Mismatches: 903
Query Match: 9.60% Indels: 9
DB: 2 Gaps: 9


```
QY 4238 TGGAGAGGTGTGCCCGGGTCAGGGGGCCACAGGAGAGGCCAAGGACTCTGTACCCCGT 4297
Db 222 ----- 222
QY 4298 CCACGTTGGAGATTTCGATTTTAGTTTCTCCTCTGGCCAAAGGAGAGGGTGGAGGCTG 4357
Db 222 ----- 222
QY 4358 GCATTTGGGAGGGACTTGTGTAGGTCAAGTGTAAAGGACAGGAGCGCCCTGGGTCTACCT 4417
Db 222 ----- 222
QY 4418 GGAGATGGCTGGGGCCCTGAGACTTGTCCAGGTGAACGCAGAGCACAGGAGGATTGAGAC 4477
Db 222 ----- 222
QY 4478 CCGGTTCTGTCTGTGTGTAGTGTGAATGCTGCTCCCGTCTCTGCACATCCAGGGCT 4537
Db 223 -----ValLeuAsnAlaValProValLeuLeuHisIleProAlaLe 236
QY 4538 GGTGTCAGAGTCTTACGCTTCCAAAAGGCTTTCTGACCCAGCTGGATGAGTGTCTAAC 4597
Db 236 uAlaGlyLysValLeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuTh 256
QY 4598 TGAGCAGAGTACCTTGGGACCCAGCCAGCCAGCCAGCCAGCTGACTGAGGCTTCTCT 4657
Db 256 rGluHisArgMetThrTrpAspProAlaGlnProProAspLeuThrGluAlaPheLe 276
QY 4658 GGCAGAGAGGAGAGGTGAGTGTGCTGCCAGGTGGGGGGCAAGGGTGGTGGTTGAA 4717
Db 276 uAlaGluMetGluLys----- 281
QY 4718 CGTCCCAGGAGGAATGAGGGAGGCTGGGCAAAAGTTTGGACCAAGTGCAATCACCCGGCGA 4777
Db 281 ----- 281
QY 4778 GCGCATCTGGGCTGACAGGTGCAGAAATTGGAGGTCAATTTGGGGGTACCCCGTTCTATC 4837
Db 281 ----- 281
QY 4838 CCTGTAGTATCTCTCGGCCCTGCTCAGGCCAAGGGAGGCCCTGAGAGAGCTTCAATGA 4897
Db 282 -----AlaLysGlyAsnProGluSerSerPheAsnAs 292
QY 4898 TGAGAACCTGCGCATAGTGTGGTAACTTCTTCCCGGATGCTGACCACTCGAC 4957
Db 292 pGluAsnLeuArgIleValAlaAspLeuPheSerAlaGlyMetValThrThrSerTh 312
QY 4958 CACGTGGCTGGGGCTCTCTGCTCATGATCTTACACCTTGGATGTGACGGTGAGCCAG 5017
Db 312 rThrLeuAlaTrpGlyLeuLeuLeuMetIleLeuHisProAspValGln----- 328
QY 5018 CTGGGGCCCAAGCAGGACTGAGGAGGAGGATACAGCTGGGGGGCCCTGGGCTTAGC 5077
Db 328 ----- 328
QY 5078 TGGGACACCCGGGCTTCCAGCACAGCGCTGGCCAGGCTCTGTAAAGCTTAATCTCTCC 5137
Db 328 ----- 328
QY 5138 AACACAGGAGGAGAGAGTGTCTCCCTGGGTGCTGACCCATTTGTGGGAGCGCATGTCTGT 5197
Db 328 ----- 328
QY 5198 CAGTCCGTGTCACAGAGATCGACGACGTGATAGGCGAGTGGCGGACACAGAGATG 5257
Db 329 -Arg--ArgValGlnGlnGluIleAspValIleGlyGlnValArgArgProGluMet 347
QY 5258 GTGACGAGCTCACATGCCCTACACCACTGCGGTGATTCAGAGGTGCGAGGCTTGGG 5317
Db 348 GlyAspGlnAlaHisMetProThrThrAlaValIleHisGluValGlnArgPheGly 367
```

```
QY 5318 GACATCATCCCCCTGAGTGTGACCCCATATGACATCCCGTGACATCAAGTACAGGGCTTC 5377
Db 368 AspIleValProLeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPhe 387
QY 5378 CCGATCCCTAAGGTAGGCTTGGGCCCTCTCACCCAGCTCAGCACACCACTGGTGA 5437
Db 388 ArgIleProLys----- 391
QY 5438 TAGCCCCCAGCATGGCTACTGCGCAGGTGGGCCCACTCTAGGAACCCCTGGCCACCTAGTCT 5497
Db 391 ----- 391
QY 5498 CAATGCCACACACTGACTGTCCCACTTGGGTGGGGGTCCAGAGTATAGGCAGGGCTG 5557
Db 391 ----- 391
QY 5558 GCCTGTTCATCCAGAGCCCCCGTCTAGTGGGGAGACAAACAGGACCTGCCAGATGTTG 5617
Db 391 ----- 391
QY 5618 GAGGACCCAGCGCTGCAGGAGAGGGGCGAGTGTGGGTGCTCTGAGAGGTGTGACTGC 5677
Db 391 ----- 391
QY 5678 GCCCTGCTGTGGGTGCGAGAGGGTACTGTGTGAGCTTCTCGGGCGCAGACTAGTTGACA 5737
Db 391 ----- 391
QY 5738 GAGTCCAGCTGTGTGCCAGGAGTGTGTCTCCCGTGTGTGGTGGCAGGGGTCCCAG 5797
Db 391 ----- 391
QY 5798 CATCTTAGAGTCCAGTCCCACTCTCACCTTCATCTCTGCCAGGAAACGACACTCAT 5857
Db 392 -----Gly-ThrThrLeuIle 396
QY 5858 CACCAACCTGTCTCGTCTGTAAGATGAGGCGCTGTGGGAGAAAGCCCTTCGGTTCCA 5917
Db 396 eThrAsnLeuSerSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHi 416
QY 5918 CCGCGAACACTTCTCGATGCGCCAGGGCCACTTTGTGAAGCGGAGGCTTCTGCTCTT 5977
Db 416 sProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPh 436
QY 5978 CTCAGCTGCTGCTGTGGGGAGCCCGCTCTCCCTTCCGTGGAGTCTTTCAGGGG 6037
Db 436 e--Ser----- 437
QY 6038 TATCACCAGGAGCAGGCTCACTGACGCCCTCTCCCTCCACAGGCCCGCTGCATGC 6097
Db 438 -----AlaGlyArgArgAlaCys 443
QY 6098 CTCGGGAGCCCTTGGCCCGCATGAGCTTCTCTCTTCTTCTTCTTCTTCTTCTTCTTCT 6157
Db 444 LeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeuLeuGlnHis 463
QY 6158 TTCAGCTTCTCGTGGCCCGCAGCAGCCCGCCAGCAGCTCTCTGCTGCTGCTGCTT 6217
Db 464 PheSerPheSerValProThrGlnProArgProSerHisHisGlyValPheAlaPhe 483
QY 6218 CTGTGACCCCACTCCCTTACGAGCTTTGTGTGTGCCCGCCG 6259
Db 484 LeuValSerProSerProTyGluLeuCysAlaValProArg 497
RESULT 11
ABB09563
ID ABB09563 standard; protein; 497 AA.
XX
AC ABB09563;
XX 02-SEP-2002 (first entry)
XX Human CYP2D6 protein, SEQ ID NO:3.
XX
```

XX Human; cytochrome P450; subfamily IID polypeptide 6; CYP2D6; enzyme;
KW chromosome 22q13.1; drug metabolism; detoxification; mono-oxygenase;
KW antiarrhythmic; arrhythmia; adrenoceptor antagonist; hypertension;
KW tricyclic antidepressant; procainamide; drug induced lupus syndrome;
KW environmentally linked disease; Parkinson's disease; haplotyping;
KW genotyping; haplotype; genetic variant; single nucleotide polymorphism;
KW SNP; drug screening; drug discovery.
XX Homo sapiens.
XX Key Location/Qualifiers
FT Misc-difference 7
FT /note= "Encoded by RTG in the sequence given in ABQ72215.
FT This residue is Met (encoded by ATG) rather than Val
FT (encoded by GTG) in a polymorphic variant"
FT Misc-difference 11
FT /note= "Encoded by RTG in the sequence given in ABQ72215.
FT This residue is Met (encoded by ATG) rather than Val
FT (encoded by GTG) in a polymorphic variant"
FT Misc-difference 34
FT /note= "Encoded by YCA in the sequence given in ABQ72215.
FT This residue is Ser (encoded by TCA) rather than Pro
FT (encoded by CCA) in a polymorphic variant"
FT Misc-difference 88
FT /note= "Encoded by CRC in the sequence given in ABQ72215.
FT This residue is His (encoded by CAC) rather than Arg
FT (encoded by CGC) in a polymorphic variant"
FT Misc-difference 91
FT /note= "Encoded by MTG in the sequence given in ABQ72215.
FT This residue is Met (encoded by ATG) rather than Leu
FT (encoded by CTG) in a polymorphic variant"
FT Misc-difference 94
FT /note= "Encoded by CRC in the sequence given in ABQ72215.
FT This residue is Arg (encoded by GCG) rather than His
FT (encoded by CAC) in a polymorphic variant"
FT Misc-difference 98
FT /note= "Encoded by ACS in the sequence given in ABQ72215"
FT Misc-difference 104
FT /note= "Encoded by GVG in the sequence given in ABQ72215.
FT This residue is Ala (encoded by GCG) rather than Val
FT (encoded by GTG) in a polymorphic variant"
FT Misc-difference 107
FT /note= "Encoded by WYC in the sequence given in ABQ72215.
FT This residue is Phe (encoded by TTC) rather than Thr
FT (encoded by ACC) in a polymorphic variant"
FT Misc-difference 109
FT /note= "Encoded by RTC in the sequence given in ABQ72215.
FT This residue is Val (encoded by GTC) rather than Ile
FT (encoded by ATC) in a polymorphic variant"
FT Misc-difference 111
FT /note= "Encoded by GGY in the sequence given in ABQ72215"
FT Misc-difference 112
FT /note= "Encoded by TTY in the sequence given in ABQ72215"
FT Misc-difference 120
FT /note= "Encoded by WTC in the sequence given in ABQ72215.
FT This residue is Ile (encoded by ATC) rather than Phe
FT (encoded by TTC) in a polymorphic variant"
FT Misc-difference 128
FT /note= "Encoded by YGG in the sequence given in ABQ72215.
FT This residue is Arg (encoded by GCG) rather than Trp
FT (encoded by TGG) in a polymorphic variant"
FT Misc-difference 136
FT /note= "Encoded by RTS in the sequence given in ABQ72215.
FT This residue is Ile (encoded by ATC) rather than Val
FT (encoded by GTG) in a polymorphic variant"
FT Misc-difference 151
FT /note= "Encoded by SAG in the sequence given in ABQ72215.
FT This residue is Glu (encoded by GAG) rather than Gln
FT (encoded by CAG) in a polymorphic variant"
FT Misc-difference 155
FT /note= "Encoded by RAG in the sequence given in ABQ72215.
FT This residue is Lys (encoded by AAG) rather than Glu

FT Misc-difference 232 (encoded by GAG) in a polymorphic variant"
FT /note= "Encoded by CAY in the sequence given in ABQ72215"
FT Misc-difference 338
FT /note= "Encoded by RTG in the sequence given in ABQ72215.
FT This residue is Met (encoded by ATG) rather than Val
FT (encoded by GTG) in a polymorphic variant"
FT Misc-difference 344
FT /note= "Encoded by YCA in the sequence given in ABQ72215.
FT This is a stop codon (TGA) rather than Arg (encoded by
FT CGA) in a polymorphic variant"
FT Misc-difference 361
FT /note= "Encoded by CAY in the sequence given in ABQ72215"
FT Misc-difference 486
FT /note= "Encoded by ASC in the sequence given in ABQ72215.
FT This residue is Thr (encoded by ACC) rather than Ser
FT (encoded by AGC) in a polymorphic variant"
FT Misc-difference 497
FT /note= "Encoded by YGC in the sequence given in ABQ72215.
FT This residue is Cys (encoded by TGC) rather than Arg
FT (encoded by CGC) in a polymorphic variant"
XX WO200238589-A2.
XX 16-MAY-2002.
XX 09-NOV-2001; 2001WO-US047396.
XX 09-NOV-2000; 2000US-0247943P.
XX (GENA-) GENAISSANCE PHARM INC.
XX Anastasio AE, Chew A, Choi JY, Denton RR, Nandabalan K;
XX Petersen N, Rounds E;
XX WPI; 2002-519292/55.
XX N-PSDB; ABQ72215, ABQ72216, ABQ72364.
XX Novel genetic variants of Cytochrome P450, Subfamily IID, Polypeptide 6
XX isogenes, useful for improving efficiency and reliability in drug
XX development for treating hypertension, arrhythmias and Parkinson's
XX disease.
XX Claim 29; Fig 3; 158pp; English.
XX The invention relates to a method for haplotyping the cytochrome P450,
XX subfamily IID, polypeptide 6 (CYP2D6) gene (ABQ72215, ABQ72364) of an
XX individual, and also describes 29 novel polymorphic sites within the
XX human CYP2D6 gene. The CYP2D6 gene is located on chromosome 22q13.1 and
XX contains 9 exons which encode a 497 amino acid protein (ABB09563). CYP2D6
XX is a mono-oxygenase involved in the detoxification of many drugs and
XX environmental chemicals. It plays a role in the metabolism of drugs such
XX as antiarrhythmics, adrenoceptor antagonists and tricyclic
XX antidepressants, and is also involved in the formation of a metabolite
XX linked to the drug-induced lupus syndrome observed with procainamide.
XX Variations in CYP2D6 activity or expression may also influence an
XX individual's susceptibility to environmentally-linked diseases, and it
XX has been demonstrated that CYP2D6 activity may be involved in the
XX pathogenesis of Parkinson's disease, with individuals with a less active
XX form of the enzyme tending to have an earlier onset of this condition.
XX CYP2D6 nucleic acid sequences are useful in studying the expression and
XX function of CYP2D6, and in expressing CYP2D6 protein for use in screening
XX drugs for the treatment of CYP2D6-associated diseases (e.g.,
XX hypertension, atrial and ventricular arrhythmias, Parkinson's disease,
XX and drug-induced lupus syndrome) or which are metabolised by CYP2D6.
XX CYP2D6 nucleic acids and proteins are also useful in studying the effect
XX of polymorphisms on the biological activity of CYP2D6. Polymorphisms in
XX the target region may be determined by the use of allele-specific
XX oligonucleotides (ASOs; ABQ72217-ABQ72303) as probes and primers, and by
XX primer extension using oligonucleotide primers comprising sequences
XX ABQ72304-ABQ72361. The method of the invention is useful for haplotyping
XX the CYP2D6 gene in populations and in individuals, enabling decisions to
XX be made as to whether CYP2D6 is a likely therapeutic target for a disease

CC of interest, and to control for genetically-based bias in the design of
CC drugs that target or are metabolised by CYP2D6. In addition, transgenic
CC animals comprising a human CYP2D6 gene are useful for studying the
CC expression of CYP2D6 isoenzymes in vivo, for in vivo screening and testing
CC of drugs targeted to or metabolised by CYP2D6, and for testing the
CC efficacy of therapeutic agents and compounds for treating CYP2D6-
CC associated conditions in a biological system. The present sequence
CC represents the specifically claimed human CYP2D6 protein. This sequence
CC contains 18 polymorphic sites caused by polymorphisms in the coding
CC sequence (ABQ72216)

xx Sequence 497 AA;

Alignment Scores:

Pred. No.:	1.99e-106	Length:	497
Score:	1798.00	Matches:	465
Percent Similarity:	34.14%	Conservative:	13
Best Local Similarity:	33.21%	Mismatches:	19
Query Match:	9.60%	Indels:	903
DB:	5	Gaps:	9

US-09-820-788A-3 (1-10278) x ABB09563 (1-497)

QY	2078	ATGGGGCTAGAACACTGGTGGCCCTGGCCATCATAGTGGCCATCTTCTGCTCTCTGGTG	2137
DB	1	MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal	20
QY	2138	GACCTGATGACCGGCACCAACCTGGCTGGCTGACGCTACCGCCAGCTCCCTGGCCACTG	2197
DB	21	AspLeuMethIleSarGargGlnAgtTpAlaAlaArgTyProProGlyProLeuProLeu	40
QY	2198	CCGGGCTGGGCAACCTTGCTGCTGATGGACTTCCAGAACACACCACTACTGCTTCGACCA	2257
DB	41	ProGlyLeuGlyAsn-LeuLeuHisValAspPheGlnAsnThrProTyCysPheAspG	60
QY	2258	GGTGAGGGAGGAGTCTTGAGGGCGGCAGAGTCTCTGAGGATGCCCCACCACCAAAA	2317
DB	60	n-----	60
QY	2318	CATGGGTGGGTAAACCAACAGCTGGATCAGAACGAGGCTGAGAGGGGAGCAGG	2377
DB	60	-----	60
QY	2378	TTTGGGGACGTTCTCTGGGAAGGACATTTATATATGCGATGAAGACTGGATTTTCCAA	2437
DB	60	-----	60
QY	2438	AGCCCAAGNAGTAGTAGGCAAGGGCTGGAGGTGGAGTGGACTTGGCAGTGGGCATGC	2497
DB	60	-----	60
QY	2498	AAGCCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACACAGAAGGA	2557
DB	60	-----	60
QY	2558	AAGGCCTTGGGAATGGAAGATGATGTAGTCTCTGAGTGGCGTTTAAATACGAAATCGAGG	2617
DB	60	-----	60
QY	2618	ATGAAGGGGTGAGTGACCCGGTTCAAACCTTTTGCACGTGGGTCTCGGGCCTCACT	2677
DB	60	-----	60
QY	2678	GCTCACCGGATGGACCATCATCTGGGAATGGATGCTAACTGGGGCCCTCTCGGCAATTT	2737
DB	60	-----	60
QY	2738	TGTTGACTCTTTCGAAGGTATACCTGGGTGACGATCCAAACTGAGTTCTCTCCATCACAG	2797
DB	60	-----	60
QY	2798	AAGGTGTGACCCCAACCTTGCCCAACGATCAGAGGAGGTGGGTCTCTCTCTCCACTGCG	2857

DB	60	-----	60
QY	2858	TCACTCTCTGTTAGCCCGGGGGTCTGTCCTCAAGGTTCAATAGGACTAGGACTCTAGTCTG	2917
DB	60	-----	60
QY	2918	GGGTGATCTGGTTGACAAAGAGGCCCTGACCTCTCTGAGTTGCGGCGCGCTTCG	2977
DB	61	-----	66
QY	2978	GGGAGGTGTTCACTGCTGAGCTGGCTGGACCGCGGTGGCTGCTCAATGGCTGGCGG	3037
DB	66	lyAspValPheSerLeuGlnLeuAlaIlePheProValValLeuLeuAsnGlyLeuAla	86
QY	3038	CGGTGGCGGAGCGATGGTGCACCGCGGAGGACACCGCCAGCCCGCCCTGCGCCCA	3097
DB	86	IaValArgGluAlaLeuValThrHisGlyGluAspThrAlaAspArgProProValPro	106
QY	3098	TCTACCAAGTCTCTGGCTTGGCGCGCTTCCCAAGCGCGGTGGGGGACAGAGA	3157
DB	106	leThrGlnIleLeuGlyPheGlyProArgSer-Gln-----	117
QY	3158	CCGCGTTTCCGTGGGCGCGGTGGACAGTGCAGTGCCTAGCCCAAGCAGCGCCGACGGCG	3217
DB	117	-----	117
QY	3218	TGGGGTCTCTGGACGTGAACACAGAGATAAAGCCAGCGAGTGGGCTGAGGACAGTGGGCCA	3277
DB	117	-----	117
QY	3278	GGAAACCACTGCACGGGGAGGTGCGAGTCTGTGGGTGGGAGGGGCGGGCTACTGC	3337
DB	117	-----	117
QY	3338	CCAGACCCCGCAGAACCCGCTGGGGGAGGCTGATCGCTCGAAGTGGCGGTGGCGGGGAC	3397
DB	117	-----	117
QY	3398	CGCGCTATGCTCGGGCTCAGTGTGGCGGAGCGGGCGGATCTTCTTGTAGTGAAG	3457
DB	117	-----	117
QY	3458	GTGTCAGGTGGCGCAGACGAGGTGGGGCCAAACCCCGCCCGCAGGAGGGAGCAATG	3517
DB	117	-----	117
QY	3518	TGGGTGACCAAGAGTGGGCCCTGTGCCAGCTGGACCGGGCTAGGGACTGCGGGAGACC	3577
DB	117	-----	117
QY	3578	TTGTGGAGCGCCAGGTTGGAGTGGGTGGCGAGGTGGGGCCAAAGCCCTTCATGGCAAC	3637
DB	117	-----	117
QY	3638	GCCCAAGTGTCCGTCCCGCCCGCAGGGGTGATCTGTGCGCTATGGGCGCGCTGGCGC	3697
DB	118	-----	129
QY	3698	GAGCAGAGCGCTTCTCGTGTCCACTTGGCCCACTTGGGCTGGGCGAAGAGTCTGCTG	3757
DB	130	GluGlnArgPheSerValSerThrLeuArgAsnLeuGlyLeuGlyIleSerLeu	149
QY	3758	GAGCAGTGGGTGACGAGGAGCGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG	3817
DB	150	GluGlnTrpValThrGluGluAlaIleCysLeuGlyIleGlyIleGlyIleGlyIleGlyIle	166
QY	3818	GGTGATGGGACAGAGGACAAAGCGGAACTGGGAAAGCGGGGACGAGGAAGCAACC	3877
DB	166	-----	166
QY	3878	CCTTACCGCATCTCTCCACCGCCCGCTTTCGCGCCCAACGGCTCTCTGACAA	3937
DB	167	-----	180


```
Db 444 LeuGlyGluProLeuAlaArgMetGluLeuPhePheThrSerLeuLeuGlnHis 463
QY 6158 TTCAGCTTCTCCGTGGCCGCGACAGCCCGCCAGCCACTCTCGTGTCTGCTCAGCTTT 6217
Db 464 PheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyValPheAlaPhe 483
QY 6218 CTGGTACCCCATCCCTCCAGAGCTTTGTGTGTCGCCCGC 6259
Db 484 LeuValSerProSerProTyrGluLeuCysAlaValProArg 497

RESULT 12
AA026405
ID AAO26405 standard; protein; 497 AA.
XX AC
XX AAO26405;
XX DT
XX -30-JAN-2003 (first entry)
XX DE Human drug-metabolising enzyme related protein.
XX KW Cytostatic; antiparkinsonian; gene therapy; cancer; Parkinson's disease;
XX KW human drug-metabolising protein; enzyme.
XX OS Homo sapiens.
XX PN WO200279233-A1.
XX PD 10-OCT-2002.
XX PF 01-APR-2002; 2002WO-US009738.
XX PR 30-MAR-2001; 2001US-00820788.
XX PA (PEKE ) PE CORP NY.
XX PA (DFRA/) DI FRANCESCO V.
XX PA (BEAS/) BEASLEY E M.
XX PI Shao W, Yan C;
XX WPI; 2003-040649/03.
XX PT New human drug-metabolizing proteins and nucleic acids related to the
XX PT Cytochrome P450 IID drug-metabolizing enzyme subfamily, useful for
XX PT treating a condition mediated by a human enzyme protein e.g., cancer.
XX PS Disclosure; Fig 2B; 72pp; English.
XX CC The invention relates to a novel isolated polypeptide comprising a 446-
XX CC amino acid sequence or its allelic variant, orthologue or fragment. The
XX CC allelic variant or orthologue is encoded by a nucleic acid that
XX CC hybridises under stringent conditions to the opposite strand of the
XX CC nucleic acid comprising a sequence having 1537 or 10278 bp. The fragment
XX CC comprises at least 10 contiguous amino acids of the 446-amino acid
XX CC sequence. The polypeptide is useful for preparing a pharmaceutical
XX CC composition for treating a disease or condition mediated by a human
XX CC enzyme protein, e.g. cancer or Parkinson's disease. This sequence
XX CC represents a human drug-metabolising related protein of the invention
XX SQ Sequence 497 AA;

Alignment Scores:
Pred. No.: 1,99e-106 Length: 497
Score: 1798.00 Matches: 465
Percent Similarity: 34.14% Conservative: 13
Best Local Similarity: 33.21% Mismatches: 19
Query Match: 9.60% Indels: 903
DB: 6 Gaps: 9

US-09-820-788A-3 (1-10278) x AAO26405 (1-497)
QY 2078 ATGGGGCTAGAGCACTGGTGGCCCTGGCCATGATAGTGGCCATCTTCTGCTCTGCTG 2137
|||||
```

```
Db 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
QY 2138 GACCTGATGCACCGCACCAACAGCTGGGTGACAGCTACCCGCCAGGTCCCTCGCCACTG 2197
|||||
Db 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaA-gTyrProProGlyProLeuProLeu 40
|||||
QY 2198 CCCGGCTGGGCAACCTTGTCTCATGTGGACTTTCAGAACACACACATCTGCTTCACCA 2257
|||||
Db 41 ProGlyLeuGlyAsn-LeuLeuHisValAspPheGlnAenThrProTyrCysPheAspGI 60
|||||
QY 2258 GGTAGGGAGGAGGTCTCTGGAGGGCGCAGAGGTCTCTGAGGATGCCCCACCACGAAA 2317
60 n----- 60
Db 2318 CATGGTGTGGTGTAAACACACAGGCTGGATCAGAAGCCAGGCTGAGAAGGGGAAGCAGG 2377
60 ----- 60
QY 2378 TTTGGGGACGTTCTCTGGGGAAGGACATTTATACATGGCATGAAGACTGGATTTTCCAA 2437
60 ----- 60
Db 2438 AGGCCAAGGAAGTAGGGCAAGGCCCTGGAGGTGGAGCTGGACTTGGCAGTGGGCATGC 2497
60 ----- 60
QY 2498 AAGCCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACACAGAAGGA 2557
60 ----- 60
QY 2558 AAGGCTTTGGAAATGGAAGATGATGTTAGTCTCTGAGTGGCGTTTAAATCACGAAATCGAGG 2617
60 ----- 60
QY 2618 ATGAAGGGGGTGCAGTACCCCGTTCAAAACCTTTTGGCACTGTGGGTCTCTGGGGCTCACT 2677
60 ----- 60
QY 2678 GCTCAGCGCATGGACCATCATCTCGGAATGGGATGCTAACTGGGGCCTCTCGGCAATTT 2737
60 ----- 60
QY 2738 TGGTGACTCTTTCAGAGGTATACCTGGGTGACGATCCAAACTGAGTTCTCTCCATCACAG 2797
60 ----- 60
QY 2798 AAGTGTGACCCCCACCCCTGCCCCACGATCAGAGGGTGGGTCTCTCTTCCACCTGC 2857
60 ----- 60
QY 2858 TCACCTCTGGTAGCCCCGGGGGTCTCCAGGTTCAAATAGACTAGGACCTGTAGTCTG 2917
60 ----- 60
QY 2918 GGGTGATCTGGCTTGACAAGAGGCCCTGACCCCTCTCGAGTTGGCGCCGCTCG 2977
61 -----Leu-ArgA-gA-gPheG 66
QY 2978 GGGACGTGTTTCAGCTGCAGCTGGCTGGACCGCGGTGCTGCTCAATGGGCTGGCGG 3037
66 lyAspValPheSerLeuGlnLeuAlaTrpProValValLeuAenGlyLeuAlaA 86
3038 CGGTGGCGAGGCGATGTGTGACCCCGCGGAGGACACGCGCCGACCGCCCTCGGCCCA 3097
86 laValArgGluAlaLeuValThrHisGlyGluAspThrAlaAspArgProValProI 106
3098 TCTACCACTCTCGGCTTTCGGCGCGTTCCTCAAGGCAAGCGCGGTGGGGGACAGAGA 3157
106 leThrGlnIleuGlyPheGlyProArgSer-Gln----- 117
3158 CCGCGTTTCCGTGGGGCCCCGGGTGGACAGTACCGTAGCCCAAGCAGCGCCGACAGGGCG 3217
117 ----- 117
```

QY 3218 TGGGCTCTGGAGTGAACAGAGATAAAGCCACGAGTGGGCTGAGGACAGTGGGCCA 3277
Db 117 ----- 117
QY 3278 GGAACACACCTGCACGGGGAGGTGAGTCTGTGGGCTGGAGGGGGGGCTACTGC 3337
Db 117 ----- 117
QY 3338 CCAGACCCGCCAGAAAGCCGGTGGCGAGGCTGATGCGTGAAGTGGCGGTGGCGGGAC 3397
Db 117 ----- 117
QY 3398 CGCGCTATGTCGGGGCTCAGTGTGGGGGACGGCGGGATCTTCCTTGAGTGAAG 3457
Db 117 ----- 117
QY 3458 GTGGTCAGGGTGGCAGAGACGAGGTGGGGCCAAACCCGCCAGGAGGGGAGCAATG 3517
Db 117 ----- 117
QY 3518 TGGGTGAGCAAGAGTGGGCCCTGTGCCAGTGAACCGGGCTAGGGACTGCGGGAGACC 3577
Db 117 ----- 117
QY 3578 TTGTGGAGCCAGGGTTGGAGTGGGTGGCGAGGGTGGGGCCAGGGCTTCATGGCAAC 3637
Db 117 ----- 117
QY 3638 GCCCAGTGTCCGTCGCCGCCACGGGGTATCTGTCGCGTATGGCCCGCGTGGCGC 3697
Db 118 -----GlyValPheLeuAlaArgTyrGlyProAlaTrpArg 129
QY 3698 GAGCAGAGCGCTTCTCCGTGTCCACTTGGCCAACTTGGCCCTGGGCAAGAGTCGCTG 3757
Db 130 GluGlnArgPheSerValSerThrLeuArgAsnLeuGlyLeuGlyLysSerLeu 149
QY 3758 GAGCAGTGGGTACCGAGAGCCCGCTGCTTGTGGCTTCGCCACCAAGCCGGTG 3817
Db 150 GluGlnTrpValThrGluAlaAlaCysLeuCysAlaAlaPheAlaAsn----- 166
QY 3818 GGTGATGGCAGAGGGCACAAAGCGGAACTGGGAAGCGGGGACGAGAGGCAACC 3877
Db 166 ----- 166
QY 3878 CTTACCGCATCTCCCAACCCCGAGAGCGCCCTTTCGCCCAACGSCCTCTTGACAA 3937
Db 167 -----His-Ser-----GlyArgProPheArgProAsnGlyLeuLeuAspIy 180
QY 3938 AGCCGTGAGCAACGTATCGCTCCCTCACCTGCGGGCGCGCTTCGAGTAGCAGACCC 3997
Db 180 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgPheGlyTyrAspAspPr 200
QY 3998 TCGCTTCTCAGGCTGTGGACCTAGCTCAGGAGGACTGAAGAGGAGTGGGGCTTCT 4057
Db 200 ArgPheLeuArgLeuLeuAspLeuAlaGlnGlyLeuLysGluLysGlyPheLe 220
QY 4058 GCGGAGGTGCGGACGAGACCGAGGAGTCTCTGCGAGGCGGAGCTCTCGAGAGTGCC 4117
Db 220 uArgGlu----- 222
QY 4118 GGGGCTGGACTGGGGCTCCGAAGGGCAGGATTCGATAGATGGGTTTGGGNAAGACAT 4177
Db 222 ----- 222
QY 4178 TCCAGGAGACCCACTGTGAAGAGGCGCTGGAGGAGGGGACATCTCAGACATGGTCG 4237
Db 222 ----- 222
QY 4238 TGGGAGAGGTGTGCCCGGTACGGGGGACACGAGAGAGGCCAAGGACTCTGTACCCCGT 4297
Db 222 ----- 222

QY 4298 CCAGTTGGAGATTTCGATTTTAGTTTCTCTCTGGGCAAGGAGAGAGGGGTGAGGGCTG 4357
Db 222 ----- 222
QY 4358 GCACTTGGGAGGACTTGGTGAAGTCAAGTCAAGTCAAGGAGGAGGAGGAGGAGGAGG 4417
Db 222 ----- 222
QY 4418 GGAGATGGCTGGGCGCTGAGACTTGTCCAGGTGAACGAGAGACAGAGGAGGATGAGAC 4477
Db 222 ----- 222
QY 4478 CCCGTTCTGTCTGTGTAGGTGTAATGCTGTCCCGTCTCTCTGACATCCAGCGCT 4537
Db 223 -----ValLeuAsnAlaValProValLeuLeuHisIleProAlaLe 236
QY 4538 GGCTGGCAAGTCTCAGCTTCCAAAGGCTTCTGACCCAGCTGGATGAGTGCCTAAC 4597
Db 236 uAlaGlyLysValLeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuTh 256
QY 4598 TGACACAGGATGACCTGGGACCCAGCCAGCCAGCCAGACCTGACTGAGGCTTCCT 4657
Db 256 rGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLe 276
QY 4658 GGCAAGAAAGAGAGGTGAGAGTGGCTGCCACGCTGGGGGCAAGGTGGTGGTTGAA 4717
Db 276 uAlaGluMetGluLys----- 281
QY 4718 CGTCCAGGAGAAATGAGGGAGGCTGGGCAAAAGTTGGACCAGTGCATCACCAGCGCA 4777
Db 281 ----- 281
QY 4778 GCCGCATCTGGGCTGACAGGTGCAAGATTGGAGTCAATTTGGGGGCTACCCGTTCTATC 4837
Db 281 ----- 281
QY 4838 CCCTGAGTATCTCTCGGCCCTGCTCAGGCCAAGGAGCCCTCAGAGACAGTTCATGA 4897
Db 282 -----AlaLysGlyAsnProGluSerPheAsnAs 292
QY 4898 TGAGAACCTGGCATAGTGGGTAACTTCTTCTTCCGGGATGTGACCACTCGAC 4957
Db 292 pGluAsnLeuArgIleValValAlaAspLeuPheSerAlaGlyMetValThrThrSerTh 312
QY 4958 CACGCTGCCCTGGGGCTCTCTGTCATGATCTTACACTGATGTGACGCTGAGCCAG 5017
Db 312 rThrLeuAlaTrpGlyLeuLeuLeuMetIleLeuHisProAspValGln----- 328
QY 5018 CTGGGGCCCAAGGAGGAGTGGAGGAGGAGTACAGCTGGGGGCGCCCTGGGCTTAGC 5077
Db 328 ----- 328
QY 5078 TGGGACACCCGGGGCTTCAGCACAGGCGTGGCCAGGCTCTGTAAAGCTTAACCTTCCTCC 5137
Db 328 ----- 328
QY 5138 AACACAGAGAGAGAGTGTCCCTGGGTGTGACCCATTTGGGGAGCCATGTCTGT 5197
Db 328 ----- 328
QY 5198 CCAGTCCGTGTCCAAACAGGAGATCGACGATAGGCGAGGTGGCGGACAGAGATG 5257
Db 329 -Arg--ArgValGlnGlnGluIleAspAspValIleGlyGlnValAlaArgProGluMet 347
QY 5258 GGTGACAGGCTCACATGCTCCCTACACCACTCCCGTGAATTCAGAGGTGCAGCGCTTTGG 5317
Db 348 GlyAspGlnAlaHisMetProTyrThrThrAlaValIleHisGluValGlnArgPheGly 367
QY 5318 GACATCATCCCTGAGTGTGACCATATGATATCCCGTGTGATCCGATGAGTACAGGCTTC 5377
Db 368 AspIleValProLeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPhe 387
QY 5378 CGCATCCCTAAGGTAGGCTCGCGCCCTCTCTCACCCGAGCTCAGCACGACCTGGTGA 5437

```
Db 388 ArgileProLys----- 391
QY 5438 TAGCCCGCAGTGGCTACTGCTCCAGGTGGGCCACTCTAGGAACCTGGCCACTAGTCTCT 5497
Db 391 ----- 391
QY 5498 CAATGCCACCACACTGACTGTCCCACTTGGGTGGGGGTCCAGAGATATAGGCAGGGCTG 5557
Db 391 ----- 391
QY 5558 GCCTGTCCATCCAGAGCCCGCTCTAGTGGGGAGACAAACAGGACCTCCAGAAATGTTG 5617
Db 391 ----- 391
QY 5618 GAGGACCCAGCGCTGCAGGAGAGGGGCGAGTGTGGGTGCTCTGAGAGGTGTGACTGC 5677
Db 391 ----- 391
QY 5678 GCCCTGTGTGGGTCCGAGAGGGTACTCTGGAGCTTCTCGGGCGCAGGACTAGTTGACA 5737
Db 391 ----- 391
QY 5738 GAGTCCAGCTGTGTGCCAGCAGTGTGTCTCCCGTGTGTGGTGGCAGGGTCCGAG 5797
Db 391 ----- 391
QY 5798 CATCTTAGAGTCCAGTCCCACTCTCACCCCTGCATCTCTCGCCAGGGAACGACACTCAT 5857
Db 392 ----- 396
QY 5858 CACCAACCTGTCTCATCGTGTCTGAAGATGAGGCGCTCTGGGAGAGCCCTTCCGTTTCCA 5917
Db 396 eThraenLeuSerSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheH 416
QY 5918 CCCCAGAACCTTCTCTGGATGCCAGGGCCACTTTGTGAAGCCGAGGCTTCTCTGCTTTT 5977
Db 416 sProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProh 436
QY 5978 CTCAGCAGGTGCTGTGGGGAGCCCGCTCCCTGTCTCCCTTCTCGTGGAGTCTTGCAGGG 6037
Db 436 e--Ser----- 437
QY 6038 TATCACCCAGGAGCCAGGCTCACTGACGCCCTCCCTCCACAGCGCGCTGCATGC 6097
Db 438 ----- 443
QY 6098 CTGGGGAGCCCTGGCCCGATGAGAGCTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTT 6157
Db 444 LeuGlyGluProLeuAlaArgMetGluLeuPhePheThrSerLeuLeuGlnHis 463
QY 6158 TTCAGTCTCTCGTGGCCCGCAGACAGCCCGCCGAGCCACTCTCGTGTCTGCTTCTTCT 6217
Db 464 PheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyValPheAlaPhe 483
QY 6218 CTGGTACCCCTTCCCTTACGAGCTTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 6259
Db 484 LeuValSerProSerProTyrGluLeuCysAlaValProArg 497
```

RESULT 13

ADB25833
ID ADB25833 standard; protein; 497 AA.

AC ADB25833;

XX 20-NOV-2003 (first entry)

XX Human CYP2D6-related protein #3.

XX human; mutant CYP2D6 gene; drug analysis; drug testing.

XX OS Homo sapiens.

XX

```
PN WO2003050282-A1.
XX 19-JUN-2003.
XX 05-DEC-2002; 2002WO-JP012748.
XX 06-DEC-2001; 2001JP-00372548.
XX (TSUR ) TSUMURA & CO.
XX Taniyama M, Ogawa K, Tsuchiya N, Hibino T;
XX WPI; 2003-505401/47.
XX N-PSDB; ADB25778.
XX Genetic polymorphisms of CYP2D6 gene in human population for analysis of
XX drug effect on individual patients and testing of new drugs.
XX Claim 8; Page 46-50; 75pp; Japanese.
XX The invention comprises mutant forms of the human CYP2D6 gene, containing
XX one or more of the following mutations G125A, C1858T, T2874C and C2875T.
XX The mutant human CYP2D6 genes of the invention are useful for analyzing
XX the effect of drugs on individual patients and testing of new drugs. The
XX present amino acid sequence represents a human protein of the invention.
XX
SQ Sequence 497 AA;
Alignment Scores:
Pred. No.: 1.99e-106 Length: 497
Score: 1798.00 Matches: 465
Percent Similarity: 34.14% Conservative: 13
Best Local Similarity: 33.21% Mismatches: 19
Query Match: 9.60% Indels: 903
DB: Gaps: 9
US-09-820-788A-3 (1-10278) x ADB25833 (1-497)
QY 2078 ATGGGGCTAGAGACACTGTGCTGCCCTGACATAGTAGTGGCCATCTTCTCTCTCTCTG 2137
Db 1_MetGlyLeuGluAlaLeuValProLeuAlaValLeuAlaValLeuAlaValLeuLeuVal 20
QY 2138 GACCTGATGCACCGGCACCAACGCTGGGTGCACGCTACCGCTACCGCTCCCTGCGACTG 2197
Db 21_AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrProProGlyProLeuProLeu 40
QY 2198 CCGGGCTGGGCAACCTTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 2257
Db 41_ProGlyLeuGlyAsn-LeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspG 60
QY 2258 GGTGAGGGAGGAGGTCTCTGGAGGGCGGAGAGGTCTCTGAGGATGCCCCACCAGCAA 2317
Db 60 n----- 60
QY 2318 CATGGTGTGGGTTAAACACAGCTGGATCAGAAGCCAGGCTGAGAGGGGAAGCAGG 2377
Db 60 ----- 60
QY 2378 TTTGGGGAGCGTCTCTGGGGAAGGACATTTATACATGGCATGAAGACTGGATTTTCCA 2437
Db 60 ----- 60
QY 2438 AGGCCAAGGAAGTAGGCAAGGCGCTGGAGGTGGAGCTGGAGTGGCGATGCGCATCG 2497
Db 60 ----- 60
QY 2498 AAGCCATTGGGCAACATATGTTATGAGTACAAAGTCCCTTCTGCTGACACAGGAAGA 2557
Db 60 ----- 60
QY 2558 AAGCCTTGGGAATGGAAGATGAGTTAGTCTGAGTGGCGTGTAAATACGAAATCGAGG 2617
Db 60 ----- 60
```

QY 2618 ATGAAGGGGTGACGTGACCCGGTTCAAACTTTTGCACTGTGGGTCTCTCGGCGCTCACT 2677
Db 60 ----- 60
QY 2678 GCTACCGGCATGGACCATCATCTCGGAATGGATGCTAACTGGGGCCTCTCGGCAATTT 2737
Db 60 ----- 60
QY 2738 TGGTACTCTTGCAGGTCATACCTGGGTGACGCATCCAAACTGAGTTCCTCCATCACAG 2797
Db 60 ----- 60
QY 2798 AAGGTGTGACCCCGCCCTGCCCCACGATCAGGAGGTGGTCTCTCTCTTCCACCTGC 2857
Db 60 ----- 60
QY 2858 TCACTCTGTAGCCCCGGGGTCTGTCAAAGTTTCAATAGGACTAGGACCTGTAGTCTG 2917
Db 60 ----- 60
QY 2918 GGGTATCTGTGCTTGACAAAGGCCCTGACCCCTCTCTGCACTGGTGGCGCGCTTCG 2977
Db 61 ----- -Leu-ArgArgArgPheG 66
QY 2978 GGGACGTGTTGAGCTGAGCTGGCTGAGCGCGGTGCTGCTCAATGGGCTGGCGG 3037
Db 66 IyAspValPheSerLeuGlnLeuAlaTrpProValValLeuAsnGlyLeuAlaA 86
QY 3038 CCGTCGGGAGCGATGTGACCCCGCGGAGGACACGCGCGCTCGCTCGGCCCA 3097
Db 86 laValArgGluAlaLeuValThrHisGlyGluAspThrAlaAspArgProValProI 106
QY 3098 TCTACAGGTCTGGGCTTGGGCGCGCTTCCAAAGGCAAGCGCGGTGGGGGACAGAGA 3157
Db 106 leThrGlnIleLeuGlyPheGlyProArgSer-Gln- 117
QY 3158 CCGCGTTTCCTGGGCGCGGTGGGACAGTACCGCTAGCCCAAGCAGCGCGGAGGCG 3217
Db 117 ----- 117
QY 3218 TGGGTCCTGGACGTGAACACAGATATAAGGCCAGCGAGTGGGCTGAGGACAGTGGGCCA 3277
Db 117 ----- 117
QY 3278 GGAACACCTGCACGGGGAGGTGCGAGTCTGTGGGTGGAGGGGGGGGGTACTTGC 3337
Db 117 ----- 117
QY 3338 CCAGACCGCCAGAACCCGGTGGCGAGGCTGATCGTGAAGTGGCGGTGGCGGGAC 3397
Db 117 ----- 117
QY 3398 CGCGCTATGCTCGGGGCTCAGTGTGGCGGACGGGGGATCTTCTTGAGTGGAAAG 3457
Db 117 ----- 117
QY 3458 GTGGTCAGGGTGGGACAGACAGAGTGGGGCCAAACCCCGCCAGGCGGGGAGCAATG 3517
Db 117 ----- 117
QY 3518 TGGGTGACAAAGATGGGCCCTGTGCCAGCTGACCGGGCTAGGACTGGCGGAGACC 3577
Db 117 ----- 117
QY 3578 TTGTGGAGCGCAGGGTTGGAGTGGGTGGCGAGGGTGGGCCAAAGGCTTCATGGCAAC 3637
Db 117 ----- 117
QY 3638 GCCACGTGTCCGTCGCCCGCCCGAGGGTGATCTGTGCGGTATGGGCGCGCGTGGCGC 3697
Db 118 ----- -GlyValPheLeuAlaArgTyrGlyProAlaTrpArg 129

QY 3698 GAGCAGAGCGCTTCTCCGTGTCCACCTTGCACAACTTGGCCTCGGCAAGAAGTCGCTG 3757
Db 130 GluGlnArgArgPheSerValSerThrLeuArgAsnLeuGlyLeuLysSerLeu 149
QY 3758 GAGCAGTGGTGAACGAGAGGCGCTTGTGTCGCTTGTGCGCTTCCGACCAAGCCGCTG 3817
Db 150 GluGlnTrpValThrGluAlaAlaCysLeuCysAlaAlaPheAlaAsn- 166
QY 3818 GGTGATGGCAGAGGCGACAAAGCGGAACTGGGAAGCGGGGACGAGAGGCAACC 3877
Db 166 ----- 166
QY 3878 CTTTACCGCATCTCCCGACCCCGAGGAGCGCCCTTTCGCCCCCAACGCGCTCTTGGACAA 3937
Db 167 ----- -His-Ser- -GlyArgProPheArgProAsnGlyLeuLeuAspLy 180
QY 3938 AGCGGTGAGCAACGTGATCGCTTCCCTCACCTGGGGCGCGCTTTCGAGTACGAGACCC 3997
Db 180 sAlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyrAspAspPr 200
QY 3998 TCGCTTCTCAGGCTGTGGACCTAGCTCAGGAGGAGTGAAGGAGAGTCTGGCTTCT 4057
Db 200 oArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheLe 220
QY 4058 GCGCAGGTGCGGAGCGAGAGACCGAGAGTCTCTGCAGGCGGAGCTCTGAGAGGTGCC 4117
Db 220 uArgGlu- 222
QY 4118 GGGCTGAGCTGGGGCTCCGAGGGCAGGATTTGCATAGATGGTTTGGAAAGGACAT 4177
Db 222 ----- 222
QY 4178 TCCAGGACCCCACTGTAAAGGGCTTGAGGAGGGGAGCATCTCAGACATGGTTCG 4237
Db 222 ----- 222
QY 4238 TGGGAGAGTGTGCCCGGTGAGGGGCGACCCAGGAGAGGCCAAGGACTCTGTACCCCGT 4297
Db 222 ----- 222
QY 4298 CCAGTTGGAGATTTGATTTTAGTTTCTCTCTGGGCAAGGAGAGGGTGGAGGCTG 4357
Db 222 ----- 222
QY 4358 GCATTTGGGAGGACTTGTGTAGGTGAGTGTAAAGGACAGGAGGCGCTTGGTCTACCT 4417
Db 222 ----- 222
QY 4418 GGAGATGCTGGGCGCTGAGACTTGTCCAGGTGAACGACAGACAGGAGGGATTGAGAC 4477
Db 222 ----- 222
QY 4478 CCGTTCGTCTGTGTAGGTGCTGAATGTCTCCCGTCTCTCTGCAATCCCGAGCGCT 4537
Db 223 ----- -ValLeuAsnAlaValProValLeuLeuHisIleProAlaLe 236
QY 4538 GGCTGGCAGGCTCTACCTTCCAAAGGCTTCTTGACCCAGCTGGTGGATGCTCTAAC 4597
Db 236 uAlaGlyLysValLeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuTh 256
QY 4598 TGAGCAGAGGATGACTGGGACCCAGCCAGCCAGACCTGACTGAGGCGCTTCT 4657
Db 256 rGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLe 276
QY 4658 GGCAAAGAGAGAGGTGAGAGTGGTGCACCGTGGGGGGGCAAGGGTGGGTGAA 4717
Db 276 uAlaGluMetGluLys- 281
QY 4718 CGTCCAGAGGAATGAGGGAGGCTGGGCAAAAGTTTGGACCAGTGCATCACCAGCGCA 4777
Db 281 ----- 281
QY 4778 GCCGCATCTGGGCTGACAGGTGCAGATTGAGGTCATTGGGGGCTACCTCCCGTTCATC 4837

Db 281 ----- 281
QY 4838 CCCTGAGTATCTCTCGGCCCTGCTCAGGCCAAGGGAGCCCTGAGAGCAGCTTCAATGA 4897
Db 282 -----AlaLysGlyAsnProGluSerSerPheAsnAs 292
QY 4898 TGAAGACCTGCGCATAGTGGTAACTGTTCTTTCGGGATGGTGAACCACTTCGAC 4957
Db 292 pGluAsnLeuArgIleValValAlaAlaAspLeuPheSerAlaGlyMetValThrSerTh 312
QY 4958 CAGCTGGCTGGGGCTCTGCTCATGATCTTACACCTGGATGTCAGCGTGAGCCAG 5017
Db 312 rThrLeuAlaIleValValAlaAlaAspLeuMetIleLeuHisProAspValGln 328
QY 5018 CTGGGGCCCAAGCAGGAGCTGAGGAGGAAGGGTACAGCTGGGGGCCCTGGGCTTAGC 5077
Db 328 ----- 328
QY 5078 TGGGACACCCGGGGCTTTCAGACACAGCGGTGGCCAGGCTCTGTAAAGCCTAACTTCCTCC 5137
Db 328 ----- 328
QY 5138 AACACAGGAGGAGAGAGTGTCCCTCGGTGCTGACCCATGTTGGGGAGCGATGCTGT 5197
Db 328 ----- 328
QY 5198 CCAGTCCGTGTCCAACAGGAGATCGACGACGTGATAGGGCAGGTGGCGCACAGAGATG 5257
Db 329 -Arg-ArgValGlnGlnGluIleAspValIleGlyGlnValArgArgProGluMet 347
QY 5258 GTGTACAGGCTCACATGCCCTACACACTGCGGTGATTCACGAGGTGCGAGCTTTGGG 5317
Db 348 GlyAspGlnAlaHisMetProTyrThrThrAlaValIleHisGluValGlnArgPheGly 367
QY 5318 GACATCATCCCTGAGTGTGACCCATATGACATCCCGTGACATCGAAGTACAGGCTTC 5377
Db 368 AspIleValProLeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPhe 387
QY 5378 CGCATCCCTAAGGTAGGCTGGGGCCCTCTCACCCAGCTCAGCACACGACCTGGTGA 5437
Db 388 ArgIleProlys----- 391
QY 5438 TAGCCCCAGCATGGCTACTGCTCCAGTGGGGCCCACTTAGGAACCTTGGCCACTAGTCTCT 5497
Db 391 ----- 391
QY 5498 CAATGCCACCACTGACTGTCTCCCACTTGGTGGGGGGTCCAGAGTATAGCAGGGCTG 5557
Db 391 ----- 391
QY 5558 GCCTGTCCATCCAGAGCCCCGTCTAGTGGGGAGACAAACAGGACCTGCCAGATGTTG 5617
Db 391 ----- 391
QY 5618 GAGGACCCAGCGCTGCAGGAGAGGGGGCAGTGTGGTGCCTCTGAGAGGTGTGACTGC 5677
Db 391 ----- 391
QY 5678 GCCCTGCTGGGGTCGGAGAGGGTACTGTGAGCTTCTCGGGCGCAGGACTAGTTGACA 5737
Db 391 ----- 391
QY 5738 GAGTCCAGCTGTGTGCCAGGAGTGTGTCTCCCGTGTGTTTGGTGGCAGGGTCCAG 5797
Db 391 ----- 391
QY 5798 CATCTTAGATCCAGTCCCACTCTCACCGTGCATCTCTCTGCCAGGAACGACATCAT 5857
Db 392 -----Gly-ThrThrLeuIle 396
QY 5858 CACCAACCTGTATCCGGTGTGAAGGATGAGGCGGTCTGGGAGAACCCCTTCGGTTCCA 5917
|||||

Db 396 eThrAsnLeuSerSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHi 416
QY 5918 CCCCAGAACACTTCTCGATGTCGCCAGGGCCACTTTGTGAAGCCGGAGCCCTTCTCGCTTT 5977
Db 416 sProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPh 436
QY 5978 CTCAGAGGTGCTCTGGGGAGCCGGCTCCCTGTCTCCCTTCCGTGGAGTCTTTCAGGGG 6037
Db 436 e--Ser----- 437
QY 6038 TATCACCAGGAGCAGGCTCACTGACGCCCTCCCTCCACAGGCCCGCTGCATGC 6097
Db 438 -----AlaGlyArgArgAlaCys 443
QY 6098 CTCGGGAGCCCTCGCCCGCATGGAGCTTCTCTCTTCTTCCACCTCCCTGCTGCAGCAC 6157
Db 444 LeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeuLeuGlnHis 463
QY 6158 TTCAGCTTCTCGTGGCGCCGAGCAGCCCGCCAGCCACTCTCGTGTCTGCTGCTTTC 6217
Db 464 PheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyValPheAlaPhe 483
QY 6218 CTGTGTGACCCCATCCCTACGAGCTTGTGCTGTGCCCGC 6259
Db 484 LeuValSerProSerProTyrGluLeuCysAlaValProArg 497
RESULT 14
ABU09593
ID ABU09593 standard; protein; 497 AA.
XX AC ABU09593;
XX DT 16-JUL-2003 (first entry)
XX DE Human cytochrome p450 gene CYP2D6, wild-type protein.
XX KW Human; cytochrome P450; CYP2D6; chromosome 22; SNP; drug metabolism;
XX OS Homo sapiens.
XX PN EP1281755-A2.
XX PD 05-FEB-2003.
XX PF 16-JUL-2002; 2002EP-00254972.
XX PR 31-JUL-2001; 2001US-0309111P.
XX PA (PFIZ) PFIZER PROD INC.
XX PI Milos PM, Webb SM;
XX DR WPI; 2003-373769/36.
XX DR N-PSDB; ACA61303.
XX PT New cytochrome P450 2D6 gene variants and polypeptides, useful for
PT determining if a subject has or is at risk of developing a drug
PT sensitivity condition or disorder that is associated with an aberrant
PT CYP2D6 activity.
XX PS Claim 11; Fig 4; 88pp; English.
XX CC The invention relates to an isolated nucleic acid comprising a cytochrome
CC P450 2D6 gene variant, e.g. G5799C or C5916AT (referring to the genomic
CC sequence or the same variant nucleotide in the corresponding cDNA
CC sequences). Also included are probes, primers (allele specific
CC oligonucleotides) and arrays used to detect and/or amplify the CYP2D6
CC gene polymorphic regions, the variant polypeptides, antibodies which are
CC capable of distinguishing between the variant and wild-type polypeptides,
CC determining whether a subject has a genetic deficiency for metabolising a
CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6 and
CC determining whether an individual is susceptible to being a poor

CC metaboliser of drugs. The DNA probe is useful for hybridising to a
 CC variant form of the CYP2D6 gene. The primer is useful for amplifying the
 CC C5816TA allelic variant. The allele specific nucleotide is useful for the
 CC detection of the C5816TA allelic variant. The methods are useful for
 CC determining whether a subject has a genetic deficiency for metabolising a
 CC drug, evaluating therapy with a drug metabolised by P450 CYP2D6, and
 CC determining if an individual is susceptible to being a poor metaboliser
 CC of drugs. The nucleic acids are useful as probes or primers for
 CC determining whether a subject has a genetic deficiency for metabolising
 CC drugs that are substrates of P450 CYP2D6. The methods are useful for
 CC determining if a subject has or is at risk of developing a drug
 CC sensitivity condition or disorder that is associated with an aberrant
 CC CYP2D6 activity, e.g. an aberrant level of a CYP2D6 protein or an
 CC aberrant CYP2D6 bioactivity. The methods are also useful in selecting the
 CC appropriate drugs or determining the course of treatment to administer to
 CC a subject to treat cardiovascular or psychiatric disorders, or for
 CC treating a subject with a drug sensitivity or disorder associated with a
 CC specific allelic variant of a polymorphic region of the CYP2D6 gene. The
 CC antibodies are useful for monitoring CYP2D6 protein levels in an
 CC individual for determining whether a subject has a disease or conditions
 CC associated with an aberrant CYP2D6 protein level. The gene is located on
 CC human chromosome 22. The present sequence is the wild-type CYP2D6 protein
 XX
 SQ Sequence 497 AA;

Alignment Scores:
 Pred. No.: 3, 09e-106 Length: 497
 Score: 1795.00 Matches: 464
 Percent Similarity: 34.14% Conservative: 14
 Best Local Similarity: 33.14% Mismatches: 19
 Query Match: 9.58% Indels: 903
 DB: 6 Gaps: 9

US-09-820-788A-3 (1-10278) x ABU09593 (1-497)

QY 2078 ATGGGGCTAGAGCACTGGTGGCCCTGGCCATGATAGTGGCCATCTCTGCTCTCTGGTG 2137
 Db 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
 QY 2138 GACCTGATGACCGGCACCAAGCTGGGCTGGACGCTACCGCCAGGTCCCTGCGCACTG 2197
 Db 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrProProGlyProLeuLeu 40
 QY 2198 CCCGGCTGGGCAACTTGTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 2257
 Db 41 ProGlyLeuGlyAsn-LeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspG1 60
 QY 2258 GGTGAGGAGGAGGTCTCTGGAGGGCGGAGAGGTCTCTGAGGATGCCCCACCACGACAA 2317
 Db 60 n----- 60
 QY 2318 CATGGGTGGTGGTTAAACACAGAGCTGGATCAGAAAGCCAGGCTGAGAAAGGAGCAGG 2377
 Db 60----- 60
 QY 2378 TTGGGGGACGTTCTCTGGGAAGGACATTTATACATGCGATGAGACTGGATTTTCCAA 2437
 Db 60----- 60
 QY 2438 AGGCCAAGAAAGTAGGCAAGGGCTGGAGGTGGAGCTGGACTGGAGTGGGCGATGC 2497
 Db 60----- 60
 QY 2498 AAGCCATTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACACCAAGGA 2557
 Db 60----- 60
 QY 2558 AAGGCTTTGGGAATGGAAGATGAGTTAGTCTCTGAGTGGCGTTTAAATCAGGAATCGAGG 2617
 Db 60----- 60
 QY 2618 ATGAAGGGGGTGCAGTGAACCGGTTCAAACTTTTGCACTGTGGGTCTCTCGGGCTCACT 2677

Db 60----- 60
 QY 2678 GCTCACCGGATGACCAATCATCTGGGAATGGGATGCTAACTGGGGCCTCTCGGCAATTT 2737
 Db 60----- 60
 QY 2738 TGGTGACTCTTTCAAGGTCATACCTGGGTGACGCATCCAAAGTGAAGTTCTTCCATCAG 2797
 Db 60----- 60
 QY 2798 AAGGTGTGACCCCAACCCCTGCCCCACGATCAGGAGGTGGGTCTCTCTCTTCCACCTGC 2857
 Db 60----- 60
 QY 2858 TCACCTCTGGTAGCCCGGGGGTCTCAAGGTTCAAATAGACTAGGACCTGTAGTCTG 2917
 Db 60----- 60
 QY 2918 GGGTGATCTGCTTGACAAAGAGGCCCTGACCTCCCTCTGCAGTTGGCGCGCGCTTCG 2977
 Db 61----- 66
 QY 2978 GGGACGTGTTGAGCTGAGCTGGCTGGAGCCCGGTGGTGGTCTCAATGGCTGGCGG 3037
 Db 66 LyAspValPheSerLeuGlnLeuAlaTrpThrProValValLeuAsnGlyLeuAla 86
 QY 3038 CCGTGGCGGAGCGATGGTGAACCGCGCGGAGGACACGCGCCGACCGCCGCTGGCGCCA 3097
 Db 86 laValArgGluAlaLeuValThrHisGlyGluAspThrAlaAspArgProValProI 106
 QY 3098 TCTACAGGTCTCTGGGCTTGGCGCGCTTCCCAAGGCAAGCGCGGTGGGGGACAGAGA 3157
 Db 106 leThrGlnIleLeuGlyPheGlyProArgSer-Gln----- 117
 QY 3158 CCGGCTTTCTCGTGGGCGCCCGGTGGACAGTACCGTAGCCCAAGCAGCGCCGACAGGGCG 3217
 Db 117----- 117
 QY 3218 TGGGGTCTTGACGTGAAACAGAGATAAAGCCAGCGAGTGGGTGAGGACAGTGGGCCA 3277
 Db 117----- 117
 QY 3278 GGAACACACCTGCACGGGGAGGTGCGAGTCTGTGGGTGGGAGGGGGCGGCTACTGC 3337
 Db 117----- 117
 QY 3338 CCAGACCGCCAGAAAGCCCGGTGGCGGAGGCTGATGCTGCAAGTGGCGGTGGGGGAC 3397
 Db 117----- 117
 QY 3398 CGCGCTATGCTCGGGCTCAGTGTGGCGGGACGCGCGGGATCTTCTTGATGGAAAG 3457
 Db 117----- 117
 QY 3458 GTGCTCAGGTGGGCAGAGACAGGTGGGGCCAAACCCCGCCAGGCGAGGAGCAATG 3517
 Db 117----- 117
 QY 3518 TGGGTGAGCAAGAGTGGGGCCCTGTGCCAGCTGGAACGGGCTAGGAGCTCGGGGAGACC 3577
 Db 117----- 117
 QY 3578 TTGTGGAGCGCCAGGGTTGGAGTGGGTGGCGGGGTGGGGCCAAAGGCTTTCATGGCAAC 3637
 Db 117----- 117
 QY 3638 GCCCAGCTGTCCGTCGCCGCCAGGGGTGATCTGTGCGCTATGGSCCGCGCTGGCGC 3697
 Db 118----- 129
 QY 3698 GAGCAGAGGGCTCTTCTCGTGTCCACCTTGGCAACTTGGGCGCTGGGCAAGAGTCTGCTG 3757
 Db 130 GluGlnArgPheSerValSerThrLeuArgAsnLeuGlyLeuGlyLysSerLeu 149

Qy	3758	GAGCAGTCGGTGAACCGAGGAGCGCGCTGCTGCTTTGTGTCGCGTTCGCGCAACCAAGCCGGTG	3817
Db	150	GlulnTrpValThrGluAlaAlaCysLeuCysAlaAlaPheAlaAsn-----	166
Qy	3818	GGTGATGGCAGAGGGCACAAAGCGGGAACTGGGAAGCGGGGACGGAGAGGCAACC	3877
Db	166	-----	166
Qy	3878	CTTTACCGGCATCTCCCAACCCCGAGACGCCCTTTTCGCCCAACGGCCTCTTGACAA	3937
Db	167	-----His-Ser-----GlyArgProPheArgProAsnGlyLeuLeuAspLy	180
Qy	3938	AGCCGTGAGCAACGTGATCGCCTCCCTCACTGCGGGCGCGCTTCGAGTACACGACCC	3997
Db	180	sAlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTrpAspAspPr	200
Qy	3998	TCGCTTCTCTCAGGCTGCTGGACCTAGCTCAGGAGGGACTCAAGGAGGAGTCTCGCTTTCT	4057
Db	200	oArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuylsGluIuSerGlyPheLe	220
Qy	4058	GCAGGAGTCCGGACGAGACCGAGGAGTCTCTGCAGGGCGGAGCTCTCGAGAGGTGCC	4117
Db	220	uArgGlu-----	222
Qy	4118	GGGCTGGACTGGGGCTCCGAAGGGCAGGATTTGCATAGATGGTITGGAAAGGACAT	4177
Db	222	-----	222
Qy	4178	TCCAGGAGACCCCACTGTAAAGAGGGCTCGAGGAGGAGGGACATCTCAGACATGCTCG	4237
Db	222	-----	222
Qy	4238	TGGAGAGGTGTGCCCGGTGACGGGGCAACGAGGAGGCCAAAGCACTCTGTACCCCGT	4297
Db	222	-----	222
Qy	4298	CCAGTTGGAGATTTTCGATTTTAGTTTCTCTCTGGCAAGGAGAGAGGCTGGAGGCTG	4357
Db	222	-----	222
Qy	4358	GCCTTGGGGAGGACTTGTGTAGGTCAAGTAAAGCAGCAGGAGGCCCTGGGCTACCT	4417
Db	222	-----	222
Qy	4418	GGAGATGGCTGGGGCTGAGACTTGTCCAGGTGAACCGCAGAGCACAGAGGGATGAGAC	4477
Db	222	-----	222
Qy	4478	CCCGTTCTGTGTAGTGTAGTGTGATGTCCTCCCGTCTCTCGACATCCAGCGCT	4537
Db	223	-----ValLeuAsnAlaValProValLeuLeuHisIleProAlaLe	236
Qy	4538	GGCTGGCAAGTCTTACGCTTCCAAAAGGCTTCTCGACCCAGCTGGATGAGCTGTAAAC	4597
Db	236	uAlaGlyIysValLeuArgPheGlnIysAlaPheLeuThrGlnLeuAspGluLeuLeuTh	256
Qy	4598	TGACACAGGATGACTCTGGGACCCAGCCCAAGCCAGACTGACTGAGCGCTTCCT	4657
Db	256	rGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLe	276
Qy	4658	GGCAAGNAGGAGAAGGTGAGAGTGGCTGCCCGTGGGGGCNAGGGTGGTGGGTGA	4717
Db	276	uAlaGluMetGluIys-----	281
Qy	4718	CGTCCAGAGGAATGAGGGGAGGCTGGGCAAAAGGTTGGACCACTGCATCATCCCGCGCA	4777
Db	281	-----	281
Qy	4778	GCCGCATCTGGGCTGACAGGTGCAGATTTGGAGGTCAATTGGGGGCTACCCCGTTCTATC	4837
Db	281	-----	281

QY	4838	CCCTGAGTATCCTCTCGCGCCCTGCTCAGGCCAAGAGGGAGCCCTGAGAGCAGCTTCAATGA	4897
DB	282	-----AlaLysGlyAsnProGluSerPheAsnAs	292
QY	4898	TGAAACCTGCGCATAGTGGTGTAACCTGTTCTTTCGCCGGATGTGTACCACTCGAC	4957
DB	292	-----AlaLysGlyAsnProGluSerPheAsnAs	312
QY	4958	CACGCTGGCTTGGGGCTCTCTGCTCATGATCCTACACCTGGATGTGTGAGCGTGTGAGCCAG	5017
DB	312	rThrLeuAlaTrpGlyLeuLeuMetIleLeuHisProAspValGln	328
QY	5018	CTGGGGCCCAAGCAGGAGGACTGAGGAGGAAGGGTACAGCTGGGGGGCCCTGGGCTTAGC	5077
DB	328	-----	328
QY	5078	TGGGACACCCGGGGCTTCCAGCACAGCGGTGGCCAGGCTCCTGTGAAGCCTAACTTCTCTCC	5137
DB	328	-----	328
QY	5138	AACACAGGAGGAAGGAGTGTCCCTGGGTGCTGACCCATTGTGGGAGCATGTCTGT	5197
DB	328	-----	328
QY	5198	CCAGTCGTGTCCAAACAGGAGATCGACGACGTGATAGGGCAGGTGGCGCGACAGAGATG	5257
DB	329	Arg-ArgValGlnGlnGluIleAspAspValIleGlyGlnValArgArgProGluMet	347
QY	5258	GGTGACAGGACTCACATGCCCTACACACTGCCGTGATTCACAGGTGACAGCCTTTGGG	5317
DB	348	GlyAspGlnAlaHisMetProTyrThrAlaValIleHisGluValGlnArgPheGly	367
QY	5318	GACATCATCCCTGTAGTGTGACCCATATCACATATCCGTGACATCCGAAGTACAGGGCTTC	5377
DB	368	AspIleValProLeuGlyMetThrHisMetThrSerArgAspIleGluValGlnGlyPhe	387
QY	5378	CGCATCCTTAAGGTAGGCGCTGGCGCCCTCTCAACCCAGCTCAGCACCGACCTGTGTGA	5437
DB	388	ArgIleProLys-----	391
QY	5438	TAGCCCCAGCATGGCTACTGCCAGGTGGGCCCACTTAGGAACCTTGGCCACCTAGTCCT	5497
DB	391	-----	391
QY	5498	CAATGCCACCACACTGACTGTGCCCACTTGGGTGGGGGTCCAGAGTATAGGCGAGGCTG	5557
DB	391	-----	391
QY	5558	GCCTGTCCATCCAGAGCCCCCGTCTAGTGGGAGACAAACAGAGACCTGCCAGATGTTG	5617
DB	391	-----	391
QY	5618	GAGACCCAGGGCTGCAGGGAGGGGGGCGAGTGTGGGTGCCTCTGAGAGGTGTACTGC	5677
DB	391	-----	391
QY	5678	GCCCTGTGTGGGTGGAGAGGAGTACTGTGGAGCTTCTCGGCGCAGGAGTGTGAC	5737
DB	391	-----	391
QY	5738	GAGTCCAGCTGTGTGCCAGGACGTGTGTGTCCCGGTGTGTTTGGTGGCAGGGGTCCAG	5797
DB	391	-----	391
QY	5798	CATCCTAGATCCAGTCCCACTCTCACCTGTGATCTCTCTGCCAGGAAACGACACTCAT	5857
DB	392	-----Gly-ThrThrLeuIle	396
QY	5858	CACCAACCTGTCTCGGTGTCTGAAGGATGAGCGCTCTGGGAGAGCCCTTCGCTTCCA	5917
DB	396	eThrAsnLeuSerSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHi	416
QY	5918	CCCCGAAACCTTCTCTGGATGCCAGGCGCACTTTGTGAACCGGAGGCTTCTCTGCTTT	5977

|||||
416 sProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPh 436
5978 CTCACAGGTGCTGTGGGAGCCCGGCTCCCTGTCTCCCTCCGTGGAGTCTTGCAGGGG 6037
436 e--Ser----- 437
6038 TATACCCAGGAGCAGGCTCACTGACGCCCTCCCTCCACAGCGCGCGTGCATGC 6097
438 -----AlaGlyArgGalaCys 443
6098 CTCGGGAGCCCTGGCCGATGAGCTTCTCTCTTCCCTCTTCCCTCTGTCGAGCAC 6157
444 LeuGlyGluProLeuAlaArgMetGluLeuPhePheThrSerLeuLeuGlnHis 463
6158 TTCAGCTTCTCGTGGCGCGGAGCAGCCCGGCCAGCACTCTCGTGTCTGCTAGCTTT 6217
464 PheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyValPheAlaPhe 483
6218 CTGTGACCCATCCCTACGAGCTTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT 6259
484 LeuValSerProSerProTyrGluLeuCysAlaValProArg 497

RESULT 15

ABR82026

ID ABR82026 standard; protein; 497 AA.

XX ABR82026;

AC ABR82026;

XX ABR82026;

DT 22-SEP-2003 (first entry)

XX Human cytochrome P450 2D6 amino acid sequence.

XX Human; protein array; protein moiety; phenotype; drug discovery;

KW naturally occurring variant; pharmacogenomic; diagnostic;

KW parallel analysis; tumour suppressor; p53; cytochrome P450.

XX Homo sapiens.

XX WO2003048768-A2.

XX 12-JUN-2003.

XX 05-DEC-2002; 2002WO-GB005499.

XX 05-DEC-2001; 2001US-0335806P.

XX 16-SEP-2002; 2002US-0410815P.

XX (SENS-) SENSE PROTEOMIC LTD.

XX Boutell JM, Godber BLJ, Hart DJ, Blackburn JD;

XX WPI; 2003-569063/53.

XX N-PSDB; ACF06056.

XX New protein array, useful for determining the phenotype of a naturally

XX occurring variant of a DNA sequence of interest, comprises a surface upon

XX which at least two protein moieties are deposited.

XX Example 5; Fig 13B; 84pp; English.

XX The present invention describes a protein array comprising a surface upon

XX which at least two protein moieties are deposited at spatially defined

XX locations, where the protein moieties are naturally occurring variants of

XX a DNA sequence of interest. Also described: (1) making a protein array;

XX (2) screening a set of protein moieties for molecules that interact with

XX one or more proteins; and (3) simultaneously determining the relative

XX properties of members of a set of protein moieties. The protein array can

XX be used for determining the phenotype of a naturally occurring variant of

XX a DNA sequence of interest. The protein array is useful for drug

XX discovery, pharmacogenomics and diagnostics. The protein array allows the

XX parallel analysis of closely related proteins with a sensitivity that is

XX at least comparable to existing methods, if not better, with small

CC volumes of potentially expensive ligands, and in a quantitative,
CC comparative functional analysis manner not previously possible. ACF06000
CC to ACF06056 and ABR81975 to ABR82026 represent sequences used in the
CC exemplification of the present invention

XX Sequence 497 AA;

SQ

Alignment Scores:

Pred. No.: 3,09e-106 Length: 497

Score: 1795.00 Matches: 464

Percent Similarity: 34.14% Conservative: 14

Best Local Similarity: 33.14% Mismatches: 19

Query Match: 9.58% Indels: 903

DB: 6 Gaps: 9

US-09-820-788A-3 (1-10278) x ABR82026 (1-497)

QY 2078 ATGGGGCTAGAACACACTGGTCCCTGGCCATGATAGTGGCCATCTTCTCTCTCTGGTG 2137

DB 1 MetGlyLeuGluAlaLeuValProLeuAlaValleValAlaLallePheLeuLeuLeuVal 20

QY 2138 GACCTGATGCACCGCACCAACGGCTGGCTGCACGCTACCCGCCAGGTCCCTGCACTG 2197

DB 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrProGlyProLeuProLeu 40

QY 2198 CCGGGCTGGCAACCTTGTCTGCATGTGGACTTCCAGNACACACATCTCTTCGACCA 2257

DB 41 ProGlyLeuGlyAsn-LeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspG 60

QY 2258 GGTGAGGAGGAGGTCTTGGAGGGGGCAGAGGTCTTGAGGATGCCCCACCACGACAA 2317

DB 60 n----- 60

QY 2318 CATGGTGTGGTGTAAACCAACAGCGTGGATCAGAACCCAGGCTGAGAAAGGGAAGCAGG 2377

DB 60----- 60

QY 2378 TTTGGGGACGTTCTCTGGGGAAGGACATTTATACATGCGCATGAAGGACTGGATTTCCAA 2437

DB 60----- 60

QY 2438 AGGCCAAGAAAGAGTAGGGCAAGGGCTGGAGGTGGAGCTGGACTTGGCAGTGGGCATGC 2497

DB 60----- 60

QY 2498 AAGCCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACACCAAGGA 2557

DB 60----- 60

QY 2558 AAGSCCTTGGGAATGGAAAGATGAGTTAGTCTCTGAGTGGCGTTTAAATCAGAAATCGAGG 2617

DB 60----- 60

QY 2618 ATGAAGGGGGTGCAGTGCACCGGTTCAACCTTTTGCACTGTGGGTCTCTGGGCCTCACT 2677

DB 60----- 60

QY 2678 GCTCACCGGCATGGACCATCATCTGGGAATGGGATGCTAACTGGGGGGCTCTCGGCAATT 2737

DB 60----- 60

QY 2738 TGGTGACTCTTGAAGGTTCATACCTGGGTGAGGCATCCAAACTGAGTTCCTCCATCAGAG 2797

DB 60----- 60

QY 2798 AAGGTGTGACCCCAACCCCTGCCCCACGATCAGGAGGTGGGTCTCTCTCTTCCACCTGC 2857

DB 60----- 60

QY 2858 TCACTCTGTGTAGCCCGGGGGTGTCCAGGTTCAAATAGGACTAGGACCTGTAGTCTG 2917

DB 60----- 60

QY 2918 GGTGATCTGGCTTGACAGAGCCCTGACCTCCCTCTGCAAGTTGGCGCGCGCTTCG 2977
Db 61 -----:::|||||-----Leu-ArgArgPheG 66
QY 2978 GGCAGCGTTTCAGCTCAGCTGCGCTGACGCGGTGTCTCAATGGCTGCGCG 3037
Db 66 lyAspValPheSerLeuGlnLeuAlaTrpProValValLeuAsnGlyLeuAla 86
QY 3038 CCGTGGCGAGGCGATGGTACCGCGCGGAGGACACGCGCGCTGCGCGCA 3097
Db 86 laValArgGluAlaLeuValThrHisGlyGluAspThrAlaAspArgProProValProI 106
QY 3098 TCTACCAAGTCTCGGGCTTCGGCGCGGTTCCTCCCAAGCAAGCGCGGTGGGGACAGAGA 3157
Db 106 leThrGlnIleLeuGlyPheGlyProArgSer-Gln-----::: 117
QY 3158 CCGGTTTCGTGGCGCGCGGTGGACAGTGACGTGACCGTACGCCCAAGCAGCGCGACAGGGCG 3217
Db 117 ----- 117
QY 3218 TGGGGTCTTGGACGTGAACACAGAGATAAAGGCCAGCGAGTGGCTGAGGACAGTGGGCCA 3277
Db 117 ----- 117
QY 3278 GGAACCACTGACGGGGAGGTGCGAGTCTGTGGGCTGGAGAGGGCGGCGCTACTGC 3337
Db 117 ----- 117
QY 3338 CCAGACCGCCAGAACGCCGTGGCGAGGCTGATGGTGAAGTGGCGGTGGCGGGAC 3397
Db 117 ----- 117
QY 3398 CGCGCTATGCTGGGCTCAGTGTGGCGGGACGCGCGGATCTTCTTGAAGTGAAG 3457
Db 117 ----- 117
QY 3458 GTGGTCAGGTGGGCAGACAGAGTGGGGCCAAACCCCGCCAGGAGGGAGCAATG 3517
Db 117 ----- 117
QY 3518 TGGGTGAGCAAGAGTGGGCCCTGTGCCAGCTGGACCGGCTAGGACTGCGGGAGACC 3577
Db 117 ----- 117
QY 3578 TTGTGAGCGCCAGGGTTGAGTGGGTGGCGAGGGTGGGGCCCAAGCGCTTCATGGCAAC 3637
Db 117 ----- 117
QY 3638 GCCACGTGTCTCGCGCCCGCCAGGGGTGATCTGTGCGCTATGGCCCGCGTGGCGC 3697
Db 118 -----GlyValPheLeuAlaArgTyrglyProAlaTrpArg 129
QY 3698 GACACAGGGCTTCTCCGTGTCCACTTGGCGCACTTGGGCTGGCGAAGAGTGGCTG 3757
Db 130 GluGlnArgArgPheSerValSerThrLeuArgAsnLeuGlyLeuGlyLysLysSerLeu 149
QY 3758 GAGCAGTGGGTGACGAGAGCGCGCTGCTTGTGCGCTTCGCGCAAGCGCGTG 3817
Db 150 GluGlnTrpValThrGluGluAlaIaCysLeuCyAlaAlaPheAlaAsn----- 166
QY 3818 GGTGATGGGCAGAGGGCCAAAGCGGAACTGGGAAGGGGGGAGCGGAGAGGCAACC 3877
Db 166 ----- 166
QY 3878 CTTTACCGGATCTCCCAACCCCAAGAGCGCCCTTTGCGCCCAAGCGGCTCTTGACAA 3937
Db 167 -----His-Ser-----GlyArgProPheArgProAsnGlyLeuLeuAspI 180
QY 3938 AGCGGTGAGCAAGTGTATCGCTCCCTCAGCTCGGGCGCGCTTCAGTACGACGCC 3997
Db 180 saIaValSerAsnValIleAlaSerLeuThrCysGlyArgPheGluTyAspAspPr 200
QY 3998 TCGCTTCTCAGGCTGTGACCTAGCTCAGGAGGAGTGAAGAGGAGTTCGGCTTCT 4057

Db 200 oArgPheLeuArgLeuLeuAspLeuAlaGlnGlyLeuLysGluSerGlyPheLe 220
QY 4058 GCGCGAGGTGCGGAGCGAGACCGAGGAGTCTCTCAGGGCGAGCTCCTGAGAGGTGCC 4117
Db 220 uArgGlu----- 222
QY 4118 GGGGCTGGACTGGGCGCTCCGAAGGCGAGGATTTGCATAGATGGGTTTGGGAAAGGACAT 4177
Db 222 ----- 222
QY 4178 TCCAGGAGACCCCACTGTGAAGAGGCGCTGGAGAGGAGGAGACATCTCAGACATGGTCG 4237
Db 222 ----- 222
QY 4238 TGGGAGAGGTGTGCCCGGTGAGGGGCGACAGGAGAGGCCAAGGACTCTGTACCCCGT 4297
Db 222 ----- 222
QY 4298 CCACGTTGAGATTTTCGATTTTTCCTCTGGGCAAGGAGAGAGGCTGGAGGCTG 4357
Db 222 ----- 222
QY 4358 GCACTTGGGAGGAGACTTGGTGAGGTCACTGGTAAAGACAGGAGGCCCTGGGTCTACCT 4417
Db 222 ----- 222
QY 4418 GGAGATGGCTGGGCGCTGAGACTTGTCCAGGTGAACGCGAGACAGAGGGGATTGAGAC 4477
Db 222 ----- 222
QY 4478 CCCGTTCTGTCTGTGTAGTGTGAATGCTGTCCCGCTCTCTCCACATCCACGCGCT 4537
Db 223 -----ValLeuAsnAlaValProValLeuLeuHisIleProAlaLe 236
QY 4538 GGTGGCAAGTCTTACGCTTCCAAAGGCTTTCCTGACCCAGCTGGATGAGCTGTAAC 4597
Db 236 uAlaGlyLysValLeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuTh 256
QY 4598 TCAGCACAGGATGACTGGGACCCAGCCAGCCAGCCAGCCAGCTGACTGAGGCGCTTCT 4657
Db 256 rGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLe 276
QY 4658 GCGAAGAGAGAGAGGTGAGAGTGGCTGCCACGCTGGGGGCGCAAGGGTGGTGGTTGAA 4717
Db 276 uAlaGluMetGluLys----- 281
QY 4718 CGTCCGAGAGGAATGAGGGGAGGTGGGCAAAAGTTGGACCAAGTGCATCACCCGCGCA 4777
Db 281 ----- 281
QY 4778 GCGCATCTGGGCTGACAGGTGCAGATTTGGAGGTCAATTTGGGGGTACCCCGTTCTATC 4837
Db 281 ----- 281
QY 4838 CCTCGATATCTCTCGGCGCTGCTCAGGCCAAGGGAGCCCTGAGAGCAGCTTCAATGA 4897
Db 282 -----AlaLysGlyAsnProGluSerSerPheAsnAs 292
QY 4898 TGAGAACCTGCGCATAGTGGGTAACTGTTCCTTTCGCGGATGGTGACCACTCGAC 4957
Db 292 pGluAsnLeuArgIleValIaAlaAspLeuPheSerAlaGlyMetValThrThrSerTh 312
QY 4958 CACGCTGGCTGGGCGCTCTCTCATGATCTCATACCTGGATGTGCAGCGTGAGCCCCAG 5017
Db 312 rThrLeuAlaTrpGlyLeuLeuLeuMetIleLeuHisProAspValGln----- 328
QY 5018 CTGGGGCCCAAGCGAGGACTGAGGGAGGAGGTACAGCTGGGGGCGCCCTGGGCTTAGC 5077
Db 328 ----- 328
QY 5078 TGGGACACCCCGGGGCTTCCAGCACAGGGGTGGCCAGGCTCTGTAAAGCCTAACTTCTCCTC 5137

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM nucleic - protein search, using frame_plus_n2p model

Run on: February 25, 2004, 02:15:53 ; Search time 474.102 Seconds
(without alignments)
13680.175 Million cell updates/sec

Title: US-09-820-788A-3

Perfect score: 18731

Sequence: 1 agccttacaagtctgga.....ccagggtcagtcggcaggt 10278

Scoring table: BLOSUM62

Xgapop 10.0 , Xgapext 0.5
Ygapop 10.0 , Ygapext 0.5
Fgapop 6.0 , Fgapext 7.0
Delop 6.0 , Delext 7.0

Searched: 1017041 seqs, 315518202 residues

Total number of hits satisfying chosen parameters: 2034082

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Command line parameters:

-MODEL=frame+ n2p.model -DRV=xlp
-Q=/cgn2.1/USPTO.spool.p/US09820788/runat.24022004.141426.20037/app.query.fasta_1.12174
-DB=SPREMBL_25 -QFMT=fastan -SUFFIX=rpt -MINMATCH=0.1 -LOOPCL=0 -LOPEXT=0
-UNITS=bits -START=1 -END=1 -MATRIX=blom62 -TRANS=human40.cdi -LIST=45
-DOALIGN=200 -THR_SCORE=pct -THR_MAX=100 -THR_MIN=0 -ALIGN=15 -MODE=LOCAL
-OUTFMT=ptc -NORM=ext -HEAPSIZ=500 -MINLEN=0 -MAXLEN=200000000
-USER=US09820788 @CGN 1.1 785 @runat.24022004.141426.20037 -NCPU=6 -ICPU=3
-NO MMAP -LARGEQUERY -NEG_SCORES=0 -WAIT -DSPELOCK=100 -LONGLOG
-DEV_TIMEOUT=120 -WARN_TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6
-FGAPEXT=7 -YGAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

Database :

1: sp_archaea.*
2: sp_bacteria.*
3: sp_fungi.*
4: sp_human.*
5: sp_invertebrate.*
6: sp_mammal.*
7: sp_mhc.*
8: sp_organelle.*
9: sp_phase.*
10: sp_plant.*
11: sp_rodent.*
12: sp_virus.*
13: sp Vertebrate.*
14: sp_unclassified.*
15: sp_rvirus.*
16: sp_bacteriap.*
17: sp_archaeap.*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	1818	9.7	500	4 Q16753	Q16753 homo sapien

2	1678	9.0	497	6	Q8WNR5
3	1655	8.8	497	6	Q865W1
4	1461	7.8	373	4	Q16804
5	1318.5	7.0	500	6	Q29454
6	1311.5	7.0	500	6	Q9TUJ4
7	1252.5	6.7	500	6	Q9TUJ5
8	1240.5	6.6	500	11	Q9UKY7
9	1234.5	6.6	500	11	Q9LW87
10	1172	6.3	500	11	Q8VCX0
11	1165.5	6.2	500	11	Q8CIM7
12	1162.5	6.2	500	11	Q9DBJ5
13	1137	6.1	504	11	Q921V1
14	1131	6.0	504	11	Q84530
15	1122	6.0	504	11	Q64529
16	1101	5.9	504	11	Q8BVD2
17	751.5	4.0	505	13	Q7SYW2
18	629	3.4	5146	6	Q8SPM4
19	577.5	3.1	4123	4	Q75851
20	532.5	2.8	1953	5	Q9BIT7
21	521	2.8	4998	11	Q8CG65
22	519	2.8	5146	6	Q8SPM4
23	513.5	2.8	1682	11	Q9QZR9
24	509.5	2.7	1953	5	Q9BIT7
25	507.5	2.7	496	13	Q803J0
26	505	2.7	497	13	Q7ZU60
27	495	2.6	1682	11	Q9QZR9
28	494	2.6	498	13	Q9IAX8
29	492.5	2.6	498	13	Q9PTR2
30	491	2.6	501	11	Q9QXF7
31	490	2.6	676	6	Q95JC9
32	487.5	2.6	498	13	Q9PTR1
33	484.5	2.6	13288	6	Q18758
34	483	2.6	2284	5	Q9VPG1
35	482.5	2.6	1691	11	Q9ESQ2
36	479.5	2.6	1802	5	Q17163
37	476.5	2.6	1869	11	Q9QZS0
38	473	2.5	501	11	Q9BR78
39	471.5	2.5	505	13	Q9IAT1
40	470.5	2.5	502	11	Q924D1
41	470.5	2.5	529	11	Q9CRO9
42	469	2.5	2157	11	Q9Z1R1
43	468.5	2.5	2158	11	Q7TSC1
44	467.5	2.5	213	4	Q9NSM1
45	467.5	2.5	1449	13	Q802B5

ALIGNMENTS

RESULT 1

Q16753 PRELIMINARY; PRT; 500 AA.
ID Q16753
AC Q16753;
DT 01-NOV-1996 (TRENBLrel. 01, Created)
DT 01-NOV-1996 (TRENBLrel. 01, Last sequence update)
DT 01-JUN-2003 (TRENBLrel. 24, Last annotation update)
DE Debrisoquine 4-hydroxylase mutant allele (CYP2D6-M1).
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_Taxid=9606;
RN [1]
RP SEQUENCE FROM N.A.
RA Gonzalez F.J.;
RL Submitted (JUL-1990) to the EMBL/GenBank/DBJ databases.
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; M33189; AAA35737.1; -.
DR HSSP; P00179; 1DT6.
DR GO; GO:0004497; F:monooxygenase activity; IEA.
DR GO; GO:0016712; F:oxidoreductase activity, acting on paired d. . . ; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; p450; 1.

DR PRINTS; PRO1686; EP450ICVP2D.
DR PRINTS; PRO0385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 500 AA; 55889 MW; D5293B9BF74692C8 CRC64;

Alignment Scores:

Pred. No.: 1-55e-103 Length: 500
Score: 1818.00 Matches: 469
Percent Similarity: 34.38% Conservative: 12
Best Local Similarity: 33.52% Mismatches: 19
Query Match: 9.71% Indels: 900
DB: 4 Gaps: 8

US-09-820-788A-3 (1-10278) x Q16753 (1-500)

```
QY 2078 ATGGGGCTAGAGCACTGGTGGCCCTGGCCATGATAGTGGCCATCTTCTGCTCTCTGGTG 2137
Db |||||
QY 2138 GACCTGATGCACGGCACCAGCTGGGGCTGGACCTACCGCCAGGTCCTCGCCACTG 2197
Db |||||
QY 2198 CCGGGCTGGGCAACTTCTGCTCATGTGGACTTCCAGAACACACCATCTGCTCGACCA 2257
Db |||||
QY 2258 GGTGAGGGAGGAGTCTTGGAGGGCGGAGAGTCTCTGAGGATGCCCCACCACAGCAAA 2317
Db |||||
QY 2318 CATGGTGTGGTTAAACCACAGGCTGGATCAGAACGAGCGCTGAGAGGGGAAGCAGG 2377
Db |||||
QY 2378 TTTGGGGACGTTCTTGGGAAGGACATTTATACATGTCATGAGGACTGGATTTTCCAA 2437
Db |||||
QY 2438 AGGCCAAGGAAGATAGGCAAGGCGCTGGAGGTGGAGTGGACTTGGCAGTGGGCATGC 2497
Db |||||
QY 2498 AAGCCATTGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACACCAGAAGA 2557
Db |||||
QY 2558 AAGCGCTTGGGAATGGAAGATCAGTTAGTCTGAGTGGCGTTTAAATCAGCAAAATCGAGG 2617
Db |||||
QY 2618 ATGAAGGGGGTGACGTGACCCGGTTCAAACCTTTTGCACCTGTGGGTCTCTCGGGCTCACT 2677
Db |||||
QY 2678 GCTACCGGCATGGACCATCATCTGGGAATGGGATGCTAACTGGGGCGCTCTCGGCAATTT 2737
Db |||||
QY 2738 TGGTGACTCTTCAAGGTTCATACCTGGGTGAGCGCATCCAACTGAGTTCTCTCCATCAG 2797
Db |||||
QY 2798 AAGGTGTGACCCACCCCTGCCCGATCAGAGGCTGGGTCTCTCTTCCACCTGC 2857
Db |||||
QY 2858 TCACCTCTGGTAGCCCGGGGGTCTGCCAAGGTTCAAATAGACTAGGACCTGTAGTCTG 2917
Db |||||
QY 2918 GGTGATCTGGCTTGGACAAAGAGGCCCTGACCCCTCTGCGAGTTGCGGGCGCGCTTCG 2977
```

```
Db 61 |||||
QY 2978 GGGAGCTGTTTCCAGCTTGGAGCTGGCGCTGGAGCGCGGTGGTCTGCTCAATGGGCTGGCGG 3037
Db |||||
QY 66 lYAspValPheSerLeuGlnLeuAlaTrpThrProValValValLeuAsnGlyLeuAlaA 86
QY 3038 CCGTGGCGGAGCGATGATGACCCGCGGAGGACAGCGCGAGCGCGCGCTGGCCCA 3097
Db |||||
QY 86 laValArgGluAlaMetValThrArgGlyGluAspThrAlaAspArgProValProI 106
QY 3098 TCTACCAAGTCTCTGGCTTCCGGCGCGCTTCCCAAGGCAAGCGCGGTGGGGGAGCAGAGA 3157
Db |||||
QY 106 leThrGlnIleLeuGlyPheGlyProArgSerGlnGlyLysGln----- 120
QY 3158 CCGCTTTTCCGTGGGCCCCGGGTGGACAGTGAACCTAGCCCAAGCAGCGCCGACAGGGCG 3217
Db |||||
QY 120 ----- 120
QY 3218 TGGGGTCTTGACCGTGAACAGAGATAAGCCAGCAGCTGGGTGAGGACAGTGGGCCA 3277
Db |||||
QY 120 ----- 120
QY 3278 GGAACACACCTGCACGGGGAGGTGCGAGTCTGTGGGTGGGAGGGCGGGCTACTGC 3337
Db |||||
QY 120 ----- 120
QY 3338 CCAGACCCCGCAGAAAGCCCGGTGGCGGAGGTGATGCGTGCAGTGGCGGTGGCGGGGAC 3397
Db |||||
QY 120 ----- 120
QY 3398 CGCGCTATGCTGCGGGCTCAGTGTGGCGGGACGGGGGGGATCTTCTTCTGAGTGAAG 3457
Db |||||
QY 120 ----- 120
QY 3458 GTGGTGGAGGTGGCAGAGACAGGTGGGGGCCAAACCCCGCCAGCAGCGGAGCAATG 3517
Db |||||
QY 120 ----- 120
QY 3518 TGGGTGAGCAAGAGTGGGCGCTGTGCCCCAGTGGACCGGGCTAGGGACTCGGGAGACC 3577
Db |||||
QY 120 ----- 120
QY 3578 TTGTGAGGCCAGGTTGGAGTGGGTGGCGGGGTGGGCCCAAGGCTTTCATGGCAAC 3637
Db |||||
QY 3638 GCCCAGCTGCTCGTCCCGCCCCAGGGGTGATCCTGTGCGCTATGGCCCGCGTGGCGC 3697
Db |||||
QY 121 ----- 121
QY 3698 GAGCAGAGCGCTTCTCGTGTCCACTTGGCAACTTGGCGCTGGGCAAGAGTGGCTG 3757
Db |||||
QY 133 rgAlaGluAlaLeuLeuArgLeuHisLeuAlaGlnLeuGlyProGlyGlnGluValAlaG 153
QY 3758 GAGCAGTGGGTGACCGGAGGCGCTGCTTGTGCTTGTGCGCTT-CCGCGCAACAAGCCGGT 3816
Db |||||
QY 153 lYAlaValIleSerAsnValIleAlaSerLeuThrCysGlyArgLeuArgGlnProLeuArg- 172
QY 3817 GGGTGTGGGCGAAGAGGCGCAAAAGCGGGAACCTGGGAAGCGGGGAGCGGAGAGGCAAC 3876
Db |||||
QY 172 ----- 172
QY 3877 CCCTTACCCGCACTCTCCCAACCCCGAGAGCGCCCTTTCGCCCAAGCGCTCTTGGACA 3936
Db |||||
QY 173 ----- 173
QY 3937 AAGCGGTGAGCAACGTGATCGCTTCCCTCACCTCGGGCGCGCTTTCGAGTACACGACC 3996
Db |||||
QY 183 ysAlaValIleSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTrpAspAsp 203
QY 3997 CTGCTTCTCAGGCTCTGACCTAGCTCAGGAGGAGCTGAAGGAGGAGTTCGGGCTTTC 4056
Db |||||
```

Db 203 roArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluGluSerGlyPheL 223
QY 4057 TCGCGAGGTGGCGAGCGAGAGACCGAGGAGTCTCTGCAGGGCGAGCTCTGAGAGGTGC 4116
Db 223 euArgGlu----- 225
QY 4117 CGGGGCTGACTGGGGCCCTCCGAAGGGCAGGATTTGCATAGATGGGTTTGGGAAAGGACA 4176
Db 225 ----- 225
QY 4177 TTCCAGGAGACCCACTGTAGAAGGGCTGGAGGAGGAGGACATCTCAGACATGTC 4236
Db 225 ----- 225
QY 4237 GTGGGAGAGGTGTCGCCGGTCAAGGGGCACCGAGAGAGGCCAAGGACTCTGTACCCCG 4296
Db 225 ----- 225
QY 4297 TCCACGTTGCGATTTTCGATTTTAGTTTCTCTCTGGGCAAGGAGAGAGGTGGAGGCT 4356
Db 225 ----- 225
QY 4357 GGCACCTTGGGGAGGACTTGGTGAGTCAAGTGAAGGACAGCGAGGCCCTGGTCTACC 4416
Db 225 ----- 225
QY 4417 TGGAGATGCTGGGGCTCGAGACTTGTCCAGGTGAACGACGACAGGAGGATTGAGA 4476
Db 225 ----- 225
QY 4477 CCCCCTTCTGTCTGGTGTAGGTGCTGAATGCTGTCCCCCTCTCTGTCACATCCAGGCG 4536
Db 226 -----ValLeuAsnAlaValProValLeuLeuHisIleProAlaL 239
QY 4537 TGGCTGGCAAGTCTTACGCTTCCAAAAGGCTTCTGACCCAGCTGGATGAGCTGCTAA 4596
Db 239 euAlaGlyLysValLeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeu 259
QY 4597 CTGAGCACAGGATGACTGGGACCCAGCCAGCCAGCCAGCTGACTGAGGCTTCC 4656
Db 259 hrGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheL 279
QY 4657 TGGCAAAAGGAGAGGTGAGAGTGGCTGCCACGCTGGGGGGCAAGGGTGGTGGTTGA 4716
Db 279 euAlaGluMetGluLys----- 284
QY 4717 ACGTCCAGGAGGATGAGGGAGGCTGGGGCAAAAGGTTGGACCAAGTGCATCACCAGGG 4776
Db 284 ----- 284
QY 4777 AGCGGCATCTGGGCTGCACAGGTGCAGAAATTGGAGGTCAATTGGGGGCTACCCCGTTCTAT 4836
Db 284 ----- 284
QY 4837 CCCCTGAGTATCCTCTCGGCCCTGCTCAGGCCAAAGGGAGCCCTGAGAGCAGCTTCAATG 4896
Db 285 -----AlaLysGlyAsnProGluSerSerPheAsnA 295
QY 4897 ATGAGAACCTGCGCATAGTGGTGGTAACCTGTTCTTCCGGGATGGTGACACTCGA 4956
Db 295 spGluAsnLeuArgIleValAlaAspLeuPheSerAlaGlyMetValThrThrSerT 315
QY 4957 CCACGCTGGGCTGGGCTCTCTGCTCATGATCTACCTGATGTGACCGTGGAGCCCA 5016
Db 315 hrThrLeuAlaTrpGlyLeuLeuLeuMetIleLeuHisProAspValGln----- 331
QY 5017 GCTGGGGCCCAAGGCGAGGACTGAGGGAGGAGGTACAGCTGGGGGCCCTGGGCTTAG 5076
Db 331 ----- 331
QY 5077 CTGGGACACCCGGGGCTTCCAGACAGGCGTGGCCAGGCTCCTGTAAAGCTTAACCTCCTC 5136
Db 331 ----- 331

QY 5137 CAACACAGGAGGAAGAGAGTGTCCCCTGGGTGCTGACCCATTGTGGGACGATGTCTG 5196
Db 331 ----- 331
QY 5197 TCCAGTCCGTGTCNAACAGGAGATCGACGCTGATAGGGAGGTGGCGGACACAGAGAT 5256
Db 332 --Arg--ArgValGlnGlnGluIleAspAspValIleGlyGlnValAlaArgProGluMe 350
QY 5257 GGGTACACAGGCTCACATGCCCTCACACCTGCGCTGATTACAGAGGTGACGCGTTTGG 5316
Db 350 tGlyAspGlnAlaHisMetProTyThrAlaValIleHisGluValGlnArgPheG 370
QY 5317 GGCATCATCCCCCTGAGTGTGACCCATATGACATCCCCGTGACATCGAAGTACAGGCTT 5376
Db 370 yAspIleValProLeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPh 390
QY 5377 CCGCATCCCTAAGGTAGGCTGGGCCCTCTCCACCCAGCTCAGCACACGACACCTGGTG 5436
Db 390 eArgIleProLys----- 394
QY 5437 ATAGCCCCAGCATGCTACTGCCAGGTGGGCCCACTCTAGGAACCTTGCCACCTAGTCC 5496
Db 394 ----- 394
QY 5497 TCAATGCCACCACTGACTGTCCCCACTTGGGTGGGGTCCAGATATAGGAGGCT 5556
Db 394 ----- 394
QY 5557 GGCCTGTCCATCCAGAGCCCCGCTTAGTGGGGAGACAAACAGGACCTGCCAGAAATGTT 5616
Db 394 ----- 394
QY 5617 GGAGACCCAGCGCTGCAGGAGAGGGGCGAGTGTGGTGCTCTGAGAGGTGTGACTG 5676
Db 394 ----- 394
QY 5677 CCCCCTGCTGTGGGTGCGAGAGGGTACTGTGAGCTTCTCGGGCGCAGGACTAGTTGAC 5736
Db 394 ----- 394
QY 5737 AGATCCAGCTGTGTGCCAGGAGTGTGTGTCCCCGTGTGTGGTGGCAGGGGTCCCA 5796
Db 394 ----- 394
QY 5797 GCATCTAGAGTCCAGTCCCCACTCTCACCTGTCATCTCTGCCCCAGGGAACGACTCA 5856
Db 395 -----Gly-ThrThrLeuI 399
QY 5857 TCACCAACCTGTCTCATCGGTGCTGAAGGATGAGCGCTCTGGGAGAAGCCCTTCCGCTTCC 5916
Db 399 leThrAsnLeuSerSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheH 419
QY 5917 ACCCGAACTCTCTGATGCCAGGCGCACTTTGTGAAGCCGAGGCTTCTGCTTCC 5976
Db 419 ieProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProp 439
QY 5977 TCTGAGCAGGTGCTGTGGGAGGCCGCTCCCTGTCCCTTCCGTGGAGTCTTGACGG 6036
Db 439 he--Ser----- 440
QY 6037 GTATCACCCAGGAGCGCTCACTGACGCCCTCCCTCCCCACAGGCGCGCTGCATG 6096
Db 441 -----AlaGlyArgArgAlaCy 446
QY 6097 CTTGGGAGCCCTTGGCCCGCATGAGCTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCT 6156
Db 446 sLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeuLeuGlnHi 466
QY 6157 CTTGAGCTTCTCCGTGGCGCGGACAGCCCGGCGGCGGCGGCGGCGGCGGCGGCGGCGG 6216
Db 466 aPheSerPheValProThrGlyGlnProArgProSerHisHisGlyValPheAlaPh 486

QY 6217 TCTGGTACCCCATCCCTACAGCTTGTGCTGTGCCCGC 6259
 |||||
 Db 486 eluValThrProSerProTyrGluLeuCysAlaValProArg 500

RESULT 2

Q8WNR5 PRELIMINARY; PRT; 497 AA.
 AC Q8WNR5;
 DT 01-MAR-2002 (TReMBLrel. 20, Created)
 DT 01-MAR-2002 (TReMBLrel. 20, Last sequence update)
 DT 01-JUN-2003 (TReMBLrel. 24, Last annotation update)
 DE Cytochrome P450 2D.
 OS Macaca fuscata (Japanese macaque).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Cercopitheidae;
 OC Cercopitheidae; Macaca.
 OX NCBI_TaxID=9542;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Liver;
 RA Hichiya H., Yamamoto S., Asaoka K., Narimatsu S.;
 RT "Molecular cloning and functional analysis of a Japanese monkey CYP2D enzyme."
 RL Submitted (AUG-2000) to the EMBL/GenBank/DBJ databases.
 CC -1- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
 DR EMBL; AF301911; AAL73443.1; ..
 DR GO; GO:0004497; F:monooxygenase activity; IEA.
 DR GO; GO:0016712; F:oxidoreductase activity, acting on paired d. . .; IEA.
 DR GO; GO:0006118; P:electron transport; IEA.
 DR InterPro; IPR011128; Cytochrome P450.
 DR InterPro; IPR008069; EP450_CYP2D.
 DR Pfam; PF00667; P450; 1.
 DR PRINTS; PRO1686; P450; 1.
 DR PRINTS; PRO0385; P450.
 DR PROSITE; PS00086; CYTOCHROME P450; 1.
 DR Heme; Monooxygenase; Oxidoreductase.
 SQ SEQUENCE 497 AA; 55566 MW; 4C06EDD12F044D25 CRC64;

Alignment Scores:

Pred. No.: 6,44e-95 Length: 497
 Score: 1678.00 Matches: 445
 Percent Similarity: 33.00% Conservative: 17
 Best Local Similarity: 31.79% Mismatches: 35
 Query Match: 8.96% Indels: 903
 DB: 6 Gaps: 9

US-09-820-788a-3 (1-10278) x Q8WNR5 (1-497)

QY 2078 ATGGGGCTAGAGCACTGGTGGCCCTGGCCATGATAGTGGCCATCTTCTGCTCCTGGTG 2137
 |||||
 Db 1 MetGluLeuAspAlaLeuValProLeuAlaValThrValAlaIleLeuLeuVal 20
 QY 2138 GACCTGATGACCGGCACCAACGCTGGGTGACGCTACCCGCCAGGTCCCTGCACTG 2197
 |||||
 Db 21 AspLeuMetHisArgGlnArgIrpAlaAlaArgTyrProGlyProLeuProLeu 40
 QY 2198 CCGGGCTGGGCAACCTGCTGCATGTGGACTTCAGAACACACATCTGCTTGACCA 2257
 |||||
 Db 41 ProPheLeuGlyLys-LeuLeuHisValAspPheGlnAsnThrProTyrCysPheAspG1 60
 QY 2258 GGTGAGGAGGAGTCTCTGGAGGGCGGAGAGTCTTGAGGATGCCCCACCACCAACAA 2317
 |||||
 Db 60 n----- 60
 QY 2318 CATGGTGTGGTTAAACACACAGGCTGGATCAGAAGCCAGGCTGAGAAGGGGAAGCAGG 2377
 |||||
 Db 60 ----- 60
 QY 2378 TTGTTGGGACGTTCTCTGGGGAAGAGCAATTATACATGGCATGAAGACTGGATTTTCAA 2437
 |||||
 Db 60 ----- 60
 QY 2438 AGGCCAAGGAAGTAGGCAAGGGCCTGGAGGTGGAGCTGGACTTGGCAGTGGGCATGC 2497

Db 60 ----- 60
 QY 2498 AAGCCCATTTGGGCAACATATGTTATGGAGTACAAAAGTCCCTTTCTGCTGACACCAAGAGGA 2557
 |||||
 Db 60 ----- 60
 QY 2558 AAGCCCTTGGGAATGGAAGATGAGTTAGTCTCTGAGTCCCGTTTAAATCAGAAATCGAGG 2617
 |||||
 Db 60 ----- 60
 QY 2618 ATGAAGGGGGTGTCAGTGACCCCGTTCAACCTTTTGCACTGTGGGTCTCTCGGGCTCACT 2677
 |||||
 Db 60 ----- 60
 QY 2678 GCTCACCGGATGACCAATCATCTGGGAATGGGATGTAATCTGGGGCTCTCTCGCAATTT 2737
 |||||
 Db 60 ----- 60
 QY 2738 TGGTGACTCTTGCAGAGTTCATACCTGGGTGAGCGATCCAAACTGAGTTCTCTCCATCACAG 2797
 |||||
 Db 60 ----- 60
 QY 2798 AAGGTGTACCCCCACCCCTGCTCCACGATCAGGAGGTGGGTCTCTCTCTTCCACCTGC 2857
 |||||
 Db 60 ----- 60
 QY 2858 TCATCTCTGTGAGCCCGGGGTCTCAAGGTTCAATAGGACTAGGACCTGTAGTCTG 2917
 |||||
 Db 60 ----- 60
 QY 2918 GGGTGATCCTGGCTTGACAGAGGCCCTGACCCCTCTCTCTGAGTTGGGGCGCGCTTCG 2977
 |||||
 Db 61 ----- 66
 QY 2978 GGGACGTGTTTCAGCTCTGAGCTGCGCGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 3037
 |||||
 Db 66 lYaspValPheSerLeuGlnLeuAlaTrpThrProValValLeuAsnGlyLeuAla 86
 QY 3038 CCGTGGCGAGGCGATGTGACCCCGCGGAGGACACGGCGGACCGCGCTCGCGCCA 3097
 |||||
 Db 86 lAValAlaGluAlaLeuValThrHisGlyGluAspThrAlaAspArgProValProI 106
 QY 3098 TCTACAGTCTCTGGGCTTGGGGCGGTCCCAAGGCAAGCGGGTGGGGGACAGAGA 3157
 |||||
 Db 106 lThrGlnIleLeuGlyPheGlyProArgSer-Gln----- 117
 QY 3158 CCGGTGTTCTCGTGGGCGCCCGGTGGACAGTACCGTAGCCCAAGCAGCGCGCAGAGGCG 3217
 |||||
 Db 117 ----- 117
 QY 3218 TGGGGTCTGGACGTGAAACAGAGATAAGCCAGCGAGTGGGTGAGGACAGTGGGCCA 3277
 |||||
 Db 117 ----- 117
 QY 3278 GGAACACCTGCACGGGGAGGTGCGAGTCTGTGGGTGGAGGGGGGGGCTACTGC 3337
 |||||
 Db 117 ----- 117
 QY 3338 CCAGACCGCCAGAAAGCCCGGTGGCGAGGCTGATGCTCGAAGTGGCGGTGGCGGGGAC 3397
 |||||
 Db 117 ----- 117
 QY 3398 CGCGCTATGCTCGGGCTCAGTGTGGCGGGACGGCGGGATCTTCTTGTAGTGAAG 3457
 |||||
 Db 117 ----- 117
 QY 3458 GTGGTCAAGGTGGCGAGAGCAGGTGGGGCCAAACCCCGCCCGGAGGAGCAATG 3517
 |||||
 Db 117 ----- 117
 QY 3518 TGGGTGAGCAAGAGTGGGCCCTGTGCCAGCTGGACCGGGCTAGGACTCGGGGAGACC 3577

Db 117 ----- 117
QY 3578 TTGTGGAGCCGACGGGTTGGAGTGGGTGGCGAGGGTGGGGCCCAAGGCCCTTCATGCGCAAC 3637
Db 117 ----- 117
QY 3638 GCCCAGCTGTCCGTCCGCGCCCGCCAGGGGTGATCCTGTCTGGGTATGGGCCCGCGTGGCGC 3697
Db 118 ----- 118
QY 3698 GAGCAGAGCGCTTCTCCGTGTCCACCTTGGCGCAACTTGGCGCTGGCGCAAGAGTGGCTG 3757
Db 130 GluGlnArgPheSerValSerThrLeuArgAsnLeuGlyLeuGlyLysLysSerGly 149
QY 3758 GAGCAGTGGGTGACCGAGGAGCGCGCTGCTTGTGCGCGCTTGGCGCGCAAGCGCGTG 3817
Db 150 ThrGlnTrpValThrGlyGluAlaLaCyLeuCyAlaPheAlaAsn----- 166
QY 3818 GGTGATGGCGAGNAGGGCACAAGCGGGAACTGGGAGCGGGGGAGCGAGAGGCAACC 3877
Db 166 ----- 166
QY 3878 CCTTACCCGATCTCCCAACCCCGAGGAGCGCCCTTTCGCCCAAGCGCTCTTGACAA 3937
Db 167 ----- 167
QY 3938 AGCGGTGAGCAACGTGATCGCTTCCCTCACCTGCGGGCGCGCTTCGAGTACGACGCC 3997
Db 180 AlaValSerAsnValIleAlaSerLeuThrCysGlyArgPheGluTyAspAspPr 200
QY 3998 TCGTTCTCAGCTGTCTGAGCTAGCTCAGAGGGGACTGAAGGAGGAGTTCGGGCTTTCT 4057
Db 200 ArgPheLeuArgLeuLeuAspLeuAlaGlnGlyLeuLysGluLuproGlyPheLe 220
QY 4058 GCGCGAGGTGCGGAGCGAGACCGAGGAGTCTCTCGAGGGCGAGCTCTGAGAGGTGCC 4117
Db 220 uArgGlu----- 222
QY 4118 GGGGTGGACTGGGGCTCCGAAGGCGAGGATTTGCATAGATGGGTTTGGGAAAGGACAT 4177
Db 222 ----- 222
QY 4178 TCCAGGAGACCCACTGTGAAGAGGCGCTGGAGGAGGAGGACATCTCAGACATGGTGG 4237
Db 222 ----- 222
QY 4238 TGGGAGAGTGTGCCCGGTGAGGGGACACAGGAGAGCCAAAGACTCTGTACCCCGT 4297
Db 222 ----- 222
QY 4298 CCACGTGGAGATTTTCGATTTTAGGTTTCTCTCTGGGCAAGGAGAGGGTGGAGGCTG 4357
Db 222 ----- 222
QY 4358 GCACITGGGGAGGACTTGGTGAAGTCAAGTGAAGGACAGCGCCCTGGGTCTACCT 4417
Db 222 ----- 222
QY 4418 GGAGATGGTGGGGCTGAGACTTGTCCAGGTGAACGCGAGACGAGAGGGATTTGAGAC 4477
Db 222 ----- 222
QY 4478 CCCGTTCTGTCTGGTGTAGTGTGAATGCTGCTCCCGTCTCTCCCTGACATCCAGCGCT 4537
Db 223 ----- 223
QY 4538 GGTGGCAAGGTCTACGCTTCCAAAAGGCTTCTCTGACCCAGCTGGATGAGCTCTTAAC 4597
Db 236 uAlaGlyLysValLeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuTh 256
QY 4598 TGAGCAGAGGATGACTGGGACCCAGCCAGCCACCCGAGACCTGACTGAGGCGCTTCT 4657
Db 256 rGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLe 276

QY 4658 GGCAAAAGAGAGAAAGTGCAGAGTGGCTGCCAGCTGGGGGGCAAGGGTGGTGGGTTGAA 4717
Db 276 uAlaGluMetGluLys----- 281
QY 4718 COTCCAGAGGAATGAGGGGAGGCTGGGCAAAAGATTGGAACAGTGCATCACCCGGCGA 4777
Db 281 ----- 281
QY 4778 GCCGCATCTGGGCTGCAGGTGCAGNATTGGAGGTCAATTGGGGGCTACCCCTTCTATC 4837
Db 281 ----- 281
QY 4838 CCTGAGTATCTCTCGGCCCTGCAGGCCAAGGGAGCCCTGAGAGCAGCTTCAATGA 4897
Db 282 ----- 282
QY 4898 TGAGAACCTGCCCATAGTGGTGGGTAACTGTTCCTTGGCGGATGGTGCACCACTCGAC 4957
Db 292 pGluAsnLeuArgIleValValAlaAspLeuPheSerAlaGlyMetValThrSerTh 312
QY 4958 CACGCTGGCGCTCGCTCTCATGATCCTACCTGGATGTGCAGCGTGAGCCCCAG 5017
Db 312 rThrLeuAlaTrpGlyLeuLeuMetIleLeuHisProAspValGln----- 328
QY 5018 CTGGGGCCCAAGCGAGGACTGAGGGAGGAGGTACAGCTGGGGGCCCTTGGGCTTAGC 5077
Db 328 ----- 328
QY 5078 TGGGACACCCGGGGCTTCCAGCACAGCGTGGCCAGGCTCTGTAAAGCCTTAATTCCTCC 5137
Db 328 ----- 328
QY 5138 AACACAGAGGAGAGAGTGTCCCTGGGTGCTGACCCATTTGTGGGGACGATGCTGT 5197
Db 328 ----- 328
QY 5198 CCAGTCCGTGTCCAAAGAGATCGACGAGTGTAGGACAGTGGCGACAGAGATG 5257
Db 329 -Arg-ArgValGlnGlnGluIleAspValIleGlyAlaValTrpArgProAlaLeu 347
QY 5258 GGTGACAGGCTCACATCCCTTACACCACTGCGGTGATTCACGAGTGCAGCGCTTGGG 5317
Db 348 GlyGluGlnAlaHisMetProTyThrProAlaValLysHisGluValGlnArgPheGly 367
QY 5318 GACATCATCCCTGAGTGTGACCATATGACATCCCGTGCATCGAAGTACAGGCTTC 5377
Db 368 AspIleValProLeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPhe 387
QY 5378 CGCATCCCTAAGGTAGGCTGGGGCCCTCTCACCCAGCTCAGCACAGGACCTGGTGA 5437
Db 388 ArgIleProLys----- 391
QY 5438 TAGCCCCAGCATGGCTACTGCCAGTGGGCCCCACTTAGGAACCTTGCCACCTAGTCTC 5497
Db 391 ----- 391
QY 5498 CAATGCCACACACTGACTGTCCCACTTGGGTGGGGGGTCCAGAGTATAGGACGGGCTG 5557
Db 391 ----- 391
QY 5558 GCCTGTCCATCCAGAGCCCCGTCTAGTGGGGGAGACNAACAGGACCTGCCAGATGTTG 5617
Db 391 ----- 391
QY 5618 GAGGACCCAGCGCTTCAGGAGAGGGGGCAGTGTGGGTGCTCTGAGAGGTGTGACTGC 5677
Db 391 ----- 391
QY 5678 GCCCTGTGTGGGTTCGAGAGAGGGTACTGTGGAGCTTCTCTGGGGCCGACGACTAGTTGACA 5737
Db 391 ----- 391

QY	5258	GGTGACCGCTCACATGCCCTACACCACTGCGGTGATTCACGAGTGCAGCGCTTGGG	5317	DT	01-NOV-1996	(TREMBLrel. 01, Created)
Db	348	GlyAspGlnAlaHisMetProTyrThrThrAlaAlaIleHisGluValGlnArgPheGly	367	DT	01-NOV-1996	(TREMBLrel. 01, Last sequence update)
QY	5318	GACATCATCCCTGAGTGTGACCCATATGACATCCGTGACATCAAGTACAGGCTTC	5377	DE	01-JUN-2003	(TREMBLrel. 24, Last annotation update)
Db	368	AspIleValProLeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPhe	387	OS	Cytochrome P450db1 (Fragment).	
QY	5378	CGATCCCTAAGTAGGCTGGCGCCCTCTCACCCAGCTCAGCACACCGCTGGTGA	5437	OC	Homo sapiens (Human).	
Db	388	ArgIleProLys-----	391	OC	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;	
QY	5438	TAGCCCCAGCATGGCTACTGCCAGGTGGGCCCACTTAGAACCCTGGCCACTAGTCT	5497	OC	Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.	
Db	391	-----	391	NCBI_TaxID=9606;		
QY	5498	CAATGCCACCACTGACTGTCCCACTTGGGTGGGGGTCCAGAGTATAGGCAGGGCTG	5557	RN	SEQUENCE FROM N.A.	
Db	391	-----	391	RC	TISSUE=Liver;	
QY	5558	GCCTGTCCATCCAGAGCCCCCTTCTAGTGGGAGACAAACAGGACCTGCCAAGATTG	5617	RX	MEDLINE=89155788; PubMed=2466049;	
Db	391	-----	391	RA	Manns M.P., Johnson B.F., Griffin K.J., Tan E.M., Sullivan K.F.;	
QY	5618	GAGGACCCAGCGCTCCAGGAGAGGGGCGAGTGTGGTGCCTCTGAGAGTGTGACTGC	5677	RT	"Major antigen of liver kidney microsomal autoantibodies in idiopathic	
Db	391	-----	391	RT	autoimmune hepatitis is cytochrome P450db1.";	
QY	5678	GCCCTGCTGTGGGTTCGAGAGGGTACTGTGGAGCTTCTCGGCGCAGGACTAGTTGACA	5737	RL	J. Clin. Invest. 83:1066-1072(1989).	
Db	391	-----	391	CC	-/- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.	
QY	5738	GAGTCCAGTGTGTGCCAGCAGTGTGTGTCCCGTGTGTGTGGTGGAGGGTCCCGAG	5797	DR	EMBL; M24499; AAA36403.1; -	
Db	391	-----	391	DR	HSSP; P00179; 1DT6.	
QY	5798	CATCTAGAGTCAGTCCCACTCTCACCTGCATCTCTGCCAGGAGACCACTCAT	5857	DR	GO; GO:0004497; F:monoxygenase activity; IEA.	
Db	392	-----	392	DR	GO; GO:0016712; F:oxidoreductase activity, acting on paired d. . . ; IEA.	
QY	5858	CACCAACTGTCTATCGTGTGAAGGATGAGGCGCTCTGGGAGAGCCCTTCGGTTCCA	5917	DR	GO; GO:0006118; P:electron transport; IEA.	
Db	396	ethrAsnArgProSerValLeuIysAspGluAlaValTrpGluLysProPheArgPheHi	416	DR	InterPro; IPR001128; Cytochrome P450.	
QY	5918	CCCCGAACACTTCTCGATGCCAGGCGCACTTTGTGAAGCCGAGGCTTCTCGCTTT	5977	DR	InterPro; IPR008069; EP450_CYP2D.	
Db	416	sProGluHisPheLeuAspAlaGlnGlyArgPheValLysProAspAlaPheLeuProH	436	DR	Pfam; PF00067; P450; 1.	
QY	5978	CTCAGCAGTGTCTGTGGGAGCCCGCTCCCTGTCTCCCTTCGGTGGAGTCTTGACGGG	6037	DR	PRINTS; PRO1686; EP450ICYP2D.	
Db	436	e--Ser-----	437	DR	PRINTS; PRO385; P450.	
QY	6038	TATCACCCAGGAGCAGGCTCACTGACGCCCTCCCTCCCAAGCCCGCTGCATGC	6097	DR	PROSITE; PS00086; CYTOCHROME P450; 1.	
Db	438	-----	438	KW	Heme; Monooxygenase; Oxidoreductase.	
QY	6098	CTCGGGAGCCCTGGCCGCAATGAGACTTCTCTTCTTTTACCTCTCTGTCAGCAC	6157	FT	NON TER	
Db	444	LeuGlyGluProArgAlaArgMetGluLeuPhePheThrCysLeuLeuGlnHis	463	SQ	SEQUENCE 373 AA; 42005 MW; 9FDED67B0BA487A4 CRC64;	
QY	6158	TTTCAGTCTCTCGTGGCCCGGACAGCCCGCCCGCCAGCACTCTCGTCTGCTCAGCTTT	6217	Alignment Scores:		
Db	464	PheSerPheSerValProThrGlyGlnProArgProSerHisGlyValPheAlaPhe	483	Pred. No.:	1.4e-81	Length: 373
QY	6218	CTGGTACCCCACTCCCTACAGCTTTGTGTGTGTGTGTGTGTGTGTGTGTGTGTGT	6259	Score:	1461.00	Matches: 353
Db	484	LeuValSerProSerProTyrGluLeuCysAlaValProArg	497	Percent Similarity:	41.60%	Conservative: 6
QY	6259	-----	497	Best Local Similarity:	40.90%	Mismatches: 14
Db	497	-----	497	Query Match:	7.80%	Indels: 490
QY	6259	-----	497	DB:	4	Gaps: 7
Db	497	-----	497	US-09-820-788A-3 (1-10278) x Q16804 (1-373)		
QY	3683	GGGCGCGGTGGCGGAGCAGAGGCGCTTCTCCGTGTCCACCTTGGCAACTTGGCGCTG	3742	QY	3683	GGGCGCGGTGGCGGAGCAGAGGCGCTTCTCCGTGTCCACCTTGGCAACTTGGCGCTG
Db	1	GlyProAlaTrpArgGluGlnArgPheSerValSerThrLeuArgAsnLeuGlyLeu	20	Db	1	GlyProAlaTrpArgGluGlnArgPheSerValSerThrLeuArgAsnLeuGlyLeu
QY	3743	GGCAAGAAAGTCTCTGAGCAGTGGTGACCGAGAGGCGCTGCTTGTCCCGCTTCG	3802	QY	3743	GGCAAGAAAGTCTCTGAGCAGTGGTGACCGAGAGGCGCTGCTTGTCCCGCTTCG
Db	21	GlyLysSerLeuGluGlnTrpValThrGluAlaAlaCysLeuCysAlaAlaPhe	40	Db	21	GlyLysSerLeuGluGlnTrpValThrGluAlaAlaCysLeuCysAlaAlaPhe
QY	3803	CGGACCAAGCCGCTGGGTGTGGGAGAGGCGCACAAAGCGGAACTGGGAAGCGGGG	3862	QY	3803	CGGACCAAGCCGCTGGGTGTGGGAGAGGCGCACAAAGCGGAACTGGGAAGCGGGG
Db	41	AlaAsn-----	42	Db	41	AlaAsn-----
QY	3863	ACGGAGAGGCAACCCCTTACCCGCATCTCCCAACCCCGAGCAGCCCTTTCGCCCA	3922	QY	3863	ACGGAGAGGCAACCCCTTACCCGCATCTCCCAACCCCGAGCAGCCCTTTCGCCCA
Db	43	-----His-Ser-----	51	Db	43	-----His-Ser-----
QY	3923	CGGCGCTTTGGCAAAAGCCGTGAGCAACGTGATCGCTCCCTCACCTCGCGCGCGCTT	3982	QY	3923	CGGCGCTTTGGCAAAAGCCGTGAGCAACGTGATCGCTCCCTCACCTCGCGCGCGCTT
Db	51	nglyLeuLeuAspLysAlaValSerAsnValIleAlaSerLeuThrCysGlyArgPhe	71	Db	51	nglyLeuLeuAspLysAlaValSerAsnValIleAlaSerLeuThrCysGlyArgPhe
QY	3983	CGAGTACGACGACCTCTGCTTCTCAGGCTGTGACCTAGCTCAGGAGGACTGAGCA	4042	QY	3983	CGAGTACGACGACCTCTGCTTCTCAGGCTGTGACCTAGCTCAGGAGGACTGAGCA
Db	71	eglytyrAspAspProArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysG	91	Db	71	eglytyrAspAspProArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysG
QY	4043	GGAGTCCGGCTTCTTCGCGAGGTGCGGAGCGAGAGCCGAGAGTCTCTCGCAGGCGG	4102	QY	4043	GGAGTCCGGCTTCTTCGCGAGGTGCGGAGCGAGAGCCGAGAGTCTCTCGCAGGCGG
Db	91	uGlyGlyPheLeuArgGlu-----	98	Db	91	uGlyGlyPheLeuArgGlu-----
QY	4103	CTCCTGAGAGGTGCCGGGGCTGGACTGGGGGCTCCGAGGGCAGGATTTGCATAGTGG	4162	QY	4103	CTCCTGAGAGGTGCCGGGGCTGGACTGGGGGCTCCGAGGGCAGGATTTGCATAGTGG
Db	98	-----	98	Db	98	-----

```
Qy 4163 TTTGGGAAAGGACATTCAGAGACCCCACTGTAAAGAGCGCTGGAGGAGGGGACA 4222
Db 98 ----- 98
Qy 4223 TCTCAGACATGGTCGTGGGAGAGGTGCCCCGGTCAAGGGGACACAGGAGAGGCCAAGG 4282
Db 98 ----- 98
Qy 4283 ACTCTGTACCCCGCTCCACGTTGGAGATTTCGATTTTAGTGTTCCTCTCTGGGCAAGGAG 4342
Db 98 ----- 98
Qy 4343 AGAGGGTGGAGGCTGGCACTTGGGAGGGACTTGGTGAGGTCAAGTAAAGACAGGACAG 4402
Db 98 ----- 98
Qy 4403 GCCCTGGGTCTACCTGGAGATGGCTGGGGCTGAGACTTGTCCAGGTGAAGCAGAGCAC 4462
Db 98 ----- 98
Qy 4463 AGGAGGATTGAGACCCCGTTCTGTCTGGTGTAGGTCTGAATGCTGTCCCGCTCTCCT 4522
Db 99 -----ValLeuAsnAlaValProValLeuLe 107
Qy 4523 GCACATCCCAAGCGCTGGCTGGCAAGTCTACGCTTCCAAAGGCTTTCCTGACCCAGCT 4582
Db 107 uHisIleProAlaLeuAlaGlyIysValLeuArgPheGlnLysAlaPheLeuThrGlnLe 127
Qy 4583 GGATGAGCTCTTAAGTACAGCACAGGATGACCTGGGACCCAGCCAGCACCCCGAGACCT 4642
Db 127 uAspGluLeuLeuThrGluHisArgMetThrTrpAspProAlaGlnProProArgAspLe 147
Qy 4643 GACTGAGCGCTTCTCTGCAAGAGAGAGAGTGGCTGAGAGTGGCTGCCACGGTGGGGGCAA 4702
Db 147 uThrGluAlaPheLeuAlaGluMetGluLys----- 157
Qy 4703 GGGTGGTGGGTGAACCTCCAGGAGGAATGAGGGGAGGTGGGGCAAAAGTTGGACCA 4762
Db 157 ----- 157
Qy 4763 TGCATCACCGGAGCGGATCTGGGCTGACAGGTGCAGAAATTGGAGGTCAATTGGGGG 4822
Db 157 ----- 157
Qy 4823 CTACCCCGTTCTATCCCTGAGTATCCTCTCGGCCCTGCTCAGGCCAAGGGAGCCCTGA 4882
Db 158 -----AlaLysGlyAsnProGle 163
Qy 4883 GAGCAGCTTCAATGATGAGAACTGCGCATAGTGGTGAACCTGTTCTTCCTGCGGGAT 4942
Db 163 uSerSerPheAsnAspGluAsnLeuArgIleValAlaAspLeuPheSerAlaGlyMe 183
Qy 4943 GGTGACCACTCGACCAAGTGGCTGGGCGCTCTGCTCATGATCTACACCTGGATGT 5002
Db 183 tValThrThrSerThrThrLeuAlaTrpGlyLeuLeuLeuMetIleLeuHisProAspVa 203
Qy 5003 GCAGCGTGAAGCCAGCTGGGGCCCAAGCAGGAGGACTGAGGGAGGAGGTACAGCTGGG 5062
Db 203 lGln----- 204
Qy 5063 GCCCTGGGCTTAGCTGGGACACCCGGGGCTTCCAGCACAGGCGTGGCAGGCTCTGTGA 5122
Db 204 ----- 204
Qy 5123 AGCCTAACTTCTCCAAACACAGGAGGAAGAGAGTGTCCCTGGGTGCTGACCCATTGTG 5182
Db 204 ----- 204
Qy 5183 GGGACGCGATCTGTCTCCAGTCCGTGTCACAGGAGATCCAGCAGCTGATAGGGCAGGTG 5242
Db 205 -----Arg--ArgValGlnGlnIleAspAspValIleGlyGlnVal 218
```

```
Qy 5243 CGCGGACCGAGAGATGGGTGACACAGGCTCACAATGCCCTACACCACTGCGGTGATTACAGAG 5302
Db 219 ArgArgProGluMetGlyAspGlnAlaHisMetProfyThrThrAlaValIleHisGlu 238
Qy 5303 GTCACAGCGCTTTGGGACATCATCCCTCAGTGTGACCCATATGACATCCCGTGACATC 5362
Db 239 ValGlnArgPheGlyAspIleValProLeuGlyValThrHisMetThrSerArgAspIle 258
Qy 5363 GAATGATACAGGCTTCGCGCATCCCTAAAGTAGGCTGGCGCCCTCCTCACCCAGCTCAGC 5422
Db 259 GluValGlnGlyPheArgIleProLys----- 267
Qy 5423 ACCAGCACCTGGTGTAGATAGCCCCAGCATGGCTACTGCCAGGTGGGCCCACTCTTAGAAACCC 5482
Db 267 ----- 267
Qy 5483 TGGCCACCTAGTCTCTCAATGCCACCACTGACTGTCCCACTTGGGTGGGGGTCCAGA 5542
Db 267 ----- 267
Qy 5543 GTATAGCAGGCTGGCTGTCCATCCAGAGCCCCGTCTAGTGGGAGACAAACAGGA 5602
Db 267 ----- 267
Qy 5603 CCTGCCAGAATTTGGAGGACCCAGCGCTTCAGAGGAGAGGGGCGAGTGTGGGTGCCTCT 5662
Db 267 ----- 267
Qy 5663 GAGAGTGTGACTGCGCCCTGTCTGTGGGTTCGAGAGGGTACTGTGGAGCTTCTCGGGCG 5722
Db 267 ----- 267
Qy 5723 CAGGACTAGTTGACAGAGTCCAGCTGTGTGCCAGGCAGTGTGTCCCCCGTGTGTTGG 5782
Db 267 ----- 267
Qy 5783 TGGCAGGGTCCAGCATCTTAGAGTCCAGTCCCACTCTCACCTGTCATCTCTCTGCCCA 5842
Db 267 ----- 267
Qy 5843 GGGAAACGACACTCATCACCAACCTGTCTCATCGTGTGTAAGGATGAGGCCCTCTGGGAGAA 5902
Db 268 Gly-ThrThrLeuIleThrAsnLeuSerValLeuLysAspGluAlaValTrpGluLys 287
Qy 5903 GCCTTTCGCTCCACCCCGAACACTTCTTGGATGCCAGGGCCACTTTCGTGAAGCCGGA 5962
Db 287 sProPheArgPheHisProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGle 307
Qy 5963 GGCCTTCTCTGCTCTCTCAGCAGGTCCTGTGGGGAGCCCGCTCCCTGTCCCTTCCGT 6022
Db 307 uAlaPheLeuProPhe--Ser----- 313
Qy 6023 GGAGTCTTGAGGGGTATCACCCAGGAGCAGGCTCACTGACGCCCTCCCTCCCTCCCA 6082
Db 314 -----Ala 314
Qy 6083 GGGCGCGTGCATGCTCTCGGGAGCCCTCGGCCGATGGAGCTCTTCTCTTCTTCAAC 6142
Db 315 GlyArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThr 334
Qy 6143 TCCTCTGTCAGCACTTTCAGCTTCTCCTGGCGCGCGAGCAGCCCGGGCCAGCACTCT 6202
Db 335 SerLeuLeuGlnHisPheSerPheSerValProThrGlyGlnProArgProSerHisHis 354
Qy 6203 CGTGTGTCAGCTTTCGTGACCCCATCCCTCAGAGCTTGTGTGTGCTGCCCCCGC 6259
Db 355 GlyValPheAlaPheLeuValThrProSerProTyThrGluLeuCysAlaValProArg 373
RESULT 5
Q29454 ID Q29454 PRELIMINARY; PRT; 500 AA.
AC Q29454;
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
```

DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DN Cytochrome P-450 IID.
GN CYP2D.
OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]
SEQUENCE FROM N.A.
RC STRAIN=PBVL 180; TISSUE=Liver;
RX MEDLINE=93011103; PubMed=139678;
RA Tsunooka Y., Matsuo Y., Higuchi R., Ichikawa Y.;
RT "Characterization of the cytochrome P-450IID subfamily in bovine
liver. Nucleotide sequences and microheterogeneity.";
RL Bur. J. Biochem. 208:739-746(1992).
CC 1- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; X68481; CAA48501.1; -;
DR PIR; S37284; S37284.
DR HSP; P00179; IDT6.
DR GO; GO:0004497; F:monooxygenase activity; IEA.
DR GO; GO:0016712; F:oxidoreductase activity, acting on paired d. . .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008089; EP450_CYP2D.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PR01686; EP450_CYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 500 AA; 55921 MW; 4F62F39050E2BED6 CRC64;

Alignment Scores:

Pred. No.: 8,75e-73 Length: 500
Score: 1318.50 Matches: 379
Percent Similarity: 30.36% Conservative: 47
Best Local Similarity: 27.01% Mismatches: 71
Query Match: 7.04% Indels: 906
DB: 6 Gaps: 12

US-09-820-788A-3 (1-10278) x Q29454 (1-500)

QY 2078 ATGGGGCTA-----GAAGCATGGTGGCCCTGGCCCATGATAGTGGCCATCTCTG 2128
DB 1 MetGlyLeuLeuSerGlyAspThrLeuGlyProLeuAlaValAlaLeuLeuPheLeu 20
QY 2129 CTCCTGGTGGACTGATGACCGGACCAACGCTGGCTGCACGCTACCGCCAGTCCC 2188
DB 21 LeuLeuLeuAspLeuMethi.sargArgSerA.gtrpAlaProArgTyrProGlyPro 40
QY 2189 CTGCCACTCCCGGGCTGGGCAACCTTGTGTCATGTGGACTTCCAGAACACACCATCTG 2248
DB 41 ThrProLeuProValLeuGlyAsn-LeuLeuGlnValAspPhe----- 54
QY 2249 CTTGCACAGGTGAGGAGAGAGTCTCTGGAGGCGGCAGAGGTCTGTAGGATGCCCCACC 2308
DB 55 -----GluAsp-Pro----- 57
QY 2309 ACCAGCAACATGGGTGGTGGGTTAAACCAACAGGTGGATCAGAGCCAGGCTGAGAAGG 2368
DB 57 ----- 57
QY 2369 GGAAGCAGGTTTGGGGGACGTTCTCTGGGAAGGACATTTATATGCGCATGAAGGACTGG 2428
DB 57 ----- 57
QY 2429 ATTTTCAAAGGCCAAGGAGAGTAGGCAAGGCCCTGGAGGTGGAGCTGGACTTGGCAG 2488
DB 57 ----- 57
QY 2489 TGGGCATGCAAGCCCATTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGTGTGACA 2548

Db 57 ----- 57
QY 2549 CCAGAGAAAGCCCTTGGGAATGGAAGATGAGTTAGTCTGAGTGCCTTTAATCAGC 2608
Db 57 ----- 57
QY 2609 AAATCGAGGATGAAGGGGGTGCGATGACCGGTTCAAACCTTTTGCACTGTGGGTCTCG 2668
Db 57 ----- 57
QY 2669 GGCCTCACTGCTACCGGCATGGACCATCATCTGGGAATGGGATGCTAACTGGGGCTCT 2728
Db 57 ----- 57
QY 2729 CGGCAATTTTGGTGAATCTTTCAGAGTCAATACCTGGGTGACGCATCCAAACTGAGTTCT 2788
Db 57 ----- 57
QY 2789 CCATCAGAAAGTGTGACCCCAACCCCTGCCACGATCAGAGGCTGGGTCTCTCTCT 2848
Db 57 ----- 57
QY 2849 TCCACTCTCACTCTCTGTTAGCCCCGGGGTCTGTCAGAGTTCAAATAGGACTAGGACC 2908
Db 58 -----ArgProSerPheAsn----- 62
QY 2909 TGTAGTCTGGGGTGATCTCTGGCTTGACAAGAGGCCCTGACCTCCTCTGCAAGTTCGGC 2968
Db 63 -----GlnLeuArgA 66
QY 2969 GCCCTTCGGGACGTTTTCAGCTGACGCTGGCTGGACCGCGGTGCTGTCGTCATATG 3028
Db 66 rgArgPheGlyAsnValPheSerLeuGlnValTrpProValValValLeuAsnG 86
QY 3029 GCTGGCGCGCTGCGGAGCGATGTGACCCCGCGGAGACACGCGCCAGCCCGCCG 3088
Db 86 lyLeuAlaAlaValArgGluAlaLeuValTyrArgSerGlnAspThrAlaAspArgProp 106
QY 3089 CTGCGCCCATCATCACAGGTCTCTGGCTTCGGCTTCGGCGCGGTTCACAGGCAAGCGCGTGG 3148
Db 106 roProAlaValTyrGluHisLeuGlyTyrGlyProArg----- 118
QY 3149 GGACAGAGACCGCGTTTCCGTGGGCGCGGTGGACAGTACCGGTAGCCCAAGCAGCGCC 3208
Db 118 ----- 118
QY 3209 GACAGGCGTGGGGTCTCTGGACGTGAACAGAGATAAAGGCCAGCGAGTGGGCTGAGGAC 3268
Db 118 ----- 118
QY 3269 AGTGGCCAGGAACCACTGCA CGGGGGAGGTGCGAGTCTGTGGGCTGGGAGGGGGCGG 3328
Db 118 ----- 118
QY 3329 GGTACTGCCAGACCCCGCAGAACCCGCTGGGGAGGCTGATCGTCTGAAAGTGGCGGT 3388
Db 118 ----- 118
QY 3389 GCGGGGACCGCGCTATGCTCGGGCTCAGTGTGGGCGGACGGGCGGATCTTCTTTG 3448
Db 118 ----- 118
QY 3449 AGTGAAGAAGTGTGTCAGGTTGGGTCAGACAGAGGTGGGCGCCNAACCCCGCCAGGCGAG 3508
Db 118 ----- 118
QY 3509 GGAGCAATGTGGGTGAGCAAGAGTGGGCCCTGTGCCAGCTGGACCGGCTAGGAGCTG 3568
Db 118 ----- 118
QY 3569 CGGAGACCTTGTGAGCGCCAGGTTTGGAGTGGGTGGCGGAGGTGGGCGCCAGGCTT 3628
Db 118 ----- 118

395 -----||| |||
Db GACACTCATCAACACTGCTCATGGTGTGAGATGAGCGCTGGGAGAGCCCTT 5908
5849 ||| |||
QY rThrLeuIleThrAsnLeuSerSerValLeuIysAspGluThrValrPgluLysProPh 416
396 ||| |||
Db CGCTTCCACCCCGAACACTTCTGGATGCCAGGCGCACTTGTGAAGCCGAGCCCTT 5968
5909 ||| |||
QY eargPheHisProGluHisPheLeuAspAlaGlnGlyArgPheValLysGlnGluAlaPh 436
416 ||| |||
Db CTGCGCTTCTCAGCAGGTGCTGTGGGAGCGCGCTGCTCCCTTCCGTGGAGTC 6028
5969 ||| |||
QY eileProPhe-Ser----- 440
436 ||| |||
Db TTGAGGGGTATACCCAGGAGCCAGGCTCACTGACGCCCTCCCTCCCCACAGCCGC 6088
6029 ||| |||
QY -----AlaGlyArg 443
441 ||| |||
Db CGTGCATGCTCGGGAGCCCTGGCCGCGCATGGAGCTTCTTCTTCACTCCCTCG 6148
6089 ||| |||
QY ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPhePheThrSerLeu 463
444 ||| |||
Db CTGCAGCACTTCACTTCTCCGTGGCGCGGACAGCCCGCCAGCCCACTCTCGTGC 6208
6149 ||| |||
QY LeuGlnHisPheSerPheSerValProAlaGlyGlnProArgProSerGluHisGlyVal 483
464 ||| |||
Db GTGAGCTTCTGTGACCCCATCCCTACGAGCTTTGTGTGTCGCCCGC 6259
6209 ||| |||
QY PheAlaPheLeuValThrProAlaProTyrGlnLeuCysAlaValProArg 500
484 ||| |||
Db
RESULT 6
Q9TUJ4 PRELIMINARY; PRT; 500 AA.
ID AC Q9TUJ4;
AC Q9TUJ4;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Cytochrome P450 2B11.
OS Oryctolagus cuniculus (Rabbit).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Lagomorpha; Leporidae; Oryctolagus.
OX NCBI_TaxID=9986;
RN [1]
RP
SEQUENCE FROM N.A.
RC STRAIN=New Zealand White; TISSUE=Liver;
RX MEDLINE=98391821; PubMed=9722658;
RT Yamamoto Y., Ishizuka M., Takada A., Fujita S.;
RT "Cloning, tissue distribution, and functional expression of two novel
RT rabbit cytochrome P450 isozymes, CYP2D23 and CYP2D24.";
RL J. Biochem. 124:503-508(1998).
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; AB008785; BAA84473.1; --
DR PIR; JE0258; JE0258.
DR HSP; P00179; 1DT6.
DR GO; GO:0004497; F:monooxygenase activity; IEA.
DR GO; GO:0016712; F:oxidoreductase activity, acting on paired d. . .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PR01686; EP450iCYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 500 AA; 55604 MW; 434EC7C86BF6305B CRC64;
Alignment Scores:
Pred. No.: 2,36e-72 Length: 500
Score: 1311.50 Matches: 379
Percent Similarity: 29.58% Conservative: 36
Best Local Similarity: 27.01% Mismatches: 82
Query Match: 7.00% Indels: 906

DB: 6 Gaps: 9
US-09-820-788A-3 (1-10278) x Q9TUJ4 (1-500)
QY 2078 ATGGGGCTA-----GAAGCACTGGTCCCTGGCCATGATAGTGGCCATCTTCCTG 2128
Db 1 MetGlyLeuLeuSerGlyGluAlaLeuAlaProLeuAlaValAlaValAlaIlePheLeu 20
2129 CTCCTGGTGGACCTGATCACCAGCACCAACGCTGGGCTGACGCTACCCAGGTCCC 2188
Db 21 LeuLeuValAspLeuMetHisLysArgProArgTrpAlaAlaArgTyrProProGlyPro 40
2189 GTGCCACTGCGCGGCTGGCAACTCTGCTGATGTGACTTCCAGAACACACCACTACTG 2248
Db 41 ValGlyIleProGlyLeuGlyAsn-LeuLeuGlnValAspPheArgGlyIleProAsnCy 60
2249 CTTCCAGCAGGTGAGGGAGGAGGTCTCTGGAGGGCGGAGAGGTCTCTGAGGATGCCCCACC 2308
Db 60 sPhe-Arg----- 62
2309 ACCGCAAAACATGGGTGGTGGTTAAACACAGGCTGGATCAGAAGCCAGGCTGAGAAGG 2368
Db 62 ----- 62
2369 GGAAGCAGGTTTGGGGAGCGTTCTCTGGGGAAGACATTTATACATGGCATGAAGGACTGG 2428
Db 62 ----- 62
2429 ATTTCCAAAGGCCAAGAGAGTAGGCAAGGGCTGGAGGTGGAGCTTGGCAG 2488
Db 62 ----- 62
2489 TGGGCATGCAAGCCCATTTGGGCAACATATGTTGGAGTACAAAGTCCCTTCTGCTGACA 2548
Db 62 ----- 62
2549 CCAGAAGAAAGGCCCTTGGGAATGGAAGATGAGTTAGTCTCTGAGTCCGTTTAAATCAG 2608
Db 62 ----- 62
2609 AAATCGAGGATGAAGGGGGTGCATGACCCGGTTCAAACTTTTGCACGTGGGTCTCTG 2668
Db 62 ----- 62
2669 GGCCTCACTGCTCACCAGCATGGACCATCATCTGGGAATGGATGCTAACTGGGGCCTCT 2728
Db 62 ----- 62
2729 CGGCAATTTTGTGACTCTTGCAGAGGTCTATCTGGGTGACGCATCCAAACTGAGTTCT 2788
Db 62 ----- 62
2789 CCATCACAAGAGGTGTGACCCCCACCCCTGCCACGATCAGAGGCTGGGTCTCTCTCT 2848
Db 62 ----- 62
2849 TCCACTGCTCACTCTCTGGTAGCCCCGGGGGTGCTCAAGGTTCAAATAGGACTAGGACC 2908
Db 62 ----- 62
2909 TGTAGTCTGGGTGATCTCTGGCTTGACAAGAGGCCCTGACCCCTCTGCGAGTTGCGGC 2968
Db 63 -----GlnLeuArg 66
2969 GCCCTTCGGGACCGTGTTCAGCTGCGCTGGCTGGACCGCGGTGGTCTGCTCAATG 3028
Db 66 rArgTyrGlyAspValPheSerLeuGlnLeuAlaTrpThrProValValLeuLeuAsnG 86
3029 GGCCTGGCGGCGCTGCGCAGGCGATGTGATCCCGCGGAGGACACGCGCCGCCCGCC 3088
Db 86 lyProAlaValIleArgGluAlaLeuValThrTyrGlyGluAspThrAlaAspArgPro 106
3089 CTGCGCCCATCTTACCAGGTCTCTGGGCTTCGGGCGCGCTTCCCAAGGCAAGCGCGTGG 3148

|||||
106 roAlaHisThrLeuGluProLeuGlyPheGlyProHis----- 118
QY 3149 GGACAGAGACCGCGCTTTCCGTTGGGCCCCCGGTGGACAGTACCGTAGCCCAAGCAGCGCC 3208
Db 118 ----- 118
QY 3209 GACAGGGCGTGGGCTCTGACGCTGMAACAGAGATAAAGGCCAGCGAGTGGGCTGAGGAC 3268
Db 118 ----- 118
QY 3269 AGTGGGCCAGAAACACCTGCACGGGGGAGGTGCGAGTCTGTGGGCTGGGAGGGGGCGG 3328
Db 118 ----- 118
QY 3329 GGCTACTGCCAGACCCCGCAGAAGCCCGGTGGGAGGCTGATGCGTGAAGTGGCGGT 3388
Db 118 ----- 118
QY 3389 GCGGGGACCGCGCTATGCTGGGCTCAGTGTGGCGGAGCGGGCGGATCTTCCTTG 3448
Db 118 ----- 118
QY 3449 AGTGGAAAGGTGTACGGGTGGGCGAGACGAGTGGGGCCAAACCCCGCCCGCAGGCGG 3508
Db 118 ----- 118
QY 3509 GGAGCAATGTGGTGACAAAGAGTGGGCCCTGTGCCACCTGGACCGGCTAGGACTG 3568
Db 118 ----- 118
QY 3569 CGGAGACCTTGTGAGCGCCAGGGTTGGAGTGGGTGGCGAGGGTGGGGCCCAAGGCCCT 3628
Db 118 ----- 118
QY 3629 CATGGCAACGCCACGTCCTCGTCCCGCCCCCAGGGGTGATCTGTGCGCTATGGGCC 3688
Db 119 ----- 119
QY 3689 GCGTGGCGGAGCAGAGCGCTTCTCGTCTCCACTTGGCGCACTTGGGCGCTGGGCGAG 3748
Db 130 AlaTrpArgGluGlnArgPheSerValSerThrLeuArgAsnPheGlyLeuGlyLys 149
QY 3749 AAGTCGCTGAGCAGTGGGTGACCGAGGAGCGCGCTTGTGCGGCTTCGCCGACC 3808
Db 150 LysSerLeuGluGlnTrpValThrGluGluAlaThrCysLeuCysAlaAla----- 166
QY 3809 AAGCCGGTGGTGATGGGCGAAGAGGCGACAAAGCGGAACTGGGAAGCGGGGACGGAG 3868
Db 166 ----- 166
QY 3869 AAGCAACCCCTTACCCGCTATCCCAACCCCGAGCGGCGCTTTCGCCCGCAACGGCCT 3928
Db 167 ----- 167
QY 3929 CTTGGCAAGCCGTGACCAAGTATGCTGCTCCCTCACCTTGGCGCACTTGGGCGCTTCGAGTA 3988
Db 180 uLeuAsnLysAlaValCysAsnValIleAlaSerLeuThrHisGlyCysArgPheGluTy 200
QY 3989 CGACGACCCCTCGCTTCTCAGGCTGTGGACCTAGCTCAGGAGGGAAGTGAAGGAGGATC 4048
Db 200 xAspAspHisArgLeuThrArgLeuMetAspLeuThrGlnThrIleLeuLysGluSerTh 220
QY 4049 GGGCTTCTCGCGAGGTGGGAGCGAGACCGAGGAGTCTCTGCGAGGCGGAGCTCCTG 4108
Db 220 rGlyAsnLeuProGln----- 225
QY 4109 AGAGTCCCGGGCTGACTGGGCGCTCCGAAGGCGCAGGATTTGCATAGATGGTGGG 4168
Db 225 ----- 225
QY 4169 AAAGGACATTCAGGAGACCCCACTGTAAAGAGGCGCTGGAGGAGGAGGAGGACATCTCAG 4228

Db 225 ----- 225
QY 4229 ACATGTCTGTGGAGAGGTGTGCCCGGTGAGGGGCGCACCAGGAGAGGCCAAGGACTCTG 4288
Db 225 ----- 225
QY 4289 TACCCCGCTCCAGTTGGAGATTTTCGATTTTCTCTCTCTCTCTCTCTCTCTCTCTCT 4348
Db 225 ----- 225
QY 4349 TGGAGGCTGGCCTTGGGAGGAGCTTGGTGAGGTGAGTGGTAAGGACAGGCGAGGCCCTG 4408
Db 225 ----- 225
QY 4409 GGTCTACTGGAGATGGCTGGGCGCTGAGACTTGTCCAGGTGAACGCGAGGACACAGGAG 4468
Db 225 ----- 225
QY 4469 GATTGAGACCCGTTCTGTCTGTGTGAGTGTGTAATGTGTCTCTCTCTCTCTCTCTCT 4528
Db 226 ----- 226
QY 4529 CCCAGCGCTGGCTGGCAAGTCTCTAGCTTCCAAAAGGCTTCTCTGACCCAGGCTGATGA 4588
Db 236 eProGlyLeuValAspLysValPheArgGlyGlnLysAlaPheMetAlaLeuLeuAspG 256
QY 4589 GCTGCTAACTGACGACAGGATGACCTGGGACCGCCAGCCAGCCAGCCAGGACTGACTGA 4648
Db 256 uLeuValThrGluHisArgMetThrArgAspProIleGlnProProArgAspLeuThrAs 276
QY 4649 GGCCTTCTGGCAAGAGGAGAGTGTGAGTGGCTGCCACCGTGGGGGGCAAGGGTGG 4708
Db 276 pAlaPheLeuAspGlnValGluLys----- 284
QY 4709 TGGGTTGAACGTCCTCCAGGAGGATGAGGGAGGCTGGGCAAAAGGTTGGACCAAGTGC 4768
Db 284 ----- 284
QY 4769 ACCCGGAGCGCATCTCGGCTGACAGGTGCAGATTTGGAGTCTATTTGGGGCTACCC 4828
Db 284 ----- 284
QY 4829 CGTTCTATCCCTGAGTATCTCTCGGCGCTGCTCAGGCCAAGGGAGCGCTTGAGAGCAG 4888
Db 285 ----- 285
QY 4889 CTTCAATGATGAACTCGGCATAGTGTGGTGAACCTGTTCTCTCTCGGCGGATGTGAC 4948
Db 292 rPheAsnAspAspAsnLeuValValThrAspLeuPheAlaAlaGlyMetValTh 312
QY 4949 CACTCGACACGCTGGCGCTCTCTGCTCATGATCTACACTGATGTGCAGCG 5008
Db 312 rThrSerIleThrLeuSerTrpAlaLeuLeuMetIleLeuHisProAspValGln-- 331
QY 5009 TGAGCCAGCTGGGGCCCAAGGCGAGGACTGAGGAGGAGGAGGTACAGCTGGGGGGCCCT 5068
Db 331 ----- 331
QY 5069 GGGCTTAGTGGGACACCGGGGCTTCCAGCAGCGGTGGGCCAGGCTCTGTAAAGCCTA 5128
Db 331 ----- 331
QY 5129 ACTTCTCCACACAGGAGGAGGAGTGTCTCCCTGGGTGCTGACCCATTGTGGGACG 5188
Db 331 ----- 331
QY 5189 CATGTCTGTCCAGTCCGTGTCCAAAGAGATCGACGACGTGATAGGCGAGGTGCGCGCA 5248
Db 332 ----- 332
QY 5249 CCAGATGGGTGACAGGCTCATATGCCCTACACCTGCGCTGATTCACGAGGTGACG 5308
Db 348 ProGluMetGlyAspGlnAlaArgMetProTyThrThrAlaValValHisGluValGln 367

```
QY 5309 CGCTTTGGGACATATCCCTGAGTGTGACCCATATGACATCCCGTACATCGAAGTA 5368
DB 368 ArgPheAlaAspIleLeuProGluValProHisGlnThrSerArgAspIleGluVal 387
QY 5369 CAGGGCTCCCGATCCCTAAGGTAGGCTTGGGCGCTCTCTACCCAGCTCAGCACCGC 5428
DB 388 GlnGlyPheLeuIleProlys----- 394
QY 5429 ACTGGTGTATAGCCCGACGATGGCTACTGCTCAGGTGGGCGCCACTTAGAAGCCCTGGCCA 5488
DB 394 ----- 394
QY 5489 CCTAGTCTCAATGCCACACACTGACTGTCCCACTTGGGTGGGGGTCCAGAGTATAG 5548
DB 394 ----- 394
QY 5549 GCAGGGCTGGCTGTCCATCCAGAGCCCCGTCTAGTGGGGAGACAAACAGGACTGGC 5608
DB 394 ----- 394
QY 5609 AGAATGTTGAGACCCAGCGCTGCAGGGAGAGGGGCGAGTGTGGTGCCTCTGAGAGG 5668
DB 394 ----- 394
QY 5669 TGTGACTGCGCCCTGCTGTGGGGTGGAGAGGGTACTGTGAGCTTCTCGGGCGCAGGAC 5728
DB 394 ----- 394
QY 5729 TAGTTGACAGATCCAGCTGTGTGCCAGGAGTGTGTGCCCGTGTGTTGGTGGCAG 5788
DB 394 ----- 394
QY 5789 GGGTCCAGCATCTTAGATCCAGTCCAGTCCCACTCACCCTGCATCTCTGCCCGGAGAC 5848
DB 395 -----Gly-Th 396
QY 5849 GACACTCATCCACACCTGCTCATCGGTGCTGAAGATGAGCGGCTGGGAGAGCCCTT 5908
DB 396 rValLeuPheThrAsnLeuSerSerValLeuIysAspGluAlaValTrpGluIysProPh 416
QY 5909 CGCTTTCCACCCCGAACAACCTCTCTGATCCCGAGGCGCCACTTTGTGAAGCCGAGGCTT 5968
DB 416 eArgPheHisProGlyHisPheLeuAspAlaGlnGlyArgPheValIysGlnGluAlaPh 436
QY 5969 CTGCTCTTTCTCAGCAGGTGCTGTGGGAGCGCGGCTCCCTGTCTCCCTTCCGTGGAGTC 6028
DB 436 eMetProPhe--Ser----- 440
QY 6029 TTGAGGGGTATACCCAGGAGCCAGGCTCACTGACGCCCTCCCTCCCGACAGCGCG 6088
DB 441 -----AlaGlyArg 443
QY 6089 CGTGCATGCTCGGGAGCCCTGGCCCGCATGGAGCTTCTCTCTTCTACCTCCCTG 6148
DB 444 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePheThrCysLeu 463
QY 6149 CTGAGCAGCTTCACTTCTCTGTCGCGCGCGGAGAGCCCGCGCAGCCACTCTCTGTGTC 6208
DB 464 LeuGlnArgPheSerPheSerValProThrGlyGlnProArgProSerAspGlnGlyAla 483
QY 6209 GTACGCTTCTGTGACCCCATCCCTACGAGCTTGTGCTGTGCCCCG 6259
DB 484 ProAlaThrLeuValThrProAlaProTyrGlnLeuCysAlaValAlaArg 500
```

RESULT 7

```
Q9TUJ5
ID Q9TUJ5 PRELIMINARY; PRT; 500 AA.
AC Q9TUJ5;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Cytochrome P450 2D/1.
```

```
OS Oryctolagus cuniculus (Rabbit).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Lagomorpha; Leporidae; Oryctolagus.
OX NCBI_TaxID=9986;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=New Zealand White; TISSUE=Liver;
RX MEDLINE=98391821; PubMed=9722658;
RA Yamamoto Y., Ishizuka M., Takada A., Fujita S.;
RT "Cloning, tissue distribution, and functional expression of two novel
RT rabbit cytochrome P450 isozymes, CYP2D3 and CYP2D24.";
J. Biochem. 124:503-508(1998).
CC -|- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; AB008784; BAA84472.1; -.
DR FIR; JF0259; JF0259.
DR HSP; P00179; I076.
DR GO; GO:0004497; F:monooxygenase activity; IEA.
DR GO; GO:0016712; P:oxidoreductase activity, acting on paired d. . .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome_P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 500 AA; 55721 MW; 7E4A43379F29CEFF3 CRC64;

Alignment Scores:
Pred. No.: 1,01e-68 Length: 500
Score: 1252.50 Matches: 370
Percent Similarity: 29.44% Conservative: 43
Best Local Similarity: 26.37% Mismatches: 84
Query Match: 6.69% Indels: 906
DB: Gaps: 11

US-09-820-788a-3 (1-10278) x Q9TUJ5 (1-500)
QY 2078 ATGGGGCTA-----GAAGCACTGGTGGCCCTGGCCATGATAGTGGCCATCTCTCTG 2128
DB 1 MetGlyLeuLeuSerGlyGluAlaLeuAlaProLeuAlaValAlaValAlaPheLeu 20
QY 2129 CTCCTGTGGTGGACCTGATGCACCGCACCAACGCTGGCTGGCAGCTACCCGCGAGTCC 2188
DB 21 LeuLeuValAspLeuMetHisIlyArgProArgTrpAlaAlaArgIlyProGlyPro 40
QY 2189 CTGCCACTGCCCGGCTGGCAACCTTGTGTCATGTGGACTTCCAGAACACACCATCTG 2248
DB 41 ValGlyIleProGlyLeuGlyAsn-LeuLeuGlnValAspPheArgGlyIleProAsnCy 60
QY 2249 CTTGCACAGGTGAGGGAGGAGGTCTCTGGAGGCGGAGAGTCTCTGAGGATGCCCCACC 2308
DB 60 sPhe-Arg----- 62
QY 2309 ACCGACACACATGGTGGTGGTTAAACACACAGGCTGGATCAGAGCCAGGCTGAGAAG 2368
DB 62 ----- 62
QY 2369 GGAAGCAGGTTTGGGGGACGTTCTCTGGGGAAGGACATTATATACATGTCATGAAGGACTGG 2428
DB 62 ----- 62
QY 2429 ATTTTCCAAAGGCCAAGGAGAGTAGGCAAGGGCTGGAGGTGGAGCTGGAGCTTGGCAG 2488
DB 62 ----- 62
QY 2489 TGGGCATCAAGCCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACA 2548
DB 62 ----- 62
QY 2549 CCAGAAGAAAGGCCCTTGGGAATGGAGATGAGTTAGTCTCTGAGTCCGCTTTAAATCAGG 2608
DB 62 ----- 62
```

```
QY 2609 AAATCGAGGATGAAGGGGGTGCAGTACCCGGTTCAAACCTTTTGCATCTGGGTCTCG 2668
Db 62 ----- 62
QY 2669 GGCTCACTGCTCACCGCATGGACCATCATCTGGGAATGGATGCTAACTGGGGCTCT 2728
Db 62 ----- 62
QY 2729 CGGCAATTTTGGTGACTCTTGCAAGGTATACCTGGGTGACGCATCCAAACTGAGTTCT 2788
Db 62 ----- 62
QY 2789 CCATCAGAAAGTGTACCCCCACCCCTGCCACGATCAGAGGCTGGTCTCTCTCT 2848
Db 62 ----- 62
QY 2849 TCCACCTGCTCACTCTCTGTAGCCCCGGGGTGTCTCCAGGTTCAATAGACTAGGACC 2908
Db 62 ----- 62
QY 2909 TGTAGTCTGGGTGATCTGCTTGTACAGAGGCTTGACCCCTCTCTCAGTTGCGGC 2968
Db 63 -----GlnLeuArgC 66
QY 2969 GCCCTTTCGGGACGTGTTCAAGCTGAGCTGGAGCGCGGTGGTCTGCTCAATG 3028
Db 66 ysArgTyrGlyAspValPheSerLeuGlnLeuAlaTrpProValValLeuAsnG 86
QY 3029 GGCTGGCGGCTGCGGAGCGGATGTGACCGCGCGGAGAGACAGCGCCGACCGCCGC 3088
Db 86 lyProAlaAlaMetArgGluAlaLeuValThrTyrGlyGluAspThrAlaAspArgProt 106
QY 3089 CTGCGCCATCTACCAAGTCTCGGCTTCGGCGCGGTTCCTCAAGGCAAGCGCGGTGG 3148
Db 106 yrSerLeuSerLeuGluHisLeuGlyPheGlyProGln----- 118
QY 3149 GGACAGAGACCGGCTTTCCGTGGCGCCCGGTGTGACAGTACCGTAGCCCAAGCAGCGCC 3208
Db 118 ----- 118
QY 3209 GACAGGCGTGGGTCTCTGACGTGAACAGAGATAAGGCCAGCGAGTGGGTGAGGAC 3268
Db 118 ----- 118
QY 3269 AGTGGCCAGGAACACCTGCACGGGGAGGTGCGAGTCTGTGGCTGGAGGGGCGG 3328
Db 118 ----- 118
QY 3329 GGCTACTGCCAGACCGCAGAAAGCCCGGTGGCGAGGCTGATGCTGAAGTGGCGGT 3388
Db 118 ----- 118
QY 3389 GGCGGGGACCGCCTATGCTGGGGCTCAGTGTGGCGGACGGCGGGATCTTCTCTTG 3448
Db 118 ----- 118
QY 3449 AGTGGAAAGTGTACGGGTGGCGAGACGAGGTGGGGCCAAACCCCGCCCCAGGAGG 3508
Db 118 ----- 118
QY 3509 GGAGCAATGTGGTGAGCAAGAGTGGGCCCTGTGCCACGCTGACCGGGCTAGGAGCTG 3568
Db 118 ----- 118
QY 3569 CGGAGACCTTGTGGAGCGCCAGGGTTGAGTGGGTGGCGGAGGGTGGGGCCCAAGGCTT 3628
Db 118 ----- 118
QY 3629 CATGGCAACCCCGCTGCTCCCGCCCGCCAGGGGTGATCTCTGCGGCTATGGGCC 3688
Db 119 -----Ala-GlnGlyValIleMetAlaCysTyrGlyHis 129
```

```
QY 3689 GCCTGGCGGAGCAGAGGGCTTCTCTCGTGTCCACCTTGCACAACTTGGGCGCTGGGCAAG 3748
Db 130 AlaTrpArgGluGlnArgPheSerValSerThrLeuArgAsnPheGlyMetGlyLys 149
QY 3749 AGTCCGCTGGAGCAGTGGGTGACCGAGGAGCGCGCTGCTTGTGCTTGGCGCTTCCGCCAC 3808
Db 150 LysSerLeuGluHisTrpValThrGluGluAlaIleCysLeuCysAla-Val----- 166
QY 3809 AAGCCGCTGGTGTATGGGAGAGGAGGACAAAGCGGAACTGGGAAAGCGGGGAGCGGAG 3868
Db 166 ----- 166
QY 3869 AAGGCAACCCCTTACCCGCATCTCCCAACCCCGAGACGCGCTTTCGCCCAACCGGCT 3928
Db 167 -----PheSerGluHisAlaGlyHisProPheSerProLysAlaLe 180
QY 3929 CTTGGACAAACCGTGCAGCAACGTGATCGCTCCCTCCTCAGTGGGGCGCGCTTCAGTA 3988
Db 180 uLeuAsnLysAlaIleGlyAsnValIleAlaSerLeuThrPheGlyCysArgPheGluTy 200
QY 3989 CGAGCACCTCTGCTTCTCAGGCTGTGACCTAGCTCAGGAGGGAGTCTGAAGGAGGATC 4048
Db 200 rAspAspHisArgLeuThrArgLeuMetAspLeuIleGluIleMetLeuGluGluSerTh 220
QY 4049 GGGCTTTCGCGAGGTGCGGAGCGAGACCGAGGAGTCTCTGCAGGCGGAGCTCTG 4108
Db 220 rGlyIleLeu----- 223
QY 4109 AGAGGTGCGGGCTGGACTGGGGCTCCGAAGGGCAGGATTTGCATAGATGGTGGTGGG 4168
Db 223 ----- 223
QY 4169 AAAGGACATTCAGGAGAGACCCCACTGTAAGAGGGCTTGGAGGAGGAGGAGCATCTCAG 4228
Db 223 ----- 223
QY 4229 ACATGTCTGGGAGAGGTGTGCCCGGTGAGGGGACCGAGAGAGGCCAAGGACTCTG 4288
Db 223 ----- 223
QY 4289 TACCCCGCTCCAGTTGGAGATTTTCATTTTAGTTTCTCTCTGGGCAAGGAGAGGG 4348
Db 224 ----ProLeu----- 225
QY 4349 TGGAGCTGGCATTGGGGAGGACTTGGTGAGTCACTGGTAAAGCAGCAGGAGGCCCTG 4408
Db 225 ----- 225
QY 4409 GGTCTACTGGAGATGGCTGGGGCTGAGACTTGTCCAGGTGAACGAGAGACAGGAGG 4468
Db 225 ----- 225
QY 4469 GATTGAGACCCGTTCTGTCTGTGTGATGTGTAATGTGTCCCGTCTCTCTGCACAT 4528
Db 226 -----ValLeuAsnValIleProIleLeuLeuArgI 236
QY 4529 CCCAGCGCTGGTGGCAAGTCTCTAGCTTCCAAAGGCTTCTCTACCCAGCTGATGA 4588
Db 236 eProGlyLeuValAspLysValPheHisGlyGlnLysAlaPheMetAlaLeuLeuAspGI 256
QY 4589 GCTGTCTAATCAGCAGGATGACCTGGGACCCAGCCAGCCAGCCAGCCAGCTGACTGA 4648
Db 256 uLeuValThrGluHisArgMetThrArgAspProAlaGlnProProArgAspLeuThrAs 276
QY 4649 GGCCTTCTCGCAAGAGAGAGGTGAGAGTGGCTGCCACCGTGGGGGGGCAAGGGTGG 4708
Db 276 pAlaPheLeuAspGlnValGluLys----- 284
QY 4709 TGGGTTGAACGTCCTCCAGGAGGAATGAGGGGAGCTGGGCAAAAGGTTGGACAGTGCATC 4768
Db 284 ----- 284
QY 4769 ACCCGCGAGCCGCATCTGGGCTGACAGGTGACAGATTTGGAGGTCACTTTGGGGGTACCC 4828
```


Db ----- 63 -----

3791 TGTGCGCTTCCTCCGACCAAGCCGTTGGTGTGTGATGGCAGAGGACAAAGCGGAACCTG 3850
Db |||||
164 CysAlaAla----- 166
3851 GGAAGCGGGGACGAGAGCAACCCCTTACCCGATCTCCACCCCCAGAGAGGCC 3910
Qy |||||
Db |||||
167 -----Phe-AlaAspHisThrGlyHisPr 174
3911 CTTTCGCCCAAGCGCTCTTCGACAAAGCCGTGAGCAACGTGATCGCTCCCTCACCTG 3970
Qy |||||
Db |||||
174 oPheSerProAsnThrLeuLeuAspLysAlaValCysAsnValIleAlaSerLeuLeuTy 194
Qy |||||
Db |||||
3971 CGGGCGCGCTTCGAGTACGACACCTCGCTTCCTCAGGCTGCTGGACCTAGCTCAGGA 4030
Qy |||||
Db |||||
194 rAlaCysArgPheGluTyAspAspProArgPheIleArgLeuLeuGlyLeuLeuLysGl 214
Qy |||||
Db |||||
4031 GGGACTGAAGAGAGTGGGCTTTCTGCGGAGGTGCGGAGCGGAGACCGAGGAGTCT 4090
Qy |||||
Db |||||
214 uThrLeuLysGluGluAlaGlyPheLeu----- 223
4091 CTGCAGGCGAGCTCCTGAGAGGTGCGGGGCTGGACTGGGGCTCCGAAGGCGAGGATT 4150
Qy |||||
Db |||||
223 ----- 223
4151 TGCATAGATGGTTTGGGAAAGGACATTCAGAGACCCCACTGTAAAGAGGGCTGGAG 4210
Qy |||||
Db |||||
223 ----- 223
4211 GAGGAGGGGACATCTCAGACATGTCGTGGGAGAGGTGTGCCGGGTGAGGGGGCACAG 4270
Qy |||||
Db |||||
223 ----- 223
4271 GAGAGGCCAAGGACTCTGTACCCCGTCCAGCTTGGAGATTTTCGATTTTAGTTTCTCT 4330
Qy |||||
Db |||||
224 -----ProMet----- 225
4331 CTGGCAAGAGAGAGGGTGGAGGCTGGCACTTGGGGAGGACTTGGTGAGTCAAGTGT 4390
Qy |||||
Db |||||
225 ----- 225
4391 AAGCAGGCGAGCGCTGGTCTACCTGGAGATGGCTGGGGCTGAGACTTGTCCAGGTG 4450
Qy |||||
Db |||||
225 ----- 225
4451 AACGAGAGCAGAGGAGATTGAGACCCGTTCTGTCTGTGTAGTGTCTGAATGCTGT 4510
Qy |||||
Db |||||
226 -----PheLeuAsnValPh 230
4511 CCGCTCTCTGACATCCAGCGCTGGCTGGCAAGGTCTACGCTTCCAAAAGGCTTT 4570
Qy |||||
Db |||||
230 eProMetLeuLeuArgIleProGlyLeuValGlyLysValPheProGlyLysArgAlaPh 250
Qy |||||
Db |||||
4571 CCGTACCAGCTGGATGAGTCTTAACCTGAGCAGAGATGACCTGGGACCCAGCCAGCC 4630
Qy |||||
Db |||||
250 eValThrMetLeuAspGluLeuAlaGluHisLysThrTrpAspProThrGlnPr 270
Qy |||||
Db |||||
4631 ACCCGACACTGACTGAGGCTTCTGCGAAAGAGAGAGAGTGAAGTGGTGGCCAC 4690
Qy |||||
Db |||||
270 oProArgAspLeuThrAspAlaPheLeuAlaGluValGlyLys----- 284
4691 GGTGGGGGCAAGGTGTGGTGTGAACGTCCCAGAGGAATGAGGGAGGCTGGGCAAA 4750
Qy |||||
Db |||||
284 ----- 284
4751 AGTTTGACAGTGCATCACCGGCGAGCCGATCTGGGCTGACAGGTGCAGAAATTGGAG 4810
Qy |||||
Db |||||
284 ----- 284
4811 GTCATTGGGGCTACCCGTTCTATCCCTGAGTATCTCTCGGCCCTGTCTAGGCCAA 4870
Qy |||||
Db |||||
285 -----AlaLy 286
4871 GGGAGCCCTGAGAGCAGCTTCAATGATGAGAACTCGGCATAGTGTGGGTAACTGTT 4930

Db |||||
286 sGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgThrValValGlyAspLeuPh 306
Qy |||||
4931 CTTTCGCCGATGTGACCACTCGACACCGCTGGCTGGGCTCTCTGCTCATGATCCT 4990
Qy |||||
Db |||||
306 eSerAlaGlyMetValThrThrSerThrLeuSerTrpAlaLeuMetLeuMetIleLe 326
Qy |||||
4991 ACACCTGATGTGAGCGTGTGAGCCAGCTGGGGCCCAAGGAGGAGCTGAGGGAGGAAG 5050
Qy |||||
Db |||||
326 uTyProAspValGln----- 331
5051 GTACAGCTGGGGGCGCTTGGGCTTAGCTGGGACACCGGGGCTTCCAGCACAGCGCTGGC 5110
Qy |||||
Db |||||
331 ----- 331
5111 CAGGCTCCTGTAAAGCTTAACTTCTCCAAACACAGAGGAAGAGAGTGTCCCTGGGTGC 5170
Qy |||||
Db |||||
331 ----- 331
5171 TGACCCATTGTGGGAGCGCATGTCTGTCCAGTCCGTCTCCAAACAGGAGATCGACGCTG 5230
Qy |||||
Db |||||
332 -----Arg-ArgValGlnGlnGluIleAspGluVal 341
5231 ATAGGCGAGGTGCGCGACACAGAGATGGTGTGACAGGCTCACATGCCCTCACCACTGCC 5290
Qy |||||
Db |||||
342 IleGlyGlnValGlnCysProGluMetAlaAspGlnAlaArgMetProTyThrAsnAla 361
Qy |||||
5291 GTGATTACGAGGTGCGCGCTTTGGGACATCATCCCTGAGTGTGACCATATGACA 5350
Qy |||||
Db |||||
362 ValIleHisGluValGlnArgPheAlaAspIleLeuProLeuGlyValProHisLysThr 381
Qy |||||
5351 TCCGCTGACATCGAGTACAGGCTTCCGATCCCTAAGTGTAGGCTGGCGCTCTCTCA 5410
Qy |||||
Db |||||
382 SerArgAspIleGluLeuGlnGlyPheLeuIleProLys----- 394
5411 CCCAGCTCAGACACCAGCCTGTGTGTAGTCCGCCAGCATGGCTACTGCCAGTGGGCCA 5470
Qy |||||
Db |||||
394 ----- 394
5471 CTCTAGGAACCTTGGCCACCTAGTCTCTCAATGCAACACACTGTACTGTCCCACTTGGGT 5530
Qy |||||
Db |||||
394 ----- 394
5531 GGGGGTCCAGATATAGGAGGCTGGCTGTCTCCATCCAGAGCCCCGCTCTAGTGGGA 5590
Qy |||||
Db |||||
394 ----- 394
5591 GACAAACAGGACCTGCCAGAAATGTTGGAGGACCCAGCGCTGCAGGAGAGGGGAGT 5650
Qy |||||
Db |||||
394 ----- 394
5651 GTGGTCTCTGTGAGAGTGTGACTGCGCCCTGTGTGGGTTCGAGAGGAGTGTGTGGA 5710
Qy |||||
Db |||||
394 ----- 394
5711 GCTTCTCGGGCGAGGACTAGTTCACAGATCCAGCTGTGTGCCAGGAGTGTGTGTCCC 5770
Qy |||||
Db |||||
394 ----- 394
5771 CCGTGTGTTTGTGGCAGGGTCCAGCATCTTAGAGTCCAGTCCCACTCTCACCTGTC 5830
Qy |||||
Db |||||
394 ----- 394
5831 ATCTCTGCCCGAGGAACGACACTCATCAACCTGTCTCATCGTGTGATGAGGATGAGC 5890
Qy |||||
Db |||||
395 -----Gly-ThrThrLeuIleThrAsnLeuSerSerAlaLeuLysAspGluTh 410
5891 GGTCTGGAGAGCCCTTCGCTTCCACCCCGAACACTTCTCTGATGATGCCAGGCCACTT 5950
Qy |||||
Db |||||
410 rValTrpGluLysProLeuCysPheHisProGluHisPheLeuAspAlaGlnGlyHisPh 430
Qy |||||
5951 TGTGAAGCCGAGGCTTCTGCTTCTCAGCAGGTGCTGTGTGGGAGCGCGCTCCCT 6010

Db 430 eVallysProGluAlaPheMetProPhe--Ser----- 440
QY 6011 GTCCCTTCCGTGGAGTCTTGAGGGGTATCACCCAGGAGCCAGGCTCACTGACGCCCT 6070
Db 440 ----- 440
QY 6071 CCCCTCCACAGCGCGCGTGCATGCTCGGGGAGCCCTCGCGCGGCGGAGTGTTC 6130
Db 441 -----AlaGlyArgArgSerCysLeuGlyGluProLeuAlaArgMetGluLeuPhe 457
QY 6131 CTCCTTCTCACCTCCCTGCTGAGCAGCTTTCAGCTTCTCGTGGCGCGGCGGAGCCCGG 6190
Db 458 LeuPhePheThrCysLeuLeuGlnArgPheSerIleSerValProAspGlyGlnProGln 477
QY 6191 CCAGCCACTCTCGTGTCTGCTGAGCTTCTGTGTGACCCCATCCCTACGAGCTTGTGCT 6250
Db 478 ProSerAspHisGlyValPheArgAlaLeuThrThrProCysProTyGlnLeuCysAla 497
QY 6251 GTGCCCGCGC 6259
Db 498 LeuProArg 500

RESULT 10

Q8VCX0 PRELIMINARY; PRT; 500 AA.
AC Q8VCX0;
DT 01-MAR-2002 (TrEMBLrel. 20, Created)
DT 01-MAR-2002 (TrEMBLrel. 20, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Similar to cytochrome P450, 2d9.
GN 1300007K12RIK.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RA Strausberg R.;
RL Submitted (DEC-2001) to the EMBL/GenBank/DBJ databases.
CC -1- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; BC018344; AAH18344.1; -.
DR MGD; MGI:1915694; 1300007K12RIK.
DR GO; GO:0005524; F:ATP binding; IEA.
DR GO; GO:0004497; F:monooxygenase activity; IEA.
DR GO; GO:0016712; F:oxidoreductase activity, acting on paired d. .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR005479; CPase_L_D2.
DR InterPro; IPR001128; Cytochrome P450.
DR Pfam; PF00067; p450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00867; CPASE 2; 1.
DR PROSITE; PS00866; CYTOCHROME P450; 1.
DR Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 500 AA; 56625 MW; 30017F7A1AE4F83E CRC64;

Alignment Scores:

Pred. No.: 9,14e-64 Length: 500
Score: 1172.00 Matches: 344
Percent Similarity: 28.82% Conservative: 58
Best Local Similarity: 24,66% Mismatches: 90
Query Match: 6,26% Indels: 903
DB: 11 Gaps: 10

US-09-820-788a-3 (1-10278) x Q8VCX0 (1-500)

QY 2093 CTGGTGCCCTGGCCATGATAGTGGCCATCTTCTGCTCTGCTGAGCTGATGACCGG 2152
Db 9 LeuTrpProValAlaIlePheThrValIlePheIleLeuLeuValAspLeuMethHisArg 28
QY 2153 CACCAACGCTGGGCTGACAGCTACCGCGCAGGCTCCCTGCTGCCACTGCGCGGCTGGGCAAC 2212

Db 29 ArgGlnArgTrpThrSerArgTyrProGlyProValProTyrProValLeuGlyAsn 48
QY 2213 CTGTGTCATGTGGAGTCTTCAGACACACACCACTACTGCTTCGACAGGTGAGGAGGAGGT 2272
Db 49 -LeuLeuGlnValAspLeuAspAsnMetProTyr-Ser----- 60
QY 2273 CTGGAGGCGGACAGAGTCTTGAGGATGCCCCACACAGCAAAATGCGGTGGTGGT 2332
Db 60 ----- 60
QY 2333 AAACACAGGCTGGATCAGAAGCCAGGCTGAGAAGGGAGCAGGTTTGGGGGACGTTCC 2392
Db 60 ----- 60
QY 2393 TGGGAGGACACATTTATACATGGCATGAAGACTGGATTTTCCAAAGGCCAAGGAAGAGT 2452
Db 61 -----LeuTyr----- 62
QY 2453 AGGCAAGGCGCTGGAGGTGGAGCTGGACTTGGCAGTGGGCATGCAAGCCCATTTGGGCA 2512
Db 62 ----- 62
QY 2513 CATATGTTATGGAGTACAAAGTCCCTTCTGTGACACACAGAAGAAAGCCTTGGGAATG 2572
Db 62 ----- 62
QY 2573 GAAGATGAGTTAGTCTCTGAGTCCGCTTTAAATACGAAATCGAGATGAAGGGGTGCAG 2632
Db 62 ----- 62
QY 2633 TGACCCGGTTCAAACCTTTTGACACTGTGGGTCTCTCGGCGCTCACTGCTCACCGGCATGA 2692
Db 62 ----- 62
QY 2693 CCATCATCTGGGATGGGATGCTAACTGGGGCTCTCGGCAATTTTGGTGACTCTTGCAA 2752
Db 62 ----- 62
QY 2753 GGTACATCTGGTGTGACGATCCAAAGTGTCTCCATCACAGAAGTGTGACCCCA 2812
Db 62 ----- 62
QY 2813 CCCCTGCCACGATCAGGAGGCTGGGTCTCTCTCTCCACTGCTCACTCTGCTAGCC 2872
Db 62 ----- 62
QY 2873 CCGGGGCTGTCACAGTTCAAAAGTTCAATAGGACTAGGACCTGTAGTCTGGGGTGATCTCGGCTT 2932
Db 62 ----- 62
QY 2933 GACAAGGCGCTGACCTCTCTCTGAGTTGGCGCGCTTCCGGGAGCGTTTCAGCC 2992
Db 63 -----LysLeuGlnAsnArgTyrGlyAspValPheSerL 74
QY 2993 TGCAGCTGGCTGGACCGCGGTGGTGGTGTGCTCAATGGGCTGGCGCGCTGCGCGAGGCA 3052
Db 74 euGlnMetAlaTrpLysProValValIleSerGlyLeuLysAlaValArgGluValL 94
QY 3053 TGGTGACCCGCGGCGAGGACACCGCGCGCTGCGCGCTGCGCGCTTCTACAGGCTCTGG 3112
Db 94 euValThr-CysGlyGluAspThrAlaAspArgProGluMetProIlePheGlnHisLeuG 114
QY 3113 GCTTCGGGCGCGTTCCTCAAGCAAGCGCGGTGGGGGACAGACCGCGTTTCCGTGGG 3172
Db 114 LysGlyGlyLysAla-Lys----- 120
QY 3173 CCGCGGCTGGACAGTGTGACCTAGCCCAAGCAGCGCGCTGGGGCTCTGGAGCGT 3232
Db 120 ----- 120
QY 3233 GAAACAGAGATAAGGCCAGCGAGTGGGCTGAGGACAGTGGGCCAGGAAACCACTGAC 3292

Db 120 ----- 120
Qy 3293 GGGGAGGTGCGAGTCTGTGGCTGGGAGGGGGCGGGCTACTGCCAGACCCCGCAGAA 3352
Db 120 ----- 120
Qy 3353 GCCCGTGGCGAGGCTGATCGTTCGAGTGGCGGTGGCGGGGACCGCGCTATCTGCTGG 3412
Db 120 ----- 120
Qy 3413 GCGTCAGTGTGGCGGAGCGGCGGATCTTCTTTAGTGGAAAGGTGGTCAGGGTGGGC 3472
Db 120 ----- 120
Qy 3473 AGAGAGAGGTGGGCGCAACCCCGCCAGCAGGGAGCAATGTGGTGAGCAAGAG 3532
Db 120 ----- 120
Qy 3533 TGGGCGCTGTGCCAGCTGGACCGGGCTAGGAGTGGCGGAGCCTTGTGGAGCCAGG 3592
Db 120 ----- 120
Qy 3593 GTTGAGTGGGTGGCGAGGGTGGGCGCAAGGCCCTTCATGGCAACGCCCACTGTCCGTC 3652
Db 120 ----- 120
Qy 3653 CGCCCCCAGGGGTGATCTGTGCGCTATGGGCGCGGTGGCGGAGCAGAGCGCTTC 3712
Db 121 ----- GlyValValPheAlaProTyrGlyProGluTrpArgGluLeuArgPhe 137
Qy 3713 TCCGTGTCCACCTTCGCAACTTGGCTGGCAAGAGTGCCTGGAGCAGTGGTGACC 3772
Db 138 SerValSerThrLeuArgAsnLeuGlyLeuGlyLysSerLeuGluGlnTrpValThr 157
Qy 3773 GAGGAGCGCGCTGCTTTGTGCGCTTCGCGCACCAAGCGGTGGTGATGGGCGAGAAG 3832
Db 158 GluGluAlaGlyHisLeuCys ----- Asp-AlaPheTh 168
Qy 3833 GCACAAAGCGGAATGGAGGGCGGGGACGAGAAAGCAACCCCTTACCCGATCTC 3892
Db 168 AlaGlnAlaGlySer ----- 173
Qy 3893 CCCACCCAGGACGCGCTTCGCGCCCAACGGCTCTTGGACAAAGCGGTGAGCAAGT 3952
Db 174 ----- ProLeuAspProTyrThrLeuLeuAsnLysAlaValCysAsnVa 188
Qy 3953 GATCGCTCCCTCACCTGCGGCGCGCTTCGAGTACGACGACCTCGCTTCCTCAGGCT 4012
Db 188 IleAlaSerLeuIleTyrAlaArgArgPheGluTyrGlyAspProAspPheIleLysMe 208
Qy 4013 GCTGACCTAGCTCAGGAGGACTGAAGGAGGAGTCGGGCTTTCTGCCGAGGTGCGGAG 4072
Db 208 tLeuLysIleLeuLysGluAsnMetGlyGluAsnThrGlyLeuPheProGlu- 225
Qy 4073 CGAGACCGGAGTCTCTGCGGCGGAGCTCCTGAGAGGTGCGCGGGCTGAGTGGG 4132
Db 225 ----- 225
Qy 4133 CTTCCGAAGGCGAGGATTTCATAGATGGTTTGGGAAAGGACATTCAGGAGACCCCAAC 4192
Db 225 ----- 225
Qy 4193 TGTAAAGGCGCTGGAGGAGGGGACATCTCAGACATGTCGTGGGAGAGGTGTGCC 4252
Db 225 ----- 225
Qy 4253 CGGGTCAGGGGACACAGGAGGCCAAGGACTCTGTATCCCGCTCCAGCTTGGAGATT 4312
Db 225 ----- 225
Qy 4313 CGATTTTAGTTTCTCTCTGGGCAAGGAGAGGGTGGAGCTGGCACTTGGGAGGGA 4372
Db 225 ----- 225

Qy 4373 CTTGGTGGGTGAGTGGTAAAGCAGGCGGCCCTTGGGTCTACCTGGAGATGGCTGGGC 4432
Db 225 ----- 225
Qy 4433 CTGAGACTTGTCCAGGTGAACGCGAGACAGGAGGATTGAGACCCCGTCTGTCTGGT 4492
Db 225 ----- 225
Qy 4493 GTAGTGTGTAATGTGTCCCGTCTCTGCACATCCAGCGTGGCTGGCAAGGTCT 4552
Db 226 ---ValLeuAsnThrPheProIleLeuLeuHisIleProGlyLeuAlaAspLysValph 244
Qy 4553 ACGCTTCCAAAAGGCTTCTGACCCAGCTGGATGAGTGTCTAACTGACGACGATGAC 4612
Db 244 eProGlyGlnLysThrPheLeuThrLeuValAsnLysLeuValThrGluHisLysArgTh 264
Qy 4613 CTGGACCCAGCCAGCACCCAGACCTGACTGAGGCTTCTCTGGCAAGAGAGAA 4672
Db 264 rTrpAspProAspGlnProProArgAspLeuThrAspAlaPheLeuAlaGluMetGluLys 284
Qy 4673 GGTGAGAGTGTGCTGCCACGCTGGGGGCAAGGGTGGTGGTGAACGTCACGAGGAAT 4732
Db 284 s----- 284
Qy 4733 GAGGGAGGCTGGGCAAAAGGTTGGACCACTGCATCACCCGGCGAGCCGATCTGGGCTG 4792
Db 284 ----- 284
Qy 4793 ACAGGTGCAGAAATTGGAGGTCAATTGGGGGCTACCCCGTCTATCTCCCTGAGTATCTCT 4852
Db 284 ----- 284
Qy 4853 CGGCCCTCTCAGCCCAAGGGAGCCCTGAGAGCAGCTTCAATGATGAGAACCTGCGCAT 4912
Db 285 -----AlaLysGlyAsnProLysSerSerPheAsnGluAlaAsnLeuArgLe 300
Qy 4913 AGTGTGGTAACTGTTCTTTCGGGATGGTGCACCTCGACCTCGACCGCTGGCTGGG 4972
Db 300 uValValPheAspLeuPheGlyAlaGlyIleValThrSerSerIleThrLeuThrTrpAl 320
Qy 4973 CCTCTGTCTATGATCTTACACCTGGATGTGACGCTGAGCCGAGCTGGGGCCCAAGGCA 5032
Db 320 aLeuLeuLeuMetIleLeuHisProAspValGln----- 331
Qy 5033 GGGACTGAGGAGGAAGGTACAGCTGGGGGCCCTTGGGCTTAGCTGGGACACCCGGGGC 5092
Db 331 ----- 331
Qy 5093 TTCCAGACACAGGCGTGGCCAGGCTCTGTAAAGCTTAACCTCCTCCACAGGAGGAAG 5152
Db 331 ----- 331
Qy 5153 AGAGTGTCCCTGGGTGTGTGACCCATTGTGGGAGCGATGTCTGTCCAGTCCGTGTCAA 5212
Db 332 -----Arg-ArgValGln 335
Qy 5213 CAGGAGATCGACGACGTATAGGCGAGGTGGCGCACAGAGATGGGTGACAGGCTCAC 5272
Db 336 GluGluIleAspGluValIleGlyGlnValArgCysProGluMetAlaAspGlnAlaHis 355
Qy 5273 ATGCCCTACACCTGCGGTGATTTCAGAGGTGCGAGGCTTGGGGACATCATCCCTGTG 5332
Db 356 MetProTyrThrAsnAlaValIleHisGluValGlnArgPheAlaAspIleValProMet 375
Qy 5333 AGTGTGCCCATATGACATCCCGTGCATCCAGCTACAGGCTTCCGATCCCTAAGGTA 5392
Db 376 AsnLeuProHisLysThrSerHisAspIleGluValGlnGlyPheLeuIleProLys--- 394
Qy 5393 GGCCTGGCGCCCTCTCACCCAGCTCAGCACCCAGCACCTGGTGTATAGCCGCCAGCATGGC 5452
Db 394 ----- 394

```
QY 5453 TACTGCCAGGTGGGCCCACTCTAGGAACCTGCGCCACCTAGTCTCAATGCCACCACT 5512
DB 394 ----- 394
QY 5513 GACTGTCCCACTTGGTGGGGGTCCAGAGTATAGCAGGGCTGCGCTGTCCATCCAGA 5572
DB 394 ----- 394
QY 5573 GCCCCCGTCTAGTGGGGAGACAAACAGGACCTGCCAGAAATGTTGGAGGACCCAGCGCT 5632
DB 394 ----- 394
QY 5633 GCAGGAGAGGGGGCAGTGTGGTGCTCTGACAGGTGTGACTGCGCCCTGTGTGGGT 5692
DB 394 ----- 394
QY 5693 CGGAGAGGTACTGTGGAGCTTCTCGGGCAGGACTAGTTGACAGAGTCCAGCTGTG 5752
DB 394 ----- 394
QY 5753 CCAGGCAGTGTGTCTCCCGTGTGTTGTGTGGCAGGGGTCCAGCATCTAGAGTCCAG 5812
DB 394 ----- 394
QY 5813 TCCCCACTCTCACCTGTCATCTCTGCCAGGAAACGACACTCATCACCACTGTGTCATC 5872
DB 395 ----- Gly-ThrThrLeuIleProAsnLeuSerSe 404
QY 5873 GGTGCTGAGAGTGGCGCTCTGGGAGAGCCCTTCGCTTCCACCCCGACACTTCCT 5932
DB 404 rThrLeuLysAspGluThrValrPpGluLysProLeuArgPheHisProGluHisPheLe 424
QY 5933 GATGTCGAGGGCCACTTGTGTGAAGCGGAGGCTTCTCGCTTCTCAGCAGGTGCCTG 5992
DB 424 uAspAlaGlnGlyHisPheValLysProGluAlaPheMetProPhe--Ser----- 440
QY 5993 TGGGGAGCGCGCTCCCTGTCCTTCCCTGCTTGGAGTCTTGCAGGGGTATCACCAGAGCC 6052
DB 440 ----- 440
QY 6053 AGGCTCACTGACGCCCTCCCTCCCAACAGCGCGCGCTGTCATGCTCGGGAGCCCTG 6112
DB 441 ----- AlaGlyArgAlaCysLeuGluProLeu 451
QY 6113 GCCCGCATGAGCTCTTCTCTTCTTCCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6172
DB 452 AlaArgMetGluLeuPheLeuPheThrCysLeuLeuGlnArgPheSerPheLeuVal 471
QY 6173 GCGCGGAGAGCGCGCGCGCGCGCGCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6232
DB 472 ProAlaGlyGlnProGlnProSerAspTyrGlyIlePheThrPheLeuValSerProSer 491
QY 6233 CCTACGAGCTTGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 6259
DB 492 ProTyrGlnLeuCysAlaPheThrArg 500
```

RESULT 11

```
Q8CIM7 PRELIMINARY; PRT; 500 AA.
AC Q8CIM7;
DT 01-MAR-2003 (TrEMBLrel. 23, Created)
DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE RIKEN cDNA 1300005E06 gene.
GN CYP2D6.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=FVB/N; TISSUE=Kidney;
RA Strausberg R.;
```

```
RL Submitted (FEB-2002) to the EMBL/GenBank/DBJ databases.
DR EMBL; BC023241; AAH23241.1; -.
DR MGI; MGI:1923529; Cyp2d36.
DR GO; GO:0016712; P:oxidoreductase activity, acting on paired d. . .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome_P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; p450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
SQ SEQUENCE 500 AA, 56975 MW, B3DDCD88DFA3F265 CRC64;

Alignment Scores:
Pred. No.: 2,3e-63 Length: 500
Score: 1165.50 Matches: 348
Percent Similarity: 28.80% Conservative: 56
Best Local Similarity: 24.80% Mismatches: 93
Query Match: 6.22% Indels: 906
DB: 11 Gaps: 10

US-09-820-788A-3 (1-10278) x Q8CIM7 (1-500)
QY 2078 ATGGGGCTA-----GAAGCACTGGTGGCCCTGGCCATGATAGTGGCCATCTCTCTG 2128
DB 1 MetGlyLeuLeuValGlyAspLeuTrpAlaValValIlePheThrAlaIlePheLeu 20
QY 2129 CTCTGGTGGACCTGATGCACCGCACCAACCTGGCTGGCTGACGCTTACCAGGAGTCCC 2188
DB 21 LeuLeuValAspLeuValHisArgGlnArgGlnArgGlnArgGlnArgGlnArgGlnArg 40
QY 2189 CTGCCCACTGCCCGGCTGGGCAACCTTGTGTCATGTGCACTTCCAGAACACACCACTAG 2248
DB 41 ValProPheProGlyLeuGlyAsn-LeuLeuGlnValAspPheGluAsnIleProTyrSe 60
QY 2249 CTTGACACAGGTGAGGAGGAGGTCTCTGGAGGGCGGAGAGGTCTCTGAGGATGCCCCACC 2308
DB 60 rPhe-TyrLys----- 63
QY 2309 ACCAGCAACATCGGTGGTGGGTTAAACACACAGGTGGATCAGAACCCAGGCTGAGAAG 2368
DB 63 ----- 63
QY 2369 GGAAGCAGGTGTTGGGGAGCTTCTCTGGGAGAGACATTTATATATGATGATGAGGAGTGG 2428
DB 63 ----- 63
QY 2429 ATTTTCCAAAGCCCAAGAGTAGAGGCAAGGGCTGGAGGTGGAGCTGGAGCTGGCAG 2488
DB 63 ----- 63
QY 2489 TGGGCTGCAAGCCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACA 2548
DB 63 ----- 63
QY 2549 CCAGAAGGAAAGCGCTTGGGAATGGAAGATGATGTAGTCTCTGATGCCGCTTTAAATCAG 2608
DB 63 ----- 63
QY 2609 AAATCGAGGATGAAGGGGGTGCAGTGAACCGGTTCAAACTTTTGCATGTGGGTCTCTCG 2668
DB 63 ----- 63
QY 2669 GGCCTCACTGCTCAGCGGCATGGACCATCATCTGGGAATGGGATGCTAACTGGGGCTCT 2728
DB 63 ----- 63
QY 2729 CGGCAATTTTGTGTGACTCTTTCAGAGGTATACCTGGGTGACGCATCCAAACTGAGTTCCT 2788
DB 63 ----- 63
QY 2789 CCATCACAAGAGGTGTGACCCCAACCCCTGCCCCCGATCAGGAGGCTGGGTCTCTCTCT 2848
```

Db 63 ----- 63
QY 2849 TCACCTGCTCACTCCTGCTAGCCCGGGGGTCTCCAAAGTTCAAATAGACTAGGACC 2908
Db 63 ----- 63
QY 2909 TGTAGTCTGGGTGATCTGGCTTGACAAGAGCCCTGACCCCTCTCTGCAATGTCGCGC 2968
Db 64 ----- 66
QY 2969 GCCCTTCGGGGACGTGTTACGCTGCACTGCGCTGACGCGCGGTGCTGCTCAATG 3028
Db 66 snArgTyrGlyAsnValPheSerLeuGlnMetAlaTyrLysProValValValValAsnG 86
QY 3029 GGCTGGCGCGCTGGCGAGCGATGTTGACCGCGCGGTGACCGCGCGGAGGACACGCGCGCGCGC 3088
Db 86 lYLeuLysAlaValArgGluLeuLeuValThrTyrGlyAspThrSerAspArgProL 106
QY 3089 CTGCGCCCATCTACCAAGTCTTGGGCTTGGGCGCGCTTCCCAAGGCAAGCGCGGTGG 3148
Db 106 euMetProIleTyrAsnHisIleGlyTyrGlyHisLysSer-Lys----- 120
QY 3149 GGACAGAGACCGCGTTTCCGTGGCGCGCGGTGGACAGTGCCTAGCCCAAGCAGCGCC 3208
Db 120 ----- 120
QY 3209 GACAGGGCGTGGGGTCTCGGACGTGAACAGAGATAAAGCGCAGCGAGTGGGCTGAGGAC 3268
Db 120 ----- 120
QY 3269 AGTGGGCCAGGAAACCACTGCACGCGGGAGTGGAGTCTGTGGGCTGGGAGGGCGG 3328
Db 120 ----- 120
QY 3329 GGCTACTGCCACAGCCCGCAGAGCCCGGTGGCGAGGCTGATCGTGAAGTGGCGGT 3388
Db 120 ----- 120
QY 3389 GCGGGGACCGGCCTATGCTCGGGCTCAGTGTGGCGGAGCGGGCGGGATCTTCCTTG 3448
Db 120 ----- 120
QY 3449 AGTGAAGGTGTCAGGTGGCGCAGACAGAGTGGGGCCAAACCCCGCCCGCAGGCAG 3508
Db 120 ----- 120
QY 3509 GGAGCAATGTGGGTGAGCAAGAGTGGCCCTGTGCCAGCTGACCGGCTAGGGACTG 3568
Db 120 ----- 120
QY 3569 CGGGAGACCTTGTGGAGCGCCAGGTTGGAGTGGGTGGCGGAGGTGGGGCCAAAGCCTT 3628
Db 120 ----- 120
QY 3629 CATGCACGCCCACTGTCCTCGCGCCCGGCGGTGATCCTGTCGGCTATGGGCGC 3688
Db 121 ----- 129
QY 3689 GCGTGGCGCGCAGCAGCGGCTTCTCCGTGTCACCTTGGCAACTTGGGCTGGGCAAG 3748
Db 130 GluTyrArgGluGlnArgPheSerValSerThrLeuArgAspPheGlyLeuGlyLys 149
QY 3749 AAGTGGTGGAGCAGTGGGTGACCGAGAGCGCGCTGCTTGTGCGCTTTCGCGGACC 3808
Db 150 LysSerLeuGluGlnTrpValThrGluGluAlaGlyHisLeuCysAspAlaPhe----- 167
QY 3809 AAGCGGTGGGTGATGGGCAGAGGCGCACAAAGCGGAACTGGGAAGCGGGGAGCGAG 3868
Db 168 ----- 169
QY 3869 AAGGCAACCCCTTACCGCATCTCCCAAGGAGCGCCCTTTCGCCCAAGCGGCT 3928
Db 170 GluAla-----Glu-HisProPheAsnProSerProLe 180

QY 3929 CTTGACAAAGCGCTGACCAACGTGATCGCTCCCTCACCTCGGGCGCGCTTCGAGTA 3988
Db 180 uLeuSerLysAlaValSerAsnValIleAlaSerLeuIleTyrAlaArgPheGluTyr 200
QY 3989 CGACACCTCGCTTCCTCAGGCTGCTGAGCTAGCTCAGGAGGACTGAAGGAGGAGTC 4048
Db 200 rGluAspProPhePheAsnArgMetLeuLysThrLeuLysGluSerLeuGlyGluAspTh 220
QY 4049 GGGTTCCTGCGCAGAGTGGCGAGCGAGACACGAGGAGTCTCTGCGGGCGAGCTCTG 4108
Db 220 rGlyPheValGlyGlu----- 225
QY 4109 AGAGGTCCGGGGCTGGACTGGGCGCTCCGAAGGCGCAGATTTCATAGATGGGTTGGG 4168
Db 225 ----- 225
QY 4169 AAAGGACATTCCAGGAGAGACCCCACTGTAAGAAGGCGCTGGAGGAGGAGGACATCTCAG 4228
Db 225 ----- 225
QY 4229 ACATGTCGTGGAGAGGTGTGCCGGGTCAAGGGGCGCACAGGAGAGGCCAAGGACTCTG 4288
Db 225 ----- 225
QY 4289 TACCCCGCTCACGTTGGAGATTTCGATTTTAGGTTTCTCTCTGGGCAAGGAGAGAGG 4348
Db 225 ----- 225
QY 4349 TGGAGGCTGGCACTTGGGAGGAGTGGTGAGGTGAGTGTAAAGACAGGACAGGCGCCCTG 4408
Db 225 ----- 225
QY 4409 GGTCTACCTGGAGATGGCTGGGCGCTGAGACTTGTCCAGGTGAACGCGAGACACAGGAGG 4468
Db 225 ----- 225
QY 4469 GATTGAGACCCGCTTCTGTCTGGTGTAGGTCTGAATGCTCTCCCGCTCTCTTCGACAT 4528
Db 226 ----- 236
QY 4529 CCCAGCGCTGCTGGCAAGTCTTACGCTTCCAAAAGGCTTCTCTGACCCAGCTGGATGA 4588
Db 236 eProGlyLeuProAspLysAlaPheProLysLeuAsnSerPheIleAlaLeuValAsnLys 256
QY 4589 GCTGCTAACTGACGACAGGATGACTGGAGCCAGCCAGCCAGCCAGGACCTGACTGA 4648
Db 256 sMetLeuIleGluHisAspLeuThrTrpAspProAlaGlnProProArgAspLeuThrAs 276
QY 4649 GGCCTTCTGCAAGAGAGAGTGGAGTGGCTGCCACGCTGGGGGCGCAAGGCTGG 4708
Db 276 pAlaPheLeuAlaGluValGluLys----- 284
QY 4709 TGGGTTGAACGTCCAGGAGGAATGAGGGAGGCTGGGCAAAAGGTTGGACAGTGCATC 4768
Db 284 ----- 284
QY 4769 ACCCGCGAGCCGATCTGGGCTGACAGGTGCAGAAATTGGAGGTCAATTGGGGGCTACCC 4828
Db 284 ----- 284
QY 4829 GGTCTATCCCTGAGTATCTCTCGGCCCTGCTCAGGCCAAGGGAGGCCCTGAGAGCAG 4888
Db 285 ----- 292
QY 4889 CTTCAATGATGAGAACCTGCGCATAGTGGGTAAACCTGTTCTCTTGGCGGAGTGGTCA 4948
Db 292 rPheAsnAspLysAsnLeuArgIleValIleAspLeuPheMetAlaGlyMetValTh 312
QY 4949 CACCTCGACCACTGGCGCTGGGCGCTCTCTCTCATGATCTTACCTTGGATGTGACGCG 5008
Db 312 rThrSerThrThrLeuSerTrpAlaLeuLeuLeuMetIleLeuHisProAspValGln-- 331

QY 5009 TGAGCCCGAGCTGGGGCCCAAGGAGGAGTGGAGGAGAGGCTACAGCTGGGGGGCCCT 5068
Db 331 ----- 331
QY 5069 GGGCTTAGCTGGGACACCCGGGCTTCCAGCACAGGCGTGGCCAGGCTCCTGTAAAGCCTA 5128
Db 331 ----- 331
QY 5129 ACTTCCTCAACACAGGAGGAGAGTGTCCCTGGGTGCTGACCCATTGTGGGAGC 5188
Db 331 ----- 331
QY 5189 CATGTCTGTCCAGTCCGTGTCCACAGGAGATCGACGCTGATAGGGCAGGTGGCGGA 5248
Db 332 -----Arg--ArgValHisGlnGluIleAspGluValIleGlyHisValArgHis 347
QY 5249 CCAGAGATGGTGCACAGGCTCACATGCCCTACACACTGCCCTGTATTCACGAGGTGCAG 5308
Db 348 ProGluMetAlaAspGlnAlaArgMetProTyrThrAsnAlaValIleHisGluValGln 367
QY 5309 CGCTTTGGGACATCATCCCTCGAGTGTGACCATATGACATCCGCTGCATCGAAGTA 5368
Db 368 ArgPheAlaAspIleValProThrAsnLeuProHisMetThrSerArgAspIleLysPhe 387
QY 5369 CAGGGCTTCGCATCCCTAGGTAGGCTGGCGCCCTCTCCACCCAGCTCAGCACGAC 5428
Db 388 GlnAspPheIleProLys----- 394
QY 5429 ACCTGTGTAGTACCCCGAGCTGCTACTGCCAGGTGGGCCACTCTTAGNACCTCGCCA 5488
Db 394 ----- 394
QY 5489 CCTAGTCTCAATGCCACACACTGACTGTGCCACTTGGGTGGGGGTCCAGAGTAGTAG 5548
Db 394 ----- 394
QY 5549 GCAGGGCTGCTGTGTCATCCAGAGCCCCGTCTAGTGGGGAGACAAACAGGACCTGCC 5608
Db 394 ----- 394
QY 5609 AGAATGTTGGAGGACCCAGCGCTGCAGGAGAGGGGCGAGTGTGGTCCCTCTGAGAGG 5668
Db 394 ----- 394
QY 5669 TGTGACTGCGCCTGCTGTGGGTGCGAGAGGCTACTGTGAGCTTCTCGGGCGCAGGAC 5728
Db 394 ----- 394
QY 5729 TAGTTGACAGTCCAGCTGTGTGCCAGGCGAGTGTGTGTCCTCCCGTGTGGTGGCAG 5788
Db 394 ----- 394
QY 5789 GGTGCCAGCATCTAGAGTCCAGTCCCACTCTACCCCTGATCTCCTGCCAGGAGAC 5848
Db 395 -----Gly-Th 396
QY 5849 GACACTCATCAACCACTGTCTCGTGTGTAAGGATGAGCGCTCTGGGAGAGCCCTT 5908
Db 396 rThrLeuIleProAsnLeuSerSerValLeuLysAspGluThrValTrpGluLysProLe 416
QY 5909 CGCCTTCCACCCGAAACACTTCTCGATGCCAGGCGCCACTTTGTGAAGCCGAGGCTTT 5968
Db 416 uArgPheTyrProGluHisPheLeuAspAlaGlnGlyHisPheValLysHisGluAlaPh 436
QY 5969 CTTGCTCTTCTAGAGGTGCTGTGGGAGGCCGCTCGCTGCTCCCTTCTCCGTGAGTGC 6028
Db 436 eMetProPhe--Ser----- 440
QY 6029 TTGAGGGGTATCACCCAGGAGCAGGCTCAGTGCAGCCCTCCCTCCCTCCACAGGCGC 6088
Db 441 -----AlaGlyArg 443
QY 6089 CGTGCATGCTCGGGGAGCCCTGGCGCCGATGGAGCTCTTCTCTTCTTCACTCCCTG 6148

Db 444 ArgSerCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrCysLeu 463
QY 6149 CTCGACGACCTTCTCCTGTCCTGCGCGCGGACAGCCCGGCGGACGACCTCTCTGTC 6208
Db 464 LeuGlnArgPheSerPheSerValProAspGlyGlnProArgProSerAspTyrGlyIle 483
QY 6209 GTCAGCTTCTGTCGACCCCATCCCTAGCAGCTTTGTGCTGTGCCCGC 6259
Db 484 TyrThrMetProValThrProGluProTyrGlnLeuCysAlaValAlaArg 500
RESULT 12
Q9DBJ5 PRELIMINARY; PRT; 500 AA.
ID Q9DBJ5;
AC AC
DT 01-JUN-2001 (TrEMBLrel. 17, Created)
DT 01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE 1300006506rik protein.
GN CYP2D26 OR 1300006506RIK.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=C57BL/6J; TISSUE=Liver;
RX MEDLINE=21085660; PubMed=11217851;
RA Kawai J., Shinagawa A., Shibata K., Yoshino M., Itoh M., Ishii Y.,
RA Arakawa T., Hara A., Fukunishi Y., Konno H., Adachi J., Fukuda S.,
RA Alzawa K., Izawa M., Nishi K., Kiyosawa H., Kondo S., Yamanaka I.,
RA Saito T., Okazaki Y., Gojobori T., Bono H., Kasukawa T., Saito R.,
RA Kadota K., Matsuda H.A., Ashburner M., Batalov S., Casavant T.,
RA Fletschmann W., Gaasterland T., Giasi C., King B., Kochiwa H.,
RA Kuehl P., Lewis S., Matsuo Y., Nikaido I., Pesole G., Quackenbush J.,
RA Schriml L.M., Staubli F., Suzuki R., Tomita M., Wagner L., Washio T.,
RA Sakai K., Okido T., Furuno M., Aono H., Baldarelli R., Barsh G.,
RA Blake J., Boffelli D., Bojunga N., Carninci P., de Bonaldo M.P.,
RA Brownstein M.J., Bult C., Fletcher C., Fujita M., Gariboldi M.,
RA Gustincich S., Hill D., Hofmann M., Hume D.A., Kamiya M., Lee N.H.,
RA Lyons P., Marchionni L., Mashima J., Mazzarelli J., Mombaerts P.,
RA Nordone P., Ring B., Ringwald M., Rodriguez I., Sakamoto N.,
RA Sasaki H., Sato K., Schoenbach C., Seya T., Shibata Y., Storch K.-F.,
RA Suzuki H., Toyooka K., Wang K.H., Weitz C., Whittaker C., Wilming L.,
RA Wynshaw-Boris A., Yoshida K., Hasegawa Y., Kawai H., Kohtsuki S.,
RA Hayashizaki Y.;
RT "Functional annotation of a full-length mouse cDNA collection.";
RL Nature 409:685-690(2001).
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; AK004915; BAB23666.1; -.
DR HSSP; P00179; 1DT6.
DR MGD; MGI:1923529; Cyp2d26.
DR GO; GO:0004497; Fmonooxygenase activity; IEA.
DR GO; GO:0016712; Foxidoreductase activity, acting on paired d. . .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 500 AA; 56949 MW; F4C9A03E04C8752D CRC64;
Alignment Scores:
Pred. No.: 3,51e-63 Length: 500
Score: 1162.50 Matches: 348
Percent Similarity: 28.72% Conservative: 55
Best Local Similarity: 24.80% Mismatches: 94
Query Match: 6.21% Indels: 96
DB: 11 Gaps: 10
US-09-820-788A-3 (1-10278) x Q9DBJ5 (1-500)

OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN NCBI_TaxID=10090;
RP SEQUENCE FROM N.A.
RA Strausberg R.;
RL Submitted (JUL-2001) to the EMBL/GenBank/DBJ databases.
CC 1- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; BC010593; AAH10593.1; --
DR MGD; MGI:88606; Cyp2d9.
DR GO; GO:0004497; F:monooxygenase activity; IEA.
DR GO; GO:0016712; F:oxidoreductase activity, acting on paired d. . .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00667; P450; 1.
DR PRINTS; PRO1686; EP450ICYP2D.
DR PRINTS; PRO0385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 504 AA; 56950 MW; 6DC93B3985EFB8A2 CRC64;

Alignment Scores:
Pred. No.: 1.31e-61 Length: 504
Score: 1137.00 Matches: 337
Percent Similarity: 28.83% Conservative: 66
Best Local Similarity: 24.11% Mismatches: 92
Query Match: 6.07% Indels: 93
DB: 11 Gaps: 10

US-09-820-788A-3 (1-10278) x Q921V1 (1-504)

QY 2093 CTGGTCCCTGGCCATGATAGTGGCCATCTCTGCTCTGCTGGTGGACCTGATGCACCGG 2152
DB 9 LeuTrpProValAlaIlePheThrValIlePheIleLeuLeuValAspLeuThrHisGln 28
QY 2153 CACCAACGCTGGGCTGCAGCTACCGCCAGCTGCCCTGCCACTCCCGGGCTGGGCAAC 2212
DB 29 ArgGlnArgTrpThrSerArgTyrProProGlyProValProTrpProValLeuGlyAsn 48
QY 2213 CTGTGTCATGGACTTCCAGAACACACACATAGCTTTCGACAGGTGAGGGAGAGGT 2272
DB 49 -LeuLeuGlnValAspLeuGlyAsnMetProTyr-Ser- 60
QY 2273 CTGGAGGGCGCAGAGGTCTGAGGATGCCCCACCCACAGCAACATGGGTGGGTG 2332
DB 60 ----- 60
QY 2333 AAACACAGGCTGGATCAGAAGCCAGGCTGAGAAGGGGAAGCAGGTTTGGGGAGCTTCC 2392
DB 60 ----- 60
QY 2393 TGGGAAGACATTTATACATGGCATGAAGGACTGGATTTTCCAAAGCCAAAGGAAGT 2452
DB 61 -----LeuTyr- 62
QY 2453 AGGGCAAGGGCTGGAGGTGGAGCTGGACTTGGCAGTGGGCATGCAAGCCCATTTGGCAA 2512
DB 62 ----- 62
QY 2513 CATATGTTATGAGTACAAAGTCCCTTCTGCTGACACAGAGGAAGAGCCCTTGGGAATG 2572
DB 62 ----- 62
QY 2573 GAAGATGAGTTAGTCTCTGAGTCCGTTTAAATCAGAAATCGAGATGAAGGGGTGCAG 2632
DB 62 ----- 62
QY 2633 TGACCGGGTTCAAACCTTTTGACATGTGGGTCTCTGGGCTCCTGCTCAGCGGATGGA 2692
DB 62 ----- 62
QY 2693 CCATCATCTGGGAATGGGATGCTAACTGGGGCTCTCGCAATTTTGGTACTCTTGCAA 2752

DB 62 ----- 62
QY 2753 GGTCACTACCTGGGTGACGCATCCAAACTGAGTCTCTCCATCACAGAAGGTGTGACCCCA 2812
DB 62 ----- 62
QY 2813 CCCCTGCCACGATCAGAGGCTGGGTCTCTCTTCCACCTGCTCACTCCTGCTAGCC 2872
DB 62 ----- 62
QY 2873 CCGGGGTCTGTCAGGTTCAATAGGACTAGGACCTGTAGTCTGGGGTGATCTGGGCTT 2932
DB 62 ----- 62
QY 2933 GACAAGAGGCTGACCTCCCTCTGCACTTGGCGCGCTTCGGGGACGTGTTTCAGCC 2992
DB 63 -----LysLeuGlnAsnArgTyrGlyAspValPheSerL 74
QY 2993 TGCAGCTGGCTGACCGCGGTGCTGCTCAATGGCTGGCGCGCTGGCGGAGGCGA 3052
DB 74 euGlnMetAlaTrpLysProMetValValIleAsnGlyLeuLysAlaMetLysGluMetL 94
QY 3053 TGGTGACCCGCGCGAGGACACGCGCCGCTGCGGCCATCTTACAGGTCTCTGG 3112
DB 94 euLeuThrCysGlyGluAspThrAlaAspArgProProValProIlePheGluTyrLeuG 114
QY 3113 GCTTCGGGCGCGCTTCCCAAGGCAAGCGGCTGGGGACAGACCGCGTTTCGTTGGG 3172
DB 114 lyValLysProGlySer-Gln- 120
QY 3173 CCCCCTGGGACAGTGGACCGTAGCCCAAGCAGCGCCGAGGGGCTGGGCTCTGGAGCT 3232
DB 120 ----- 120
QY 3233 GAAACAGAGATAAAGGCCAGCGAGTGGGCTGAGGACAGTGGGCCAGGAAACACCTGCA 3292
DB 120 ----- 120
QY 3293 GGGGAGGTGGAGTCTGTGGGCTGGAGGGGGCGGGCTACTGCCAGACCCGCCAGAA 3352
DB 120 ----- 120
QY 3353 GCCCGTGGCGAGGCTGATGCGTGAAGTGGCGTGGCGGGACCGCGCTATGCTGCG 3412
DB 120 ----- 120
QY 3413 GGCTCAGTGTGGCGGACCGGGCGGGATCTTCTTGTGAGTGAAGGTGTGAGGTGGGC 3472
DB 120 ----- 120
QY 3473 AGAGACAGGTGGGGCCAAACCCCGCCAGGAGGGGCAATGTGGGTGAGCAAGAG 3532
DB 120 ----- 120
QY 3533 TGGGCCCTGTGCCCGAGCTGGACCGGGCTAGGAGCTGGCGGAGAGCTTGTGGAGCGCCAG 3592
DB 120 ----- 120
QY 3593 GTTGGAGTGGGTGGGAGGGTGGGGCCCAAGGCTTTCATGGCAACGCCACGTGTCCGTC 3652
DB 120 ----- 120
QY 3653 CCGCCCCCAGGGGTGATCTCTGCTCGCGCTATGGGCGCGCTGGCGGAGCAGAGCGCTTC 3712
DB 121 -----GlyValValLeuAlaProTyrGlyProGluTrpArgGluGlnArgArgPhe 137
QY 3713 TCCGTGTCCTTGGCACTTGGCGTGGCAAGAGTCCGTGGAGAGCTGCTGGAGCTGCTGACC 3772
DB 138 SerValSerThrLeuArgAsnPheGlyLeuGlyLysLysLeuGluAspTrpValThr 157
QY 3773 CAGAGGCGCGCTCTCTCTTGTGTCGCGCTTTCGCGCAGCAAGCGGCTGGGTGAGTGGCAGAG 3832
DB 158 LysGluAlaAsnHisLeuCys-Asp-AlaPheTh 168


```
QY 3833 GGCACAAAGCGGAACTGGGAAGCGGGGGA CGGAGAAGCAACCCCTTACCGCATCTC 3892
Db 168 rAlaGlnAla----- 171
QY 3893 CCCACCCCGAGGAGCCCTTTCCGCCCAACGGCTCTTGGACAAAGCCGTGAGCAACGT 3952
Db 172 -----GlyGlnProIleAsnProAsnProMetLeuAsnLysSerThrCysAsnVa 188
QY 3953 GATCGCTCCCTCACCTGCGGGCGCGCTTCGAGTACGACGACCCCTCGCTTCTCAGGCT 4012
Db 188 lIleAlaSerLeuIlePheAlaArgArgPheGluTyrGluAspProPheLeuIleArgMe 208
QY 4013 GCTGGACCTAGCTCAGGAGGAGCTGAAGAGGAGTGGGCTTTCGCGGAGGTGCGGAG 4072
Db 208 tIeuLysValLeuGluGlnSerLeuThrGluValSerGlyLeuIleProGlu----- 225
QY 4073 CGAGACCGAGGAGTCTCTGCAGGGCGAGCTCTCAGAGGTGCGGGGCTGAGTGGGG 4132
Db 225 ----- 225
QY 4133 CCTCCGAAGGCGAGGATTGTCATAGATGGTTTGGGAAAGGACATTCCAGGAGACCCAC 4192
Db 225 ----- 225
QY 4193 TGTAAAGAGGGCTGAGGAGGAGGAGCATCTCAGACATGGTCTGGGAGAGGTGTGCC 4252
Db 225 ----- 225
QY 4253 CGGGTCAGGGGACACAGGAGGAGCCAAAGACTCTGTACCCCGTCCAGTTGGAGATT 4312
Db 225 ----- 225
QY 4313 CGATTTTAGGTTTCTCTGGSAAAGAGAGAGGGGTGGAGGTGGCACTTGGGGAGGA 4372
Db 225 ----- 225
QY 4373 CTTGGTGAAGTCAAGTGAAGGACAGGCGCCCTGGGTCTACTGGAGATGGTGGGC 4432
Db 225 ----- 225
QY 4433 CTGAGACTTGTCCAGGTGAACGAGAGCAAGAGGGATTTGAGACCCCGTTCTGTCTGT 4492
Db 225 ----- 225
QY 4493 GTAGGTGCTGAATGCTCCCGTCTCTGACATCCAGCGCTGGCTGGCAAGTCTCT 4552
Db 226 -----ValLeuAsnAlaPheProIleLeuLeuArgIleProArgLeuAlaAspLysAlaLe 244
QY 4553 AGCTTTCAAAAGGCTTCTGACCCAGCTGGATGAGCTGCTAACTAGCAGCAGGATGAC 4612
Db 244 uGlnGlyGlnLysSerPheIleAlaIleLeuAspAsnLeuLeuThrGluAsnArgThrTh 264
QY 4613 CTGGGACCCAGGCCACCCGAGACCTGACTGAGGCTTCTGCGCAAGAGAGAA 4672
Db 264 rTrpAspProValGlnAlaProArgAsnLeuThrAspAlaPheLeuAlaGluIleGluL 284
QY 4673 GGTGAGTGGTGTGCCAGCGTGGGGGCAAGGGTGGTGTGAACGTCCAGGAGGAAT 4732
Db 284 ----- 284
QY 4733 GAGGGAGGCTGGGCAAGGTTGGACCAAGTGCATCACCCGGGAGCCGCATCTGGGCTG 4792
Db 284 ----- 284
QY 4793 ACAGGTGCAAAATTGGAGGTCAATTGGGGGCTACCCCGTTCTATCCCTGAGTATCTCT 4852
Db 284 ----- 284
QY 4853 CGGCCCTGCTCAGGCCCAAGGGGAGCCCTCAGAGCAGCTTCAATGATGAGAACTGGGCA 4912
Db 285 -----AlaLysGlyAsnProGluSerPheAsnAspGluAsnLeuLeuMe 300
```

```
QY 4913 AGTGTGGGTAACTGTTCCTTTCGCGGAGTGTGACCACTCGACCAACCGCTGCGCTGGGG 4972
Db 300 tValValArgAspLeuPheGlyAlaGlyMetLeuThrThrSerThrLeuSerTrpAl 320
QY 4973 CCTCTGTCTCATGATCTTACACCTCGATCTGAGCGGTGAGCCAGCTGGGGCCCAAGGCA 5032
Db 320 aLeuMetLeuMetIleLeuHisProAspValGln----- 331
QY 5033 GGGACTGAGGGAAGGAGGTACAGCTGGGGGCCCCCTGGGCTTAGCTGGGACACCCCGGGC 5092
Db 331 ----- 331
QY 5093 TTCCAGCACAGGCGTGGCCAGGCTCTGTAAAGCCTAACTTCTCCAACAACAGAGGAAGG 5152
Db 331 ----- 331
QY 5153 AGAGTGTCCCTCGGTGTGACCCATTGTGGGGACGCGATGTCTGTCCAGTCCGTGTCCAA 5212
Db 332 -----Arg--ArgValGln 335
QY 5213 CAGGAGATCGACACGTGTATAGGCGAGGTGCGGCGACCAAGAGATGGGTACCAGGCTCAC 5272
Db 336 GlnGluIleAspGluValIleGlyGlnValArgHisProGluMetAlaAspGlnAlaHis 355
QY 5273 ATGCCCTACACCACTGCCGTGATTACGAGGTGCGCGCTTTGGGACATCATCCCGCTG 5332
Db 356 MetProTyrThrAsnAlaValIleHisGluValGlnArgPheGlyAspIleValProVal 375
QY 5333 AGTGTGACCCATATACATCCCGTGCATCGAAGTACAGGGCTTCCGCATCCCTAAGGTA 5392
Db 376 AsnLeuProArgIleThrSerHisAspIleGluValGlnAspPheLeuIleProLys 394
QY 5393 GSCGTGGCGCCCTCTCCACCCAGCTCAGCACCACTGGTGATAGCCCCCAGCATGGC 5452
Db 394 ----- 394
QY 5453 TACTCCAGGTGGGGCCCACTCTAGGAACCTGGGCCACCTAGTCTCAATGCCACCACT 5512
Db 394 ----- 394
QY 5513 GACTGTCCCACTTGGGTGGGGGTCCAGAGTATAGGAGGGCTGGCCTGTCCATCCAGA 5572
Db 394 ----- 394
QY 5573 GCCCCCGTCTAGTGGGGAGACAAACAGGACCTGCCAGAACTGTGGAGGACCCAGCGCT 5632
Db 394 ----- 394
QY 5633 GCAGGAGAGGGGGCAGTGTGGGTGCTCTGTAGAGGTGTGACTGCGCCCTGTGTGGGT 5692
Db 394 ----- 394
QY 5693 CGGAGAGGTACTGTGGAGCTTCTCGGGCGCAGGACTAGTTGACAGAGTCCAGTGTGTG 5752
Db 394 ----- 394
QY 5753 CCAGGAGTGTGTCCCCCGTGTGTGGTGGCAGGGGTCCCAGCATCTTAGAGTCCAG 5812
Db 394 ----- 394
QY 5813 TCCCCCACTCTCACCTCGCATCTCTGCGCCAGGGAACGACATCATCAACCACTGTCTATC 5872
Db 395 -----Gly--ThrIleLeuLeuProAsnMetSerSe 404
QY 5873 GGTGTGAAGATGAGCGCTGTGGGAAGCCCTTCGCTTCCACCCCGAACAACCTTCTCT 5932
Db 404 rMetLeuLysAspGluSerValTrpGluLysProLeuArgPheHisProGluHisPheLe 424
QY 5933 GGATGCCCGGCGCACTTTGTGAAGCGGAGCGCTTCTCGCTTCTCAGCAGGTGCCTG 5992
Db 424 uAspAlaGlnGlyHisPheValLysProGluAlaPheMetProPhe--Ser----- 440
QY 5993 TGGGAGCGCCGCTCCCTGTCCCTTCCGTGGAGTCTTGCAGGGGTATCACCAGGAGCC 6052
```

Db 440 ----- 440
QY 6053 AGGCTACTGACGCCCTCCCTCCACAGAGCGCGGTGCGTCTGGGGAGCCCTG 6112
Db 441 -----AlaGlyArgSerCysLeuGlyGluAlaLeu 451
QY 6113 GCCCGCATGAGCTCTCTCTTCCATCCCTCCCTGCGAGCACTTCAGCTTCCTG 6172
Db 452 AlaArgMetGluLeuPheThrCysLeuLeuGlnArgPheSerPheSerVal 471
QY 6173 GCCCGCATGAGCTCTCTCTTCCATCCCTCCCTGCGAGCACTTCAGCTTCCTG 6232
Db 472 ProAspGlyGlnProGlnProSerAsnSerGlyValTyrglyLeuValAlaProSer 491
QY 6233 CCTACGAGCTTGTGCTGCGCGCCGCTAGATGGG 6268
Db 492 ProTyrglnLeuCysAlaValValArgAspGlnGly 503
RESULT 14
Q64530 PRELIMINARY; PRT; 504 AA.
AC Q64530;
DT 01-NOV-1996 (TReMBLrel. 01, Created)
DT 01-NOV-1996 (TReMBLrel. 01, Last sequence update)
DT 01-JUN-2003 (TReMBLrel. 24, Last annotation update)
DE P45016a-ms2.
OS Mus spretus (Western wild mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10096;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=95349581; PubMed=7623810;
RA Sueyoshi T., Kobayashi R., Nishio K., Moore R., Wada T.,
RA Handa H., Negishi M.;
RT "A nuclear factor (NF2d9) that binds to the male-specific P450 (Cyp
RT 2d-9) gene in mouse liver.";
RL Mol. Cell. Biol. 15:4158-4166(1995).
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; U20088; AAC52246.1; -.
DR PIR; I49428; I49428.
DR HSP; P00179; I076.
DR GO; GO:0004497; F:monooxygenase activity; IEA.
DR GO; GO:0016712; F:oxidoreductase activity, acting on paired d. . .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PRO1686; EP450ICYP2D.
DR PRINTS; PRO0385; P450.
DR PROSITE; PS00086; CYTOCHROME_P450; 1.
KW Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 504 AA; 57191 MW; BD1226701778991D CRC64;

Alignment Scores:

Pred. No.: 3,066-61 Length: 504
Score: 1131.00 Matches: 345
Percent Similarity: 28.60% Conservative: 54
Best Local Similarity: 24.73% Mismatches: 93
Query Match: 6.04% Indels: 903
Db: 11 Gaps: 12

US-09-820-788A-3 (1-10278) x Q64530 (1-504)

QY 2093 CTGGTCCCTGCGCATATAGTGGCCATCTTCTGCTCTGCTGAGCTGATGACCGG 2152
Db 9 LeuTrpProValAlaIlePheThrValIlePheIleLeuValAspLeuThrHisGln 28
QY 2153 CACCAACGCTGGGCTACCGCTACCGGAGGTCCCTGCCACTGCCCGGGTGGGCAAC 2212
Db 29 ArgGlnArgTrpThrSerArgTyrglyProGlyProValProValProValLeuGlyAsn 48

QY 2213 CTTCGTGATGCTGGACTTCCAGAAACACACCATACTGCTTCGACAGGTGAGGAGAGGT 2272
Db 49 -LeuLeuGlnValAspLeuAspAsnMetProTyr-Ser- 60
QY 2273 CCTGGAGGCGGAGAGGTCTGAGGATGCCCCACCACACAGCAAAACATGGGTGGGT 2332
Db 60 ----- 60
QY 2333 AAACACAGGCTGGATCAGAACGCCAGGCTGAGAAGGGAAGACAGGTTTGGGGGACGTTCC 2392
Db 60 ----- 60
QY 2393 TGGGGAAGGACATTTATACATGGCATGAAGACTGGATTTCACAAAGCCAAAGGAAGAGT 2452
Db 61 -----LeuTyr- 62
QY 2453 AGGCAAGGCGCTGGAGGTGGAGCTGGACTTGGCAGTGGGCGATCAAGCCCATTTGGGCAA 2512
Db 62 ----- 62
QY 2513 CATATGTTATGGAGTACAAAGTCCCTCTGCTGACACCAAGAAAGGCCCTTGGGAATG 2572
Db 62 ----- 62
QY 2573 GAAGATGAGTTAGTCTCTGAGTCCGTTTAAATCAGAAATCAGAGATGAAGGGGTGCAG 2632
Db 62 ----- 62
QY 2633 TGACCCGTTCAAACCTTTTGCACCTGTGGGTCTCTGGGCGCTCACTGCTCACCGGCATGGA 2692
Db 62 ----- 62
QY 2693 CCATCATCTGGGAATGGATGCTAACTAGGGCGCTCTCGGCAATTTTGGTGAATCTTTGCAA 2752
Db 62 ----- 62
QY 2753 GGTATACCTGGGTGACGCATCCAAACTGAGTTCTCCATCACAGAGGTGTGACCCCA 2812
Db 62 ----- 62
QY 2813 CCCCTGCCACGATCAGAGGCTGGGTCTCTCTCCCTTCCACCTGCTCACTCTCTGTAGCC 2872
Db 62 ----- 62
QY 2873 CCGGGGTGCTCCAAAGTTCAAATAGGACTAGGACCTGTAGTCTGGGGTGTATCTCTGGCTT 2932
Db 62 ----- 62
QY 2933 GACAAGAGGCCCTGACCTCTCTCTGAGTTGCGGCGCGCTTCGGGAGCGTGTTCAGCC 2992
Db 63 -----LysLeuGlnLysArgTyrglyAspValPheSerL 74
QY 2993 TGCAGCTGGCTGGACGCGGTGCTGCTCAATGGGCTGGCGCGCGCTGCGCGAGGCGGA 3052
Db 74 euGlnMetGlyTrpLysProMetValValIleAsnGlyLeuLysAlaMetLysGluVal 94
QY 3053 TGGTGACCCGCGGAGGACACGCGCCGCTGCGCCCTGCGCCCATCTTACAGGTCCTGG 3112
Db 94 euLeuThrCysGlyGluAspThrAlaAspArgProProValProIlePheGluHisLeu 114
QY 3113 GCTTGGGCGCGGTTCACCAAGGCAAGCGCGGTGGGGACAGACCGGTTTCCGTGGG 3172
Db 114 lyValLysProGlySer-Gln- 120
QY 3173 CCCGGGTGGAGTGAAGTACCGTAGCCAGCAGCGCCGAGCGGTGGGTCTCTGGAGCT 3232
Db 120 ----- 120
QY 3233 GAAACAGAGATAAAGGCCAGCGAGTGGGCTGAGGACAGTGGGCCAGGAAACCACTGCAC 3292
Db 120 ----- 120

QY 3293 GGGGAGGTGCGAGTCTGTGGGCTGGAGGGGGCGGGCTTACTGCCAGACCCGCGAGAA 3352
Db 120 ----- 120
QY 3353 GCCCGGTGGCGAGGCTGATGCTCGAAGTGGCGGTGGCGGGACCGCGCTATGCTGGC 3412
Db 120 ----- 120
QY 3413 GGCTCAGTGTGGCGGACGCGGGGATCTTCTTGAGTGAAGGTGTCAGGTGGGC 3472
Db 120 ----- 120
QY 3473 AGAGACGAGTGGGCGCAACCCCGCCCCAGGCGAGGGAGCAATGTGGGTGACAAAGAG 3532
Db 120 ----- 120
QY 3533 TGGGCCCTGTGCCAGTGGACCGGGGTAGGACTGCGGAGACCTTGTGGAGCGCAGG 3592
Db 120 ----- 120
QY 3593 GTTGGAGTGGTGGCGAGGTGGGCGCAAGGCTTTCATGGCAACGCCACGTGTCGCTC 3652
Db 120 ----- 120
QY 3653 CCGCCCCAGGGTGATCTGTGCGCTATGGGCGCGGTGGCGAGCAGAGCGCTTC 3712
Db 121 ----- GlyValIleLeuAlaProTyrGlyProGluTrpArgGluGlnArgPhe 137
QY 3713 TCCTGTCCACCTTGGGCTGGGCTGGGCAAGAGTCGCTGGAGCAGTGGGTGACC 3772
Db 138 SerValSerThrLeuArgAsnPheGlyLeuGlyLysSerLeuGluAspTrpValThr 157
QY 3773 GAGAGGCGCCCTGCTGCGCTTCCGCTTCCGACCAAGCGGTGGGTGATGGCGAGAG 3832
Db 158 LysGluAlaArgHisLeuCysAspAlaPhe-----ThrAlaGlnAla 171
QY 3833 GGCACAAAGCGGAACCTGGGAAGCGGGGACGAGAGCAACCCCTTACCGCATCTC 3892
Db 172 Gly-GlnSerIleAsn----- 176
QY 3893 CCCACCCAGGAGCGCCCTTTCGCCCAACGCGCTCTGGCAAAAGCGTGAGCAACGT 3952
Db 177 -----ProAsnThrMetLeuAsnAsnAlaValCysAsnVa 188
QY 3953 GATCGCTCCTCACCTCGCGGCGCGCTTCGAGTACGACACCTCGCTTCCTCAGGCT 4012
Db 188 IleAlaSerLeuIlePheAlaArgArgLeuGluTyrGluAspProTyrLeuIleArgMe 208
QY 4013 GCTGGACCTAGCTCAGAGGAGCTGAAGAGGAGTGGGCTTTCGCGAGGTGCGGAG 4072
Db 208 tLeuLysValLeuLysGluCysPheThrGluIleSerGlyPhe----- 222
QY 4073 CGAGACCGAGAGTCTCTGACGGGCGAGCTCCTGAGAGGTCCCGGGCTGACCTGGGG 4132
Db 222 ----- 222
QY 4133 CCTCCGAGGCGAGGATTTGCAATAGATGGGTTTGGGAAGAGCAATTCAGAGACCCAC 4192
Db 223 -----IleProGly----- 225
QY 4193 TGTGAAGAGGCTGGAGGAGGAGGACATCTCAGACATGTGTCGTGGGAGAGGTGTGCC 4252
Db 225 ----- 225
QY 4253 CGGGTCAGGGGCGACAGGAGAGGCCAAGACTCTGTATCCCGCTCCAGTTGGAGATTT 4312
Db 225 ----- 225
QY 4313 CGATTTTAGGTTTCTCTCTGGGCAAGGAGAGGGGTGGAGGCTGGCACTTGGGGAGGA 4372
Db 225 ----- 225
QY 4373 CTTGGTGAGTCAAGTAAAGACAGCAGGCGCTGGGTCTACCTGGAGATGGCTGGGGC 4432

Db 225 ----- 225
QY 4433 CTGAGACTTGTCCAGGTGAACGACAGACACAGAGGGATTGAGACCCCGTCTGTCTGGT 4492
Db 225 ----- 225
QY 4493 GTAGTGTCTGAATGTCTCCCGTCTCTCTGTGCACATCCACGCGCTGGCGAAGGTCTCT 4552
Db 226 ----ValLeuAsnAlaPheProIlePheLeuArgIleProGlyLeuAlaAspMetValPh 244
QY 4553 AGCTTCCAAAAGGCTTCTGACCCAGCTGATGAGTGTCTTAACCTGAGCAGCAGGATGAC 4612
Db 244 eGlnGlyGlnLysSerPheMetAlaIleLeuAspAsnLeuLeuThrGluAsnArgThrTh 264
QY 4613 CTGGGACCCAGCCCGGACCGCTGAGGCTTCTCTGSCAAAGAGAGAA 4672
Db 264 rTrpAspProAspGlnProProArgAsnLeuThrAspAlaPheLeuAlaGluIleGluLy 284
QY 4673 GGTGAGAGTGGCTGCCACCGTGGGGGCAAGGGTGGTGGTTGAACGCTCCAGGAGAAAT 4732
Db 284 s----- 284
QY 4733 GAGGGAGGCTGGGCAAAAGTTGGACAGTGATCACCCGGGAGCGGATCTGGGCTG 4792
Db 284 ----- 284
QY 4793 ACAGGTGCAGAATTGGAGGTCAATTTGGGGCTACCCCGTTCTATCCCTGAGTATCTCT 4852
Db 284 ----- 284
QY 4853 CGGCCCCCTGCTCAGGGCCAAAGGAGCCCTGAGAGAGCTTCAATGATGAGAACCTGGCCAT 4912
Db 285 -----AlaLysGlyAsnProGluSerSerPheAsnHisGluAsnLeuArgMe 300
QY 4913 AGTGTGGTAACTCTTCTTCTTGGGATGTGTGACCTCGACCACTGCGCTGGCTGGGG 4972
Db 300 tValValGlyAspLeuPheThrAlaGlyMetValThrThrSerThrThrLeuSerTrpAl 320
QY 4973 CTTCTGCTCATGATCTACCTGAGTGTGAGCGGTGAGCCAGCTGGGGCCCAAGGCA 5032
Db 320 aLeuLeuLeuMetIleLeuHisProAspValGln----- 331
QY 5033 GGGACTGAGGAGGAAGGTACAGCTGGGGGCGCTTGGGCTTAGCTGGGACACCCCGGGC 5092
Db 331 ----- 331
QY 5093 TTCCAGCACAGGCGTGCCAGGCTCTGTAAAGCTTAACCTTCTTCCAAACAGAGGAAG 5152
Db 331 ----- 331
QY 5153 AGAGTGTCCCTGGGTGTGACCCATTGTGGGAGCGCATGTCTGTCCAGTCCGTGCCAA 5212
Db 332 -----Arg--ArgValGln 335
QY 5213 CAGGAGATCGACAGCTGATAGGCGAGGTGCGGACACAGAGATGGGTGACAGGCTCAC 5272
Db 336 GlnGluIleAspAlaValIleGlyGlnValArgHisProGluMetAlaAspGlnAlaHis 355
QY 5273 ATGCCCTACACCACTGCCGTGATTCAAGAGTGCAGCGCTTTGGGACATCATCCCGCTG 5332
Db 356 MetProTyrThrAsnAlaValIleHisGluValGlnArgPheGlyAspIleAlaProLeu 375
QY 5333 AGTGTGACCCATATGACATCCCGTGACATCGAAGTACAGGGCTTCGCGATCCCTAGGTA 5392
Db 376 AsnLeuProArgIleThrSerArgAspIleGluValGlnAspPheLeuIleProLys--- 394
QY 5393 GGCCTGGGGCCCTCTCACCCCGAGCTCAGCACACGACCTGGTGTAGTACCCCGAGCATGGC 5452
Db 394 ----- 394
QY 5453 TACTGCCAGGTGGGGCCCACTTAGGAACCTTGGCCACCTAGTCTCAATGCCACCACT 5512

```
Db 394 ----- 394
QY 5513 GACTGTCCCACTTGGTGGGGTCCAGAGTATAGGAGGCTGGCTGTCCATCCAGA 5572
Db 394 ----- 394
QY 5573 GCCCGCGTCTAGTGGGAGACAAACAGGACCTGCCAGATGTTGGAGGACCCAGCGCT 5632
Db 394 ----- 394
QY 5633 GCAGGAGAGGGGCGAGTGTGGGTGCCTCTGAGAGGTGTGACTGCGCCCTGTGTGGGT 5692
Db 394 ----- 394
QY 5693 CGGAGAGGTACTGTGGAGCTTCTCGGGCGAGGACTAGTTCACAGAGTCCAGTGTGTG 5752
Db 394 ----- 394
QY 5753 CCAGGAGTGTGTGTCCTCCCGTGTGTTGGTGGCAGGGTCCCAGCATCCTAGATCCAG 5812
Db 394 ----- 394
QY 5813 TCCCCACTCTACCCCTGCATCTCTGCGGAGGAGACACATCATCAACCTGTATC 5872
Db 395 ----- 404
QY 5873 GGTGCTGAAGATGAGCGGCTGTGGAGAGCCCTTCCGCTTCCACCCGAAACACTTCT 5932
Db 404 rValLeuLysAspGluThrValTrpGluLysProLeuHisPheHisProGluHisPheLe 424
QY 5933 GGATGCCAGGCGCACTTGTGAAGCGGAGCGCTTCTGCTTCTCAGCAGGTCCTG 5992
Db 424 uaspalagInGlyHisPheValLysProGluAlaPheMetProPheSerAla----- 441
QY 5993 TGGGAGCGCGCTCCCTGTCTCCCTTCCGTGGAGTCTTGCAGGGGTATCACCAGGAGCC 6052
Db 442 ----- 443
QY 6053 AGGCTACTGAGCGCCCTCCCTCCACAGGCGCGTGCATGCTCGGGAGCGCCCTG 6112
Db 444 ----- 451
QY 6113 GCCCGCATGAGCTTCTCTCTTCTTCCCTCCCTGCTGAGCAGCTTCCAGCTTCTCGTG 6172
Db 452 AlaArgMetGluLeuPheLeuPheThrCysLeuLeuGlnArgPheSerIleSerVal 471
QY 6173 GCCCGCGGACAGCCCGGCGCCAGCACTCTCGTGTGTCGAGCTTCTGCTGACCCCATCC 6232
Db 472 ProAspGlyGlnProGlnProSerAsnTyrArgValHisAlaIleProValAlaProPhe 491
QY 6233 CCTTACGAGCTTGTGTGTCGCGCCCGC 6259
Db 492 ProTyrGlnLeuCysAlaValMetArg 500
```

RESULT 15

```
Q64529 PRELIMINARY; PRT; 504 AA.
AC Q64529;
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE P45016a-mbl.
OS Mus spretus (Western wild mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10096;
RN [1]_
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=95349581; PubMed=7623810;
RA Sueyoshi T., Kobayashi R., Nishio K., Aida K., Moore R., Wada T.,
RA Handa H., Negishi M.;
RT "A nuclear factor (NF2d9) that binds to the male-specific P450 (Cyp
```

```
RT 2d-9) gene in mouse liver.";
RL Mol. Cell. Biol. 15:4158-4166 (1995).
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME P450 FAMILY.
DR EMBL; U20087; AAC52245.1; -
DR PIR; I49427; I49427.
DR HSSP; P00179; 1DT6.
DR GO; GO:0004497; P:monooxygenase activity; IEA.
DR GO; GO:0016712; P:oxidoreductase activity, acting on paired d. . .; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR001128; Cytochrome P450.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PR01686; EP4501CYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME P450; 1.
KW Heme; Monooxygenase; Oxidoreductase.
SQ SEQUENCE 504 AA; 57031 MW; 1D9D1363D8C0C511 CRC64;

Alignment Scores:
Pred. No.: 118-60 Length: 504
Score: 1122.00 Matches: 339
Percent Similarity: 28.54% Conservative: 60
Best Local Similarity: 24.25% Mismatches: 96
Query Match: 5.93% Indels: 903
DB: 11 Gaps: 10

US-09-820-788A-3 (1-10278) x Q64529 (1-504)
QY 2093 CTGGTGGCCCTGGCGCATAGTAGTGGCCATCTTCTGTCTCTGTGGAGCTGTATGACCGG 2152
Db 9 LeuTrpProValAlaIlePheThrValIlePheIleLeuValLeuThrHisGln 28
QY 2153 CACCAAGCTGGCTGCACGCTACCGCGCAGGTCCCTGCCACTGCCCGGGCTGGGCAAC 2212
Db 29 ArgGlnArgTrpThrSerArgTyrProProGlyProValProIleLeuGlyAsn 48
QY 2213 CTTCGTCATGTGAGTTCACAGAACACACCATCTGCTTCGACCAGGTGAGGGAGGAGGT 2272
Db 49 -LeuLeuGlnValAspLeuGlyAsnMetProTyr-Ser----- 60
QY 2273 CTGGAGGGCGGAGAGGTCTCTGAGGATGCCCCACCACAGCAAAACATGGGTGGGT 2332
Db 60 ----- 60
QY 2333 AACCAAGCTGGATCAGAACCCAGGCTGAGAGGGGAGCAGAGTTTGGGGAGCTTCC 2392
Db 60 ----- 60
QY 2393 TGGGAGGACATTTATACATGGCATGAGGACTGGATTTTCCAAAGGCCAAGAGAGT 2452
Db 61 -----LeuTyr----- 62
QY 2453 AGGCAAGGGCGCTGGAGGTGGAGCTGGAGCTTGGCAGTGGGCGATGCAAGCCCATTTGGGCA 2512
Db 62 ----- 62
QY 2513 CATATGTTATGAGTACAAAGTCCCTTCTGTCTGACACCCAGAAAGGAGCCCTTGGGAATG 2572
Db 62 ----- 62
QY 2573 GAAGATGAGTTAGTCTCTGAGTGCCTGAGTCCCGTTTAAATCAGAAATCAGAGATGAAGGGGTGCAG 2632
Db 62 ----- 62
QY 2633 TGACCCGGTTCAAACCTTTTTCAGTGTGGGTCTCTGGGGCTTCACTGTCTCACCAGCATGGA 2692
Db 62 ----- 62
QY 2693 CCATCATCTGGGAATGGAGTCTAACTGGGGCCCTCTCGGCAATTTTGGTGAATTTTGTGCA 2752
Db 62 ----- 62
QY 2753 GGTATACCTGGGTGACGCGATCCAACTGAGTTCTTCCATCACAGAAAGGTGTGACCCCA 2812
```

Db 62 ----- 62
QY 2813 CCCTGCCACGATCAGGAGGTGGTCTCTCTCTTCCACCTGCTCACTCTCTGGTAGCC 2872
Db 62 ----- 62
QY 2873 CCGGGGTGCTCCAAGTTCAATAGACCTAGGACCTAGTCTGGGGTGAATCTGGCTT 2932
Db 62 ----- 62
QY 2933 GACAAGGCCCTGACCCCTCCCTCTGCTGAGTTGGCGCGCGCTTCGGGGAGTGTTCAGCC 2992
Db 63 ----- 74
QY 2993 TGCAGCTGGCTGACGCGGTGCTGCTCAATGCGTGGCGCGCTGGCGCGAGCGCA 3052
Db 74 euGlnMetAlaTrpLysProIleValIleAsnGlyLeuLysAlaMetLysGluMetL 94
QY 3053 TGTGTACCCGCGCGAGGACACGCGCGCTGCGCCCTGCGCCATCTACAGGTCTCTGG 3112
Db 94 euLeuThrCysGlyGluAspThrAlaAspArgProValProIlePheGluTyrLeuG 114
QY 3113 GCTTCGGGCGCTTCCCAAGCAAGCGCGGTGGGGGACAGAGCCGCGTTTCCGTGG 3172
Db 114 lyValLysProGlySer-Gln----- 120
QY 3173 CCGCGGTGGACAGTACCGGTAGCCCAAGCAGCGCGCAGAGCGGTGGGGTCTTGACGT 3232
Db 120 ----- 120
QY 3233 GAAACAGAGATAAGCGCAGCGAGTGGGCTGAGGACAGTGGGCGAGGAAACACCTGCAC 3292
Db 120 ----- 120
QY 3293 GGGGGAGTGCAGTCTGTGGGTGGGAGGGGGCGGGGCTACTGCCAGACCGCGCAGAA 3352
Db 120 ----- 120
QY 3353 GCCCGTGGCGAGGCTGATGCTGAACTGGCGGTGGCGGGACCGCGCTATGCTGCG 3412
Db 120 ----- 120
QY 3413 GGCTCAGTGTGGCGGACGCGCGGATCTTCTTGAGTGGAAAGTGTGCGGGTGGC 3472
Db 120 ----- 120
QY 3473 AGAGACAGGTGGGCGCAAAACCCCGCCAGGCGAGCAATGTGGGTGAGCAAGAG 3532
Db 120 ----- 120
QY 3533 TGGGCCCTGTGCCAGCTGACCGGGGTAGGGACTCGGGAGACCTTGTGGAGCGCGCAG 3592
Db 120 ----- 120
QY 3593 GTTGGAGTGGGTGGCGAGGTGGGCGCAAGGCTTCATGGCAACCCCACTGTCTCGTC 3652
Db 120 ----- 120
QY 3653 CCGCCCCAGGGGTGATCTGTGCGCTATGGCGCGCGTGGCGGAGCAGAGCGCTTC 3712
Db 121 ----- 137
QY 3713 TCGGTGTCACTTGGCGCACTTGGCGCTGGGCAAGTGTGCTGGAGCAGTGGGTGACC 3772
Db 138 SerValSerThrLeuArgAsnPheGlyLeuGlyLysSerLeuGluAspTrpValThr 157
QY 3773 GAGGAGCGCTGCTCTTGTGCGCTTCGCCGACCAAGCGGTGGGTGATGGGAGAG 3832
Db 158 LysGluAlaArgHisLeuCys-----Asp-AlaPheTh 168
QY 3833 GGCACAAAGCGGAACTGGGAAGCGGGGACGAGAGGCAACCCCTTACCGCATCTC 3892
|||||

Db 168 rAlaGlnAla----- 171
QY 3893 CCCACCCCGACGACGCGCTTTCGCCCAACCGGCTCTTGGACAAAGCGCTGAGCAACGT 3952
Db 172 -----GlyArgSerIleAsnProAsnThrMetLeuAsnLysSerThrCysAsnVal 188
QY 3953 GATCGCTTCTCCTCAGCTGCGGGCGCGCTTCGAGTACGACGACCTCTCGTCTCTCAGGCT 4012
Db 188 lIleAlaSerLeuIlePheAlaArgPheGluTyrGluAspPropheLeuIleArgMe 208
QY 4013 GCTGACCTAGCTCAGGAGGACTCAAGGAGAGTGGGCTTTCGCGGAGTGGCGAG 4072
Db 208 tLeuLysValLeuGluGlnSerLeuThrGluIleSerGlyLeuIleProGlu----- 225
QY 4073 CGAGAGACCGAGGAGTCTCTGCGGCGAGCTCTCTGAGAGGTGCGGGGCTGAGTGGG 4132
Db 225 ----- 225
QY 4133 CCTCCGAAGGCGAGGATTTCATAGATGGGTTTGGGAAAGGACATTTCCAGGAGACCCAC 4192
Db 225 ----- 225
QY 4193 TGTAAGAGGGCTCGAGGAGGAGGGGACATCTCAGACATGCTGCTGGGAGAGTGTGCC 4252
Db 225 ----- 225
QY 4253 CGGGTCAGGGGCGACCGAGGAGGCGCAAGGACTCTGTACCCCGCTCCAGTTGGAGATT 4312
Db 225 ----- 225
QY 4313 CGATTTAGGTTTCTCTCTGGGCAAGGAGAGGGGTGGAGCTGCGCACTTGGGAGGGA 4372
Db 225 ----- 225
QY 4373 CTTGTGAGGTGAGTGGTAAGACAGGCGCGCTGCTTACCTGGAGATGCTGGGGC 4432
Db 225 ----- 225
QY 4433 CTGAGACTTGTCAGGTGAAACGACAGACAGAGGGATTGAGACCCCGCTTCTGTCTGTT 4492
Db 225 ----- 225
QY 4493 GTAGTGTGAATGTGTCTCCCGTCTCTGACATCCAGCGCTGGCTGGCAAGTCTCT 4552
Db 226 ---ValLeuAsnAlaPheProIleLeuLeuArgIleProArgLeuAlaAspLysAlaLe 244
QY 4553 AGCTTCCAAAAGGCTTCTGACCCAGCTGATGAGTGTCTAACTGACGACAGGATGAC 4612
Db 244 uGlnGlyGlnLysSerPheAsnAlaIleLeuAspAsnLeuThrGluAsnArgThrTh 264
QY 4613 CTGGGACCCCGACCGACCCCGAGACCTGACTGAGGCTTCTTGGGCAAGAGAGGAA 4672
Db 264 rTrpAspProValGlnAlaProArgAsnLeuThrAspAlaPheLeuAlaGluIleGlu 284
QY 4673 GGTGAGAGTGGCTGCGCACCGTGGGGCGCAAGGCTGTGGGTGGAAGCTCCAGGAGGAAT 4732
Db 284 ----- 284
QY 4733 GAGGGAGGCTGGGCAAAAGTTGGACCATGCTCATCACCCGCGAGCCGATCTGGGCTG 4792
Db 284 ----- 284
QY 4793 ACAGTGCAGAAATTGAGGTCAATTGGGGGCTACCCCGTTCTATCCCTGAGTATCTCT 4852
Db 284 ----- 284
QY 4853 CGGCGCTGTCTCAGGCAAGGGGAGCCCTGAGAGAGCTTCAATGATGAGAACTGGCGCAT 4912
Db 285 -----AlaLysGlyAsnProGlnSerPheAsnAspGluAsnLeuIle 300
QY 4913 AGTGGTGGGTAACTGTCTTCTTGGCGGATGTTGACCACTCGACACCGCTCGCTGGGG 4972
Db 300 eValValArgAspLeuPheGlyAlaGlyMetValThrThrSerThrLeuSerTrpAl 320
|||||

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: February 28, 2004, 02:35:21 ; Search time 15768 Seconds
(without alignments)
19464.949 Million cell updates/sec

Title: US-09-820-788A-3
Perfect score: 10278
Sequence: 1 agcctacaaagtctggga.....ccagggtcagtcgaggt 10278

Scoring table: IDENTITY NUC
Gapop 10.0 , Gapext 1.0

Searched: 27513289 seqs, 14931090276 residues
Total number of hits satisfying chosen parameters: 55026578

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : EST.*
1: em_estba.*
2: em_esthum.*
3: em_estin.*
4: em_estmu.*
5: em_estov.*
6: em_estpl.*
7: em_estro.*
8: em_hic.*
9: gb_est1.*
10: gb_est2.*
11: gb_hic.*
12: gb_est3.*
13: gb_est4.*
14: gb_est5.*
15: em_estom.*
16: em_estom.*
17: em_gss_hum.*
18: em_gss_inv.*
19: em_gss_pln.*
20: em_gss_vrt.*
21: em_gss_fun.*
22: em_gss_mam.*
23: em_gss_mus.*
24: em_gss_pro.*
25: em_gss_rod.*
26: em_gss_pbg.*
27: em_gss_vrl.*
28: gb_gss1.*
29: gb_gss2.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	612.4	6.0	644	13	BU682161
2	608.6	5.9	761	12	BG698634
3	598.4	5.8	651	9	AV657559
4	590.4	5.7	3969	11	BC033022

5	558.8	5.4	1180	13	BQ067695
6	494.4	4.8	1201	13	EX402424
7	494.2	4.8	1201	13	EX358085
8	478.6	4.7	1066	13	EX423847
9	478	4.7	1201	13	EX402423
10	476	4.6	1314	11	AF289565
11	474.4	4.6	905	13	BU956614
12	467.4	4.5	2067	11	AF318322
13	466	4.5	1201	9	AL532400
14	453.4	4.4	526	10	BF567779
15	453.2	4.4	955	13	EX407975
16	452.2	4.4	1201	13	EX358084
17	451.8	4.4	467	10	BE047430
18	439	4.3	1038	9	AV697507
19	437.4	4.3	707	9	AV694695
20	433.8	4.2	996	9	AV697511
21	430.4	4.2	829	28	BZ607017
22	428	4.2	1201	13	EX343659
23	425.6	4.1	712	9	AV691355
24	413.6	4.0	446	9	AV698784
25	412.2	4.0	432	9	AV694378
26	412.2	4.0	434	9	AV697704
27	409.4	4.0	428	10	AW522657
28	407.4	4.0	952	28	BZ606762
29	402.6	3.9	434	9	AV691047
30	397	3.9	426	9	AV693300
31	395	3.8	678	10	BF341109
32	394.4	3.8	425	9	AV694403
33	394.4	3.8	954	13	BQ959322
34	394	3.8	428	9	AV693268
35	393.6	3.8	696	9	AV691359
36	392.8	3.8	1066	13	EX423846
37	391.4	3.8	1030	13	EX367584
38	389.8	3.8	409	10	AW532355
39	389	3.8	707	9	AV695780
40	386.8	3.8	415	9	AV689184
41	386.8	3.8	417	9	AV693266
42	384	3.7	410	9	AV691265
43	384	3.7	410	9	AV695605
44	383.2	3.7	1060	28	BZ773519
45	381	3.7	406	9	AV684718

ALIGNMENTS

RESULT 1
BU682161
LOCUS
DEFINITION
UI-CF-EC1-acb-d-19-0-UI.s1 UI-CF-EC1 Homo sapiens cDNA clone
644 bp mRNA linear EST 07-OCT-2002
UI-CF-EC1-acb-d-19-0-UI 3', mRNA sequence.

ACCESSION
BU682161
VERSION
BU682161.1
KEYWORDS
GI:23532791
SOURCE
EST.

ORGANISM
Homo sapiens (human)

REFERENCE
AUTHORS
TITLE
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 644)

REFERENCE
AUTHORS
TITLE
Normal, M.F., Lennon, G. and Soares, M.B.
Normalization and subtraction: two approaches to facilitate gene discovery

JOURNAL
MEDLINE
PUBMED
Genome Res. 6 (9), 791-806 (1996)
97044477

COMMENT
8889548
Contact: McCray, PB
McCray Lab
University of Iowa
2024 University of Iowa Med Labs, Iowa City, IA 52242, USA
Tel: 319 356 4866
Fax: 319 356 7171
Email: paul-mccray@uiowa.edu
Tissue Procurement: Dr. M. J. Welsh, University of Iowa

cDNA Library preparation: Dr. M. Bento Soares, University of Iowa
cDNA Library Arrayed by: Dr. M. Bento Soares, University of Iowa
DNA Sequencing by: Dr. M. Bento Soares, University of Iowa
Clone Distribution: Researchers may obtain clones from Research
Genetics (www.resgen.com) or from Open Biosystems
(www.openbiosystems.com).

The following repetitive elements were found in this cDNA
sequence: 17-449 >RLTR12#LTR/Retroviral (matched complement)
369-557, >RLTR12#LTR/Retroviral (matched complement) 556-644, >PTRS
(matched complement)
Seq primer: M13 FORWARD
POLYA=Yes.

FEATURES

Location/Qualifiers
1..644
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="UI-CF-EC1-acb-d-19-0-UI"
/tissue_type="Lung"
/dev_stage="Adult and Fetal"
/lab_host="DH10B (Life Technologies) (T1 phage resistant)"
/clone_lib="UI-CF-EC1"
/note="Organ: Lung; Vector: pT7T3-Pac (Pharmacia) with a
modified polylinker; Site 1: EcoR I; Site 2: Not I;
UI-CF-EC1 is a normalized cDNA library containing the
following tissue(s): Normal lung from adult and from fetal
day 64, day 87, week 19 and week 42. The library was
constructed according to Bonaldo, Lennon and Soares,
Genome Research, 6:791-806, 1996. First strand cDNA
synthesis was primed with an oligo-dT primer containing a
Not I site. Double stranded cDNA was ligated to an EcoR I
adaptor, digested with Not I, and cloned directionally
into pT7T3-Pac vector. The oligonucleotide used to prime
the synthesis of first-strand cDNA contains a library tag
sequence that is located between the Not I site and the
(dT)18 tail. The sequence tag for this library is
AAGTCTTAC.
TAG_TISSUE=Normal Lung Epithelial Cells Tissue nos 369-371
and 380-383
TAG_LIB=UI-CF-EC1
TAG_SEQ=AAGTCTTAC"

ORIGIN

Query Match 6.0%; Score 612.4; DB 13; Length 644;
Best Local Similarity 99.5%; Pred. No. 2.1e-98;
Matches 625; Conservative 0; Mismatches 1; Indels 2; Gaps 1;
QY 7254 TTGCGCTGCTACTTTCAGGACGCTGCTTTTATTCCTTATCTGACCCACCCACATCC 7313
DB 17 TTGCGCTGCTACTTTCAGGACGCTGCTTTTATTCCTTATCTGACCCACCCACATCC 76
QY 7314 TCTGATTGGCCCAATTTTACACAGAGTGAGTGGTCCACTTACAGAGAGCTGATTGGTGC 7373
DB 77 TCTGATTGGCCCAATTTTACACAGAGTGAGTGGTGGTCCACTTACAGAGAGCTGATTGGTGC 136
QY 7374 ATTTACAATCCTTGAGCTAGACAGAGTACTGATTTGTTATTTTACAAACCTTGAGCTA 7433
DB 137 ATTTACAATCCTTGAGCTAGACAGAGTACTGATTTGTTATTTTACAAACCTTGAGCTA 196
QY 7434 GACACAGAGTGTGAATGGTGATTTTACAAATCCTTAGTACACATAAAGTTGTCACAG 7493
DB 197 GACACAGAGTGTGAATGGTGATTTTACAAATCCTTAGTACACATAAAGTTGTCACAG 256
QY 7494 TCCCACTAGATTAGCTAGATAGAGTAGACAGAGAGCACTGATTGGTGGTTTACAAACC 7553
DB 257 TCCCACTAGATTAGCTAGATAGAGTAGACAGAGAGCACTGATTGGTGGTTTACAAACC 316
QY 7554 TTGAGTTAGACACAGGGTCTGACTGGTGTGTTTACAAACCTTGAGCTAGACAGAGTG 7613
DB 317 TTGAGTTAGACACAGGGTCTGACTGGTGTGTTTACAAACCTTGAGCTAGACAGAGTG 376
QY 7614 CTGATTGGTGATTTTACAAATCTTTTAGCTAGAAAATAAAGTTTCCCAAGTCCCAACACAGA 7673

DB 377 CTGATTGGTGATTTTACAAATCTTTTAGCTAGAAAATAAAGTTTCCCAAGTCCCAACACAGA 436
QY 7674 TTAGCTAGAT--AGAGTGTCTAATTTGGTGCATGTCAGAAACCCGGAGCTAGACACAGAGTGC 7731
DB 437 TTAGCTAGATACAGAGTGTCTAATTTGGTGCATGTCAGAAACCCGGAGCTAGACACAGAGTGC 496
QY 7732 TGATTGGTGTCATATACAAATCTCTGGCTAGACATAAAGTTTCTCAAGTCCCACTGCAC 7791
DB 497 TGATTGGTGTCATATACAAATCTCTGGCTAGACATAAAGTTTCTCAAGTCCCACTGCAC 556
QY 7792 TCAGGAGCCCGCAGCAGCTTCGCTAGTGGATCTTATGCCAGGGCCACAGGAGAGCTGCC 7851
DB 557 TCAGGAGCCCGCAGCAGCTTCGCTAGTGGATCTTATGCCAGGGCCACAGGAGAGCTGCC 616
QY 7852 TGCTAGTCCCAACACCGGCGACCTGTACT 7879
DB 617 TGCTAGTCCCAACACCGGCGACCTGTACT 644
RESULT 2
BG698634
LOCUS 602659476P2 NCI_CGAP_Skn3 Homo sapiens cDNA clone IMAGE:4801603 5',
DEFINITION mRNA sequence.
ACCESSION BG698634
VERSION BG698634.1 GI:13966117
KEYWORDS EST.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
REFERENCE 1 (Bases 1 to 761)
AUTHORS NIH-MGC http://mgc.nci.nih.gov/.
TITLE National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL Unpublished (1999)
COMMENT Contact: Robert Strausberg, Ph.D.
Email: cgapbs-remail.nih.gov
Tissue Procurement: James Cleaver, M.D.
cDNA Library Preparation: Life Technologies, Inc.
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL) DNA
Sequencing by: Incyte Genomics, Inc.
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: LHAM10694 row: h column: 20
High quality sequence start: 22
High quality sequence stop: 646.
Location/Qualifiers
1..761
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="IMAGE:4801603"
/lab_host="DH10B (T1 phage-resistant)"
/clone_lib="NCI CGAP Skn3"
/note="Organ: skin; Vector: pCMV-SPORT6; Site 1: NotI;
Site 2: SalI; Cloned unidirectionally. Primer: Oligo dT.
Average insert size 1.5kb. Library constructed by Life
Technologies. Note: this is a NCI CGAP Library."
ORIGIN
Query Match 5.9%; Score 608.6; DB 12; Length 761;
Best Local Similarity 95.8%; Pred. No. 1e-97;
Matches 700; Conservative 0; Mismatches 24; Indels 7; Gaps 7;
QY 2325 GGTGGTTAAACACAGAGCTGATCAGAACCCAGCTGAGAGGGAGGAGGAGTTGGGG 2384
DB 22 GGATGGTTAAACACAGAGCTGATCAGAACCCAGCTGAGAGGGAGGAGGAGTTGGGG 81
QY 2385 GACGTTCTCTGGGGAAGGACATTTATACATGG-CATGAAGGAGCTGGATTTTCCAAAGGCCA 2443
DB 82 GACG-TCCTGGGGAAGGACATTTATACATGTCATGAAGGAGCTGGATTTTCCAAAGGCCA 140

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
NIH-MGC http://mgs.nci.nih.gov/.
National Institutes of Health, Mammalian Gene Collection (MGC)
Unpublished (1999)
Contact: Robert Strausberg, Ph.D.
Email: cgaabs@mail.nih.gov
CDNA Library Preparation: Life Technologies, Inc.
CDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Agencourt Bioscience Corporation
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: LLAM12828 row: d column: 07
High quality sequence start: 3
High quality sequence stop: 536.
Location/Qualifiers

FEATURES

1..1180
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="IMAGE:5768406"
/lab_host="DH10B"
/clone_lib="NIH MGC 121"
/notes="Organ: brain; Vector: pCMV-SPORT6; Site 1: NotI;
Site 2: EcoRV (destroyed); RNA source anonymous pool of 3
fetal brains, female age 20 weeks, female age 24 weeks,
and male age 26 weeks. Library is oligo-dT primed and
directionally cloned (EcoRV site is destroyed upon
cloning). Average insert size 1.7 kb, insert size range
0.7-3.5 kb. Library is normalized and enriched for
full-length clones and was constructed by C. Gruber
(Invitrogen). Research Genetics tracking code 017. Note:
this is a NIH_MGC Library."

ORIGIN

Query Match 5.4%; Score 558.8; DB 13; Length 1180;
Best Local Similarity 98.8%; Pred. No. 7.2e-89;
Matches 563; Conservative 0; Mismatches 7; Indels 0; Gaps 0;
QY 1004 ATTTCTAATCAGAAACATGGAGCCAGGAGCAGTGGAGATGACGACCTCAGGAGCC 1063
DB 29 ATTTCTAATCAGAAACATGGAGCCAGGAGCAGTGGAGATGACGACCTCAGGAGCC 88
QY 1064 CTGGAGGATGCTGTCTACAGGCTGGGCGCAAGGCTTCAGGCTACCACTGGGAGCTCTGG 1123
DB 89 CTGGAGGATGCTGTCTACAGGCTGGGCGCAAGGCTTCAGGCTACCACTGGGAGCTCTGG 148
QY 1124 GAACAGCCCTGTTGCAAAACAGGAAGTTCATGGCCCGCCAGAGCCAGAAATGTGGGCTGAG 1183
DB 149 GAACAGCCCTGTTGCAAAACAGGAAGTTCATGGCCCGCCAGAGCCAGAAATGTGGGCTGAG 208
QY 1184 CTGGGATCCATGTGACAGCTTTGAGGCTCACCAGGAGCAGCTCTGACAGGAGAGGTCC 1243
DB 209 CTGGGATCCATGTGACAGCTTTGAGGCTCACCAGGAGCAGCTCTGACAGGAGAGGTCC 268
QY 1244 CATCCAGGAACCTCGGCAATGCTCGGAGTGGGCTACTTGGTCCGGGTCTGTATGTG 1303
DB 269 CATCCAGGAACCTCGGCAATGCTCGGAGTGGGCTACTTGGTCCGGGTCTGTATGTG 328
QY 1304 TGTGTGACTGTGTGTGAGAGAGAAATGTGTCCCTGAGTGTGAGTGTGAGTCTGTGTA 1363
DB 329 TGTGTGACTGTGTGTGAGAGAGAAATGTGTCCCTGAGTGTGAGTGTGAGTCTGTGTA 388
QY 1364 TGTGTGAATATTGCTTTTGTGTGGGTGCAATTTCTGCAATGTGTAACTGTGTCCCTGCAAGT 1423
DB 389 TGTGTGAATATTGCTTTTGTGTGGGTGCAATTTCTGCAATGTGTAACTGTGTCCCTGCAAGT 448
QY 1424 GTGAACAGTGGACAAGTGTCTGGGAGTGGACAAGAGATCTGTGCAACATCAGGTGTGTG 1483
DB 449 GTGAACAGTGGACAAGTGTCTGGGAGTGGACAAGAGATCTGTGCAACATCAGGTGTGTG 508

QY 1484 CATACGCTGTGTCATGTCAAGAGTGCAGAGTGAAGTGAAGGACAGGCCCATGATGCC 1543
DB 509 CATACGCTGTGTCATGTCAAGAGTGCAGAGTGAAGTGAAGGACAGGCCCATGATGCC 568
QY 1544 ACTCATCATCAGAGCTCTTAAGGCCCCAGG 1573
DB 569 ACTCATCATCAGAGCTCTTAAGGCCCCGG 598

RESULT 6

BX402424 1201 bp mRNA linear EST 13-MAY-2003
LOCUS BX402424 Homo sapiens PLACENTA COT 25-NORMALIZED Homo sapiens cDNA
DEFINITION clone CS0D1033YB14 5-PRIME, mRNA sequence.
ACCESSION BX402424
VERSION BX402424.1 GI:30618809
KEYWORDS EST.
SOURCE Homo sapiens (human)

ORGANISM

Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE

1 (bases 1 to 1201)
AUTHORS Li,W.B., Gruber,C., Jesse,J. and Polayes,D.
TITLE Full-length cDNA libraries and normalization
JOURNAL Unpublished (2001)
COMMENT Genoscope
Genoscope - Centre National de Sequencage
BP 191 91006 EVRY cedex - France
Email: seqrefgenoscope.cns.fr, Web : www.genoscope.cns.fr
Library was constructed by Life Technologies, a division of
Invitrogen. Contact : Feng Liang Email : fliang@lifetech.com URL :
http://fulllength.invitrogen.com/ Invitrogen Corporation 1600
Faraday Avenue Genoscope sequence ID : CS1A10092B08QP1.

FEATURES

1..1201
Location/Qualifiers
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="CS0D1033YB14"
/tissue_type="PLACENTA COT 25-NORMALIZED"
/clone_lib="Homo sapiens PLACENTA COT 25-NORMALIZED"
/note="1st strand cDNA was primed with a NotI-oligo(dT)
primer. Five prime end enriched, double-strand cDNA was
digested with Not I and cloned into the Not I and EcoR V
sites of the pCMVSPORT 6 vector. Library was normalized."

ORIGIN

Query Match 4.8%; Score 494.4; DB 13; Length 1201;
Best Local Similarity 76.5%; Pred. No. 2e-77;
Matches 665; Conservative 2; Mismatches 174; Indels 28; Gaps 4;
QY 7480 AAAGTTTGTCCAGTCCCACTAGATTAGCTAGATAGATAGACAGAGACGACTGTTGG 7539
DB 68 AAAGTTTGTCCAGTCCCACTAGATTAGCTAGATAGATAGACAGAGACGACTGTTGG 118
QY 7540 TCGGTTTACAAACCTTGAGTTAGACACAGGGTGTGACTGGTGTGTTTACAAACCTTGAG 7599
DB 119 TGCATTTCACAAACCTTGAGTTAGACACAGGGTGTGACTGGTGTGTTTACAAACCTTGAG 178
QY 7600 CTAGACACAGAGTGTGATTGGTGTATTTACAACTTTTGTAGTAGAAATAAAGTTTCCCC 7659
DB 179 CTAGATACAGAGTGTGATTGGTGTATTTACAACTTCCCTGAGCTAGACATAAAGTTTCTCC 238
QY 7660 AAGTCCCAACCAAGATTAGCTAGATAGAGTCTAATTGGTGCATGCAGAACCCGAGCTA 7719
DB 239 AAGGCCCAACCAAGAGAGCTAGATAGAGTGTGGTGTGCTCAAAACCTTGAGCTA 298
QY 7720 GACACAGAGTGTGATTGGTGCATATACAACTCTCTGGCTAGACATATAAAGTTTCTCAAAG 7779
DB 299 GGCACAGAGTGTGATTGGTGTGTTTACAACTCCCTGAGCTAGACATATAAAGCTCTCCAG 358
QY 7780 TCCCAACCTGACTCAGGAGCCAGCCAGCTTCGCTAGTGTGATCTCTATCCAGGGCCACA 7839

```
Db 359 TCCCCACACAGACTCAGGACCCAGCTGGCTTCACTAGTGGATCCGACCCGGGCTGCA 418
Qy 7840 GGCAGAGTGCCTGTAGTCCACACCGGGACCTGTACTCTCAGCCCTTGGGAGTGG 7899
Db 419 GGTGGAGTGCCTTACAGTCCCGACCGTGGCTTGCATTCCTCAGCCCTTGGGTGG 478
Qy 7900 AGGGACAGAGTGCCTGTAGAGAGTGGGAGGACCCATCCGGAGGCTCGGCTCGAG 7959
Db 479 ATGGGAGTGGGCGCGGTGGAGAGGGGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 538
Qy 7960 GGAGCC---CACCGTAGGGAGGCTTGGGCATGGCAGGCTGCAAGTCTCTAGCCCTGCCC 8015
Db 539 GAGCCCTTGGAGTGGGTGGAGGCTTAGGCAATGGCGGGCTGCAGTCCCGAGCCCTGCCC 598
Qy 8016 CGCGGGAGGTGACTAGAGCCCTGGCGACAATTCATAGTGTGGTGGCGCGGAGCCAGC 8075
Db 599 CGCGGAGAGGAGTAAAGCTCGGTGAGAAATCGAGCG-----CASCTGNGTGGGCTGG 652
Qy 8076 AGTACTGGGGGACCCGGTCCCTCTGCAGCTGTGGCCAGGTGCTAAGCCCTCACT 8135
Db 653 CACTGCTGGGGACCAAGTACACCTCCCGAGCTGTGGCCCGGGTGTAAAGTCCCTCAT 712
Qy 8136 GCTTGGGGCAGAGGACACAGCGCGGCTCCGAGTGCAGGCGCCGCTGAGCCCTGCCC 8195
Db 713 GCCAGGGCCAGAGGGCTGGCGGGCTGTCCAGTGGCGGGCCCGCAAGCCAGCGCC 772
Qy 8196 ACCAGAACTGTGTGCGCCCGGAG-----CAACCCAGTTCGGCGACAGCCCTC 8246
Db 773 ACCCGAACTCCAGTGGCGCGCAAGCGCGGACACAGACCCCGTTCGCGCTCGCGCTC 832
Qy 8247 TCCCTCCATACCTCCCGCAAGCAGGAGCGGCTCCAGCTCCACAGTCCAGAGAG 8306
Db 833 TYCTCCACACCTCCCGCAAGTGAAGAGAGGGCTCCGGCTTGGCGAGCCCGAAG 892
Qy 8307 GGGCTCCCACTGACGAGCCCTGGGTGAA 8335
Db 893 GGGCTCCCACTGACGCGGTGGGTGAA 921
```

RESULT 7

BX358085 1201 bp mRNA linear EST 05-MAY-2003
LOCUS BX358085 Homo sapiens PLACENTA COT 25-NORMALIZED Homo sapiens cDNA
DEFINITION Clone CS0D1033YB14 5-PRIME, mRNA sequence.

ACCESSION BX358085

VERSION BX358085.1

KEYWORDS 1 GI:30370184

SOURCE Homo sapiens (human)

ORGANISM Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

1 (bases 1 to 1201)

Li, W.B., Gruber, C., Jesse, J. and Polayes, D.

Full-length cDNA libraries and normalization

Unpublished (2001)

Contact: Genoscope

Genoscope - Centre National de Sequencage

BP 191 91006 Evry cedex - France

Email: seqref@genoscope.cns.fr, Web: www.genoscope.cns.fr

Library was constructed by Life Technologies, a division of

Invitrogen. Contact: Feng Liang Email: fliang@lifetech.com URL:

http://fulllength.invitrogen.com/InvitroGen Corporation 1600

Faraday Avenue Genoscope sequence ID: CS0D1033DA07QPI.

Location/Qualifiers

1..1201

/organism="Homo sapiens"

/mol_type="mRNA"

/db_xref="taxon:9606"

/clone="CS0D1033YB14"

/tissue_type="PLACENTA COT 25-NORMALIZED"

/clone_lib="Homo sapiens PLACENTA COT 25-NORMALIZED"

/note="1st strand cDNA was primed with a NotI-oligo(dT)

FEATURES

source

primer. Five prime end enriched, double-strand cDNA was digested with Not I and cloned into the Not I and EcoR V sites of the pCMVSPORT 6 vector. Library was normalized."

ORIGIN

Query Match 4.8%; Score 494.2; DB 13; Length 1201;
Best Local Similarity 76.6%; Pred. No. 2.2e-77;
Matches 666; Conservative 1; Mismatches 174; Indels 28; Gaps 4;
Qy 7480 AAAGTTTGTCCAGTCCCACCTAGATTAGTGTAGATAGAGAGAGACACTGATTGG 7539
Db 64 AAAGTTTCTCAAGGCCCCACAGAGCAGCTAGAT-----ACAGAGTGTAGATTGG 114
Qy 7540 TCGCTTTACAAACCTTGAGTTAGACACAGGGTGTGACTGTGTGTATTACAAACCTTGA 7599
Db 115 TGCATTTCAAACCTTGAGCTAAACACAGGGTGTGATTGTGTGTATTACAAACCTTGA 174
Qy 7600 CTAGACACAGAGTGTGATTGGTGTATTACAACTTTTAGCTAGAAATAAAGGTTTCCC 7659
Db 175 CTAGATACAGAGTGTGCGATTGGTGTATTACATCCCTGAGCTAGACATAAAGGTTTCCC 234
Qy 7660 AAGTCCCCACAGATTAGCTAGATAGATGTCTAATTGGTGCATGCACGAAACCCGAGCTA 7719
Db 235 AAGGCCCCACACAGAGCAGCTAGATAGATGTGGAATTGGTGCATGCACAAACCTTGAGCTA 294
Qy 7720 GACACAGAGTGTGATTGGTGCATATACAACTCTCTGGCTAGACATAAAGGTTTCCC 7779
Db 295 GGCACAGAGTGTGATTGGTGTATTACAACTCTCTGGCTAGACATAAAGGTTTCCC 354
Qy 7780 TCCCCACCTGACTCAGAGAGCCAGCAGCTTTCGGCTAGTGTGATCTATGCGCAGGCGCAC 7839
Db 355 TCCCCACACAGACTCAGAGAGCCAGCTGGCTTCACTTAGTGGATCCGACACCGGGGTGCA 414
Qy 7840 GGCAGAGTGTGCTGTAGTTCCTCACACCGGGCACTGTACTCTCAGCCCTTTGGGAGTGG 7899
Db 415 GGTGAGTGTGCTTACCAGTCCCGCAGCGTGGCTTGCATTCTCAGCCCTTTGGGTTGGTGG 474
Qy 7900 ACGGGACAGTGTGCTGGAGCAGTGGGAGGACCCATCCGGAGGCTTCGGGCTCCGAG 7959
Db 475 ATGGGAGTGGGCGCGCTGGAGCAGGGGGTGGTGTCTGTCGAGAGGGCTTCGGGCGCGCAC 534
Qy 7960 GGAGCC---CACCGTAGGGAGGCTTGGGCAATGCGAGGCTGCAAGTCTCTGAGCCCTGCCC 8015
Db 535 GAGCCCTTGGAGTGGTGGGAGGCTTAGGCATGCGGGGCTGCAGGTCCCGACCCCTGCCC 594
Qy 8016 CGCGGGAGGTGACTGAGGCTTGGCGCAATTCGAAGTGTGTGTGAGCGCGCGAGCCAGC 8075
Db 595 CGCGGAAAGGAGCTAAGGCTCGGTGAGAAATCGAGCG-----CASCTGTGTGGGCTGG 648
Qy 8076 AGTACTGGGGACCGGTGCCCCCTCTGCAGCTGTGGCCAGGCTGTAAAGCCCTCACT 8135
Db 649 CACTGTCTGGGGGACAGTACACCTTCGCGAGCTGTGGCCCGGGTGTAAAGTCCCTCAT 708
Qy 8136 GCCTGGGGCCAGAGGACACAGCCCGCGCTCCGAGTGCAGGGCCCGCTGAGCCCTGCCC 8195
Db 709 GCGAGGGCCAGAGGGGTGGCGGGTGTCTCCGAGTGGGGGCGCGCAAGCCACGCGCC 768
Qy 8196 ACCCAGAACTGGTGTGGCCCGCGAG-----CAACCCAGGTTTCCGCGACACGCGCTC 8246
Db 769 ACCCGGAACCTCAGCTGGCGCGCAAGCGCGGCAACACAGCCCGGTTCGCGCTCGCGCTC 828
Qy 8247 TCCCTCCATACCTCCCGCAGCAGAGCGGAGCCGCTCCAGCTCCACAGTCCAGAGAG 8306
Db 829 TCCCTCCACACTTCCCGCAAGCTGAAGAGAGAGGGCTCCGGGCTTGGCCGCCAGAAAG 888
Qy 8307 GGGCTCCCACTGACGCGCTGGGCTGAA 8335
Db 889 GGGCTCCCACTGACGCGGTGGGCTGAA 917

RESULT 8

BX423847/c

LOCUS

BX423847

1066 bp

mRNA

linear

EST 13-MAY-2003

Db 929 GTGTTAAACAACTTGGAGCTARATACAGAGTCCGCTATTGCTATTWACAATCCCTGAGC 870
Qy 7642 TAGAATAAAGTTTCCCAAGTCCCAACAGATTAGCTAGATAGTCTAATTCGTGCA 7701
Db 869 TAAACATAAAGTTTCCCAAGTCCCAACAGAGCTAGATAGATAGTCTAATTCGTGAA 810
Qy 7702 TCACGAACCCGAGCTAGACACAGATGCTGATTTGGTGCATATACAACTCTCTGCTAG 7761
Db 809 CTCACAAACCTGAGCTAGGACAGAGTCTGATTTGGTGTGTTTAAATCCCTGAGCTAR 750
Qy 7762 ACATAAAGTTTCCCAAGTCCCAACAGAGCTAGATAGTCTAATTCGTGCA 7821
Db 749 ACATAAAGACTCTCCAGTCCCAACAGAGCTAGATAGTCTAATTCGTGCA 690
Qy 7822 TCTATGCCAGGCTACAGGAGAGTCTGCTGATTTGGTGCATATACAACTCTCTGCTAG 7881
Db 689 TCCCGACCGGGGCTGCAAGTGGAGTCTGCTACCAAGTCCCGACAGTCTGCTGCTATCC 630
Qy 7882 TCAGCCCTTGGGAGTGGACGGGACAGAGTGGGAGTGGGAGTGGGAGTGGGAGTGGGAG 7941
Db 629 TCAGCCCTTGGTGTGATGGAGTGGGAGTGGGAGTGGGAGTGGGAGTGGGAGTGGGAG 570
Qy 7942 GAGGCTCGGCTCGCAGGAGCC----CACGCTAGGAGGCTTGGGATGGGATGGGAGTGGG 7997
Db 569 GAGGCTCGGCTCGCAGGAGCCCTTGGAGTGGGAGTGGGAGTGGGAGTGGGAGTGGGAG 510
Qy 7998 AAGTCTGAGCCCTCGGAGGAGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT 8057
Db 509 AGTCTCCAGGCTCGGAGGAGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT 454
Qy 8058 GAGGCTCGGAGGAGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 8117
Db 453 GAGGCTCGGAGGAGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 394
Qy 8118 GGTGTAAGCCCTCACTGCTGG--GGCAGAGGACCCAGCGGCTCGGAGTGGAGTGGAG 8176
Db 393 GGTGTAAGTCCCTCACTGCTGGGAGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 334
Qy 8177 GCGGCTGAGCCCTCGGAGGAGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 8227
Db 333 GCGGCTGAGCCCTCGGAGGAGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 274
Qy 8228 AGTCTCGGAGGAGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 8287
Db 273 CGTCTCGGAGGAGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 214
Qy 8288 CTCACAGGCTCAGAGAGGCTCCCAAGTGGAGTGGAGTGGAGTGGAGTGGAGTGGAGTGG 8335
Db 213 CTTTGGCAGCCAGAGAGGCTCCCAAGTGGAGTGGAGTGGAGTGGAGTGGAGTGGAGTGG 166

RESULT 10
AF289565
LOCUS AF289565 1914 bp mRNA linear HTC 01-JAN-2002
DEFINITION Homo sapiens clone pp6414 unknown mRNA.
ACCESSION AF289565
VERSION AF289565.1 GI:18027333
KEYWORDS HTC.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 1914)
Huang, Y., Zhou, X.M., Zhang, P.P., Jiang, H.Q., Qin, W.X., Zhao, X.T.,
Wan, D.F. and Gu, J.R.
Novel human cDNA clones with function of inhibiting cancer cell
growth
JOURNAL Unpublished
REFERENCE 2 (bases 1 to 1914)
Huang, Y., Zhou, X.M., Zhang, P.P., Jiang, H.Q., Qin, W.X., Zhao, X.T.,
Wan, D.F. and Gu, J.R.
Direct Submission
JOURNAL Submitted (17-JUL-2000) National Laboratory For Oncogenes & Related

Genes, Shanghai Cancer Institute, 25/Ln 2200 Xie-Tu Road, Shanghai
200032, P. R. China
FEATURES
source location/Qualifiers
1. .1914
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="pp6414"
1043..1585
/codon_start=1
/product="unknown"
/protein_id="AAL55749.1"
/db_xref="GI:18027334"
/translation="MGLGAVEQERALLAGEAPAAOVPTGTVGSGMAGCRSLALPLGKA
ARAFGEIERSAGSALLGDPVHPQPLARVLSPLPGACRACRLLRVRRAKLTPQNS
SWPASVACSPGCSHLISLHQAEGAGSGLGKPKRGLPQCSSLGLKSSAAKVGAAQ
BEAPRASEGSEDQCQHAVTSH"

ORIGIN

Query Match 4.6%; Score 476; DB 11; Length 1914;
Best Local Similarity 66.1%; Pred. No. 3.8e-74;
Matches 997; Conservative 0; Mismatches 250; Indels 261; Gaps 11;
Qy 6865 TGTGTCCAAAATTTGGTGGTCTCTTGGTCTCACTGACTTCAAGATGAAGCCGTGGACCC 6924
Db 202 TGTGTCCGAATTTGGTGGTCTCTTGGTCTCACTGACTTCAAGATGAAGCCGTGGACCC 261
Qy 6925 CACGCTGAGTGTACAGTCTTAAAGATGGTGTGTTCAGAGTTTGTTCCTTCTGATGTTA 6984
Db 262 CGCGTGTGAGTGTACAGTCTTAAAGGAGTGTGTTCAGAGTTTGTTCCTTCTGATGTTG 321
Qy 6985 AGAGTGTTCAGAGTCTTCTTCTGCTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 7044
Db 322 GGATGTGTTCGAGATATCTTCTTCTGCTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 380
Qy 7045 AGCTGCAGACCTTCACTGAGTGTTCAGGCTCTTAAGGCTGCACGTACGAGTGTGTTCA 7104
Db 381 AGCTGCAGACCTTCTGCTGAGTGTTCAGGCTCTTAAGGCTGCACGTACGAGTGTGTTCA 440
Qy 7105 TTTCTTCTGCTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 7160
Db 441 TTTCTTCTGCTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 500
Qy 7161 -CAGTGTTCACACTCATTAAGGAGTGTGGACCAATGAGGAGGAGGAGGAGGAGGAGGAGG 7219
Db 501 TGAGTGTTCAGGCTCATTAAGGAGGAGTGGACCAATGAGGAGGAGGAGGAGGAGGAGG 560
Qy 7220 TACTGCAACACAGCAAAAGATGATGGCA-----ACCAAGTGGTGGTGGTGGTGGTGG 7260
Db 561 TGCGAAGAGCAAGAGACAAAGCTTCCAGATGTGGAAGGAGAGCCCCAGCAGATGGCCAC 620
Qy 7261 TGCTACTTTCAGGAGCCTGCTTTTATTCCTTATCTGACCCCAACCAACCAACCAACCAAC 7320
Db 621 TGCTGGCTTGGGAGCCTGCTTTTATTCCTTATTTGGCCCAACCAACCAACCAACCAAC 680
Qy 7321 TGGCCCAATTTACAGACAGTGGTGTTCCTTACAGAGAGCTGATTTGGTGCATTTACA 7380
Db 681 TGGT-----AGAGCCAGTGGTGTGTTT--- 703
Qy 7381 ATCCCTGAGCTAGACACAGAGTACTGATTGGTATATTTACAAACCTTGAGCTAGACACAG 7440
Db 704 -----TGACAG 709
Qy 7441 AGTCTGAATCGTGTATTATTAACATCCCTTACAGTACATTAAGTGTGTCAGTCCCAAC 7500
Db 710 GGCGCTGATTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 769
Qy 7501 TAGATTAGCTAGATAGTACAGACAGAGTGTGTTGGTGGTGGTGGTGGTGGTGGTGGTGG 7560
Db 770 TAGATTAGCTAGAT-----ACAGAGTGTCTATTGGTGCATTTCAAAACCTTGAGCT 820
Qy 7561 AGACACAGGCTGCTGAGTGTGTTTCAAAACCTTGAGCTAGACACAGAGTGTGTTGTTG 7620

```
Db 821 AGACACAGGCTGTGATGTTGTTGTTTACAAACCTTGAGCTAGACAGAGTCCCGATTG 880
QY 7621 GTCTATTACATCTTTAGCTAGAAATAAGGTTCCCAAGTCCACAGATTTAGCTA 7680
Db 881 GTGTTATTACATCTCCCTGAGCTAGACAAAGGTTCTCCAGCTCCGACCA----- 931
QY 7681 GATAGAGTGTAAATTGGTGTGATGCAAGAACCCGGAGCTAGACAGAGTGTCTGATTGGTG 7740
Db 932 ----- 931
QY 7741 CATATACATCTCTGCTAGACATAAAAGTTCTCCAAAGTCCCACTGACTCAGGAGCC 7800
Db 932 -----GACTCAGGAGCC 943
QY 7801 CAGCCAGCTTCGCTAGTGTGATCTATGCGAGGGCCACAGGAGAGCTGCTCTAGTCC 7860
Db 944 CAGCTGGCTTCACCCAGTGGATCCCGCACTGCCCTGCGAGTGGAGCTGCTGCCAGTCC 1003
QY 7861 CACACGGGACCTGTACTCTCAGCCCTTGGGAGTGGACGGGACAGGTGCGGTGGAG 7920
Db 1004 CTCGCGGTGGCGCGCACTCTCAGCCCTTTGGGTGGTTCGATGGGACTGGGCGCTGTGGAG 1063
QY 7921 CAGTGGGAGGACCCATCCGGGAGGCTCGGGCTCGCAGGAGGCCACC-----GTAGGGA 7976
Db 1064 CAGGAGGCGCGCTTCTGCGGAGGCTCTCGGCAAGTGTGCCACAGGAGGGGTGGGA 1123
QY 7977 GGCTTGGGATGCGAGGCTGCAAGTCTCTGAGCCCTGCGCGGGGAGGTGACTGAGGCGC 8036
Db 1124 GGCTCAGGATGCGGGCTGCAAGTCTCCGAGCCCTGCGCCCTTGGGAAGGAGCTAGGCGC 1183
QY 8037 TGGCGCAATTCAGTGTGTGAGCGCGGAGGCGCAGGAGTACTGGGGACCCGTGCGC 8096
Db 1184 CCGGGAGAAATCAGCG-----CAGCGCGGTGGTTCAGCACTGCTGGGGACCCAGTACA 1239
QY 8097 CCTCTGCAAGTCTGCGCCAGTGTCTAGCCCTCACTGCTGCGGCGCAGGAGCCAG 8156
Db 1240 CCTCCACAGCACTGGCTGGGTGTAAAGCCCTCATTTGCTTGGGGCGGAGGCGCTG 1299
QY 8157 CCGGCGCTCCGAGTGCAGGCGCGCTGAGCCCTGCGCCACCCAGAACTGCTGCTGGCG- 8215
Db 1300 CCGGCTGCTCCGAGTGC-----GGGCGGCAAGCTCACACCCACCCAGAACTCCAGCTGGCT 1357
QY 8216 -----CGGAGCAACCCAGTTCGCGCACAGCTCTCTCTCCATCTCCCGCAA 8267
Db 1358 GCAAGCGTTCGCGTGCAGCGCGCTTCTGCTGCACCTCTCTCCACACCTCCCTGCAA 1417
QY 8268 GCAGACGGAGCGCGCTCCAGCTCCACAGTCCAGAGGGGCTCCCAAGTGCAGCGCT 8327
Db 1418 GCTGAGGAGCGCGCTCCGCGCTTGGCAAGCCAGAAAGGGGCTCCCAAGTGCAGCGT 1477
QY 8328 GGGCTGAA 8335
Db 1478 GGGCTGAA 1485
```

```
RESULT 11
BU956614/c
LOCUS
DEFINITION
  BU956614 905 bp mRNA linear EST 21-OCT-2002
  IMAGE:6730227 5', mRNA sequence.
ACCESSION
  BU956614
VERSION
  BU956614.1 GI:24186186
KEYWORDS
  EST.
SOURCE
  Homo sapiens (human)
  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
  Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE
  1 (bases 1 to 905)
  NIH-MGC http://mgi.nci.nih.gov/
  National Institutes of Health, Mammalian Gene Collection (MGC)
  Unpublished (1999)
  Contact: Robert Strausberg, Ph.D.
  Email: cgabbs-r@mail.nih.gov
```

Tissue Procurement: ATCC
cDNA Library Preparation: Rubin Laboratory
DNA Library Arrayed by: The I.M.A.G.E. Consortium (LNL)
DNA Sequencing by: Agencourt Bioscience Corporation
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LNL at:
http://image.lnl.gov
Plate: LLM3054 row: 1 column: 02
High quality sequence stop: 638.

FEATURES

Location/Qualifiers
1..905
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="IMAGE:6730227"
/tissue_type="adenocarcinoma, cell line"
/lab_host="DH10B (phage-resistant)"
/clone_lib="NIH_MGC_107"
/note="Organ: Breast; Vector: pOTB7; Site 1: EcoRI;
Site 2: XhoI; cDNA made by oligo-dT priming.
Directionally cloned into EcoRI/XhoI sites using the
following 5' adaptor: GGCACGAG(G). Library constructed by
Ling Hong in the laboratory of Gerald M. Rubin (University
of California, Berkeley) using ZAP-cDNA synthesis kit
(Stratagene) and Superscript II RT (Life Technologies).
Note: this is a NIH_MGC Library."

ORIGIN

Query Match 4.6%; Score 474.4; DB 13; Length 905;
Best Local Similarity 93.7%; Pred. No. 7.5e-74;
Matches 506; Conservative 0; Mismatches 31; Indels 3; Gaps 1;

```
QY 7799 CCCAGCCAGCTTCGCTAGTGGATCTATGCCAGGCGCCACAGCGACAG---CTGCTGCT 7855
Db 781 CCACGAGGTTCCGCTTAGTGGATCTTAAGGCGAGGCGCCAGCCGAGAGCTGCCCTGCA 722
QY 7856 AGTCCACACCGGGACCTGTACTCTCTAGCCCTTTGGGCGAGTGGACGGACACGAGTGC 7915
Db 721 GTGCGCACACCGGGACCTGTACTCTTTCAGCCCTTTGGGCGAGTGGACGGACACGAGTGC 662
QY 7916 TGGAGGAGTGGGAGGACCCATCCGGGAGGCTCGGGCTTCGCGAGGAGGCCACCGTAGGG 7975
Db 661 TGGAGCATTTGGGAGGACCCATCCGGGAGGCTCGGGCTTCGCGAGGAGGCCACCGTAGGG 602
QY 7976 AGGCTTTGGGATGGGAGGCTGCAAGTCTGAGCCCTGCGCCCGGGAGGTGACTCAGGC 8035
Db 601 AGGCTTTGGGATGGGAGGCTGCAAGTCTGAGCCCTGCGCCCGGGAGGTGACTCAGGC 542
QY 8036 CTGGCGACAATTCAGTGTGTGAGCGCGCGGAGGCGAGCAGTACTTGGGGGACCCCGTGC 8095
Db 541 CTGGCGACAATTCAGTGTGTGAGCGCGCGGAGGCGAGCAGTACTTGGGGGACCCCGTGC 482
QY 8096 CCCCTCTGCGAGTGTGGCCGAGGTCCTAAGCCCTCTACTGCTGGGGCGCAGGACCA 8155
Db 481 CCCCTCTGCGAGTGTGGCCGAGGTCCTAAGCCCTCTACTGCTGGGGCGCAGGACCA 422
QY 8156 GCGCGCGCTCGAGTGTGAGGCGCGCTGAGCCCTGCGCCACCCAGAACTGCTGCTGGCC 8215
Db 421 GCGCGCGCTCGAGTGTGAGGCGCGCTGAGCCCTCTGCGCCACCCAGAACTGCTGCTGGCC 362
QY 8216 CCGGAGCAACCCAGGTTCCCGCACAGCCCTCTCCCTCCATACCTCCCGCAAGACACGG 8275
Db 361 CCGGAGCAACCCAGGTTCCCGCACAGCCCTCTCCCTCCATACCTCCCGCAAGACACGG 302
QY 8276 AGCGGGCTCCAGCTTCACAGTCCAGAGAGGGGCTCCACAGTGCAGGCTGGGCTGAA 8335
Db 301 AGCGGGCTCCAGCTTCACAGTCCAGAGAGGGGCTCCACAGTGCAGGCTGGGCTGAA 242
```

RESULT 12

AF318322/c
LOCUS
DEFINITION Homo sapiens pp11662 mRNA, complete cds.
AF318322 2067 bp mRNA linear HTC 01-JAN-2002

ACCESSION AF318322
VERSION AF318322.1 GI:18027735
KEYWORDS HTC.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
REFERENCE 1 (bases 1 to 2067)
AUTHORS Jiang,H.Q., Zhou,X.M., Zhang,P.P., Huang,Y., Qin,W.X., Zhao,X.T.,
Wan,D.F. and Gu,J.R.
TITLE Novel human cDNA clones with function of inhibiting cancer cell
growth
JOURNAL Unpublished
REFERENCE 2 (bases 1 to 2067)
AUTHORS Jiang,H.Q., Zhou,X.M., Zhang,P.P., Huang,Y., Qin,W.X., Zhao,X.T.,
Wan,D.F. and Gu,J.R.
TITLE Direct Submission
JOURNAL Submitted (02-NOV-2000) National Laboratory For Oncogenes & Related
Genes, Shanghai Cancer Institute, 25/Ln 2200 Xie-Tu Road, Shanghai
200032, P. R. China
FEATURES
source
1..2067
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
1..2067
/gene="ppl11662"
1093..1701
/gene="ppl11662"
/codon_start=1
/product="unknown"
/protein_id="AAL5829.1"
/db_xref="GI:18027735"
translation="MGLGPGALGAAGRRPRRAVRDLAPGAGCGCTGSPSSAGPPA
LCLISRWALAFPRGRARDLQFAVPEPTSMGSCGASPTSTPPCRAPSPIDHPR
AEECBRTADWAAPAPAPDPLCEASWAPESDGVSPVLLRDKHTNQHPVFS
RFVSPAPDVLVLAALVGPRTFISISSGIVNPIGTVYLAQGL"
ORIGIN
Query Match 4.5%; Score 467.4; DB 11; Length 2067;
Best Local Similarity 72.4%; Pred. No. 1.3e-72;
Matches 694; Conservative 0; Mismatches 242; Indels 23; Gaps 6;
QY 7396 ACAGAGTACTGATTCGTATATTACAAACCTTGAGCTAGACACAGAGTGTGAATGCTGT 7455
DB 1891 ACAGTCTGTTGATTCGTGTTTCAATCCCTGAGCTAGATACAAAGTCTTCCACGTCC 1832
QY 7456 ATTTACAATCCCTTAGCTAGACATAAAGTGTCTCCAGTCCCACTAGATTAGCTAGATA 7515
DB 1831 CCATCAGATTAGTTAGATACAGAGTTTCACACACAGGTTCTCCAAAGCCCCACAGAGC 1772
QY 7516 GAGTAGACAGAGACACTGATTTGTCGTTTACAAACCTTGAGTTAGACACAGAGGTGCTG 7575
DB 1771 AGCTAGATACAGAGTGTGTTGTTGTCACCTACAAACCTGAGCTAGACACAGAGGTG 1712
QY 7576 ACTGTTGTTTACAAACCTTGAGCTAGACACAGAGTGTGTTGTTGTTTATTTACAATCT 7635
DB 1711 ATTGTTGTTTATTAACCTTGAGCTAGATACACAGTCCGATGTTGTTTATTTACAATCC 1652
QY 7636 TTACTAGATAAAGTGTCCCAAGTCCCAAGTCCCAAGTCCCAAGTCCCAAGTCCCAAGT 7693
DB 1651 CTGAGCTAGATATAAAGTGTCTCCAGAGGCCCAACAGAGCTAGATACAGAGTGTGA 1592
QY 7694 TTGTTGCTATGCAGAACCCGAGCTAGACACAGAGTGTGTTGTTGCTATATACAATCCT 7753
DB 1591 CTGTTGCACTCAAAACCTTGAGCTAAACACAGAGGTGTTGTTGTTTACAATCCC 1532
QY 7754 CTGGCTAGACATAAAGTGTCTCAAGTCCCACTGACTCAGGAGCCCAAGCAGCTTGC 7813
DB 1531 TGAGCAGGACATTAAGGACTCTCCAGTCCCACTAGCTCAGGAGCCCAAGCTTGC 1472
QY 7814 CTAGTGGATCCTATGCGAGGGGCCACAGGACAGAGTCTGCTGCTAGTCCCAACACCGGGCACC 7873

DB 1471 CTAGTGGATCCGACCGGGGCTGCAGGTGGAGCTGCCTGCAGTCCCGCGCGTGCCT 1412
QY 7874 TGTACTCTCAGCCCTTGGGAGTGGAGCGGACAGAGTGCCTGGAGAGTGGAGGCGAC 7933
DB 1411 CGCACTCTCAGCCCTTGGGTTGGTGCATGGGACTGGGCGCCCTGGAGCAGGGGTGGTAC 1352
QY 7934 CCATCCGGAGGCTCGGCGCTCGCAGGAGGCG---CACCGTAGGAGGCTTGGGCAATGG 7989
DB 1351 TCGTGGGAGGCTCGGCGCCACAGGAGCCATGGAGCGGTTGGAGGCTTCAGGCACGG 1292
QY 7990 CAGGCTGCAAGTCTCAGAGCCCTGCGCGGGGAGGTGACTGAGGCTTGGGACAAATTC 8049
DB 1291 CGGCTGCAGTCCCGAGCCCTGCGCGCGGAGGAGCTAAGGCCCGAGAGAAATCA 1232
QY 8050 AGTGTGTGACGCGCGGAGCGCAGCAGTACTTGGGGAGCCCGGTGCCCTCTGTGAG-CT 8108
DB 1231 A----GCACAGCGAGGTGGGCGCGCACTGTGTGGGGAGCCCAAGTACACCTCTTGCAGCCC 1176
QY 8109 GCTGCGCCAGTGTAAAGCCCTCACTGCTCGGCGGAGGAGGACACCGCGCGCTCGG 8168
DB 1175 GCTGCGCGGTTGCCAAGTCTCTCACTGCGCGGCGGAGGAGGCGCGGCTGCTCG 1116
QY 8169 AGTGAGGCGCGCTGAGCCCTGCGCCACCCAGAACTGCTGCTGCGCGCGGAGCAACCCA 8228
DB 1115 AGTGAGGCGCGCGGAGCCCTGCGCCACCCAGAACTGCGAGTCCAGCTGGCGCGAGCGTGA 1056
QY 8229 GGTTCGCGCACACGCG-----TCTCCCTTCATACCTCCCGCGAGGAGCAGCGAG 8277
DB 1055 CGCAGCGCGGTTCCCGCTTCGCGCTCTCGATCCACACCTCCCTGCAAGCTGAGGAG 996
QY 8278 CCGGCTCCAGCTCCACAGTCCAGAGAGGGGCT-CCACAGTGCAGCGCTGGGCTGAA 8335
DB 995 CCGTCTGGGCTTGGCGGAGGCGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 937
RESULT 13
AL532400/c
LOCUS AL532400 Homo sapiens FETAL LIVER Homo sapiens cDNA clone
DEFINITION CS0DM014YB01 5-PRIME, mRNA sequence.
ACCESSION AL532400
VERSION AL532400.2 GI:31070232
KEYWORDS EST.
SOURCE Homo sapiens (human)
ORGANISM Homo sapiens
REFERENCE 1 (bases 1 to 1201)
AUTHORS Li,W.B., Gruber,C., Jessee,J. and Polayes,D.
TITLE Full-length cDNA libraries and normalization
JOURNAL Unpublished (2001)
COMMENT On Feb 13, 2001 this sequence version replaced gi:12795893.
Genoscope - Centre National de Sequencage
BP 191 91006 EVRY cedex - France
Email: seqref@genoscope.cns.fr, Web : www.genoscope.cns.fr
Library was constructed by Life Technologies, a division of
Invitrogen. Contact : Feng Liang Email : fliang@lifetech.com URL :
http://fulllength.invitrogen.com/ Invitrogen Corporation 1600
Faraday Avenue Genoscope sequence ID : CS0DM014CA01QPL.
FEATURES
source
1..1201
/organism="Homo sapiens"
/mol_type="mRNA"
/db_xref="taxon:9606"
/clone="CS0DM014YB01"
/tissue_type="FETAL LIVER"
/dev_stage="fetal"
/clone_lib="Homo sapiens FETAL LIVER"
/note="Organ: liver; Vector: pCMVSPORT6; 1st strand cDNA
was primed with a NotI-oligo(dT) primer. Five prime end
enriched, double-strand cDNA was digested with Not I and
cloned into the Not I and EcoRV sites of the pCMVSPORT 6

Qy	7600	CTAGACACAGAGTGCCTGATTGGTGTATTACAATCTTTTACCTAGCTAGAAATAAAGGTTCCCC	7659
Db	117	CTAGACACAGAGTGCCTGATTGGTGTATTACAATCTTTTACCTAGCTAGAAATAAAGGTTCCCC	58
Qy	7660	AAGTCCCCACCAGATTAGCTAGAT--AGAGTGTCTAATTGGTGCATGCACG	7707
Db	57	AAGTCCCCACCAGATTAGCTAGATACAGAGTGCTAATTGGTGCATGCACG	8
RESULT 15			
BX407975/c			
LOCUS			
DEFINITION BX407975 Homo sapiens FETAL LIVER Homo sapiens cDNA clone			
CS0DM014YB01 5-PRIME, mRNA sequence.			
ACCESSION BX407975			
VERSION			
KEYWORDS BX407975.1 GI:30768714			
SOURCE EST.			
ORGANISM Homo sapiens (human)			
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;			
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.			
1 (bases 1 to 955)			
Li, W.B., Gruber, C., Jessee, J. and Polayes, D.			
Full-length cDNA libraries and normalization			
Unpublished (2001)			
CONTACT: Genoscope			
Genoscope - Centre National de Sequencage			
BP 191 91006 EVRY cedex - France			
Email: seqref@genoscope.cns.fr, Web : www.genoscope.cns.fr			
Library was constructed by Life Technologies, a division of			
Invitrogen. Contact : Feng Liang Email : fliang@lifetech.com URL : http://fulllength.invitrogen.com/ Invitrogen Corporation 1600 Paraday Avenue Genoscope sequence ID : CS0AS015Z020F1.			
LOCATION/Qualifiers			
1..955			
/organism="Homo sapiens"			
/mol_type="mRNA"			
/db_xref="taxon:9606"			
/clone="CS0DM014YB01"			
/tissue_type="FETAL LIVER"			
/dev_stage="fetal"			
/clone_lib="Homo sapiens FETAL LIVER"			
/note="Organ: liver; Vector: pCMVSPORT 6; 1st strand cDNA			
was primed with a NotI-oligo(dT) primer. Five prime end			
enriched, double-strand cDNA was digested with Not I and			
cloned into the Not I and EcoRV sites of the pCMVSPORT 6			
vector. Library was not normalized."			
ORIGIN			
Query Match 4.4%; Score 453.2; DB 13; Length 955;			
Best Local Similarity 76.4%; Pred. No. 4.4e-70;			
Matches 610; Conservative 3; Mismatches 166; Indels 19; Gaps 4;			
Qy	7553	CTTGAGTTAGACACAGAGGTGCTGACTGGTGTGTTTACAAACCTTGAGCTAGACACACAGT	7612
Db	955	CTTGAGCTAGATACAGAGTCCGATTGGTGTATTACAACTCTTGAGCTAGACACAGT	896
Qy	7613	GCTGATTGGTGTATTTTACAATCTTTTACCTAGCTAGAAATAAAGTTCCCCAAGTCCCCACAG	7672
Db	895	GCTGATTGGTGTATTTTACAATCTTTGAGCTAGACATAAAGACTCTCCACGCGCCTCACAG	836
Qy	7673	ATTAGCTAGAT--AGAGTGTCTAATTGGTGCATGCACGAACCGAGCTAGACACAGATG	7730
Db	835	AGCAGCTAGATACAGAGTGTGACTGGTGCACCTCACAAACCTTGAGCTAAACACAGGGTG	776
Qy	7731	CTGATTGGTGCATATACAACTCTGCTGGCTAGACATAAAAGTTCTCCCAAGTCCCCACCTGA	7790
Db	775	CTGATTGGTGTATTTACAACTCCCTGAGCTAGATATAAGACTCTCCAGCTCCACACAGA	716
Qy	7791	CTCAGGAGCCACGACGCTTCGCTAGTGGATCTTATGCCAGGGCCACACAGCAGAGTCTC	7850
Db	715	CTCAGGAGCCAGCTGGCTTACCTAGTGGATCTCTGACTGGGCTCGAGTGGAGTGC	656

GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM nucleic - protein search, using frame_plus_n2p model

Run on: February 25, 2004, 02:12:38 ; Search time 85.2513 Seconds
(without alignments)
12555.283 Million cell updates/sec

Title: US-09-820-788A-3
Perfect score: 18731
Sequence: 1 agccttacaagtctggga.....ccagggtcagtcggcaggt 10278

Scoring table: BLOSUM62
Xgapop 10.0, Xgapext 0.5
Ygapop 10.0, Ygapext 0.5
Fgapop 6.0, Fgapext 7.0
Delop 6.0, Delext 7.0

Searched: 141681 seqs, 52070155 residues

Total number of hits satisfying chosen parameters: 283362

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Command line parameters:
-MODEL=frame+ n2p.model -DEV=xlp
-O=/cgn2_1/USPTO_spool_p/US09820788/runat_24022004_141426_20026/app_query.fasta_1.12174
-DB=SwissProt_42 -QPMT=fastan -SUFFIX=rsrp -MINMATCH=0.1 -LOOPCHI=0 -LOOPEXT=0
-UNITS=bits -START=1 -END=1 -MATRIX=blomsu62 -TRANS=human40.cdi -LIST=45
-DOALIGN=200 -THR SCORE=pct -THR MAX=100 -THR MIN=0 -ALIGN=15 -MODE=LOCAL
-OUTFMT=pcr -NORM=ext -HEAPSIZE=500 -MINLEN=0 -MAXLEN=2000000000
-USER=US09820788 @CGN 1.1 143 @runat_24022004_141426_20026 -NCPU=6 -ICPU=3
-NO MAP -LARGEQUERY -NEG SCORES=0 -WAIT -DSPELOCK=100 -LONGLOG
-DRV TIMEOUT=120 -WARN TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6
-FGAPEXT=7 -YGAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

Database : SwissProt_42.*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	1795	9.6	497	CPD6 HUMAN	P10635 homo sapien
2	1675	8.9	497	CPDH MACFA	Q29488 macaca fasc
3	1588	8.5	497	CPDJ CALJA	O18992 callithrix
4	1296	6.9	487	CPDE BOVIN	Q01361 bos taurus
5	1280.5	6.8	500	CPDI RAT	P13108 rattus norv
6	1273.5	6.8	500	CPDI RAT	Q64680 rattus norv
7	1266	6.8	499	CPDP PIG	O46658 sus scrofa
8	1246	6.7	499	CPDF CANFA	Q29473 canis famil
9	1198	6.4	500	CPDK MESAU	Q9QY95 mesocricetu
10	1190.5	6.4	500	CPD2 RAT	P10634 rattus norv
11	1179	6.3	500	CPDR MESAU	Q9QY96 mesocricetu
12	1177	6.3	500	CPD3 RAT	P12938 rattus norv
13	1161.5	6.2	500	CPDG CAVPO	Q64403 cavia porce
14	1146	6.1	504	CPD5 RAT	P12939 rattus norv
15	1137	6.1	504	CPD9 MOUSE	P11714 mus musculu
16	1126	6.0	504	CPDI RAT	P10633 rattus norv
17	1125	6.0	504	CPDA MOUSE	P24456 mus musculu
18	1119	6.0	500	CPDS MESAU	Q9quj1 mesocricetu

19	1034.5	5.5	505	1	CPDB MOUSE	P24457 mus musculu
20	568.5	3.0	1690	1	CA44 HUMAN	P53420 homo sapien
21	524	2.8	5703	1	MUSB HUMAN	Q9hsc84 homo sapien
22	503	2.7	2716	1	OSA DROME	Q8in94 drosophila
23	495	2.6	1690	1	CA44 HUMAN	P53420 homo sapien
24	489.5	2.6	502	1	CRJ3 RAT	P51590 rattus norv
25	485.5	2.6	2344	1	CA17 HUMAN	Q02388 homo sapien
26	481	2.6	1466	1	CA13 HUMAN	P02461 homo sapien
27	481	2.6	2944	1	CA17 HUMAN	Q02388 homo sapien
28	475	2.5	1685	1	CA54 HUMAN	P29400 homo sapien
29	469	2.5	501	1	CRJ6 MOUSE	O54750 mus musculu
30	459.5	2.5	2142	1	BAT2 HUMAN	P48634 homo sapien
31	458.5	2.4	502	1	CPD2 HUMAN	P51589 homo sapien
32	458.5	2.5	2167	1	SHK1 RAT	Q9WV48 rattus norv
33	458	2.5	1670	1	CA34 HUMAN	Q01955 homo sapien
34	457	2.4	500	1	CPJ1 RABIT	P52786 oryctolagus
35	456.5	2.4	5262	1	MLL2 HUMAN	O14686 homo sapien
36	456	2.4	1685	1	CA54 HUMAN	P29400 homo sapien
37	455.5	2.4	1453	1	CA11 MOUSE	P11087 mus musculu
38	455.5	2.4	1763	1	CA24 ASCSU	P27393 ascaris suu
39	453.5	2.4	2161	1	SHK1 HUMAN	Q9Y566 homo sapien
40	449	2.4	1763	1	CA24 ASCSU	P27393 ascaris suu
41	448.5	2.4	1464	1	CA13 MOUSE	P08121 mus musculu
42	446.5	2.4	1669	1	CA14 MOUSE	P02463 mus musculu
43	445.5	2.4	1049	1	CA13 BOVIN	P04258 bos taurus
44	445	2.4	1806	1	CA1B HUMAN	P12107 homo sapien
45	442.5	2.4	1460	1	CA11 CANFA	Q9xsf7 canis famil

ALIGNMENTS

RESULT 1
CPD6 HUMAN
ID CPD6 HUMAN STANDARD; PRT; 497 AA.
AC P10635; Q16752;
DT 01-JUL-1989 (Rel. 11, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Cytochrome P450 2D6 (EC 1.14.14.1) (CYP2D6) (P450-DB1) (Debrisoquine
DN 4-hydroxylase).
GN CYP2D6.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=88314109; PubMed=3410476;
RA Gonzalez F.J., Vilbois F., Hardwick J.P., McBride O.W.,
RA Nebert D.W., Gelboin H.V., Meyer U.A.;
RT "Human debrisoquine 4-hydroxylase (P450IID1): cDNA and deduced amino
RT acid sequence and assignment of the CYP2D locus to chromosome 22.";
RL Genomics 2:1174-1179(1988).
RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=88122614; PubMed=3123957;
RA Gonzalez F.J., Skoda R.C., Kimura S., Umeno M., Zanger U.M.,
RA Nebert D.W., Gelboin H.V., Hardwick J.P., Meyer U.A.;
RT "Characterization of the common genetic defect in humans deficient in
RT debrisoquine metabolism.";
RL Nature 331:442-446(1988).
RN [3]
RP SEQUENCE FROM N.A.
RX MEDLINE=90072069; PubMed=2574001;
RA Kimura S., Umeno M., Skoda R.C., Meyer U.A., Gonzalez F.J.;
RT "The human debrisoquine 4-hydroxylase (CYP2D) locus: sequence and
RT identification of the polymorphic CYP2D6 gene, a related gene, and a
RT pseudogene.";
RL Am. J. Hum. Genet. 45:889-904(1989).
RN [4]
RP VARIANT LYS-281 DEL (CYP2D6*9).
RX MEDLINE=93244880; PubMed=1844820;

RA Tyndale R., Aoyama T., Broly F., Matsunaga T., Inaba T., Kallow W.,
RA Gelboin H.V., Meyer U.A., Gonzalez F.J.;
RT "Identification of a new variant CYP2D6 allele lacking the codon
RT encoding Lys-281: possible association with the poor metabolizer
RT phenotype.";
RL Pharmacogenetics 1:26-32(1991).
[5]
RN
RP VARIANTS SER-34 AND THR-486 (CYP2D6*10).
RX MEDLINE=94115362; PubMed=8287084;
RA Yokota H., Tamura S., Furuya H., Kimura S., Watanabe M., Kanazawa I.,
RA Kondo I., Gonzalez F.J.;
RT "Evidence for a new variant CYP2D6 allele CYP2D6J in a Japanese
RT population associated with lower in vivo rates of sparteine
RT metabolism.";
RL Pharmacogenetics 3:256-263(1993).
[6]
RN
RP VARIANT PRO-324 (CYP2D6*7).
RX MEDLINE=95147995; PubMed=7845481;
RA Evert B., Griese E.U., Eichelbaum M.;
RT "A missense mutation in exon 6 of the CYP2D6 gene leading to a
RT histidine 324 to proline exchange is associated with the poor
RT metabolizer phenotype of sparteine.";
RL Naunyn Schmiedeberg Arch. Pharmacol. 350:434-439(1994).
[7]
RN
RP VARIANT GLU-212 (CYP2D6*6B/6C).
RX MEDLINE=95172594; PubMed=7868129;
RA Daly A.K., Leathart J.B., London S.J., Idle J.R.;
RT "An inactive cytochrome P450 CYP2D6 allele containing a deletion and a
RT base substitution.";
RL Hum. Genet. 95:337-341(1995).
[8]
RN
RP VARIANT ILB-107 (CYP2D6*17).
RX MEDLINE=97126511; PubMed=8971426;
RA Masimirembwa C., Persson I., Bertilsson L., Hasler J.,
RA Ingelman-Sundberg M.;
RT "A novel mutant variant of the CYP2D6 gene (CYP2D6*17) common in a
RT black African population: association with diminished debrisoquine
RT hydroxylase activity.";
RL Br. J. Clin. Pharmacol. 42:713-719(1996).
[9]
RN
RP VARIANT ARG-42 (CYP2D6*12).
RX MEDLINE=96209916; PubMed=8655150;
RA Marex D., Legrand M., Sabbagh N., Lo-Guidice J.M., Boone P., Broly F.;
RT "An additional allelic variant of the CYP2D6 gene causing impaired
RT metabolism of sparteine.";
RL Hum. Genet. 97:668-670(1996).
[10]
RN
RP VARIANTS.
RX MEDLINE=97385645; PubMed=9241659;
RA Marex D., Legrand M., Sabbagh N., Guidice J.M., Spire C.,
RA Lafitte J.J., Meyer U.A., Broly F.;
RT "Polymorphism of the cytochrome P450 CYP2D6 gene in a European
RT population: characterization of 48 mutations and 53 alleles, their
RT frequencies and evolution.";
RL Pharmacogenetics 7:193-202(1997).
[11]
RN
RP VARIANT ARG-169 (CYP2D6*14).
RX MEDLINE=99164054; PubMed=10064570;
RA Wang S.L., Lai M.D., Huang J.D.;
RT "G169R mutation diminishes the metabolic activity of CYP2D6 in
RT Chinese.";
RL Drug Metab. Dispos. 27:385-388(1999).
CC
CC -!- FUNCTION: Responsible for the metabolism of many drugs and
CC environmental chemicals that it oxidizes. It is involved in the
CC metabolism of drugs such as antiarrhythmics, adrenoceptor
CC antagonists, and tricyclic antidepressants.
CC
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC
CC -!- INDUCTION: By pregnancy.
CC
CC -!- POLYMORPHISM: Highly polymorphic. Oxidative drug metabolism by
CC CYP2D6 is characterized by two phenotypes, the extensive
CC metabolizer (EM) and poor metabolizer (PM). Of the Caucasian

CC populations of Europe and North America, 5%-10% are of the PM
CC phenotype and are unable to metabolize the antihypertensive drug
CC debrisoquine and numerous other drugs.
CC -!- POLYMORPHISM: Allele CYP2D6*7 was also known as CYP2D6E, allele
CC CYP2D6*9 as CYP2D6C, allele CYP2D6*10 as CYP2D6J, allele CYP2D6*17
CC as CYP2D6Z.
CC
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC
CC -!- DATABASE: NAME=Cytochrome P450 Allele Nomenclature Committee;
CC NOTE=CYP2D6 alleles;
CC WWW="http://www.imm.ki.se/CYPalleles/cyp2d6.htm".
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See [http://www.isb-sib.ch/](http://www.isb-sib.ch/announce/)
CC or send an email to license@isb-sib.ch).
CC
CC
CC EMBL; M20403; AA52153.1; -;
CC EMBL; X08006; CA30807.1; -;
CC EMBL; M33388; AA53500.1; -;
CC PIR; S01199; O4HUD1.
CC HSSP; P00179; 1DT6.
CC Genew; HGNC:2625; CYP2D6.
CC MIM; 124030; -;
CC InterPro; IPR001128; Cytochrome_P450.
CC InterPro; IPR008069; EP450_CYP2D.
CC Pfam; PF00067; P450; 1.
CC PRINTS; PR01686; EP450ICYP2D.
CC PRINTS; PR00385; P450.
CC PROSITE; PS00086; CYTOCHROME_P450; 1.
CC Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
CC KW Microsome; Endoplasmic reticulum; Polymorphism.
CC FT METAL 443 443 IRON (HEME AXIAL LIGAND).
FT V -> M (in allele CYP2D6*35).
FT 11 11 /FTid=VAR_008366.
FT 26 26 R -> H (in allele CYP2D6*21).
FT /FTid=VAR_008367.
FT 28 28 R -> C (in allele CYP2D6*22).
FT /FTid=VAR_008368.
FT 34 34 P -> S (in allele CYP2D6*10 and allele
FT CYP2D6*14; poor debrisoquine metabolism).
FT /FTid=VAR_008336.
FT 42 42 G -> R (in allele CYP2D6*12; impaired
FT metabolism of sparteine).
FT /FTid=VAR_001256.
FT 85 85 A -> V (in allele CYP2D6*23).
FT /FTid=VAR_008369.
FT 107 107 T -> I (in allele CYP2D6*17; poor
FT debrisoquine metabolism).
FT /FTid=VAR_008337.
FT 169 169 G -> R (in allele CYP2D6*14; poor
FT debrisoquine metabolism).
FT /FTid=VAR_008338.
FT 212 212 G -> E (in allele CYP2D6*6B and allele
FT CYP2D6*6C).
FT /FTid=VAR_008339.
FT 237 237 A -> S (in allele CYP2D6*33).
FT /FTid=VAR_008370.
FT 281 281 Missing (in allele CYP2D6*9).
FT /FTid=VAR_008347.
FT 296 296 R -> C (in allele CYP2D6*2, allele
FT CYP2D6*12, allele CYP2D6*14 and allele
FT CYP2D6*17; dbSNP:16947).
FT /FTid=VAR_008340.
FT 297 297 I -> L (in allele CYP2D6*24).
FT /FTid=VAR_008371.
FT 311 311 S -> L (in dbSNP:1800754).
FT /FTid=VAR_014633.
FT 324 324 H -> P (in allele CYP2D6*7; loss of
FT activity).
FT /FTid=VAR_008348.

FT VARIANT 343 343 R -> G (in allele CYP2D6*25).
FT FT /FTID=VAR_008372.
FT VARIANT 369 369 I -> T (in allele CYP2D6*26).
FT FT /FTID=VAR_008373.
FT VARIANT 410 410 E -> K (in allele CYP2D6*27).
FT FT /FTID=VAR_008374.
FT VARIANT 486 486 S -> T (in allele CYP2D6*2, allele
CYP2D6*10, allele CYP2D6*12, allele
CYP2D6*14 and allele CYP2D6*17; impaired
metabolism of sparteine).
FT FT /FTID=VAR_008341.
FT CONFLICT 374 374 M -> V (IN REF. 3).
SQ SEQUENCE 497 AA; 55801 MW; 543F4D5F0D88CDAC CRC64;

Alignment Scores:
Pred. No.: 1.18e-73 Length: 497
Score: 1795.00 Matches: 464
Percent Similarity: 34.14% Conservative: 14
Best Local Similarity: 33.14% Mismatches: 19
Query Match: 9.58% Indels: 903
DB: 1 Gaps: 9

US-09-820-788A-3 (1-10278) x CPD6_HUMAN (1-497)

QY 2078 ATGGGGCTAGAACACTGGTGGCCCTGGCCATGATGGCCATCTCTCTGCTCTGGTG 2137
Db 1 MetGlyLeuGluAlaLeuValProLeuAlaValIleValAlaIlePheLeuLeuVal 20
QY 2138 GACCTGATGACCGGACCAACCTGGGTGACGCTACCGCCAGGTCCCTCCGACATG 2197
Db 21 AspLeuMetHisArgGlnArgTrpAlaAlaArgTrpProGlyProLeuProLeu 40
QY 2198 CCGGGGTGGGCAACCTTGTGCTGATGTGGACTTCCAGAACACACCATCTGCTTCGACCA 2257
Db 41 ProGlyLeuGlyAsn-LeuLeuHisValAspPheGlnAsnThrProTy-CysPheAspG 60
QY 2258 GGTGAGGAGGAGGTCTGTGAGGGCGGAGAGTCTCTGAGGATGCCCCACCAACGAAA 2317
Db 60 n----- 60
QY 2318 CATGGGTGGGTAAACACAGCTGGATCAGAGCCAGGCTGAGAGGGGAGCAGG 2377
Db 60 ----- 60
QY 2378 TTTGGGGAGCTTCTCTGGGAGGACATTTATACATGGCATGAAGACTGGATTTCCAA 2437
Db 60 ----- 60
QY 2438 AGGCCAAGAGAGTAGGGCAGGGCCTGGAGTGGAGCTGGACTGGCAGTGGGCATGC 2497
Db 60 ----- 60
QY 2498 AAGCCCATTTGGGCAACATATGTTATGAGTACAAAGTCCCTTCTGTGACACGAGGGA 2557
Db 60 ----- 60
QY 2558 AAGSCCTTGGGAATGGAAGATGAGTGTAGTCTCTGAGTGGCGGTTTAAATACGAAATCGAGG 2617
Db 60 ----- 60
QY 2618 ATGAAGGGGGTGCAGTGACCCCGGTTCAAACTTTTGCACGTGTGGGTCTCTCGGGCCTCACT 2677
Db 60 ----- 60
QY 2678 GCTCAGCGCATGGACCATCATCTGGGAATGGATGCTAACTGGGGCCCTCTCGGCATTTT 2737
Db 60 ----- 60
QY 2738 TGGTGACTCTTGCAAGGTCACTCTGGGTGACGCATCCAACTGAGTTCTCTCCATCACAG 2797
Db 60 ----- 60
QY 2798 AAGGTGTGACCCCAACCCCTGCCCCACGATCAGGAGGCTGGGTCTCTCTCTCCACCTGC 2857

Db 60 ----- 60
QY 2858 TCACCTCTGTAGTACCCCGGGGTCTGTCGAAGTTTCAATAGGACTAGGACCTGTAGTCTG 2917
Db 60 ----- 60
QY 2918 GGGTGATCTGGCTTGACAAAGAGCCCTGACCCCTCTCTGTCAGTTGCGCGCTGCTGCG 2977
Db 61 -----Leu-ArGArGArgPheG 66
QY 2978 GGGACGTGTTACGCTGACGCTGGCTTGACCCCGGTGTGTCTGCTCAATGGGCTGGCGG 3037
Db 66 lYAspValPheSerLeuGlnLeuAlaTrpThrProValValLeuAenGlyLeuAlaA 86
QY 3038 CCGTGGCGGAGCGATGGTGACCCGCGGAGGACACGCGGACCGCCGCTGCGGCCCA 3097
Db 86 lAValArgGluAlaLeuValThrHisGlyGluAspThrAlaAspArgProProValPro 106
QY 3098 TCTACCAAGTCTCTGGGCTTTCGGGCGCGTTCCTCAAGGCAAGCGGCTGGGGACAGAGA 3157
Db 106 lThrGlnIleLeuGlyPheGlyProArgSer-Gln----- 117
QY 3158 CCGCGTTTCCGTGGGCCCCGGGTGGACAGTACCGTAGCCCAAGCAGCGCCGACAGGGCG 3217
Db 117 ----- 117
QY 3218 TGGGGTCTGGACGTGMAACAGACAGATAAAGGCCAGCGAGTGGGCTCAGGACAGTGGGCCA 3277
Db 117 ----- 117
QY 3278 GGAACACCACTGCACGGGGAGGTGCGAGTCTGTGGGCTGGGAGGGCGGGCTACTGC 3337
Db 117 ----- 117
QY 3338 CCAGACCCGCCAGAACCCGGTGGCGAGGCTGATGCGTGAAGTGGCGGTGGCGGGGAC 3397
Db 117 ----- 117
QY 3398 CCGCGCTATGCTCGGGGCTCAGTGTGGGCGGACCGGGCGGGATCTTCTTTGAGTGGAAAG 3457
Db 117 ----- 117
QY 3458 GTGGTCAGGGTGGCGAGAGACGAGGTGGGGCCAAACCCCGCCAGGAGGGAGCAATG 3517
Db 117 ----- 117
QY 3518 TGGGTGAGCAAGAGTGGGCCCTGTGCCAGCTGACCCGGGCTAGGGACTGCGGGAGAGCC 3577
Db 117 ----- 117
QY 3578 TTGTGGAGCGCCAGGGTTGGAGTGGGTGGCGAGGGTGGGGCCAGGCCCTTCATGGCAAC 3637
Db 117 ----- 117
QY 3638 GCCCAGCTGCTCGTCCCGCCCCAGGGGTGATCTGTGCGCTATGGGCCCGCGTGGCGC 3697
Db 118 -----GlyValPheLeuAlaArgTyGlyProAlaTrpArg 129
QY 3698 GAGCAGAGCGCTTCTCTGCTGTCACCTTGGCGCAACTTGGGCTGGGCAAGAGTGGCTG 3757
Db 130 GluGlnArgPheSerValSerThrLeuArgAsnLeuGlyLysLysSerLeu 149
QY 3758 GAGCAGTGGGTGACCGAGGAGCCCGCTGCTTTGTGGCGCTTCCCGCCAGCAAGCGGTG 3817
Db 150 GluGlnTrpValThrGluGluAlaCysLeuCy8AlaAlaPheAlaAsn----- 166
QY 3818 GGTGATGGCAGAGGGCACAAGCGGGAACCTGGGAAGCGGGGACGAGAGGCAACCC 3877
Db 166 ----- 166
QY 3878 CTTACCGCGCATCTCCCCACCGGACGCGCCCTTTCGCCCCCAACGGCTCTTGGACAA 3937
Db 166 ----- 166

Db 167 -----His-Ser-----GlyArgProPheArgProAsnGlyLeuLeuAspLy 180
Qy 3938 AGCCGTGACCAAGTATCGCTCCCTCCTCAGCTGCGGGCGCCCTTCGAGTAGCAGACCC 3997
Db 180 sAlaValSerAsnValIleAlaSerLeuThrCysGlyArgArgPheGluTyArgAspPr 200
Qy 3998 TCGCTTCCTCAGGCTGCTGACCTAGCTCAGGAGGAGCTGAAGGAGGAGTTCGCTTCT 4057
Db 200 oArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuYsGluGluSerGlyPheLe 220
Qy 4058 GCGCGAGGTGCGGAGCGAGACCGAGGAGTCTCTGCAGGGGAGTCTCTGAGAGGTGCC 4117
Db 220 uArgGlu----- 222
Qy 4118 GGGGTGAGCTGGGGCTCCGAAGGCGAGATTTCATAGATGGGTTTGGGAAAGGACAT 4177
Db 222 ----- 222
Qy 4178 TCCAGGAGACCCACTGTGAAGAGGGCTTGAGGAGGAGGACATCTCAGACATGGTCG 4237
Db 222 ----- 222
Qy 4238 TGGGAGAGGTGTCGCCGGGTGAGGGGACACAGGAGAGGCCAAGGACTCTGTACCCCGT 4297
Db 222 ----- 222
Qy 4298 CCACGTTGAGATTCGATTTAGTTTCTCTCTGCGCAAGGAGAGAGGGTGGAGGTG 4357
Db 222 ----- 222
Qy 4358 GCATTTGGGAGGACTTGGTGAGGTCACTGAGTGAAGGACAGGAGGCGCTGGGTCTACT 4417
Db 222 ----- 222
Qy 4418 GGAGATGGTGGGGCTGAGACTTGTTCAGGTGAACGACAGACAGGAGGATTGAGAC 4477
Db 222 ----- 222
Qy 4478 CCCGTTCTCTGTTGTTAGGTGCTGAATGCTGTCTCCCGTCTCTCTGACATCCAGCGCT 4537
Db 223 -----ValLeuAsnAlaValProValLeuLeuHisIleProAlaLe 236
Qy 4538 GGCTGCAAGGCTTACGCTTCCAAAGGCTTCTGACCCAGCTGGATGAGCTCTAAC 4597
Db 236 uAlaGlyLysValLeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuTh 256
Qy 4598 TGAGCACAGGATGACCTGGGACCCAGCCAGCCAGCCAGACCTGACCTGAGGCTTCTCT 4657
Db 256 rGluHisArgMetThrTTPAspProAlaGlnProProArgAspLeuThrGluAlaPheLe 276
Qy 4658 GGCAAGAGAGAGAGGTGAGAGTGGCTGCCAGGTGGGGGCAAGGGTGGTGGTTGAA 4717
Db 276 uAlaGluMetGluLys----- 281
Qy 4718 CGTCCCAGGAGGAATGAGGGGAGGTGGGCAAAAGTTTGGACCATGTCATCACCCGGCGA 4777
Db 281 ----- 281
Qy 4778 GCCGCATCTGGGCTGACAGGTGCAGAAATTGAGGTCAITTTGGGGGTACCCCGTTCTATC 4837
Db 281 ----- 281
Qy 4838 CCTGAGTATCTCTCGGCCCTGCTCAGGCCAAGGGAGCCCTGAGAGCAGCTTCAATGA 4897
Db 282 -----AlaLysGlyAsnProGluSerSerPheAsnAs 292
Qy 4898 TCAGAACCTGCGCATAGTGGGTAACTGTTCCTTGCCTGCGGATGGTGCACCATCTGCAC 4957
Db 292 pGluAsnLeuArgIleValValAlaAspLeuPheSerAlaGlyMetValThrThrSerTh 312
Qy 4958 CACGCTGGCGCTGGGCTCTCTCTCATGATCTACACCTGATGTGCAGCGGTGAGCCAG 5017
Db 312 rThrLeuAlaTrpGlyLeuLeuMetIleLeuHisProAspValGln----- 328

Qy 5018 CTGGGGCCCAAGGAGGAGTGTGAGGAGGAAGGTACAGCTGGGGGCCCCCTGGGCTTAGC 5077
Db 328 ----- 328
Qy 5078 TGGGACACCCGGGGCTTCCAGCACAGGCGTGGCCAGGCTCTCTGTAAGCTTAACCTCTCC 5137
Db 328 ----- 328
Qy 5138 AACACAGGAGGAGAGAGTGTCCCTCTGGTGTGTGACCCATTGTGGGAGCGCATGTCTGT 5197
Db 328 ----- 328
Qy 5198 CCAGTCCGTGTCGAACAGGAGATCGACGACGTGATAGGCGAGGTGCGCGCCAGCAGATG 5257
Db 329 -Arg--ArgValGlnGlnGluIleAspAspValIleGlyGlnValArgArgProGluMet 347
Qy 5258 GGTGACCAAGGCTCACATGCTCCCTACACCACTCCCGTATTACAGAGGTGCAGCGCTTTCGG 5317
Db 348 GlyAspGlnAlaHisMetProfyThrThrAlaValIleHisGluValGlnArgPheGly 367
Qy 5318 GACATCATCCCTCTGAGTGTGACCCATATGACATCCCGTGTGACATCGAAGTACAGGCTTC 5377
Db 368 AspIleValProLeuGlyMetThrHisMetThrSerArgAspIleGluValGlnGlyPhe 387
Qy 5378 CGCATCCCTAAGGTAGGCTGCGCGCTCTCCATCCCGAGTCTCAGCCAGCTCAGCACCGCTGTGA 5437
Db 388 ArgIleProLys----- 391
Qy 5438 TAGCCCCAGCATGGCTACTGCGAGGTGGGCGCCACTCTAGGAACCTTGCCACCTAGTCT 5497
Db 391 ----- 391
Qy 5498 CAATGCCACCACTGACTGTGCCACTTGGGTGGGGGTCCAGAGTATAGGAGGGCTG 5557
Db 391 ----- 391
Qy 5558 GCCTGTCCATCCAGAGCCCGCTCTAGTGGGGAGACAAACAGGACCTGCCAGATGTTG 5617
Db 391 ----- 391
Qy 5618 GAGGACCAGCGCTCGAGGAGAGGGGCGAGTGTGGTGTCTCTGAGAGGTGTGACTGC 5677
Db 391 ----- 391
Qy 5678 GCCCTGTCTGGGGTCCGAGAGGGTACTGTGGAGCTTCTCGGGGCGCAGGACTAGTTGACA 5737
Db 391 ----- 391
Qy 5738 GAGTCCAGCTGTGTGCCAGGCGAGTGTGTCCCGGTGTGTGGTGGCAGGGGTCCAG 5797
Db 391 ----- 391
Qy 5798 CATCCTAGATCCAGTCCCGACTCTCACCCTGTCATCTCTGCCCGGAGGAGGAGGAGTCCAT 5857
Db 392 -----Gly-ThrThrLeuIle 396
Qy 5858 CACCAACCTGTCTCGGTGTGAAGGATGAGGCGCTCTGGGAGAGGCCCTTCCGCTTCCA 5917
Db 396 eThrAsnLeuSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHi 416
Qy 5918 CCCGACACCTTCTGGATGCCCGGAGGCTTGTGAAGCGGAGGCTTCTCCGCTTT 5977
Db 416 sProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPh 436
Qy 5978 CTCAGCAGGTGCTGTGGGAGCGCGCTCTCTCCCTCTCTCCGCTGTGGAGTCTTGCAGGG 6037
Db 436 e--Ser----- 437
Qy 6038 TATCACCCAGGAGCCAGGCTCACTGACGCCCTCTCCCTCCACAGGCGCGCTGCATGC 6097
Db 438 -----AlaGlyArgAlaLys 443

Db	117	-----	117
Qy	3278	GGAAACACCTGCACGGGGAGGTGCGAGTCTGTGGCTGGAGGGGCGGGCTACTGC	3337
Db	117	-----	117
Qy	3338	CCAGACCCCGCAGAAGCCCGTGGCGAGGCTGATGCTCGAAGTGGCGTGGCGGGAC	3397
Db	117	-----	117
Qy	3398	CGCCCTATGCTGCGGGCTCAGTGTGGCGGGACGGGCGGGATCTTCTTGA GTGGAAG	3457
Db	117	-----	117
Qy	3458	GTGCTCAGGFTGGCAGAGACGAGTGGGCGCAACCCCGCCACGACGGGAGCAATG	3517
Db	117	-----	117
Qy	3518	TGGGTGAGCAAGAGTGGGCCCTGTGCCAGCTGGACCGGGCTAGGACTGCGGAGACC	3577
Db	117	-----	117
Qy	3578	TTGTGGAGCCGAGGTTGAGTGGGTGGCGAGGTGGGCGCCAGGCCCTTCATGGCAAC	3637
Db	117	-----	117
Qy	3638	GCCACAGTGTCCGTCCCGCCCCCAGGGGTGATCTGTGCGCTATGGGCCCGCGTGGCGC	3697
Db	118	-----GlyValPheLeuAlaArgTyrGlyProAlaIleTyrArg	129
Qy	3698	GAGCAGAGGGCTTCTCCGTGTCACCTTGCGCAACTTGGGCTTGGGCAAGAAAGTCGCTG	3757
Db	130	GluGlnArgPheSerValSerThrLeuArgAsnLeuGlyLeuGlyLysLysSerLeu	149
Qy	3758	GAGCAGTGGGTGACCGAGAGGCGCGCTGCTTTGTCCCGCTTCGCCGCAACAGCCGGTG	3817
Db	150	GluGlnTrpValThrGluGluAlaAlaCysLeuCysAlaAla	163
Qy	3818	GGTGATGGCAGAGGGCACAAAGCGGAACTGGGAAGCGGGGACGGAGAGGCNAACC	3877
Db	163	-----	163
Qy	3878	CTTTACCCGCATCTCCCAACCCCGAGAGCCCTTTTCGCCCAACAGCCCTCTTGACAA	3937
Db	164	-----Phe-ThrAspGlnAlaGlyArgProPheArgProAsnSerLeuLeuAspLys	190
Qy	3938	AGCCGTGAGCAACGTGATCGCTCCCTCACTCGCGGCGCGCTTCAGTACCAACACC	3997
Db	180	SalValSerAsnValIleAlaSerLeuThrTyrGlyArgPheGluTyrAspAspPr	200
Qy	3998	TGCTTCTCAGCTGTGACCTAGCTCAGGAGGACTCAAGAGAGGTTCGGGCTTCT	4057
Db	200	oArgPheLeuArgLeuPheAspLeuThrHisGluAlaLeuLysGluLysSerGlyPheLe	220
Qy	4058	CGCGAGGTGCGGAGCGAGAGACCGAGGAGTCTCTGCAGGCGGAGCTCTCTGAGAGGTGCC	4117
Db	220	uArgGlu-----	222
Qy	4118	GGGCTCGACTGGGGCTCTCCGAAGGCGAGGATTTGCATAGATGGGTTTGGAAAGGACAT	4177
Db	222	-----	222
Qy	4178	TCCAGGAGACCCCACTGTAAGAGGGCTCGAGGAGGAGGGGACATCTCAGACATGGTCG	4237
Db	222	-----	222
Qy	4238	TGGGAGAGGTGTGCCGGGTGAGGGGACCAAGGAGGCGCAAGGACTCTGTACCCCGT	4297
Db	222	-----	222
Qy	4298	CCACGTTGGAGATTTCGATTTTAGTTTCTCTCTGGGCAAGAGAGAGGGTGGAGGCTG	4357


```
QY 5438 TAGCCCCAGCATGGCTACTGTCACAGTGGGCCCACTCTAGGAACCCCTGGCCACCTACTGCTCT 5497
Db 391 -----
QY 5498 CAATGCCACCACTGACTGTCTCCCACTTGGGTGGGGGTCCAGAGATATAGGCAGGGCTG 5557
Db 391 -----
QY 5558 GCCTGTCCATCCAGAGCCCCCGTCTAGTGGGAGACAAACAGGACCTGCCAGATGTTG 5617
Db 391 -----
QY 5618 GAGGACCCAGCGCTCGACGGGAGAGGGGCGAGTGTGGGTGCTCTGAGAGGTGTGACTGC 5677
Db 391 -----
QY 5678 GCCTGTCTGGGGTCGGAGAGGGTACTGTGGAGCTTCTCGGGCGGAGGACTAGTTGACA 5737
Db 391 -----
QY 5738 GAGTCCAGCTGTGTGCCAGGACGTGTGTCTCCCGTGTGGTGGCAGGGGTCCCGAG 5797
Db 391 -----
QY 5798 CATCTTAGATCCAGTCCCACTCTCACCCCTGCATCTCTGCCAGGGAACGACACTCAT 5857
Db 392 -----Gly-ThrThrLeuPhe 396
QY 5858 CACCAACCTGTCTATCGGTCTGAAGATGAGCCGCTCTGGGAGAACCCCTTCGGCTTCCA 5917
Db 396 eThrAsnLeuSerSerValLeuIysAspGluAlaValTrpGluIysProPheArgPheHi 416
QY 5918 CCCCAGAACACTCTCTCGATGCCCCAGGCCACTTTGTGAAGCGGAGCGCTTCTCGCTTT 5977
Db 416 sProGluHisPheLeuAspAlaGlnGlyHisPheValIysProGluAlaPheLeuProH 436
QY 5978 CTCAGCAGGTGCTGTGTGGGAGCCCGCTCCCTGTCTCCCTTCCGTGGAGTCTTTCAGGG 6037
Db 436 e-Ser----- 437
QY 6038 TATACCCAGGACGAGGCTCACTGAGCGCCCTCCCTCCCNACAGCGCGGTGATGTC 6097
Db 438 -----AlaGlyArgArgAlaCys 443
QY 6098 CTCGGGGAGCCCTGCGCCGATGAGCTTCTCTCTTTCACCTCCCTGCTGCGAGCAC 6157
Db 444 LeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePheThrCysLeuLeuGlnArg 463
QY 6158 TTCAGCTTCTCTGCGCCCGGACAGCCCGCCGAGCCACTCTCTGCTGCTGCTGCTGCT 6217
Db 464 PheSerPheSerValProAlaGlyGlnProArgProSerHisHisGlyValPheAlaPhe 483
QY 6218 CTGGTGAACCCATCCCTTACGAGCTTTGTGTGTCGCCCGC 6259
Db 484 LeuValThrProSerProTyrGluLeuCysAlaValProArg 497
```

RESULT 3

```
CPDJ_CALJA STANDARD; PRT; 497 AA.
AC O18992;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D19 (EC 1.14.14.1) (CYP1D19) (P450 2D19-1).
GN CYP2D19.
OS Callithrix jacchus (Common marmoset).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Platyrrhini; Callitrichidae;
OC Callithrix.
OX NCBI_taxid=9483;
RN [1]
RP SEQUENCE FROM N.A.
```

```
RC TISSUE=Liver;
RX MEDLINE=97223367; PubMed=9056237;
RA Igarashi T., Sakuma T., Isogai M., Nagata R., Kamataki T.;
RT "Mammoset liver cytochrome P450s: study for expression and molecular
cloning of their cDNAs."
RL Arch. Biochem. Biophys. 339:85-91(1997).
CC -!- FUNCTION: RESPONSIBLE FOR THE METABOLISM OF MANY DRUGS AND
ENVIRONMENTAL CHEMICALS THAT IT OXIDIZES.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- INDUCTION: P450 can be induced to high levels in liver and other
tissues by various foreign compounds, including drugs, pesticides,
and carcinogens.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL Outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
```

DR EMBL; D29822; BAA22155.1; -

DR HSSP; P00179; 1DT6.

DR InterPro; IPR001128; Cytochrome P450.

DR InterPro; IPR008069; EP450_CYP2D.

DR Pfam; PF00067; P450; 1.

DR PRINTS; PR01686; EP450ICYP2D.

DR PRINTS; PR00385; P450.

DR PROSITE; PS00086; CYTOCHROME P450; 1.

KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;

KW Mitochondrion; Endoplasmic reticulum.

FT METAL 443 443 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).

SQ SEQUENCE 497 AA; 55911 MW; A482ABE71B4D6CAF CRC64;

Alignment Scores:

Pred. No.:	2,248-64	Length:	497
Score:	1588.00	Matches:	428
Percent Similarity:	32.07%	Conservative:	21
Best Local Similarity:	30.57%	Mismatches:	48
Query Match:	8.48%	Indels:	903
DB:	1	Gaps:	8

US-09-820-788a-3 (1-10278) x CDPJ_CALJA (1-497)

```
QY 2078 ATGGGGCTAGAAAGCACTGGTCCCTGGCCATGATGATGAGTGGCCATCTTCTGCTCTGGTG 2137
Db 1 MetGlyLeuAspAlaLeuValProLeuAlaValThrValAlaIlePheValLeuVal 20
QY 2138 GACCTGATGCACCGCACCAACGCTGGGTGGCGTGCACCTACCCGCGAGTCCCTGCCACTG 2197
Db 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrProProGlyProMetProLeu 40
QY 2198 CCGGGCTGGGCAACCTTGTGCTGATGTGAGCTTCCAGAACACACATCTGCTTGCACCA 2257
Db 41 ProGlyLeuGlyAsn-LeuLeuHisValAspPheGlnAsnThrProAsnSerPhe----- 58
QY 2258 GGTAGGGAGGAGGTCTCTGGAGGGCGGAGAGGTCTCTGAGGATGCCCCACCCAGCAAA 2317
Db 58 ----- 58
QY 2318 CATGGGTGGTGGTTAAACCAACAGCTGGATCAGAAGCCAGCTGAGAGGGGAAGCAGG 2377
Db 58 ----- 58
QY 2378 TTTGGGGAGGCTTCTCTGGGAAGGACATTTATACATGTCATGAAGGACTGGATTTTCCAA 2437
Db 58 ----- 58
QY 2438 AGCCCAAGGAAGTAGGAGGCAAGGGCTGGAGGTGGAGCTGGAGCTTGGCAGTGGGCATGC 2497
```

Db 58 ----- 58
QY 2498 AAGCCATTGGCAACATATGATGGAGTACAAAGTCCCTTCTGCTGACACCAAGGA 2557
Db 58 ----- 58
QY 2558 AAGGCCTTGGGAATGGAAGATGAGTTAGTCCTGAGTGCCGTTTAAATCAGAAATCGAGG 2617
Db 58 ----- 58
QY 2618 ATGAAGGGGTGACGTGACCCCGTTCAAACCTTTTGCACTGTGGGTCTCTCGGSCCTCACT 2677
Db 58 ----- 58
QY 2678 GCTACCGGCATGGACCATCATCTGGGAATGGATGCTTAAGTGGGGCCTCTCGGCAATTT 2737
Db 58 ----- 58
QY 2738 TGGTGACTCTTGAAGGTCTATCTGGGTGACGCATCCAAACTGAGTTCTCTCCATCACAG 2797
Db 58 ----- 58
QY 2798 AAGGTGTGACCCCAACCCCTGCCCAAGATCAGGAGGTGGGTCTCTCTCTTCCACCTGC 2857
Db 58 ----- 58
QY 2858 TCATCTCTGGTAGCCCGGGGTGCTCCNAGTTCAAATAGACTAGGACCTGTAGTCTG 2917
Db 58 ----- 58
QY 2918 GGGTGATCCTGCTTGACAAAGAGGCCCTGACCCCTCCCTGAGTTGCGGCGCCCTTCG 2977
Db 59 ----- -Asn-GlnLeuArgArgPheG 66
QY 2978 GGGACGTGTTACGCTGCGCTGACCGCGGTGACCGCGGTGCTGCTCAATGGGCTGGCGG 3037
Db 66 LysValPheSerLeuGlnLeuAlaTyrThrProValValLeuAsnGlyLeuGluA 86
QY 3038 CGTGGCGAGCGATGTGACCGCGGAGGACACGGCCGACCGCCGCTGCGCCCA 3097
Db 86 laValArgGluAlaLeuValThrArgGlyGluAspThrAlaAspArgProValProI 106
QY 3098 TCTACAGGTCTCTGGCTTCGGCGCGTTCCAAAGCAAGCGCGGTGGGGGACAGAGA 3157
Db 106 l eThr-GluMetLeuGlyPheGlyProHisSerGlnGly-Leu----- 119
QY 3158 CCGCGTTTCCGTGGGCCCCGGGTGGACAGTGAACCGTAGCCCAAGCAGCGCCGACAGGCG 3217
Db 119 ----- 119
QY 3218 TGGGTCTGGACGTGAACAGAGATAAAGCCAGCGAGTGGGCTGAGGACAGTGGGCCA 3277
Db 119 ----- 119
QY 3278 GGAACACCTGCACGGGGAGGTGCGAGTCTGTGGGTGGGAGGGGGGGCTACTGC 3337
Db 119 ----- 119
QY 3338 CCAGACCCGCAAGACCCGTTGGGCGAGGCTGATGCGTCAAGTGGCGGTGGCGGGGAC 3397
Db 119 ----- 119
QY 3398 CCGCGCTATGTGCGGGCTCAGTGTGGGCGGACCGGGCGGATCTTCTTGTAGTGAAG 3457
Db 119 ----- 119
QY 3458 GTGGTCAGGGTGGCAGAGACAGGTGGGGCCAAACCCCGCCAGGAGGGGACCAATG 3517
Db 119 ----- 119
QY 3518 TGGGTGAGCAAGAGTGGGCCCTGTGCCAGCTGACCGGGCTAGGGACTGCGGGAGACC 3577
Db 119 ----- 119

QY 3578 TTGTGGAGCCAGGGTTGGAGTGGTGGCGAGGGTGGGCGCAAGGCTTCATGGCAAC 3637
Db 119 ----- 119
QY 3638 GCCACGTTGTCGTCGCGCCCGCAGGGGTGATCTGTGCGCTATGGCCCGCGTGGCGC 3697
Db 120 ----- -PheLeuAlaArgTyrGlyProAlaTrpArg 129
QY 3698 GAGCAGAGCGCTTCTCCGTGTCCACTTGGCGCACTTGGCCCTGGGCAAGATCGCTG 3757
Db 130 GluGlnArgArgPheSerValSerThrLeuArgAsnLeuGlyLysLysSerLeu 149
QY 3758 GAGCAGTGGGTGACGAGGAGCGCTGCTGCTTGTGCGCTTCCGCCACCAAGCCGCTG 3817
Db 150 GluGlnTrpValThrGluAlaThrTyrLeuCysAlaAla----- 163
QY 3818 GGTGATGGCAGAGGGCACAAAGCGGAACTGGGAAGCGGGGACGAGAAAGCAACC 3877
Db 163 ----- 163
QY 3878 CTTTACCGCATCTCCCAACCCCGCAGGACGCCCTTTCGCCCAACCGCCTCTTGGACA 3937
Db 164 ----- -Phe-AlaAspHisAlaGlyArgProPheArgProAsnGlyLeuLeuAspLy 180
QY 3938 AGCGTGAGCAACGTGATCGCTCCCTCACCTGCGGGCGCGCTTCGAGTAGCAGCACCC 3997
Db 180 sAlaValSerAsnValIleAlaSerLeuThrCysArgArgArgPheGluTyrAsnAspPr 200
QY 3998 TCGCTTCTCAGGTGCTGGACCTAGCTCAGAGGAGCTGAAGAGGAGTCCGGCTTCT 4057
Db 200 CysLeuLeuArgLeuLeuAspLeuThrMetGluGlyLeuLysGluGluSerGlyLeuLe 220
QY 4058 CCGCAGGTGCGGAGCGAGAGACCCAGAGTCTCTGCGGGCGAGCTCTCGAGAGGTGCC 4117
Db 220 uArgGlu----- 222
QY 4118 GGGCTGAGCTGGGGCTCCGAAGCGGAGGATTTGCATAGATGGGTTGGGAAGGACAT 4177
Db 222 ----- 222
QY 4178 TCCAGGAGACCCCACTGTAGAAGGGCTGGAGGAGGGGAGACATCTCAGACATGGTGC 4237
Db 222 ----- 222
QY 4238 TGGGAGAGGTGTGCCCGGCTCAGGGGACCCAGGAGAGGCCAAGACTCTCTGTACCCCGT 4297
Db 222 ----- 222
QY 4298 CCACGTTGGAGATTTGATTTTAGGTTTCTCTCTGGCAAGGAGAGAGGGTGGAGGCTG 4357
Db 222 ----- 222
QY 4358 GCATTTGGGAGGAGCTTGGTGTAGGTCAAGTGTAGGAGAGGAGGCGCTGGGTCTACCT 4417
Db 222 ----- 222
QY 4418 GGAGATGCTGGGGCTGAGACTTTGTCCAGGTGAACGCGAGAGCACAGGAGGATTTGAGAC 4477
Db 222 ----- 222
QY 4478 CCGCTTCTGCTGCTGAGTGTGAATGCTGCTCCCGCTCTCTCTGCACATCCCGAGCCT 4537
Db 223 ----- -ValLeuAsnAlaIleProValLeuLeuArgIleProGlyLe 236
QY 4538 GGCTGGCAAGGTCTTACGCTTCCAAAGGCTTCTCTGACCCAGCTGGATGAGCTGCTAAC 4597
Db 236 uAlaGlyLysValLeuArgSerGlnLysAlaPheLeuAlaGlnLeuAspGluLeuLeuTh 256
QY 4598 TGACACAGGATGACCTGGGACCCAGCCACCCGAGACCTGACTGAGGCTTCCT 4657
Db 256 rGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLe 276

```
QY 4658 GCGAAGAGAGGAGAGAGTGGCTGCGTCCACGGTGGGGGCAAGGGTGGTGGTTGAA 4717
DB 276 uAlaGluMetGluLys----- 281
QY 4718 CGTCCCAGGAGGAATGAGGGGAGGCTGGGCAAAAGGTTGGACCAAGTGCATCACCAGCGGA 4777
DB 281 ----- 281
QY 4778 GCGCATCTGGGCTGACAGGTGAGAAATGGAGGTCAATTTGGGGGTACCCCGTTCTATC 4837
DB 281 ----- 281
QY 4838 CCTGAGTATCTCTCGGCCCTGCTCAGGCCAAGGGAGGCCCTGAGAGAGCTTCAATGA 4897
DB 282 -----ThrLysGlyAsnProGluSerSerPheAsnAs 292
QY 4898 TGAAGACCTCGCATAGTGGTGAACCTGTTCTTGGCGGATGGTACCACTCGAC 4957
DB 292 pGluAsnLeuHisLeuValValAlaAspLeuPheSerAlaGlyMetValThrThrSerI 312
QY 4958 CACGCTGGCTGGGGCTCTCTGCTCATGATCTTACACCTGATGTGCAGCGTGGAGCCAG 5017
DB 312 eThrLeuAlaTrpGlyLeuLeuMetIleLeuHisProAspValGln----- 328
QY 5018 CTGGGGCCCAAGCAGGAGTGAAGGAGGAGGTACAGCTGGGGCCCTGGGCTTAGC 5077
DB 328 ----- 328
QY 5078 TGGGACACCGGGGCTTCAGACACAGCGTGGGCCAGGCTCTGTAAAGCTTAATCTCTCC 5137
DB 328 ----- 328
QY 5138 AACACAGGAGGAGAGAGTGTCCCTGGTGTGCTGACCAATTGTGGGAGCGATGTCGT 5197
DB 328 ----- 328
QY 5198 CCAGTCCGTGTCAACAGAGAGATCGACAGTGTAGGCGAGTGGCGGACAGAGATG 5257
DB 329 -Arg--ArgValGlnGlnIleAspValIleGlyArgValArgProGluMet 347
QY 5258 GTGACGAGGCTCACATCCCTACACACTGCGGTATTCACGAGTGGAGGCTTTGGG 5317
DB 348 GlyAspGlnThrFyrMetProFyrThrThrAlaValIleHisGluValGlnArgPheAla 367
QY 5318 GACATCATCCCTGAGTGTGACCATATGACATCCCGTGACATCGAAGTACAGGCTTC 5377
DB 368 AspIleValProLeuGlyValThrHisMetThrSerArgAspIleGluValGlnGlyPhe 387
QY 5378 CGATCCCTAAGTATAGGCTGGGCGCCCTCTACCCAGCTCAGCACCAACCTGGTGA 5437
DB 388 LeuIleProLys----- 391
QY 5438 TAGCCCCAGCATGGCTACTGCCAGGTGGGCCCACTCTAGAACCTTGGCCACTAGTCTC 5497
DB 391 ----- 391
QY 5498 CAATGCCACCACTGACTGTCTCCCACTTGGTGGGGGTCCAGAGTATAGGAGGGCTG 5557
DB 391 ----- 391
QY 5558 GCCTGTCCATCCAGAGCCCCCGTCTAGTGGGGAGACAAACAGGACCTGCCAAGATTG 5617
DB 391 ----- 391
QY 5618 GAGGACCCAGCGCTCGAGGAGAGGGGGCAGTGTGGGTGCCTCTGAGAGGTGTGACTGC 5677
DB 391 ----- 391
QY 5678 GCCTGTCTGTGGGTGGAGAGGGTACTGTGGAGCTTCTCGGGCGCAGGACTAGTTGACA 5737
DB 391 ----- 391
QY 5738 GAGTCCAGCTGTGTGCCAGGAGTGTGTCTCCCGTGTGTGGTGGCAGGGGTCCAG 5797
```

```
DB 391 ----- 391
QY 5798 CATCTAGAGTCCAGTCCCACCTCTCACCCTGCATCTCTGCCAGGAGCAGACTCAT 5857
DB 392 -----Gly-ThrThrLeuPhe 396
QY 5858 CACCAACCTGTCTCATCGTGTGAAGGATGAGGCGCTCTGGAGAAGCCCTTCGCTTCCA 5917
DB 396 eThrAsnLeuSerSerValLeuLysAspGluAlaAsnTrpGluLysProPheArgPheHi 416
QY 5918 CCCCAGAACCTTCTCTGATGCCAGGCGCACCTTTGTGAAGCGGAGGCTTCCTGCTTT 5977
DB 416 sProGluHisPheLeuAspAlaGlnGlyArgPheValLysProGluAlaPheLeuProPh 436
QY 5978 CTCAGCAGGTGCTGTGGGGAGCCCGCTCCCTGTCTCCCTTCGCTGGAGTCTTGCAGGG 6037
DB 436 e--Ser----- 437
QY 6038 TATCACCAGGAGCCAGGCTCACTGACGCCCTCCCTCCACAGGCGCCCGCTGCATGC 6097
DB 438 -----AlaGlyArgAlaCys 443
QY 6098 CTCGGGAGCCCTGCGCCGATGAGACTTCTCTTCTTTCACCTCCCTGCTGCAGCAC 6157
DB 444 LeuGlyGluProLeuAlaArgMetGluLeuPhePheThrCysLeuLeuGlnArg 463
QY 6158 TTCAGTCTTCTCGTGGCGCGGACAGCCCGCCAGCCTCTCTGCTGCTGCAGCTTT 6217
DB 464 PheSerPheSerValProAlaGlyGlnProArgProSerProHisGlyValPheAlaPhe 483
QY 6218 CTGGTGACCCCATCCCTTACGAGCTTGTGTGTGCGCCCGC 6259
DB 484 LeuValThrProSerProTyrGluLeuCysAlaValProArg 497
```

RESULT 4

```
CPDE BOVIN STANDARD; PRT; 487 AA.
ID CPDE BOVIN STANDARD; PRT; 487 AA.
AC Q01361;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D14 (EC 1.14.14.1) (CYP2D14) (Fragment).
GN CYP2D14.
OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidae;
OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=93011103; PubMed=1396678;
RA Tsuneoka Y., Matsuo Y., Higuchi R., Ichikawa Y.;
RT "Characterization of the cytochrome P-450IID subfamily in bovine
RT liver. Nucleotide sequences and microheterogeneity.";
RL Eur. J. Biochem. 208:739-746(1992).
CC -!- FUNCTION: Cytochromes P450 are a group of heme-thiolate
CC monooxygenases. In liver microsomes, this enzyme is involved in an
CC NADPH-dependent electron transport pathway. It oxidizes a variety
CC of structurally unrelated compounds, including steroids, fatty
CC acids, and xenobiotics.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- INDUCTION: P450 can be induced to high levels in liver and other
CC tissues by various foreign compounds, including drugs, pesticides,
CC and carcinogens.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
```



```
Db 154 -----Phe-AlaAspGlnAlaGlyArgProPheSerPr 164
QY 3920 CAAGGCGCTCTTGACAAAGCCGTGAGCAACGTGATCGCTCCCTCACCTGCGGGCGCG 3979
Db 164 oMetGlyLeuLeuAsnLysAlaValSerAsnValIleAlaSerLeuThrPheGlyCysAr 184
QY 3980 CTTTCAGTACGACGACCCCTCGCTTCCTCAGGCTGCTGGACCTAGCTCAGGAGGAGTAA 4039
Db 184 gPheGluTyrAsnAspProArgIleIleLysLeuLeuAspLeuThrGluAspGlyLeuLys 204
QY 4040 GGAGGAGTGGGCTTCTTCTGGCGAGGTGCGGAGCGAGACCGAGGAGTCTCTGCGAGGC 4099
Db 204 sGluGluPheAsnLeuValArgLys-----212
QY 4100 GAGCTCTCAGAGGTGCGGGGCTGACTTGGGSCCTCCGAAGGCGCAGGATTTCATAGAT 4159
Db 212 -----212
QY 4160 GGGTTTGGGAAAGGACATTCACAGAGACCCCACTGTAGAAGGCGCTGGAGGAGGAGGG 4219
Db 212 -----212
QY 4220 ACATCTCAGACATGGTCTGGGAGAGGTGTGCCCGGGTCAGGGGGCACAGAGAGGCCA 4279
Db 212 -----212
QY 4280 AGGACTCTGTACCCCGTCCACGTTGGAGATTTCGATTTTAGTGTTCCTCTGGSCAAG 4339
Db 212 -----212
QY 4340 GAGAGAGGCTGGAGGCTGGCACTTGGGGAGGCACTTGTGAGGTCAAGTGTGAAGACAGG 4399
Db 212 -----212
QY 4400 CAGGCCCTGGGTCTACTGTGAGATGGCTGGGCGCTGAGACTTGTCCAGGTGAACGCAGAG 4459
Db 212 -----212
QY 4460 CACAGGAGGATTGAGACCCCGTTCGTCTGGTGTAGTGTGTAATGCTGTCCCGTCTCT 4519
Db 213 -----ValValGluAlaValProValIle 220
QY 4520 CTTGCACATCCACGCGTGGTGGCAAGTCTTACGCTTCCAAAGGCTTTCCTGACCCA 4579
Db 220 uLeuSerIleProGlyLeuAlaAlaArgValPheProAlaGlnArgAlaPheMetAlaLe 240
QY 4580 GCTGGATGAGTCTCTAATGAGCACAGGATGACTGGGACCCAGCCAGCCACCCCGAGA 4639
Db 240 uIleAspGlyLeuIleAlaGluGlnLysMetThrArgAspProThrGlnProProArgHi 260
QY 4640 CTTGACTGAGGCTTCTTCTGGCAAGAGGAGAGGTGAGGTGCTGCCACGTTGGGGGG 4699
Db 260 sLeuThrAspAlaPheLeu-----AspGluValLys-----270
QY 4700 CAAAGGTGGTGGTGTGAACGCTCCAGAGGAATGAGGGGAGGTGGGCAAAAGGTTGGAC 4759
Db 270 -----270
QY 4760 CAGTGCATCACCGGCGAGCCGCATCTGGGCTGACAGGTGCAGAAATTGAGGTCAATTGG 4819
Db 270 -----270
QY 4820 GGGCTACCCGTTCTATCCCTGAGTATCCTCTCGGCGCTGCTCAGGCCCAAGGGAGCCC 4879
Db 271 -----GluAlaLysGlyAsnPr 276
QY 4880 TGAGAGCAGCTTCAATGATGAGAACCTGCATAGTGGTGGGTAACCTGTCTCTTCTGCCGG 4939
Db 276 oGluSerSerPheAsnAspGluAsnLeuArgLeuValValAlaAspLeuPheSerAlaGl 296
QY 4940 GATGGTGACCACTCGACCAACGCTGGCGCTGGGCGCTCTGCTCATGATCTTACACCTGGA 4999
```

```
QY 6080 ACAGCGCGCGTCATGCTCGGGAGCCCTGGCGCATGAGCTCTTCTCTCTTC 6139
Db 428 AlaGlyArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhe 447
QY 6140 ACTCCCTGCTCAGCACTTCACTTCTCGTGGCGCGGACAGCCCGCCAGCCAC 6199
Db 448 ThrSerLeuGlnHisPheSerPheSerValProAlaGlyGlnProArgProSerGlu 467
QY 6200 TCTCGTGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 6259
Db 468 HisGlyValPheAlaPheLeuValThrProAlaProtyrGlnLeuCysAlaValProArg 487

RESULT 5
CPD4_RAT
ID CPD4_RAT STANDARD; PRT; 500 AA.
AC P13108; O35107;
DT 01-JAN-1990 (Rel. 13, Created)
DT 01-MAR-1992 (Rel. 21, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D4 (EC 1.14.14.1) (CYP2D4) (P450-DB4) (P450-CMF3)
DE (Debrisoquine 4-hydroxylase).
GN CYP2D4 OR CYP2D-4.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=Sprague-Dawley; TISSUE=Liver;
RX MEDLINE=90189185; PubMed=2107330;
RA Matsumaga E., Umeno M., Gonzalez F.J.;
RT "The rat P450 IID subfamily: complete sequences of four closely
RT linked genes and evidence that gene conversions maintained sequence
RT homogeneity at the heme-binding region of the cytochrome P450 active
RT site.";
RL J. Mol. Evol. 30:155-169(1990).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=Sprague-Dawley; TISSUE=Brain;
RX MEDLINE=9096365; PubMed=9434752;
RA Wan J., Inaoka S., Chow T., Hiroi T., Yabusaki Y., Funae Y.;
RT "Expression of four rat CYP2D isoforms in Saccharomyces cerevisiae
RT and their catalytic specificity.";
RL Arch. Biochem. Biophys. 348:383-390(1997).
RN [3]
RP SEQUENCE OF 177-500 FROM N.A.
RX MEDLINE=89050091; PubMed=3190674;
RA Ishida N., Tawaragi Y., Inuzuka C., Sugita O., Kubota I.,
RA Nakazato H., Noguchi T., Sassa S.;
RT "Four species of cDNAs for cytochrome P450 isozymes immunorelated to
RT P450C-W/F encode for members of P450IID subfamily, increasing the
RT number of members within the subfamily.";
RL Biochem. Biophys. Res. Commun. 156:681-688(1988).
CC -!- FUNCTION: Cytochromes P450 are a group of heme-thiolate
CC monooxygenases. In liver microsomes, this enzyme is involved in an
CC NADPH-dependent electron transport pathway. It oxidizes a variety
CC of structurally unrelated compounds, including steroids, fatty
CC acids, and xenobiotics.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- INDUCTION: P450 can be induced to high levels in liver and other
CC tissues by various foreign compounds, including drugs, pesticides,
CC and carcinogens.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.

This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/)
```

```
CC or send an email to license@isb-sib.ch.
CC -----
DR EMBL; X52029; CAA36271.1; -.
DR EMBL; AB008425; BAA23125.1; -.
DR EMBL; M22331; AAA41052.1; -.
DR PIR; S16873; D31579.
DR HSP; P00179; 1DT6.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EF450_CYP2D.
DR Pfam; PF00067; P450; 1.
DR PRINTS; PR01686; EP450CYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME_P450; 1.
KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum.
FT METAL 446 446 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
FT CONFLICT 473 473 T -> A (IN REF. 2).
FT CONFLICT 480 480 D -> N (IN REF. 2).
FT CONFLICT 483 483 I -> V (IN REF. 2).
SQ SEQUENCE 500 AA; 56697 MW; 505D29B2C0BB1F7E CRC64;

Alignment Scores:
Pred. No.: 1.37e-50 Length: 500
Score: 1280.50 Matches: 375
Percent Similarity: 29.38% Conservative: 39
Best Local Similarity: 26.61% Mismatches: 85
Query Match: 6.84% Indels: 910
DB: 1 Gaps: 12

US-09-820-788a-3 (1-10278) x CPD4_RAT (1-500)
QY 2051 AGGAGCCCGCTGCTAGTGGAGCGAGCCATGGGGCTAGAGCACTGGTCCCTGCCCATG 2110
Db 2 ArgMetProThrGlySerGlu-----LeuTrpProileAlaIle 14
QY 2111 ATAGTGGCCATCTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTG 2170
Db 15 PheThrIleIlePheLeuLeuValAspLeuMethIleArgGlnArgTrpThrSer 34
QY 2171 CGTACCCCGCAGGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 2230
Db 35 ArgTyProGlyProValProValProValProValProValProValProValProVal 54
QY 2231 CCAGAACACACATACATGCTTCGACCGAGGTGAGGAGGAGGTCTCTGGAGGCGGAGAGG 2290
Db 54 eGlnAsnMetPro----- 58
QY 2291 TCCTGAGGATGCCCGCCACCAGCAACATGGGTGGGTAAACACACAGGCTGGATCA 2350
Db 58 ----- 58
QY 2351 GAAGCCAGGCTGAGAAAGGGAAGCAGGTTTGGGGAGCGTTCTGGGGAAGGACATTATA 2410
Db 58 ----- 58
QY 2411 CATGCGATGAGGACTGGATTTCCTCAAGGCCAAGGAGAGTAGGGCAAGGCGCTGGAGG 2470
Db 59 -----AlaGlyPheGln-Iys----- 63
QY 2471 TGGAGCTGGACTTGGCAGTGGGCATGCAAGCCCATTTGGGCAACATATGTTATGGAGTACA 2530
Db 63 ----- 63
QY 2531 AAGTCCCTTCTGCTGTGACACCAAGAGAAAGGCCCTTGGGAATGGAAGATGAGTTAGTCTG 2590
Db 63 ----- 63
QY 2591 AGTCCGTTTAAATACGAAATCGAGGATGAAGGGGGTGGAGTACCCTGTTCAACCTT 2650
Db 63 ----- 63
QY 2651 TTGCACTGTGGGTCTCGGGGCTCACTGCTCACCGGATGACCATCATCATCTGGGAATGGG 2710
```

Db 63 ----- 63
QY 2711 ATGCTAACTGGGCGCTCTCGGCAATTTTGGTGACTCTTGCAGAGTCAATCTGGGTGAGC 2770
Db 63 ----- 63
QY 2771 CATCCAACTAGTTCTCTCATCACAAGAGGTGTGACCCCAACCCCTGCCCAACGATCAG 2830
Db 63 ----- 63
QY 2831 GAGGCTGGGTCTCTCTTCCACCTGCTCACTCTCTGGTAGCCCGGGGTCTGCCAAGT 2890
Db 63 ----- 63
QY 2891 TCAATPAGGACTAGGACCTGTAGTCTGGGGTGATCTCTGGCTTGCACAAGAGGCCCTGACCC 2950
Db 63 ----- 63
QY 2951 TCCTCTGCAGTTGCGGCGCGCTTCGCGGACGTGTTACGCTGCAGCTGGCTGACGC 3010
Db 64 ----- 80
QY 3011 CGGTGCTCTGCTCAATGGCTGGCGCGCTGGCGAGGCGATGGTGACCCGCGCGAGG 3070
Db 80 ----- 100
QY 80 erValValLeuAsnGlyLeuProAlaLeuArgGluAlaLeuValLysTyrSerGlu 100
QY 3071 ACACGCCGACCGCCCGCTGCGCCCATCTACAGGCTCGGGCTTCGGCGCGCTGCC 3130
Db 100 ----- 119
QY 100 spThrAlaAspArgProProLeuHisPheAsnAspGlnSerGlyPheGlyProArgSer- 119
QY 3131 AAGGCAAGCGCGGTGGGGAGACAGACCCGCTTTCCTGGGCGCGCGGTGGACAGTGAC 3190
Db 120 Gln----- 120
QY 3191 CGTAGCCCAAGCAGCGCCACAGGGCGTGGGTCTGGAGCTGAAACAGAGATAAGGCC 3250
Db 120 ----- 120
QY 3251 AGCGAGTGGGCTGAGGACAGTGGGCCAGGAACCACTGCACGGGGAGGTGCGAGTCTG 3310
Db 120 ----- 120
QY 3311 TGGGCTGGAGGGGGCGGGCTACTGCCCCAGACCCCGCAGAACCGGTGGCGAGGCTG 3370
Db 120 ----- 120
QY 3371 ATGCGTGAAGTGGCGGTGGCGGGACCGCGCTATGCTGCGGGTCACTGTGGCGGGA 3430
Db 120 ----- 120
QY 3431 CGGGCGGATCTTCTTGTAGTGGAAAGTGTGTGAGGTGGGAGAGACGAGGTGGGCCA 3490
Db 120 ----- 120
QY 3491 AACCCCGCCCGAGCGAGGAGCAATGTGGTGAGCAAGAGTGGGCCCTGTGCCAGCT 3550
Db 120 ----- 120
QY 3551 GGACCGGGCTAGGGACTGCGGGAGACCTTGTGGAGCGCCAGGGTTGGAGTGGGTGGCGGA 3610
Db 120 ----- 120
QY 3611 GGTGGGGCAAGGCCTTCATGGCAAGCCACGTGTCCTCGTCCCGCCCCAGGGGTGATC 3670
Db 121 ----- 123
QY 3671 CTGTCCGCTATGGGCGCGGTGGCGGAGAGGCGCTTCTCGGTGTCACCTTGGCG 3730
Db 124 LeuAlaArgTyrGlyProAlaItrArgGlnArgPheSerValSerThrPheArg 143
QY 3731 AACTTGGGCTGGCGAAGTCTGCTGGAGCAAGTGGGTGACCGAGAGGCCCGCTGCTT 3790
Db 144 HisPheGlyLeuGlyLysSerLeuGluGlnTyrValThrGluAlaArgCysLeu 163

QY 3791 TGTGCCGCTTCGCCGACCAAGCCGGTGGTGATGGGAGAGGCAAAAGCGGAACTG 3850
Db 164 CysAlaAlaPheAla----- 168
QY 3851 GGAAGCGGGGACGGAGAACCCCTTACCCGCTATCCCGCATCTCCACCCCGAGGAGCC 3910
Db 169 ----- 174
QY 3911 CTTTCCGCCCAAGCGCTCTTGGCAAAAGCGGTGAGCAAGCTGCGCTCCCTCACCTG 3970
Db 174 oPheSerProAsnThrLeuLeuAspLysAlaValCysAsnValIleAlaSerLeuLeuPh 194
QY 3971 CGGGCGCGCTTCGAGTACGACGACCCCTCGCTTCTCTCAGGCTGTGGACTAGCTCAG 4030
Db 194 eAlaCysArgPheGluTyrAsnAspProArgPheIleArgLeuLeuAspLeuLysAs 214
QY 4031 GGGACTGAAGAGGAGTGGGGCTTCTGCGCGAGGTGGGAGCGAGAGACCGAGGAGTCT 4090
Db 214 pThrLeuGluGluSerGlyPheLeu----- 223
QY 4091 CTGCAGGGCGAGCTCTGAGAGGTGCGGGGCTGACTGGGGCTCCGAGGGCAGGAT 4150
Db 223 ----- 223
QY 4151 TGCATAGATGGGTTGGGAAAGGACATTCAGAGACCCCACTGTAAGAAAGGCCCTGGAG 4210
Db 223 ----- 223
QY 4211 GAGGAGGGACATCTCAGACATGTGTGGGAGAGGTGTGCCGGTTCAGGGGGCACCAG 4270
Db 223 ----- 223
QY 4271 GAGAGCCCAAGGACTCTGTACCCCGCTCCACGTTCGAGATTTTCGATTTTAGTTTCTCT 4330
Db 224 ----- 225
QY 4331 CTGGCAAGAGAGAGGGTGGAGGCTGGCACTTGGGAGGAGCTTGGTGGGTTCAGTGTGT 4390
Db 225 ----- 225
QY 4391 AAGCAGGCGCGCTCGGTCTACCTGGAGATGGCTGGGGCTCGAGACTTGTCCAGGTG 4450
Db 225 ----- 225
QY 4451 AACGAGAGCAGAGGAGGATTTGAGACCCCGTTCTGTCTGTGTAGTGTCTGAATGCTGT 4510
Db 226 ----- 230
QY 4511 CCCCCTCTCTGCACATCCAGCGCTGGCAAGGTCTCTACGCTTCCAAAAGGCTTT 4570
Db 230 eProMetLeuLeuHisIleProGlyLeuLeuGlyLysValPheSerGlyLysAlaPh 250
QY 4571 CTTGACCCAGCTGGATGAGCTCTAACTGAGCAGAGATGACTCTGGGACCCAGCCAGCC 4630
Db 250 eValAlaMetLeuAspGluLeuLeuThrGluHisLysValThrTrpAspProAlaGlnPr 270
QY 4631 ACCCGAGACCTGACTGAGGCTTCTTGGCAAAAGAGAGAGGTGAGAGTGGTGGCCAC 4690
Db 270 oProArgAspLeuThrAspAlaPheLeuAlaGluValGluLys----- 284
QY 4691 GGTGGGGCAAGGGTGGGTGTGAACGTCCAGAGAGAAATGAGGGAGGCTGGGCAAA 4750
Db 284 ----- 284
QY 4751 AGTTGGACAGTGCATCACCGCGCAGCCGATCTGGGCTGACAGGTGCAGATTTGGAG 4810
Db 284 ----- 284
QY 4811 GTCATTTGGGGCTACCCCGTTCTATCCCTGAGTATCTCTCGGCCCTGTCTCAGGCCAA 4870
Db 285 ----- 286
AlaLys-----

FT METAL 446 446 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
SQ SEQUENCE 500 AA; 56683 MW; 9848AB85ABA09C5 CRC64;

Alignment Scores:
Pred. No.: 2,81e-50 Length: 500
Score: 1273.50 Matches: 375
Percent Similarity: 29.38% Conservative: 39
Best Local Similarity: 26.61% Mismatches: 85
Query Match: 6.80% Indels: 910
DB: 1 Gaps: 12

US-09-820-788A-3 (1-10278) x CPDI_RAT (1-500)

QY	2051	AGAGCCAGTGGTAGGAGCAGCATGGGGCTAGAACGCACTGGTGGCCCTGGCGCATG	2110
DB	2	ArgMetProThrGlySerGlu-----LeuTrpProIleAlaIle 14	
QY	2111	ATAGTGGCCACTTCTCTGCTCTCTGCTGGACCTGATGACCGGACCAAGCTGGGGTGCA	2170
DB	15	PheThrIleIlePheLeuLeuLeuValAspLeuMetHisArgGlnArgTrpThrSer 34	
QY	2171	CGCTACCCGCGCAGGTCCCTCGCCACTCCCGGGCTGGCAACCTTGTCTGATGTGACTT	2230
DB	35	ArgTyrProProGlyProValProTrpProValLeuGlyAsn-LeuLeuGlnIleAspPh 54	
QY	2231	CCAGAACACACCATACTGCTTCGACGAGTGAGGGAGGAGTCTCTGGAGGGCGGACAGG	2290
DB	54	eGlnAsnMetPro----- 58	
QY	2291	TCCTGAGGATGCCCCACCACCAACATGGGTGGTGGTTAAACCAACAGGCTGGATCA	2350
DB	58	----- 58	
QY	2351	GAAGCCAGGCTGAGAAGGGAAGCAGGTTTGGGGGACGTTCTCTGGGGAAGGACATTTATA	2410
DB	58	----- 58	
QY	2411	CATGGCATGAGACCTGGATTTTCCAAAGCCCAAGGAAGTAGTAGGCAAGGCGCTGGAGG	2470
DB	59	-----AlaGlyPheGln-Lys----- 63	
QY	2471	TGGAGCTGGACTTGGCAGTGGGCGATGCAAGCCCATTTGGGGCAACATATATTAGGAGTACA	2530
DB	63	----- 63	
QY	2531	AAGTCCCTTCTGCTGACACCAGAAGGAAGGCGCTTGGGAATGAAGATGAGTTAGTCCTG	2590
DB	63	----- 63	
QY	2591	AGTGGCTTTAAATACGAAATCGAGGATGAAGGGGTGCGAGTGACCCGGTTCAAACCTT	2650
DB	63	----- 63	
QY	2651	TTGCACTGTGGTCTCTGGGCTCCTGCTCACCAGCATGGACCATCATCTGGGAATGGG	2710
DB	63	----- 63	
QY	2711	ATGCTAACTGGGCGCTCTCGGCAATTTTGGTGACTCTTGCAAGGTCTATCTGGGTGACG	2770
DB	63	----- 63	
QY	2771	CATCCAAACTGAGTTCTCTCCATCACAGAAGGTGTGACCCCGCTGCCCCACCATCAG	2830
DB	63	----- 63	
QY	2831	GAGGCTGGGTCTCTCTCTCCACCTGCTCATCTCTGGTAGCCCCGGGGTGTGTCAGGT	2890
DB	63	----- 63	
QY	2891	TCAATAGGACTAGGACCTGTAGTCTGGGGTGATCTCTGGCTTGACAAGAGGCGCTGACCC	2950
DB	63	----- 63	

QY	2951	TCCTCTGCAGTTGCGCGCCCGCTTCGGGGACGCTGTTACGCTGACGCTGCGCTGACGC	3010
DB	64	-----LeuArgCysArgPheGlyAspLeuPheSerLeuGlnLeuAlaPheGluS 80	
QY	3011	CGGTGCTGCTCAATGGGCTGGCGCGCTGGCGAGCGATGCTGACCCGCGCGGAGG	3070
DB	80	erValValValLeuLeuLeuProAlaLeuArgGluAlaLeuValLysTyrSerGlnA 100	
QY	3071	ACACGGCCGACCGCCCGCTGGCGCCCATCTACAGGCTCTGGGCTTCGGGCGCGCTTCCC	3130
DB	100	spThrAlaAspArgProLeuHisPheAsnAspGlnSerGlyPheGlyProArgSer- 119	
QY	3131	AAGGCAAGCGCGGTGGGGACAGAGACCGCGTTTCCGTGGGCGCGGCTGGACAGTGAC	3190
DB	120	Gln----- 120	
QY	3191	CGTAGCCCAAGCAGCGCCGACAGGCGGTGGGTCTCTGGAGCTGAAACAGAGATAAGGCC	3250
DB	120	----- 120	
QY	3251	AGCGAGTGGGCTAGGACAGTGGGCGCAGGAAACCACTGCACGGGGAGGTGCGAGTCTG	3310
DB	120	----- 120	
QY	3311	TGGGCTGGAGGGGCGGGCTACTGCTCCAGACCCCGCAGAACCGGCTGCGGCGAGGTG	3370
DB	120	----- 120	
QY	3371	ATGCGTCGAAGTGGCGGTGGCGGACCGCGCTATGCTGCGGGCTCAGTGTGGGCGGGA	3430
DB	120	----- 120	
QY	3431	CGGGCGGATCTTCTTGTAGTGGAAAGTGGTCAAGGTGGGCGAGACGAGGTGGGGCCA	3490
DB	120	----- 120	
QY	3491	AAACCGCGCCAGCAGGAGGAGCAATGTGGGTGAGCAAAAGTGGGCGCTGTGCCAGCT	3550
DB	120	----- 120	
QY	3551	GGACCGGCTAGGAGTACGCGGAGACCTTGTGGAGCGCCAGGGTGGAGTGGGTGCGGA	3610
DB	120	----- 120	
QY	3611	GGGTGGGCGCAAGGCTTTCATGGCAACGCCACGTGTCGTCCGCGCCCGAGGGGTGATC	3670
DB	121	-----GlyValVal 123	
QY	3671	CTGTGCGCTATGGCCCGCTGGCGCGAGCAGAGCGCTTCTCCGTGTCCACCTTGGCG	3730
DB	124	LeuAlaArgTyr-GlyProAlaTrpArgGlnGlnArgPheSerValSerThrPheArg 143	
QY	3731	AACTTGGGCTGGGCAAGAGTGGTGGAGTGGGTGACCGAGGAGGCGCGCTGCTT	3790
DB	144	HisPheGlyLeuGlyLysSerLeuGluGlnTrpValThrGluAlaArgCysLeu 163	
QY	3791	TGTGCGCTTCCCGCACCAAGCGGTGGGTGATGTCGACAGGCGCACAAAGCGGAACTG	3850
DB	164	CysAlaAlaPheAla----- 168	
QY	3851	GGAAGCGGGGACGAGAGGCAACCCCTTACCGCATCTCCCAACCCCGAGGACGCC	3910
DB	169	-----AspHis-Ser-----GlyPhePr 174	
QY	3911	CTTTCGCGCCCAAGCGCTTTCGACAAAGCCCTGAGCAACGCTGATGCTGCTCCCTACCTG	3970
DB	174	oPheSerProAsnThrLeuLeuAspLysAlaValCysAsnValIleAlaSerLeuLeuPh 194	
QY	3971	CGGGCGCGCTTCGAGTACGACGACCTCGCTTCTCAGGCTGTGGACCTAGCTCAGGA	4030
DB	194	eAlaCysArgPheGluTyrAsnAspProArgPheIleArgLeuLeuAspLeuLeuYsa 214	
QY	4031	GGGACTGAAGGAGGTGGGCTTCTTCTGCGCGAGGTGGGAGGAGACCGAGGAGTCT	4090

Db 214 pThrLeuGluGluSerGlyPheLeu----- 223
QY 4091 CTGCAGGGCGAGCTCTGTAGAGGTGCGGGGGCTGGACTGGGGCCCTCCGAAAGGCGAGGATT 4150
Db 223 ----- 223
QY 4151 TGCATAGATGGGTTTGGGAAAGGACATTCAGAGAGACCCACTGTAAAGAGGGCCCTGGAG 4210
Db 223 ----- 223
QY 4211 GAGGAGGGGACATCTCAGACATGGTCTGGGAGAGGTGTGCCGGGTGAGGGGGCACCAG 4270
Db 223 ----- 223
QY 4271 GAGAGGCCAAGGACTCTGTACCCCGTCCACGTTGGAGATTTTCGATTTTAGTCTCTCTCT 4330
Db 224 -----ProMet----- 225
QY 4331 CTGGGCAAGGAGAGAGGTGGAGGCTGGCACTTGGGGAGGACTTGGTGAGTCAAGTGT 4390
Db 225 ----- 225
QY 4391 AAGGACAGGCGCCCTGGGTCTACTGGAGATGCTGGGGCTGAGACTTGTCCAGGTG 4450
Db 225 ----- 225
QY 4451 AAGCAGAGACACAGGAGGATTGAGACCCCGTTCTGTCTGGTGTAGGTCTGAATGCTGT 4510
Db 226 -----LeuLeuAsnValPh 230
QY 4511 CCGCGTCTCTGCACATCCAGCGCTGGTGGCAAGGTCTTACGCTTCCAAAGGCTTT 4570
Db 230 eProMetLeuLeuHisIleProGlyLeuLeuGlyLysValPheSerGlyLysLysAlaPh 250
QY 4571 CTGACCCAGCTGGATGAGTCTAACTGAGCACAGGATGACTGGGACCCAGCCAGCC 4630
Db 250 eValAlaMetLeuAspGluLeuLeuThrGluHisLysValThrTrpAspProAlaGlnPr 270
QY 4631 ACCCGAGACTGACTGAGGCTTCTCTGGCAAGAGAGAGAGTGTGAGTGGTGGCCAC 4690
Db 270 oProArgAspLeuThrAspAlaPheLeuAlaGluValGluLys----- 284
QY 4691 GGTGGGGGCAAGGTGGTGGTTGAA CGTCCAGAGGATGAGGGGAGGCTGGGCAA 4750
Db 284 ----- 284
QY 4751 AGTTGGACCAAGTGCATCACCGGCGAGCGCATCTGGGCTGACAGGTGCAGAAATTGGAG 4810
Db 284 ----- 284
QY 4811 GTCAATTTGGGGCTACCCCGTTCTATCCCTGAGTATCCTCTCGGCCCTGCTCAGGCCAA 4870
Db 285 -----AlaLys 286
QY 4871 GGGGAGCCCTGAGACAGCTTCAATGATGAGAACCTGCGCATAGTGGTGGTGAACCTGTT 4930
Db 286 eGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgValValAlaAlaAspLeuPh 306
QY 4931 CCTTCCGGGATGGTGACCACTCGACCACTGGCTGGGCTGCTGCTGCTGCTGCTGCTGCTGCT 4990
Db 306 eMetAlaGlyMetValThrSerThrThrLeuThrTrpAlaLeuLeuPheMetIleLeu 326
QY 4991 ACACCTGGATGTGACCGGTGAGCCCGAGCTGGGGCCCAAGGAGGAGGACTGAGGGAGGAGG 5050
Db 326 uArgProAspValGln----- 331
QY 5051 GTACAGCTGGGGGCCCTTGGGCTTAGTGGGACACCCGGGCTTCCAGCACAGGGGTGGC 5110
Db 331 ----- 331
QY 5111 CAGGCTCTGTAAAGCTTAATTCCTCCAACACAGGAGGAGGAGGTGTCCCTGGGTGC 5170

Db 331 ----- 331
QY 5171 TGACCCATTGTGGGACCGCATGTGTCTCCAGTCCGTGTCCAAACAGGAGATCGAACAGGTG 5230
Db 332 -----Cys--ArgValGlnGlnGluIleAspGluVal 341
QY 5231 ATAGGCGAGGTGCGGCGACAGAGATGGTGCACAGGCTCACATGCTCCCTCACACACTGCC 5290
Db 342 IleGlyGlnValArgArgProGluMetAlaAspGlnAlaArgMetProPheThrAsnAla 361
QY 5291 GTGATTCACAGGTGCGAGCGCTTTGGGACATCATCCCTCTAGTGTGACCATATGACA 5350
Db 362 ValIleHisGluValGlnArgPheAlaAspIleLeuProLeuGlyValProHisLysThr 381
QY 5351 TCCGCTGACATCGAAGTACAGGGCTTCGCAATCCCTTAAGTGTAGGCTGGCGCCCTCTCTCA 5410
Db 382 SerArgAspIleGluValGlnGlyPheLeuIleProLys----- 394
QY 5411 CCCCAGCTCAGCACACAGCACCTGGTGATAGCCCCCAGCATGGCTACTGCCAGGTGGGCCCA 5470
Db 394 ----- 394
QY 5471 CTCTAGGAACCTGGCCACCTAGTCTCTCAATGCCACCACACTGACTGTGCCACTTGGGT 5530
Db 394 ----- 394
QY 5531 GGGGGTCCAGATATAGGCAGGGCTGGCTGTCCATCCAGAGCCCCGTCTAGTGGGGA 5590
Db 394 ----- 394
QY 5591 GACAAACAGGACCTGCCAGAAATGTTGGAGACCCAGCGCTGCAGGGAGAGGGGCGAGT 5650
Db 394 ----- 394
QY 5651 GTGGGTGCTCTGAGAGGTGTGACTGGCGCCCTGTGTGGGTTCGAGAGGGTACTGTGGA 5710
Db 394 ----- 394
QY 5711 GCTTCTGGGCGCAGGACTAGTTACAGAGTCCAGCTGTGTGCCAGGAGGTGTGTGTCCC 5770
Db 394 ----- 394
QY 5771 CCGTGTGTTGTGGCAGGGGTCCAGCATCTTAGAGTCCAGTCCCCACTCTCACCCCTGC 5830
Db 394 ----- 394
QY 5831 ATCTCTGCCAGGGAACGACACTCATCACCACCTGTCTATCGGTGTGTAAGGATGAGGC 5890
Db 395 -----Gly-ThrThrLeuIleIleAsnLeuSerSerValLeuLysAspGluTh 410
QY 5891 CGTCTGGGAGAGCCCTTTCGCTTCCACCCCGAACACTTCTCTGATGCCAGGCCACTT 5950
Db 410 rValTrpGluLysProLeuArgPheHisProGluHisPheLeuAspAlaGlnGlyAsnPh 430
QY 5951 TGTGAAGCCGAGCGCTTCTGCTTCTCTCAGAGGTGCTGTGTGGGAGCCCGGCTCCCT 6010
Db 430 eValIleHisGluAlaPheMetProPhe--Ser----- 440
QY 6011 GTCCCTTCTCGTGAGTCTTGCAGGGGTATCACCCAGGAGCGAGGCTCACTGACGCCCT 6070
Db 440 ----- 440
QY 6071 CCCCTCCACAGCCCGCGTGCATGCTCGGGAGGCCCTTGGGCCCGCATGAGCTTTC 6130
Db 441 -----AlaGlyArgArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPhe 457
QY 6131 CTCTTCTTCACTCCCTGCTGCAGCACTTCACTTCTCTCGGGCGCGGCGGACACCCCGG 6190
Db 458 LeuPhePheThrCysLeuLeuGlnArgPheSerValProAlaGlyGlnProArg 477
QY 6191 CCCAGCACTCTCGTGTGCTCAGCTTCTGTGTAGCCCCCATCCCTACGAGCTTGTGCT 6250
Db 478 ProSerAsnTyrGlyValPheGlyAlaLeuThrThrProArgProTyrGlnLeuCysAla 497

```
QY 6251 GTGCCCCGC 6259
Db 498 SerProArg 500
RESULT 7
ID_CDPD_PIG STANDARD; PRT; 499 AA.
AC 04658;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2B25 (EC 1.14.14.-) (CYP11D25) (Vitamin D(3) 25-
DE hydroxylase).
GN CYP2D25.
OS Sus scrofa (Pig).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
OX NCBI_TaxID=9823;
RN
RP SEQUENCE FROM N.A., AND SEQUENCE OF 1-56; 248-272 AND 407-429.
RC TISSUE=Liver;
RX MEDLINE=98086378; PubMed=9425298;
RA Postlind H., Axen E., Bergman T., Wikvall K.;
RT "Cloning, structure, and expression of a cDNA encoding vitamin D3 25-
RT hydroxylase.";
RL Biochem. Biophys. Res. Commun. 241:491-497(1997).
CC [1]
CC [2]
CC SEQUENCE OF 1-16.
RC TISSUE=Liver;
RX MEDLINE=93075023; PubMed=1445236;
RA Axen E., Bergman T., Wikvall K.;
RT "Purification and characterization of a vitamin D3 25-hydroxylase
RT from pig liver microsomes.";
RL Biochem. J. 287:725-731(1992).
CC -!- FUNCTION: CATALYZES THE FIRST STEP IN THE METABOLIC ACTIVATION OF
CC VITAMIN D(3) INTO 1-ALPHA,25-DIHYDROXYVITAMIN D(3), ITS ACTIVE,
CC HORMONAL FORM.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- TISSUE SPECIFICITY: Found in liver and kidney.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; Y16417; CAA76205.1; -.
CC PIR; JC5819; JC5819.
CC HSP; P00179; 1DT5.
CC InterPro; IPR001128; Cytochrome_P450.
CC InterPro; IPR008069; EP450_CYP2D.
CC Pfam; PF00067; P450; 1.
CC PRINTS; PR01686; BP450ICYP2D.
CC PRINTS; PR00385; P450.
CC PROSITE; PS00086; CYTOCHROME_P450; 1.
KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
FT METAL 445 445 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
SQ SEQUENCE 499 AA; 56380 MW; 31C878B580B61919 CRC64;
Alignment Scores:
Pred. No.: 61e-50 Length: 499
Score: 1266.00 Matches: 366
Percent Similarity: 29.96% Conservative: 51
Best Local Similarity: 26.29% Mismatches: 72
Query Match: 6.76% Indels: 903
DB: 1 Gaps: 10
```

QY 3182 GACAGTACCGTAGCCCAAGCAGCGCCGACAGGGCGTGGGGTCTCGAGCTGAACAGAG 3241
Db 119 ----- 119
QY 3242 ATAAAGGCCAGCAGTGGGCTGAGGACAGTGGGCCAGGAACCACTGCA CGGGGAGGT 3301
Db 119 ----- 119
QY 3302 GCGAGTCTGTGGGCTGGGAGGGGGGGGGCTACTGCCAGACCCGCCAGAACCGGTGG 3361
Db 119 ----- 119
QY 3362 GCGAGGCTGATCGCTGGAAGTGGCGGTGGCGGGGACCGGCTATGCTGGGGCTCAGTG 3421
Db 119 ----- 119
QY 3422 TGGCGGGAGCGGGCGGATCTTCTTGTAGTGAAGGTGGTCAGGGTGGGACAGACGAG 3481
Db 119 ----- 119
QY 3482 GTGGGGCCAAACCCGCCAGCAGGAGGAGCAATGTGGTGAGCAAGAGTGGGCCCTG 3541
Db 119 ----- 119
QY 3542 TGCCAGCTGGACCGGGCTAGGAGCTGCGGAGACCTTGTGGAGCGCCAGGGTGGAGTG 3601
Db 119 ----- 119
QY 3602 GGTGGGAGGTGGGGCCAGGCCTTCATGGCAACGCCACGTGTCCGTCCCGCCCCA 3661
Db 119 ----- 119
QY 3662 GGGGTGATCTCGCGCTATGGGCCCGCGTGGCCGAGCAGCGCTTCTCGGTGCC 3721
Db 120 GlyValIleLeuAlaArgTyrGlyLysAlaTprArgGluGlnArgPheSerValSer 139
QY 3722 ACCTTGGCACTTGGGCTGGGCAAGAGTGGTGGAGCAGTGGGTACCGAGAGGCC 3781
Db 140 ThrLeuArgAsnPheGlyLeuGlyLysSerLeuGluGluTprValThrGlnGluAla 159
QY 3782 GCGTCTTGTGCGCTTCCGCGACCAAGCGGTGGGTGATGGGCAAGAGGCAACAAG 3841
Db 160 SerCysLeuCysAlaAla ----- 165
QY 3842 CGGGAAGTGGGAAGCGGGGACGAGAGCAACCCCTTACCCGCATCTCCCCACCCCC 3901
Db 166 ----- Phe-AlaAspGlnAl 170
QY 3902 AGGAGCCCCCTTCCGCCCAAGCGGCTCTTGGACAAAGCGGTGACCAAGTATCGCCTC 3961
Db 170 aGlyArgProPheSerProAsnAsnLeuLeuAsnLysAlaValSerAsnValIleAlaSe 190
QY 3962 CCTCACCTGCGGGCGCGCTTCGAGTACGACGACCTCGCTTCTCAGCGTCTGGAGCT 4021
Db 190 rLeuThrPheAlaArgPheGluTyrAsnAspProArgMetLeuLysLeuLeuAspLe 210
QY 4022 AGCTCAGGAGGACTGAAGGAGGAGTCCGGCTTCTGCGCGAGGTGCGGAGCGAGAGCC 4081
Db 210 uValLeuGluGlyLeuLysGluGluValGlyLeuMetArgLys ----- 224
QY 4082 GAGGAGTCTCTCAGGGCGAGCTCTCGAGAGTGGCGGGGCTGGAGCTGGGGCTCCGAAG 4141
Db 224 ----- 224
QY 4142 GCGAGGATTTGATAGTGGGTTTGGGAAAGGACATTCAGGAGACCCCACTGTAAAGAAG 4201
Db 224 ----- 224
QY 4202 GGCCTGGAGGAGGAGGAGACATCTCAGACATGGTCTGGGAGAGGTGTGCCGGGTGAGG 4261
Db 224 ----- 224

QY 4262 GGGCACCAGGAGAGGCGCAAGGACTCTGTATCCCCCGTCCACGTTGGAGATTTTCGATTTTAG 4321
Db 224 ----- 224
QY 4322 GTTTCTCTCTGCGCAAGAGAGAGGGGTGGAGGCTGGCACTTGGGGAGGAGCTTGGTGAG 4381
Db 224 ----- 224
QY 4382 GTCAGTGTAAAGACAGGACAGGCCCTTGGGTCTACTCTGGAGATGGCTGGGGCTCAGACTT 4441
Db 224 ----- 224
QY 4442 GTCCAGGTGAACGACAGACAGGAGGATTTGAGACCCCGTTCTGTCTGGTGTAGGTGCT 4501
Db 225 -----ValLe 226
QY 4502 AAATGCTGTCCCGTCTCTCTGCACATCCACAGCGCTGGCTGGCAAGGTCTTACGCTTCCA 4561
Db 226 uGluAlaMetProValLeuArgHisIleProGlyLeuCysAlaLysLeuPheProArgL 246
QY 4562 AAAGCTTTCTGACCACAGCTGGATGAGCTGCTAACTGAGCACAGGATGACTGGGACCC 4621
Db 246 nLysAlaPheLeuValMetIleAspGluLeuIleThrGluHisLysMetThrArgAspLe 266
QY 4622 AGCCAGCCACCCGAGACCTGACTGAGGCTTCTGCAAGAGAGGAGAGGTGAGAGT 4681
Db 266 uAlaGlnProProArgAspLeuThrAspAlaPheLeuAspGluMetLys ----- 282
QY 4682 GGCTGCCACGCTGGGGGCAAGGGTGGTGGTTGAAAGTCTCCAGGAGGAATGAGGGGAGG 4741
Db 282 ----- 282
QY 4742 CTGGGCAAAAGTTGGACAGTGATCATCCCGGCGAGCCGCATCTCTGGGCTCAGAGGTGCA 4801
Db 282 ----- 282
QY 4802 GAATTGGAGGTCAATTGGGGGTACCCCGTTCTATCCCTGAGTATCCTCTCGGCCCTGC 4861
Db 282 ----- 282
QY 4862 TCAGGCCAAGGGAGCCCTGAGAGCAGCTTCAATGATGAGAACCTTGGCATAGTGGTGGG 4921
Db 283 -GluAlaLysGlyAsnProGluSerSerPheAsnAspGluAsnLeuArgLeuValAla 302
QY 4922 TAACCTGTCTCTGCGGAGTGGTACCACTCGACCAAGCGTGGCGCTGGGGCTCTCTGCT 4981
Db 302 aHisLeuPheSerAlaGlyMetIleThrThrSerThrThrLeuAlaTprAlaLeuLeuLe 322
QY 4982 CATGATCTACACCTGATGTGACGCTGAGCCAGCTGGGGCCCAAGGCGAGGAGTCTGAG 5041
Db 322 uMetIleLeuHisProAspValGln ----- 330
QY 5042 GGAGGAAGGTATACAGCTGGGGGCCCTTGGGCTTAGCTGGGACACCCCGGGGCTTCCAGCAC 5101
Db 330 ----- 330
QY 5102 AGGCGTGCCAGGCTCTCTGTAAGCCTTAATCTCTCCAAACAGGAGGAGAGAGTGTCC 5161
Db 330 ----- 330
QY 5162 CCTGGGTGCTGACCCCATTTGTGGGACGATGTCTGTCCAGTCCGTGTCCAAACAGGAGATC 5221
Db 331 -----Arg-ArgValGlnGlnGlnIle 337
QY 5222 GACACGTTGATAGGCGAGGTGGCGGACAGAGATGGTGACCAAGGTCTCATGCCCTTAC 5281
Db 338 AspGluValIleGlyHisValArgLysProGluLysAspGlnAlaLeuMetProPhe 357
QY 5282 ACCACTGCGGTGATTCAGAGGTGAGCGCTTTGGGAGCATCATCCCCCTGAGTGTGACC 5341
Db 358 ThrLeuAlaValLeuHisGluValGlnArgPheGlyAspIleValProLeuGlyValAla 377
QY 5342 CATATGACATCCCGTGACATCGAAGTACAGGGCTTCCGCATCCCTAAGGTAGGCTGGCG 5401


```
QY 4307 AGATTTTCGATTTTAGGTTTCTCTCTGGGCAAGGAGAGAGGGTGAGGCTGGCACTTGGG 4366
Db 224 ----- 224
QY 4367 GAGGACTTGGTCAGGTGAGTGAAGGACAGCAGCGCCCTGGGTCTACCTGGAGATGGC 4426
Db 224 ----- 224
QY 4427 TGGGGCCTGAGACTTGTCCAGGTGAACGACAGACACAGGAGGAATTGAGACCCCGTTCTG 4486
Db 224 ----- 224
QY 4487 TCTGGTGTAGGCTGAATGCTGTCTCCCTCTCTGACATCCACAGCCCTGGTGGCAA 4546
Db 225 -----AlaLeuAsnSerIleProValLeuLeuHisIleProGlyLeuAlaSerIly 241
QY 4547 GGTCTACCTGGACCCAGCCAGCCACCCGAGACCTGACTGAGGCTTCTCTGCAAGAA 4666
Db 241 sValPheSerAlaGlnIlyAlaIleIleThrLeuThrAenGluMetIleGlnGluHisAr 261
QY 4607 GATGACTTGGGACCCAGCCAGCCACCCGAGACCTGACTGAGGCTTCTCTGCAAGAA 4666
Db 261 glysThrArgAspProThrGlnProProArgHisLeuIleAspAlaPheValAspGluI 281
QY 4667 GGAGAGGTGAGAGTGGCTGCCACGGTGGGGGCAAGGGTGGTGGTGAACGTCCAGG 4726
Db 281 eGluIlyS ----- 283
QY 4727 AGGAATGAGGGAGGCTGGCAAAAGGTTGGACCATGTCATCACCCGGCAGCCGCATCT 4786
Db 283 ----- 283
QY 4787 GGGCTGACAGGTGCAGAAATTGGAGGTCAATTGGGGCTACCCCGTTCTATCCCTCAGTA 4846
Db 283 ----- 283
QY 4847 TCCTCTCGGCCCTGTCTCAGGCAAGGGAGCCCTGAGACAGCTTCAATGATGAGAACT 4906
Db 284 -----AlaIlySgIyAsnProIlySThrSerPheAsnGluGluAsnIle 297
QY 4907 GGCATAGTGGTGGTAACTCTCTTCGCGGATGGTGACCACTCGACCACTGGC 4966
Db 297 uCysMetValThrSerAspPheIleAlaGlyMetValSerThrSerIleThrLeuTh 317
QY 4967 CTGGGCGCTCTCTCATGATCTACACCTGATGTGACGCTGAGCCGTCAGCCAGCTGGGGCC 5026
Db 317 rTrpAlaLeuLeuLeuMetIleLeuHisProAspValGln----- 330
QY 5027 AAGGCAGGACTGAGGGAGGAAGGTACAGCTGGGGGGCCCTGGGCTTAGCTGGGACACC 5086
Db 330 ----- 330
QY 5087 CGGGGCTTCAGACAGGCGTGGCCAGGCTCTGTAGCCTAACTTCCTCCAACACAGGA 5146
Db 330 ----- 330
QY 5147 GGAAGAGAGTGTCCCTGGGTGTGACCCATTGTGGGACGCACTGTCTGTCCAGTCCGT 5206
Db 331 -----Arg--Arg 332
QY 5207 GTCCAAAGGAGATCGACGCTGATAGGGCAGGTGCGGACAGACAGATGGGTGACCAG 5266
Db 333 ValGlnGlnGluIleAspValIleGlyArgGluGlnLeuProGluMetGlyAspGln 352
QY 5267 GCTCATGCTCCCTACACCACTGCGGTGATTCAGAGGTGACGGCTTGGGGACATCATC 5326
Db 353 ThrArgMetProPheThrValAlaValIleHisGluValGlnArgPheGlyAspIleVal 372
QY 5327 CCCCTGAGGTGACCATATGATCCCTGATCATCGAAGTACAGGCTTCCGCATCCCT 5386
Db 373 ProLeuGlyValProHisMetThrSerArgAspThrGluValGlnGlyPheLeuIlePro 392
QY 5387 AAGGTAGGCTGGGGCCCTCTCACCCAGCTCAGCACGACGACCTGGTGTAGAGCCCCAG 5446
```

```
Db 393 Lys----- 393
QY 5447 CATGCTACTGCCAGTGGGGCCCACTTAGGAACCTGGCCACCTAGTCTCAATGCCAC 5506
Db 393 ----- 393
QY 5507 CACACTGACTGTCTCCCACTTGGGTGGGGGTCACAGATATAGGCAGGGCTGCGCTGTCCA 5566
Db 393 ----- 393
QY 5567 TCCAGAGCCCGCTCTAGTGGGGAGACAAACCAGGACCTGCCAGAAATGTTGGAGGACCCA 5626
Db 393 ----- 393
QY 5627 GCGCTGACGGAGAGGGGCGCAGTGTGGTGTCTCTGAGAGGTGTGACTGCGCCCTGCTG 5686
Db 393 ----- 393
QY 5687 TGGGTTCGAGAGGGTACTGTGGAGTTCTTCGGGCGCAGGACTAGTTGACAGAGTCCAGC 5746
Db 393 ----- 393
QY 5747 TGTGTGCCAGGACGTGTGTCTCCCGTGTGTTTGGTGGCAGGGGTCCCGAGCATCTCTAGA 5806
Db 393 ----- 393
QY 5807 GTCCAGTCCCACTCTCACCTGTCATCTCTGCCCGAGGAGACACACTCATCACCAACCT 5866
Db 394 -----Gly-ThrThrLeuIleThrAsnIle 401
QY 5867 GTCTCGGTGTCTGAAGATGAGGCGCTCTGGGAGAGCCCTTCCGCTTCCACCCCAACA 5926
Db 401 uSerSerValLeuIlySAspGluIlySValTrpIlySlySProPheArgPheTyPrProGluhi 421
QY 5927 TTCTCTGATGCCAGGGCCACTTTGTGAAGCGGAGGCTTCTTCCGCTTCTCAGCAGG 5986
Db 421 sPheLeuAspAlaGlnGlyHisPheValIlyHisGluAlaPheMetProPhe--Ser--- 439
QY 5987 TGCCTGTGGGAGCCCGGCTCTCTCTCCCTTCCGTTGGAGTCTTGCAGGGGTATCACCCA 6046
Db 439 ----- 439
QY 6047 GGAGCAGGCTCACTGACGCGCCCTCCCTCCCAAGGCGCGCTGCTGCTCGGGGAG 6106
Db 440 -----AlaGlyArgArgValCysLeuGlyGlu 448
QY 6107 CCCCTGGCGCGCATGAGCTTCTCTTCTTCACTCTCCCTGCTGCTGAGCAGCTTCTCAGCTTC 6166
Db 449 ProLeuAlaArgMetGluLeuPheLeuPheThrCysLeuLeuGlnArgPheSerPhe 468
QY 6167 TCCGTGGCGCGGACAGCCCGGCGCCAGCCACTCTCGTGTCTGCTGCTGCTGCTGCTGCTG 6226
Db 469 SerValProAlaGlyGlnProArgProSerAspHisGlyValPheThrPheLeuIlySVal 488
QY 6227 CCATCCCTCTACAGCTTGTGCTGTGCGCCGCG 6259
Db 489 ProAlaProPheGlnLeuCysValGluProArg 499
RESULT 9
CPDK MESAU
ID CPDK MESAU STANDARD; PRT; 500 AA.
AC Q90Y65;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D20 (EC 1.14.14.-) (CYP1D20).
GN CYP2D20.
OS Mesocricetus auratus (Golden hamster),
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Cricetinae;
OC Mesocricetus.
OX NCBI_TaxID=10036;
```

```

[1]
RN SEQUENCE FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=2053396; PubMed=11083025;
RA Oka T., Fukuhara M., Ushio F., Kurose K.;
RT "Molecular cloning and characterization of three novel cytochrome
RT P450 2D isoforms, CYP2D27, and CYP2D28 in the Syrian hamster
RT (Mesocricetus auratus).";
RL Comp. Biochem. Physiol. 127C:143-152(2000).
CC -1- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2O).
CC CC -1- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum (By
CC similarity).
CC CC -1- SIMILARITY: Belongs to the cytochrome P450 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC ENBL; AB031864; BAA89313.1; -.
DR HSSP; P00179; IDT6.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; P450_1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME_P450; 1.
KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum.
FT METAL 446 446 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
SQ SEQUENCE 500 AA; 56503 MW; 9948102706C50144 CRC64;

Alignment Scores:
Pred. No.: 6,81e-47 Length: 500
Score: 1198.00 Matches: 349
Percent Similarity: 28,56% Conservative: 48
Best Local Similarity: 25,11% Mismatches: 90
Query Match: 6,40% Indels: 903
DB: 1 Gaps: 9

US-09-820-788A-3 (1-10278) x CPDK_MESAU (1-500)
QY 2108 ATGATAGTGGCACTTCCTGCTCGACTGATGACCGGCACCAACGCTGGCT 2167
Db 14 IlePheThrAlaLeuPheLeuLeuValAspLeuMetHisArgArgLysPheTrpArg 33
QY 2168 GCACGCTACCCGCGAGTCCCTGCCACTGCCCGGCTGGGCAACCTTGCTGATGGA 2227
Db 34 AlaArgTyrProProGlyProMetProLeuProGlyLeuGlyAsn-LeuLeuGlnValAs 53
QY 2228 CTTTCCAGAACACACCACTACTCTTCACACAGGTGAGGAGGAGTCTCTGAGGGCGCGAG 2287
Db 53 pPheGluAsnMetProTyr-Ser----- 60
QY 2288 AGTCTCTGAGGATGCCCCACCAACAGCAACATCGGTGGTGGTTAAACACAGGCTGGA 2347
Db 60 ----- 60
QY 2348 TCAGAGCCAGGCTGAGAGGGGAGACGATTTGGGGGACGTTTCCTGGGGAAGGACATTT 2407
Db 61 ::::|
|::|-----Leut 62
QY 2408 ATACATGCATGAGGACTGGATTTTCCAAAGGCCAAGGAAGTAGGGCAAGGGCGCTGG 2467
Db 62 yr----- 62
QY 2468 AGGTGGAGCTGGACTTGGCAGTGGGCATGCAACCCCATGGGCAACATATGTTATGGAGT 2527
Db 62 ----- 62

```


QY 3608 GGAGGGTGGGGCCAAAGCCCTTCATGTGCAACGCCCACTGCTCCGTCCTCCCGCCCCCAGGGGTG 3667
DB 121 -----GlyVal 122
QY 3668 ATCTCTCTCGCTATCGCGCCGCGTGGCGAGCAGAGCGCTTCTCCGTGTCACCTTG 3727
DB 123 ValPheAlaArgTyrGlyProGlnTrpArgGlnArgPheSerValSerThrMet 142
QY 3728 CGCAACTTGGGCTGGCGCAAGAGTCTGAGACAGTGGGTGACCGAGGAGGCGCCTGC 3787
DB 143 ArgAspPheGlyValGlyLysLysSerLeuGluGlnTrpValThrGluAlaGlyHis 162
QY 3788 CTTTGTGCGCTTCGCGGACCAAGCCGCTGGGTGATGGCGAGAGGGCAAAAGCGGAA 3847
DB 163 LeuCysAspAla----- 166
QY 3848 CTGGGAAGCGGGGACGAGAGGCAACCCCTTACCCTGATCTCCCAACCCCGGAGCG 3907
DB 167 -----Phe-ThrGlnGluAlaGlyHis 173
QY 3908 CCCCTTTTCGCCCAACGCGCTCTTGACAAAGCCGTGAGCAACGTGATCGCCTCCCTCAC 3967
DB 173 sProPheAsnProIleThrLeuLeuAsnLysSerValCysAsnValIleSerSerLeuIle 193
QY 3968 CTGCGGGCGCGCTTCGAGTACAGCAACCTCTGCTCTCCTCAGCTGCTGACCTAGCTCA 4027
DB 193 eTyrAlaHisArgPheAspTyrGluAspProPhePheAsnLysLeuLeuLysThrLeuGlu 213
QY 4028 GGAGGACTGAAGGAGGTGGGCTTCTGCGGAGGTGCGGAGCGAGAGCCGAGGAG 4087
DB 213 nGluSerPheGlyGluAspSerGlyPheIleAlaGlu----- 225
QY 4088 TCTCTCGAGGGCGAGCTCTGAGAGGTGCGGGCTGAGACTGGGGCTCCGAAGGCGAG 4147
DB 225 ----- 225
QY 4148 ATTTCATAGTGGTTTGGAAAGACATTCAGAGAGCCCACTGTAAGAGGCGCTG 4207
DB 225 ----- 225
QY 4208 GAGGAGGGGACATCTCAGACATGGTCTGTTGGAGAGGTGTGCCGGGTGAGGGGCGAC 4267
DB 225 ----- 225
QY 4268 CAGGAGGCCAAGGACTCTGTACCCCGCTCCACGTTGGAGATTTCGATTTTAGGTTTCT 4327
DB 225 ----- 225
QY 4328 CTTCTGGGCAAGAGAGAGGGTGGAGGCTGGGCACTTGGGGAGGGACTTGGTAGGTCACT 4387
DB 225 ----- 225
QY 4388 GGTAAGGACAGGAGCGCCCTGGGTCTACCTGGAGATGGCTGGGGCTGAGACTTGTCCAG 4447
DB 225 ----- 225
QY 4448 GTGAACGACAGACAGAGGGGATTGAGACCCCGTTCTGTCTGTGTAGGTGCTGAATGC 4507
DB 226 -----ValLeuAsnAl 229
QY 4508 TGTCCCGCTCTCTCGCATCCAGCGGTGGCTGGCAAGTCTTACGCTTCCAAAGGC 4567
DB 229 aValProValLeuLeuArgIleProGlyLeuProGlyLysAlaPheProLysLeuThrAl 249
QY 4568 TTTCTGACCCAGCTCGATGATGCTTAAGTACGACAGATGACCTGGGACCCAGCCCA 4627
DB 249 aPheMetAspSerLeuTyrLysMetLeuIleGluHisLysThrThrTrpAspProAlaGlu 269
QY 4628 GCCACCCGAGACTCTCACTGAGCCTTCTTGGCAAGAGGAGAGGTGAGAGTGCCTGC 4687
DB 269 nProProArgGlyLeuThrAspAlaPheLeuAlaGluValGluLys----- 284
QY 4688 CACGGTGGGGGCAAGGGTGGTGGTTGAACGTCCAGGAGGAATGAGGGGAGGCTGGGC 4747

DB 284 ----- 284
QY 4748 AAAAGTTGGACAGTGCATCACCGCGAGCGCATCTGGGTGACAGGTGCAGAAATG 4807
DB 284 ----- 284
QY 4808 GAGGTCAATTGGGGCTACCCCGTTTATPCCCTGAGTATCTCTCGGCCCTGCTCAGGC 4867
DB 285 -----Al 285
QY 4868 CAAGGGAGCCCTGAGAGCAGCTTCAATGATCAGAACTTCCGATAGTGGTGAACCT 4927
DB 285 aLysGlyArgProGluSerSerPheAsnAspGluAsnLeuHisValValAlaAspLe 305
QY 4928 GTTCTTGGCGGATGTCACACCTCGACACGCTCGGCTGGGCTTCTGCTCATGAT 4987
DB 305 uPheIleAlaGlyMetValThrThrSerThrThrLeuSerTrpAlaLeuLeuMetIle 325
QY 4988 CTACACCTTGGATGTGACGCTGAGCCAGCTGGGCCCCAAGCGAGGACTGAGGAGGA 5047
DB 325 eLeuHisProAspValGln----- 331
QY 5048 AGGTTACAGCTGGGGCCCCCTGGGCTTAGCTGGGACACCCGGGGCTTCCAGCACAGGCGT 5107
DB 331 ----- 331
QY 5108 GGCCAGGCTCCTGTAAGCCTAATCTCCACACAGGAGGAGGAGAGTGTCCCTCGG 5167
DB 331 ----- 331
QY 5168 TGCTGACCCATTGTGGGACGCATGTGTCTCAGTCCGTGTCCAAACAGGAGATCGACGAC 5227
DB 332 -----ArgValGlnGlnGluLeuAsp 340
QY 5228 GTGATAGGCGAGTGGCGGACAGAGATGGGTGACAGGCTCACATGCTTACACCACT 5287
DB 341 ValIleGlyGlnValArgArgProGluMetAlaAspGlnAlaArgMetProTyrThrAsn 360
QY 5288 GCGGTGATTACAGAGTGCAGCGCTTTGGGGACATCATCCCTGAGTGTGAGCCCATATG 5347
DB 361 AlaValIleHisGluValGlnArgPheGlyAspIleAlaProValAsnValProHisMet 380
QY 5348 ACATCCCGTACATCAAGTACAGGCTTCCGCTATCCCTTAAGTGTAGGCTGGCGCCCTCC 5407
DB 381 ThrSerArgAspValGluValGlnGlyPheLeuIleProLys----- 394
QY 5408 TCACCCAGCTCAGCACCGACCTGGTGTATAGCCCCCAGCATGGCTACTGCCAGGTGGGC 5467
DB 394 ----- 394
QY 5468 CCACCTTAGGAACCTGGCCACCTAGTCTCAATGCCACCACACTGACTGTCCCACCTTG 5527
DB 394 ----- 394
QY 5528 GGTGGGGGTCCAGAGTATAGGAGGCTGGCTGTGTCCATCCAGAGCCCCCGTCTAGTGG 5587
DB 394 ----- 394
QY 5588 GGAGACAAACAGGACCTGCCAGAAATGTTGGAGGACCCAGCGCTGCAGGGAGAGGGGC 5647
DB 394 ----- 394
QY 5648 AGTGTGGGTGCTCTGAGAGGTGTGACTGCGCCCTGCTGTGGGGTCGAGAGGGTACTGT 5707
DB 394 ----- 394
QY 5708 GGAGCTTCTCGGGCGCAGGACTAGTTGACAGAGTCCAGCTGTGTGCCAGGCAGTGTGT 5767
DB 394 ----- 394
QY 5768 CCCCCTGTGTGTGTGGCAGGGGTCCAGCATCTTAGAGTCCAGTCCCACTCTCACC 5827

394	----	394
5828	TGCATCTCTGCCAGGAAACGACACTCATCACCAACTGTCATCGTGCTGCTGAAGGATGA	5887
395	-----Gly-ThrThrLeuIleProAsnLeuSerSerValLeuIysAspG	409
5888	GGCGGTCGGGGAAGCCCTTCGGCTTCACCCCGAACACTTCCTGATGCCAGGGCCA	5947
409	uThrValTrpGlnIysProLeuHisPheHisProGluHisPheLeuAspAlaGlnGlyAr	429
5948	CTTTGTGAAGCCGGAGGCCCTTCCTGCTTCCTCAGCAGAGTGCCCTGTGGGAGCCCGGCTC	6007
429	gPheValLysGlnAlaPheMetProPhe--Ser-----	440
6008	CCTGTCCCTTCGTGGAGTCTTGACGGGGTATCACCCAGAGCCAGGCTCATCTGACGCC	6067
440	-----	440
6068	CCTCCCTCCCCACAGGCCCGGTGCATGCTCGGGAGCCCTCGGCCCATGGAGCTC	6127
441	-----AlaGlyArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeu	456
6128	TTCTCTCTTTCACCTCCCTGTGTGCAGCACTTCAGCTTCTCGGTGGCCGCGGACAGCCC	6187
457	PheLeuPhePheThrCysLeuLeuGlnArgPheSerPheSerValProAlaGlyGlnPro	476
6188	CGSCCCAGCCACCTCTCGTGTGTGTGAGCTTTCGTGTACCCCATCCCTCCCTACGAGCTTTGT	6247
477	ArgProSerAspGlnGlyValPheAlaLeuProValThrProThrProTyrGluLeuCys	496
6248	GCTGTGCCCGCG	6259
497	AlaValValArg	500

RESULT 10

CPD2_RAT	STANDARD	PRT	500 AA.
ID	CPD2_RAT		
AC	P10634;		
DT	01-JUL-1989 (Rel. 11, Created)		
DT	01-MAR-1992 (Rel. 21, Last sequence update)		
DT	28-FEB-2003 (Rel. 41, Last annotation update)		
DE	Cytochrome P450 2D2 (EC 1.14.14.1) (CYP1D2) (P450-DB2) (P450-CMF2)		
DE	(Debrisoquine 4-hydroxylase).		
GN	CYP2D2 OR CYP2D-2.		
OS	Rattus norvegicus (Rat).		
OC	Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;		
OC	Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.		
ON	NCBI_TaxID=101116;		
OX	[1]		
RP	SEQUENCE FROM N.A.		
RP	MEDLINE=87217961; PubMed=3582032;		
RX	Gonzalez F.J., Matsunaga T., Nagata K., Meyer U.A., Nebert D.W.,		
RX	Pastawka J., Kozak C.A., Gillette J., Gelboin H.V., Hardwick J.P.;		
RA	"Debrisoquine 4-hydroxylase: characterization of a new P450 gene		
RA	subfamily, regulation, chromosomal mapping, and molecular analysis of		
RT	the DA rat polymorphism";		
RT	DNA 6:149-161(1987).		
RP	[2]		
RP	SEQUENCE FROM N.A.		
RP	MEDLINE=90057430; PubMed=2819073;		
RX	Matsunaga E., Zanger U.M., Hardwick J.P., Gelboin H.V., Meyer U.A.,		
RA	Gonzalez F.J.;		
RA	"The CYP2D gene subfamily: analysis of the molecular basis of the		
RT	debrisoquine 4-hydroxylase deficiency in DA rats.";		
RT	Biochemistry 28:7349-7355(1989).		
RN	[3]		
RN	SEQUENCE FROM N.A.		
RP	MEDLINE=89050091; PubMed=3190674;		
RA	Ishida N., Tawaragi Y., Inuzuka C., Sugita O., Kubota I.,		
RA	Nakazato H., Noguchi T., Sassa S.;		
RT	"Four species of cDNAs for cytochrome P450 isozymes immunorelated to		
RT	P450C-M/F encode for members of P4501D subfamily, increasing the		
RT	number of members within the subfamily.";		
RT			

Biochem. Biophys. Res. Commun. 156:681-688(1998).

[4]

SEQUENCE FROM N.A.

RC STRAIN=Sprague-Dawley; TISSUE=Liver;

RX MEDLINE=90189185; PubMed=2107330, 1;

RA Matsunaga E., Umeno M., Gonzalez F.J.;

RT "The rat P450 1D subfamily: complete sequences of four closely

RT linked genes and evidence that gene conversions maintained sequence

RT homogeneity at the heme-binding region of the cytochrome P450 active

RT site";

RL J. Mol. Evol. 30:155-169(1990).

[5]

SEQUENCE FROM N.A.

RC STRAIN=Sprague-Dawley; TISSUE=Liver;

RX MEDLINE=9805365; PubMed=9434752;

RA Wan J., Imaoka S., Chow T., Hiroi T., Yabusaki Y., Funae Y.;

RT "Expression of four rat CYP2D isoforms in *Saccharomyces cerevisiae*

RT and their catalytic specificity.";

RL Arch. Biochem. Biophys. 348:383-390(1997).

CC -1- FUNCTION: Cytochromes P450 are a group of heme-thiolate

CC monooxygenases. In liver microsomes, this enzyme is involved in an

CC NADPH-dependent electron transport pathway. It oxidizes a variety

CC of structurally unrelated compounds, including steroids, fatty

CC acids, and xenobiotics.

CC -1- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +

CC oxidized flavoprotein + H(2)O.

CC -1- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.

CC -1- INDUCTION: P450 can be induced to high levels in liver and other

CC tissues by various foreign compounds, including drugs, pesticides,

CC and carcinogens.

CC -1- SIMILARITY: Belongs to the cytochrome P450 family.

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL Outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announcement/> or send an email to license@isb-sib.ch).

EMBL; M16655; AAA41055.1; --

DR EMBL; M22330; AAA41049.1; --

DR EMBL; X52027; CAA36269.1; --

DR EMBL; AB008423; BAA23123.1; --

DR PIR; B26822; B26822.

DR HSP; P00179; 1D76.

DR InterPro; IPR001128; Cytochrome P450.

DR InterPro; IPR008069; EP450_CYP2D.

DR Pfam; PF00067; P450.1.

DR PRINTS; PR01686; EP450ICYP2D.

DR PRINTS; PR00385; P450.

DR PROSITE; PS00086; CYTOCHROME P450; 1.

DR Oxidoreductase, Monooxygenase; Electron transport; Membrane; Heme;

KW Microsome; Endoplasmic reticulum.

KW METAL 446 446 IRON (HEME AXIAL LIGAND).

FT CONFLICT 117 117 N -> D (IN REF. 3)

FT CONFLICT 346 346 R -> L (IN REF. 1 AND 2).

FT CONFLICT 358 358 F -> L (IN REF. 1 AND 2).

FT CONFLICT 407 407 K -> E (IN REF. 1 AND 2).

SQ SEQUENCE 500 AA; 56683 MW; 23E99250734C2215 CRC64;

Alignment Scores:

Argument Scores:			
Pred. No.:	1.48e-46	Length:	500
Score:	1190.50	Matches:	349
Percent Similarity:	29.15%	Conservative:	60
Best Local Similarity:	24.88%	Mismatches:	88
Query Match:	6.36%	Indels:	906
DB:	1	Gaps:	11

US-09-820-788A-3 (1-10278) x CPD2 RAT (1-500)

Qy 2078 ATGGGGCTA-----GAAGCACTGGTGTCCCTGGCCATGATAGTGGCCATCTTCCTG 2128

Db	1	MecGlyLeuLeuIleGlyAspAspLeuTrpAlaValValIlePheThrAlaIlePheLeu	20
Qy	2129	CTCCTGCTGGACCTGATGACACCGGACCAACCGCTGGCTGCACTACCTCCCGCAGGTCCTC	2188
Db	21	LeuLeuValAspLeuValHisArgHisLysPheTrpThrAlaHisIleProGlyPro	40
Qy	2189	CTGCCACTGCGCGGCTGGGCAACCTTGCTGATGTGACTTCCAGAACACACCATACTG	2248
Db	41	ValProLeuProGlyLeuGlyAsn-LeuLeuGlnValAspPheGluAsnMetProTyr-S	60
Qy	2249	CTTCGACCAAGTGAAGGAGGAGTCTCTGGAGGGCGCAGAGGTCTCTGAGGATGCCCCACC	2308
Db	60	er::	60
Qy	2309	ACCAGCAACATGGGTGGTGTAAACCAACAGGCTGGATCAGAAGCCAGGCTGAGAAGG	2368
Db	60		60
Qy	2369	GGAAGCAGGTTTGGGGGACGTTCTCTGGGGAAGGACATTTATACATGGCATGAAGACTGG	2428
Db	61	LeuTyr:::LeuTyr	62
Qy	2429	ATTTTCCAAAGCCAAAGGAAGTAGGCAAGGGCTGGAGGTGGAGCTGGACTTGGCAG	2488
Db	62		62
Qy	2489	TGGGCATGCAAGCCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACA	2548
Db	62		62
Qy	2549	CCAGAAGGAAGCCCTTGGGAATGGAAGATGATTAGTCTCTGAGTGGCGTTTAAATCACG	2608
Db	62		62
Qy	2609	AAATCAGGATGAGGGGTGAGTGACCCCGTTCAAACCTTTTGCACTGTGGGTCTCTCG	2668
Db	62		62
Qy	2669	GGCCTCACTGCTCACCGGCATGGACCATCATCTGGGAATGGATGCTAACTGGGGCCTCT	2728
Db	62		62
Qy	2729	CGGCAATTTTGTGACTCTTGCAAGGTCTATACCTGGGTGACGCATCCAAACTGAGTTCTCT	2788
Db	62		62
Qy	2789	CCATCAGAGGTGTGACCCCAACCCCTGCCCAAGATCAGGAGGCTGGGTCTCTCTCCT	2848
Db	62		62
Qy	2849	TCCACCTGCTCACTCTCTGCTAGCCCGGGGGTGTGTCGAAGTTCAAATAGGACTAGGACC	2908
Db	62		62
Qy	2909	TGTAGTCTGGGTGATCTCTGGTTTGACAGAGGCCCTGACCCCTCTGCGATTTGGGCGC	2968
Db	63	LysLeuArgS	66
Qy	2969	GCCTTCGGGACGTGTTACCTGCTGACGTGCTGACCGCGGTGTGTCTCAATG	3028
Db	66	erArgTyrGlyAspValPheSerLeuGlnIleAlaTrpLysProValValIleAsnG	86
Qy	3029	GGCTGGGCGCGTGCAGGCGATGGTGACCCGCGGCGGAGACACGCGCAGCCGCGCGC	3088
Db	86	lyLeuLysAlaValArgGluLeuLeuValThrTyrGlyAspThrAlaAspArgProL	106
Qy	3089	CTCGGCCCATCTACCAAGTCTCTGGGCTTGGGCGCGCTTCCCAAGCAAGCGGCTGGG	3148
Db	106	eulLeuProIleTyrAsnHisLeuGlyTyrGlyAsnLysSer-Lys	120
Qy	3149	GGACAGAGACCGCGTTTCCGTGGGCGCCCGGGTGGACAGTGACCGGTAGCCCAAGCAGCGCC	3208
Db	120		120
Qy	3209	GACAGGGCGTGGGTCTTGGACGTGAACACAGAGATAAAGGCCAGAGTGGGCTGAGGAC	3268
Db	120		120
Qy	3269	AGTGGCCAGGAACCACTGCACGGGGGAGGTGCGAGTCTGTGGGCTGGAGGGGGCGG	3328
Db	120		120
Qy	3329	GGCTACTCCCGACAGCCCGCAGAAAGCCGGTGGCGAGGTGATGCGTCGAAGTGGCGGT	3388
Db	120		120
Qy	3389	GGCGGGACCGCGCTATGTCTCGGGCTCAGTGTGGCGGGAACGGCGGGATCTTCTCTTG	3448
Db	120		120
Qy	3449	AGTGAAGAAGTGTTCAGGGTGGGCAGAGACGAGGTGGGGCAAAACCCGCCCCAGGACGG	3508
Db	120		120
Qy	3509	GGAGCAATGTGGTGAGCAAGAGTGGGCCCTGTGTGCCAGTGCAGCGGCTAGGAGCTG	3568
Db	120		120
Qy	3569	CGGAGACCTTGTGGAGCGCCAGGGTTGGAGTGGGTGGCGAGGTGGGCCAAGGCTT	3628
Db	120		120
Qy	3629	CATGCCAAGCCACAGTGTCCGTCCCGCCCCAGGGGTGATCTCTGTCGCCTATGGGCC	3688
Db	121	GlyValValLeuAlaProTyrGlyPro	129
Qy	3689	CGTGGCGGAGCAGAGCGCTCTCGTGTCCACTTGCACACTTGGCGCTGGGCAAG	3748
Db	130	GluTrpArgGluGlnArgPheSerValSerThrLeuArgAspPheGlyValGlyLys	149
Qy	3749	AAGTCGTGGAGCAGTGGGTGACCGAGGAGCGCCCTGCTCTTGTGTCGCTTCGCCGACC	3808
Db	150	LysSerLeuGluGlnTrpValThrGluGluAlaGlyHisLeuCys-Asp	165
Qy	3809	AAGCCGTGGTGTATGGGCAGAGGGCACAAGCGGGAACCTGGGAAGCGGGGACGGAG	3868
Db	166	ThrPheAlaLysGluAlaGlu	172
Qy	3869	AAGGCAACCTTACCCGCATCTCCCAACCCCGAGGCGCCCTTTCGCCCAACGCGCT	3928
Db	173	HisProPheAsnProSerIleLe	180
Qy	3929	CTTGACAAAGCCGTGAGCAACGTGATCGCTCCCTCACTCGCGGGCGCGCTTCGAGTA	3988
Db	180	uLeuSerLysAlaValSerAsnValIleAlaSerLeuValTyrAlaArgArgPheGluTyr	200
Qy	3989	CGACGACCTCGCTTCTCAGCTGCTGACCTAGCTAGTACAGAGGACTGAAGAGGAGTGC	4048
Db	200	rGluAspProPhePheAsnArgMetLeuLysThrLeuLysGluSerPheGlyGluAspTh	220
Qy	4049	GGGCTTTCGCGAGGTGCGGAGCGAGAGACCGAGGAGTCTCTGACGAGGCGAGCTCCTG	4108
Db	220	rGlyPheMetAlaGlu	225
Qy	4109	AGAGGTGCGGGCTGGAGTCTGGGCGCTCCGAAGGGCAGGATTTGCATAGATGGGTTGGG	4168
Db	225		225
Qy	4169	AAAGGACATTCCAGGAGACCCCACTGTAAGAAGGCGCTGGAGGAGGAGGACATCTCAG	4228
Db	225		225
Qy	4229	ACATGTCGTGGGAGAGTGTGCCCGGGTCAGGGGGCACCCAGGAGGCCCAAGGACTCTG	4288
Db	225		225

```
QY 4289 TACCCCGTCCAGCTTGGAGATTTCGATTTTAGTTTCTCTCTCGGCAAGGAGAGGG 4348
Db 225 ----- 225
QY 4349 TGGAGCTGGCACTTTGGGAGGGAGCTTGGTGAGGTCAAGTAAAGACAGGAGCCCTG 4408
Db 225 ----- 225
QY 4409 GGTCTACCTGGAGATGGCTGGGGCTGAGACTTGTTCAGGTGAACGCAGACACAGGAGG 4468
Db 225 ----- 225
QY 4469 GATTGAGACCCGTTCTGTCTGTGTAGTGTGAATGTGTCCCGCTCTCTCTCCACAT 4528
Db 226 -----valLeuAsnAlaIleProIleLeuLeuGlnI 236
QY 4529 CCCAGCGCTGGTGGCAAGGTCTTACGCTTCCAAAGGCTTTCTCTGACCCAGCTGGATGA 4588
Db 236 eProGlyLeuProGlyLeuValPheProLysLeuAsnSerPheIleAlaLeuValAspLy 256
QY 4589 GCTGCTAACTAGCACAGATGACCTGGGACCCAGCCAGCCAGCCAGACCTGACTGA 4648
Db 256 sMetLeuIleGluHisLysLysSerTrpAspProAlaGlnProProArgAspMetThrAs 276
QY 4649 GSCCTTCTGGCAAGAGAGAGAGTGTGAGAGTGTGCTGCCAGGTGGGGGGCAAGGGTGG 4708
Db 276 palaPheLeuAlaGluMetGlnLys----- 284
QY 4709 TGGTGTGAACGTCCTCCAGGAGGAATGAGGGGAGGCTGGGCAAAAGGTTGGACAGTGCATC 4768
Db 284 ----- 284
QY 4769 ACCGGGAGCGCATCTGGGCTGACAGGTGCAGAAATTGGAGGTCAATTGGGGGCTACCC 4828
Db 284 ----- 284
QY 4829 CGTCTATCCCTGAGTATCTCTCGGCCCTGCTCAGGCCAAGGGAGCCCTTGAGAGCAG 4888
Db 285 -----AlaLysGlyAsnProGluSerSe 292
QY 4889 CTTCAATGATGAGAACCTGCGCATAGTGTGGTAACTGTTCTTCCCTGGCGGATGGTAC 4948
Db 292 rPheAsnAspGluAsnLeuValLeuValIleAspLeuPheMetAlaGlyMetValTh 312
QY 4949 CACTCGACAGCTGGCTGGGCTGCTGCTCATGATCTCTACCTGGATGTGCAGCG 5008
Db 312 rThrSerThrLeuSerTrpAlaLeuLeuMetIleLeuHisProAspValGln-- 331
QY 5009 TGAGCCAGCTGGGGCCCAAGSCAGGACTGAGGGAGGAGGTACAGCTGGGGGCCCT 5068
Db 331 ----- 331
QY 5069 GGGCTTAGCTGGACACCCGGGCTTCCAGCACAGGCGTGGCCAGGCTCTGTAAAGCCTA 5128
Db 331 ----- 331
QY 5129 ACTTCTCAACACAGGAGAGAGAGTGTCCCTCGGCTGCTGACCCATTGTGGGGAGC 5188
Db 331 ----- 331
QY 5189 CATGCTGTCCAGTCCGTGTCACACAGGATCGACAGCTGATAGGCGAGGTGGCGGA 5248
Db 332 -----Arg--ValHisGluGluIleAspGluValIleGlyGlnValArg 347
QY 5249 CCAGATGGGTGACAGGCTCACATGCCCTACACCTGCGGTGATTCAAGAGGTGCGAG 5308
Db 348 ProGluMetAlaAspGlnAlaArgMetProPheThrAsnAlaValIleHisGluValGln 367
QY 5309 CGCTTTGGGACATCATCCCTGAGTGTGACCCATGATGATCATCCCTGACATGAAGTA 5368
Db 368 ArgPheAlaAspIleValProThrAsnIleProHisMetThrSerArgAspIleLysPhe 387
QY 5369 CAGGCTTCCGCTCCCTAAGTAGGCTGGGGCCCTCTCCTCACCCAGCTCAGCACCGAGC 5428
```

```
Db 388 GlnGlyPheLeuIleProLys----- 394
QY 5429 ACCTGGTGATAGCCCCAGCATGGTACTGTGCAGGTGGGCCCACTTAGGAACCTTGGCCA 5488
Db 394 ----- 394
QY 5489 CCTAGTCTCAATGCCACCACACTGACTGTCTCCCACTTGGGTGGGGGTCCAGAGTATAG 5548
Db 394 ----- 394
QY 5549 GCAGGGTGGCTGTGTCCATCCAGAGCCCCGTGTAGTGGGGAGACAAACACAGACCTGCC 5608
Db 394 ----- 394
QY 5609 AGAATGTTGGAGAACCCAGCGCTGTGCAGGAGAGGGGGCAGTGTGGGTGCCTCTGAGAGG 5668
Db 394 ----- 394
QY 5669 TGTGACTCGGCCCTGTCTGTGGGGTCGGAGAGGGGTACTGTGGAGCTTCTCGGGCGCAGGAC 5728
Db 394 ----- 394
QY 5729 TAGTTGACAGAGTCCAGCTGTGTGCCAGGCACTGTGTCTCCCGCTGTGTTTGGTGGCAG 5788
Db 394 ----- 394
QY 5789 GGGTCCAGCATCTAGAGTCCAGTCCAGTCCCACTCTCACCTGCATCTCTCTGCCAGGGAAC 5848
Db 395 -----Gly-Th 396
QY 5849 GACACTCATCAACCTGTCTCATCGGTCTGAAGATGAGCGCTCTGGGAGAGCCCTT 5908
Db 396 rThrLeuIleProAsnLeuSerValLeuLysAspGluThrValTrpGluLysProLe 416
QY 5909 CCGTCTTCACCCCAACACTTCTCGGATGCCAGGCCACTTGTGAAGCCGAGGCGCTT 5968
Db 416 uArgPheHisProGluHisPheLeuAspAlaGlnGlyAsnPheValLysHisGluAlaPh 436
QY 5969 CTTGCTTTCTCAGCAGGTGCTGTGGGGAGCCCGGCTCTCTGCTCCCTTCCGTGGAGTC 6028
Db 436 eMetProPhe--Ser----- 440
QY 6029 TTGCAGGGGTATCACCCAGGAGCCAGGCTACTGACGCCCTCTCCCTCCACAGGCGCG 6088
Db 441 -----AlaGlyArg 443
QY 6089 CGTGCATGCTCGGGAGCCCTCGGCCGATGAGGCTCTTCTCTTCTTCTTCTTCTTCTTCTT 6148
Db 444 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPhePheThrCysLeu 463
QY 6149 CTGACGACTTTCAGCTTCTCGTGGCGCGCGAGCAGCCCGCCAGCACTCTCGTGTCTC 6208
Db 464 LeuGlnArgPheSerPheSerValLeuAlaGlyArgProArgProSerThrHisGlyVal 483
QY 6209 GTGAGCTTCTGCTGACCCCATCCCTTACAGCTTGTGTGTGTGTGTGTGTGTGTGTGT 6259
Db 484 TyrAlaLeuProValThrProGlnProTrpGlnLeuCysAlaValAlaArg 500
RESULT 11
CPDR MESAU
ID_CPDR MESAU STANDARD; PRT; 500 AA.
AC 90QIG6;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D27 (EC 1.14.14.-) (CYP1D27).
GN CYP2D27.
OS Mesocricetus auratus (Golden hamster).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Cricetinae;
OC Mesocricetus.
OX NCBI_TaxID=10036;
```

[1]
SEQUENCE FROM N.A., AND CHARACTERIZATION.
RX MEDLINE=20533996; PubMed=11083025;
RA Oka T., Fukuhara M., Ushio F., Kurose K.;
RT "Molecular cloning and characterization of three novel cytochrome
RT P450 2D isoforms, CYP2D20, CYP2D27, and CYP2D28 in the Syrian hamster
RT (Mesocricetus auratus).";
RL Comp. Biochem. Physiol. 127C:143-152 (2000).
CC -!- FUNCTION: Has butyralol 1'-hydroxylase and debrisoquine 4-
CC hydroxylase activities.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum (By
CC similarity).
CC -!- TISSUE SPECIFICITY: Expressed in liver, but not in kidney, small
CC intestine, and brain.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; AB031863; BAA89312.1; --
CC HSP; P00179; 1D76.
CC InterPro: IPR001128; Cytochrome P450.
CC InterPro: IPR008089; EP450_CYP2D.
CC Pfam; PF00667; P450; 1.
CC PRINTS; PR01686; EP450ICYP2D.
CC PRINTS; PR00385; P450.
CC PROSITE; PS00086; CYTOCHROME P450; 1.
CC Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum.
KW METAL 446 446 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
FT SEQUENCE 500 AA; 56489 MW; 7A5DE5878F97A954 CRC64;
SQ

Alignment Scores:

Pred. No.: 4,84e-46 Length: 500
Score: 1179.00 Matches: 346
Percent Similarity: 28.42% Conservative: 49
Best Local Similarity: 24.89% Mismatches: 92
Query Match: 6.29% Indels: 903
DB: 1 Gaps: 10

US-09-820-788A-3 (1-10278) x CPDR_MESAU (1-500)

QY	2108	ATGATAGTGGCCATCTTCTGCTGCTGGTGGACCTGATGACCGGCAACCGCTGGGCT	2167
Db	14	IlePheThrAlaLeuPheLeuLeuValAspLeuMetHisArgArglyPheItrParg	33
QY	2168	GCACGTACCGCGAGTCCCTGCGACTGCGCGGGCTGGGCAACCTGCTGCATGTGA	2227
Db	34	AlaArgTy-ProGlyProMetProLeuProGlyLeuGlyAsn-LeuLeuGlnValAs	53
QY	2228	CTTCAGACACACCATCTGCTCGACCGAGTGGAGGAGGTCCTGGAGGGCGGCAG	2287
Db	53	pPheGluHisMetProTy-Ser	60
QY	2288	AGGTCCTGAGGATGCCCCACCACAGCAAAACATGGTGTGGTTAAACACACAGCTGA	2347
Db	60		60
QY	2348	TCAGAACCCAGCGCTGAGAGGGGAAGACAGTTTGGGGGACGTTCTCTGGGGAAGGACATTT	2407
Db	61		62
QY	2408	ATACATGGCATGAGGACTGGATTTCCTCAAGGCCAAGAGTAGGGCAAGGCGCTGG	2467
Db	62	yr	62

QY	2468	AGTGGAGCTGGACTTGGCAGTGGGCATGCAAGCCCATTTGGCAACATATGTTATGGAGT	2527
Db	62		62
QY	2528	ACAAAGTCCCTTCTGCTGACACCAAGAAAGGCTTGGGAATGGAAGATGAGTTAGTTC	2587
Db	62		62
QY	2588	CTGAGTGGCGTTTAAATCAGAAATCGAGGATGAAGGGGTGACGTACCCGCTTCAAAAC	2647
Db	62		62
QY	2648	CTTTTGGCACTGTTGGTCTCTGGGCTCTCACTGCTCACCGGCATGACCATCATCTGGGAAT	2707
Db	62		62
QY	2708	GGGATGCTAACTGGGGCTCTCTGGCAATTTTGGTCACTTTTCAAGGTCACTACCTGGGTG	2767
Db	62		62
QY	2768	ACGCATCCAACTGAGTTCTCTCCATCACAAGAGTGTGACCCCAACCCCTGCCCAACGAT	2827
Db	62		62
QY	2828	CAGGAGGTGGTCTCTCTCTTCCACTGCTCACTCTGGTAGCCCCGGGGTCTGCTCAA	2887
Db	62		62
QY	2888	GGTTCAATAGGACTAGGACCTGTAGTCTGGGGTGTCTGCTGTGACAGAGGCCCTGA	2947
Db	62		62
QY	2948	CCCTCCCTCTGCAGTGTGGGCGCCCTTCTGGGAGCTGTTCACTGCTGAGCTGGCTGCA	3007
Db	63	-----LysPheArgGlnArgTyrGlyAspValPheSerLeuGlnMetAlaTrpL	79
QY	3008	CGCGGTGTGTCTCAATGGGTGGGGCGCGTGTGCGGAGCGATGTGACCCGCGCGC	3067
Db	79	ysProValValIleAsnGlyLeuLysAlaValArgGluValLeuValAsnCyArgLy	99
QY	3068	AGGACACGCGGACCGCGCTGCGCCATCTACAGGTCTCTGGGCTTGGGCGCGCTT	3127
Db	99	IuAspThrAlaAspArgProValProIlePheAsnHisValGlyPheGlyHisAsnS	119
QY	3128	CCCAAGGCAAGCGGGTGGGGGACAGAGACCGCTTTCCGTGGGCCCGCGGTGGACACT	3187
Db	119	erGlnGly-----ValAla-Phe-----	124
QY	3188	GACCGTAGCCCAAGCAGCGCCGACAGGCGGTGGGTCTCTGGACGTGAACACAGAGATAAG	3247
Db	124		124
QY	3248	GCCACGAGTGGGCTGAGGACAGTGGGCGCAGGAACCACTCCACGGGGGAGGTGGAGT	3307
Db	124		124
QY	3308	CTGTGGGCTGGAGGGGGCGGGCTACTGCCAGACCCGCCAGAAAGCCCGGTGGCGAGG	3367
Db	124		124
QY	3368	CTGATGCTGAAAGTGGCGGTGGCGGGGACCGCGCTATGCTGCGGGCTCAGTGTGGCG	3427
Db	124		124
QY	3428	GGACGGCGGGATCTTCTTGATGGAAGAGTGTGAGGTGGGCGAGACGAGGTGGGG	3487
Db	124		124
QY	3488	CCAAACCCCGCCCGAGGAGGAGCAATGTGGTGAGCAAGAGTGGGCGCTGTGCCCA	3547
Db	124		124
QY	3548	GCTGACCGGGCTAGGGACTGCGGAGACCTTGTGGAGCGCCAGGGTTGGAGTGGGTGC	3607

Db	124	-----	124
Qy	3608	GGAGGGTGGGGCCAAAGGCCTTCATGGCAACGCCCAACGTCGTCCGTCGCCGCCACGAGGGGTG	3667
Db	124	-----	124
Qy	3668	ATCCTGTGCGCTATGGGCCCGCGTGGCGGAGCAGAGGGCGCTTCTCCGTGTCCACCTTG	3727
Db	125	-----AlaArgTyrGlyProGlnTyrArgGluGlnArgArgPheCysValSerThrMet	142
Qy	3728	CGCAACTTGGGCGCTGGGCAAGAATCGCTGGAGCAGTGGGTGACCGAGAGAGGCGCGCTGC	3787
Db	143	ArgAspPheGlyValGlyLysLysSerLeuGluGlnTyrValThrGluGluAlaGlyHis	162
Qy	3788	CTTTGTGCGCTTCGCCCGCAACCCCGTGGGTGATGGGCAGAGGGCCACAAGCGGGAA	3847
Db	163	LeuCysAspAla-----	166
Qy	3848	CTGGGAAGCGGGGGAGCGAGAGGCAACCCCTTACCCGCATCTCTCCACCCCGCAGGACG	3907
Db	167	-----Phe-ThrGlnGluAlaGlyHis	173
Qy	3908	CCCCTTTCCGCCCAACCGGCTCTTTGGACAAGCGCTGAGCAAGCTGATCGCTCCCTCAC	3967
Db	173	sProPheAsnProThrThrLeuLeuAsnLysSerValCysAsnValIleSerLeuIle	193
Qy	3968	CTGCGGGCGCGCTTCGAGTACGACGACCCCTCGCTTCTCAGGCTGTGGACCTAGCTCA	4027
Db	193	eTyrAlaHisArgPheAspTyrGluAspProPhePheAsnSerLeuLeuLysMetLeuGlu	213
Qy	4028	GGAGGGACTGAAGCAGAGAGTCCGGCTTTCTGCGCGAGGTGCGGAGCGAGAGCCGAGGAG	4087
Db	213	nGluSerPheGlyGluAspThrGlyPheIleAlaGlu-----	225
Qy	4088	TCTCTGCAGGGCGAGCTCCTGAGAGGTGCGCGGGCTGGAATGGGGCCCTCCGAAGGGCAGG	4147
Db	225	-----	225
Qy	4148	ATTGTGCATAGTGGTTTGGGAAGGACATTCACGAGAGACCCCACTGTAGAGAGGGCCTG	4207
Db	225	-----	225
Qy	4208	GAGGAGGAGGGACATCTCAGACATGCTGCTGGGAGAGGTGTGCCCGGTCAGGGGGCAC	4267
Db	225	-----	225
Qy	4268	CAGGAGAGGCCAAGGACTCTGTACCCCGCTCCAGTTTGGAGATTTTCGATTTTAGTTTCT	4327
Db	225	-----	225
Qy	4328	CCTCTGGCAAGGAGAGAGGGGTGGAGCTGGCAGCTTGGGAGGGACATTGGTAGGTCAGT	4387
Db	225	-----	225
Qy	4388	GGTAAGCAGCAGGCGCCCTGGGTCTACTTGGAGATGGCTGGGGCCCTGACAGCTTGCCAG	4447
Db	225	-----	225
Qy	4448	GTGAACGCAGACACAGGAGGGAATTGAGACCCCGCTTCTGTCTGGTGTAGGTGCTGAATGC	4507
Db	226	-----ValLeuAsnAl-----	229
Qy	4508	TGTCCTCGCTCTCTGCATCTCCAGCGCTGGCTGGCAAGGTCTCAGCTTCCAAAGGC	4567
Db	229	aValProValLeuLeuArgIleProGlyLeuProGlyLysAlaPheProLysLeuThrAl	249
Qy	4568	TTTCTCACCCAGCTGGATGAGCTGTAACTGAGCAGCAGATGACCTGGGACCCAGCCCA	4627
Db	249	aPheMetAspSerLeuTyrLysMetLeuIleGluHisLysThrThrTyrAspProAlaGlu	269
Qy	4628	GCCACCCCGAGACTGACTGAGGCTTCTTGGCAAAAGAGGAGAGGTGAGAGTGGCTGC	4687

Db	269	nProArGlyLeuThrAspAlaPheLeuAlaGluValGluLys-----	284
Qy	4688	CACGGTGGGGGCAAGGGTGGTGGTGAACGTCCACGAGGAATCGAGGGAGGCTGGGC	4747
Db	284	-----	284
Qy	4748	AAAAGSTTGACCACTGTCATCACCCGGCGAGCGCATCTGGGCTGACAGTGCAGAAATTG	4807
Db	284	-----	284
Qy	4808	GAGTCAATTGGGGGCTACCCCGTTCTATCCCTGAGTATCTCTCGGCCCTCCTCAGGC	4867
Db	285	-----Al 285-----	285
Qy	4868	CAAGGGAGCCCTGAGACAGCTTCAATGATGAGAACCTCGCGCATAGTGGTGGTAACT	4927
Db	285	alysGlyArgProGluSerPheAsnAspGluAsnLeuArgMetValValAlaAspMe	305
Qy	4928	GTTCCTTGGCGGATGGTGAACACCTCGACACCGCTGGCCCTGGGGCTCTCTGCTCATGAT	4987
Db	305	tPheIleAlaGlyMetValThrThrSerThrThrLeuSerTrpAlaLeuLeuLeuMetIl	325
Qy	4988	CCTACACCTGGATGTGACAGCGTGAGCCAGCTGGGGGCCCAAGGCAGGGACTGAGGAGGA	5047
Db	325	eLeuHisProAspValGln-----	331
Qy	5048	AGGTACAGCTGGGGGCCCTGGGCTTAGCTGGGACACCCGGGGCTTCCAGCACAGCGCT	5107
Db	331	-----	331
Qy	5108	GGCCAGCTCTCTGAAGCTTAATCTCTCCAAACAGAGAGAGAGAGTGTCCCTGGG	5167
Db	331	-----	331
Qy	5168	TGCTGACCCATTGTGGGACGATGTCTGTCCAGTCCGTGTCCAAACAGAGATCGACGAC	5227
Db	332	-----Ser--ArgValGlnGlnGluLeuAspAsp	340
Qy	5228	GTGATAGGCGAGTGGCGGACAGAGATGGGTGACAGGCTCACATGCCCTACACCACT	5287
Db	341	ValIleGlyGlnValArgArgProGluMetAlaAspGlnAlaArgMetProIleThrAsn	360
Qy	5288	GCGTGATTCCAGAGGTGCAGCGCTTTGGGGACATCATCCCCGTGAGTGTGACCCCATATG	5347
Db	361	AlaValIleHisGluValGlnArgPheGlyAspIleAlaProValAsnIleProHisMet	380
Qy	5348	ACATCCCGTGACATCGAAGTACAGGGGTTCCGATCTCCTAAGGTAGGCTGGCGCCCTCC	5407
Db	381	ThrSerHisAspValGluValGlnGlyPheLeuIleProlys-----	394
Qy	5408	TCACCCAGCTACGACCAACGACCTGGTGTATAGCCCCAGCATGGCTACTGCCAGGTGGC	5467
Db	394	-----	394
Qy	5468	CCACTTAGGAACCTCGGCCACCTAGTCTCAATGCCACACACTGACTGTCCCCACTTG	5527
Db	394	-----	394
Qy	5528	GGTGGGGGTCCAGAGTATAGGACGGGTGGCCTGTCCATCCAGAGCCCCCGTCTAGTGG	5587
Db	394	-----	394
Qy	5588	GGAGCAAAACAGGACCTGCCAGAAATTGGAGGACCCAGCGCTCGAGGAGAGGGGGC	5647
Db	394	-----	394
Qy	5648	AGTGTGGGTGCCTCTGAGAGGTGTGACTGCGCCCTGCTGTGGGGTCGAGAGGGTACTGT	5707
Db	394	-----	394
Qy	5708	GGAGCTTTCGGGGCGCAGGACTAGTTGACAGAGTCCAGCTGTGTGTCACGCGAGTGTGTGT	5767
Db	394	-----	394

```
QY 5768 CCCCCGTGTTGGTGGCAGGGGTCCAGCATCTTAGAGTCAGTCCCACTCTCACCC 5827
Db 394 ----- 394
QY 5828 TGCATCTCTGCCAGGACGACATCATCACCACCTGTCTATCGTCTGAGGATGA 5887
Db 395 -----Gly-ThrThrLeuIleProAsnLeuSerSerValLeuIleAspG1 409
QY 5888 GCGCGTCTGGGAGAAGCCCTTCGCTTCCACCCCGCAACACTTCTCGATGCCAGGCCA 5947
Db 409 uThrValTrpGluLeuProLeuHisPheHisProGluHisPheLeuAspAlaGlnGlyAr 429
QY 5948 CTTTGTGAACCGGAGCCCTTCTGCTTCTCAGCAGGTGCCTGTGGGAGCCCGCTC 6007
Db 429 gPheValIleHisGluAlaPheMetProPhe--Ser----- 440
QY 6008 CTTGTCCCTTCCTGGAGTCTTGAGGGGTATCACCAGGACGAGCTCACTAGGCC 6067
Db 440 ----- 440
QY 6068 CTTCCCTCCACAGGCGCGCTGTCATCGCTCGGGAGCCCTCGCGCATGGAGCTC 6127
Db 441 -----AlaGlyArgArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeu 456
QY 6128 TTCTCTTCTTCACTCCCTGCTGCAGCACTTCTCAGCTTCTCGTGGCCCGGACAGCCC 6187
Db 457 PheLeuPhePheThrCysLeuLeuGlnArgPheSerPheSerValProAlaGlyGlnPro 476
QY 6188 CGGCCAGCACCCTCTCGTGTCTGTCAGCTTCTGTCAGCCCATCCCTACGAGCTTTGT 6247
Db 477 ArgProSerAspGlnGlyIlePheAlaLeuProValThrProThrProThrGluLeuCys 496
QY 6248 GCTGTGCCCGCCG 6259
Db 497 AlaValValArg 500

RESULT 12
CPD3_RAT
ID CPD3_RAT STANDARD; PRT; 500 AA.
AC P12938; 035106;
DT 01-OCT-1989 (Rel. 12, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome P450 2D3 (BC 1.14.14.1) (CYP1D3) (P450-DB3) (Debrisoquine
DE 4-hydroxylase).
GN CYP2D3 OR CYP2D-3.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=90057430; PubMed=2819073;
RA Matsunaga T., Zanger U.M., Hardwick J.P., Gelboin H.V., Meyer U.A.,
RA Gonzalez F.J.;
RT "The CYP2D gene subfamily: analysis of the molecular basis of the
RT debrisoquine 4-hydroxylase deficiency in DA rats.";
RL Biochemistry 28:7349-7355(1989).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=Sprague-Dawley; TISSUE=Liver;
RX MEDLINE=90189185; PubMed=2107330;
RA Matsunaga E., Umeno M., Gonzalez F.J.;
RT "The rat P450 IID subfamily: complete sequences of four closely
RT linked genes and evidence that gene conversions maintained sequence
RT homogeneity at the heme-binding region of the cytochrome P450 active
RT site.";
RL J. Mol. Evol. 30:155-169(1990).
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN=Sprague-Dawley; TISSUE=Liver;
RX MEDLINE=98096365; PubMed=9434752;
```

```
RA Wan J., Imaoka S., Chow T., Hiroi T., Yabusaki Y., Funae Y.;
RT "Expression of four rat CYP2D isoforms in Saccharomyces cerevisiae
RT and their catalytic specificity.";
RL Arch. Biochem. Biophys. 348:383-390(1997).
CC -!- FUNCTION: Cytochromes P450 are a group of heme-thiolate
CC monooxygenases. In liver microsomes, this enzyme is involved in an
CC NADPH-dependent electron transport pathway. It oxidizes a variety
CC of structurally unrelated compounds, including steroids, fatty
CC acids, and xenobiotics.
CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
CC oxidized flavoprotein + H(2)O.
CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
CC -!- INDUCTION: P450 can be induced to high levels in liver and other
CC tissues by various foreign compounds, including drugs, pesticides,
CC and carcinogens.
CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation
CC at the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement. (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; J02868; AAA1002.1; -.
DR EMBL; X52028; CAA36270.1; -.
DR EMBL; AB008424; BAA23124.1; -.
DR PIR; S16872; S16872.
DR HSP; P00179; IDT6.
DR InterPro; IPR001128; Cytochrome P450.
DR InterPro; IPR008069; EP450_CYP2D.
DR Pfam; PF00067; p450; 1.
DR PRINTS; PR01686; EP450ICYP2D.
DR PRINTS; PR00385; P450.
DR PROSITE; PS00086; CYTOCHROME_P450; 1.
KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
KW Microsome; Endoplasmic reticulum.
FT METAL 446 IRON (HEME AXIAL LIGAND).
FT CONFLICT 125 126 AP -> CT (IN REF. 1 AND 2).
SQ SEQUENCE 500 AA; 56641 MW; C54727C2C00F73F6 CRC64;

Alignment Scores:
Pred. No.: 5,95e-46 Length: 500
Score: 1177.00 Matches: 348
Percent Similarity: 28.67% Conservative: 52
Best Local Similarity: 24.95% Mismatches: 92
Query Match: 6.28% Indels: 903
DB: 1 Gaps: 10

US-09-820-788A-3 (1-10278) x CPD3_RAT (1-500)
QY 2093 CTGTGCCCCCTGCCATGATAGTGGCCATCTTCTGCTCTCTGTCGACCTGATGACCCG 2152
Db 9 LeuTrpProMetAlaIlePheThrValIlePheIleLeuLeuValAspLeuMethIleArg 28
QY 2153 CACCAACGCTGGCGTGCAGCTACCGCCAGGTCCCTCCCTGCTGCGGCTGGGCAAC 2212
Db 29 ArgGlnArgTrpThrSerArgTrpProGlyProValProThrProValLeuGlyAsn 48
QY 2213 CTTGTGTCATGTGGACTTCCAGAACACACATCTGCTTCGACAGGTGAGGAGGAGT 2272
Db 49 -LeuLeuGlnValAspLeuCysAsnMetProTyr-SerMet----- 61
QY 2273 CTGGAGGGCGCAGAGGTCTCGAGGATGCCCCACCACCCAGCATGGTGGTGGT 2332
Db 61 ----- 61
QY 2333 AAACACAGGCTGGATCAGAACCCAGGCTGAGAGGGAGGAGGAGGTTTGGGGGCGTTC 2392
Db 61 ----- 61
QY 2393 TGGGGAAGGACATTTATACATGCGCATGAGGACTGGATTTTCCAAAGGCCAAGGAAGT 2452
```

Db 61 ----- 61
QY 2453 AGGCAAGGCGCTGGAGTGGAGCTGGACTTGGCAGTGGGCATGCAAGCCCATGGGCAA 2512
Db 61 ----- 61
QY 2513 CATATGTTATGAGTACAAAGTCCCTTCTGTGTGACACCAAGAAAGCCCTTGGGAATG 2572
Db 62 ----- 63
QY 2573 GAAGATGAGTTAGTCTCGAGTCCGTTTAAATACAGAAATCAGAGATGAAGGGGTGCAG 2632
Db 63 ----- 63
QY 2633 TGACCCGGTTCAACCTTTTTCACCTGTGGTCTCTCGGSCCTCACTGCTCACCGGCATGGA 2692
Db 63 ----- 63
QY 2693 CCATCATCTGGGAATGGGATGCTAACTCGGGCCTCTCGCAATTTTGTGACTCTTGCAA 2752
Db 63 ----- 63
QY 2753 GGTACATCTGGGTGACGCATCCAAACTGAGTTCTCCATCACAGAGGTGTGACCCCA 2812
Db 63 ----- 63
QY 2813 CCCCTGCCCCACGATCAGAGGCTGGGTCTCTCTCTCCACTGCTCACTCTGTAGGCC 2872
Db 63 ----- 63
QY 2873 CCGGGGTGTCCTCAAGGTTCAATAGGACTAGGACTGTAGTCTGGGTGATCTGGCTT 2932
Db 63 ----- 63
QY 2933 GACAAGAGGCCCTGACCCCTCTCTGAGTTGCGGCGCGCTTCGGGACGTTTCAGCC 2992
Db 64 ----- 74
QY 2993 TGCAGCTGCTGGACGCGGTGCTGCTCAATGGGCTGGCGCCCTGCGCGAGCGGA 3052
Db 74 euGlnMetGlyTriplysProValValIleAsnGlyLeuLysAlaValGlnGluLeuL 94
QY 3053 TGGTACCCGCGGACGACGCGCGGCGGCTGCTGCTCAATGGGCTGGCGCCCTGCGCGAGCTGG 3112
Db 94 euValThrCysGlyGluAspThrAlaAspA-gProGluMetProIlePheGlnHisIleG 114
QY 3113 GCTTCGGGCGCGTTTCCCAAGGCAAGCGCGGTGGGGGACAGACCGCGTTTCGTGGG 3172
Db 114 lyTyGlyHisLysAla-Lys----- 120
QY 3173 CCCCCTGGGACGTGACGTAGCCCAAGCAGCGCGGCTGGGCTGGGCTGCTGGAGCT 3232
Db 120 ----- 120
QY 3233 GAAACAGAGATAAGGCCAGCGAGTGGGCTGAGGACAGTGGGCCAGGAAACCACTGCAC 3292
Db 120 ----- 120
QY 3293 GGGGAGGTGCGAGTCTGTGGCTGGGAGGGGGGGGCTACTGCGCCAGACCCCGCAGAA 3352
Db 120 ----- 120
QY 3353 GCCCGTGGCGAGGCTGATGCTGCGAAGTGGCGGTGGCGGGACCGCGCTATGCTGCG 3412
Db 120 ----- 120
QY 3413 GGCTCAGTGTGGCGGGGACGGCGGGATCTTCTTGTAGTGAAGGTTGGTCAGGGTGGGC 3472
Db 120 ----- 120
QY 3473 AGAGACGAGGTGGGGCCCAAAACCCCGCCAGCGAGGGGAGCAATGTGGGTGAGCAAGAG 3532

Db 120 ----- 120
QY 3533 TGGGCGCTGTGCCCAGCTGGACCGGGCTAGGGACTGCGGGAGACCTTGTGGAGCGCCAGG 3592
Db 120 ----- 120
QY 3593 GTTGGATGGGTGGCGGAGGTGGGCCAAGCCCTTCATGGCAACGCCACGTCGTCCTC 3652
Db 120 ----- 120
QY 3653 CCGCCCCCAGGGGTGATCTGTCTGCGCTATGCGGCCCGCGTGGCGGACGAGCGGCTTC 3712
Db 121 ----- 137
QY 3713 TCGGTGTCCACTTGGCAACTTGGGCTGGCGCAAGAGTCTGTGGAGCAGTGGGTGACC 3772
Db 138 SerValSerThrLeuArgAsnPheGlyValGlyLysSerLeuGluGlnTrpValThr 157
QY 3773 GAGGAGCGCGCTGCTTGTGCGCTTCGCGCAGCAAGCCGTTGGGTGATGGGCAGAG 3832
Db 158 AspGluAlaSerHisLeuCysAspAla----- 166
QY 3833 GGCACAAAGCGGAACTGGGAAGCGGGGACGGAGAGGCAACCCCTTACCCGATCTC 3892
Db 167 --LeuThrAlaGluAlaGlyArg----- 173
QY 3893 CCCACCCCGAGGACGCGCTTTCGCCCAACGCGCTCTTGGACAAAGCCGTGAGCAACGT 3952
Db 174 -----ProLeuAspProTyThr-LeuLeuAsnLysAlaValCysAsnVa 188
QY 3953 GATCGCTCCCTCACTCGCGGCGCGCTTCGAGTACGACGACCTCGCTTCTCTCAGGCT 4012
Db 188 lIleAlaSerLeuIleTyAlaAlaArgPheAspTyArgLysProAspPheIleLysVa 208
QY 4013 GCTGCACCTAGCTCAGGAGGACTCAAGAGGAGTTCGGGCTTTCGCGGAGTGGCGAG 4072
Db 208 lLeuLysIleLeuLysGluSerMetGlyGluGlnThrGlyLeuPheProGlu----- 225
QY 4073 CGAGAGACCGAGGAGTCTCTGCGGCGAGCTCTCTGAGAGGTGCGGGGCTGGACTGGGG 4132
Db 225 ----- 225
QY 4133 CCTCGAAGGCGAGGATTTGCATAGATGGGTTTGGAAAGGACATTCAGGAGACCCAC 4192
Db 225 ----- 225
QY 4193 TGTAAGAAGGCGCTGGAGGAGGGGACATCTCAGACATGCTGCTGGGAGAGTGTGCC 4252
Db 225 ----- 225
QY 4253 CGGGTCAGGGGGCCACAGGAGAGGCCAAGGACTCTGTACCCCGCTCCACGTTGGAGATT 4312
Db 225 ----- 225
QY 4313 CGATTTTAGGTTTCTCTCTGGGCAAGGAGAGGGTGGAGGCTGGCACTTGGGGAGGA 4372
Db 225 ----- 225
QY 4373 CTTGGTGAGGTCACTGGTAAAGACAGGCGAGCCCTGGGTCTTACCTGGAGATGGCTGGGC 4432
Db 225 ----- 225
QY 4433 CTGAGACTTGTCCAGGTGAACGCGAGACAGGAGGATTTAGACCCCGTTCTGTCTGGT 4492
Db 225 ----- 225
QY 4493 GTAGGTGCTGAATGCTGTCTCCCGTCTCTCCATCCAGCGCTGGTGGCAAGGCTCT 4552
Db 226 ----ValIleAsnMetPheProValLeuLeuArgIleProGlyLeuAlaAspLysValPh 244
QY 4553 ACGCTTCCAAAGGCTTTCCTGACCCAGCTGGATGAGTCTTAACCTGAGCAGGATGAC 4612
Db 244 eProGlyGlnLysThrPheLeuThrMetValAspAsnLeuValThrGluHisLysLysTh 264

CC -!- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +
 CC oxidized flavoprotein + H(2)O.
 CC -!- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.
 CC -!- TISSUE SPECIFICITY: EXPRESSED AT HIGH LEVELS IN THE INNER ZONE OF
 CC THE ADRENAL CORTEX.
 CC -!- SIMILARITY: Belongs to the cytochrome P450 family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; U21486; AA68479.1; -.
 CC EMBL; AF020345; AAB94568.1; -.
 CC PIR; JC4153; JC4153.
 CC HSP; P00179; I076.
 CC InterPro; IPR001128; Cytochrome P450.
 CC InterPro; IPR008069; EP450_CYP2D.
 CC Pfam; PF00067; P450; 1.
 CC PRINTS; PR01686; EP450ICYP2D.
 CC PRINTS; PR00385; P450.
 CC PROSITE; PS00086; CYTOCHROME P450; 1.
 CC Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;
 KW Microsome; Endoplasmic reticulum.
 FT DOMAIN 81 84 POLY-VAL.
 FT METAL 446 446 IRON (HEME AXIAL LIGAND) (BY SIMILARITY).
 FT CONFLICT 123 123 I -> V (IN REF. 2).
 FT CONFLICT 127 127 Y -> N (IN REF. 2).
 FT CONFLICT 148 148 G -> R (IN REF. 2).
 SQ SEQUENCE 500 AA; 55800 MW; 2429247E49BF6B24 CRC64;

Alignment Scores:

Pred. No.: 2,95e-45 Length: 500
 Score: 1161.50 Matches: 350
 Percent Similarity: 28.44% Conservative: 49
 Best Local Similarity: 24.95% Mismatches: 98
 Query Match: 6.20% Indels: 906
 DB: 1 Gaps: 12

US-09-820-788a-3 (1-10278) x CPDG_CAVPO (1-500)

QY 2078 ATGGGGCTA-----GAAGCACTGGTGGCCCTGGCCATGATAGTGGCCATCTTCTCTG 2128
 DB 1 MetGlyLeuLeuThrGlyAspAlaLeuPheSerValAlaValAlaValAlaLeuPheLeu 20
 QY 2129 CTCCTGGTGGACCTGATCACCAGCAACCAAGCTGGCTGCAGCTACCCGCCAGTCCC 2188
 DB 21 LeuLeuValAspLeuMetHisArgArgGlnArgTrpAlaAlaArgTrpProProGlyPro 40
 QY 2189 CTGCCACTGCCGGCTGGGCAACCTTCTGTCATGTGGACTTCCAGAACACACCATACTG 2248
 DB 41 ValProValProGlyLeuGlyAsn-LeuLeuGlnValAspPheGluAsnMetAlaTySe 60
 QY 2249 CTTGCACAGGTGAGGAGGAGGTCTCTGGAGGGGGCAGAGGTCTCTAGGATGCCCCACC 2308
 DB 60 r----- 60
 QY 2309 ACCAGCAACATGGTGGTGGTTAAACACAGGCTGGATCAGAGCCAGGCTGAGAAGG 2368
 DB 60 ----- 60
 QY 2369 GGAAGCAGGTTTGGGGGACGTTCTCTGGGGAAGGACATTATACATGGCATGAAGGACTGG 2428
 DB 60 ----- 60
 QY 2429 ATTTTCCAAAGCCAAAGGAAGATAGGCAAGGGCCTGGAGGTGGAGCTGGACTTTGGCAG 2488
 DB 60 ----- 60
 QY 2489 TGGGCATCAAGCCCATTTGGGCAACATATGTTATGAGTACAAAGTCCCTTCTGCTGACA 2548

DB 61 ---- ||| ||| Cys-Asp- 62
 QY 2549 CCAGAAGAAAGCGCTTGGGAATGGAAGATAGTAGTCTCTAGTGGCGTTTAAATCAGC 2608
 DB 62 ---- ||| ||| Cys-Asp- 62
 QY 2609 AAATCGAGGATGAAGGGGTGTCAGTACCCCGTTCAAACTTTTGCACTGTGGGTCTCTCG 2668
 DB 62 ---- ||| ||| Cys-Asp- 62
 QY 2669 GGCCTCACTGCTCACCGGCATGAGCACATCTCGGAATGGATGCTAACTGGGGCGCTCT 2728
 DB 62 ---- ||| ||| Cys-Asp- 62
 QY 2729 CGGCAATTTTGGTGACTCTTGTCAAGGTGATACCTGGGGTGACGCATCCAACTGAGTTCT 2788
 DB 62 ---- ||| ||| Cys-Asp- 62
 QY 2789 CCATCACAAGAGTGTGACCCCACTGCCCCCAAGATCAGGAGGTGGGTCTCTCTCT 2848
 DB 62 ---- ||| ||| Cys-Asp- 62
 QY 2849 TCCACCTGCTCACTCTCTGTAGCCCGGGGTGCTCCAAAGTTCAAAATAGGACTAGGACC 2908
 DB 62 ---- ||| ||| Cys-Asp- 62
 QY 2909 TGTAGTCTGGGGTGATCTTGTGCAAGAGGCCCTGACCCCTCCCTCTGCACTGTGGCGC 2968
 DB 63 ---- ||| ||| Cys-Asp- 66
 QY 2969 GCCCTTGGGGACGTCTTCACTGCTGAGCTGGCGCTGGACCGCGGTGGTCTGCTCAATG 3028
 DB 66 isGlnPheGlyAspValPheSerLeuGlnPheValTrpThrProValValValValValVal 86
 QY 3029 GGCTTGGGGCGCTGCGGAGCGGATGGTGACCCCGCGGAGACACGCGCCACCGCCCGC 3088
 DB 86 lyLeuLeuAlaValArgGluAlaLeuValAsnAsnSerThrAspThrSerAspArgPro 106
 QY 3089 CTGCGCCCATCTACAGGTCTCTGGCTTGGCGCTGGCGCTGCCAGAGCAAGCGCGGTGGG 3148
 DB 106 hrLeuProThrAsnAlaLeuLeuGlyPheGlyProLysAlaGlnGlyValIle-Gly--- 124
 QY 3149 GGACAGAGACCGCGTTTCCGTGGGCGCGGTGACAGTACCTGAGCCCAAGCAGCGCC 3208
 DB 124 ---- ||| ||| Cys-Asp- 124
 QY 3209 GACAGGCGCTGGGGTCTCTGGACGTGAAACAGAGATAAGGCCAGCGAGTGGGTGAGGAC 3268
 DB 124 ---- ||| ||| Cys-Asp- 124
 QY 3269 AGTGGGCGAGAAACACCTGTCACGGGGAGGTGCGAGTCTGTGGGTGGAGGGGGCGG 3328
 DB 124 ---- ||| ||| Cys-Asp- 124
 QY 3329 GGCTACTGCCACACCGCCAGAACCGGTGGGGGAGGCTGATCGCTCGAAGTGGCGGT 3388
 DB 124 ---- ||| ||| Cys-Asp- 124
 QY 3389 GGGGGGACCGCGCTATGCTGCGGGCTCAGTGTGGCGGACGCGGGGATCTTCTCTG 3448
 DB 125 ---- ||| ||| Cys-Asp- 126
 QY 3449 AGTGGAAAGTGTGTCAGGTGGGCGAGAGACGAGGTGGGGCCAAACCCCGCCAGGCGAGG 3508
 DB 126 ---- ||| ||| Cys-Asp- 126
 QY 3509 GGACCAATGTGGGTGAGCAAGAGTGGGCCCTGTGCCAGCTGACCGGGCTAGGGACTG 3568
 DB 126 ---- ||| ||| Cys-Asp- 126
 QY 3569 CGGAGAGACCTTGTGGAGCGCCAGGTTGGAGTGGGTGGCGGAGGTGGGGCCAAAGGCCCTT 3628

Db	126	-----	126
Qy	3629	CATGGCAACGCCCAACGTTCCGTTCCGTCGCCGCCAGGGGTGATCTCTGTCGCGCTATGGGCC	3688
Db	127	-----	129
Qy	3689	CGCTGGCGGAGCAGAGCGGCTTCTCCGTGTCCACCTTGGCGAACTTGGCGCTGGGCAAG	3748
Db	130	AlatPArgGluGlnArgPheSerValSerSerLeuArgAenPheGlyLeuGlyLys	149
Qy	3749	AAGTCGCTGGAGCAGTGGTGACCGAGGAGCGCCCTGCTTGTGCGCTTCGCCGACC	3808
Db	150	LysSerLeuGluInnPValThrGluGluAlaAlaCysLeuCysAlaAlaPheThrAen	169
Qy	3809	AAGCCGCTGGGTGATGGGCAGAGGGCACAAAGCGGAACTGGGAAGCGCGGGACGGAG	3868
Db	169	-----	169
Qy	3869	AAGCAACCCCTTACCCGCATCTCCCCACCCCGCCAGGACGCCCTTTCGCCCCCAACGGCCT	3928
Db	170	-----	180
Qy	3929	CTTGGCAAAAGCCGTGAGCAACGTATCGCTCCCTCACCTCGCGGGCGCGCTTCGAGTA	3988
Db	180	uLeuAsnLysAlaValCysAenValIleSerSerLeuIleTyrAlaArgArgPheAsp	200
Qy	3989	CGACGACCCCTCGCTTCCTCAGGCTGCTGGACCTAGCTCAGAGAGGACTGAAGAGAGAGTC	4048
Db	200	rAspAspPrometValLeuArgLeuGluPheLeuGluGluThrLeuArgGluAenSe	220
Qy	4049	GGGCTTCTCGCGAGGTGCGAGCGAGAGACCGAGGAGTCTCTGCAGGCGGAGCTCCTG	4108
Db	220	rSerLeu-----	222
Qy	4109	AGAGTCCCGGGCTGGACTGGGCGCTCCGAAAGGCGAGGATTTGCATAGATGGTTGGG	4168
Db	222	-----	222
Qy	4169	AAAGGACATTCCAGGAGACCCCACTGTAAAGAAAGGCGCTGGAGGAGGAGGCAATCTCAG	4228
Db	222	-----	222
Qy	4229	ACATGCTGTGGGAGAGGTGTGCCCGGTGACGGGGGCACCGAGAGAGGCCAAGACTCTG	4288
Db	222	-----	222
Qy	4289	TACCCCGTCCACGTTGGAGATTTCGATTTTAGGTTTCTCCTCTGGGCAGGAGAGAGGG	4348
Db	222	-----	222
Qy	4349	TGGAGGCTGGCACTTGGGGAGGACTTGGTGAGGTGAGTGAGTGTGAAGGACAGCGAGGCCCTG	4408
Db	222	-----	222
Qy	4409	GGTCTACTCGAGATGCTGGGCGCTGAGACTTGTCTCAGGTGAACGAGAGACAGGAGG	4468
Db	222	-----	222
Qy	4469	GATTGACACCCGTTCTGTCTGTGTAGGTGCTGAATGCTGTCCCGCTCTCTCTGCACAT	4528
Db	223	-----	236
Qy	4529	CCACGCTGCTGGCAAGTCTTACGCTTCCAAAGGCTTCTCTGACCCAGCTGGATGA	4588
Db	236	eProCysValAlaAlaLysValLeuSerAlaGlnArgSerPheIleAlaLeuAenAsp	256
Qy	4589	GCTGCTAACTGAGCACAGGATGACTCGGACCCAGCCAGCCACCCCGAGACCTGACTGA	4648
Db	256	sLeuLeuAlaGluHisAsnThrGlyTyrAlaProAspGlnProProArgAspLeuThrAs	276
Qy	4649	GGCCTTCTCGCAAGAAGAGAGGTGAGGTGGCTGCCACGTCGGGGGGCAAGGGTGG	4708
Db	276	pAlaPheLeuThrGluMethHisLys-----	284

Qy	4709	TGGGTTGAACGTCCACGAGGAGGAATGAGGGGAGGCTGGGCCAAAAGGTTTGGACCACTGCATC	4768
Db	284	-----	284
Qy	4769	ACCGCGGAGCCGATCTGGGCTGACAGGTGCAGAAATTGGAGGTCTTTGGGGGCTACCC	4828
Db	284	-----	284
Qy	4829	CGTTCTATCCCTGAGTATCCTCTCGGCCTGTCTCAGGCCAAGGGAGCCCTCGAGAGCAG	4888
Db	285	-----AlaGlnGlyAenSerGluSerSe	292
Qy	4889	CTTCAATGATGAGAACTCTGCCATAGTGTGGTGAACCTGTCTCTTCCCGGGATGTGTGAC	4948
Db	292	rPheAsnAspGluAenLeuArgLeuLeuValSerAspLeuPheGlyAlaGlyMetValTh	312
Qy	4949	CACCTCGACACAGCTGGCGCTCTGCTCATGATCCTACCTGATCTGATCTGATCTGAGCG	5008
Db	312	rThrSerValThrLeuSerTrpAlaLeuLeuMetIleLeuHisProAspValGlnAr	332
Qy	5009	TGAGCCCAAGCTGGGGCCCAAGGCAGGAGCTGAGGAGGAAAGGTACAGCTGGGGGCCCT	5068
Db	332	gHis-----	333
Qy	5069	GGGCTTAGCTGGGACACCGGGGCTTCCAGCACAGCGGTGGCCAGGCTCCTGTAAAGCTTA	5128
Db	333	-----	333
Qy	5129	ACTTCTCCAAACAGGAGGAGGAGTGTCCCTGGGTGTGACCCATTGTGGGGACG	5188
Db	333	-----	333
Qy	5189	CATGCTGTCTCCAGTCCGTGTCCAACAGAGATCGACGACGTGTAGGGCAGGTGCGGCGA	5248
Db	334	-----val--GlnGluGluIleAspIleValIleGlyGlnValAlaGlyCys	347
Qy	5249	CCAGAGATGGGTGACACAGGCTCATATGCCCTACACCATGCGCTGATTCACGAGGTGCAG	5308
Db	348	ProGluMetAlaAspGlnAlaHisMetProPheThrAsnAlaValIleHisGluValGln	367
Qy	5309	CGCTTTGGGACATCATCCCTCCCTGAGTGTGACCATATGACATCCCGTGCATCGAAGTA	5368
Db	368	ArgPheAlaAspIleValProMetGlyValProHisMetThrSerArgAspThrGluVal	387
Qy	5369	CAGGGCTTCGACATCCCTAAGTATAGGCTGGCGCCCTCCTCACCCAGCTCAGCACCCAGC	5428
Db	388	GlnGlyPheLeuIleProLys-----	394
Qy	5429	ACCTGGTGTATAGCCCAAGCATGGCTACTGCCAGGTGGGCCCACTCTAGGAACCCCTGGCCA	5488
Db	394	-----	394
Qy	5489	CCTAGTCTCAATGCCACCACTGACTGTCCCACTTGGGTGGGGGGTCCAGAGTATAG	5548
Db	394	-----	394
Qy	5549	GCAGGGTGGCTGTCTCATCCAGAGCCCCGTCTAGTGGGGAGACAAACAGAGACCTGCC	5608
Db	394	-----	394
Qy	5609	AGAATGTTGGAGGACCCAGCGCTCGAGGAGAGGGGCGAGTGTGGGTGCCTCTGAGAGG	5668
Db	394	-----	394
Qy	5669	TGTGACTGCGCCCTGTGTGGGGTTCGAGAGGGTACTGTGAGCTTCTCGGGCGCAGGAC	5728
Db	394	-----	394
Qy	5729	TAGTTGACAGATCCAGCTGTGTGCCAGGAGTGTGTGCTCCCGCTGTGTTCGTGGTCAG	5788
Db	394	-----	394

Db 61 ----- 61
QY 2393 TGGGGAAGGACATTTATACATGTCATGAAGGACTGGATTTTCCAAAGGCCAAAGGAAGCT 2452
Db 61 ----- 61
QY 2453 AGGGCAAGGCCCTGGAGGTGGAGCTGGACTTGGCAGTGGGCATGCAAGCCCATTTGGGCAA 2512
Db 61 ----- 61
QY 2513 CATATGTTATGGAGTACAAAGTCCCTTCTGCTGACACACAGAAAGGCCCTTGGGAATG 2572
Db 62 ----- 63
QY 2573 GAAGATGAGTTAGTCTCTGAGTGCCTTTAAATCACGAAATCGAGGATGAAGGGGTGCAG 2632
Db 63 ----- 63
QY 2633 TGACCCGGTTCAAACCTTTTGCACTGTGGTCTCTGGGCTCACTGCTCACCGGCATGA 2692
Db 63 ----- 63
QY 2693 CCATCATCTGGGAATGGGATGCTAACTGGGGCTCTCGGCAATTTTGGTGACTCTTGCAA 2752
Db 63 ----- 63
QY 2753 GGTATACCTGGGTGAGCATCCAAACTGAGTTCTCTCCATCACAGAAGGTGTGACCCCCA 2812
Db 63 ----- 63
QY 2813 CCCCTGCCACGATCAGGAGGTGGGTCTCTCTTCCACTGCTCACTCTCTGTGGTGGC 2872
Db 63 ----- 63
QY 2873 CCGGGGTGCTCAAAGTTCAATAGACTAGGACCTGTAGTCTGGGTGATCCTGGCTT 2932
Db 63 ----- 63
QY 2933 GACAGAGGCCCTGACCTCCCTCTGCAGTTGGGGCGCTTGGGGGACGTGTTTCAGCC 2992
Db 64 ----- 74
QY 2993 TGCAGTGCCTGACGCGGTGGTGTCTCAATGGGTGGCGGCTGCGCGAGGCGA 3052
Db 74 euGlnMetGlytPlysProMetValIleValAsnArgLeuLysAlaValGlnGluVal 94
QY 3053 TGGTACCCCGCGGAGGACAGCGCGACCGCGCTGGCGCCATCTACCAAGTCTCTGG 3112
Db 94 euValThrHisGlyGluAspThrAlaAspArgProValProIlePheLysCysLeu 114
QY 3113 GCTTCGGGCGCGTTCCTCCAAAGCAAGCGCGGTGGGGGACAGAGACCGCGTTTCCGTGG 3172
Db 114 IyValLysProArgSer-Gln----- 120
QY 3173 CCCCCGGTGGAGTACCTAGTACCCCAAGCGCGCGAGCGCGTGGGTCTCTGACGT 3232
Db 120 ----- 120
QY 3233 GAAACAGAGATAAAGCCAGCGAGTGGGTGAGGACAGTGGGCCAGGAAACACCTGAC 3292
Db 120 ----- 120
QY 3293 GGGGAGGTGCGAGTCTGTGGGTGGAGGGGGCGGGCTACTGCGCCAGACCGCGCAGAA 3352
Db 120 ----- 120
QY 3353 GCCCGTGGGCGAGGCTGATGCGTCGAAGTGGCGGTGGCGGGACCGCGCTATGCTGGC 3412
Db 120 ----- 120
QY 3413 GGCTCAGTGTGGCGGGACGGGGGGGATCTTCTTGAAGTGGAAAGGTGTCAAGGTGGGC 3472
Db 120 ----- 120

QY 3473 AGAGACGAGGTGGGGCCAAACCCCGCCAGCGAGGGAGCAATGTGGGTGAGCAAGAG 3532
Db 120 ----- 120
QY 3533 TGGGCCCTGTGCCAGCTGGACCGGGCTAGGACTCTCGGGAGACCTTTGTGGAGCGCCAGG 3592
Db 120 ----- 120
QY 3593 GTTGAGTGGGTGGCGAGGGTGGGGCCAAAGCCCTTCATGGCAACGCCACCGTCCGTC 3652
Db 120 ----- 120
QY 3653 CCGCCCCCAGGGGTGATCTGTGCGCTATGGGCCCGGTGGCGAGCAGAGCGCTTC 3712
Db 121 ----- 137
QY 3713 TCGGTGTCCACCTTCGGCAACTTGGCCCTGGCAAGAGTCTCTGGAGCAGTGGGTGACC 3772
Db 138 SerValSerThrLeuArgThrPheGlyMetGlyLysLysSerLeuGluGluTrpValThr 157
QY 3773 GAGGAGCGCGCTGCTTTGTGCCCTTCGCCGACCAAGCCGCTGGGTGATGGCAGAAG 3832
Db 158 LysGluAlaGlyHisLeuCys-----Asp-AlaPheTh 168
QY 3833 GGCACAAAGCGGAACTGGGAAGCGGGGACGAGAGAGCAACCCCTTACCCGCTATCTC 3892
Db 168 rAlaGlnAsn----- 171
QY 3893 CCCACCCCGAGACGCGCCCTTTCGCCCCCAACCGCTCTTGGACAAAGCCGTGAGCAACGT 3952
Db 172 ----- 188
QY 3953 GATCGCTCCCTCACCTGCGGGCGCTTCAGTACGACGACCTCTCGCTTCTCAGGCT 4012
Db 188 lIleAlaSerLeuIlePheAlaArgPheGluArgPheGluArgProTyLeuIleArgme 208
QY 4013 GCTGACCTTAGCTCAGGAGGACTGAAGGAGAGTCTGGGCTTCTGCGGAGGTGGGAG 4072
Db 208 tLeuThrLeuValGluGluSerLeuIleGluValSerGlyPheIleProGlu----- 225
QY 4073 CGAGAGACGAGGAGTCTCTGCAGGGCGAGCTCTGAGAGGTGCGGGGCTGAGCTGGGG 4132
Db 225 ----- 225
QY 4133 CCTCCGAGGGCAGGATTTGCATAGATGGTTTGGGAAGGACATTCCAGGAGACCCAC 4192
Db 225 ----- 225
QY 4193 TGTAAGAAGGGCTGAGGAGGAGGGGACATCTCAGACATGCTGCTGGGAGAGGTGTGCC 4252
Db 225 ----- 225
QY 4253 CCGGTGAGGGGACACGAGAGAGGCCAAGGACTCTGTATCCCGCTCCACGTGGAGATT 4312
Db 225 ----- 225
QY 4313 CGATTTTAGTTTCTCTCTGGCAAGGAGAGAGGGGTGGAGCTGCACTTGGGAGGGA 4372
Db 225 ----- 225
QY 4373 CTTGGTGGGTCAAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 4432
Db 225 ----- 225
QY 4433 CTGAGACTTGTCCAGGTGAACGAGAGGACAGGAGGAGATTGAGACCCCGCTTCTGTCTGGT 4492
Db 225 ----- 225
QY 4493 GTAGGTGCTGATGCTGTCTCCCGTCTCTGACATCCAGCGCTGGCTGGCAAGGTCTCT 4552
Db 226 -----ValLeuAsnThrPheProAlaLeuLeuArgIleProGlyLeuAlaAspLysValPh 244

Biochemistry	28:4779-4784(1989).
[3]	
SEQUENCE FROM N.A.	
MEDLINE=89123394; PubMed=2914938;	
Wong G., Itakura T., Kawajiri K., Skow L., Negishi M.;	
"Gene family of male-specific testosterone 16 alpha-hydroxylase (C-P-	
450(16 alpha)) in mice. Organization, differential regulation, and	
chromosome localization.";	
J. Biol. Chem. 264:2920-2927(1989).	
- FUNCTION: Cytochromes P450 are a group of heme-thiolate	
monooxygenases. In liver microsomes, this enzyme is involved in an	
NADPH-dependent electron transport pathway. It oxidizes a variety	
of structurally unrelated compounds, including steroids, fatty	
acids, and xenobiotics.	
- CATALYTIC ACTIVITY: RH + reduced flavoprotein + O(2) = ROH +	
oxidized flavoprotein + H(2)O.	
- SUBCELLULAR LOCATION: Membrane-bound. Endoplasmic reticulum.	
- INDUCTION: P450 can be induced to high levels in liver and other	
tissues by various foreign compounds, including drugs, pesticides,	
and carcinogens.	
- SIMILARITY: Belongs to the cytochrome P450 family.	
This SWISS-PROT entry is copyright. It is produced through a collaboration	
between the Swiss Institute of Bioinformatics and the EMBL outstation -	
the European Bioinformatics Institute. There are no restrictions on its	
use by non-profit institutions as long as its content is in no way	
modified and this statement is not removed. Usage by and for commercial	
entities requires a license agreement (See http://www.isb-sib.ch/announce/	
or send an email to license@isb-sib.ch).	
EMBL; M23998; AAA0427.1; --	
DR EMBL; M23997; AAA0428.1; ALT_SEQ.	
DR EMBL; M27168; AAA39876.1; --	
DR EMBL; M24267; AAA75462.1; --	
DR EMBL; M24262; AAA75462.1; JOINED.	
DR FIR; B27384; B27384.	
DR FIR; S15806; A27384.	
DR HSSP; P00179; IDT6.	
DR MGD; MGI:88606; Cyp2d9.	
DR InterPro; IPR001128; Cytochrome P450.	
DR InterPro; IPR008069; EP450_CYP2D.	
DR Pfam; PF00067; P450; 1.	
DR PRINTS; PRO0385; P450.	
DR PROSITE; PS00086; CYTOCHROME P450; 1.	
KW Oxidoreductase; Monooxygenase; Electron transport; Membrane; Heme;	
KW Microsome; Endoplasmic reticulum.	
FT METAL 446 446 IRON (HEME AXIAL LIGAND).	
FT CONFLICT 54 55 LG -> QD (IN REF. 2).	
SQ SEQUENCE 504 AA; 56949 MW; B85862205472A176 CRC64;	
Alignment Scores:	
Pred. No.: 3.7e-44 Length: 504	
Score: 1137.00 Matches: 337	
Percent Similarity: 28.8% Conservative: 66	
Best Local Similarity: 24.11% Mismatches: 92	
Query Match: 6.07% Indels: 903	
DB: 1 Gaps: 10	
US-09-820-788A-3 (1-10278) x CPD9_MOUSE (1-504)	
2093 CTGTGGCCCTGCCCATAGTAGCGCCATCTTCCTGCTCTGTGGACCTGATGCACGG 2152	
9 LeuTrpProValAlaIlePheThrValIlePheLeuValAspLeuThrHisGln 28	
2153 CACCAAACGTGGGCTGCAGCTACCCGCAAGTCCCCTGCTGCACCTGGCGGCTGGGCAAC 2212	
29 ArgGlnArgTrpThrSerArgTyrrProGlyProValProTrpProValLeuGlyAsn 48	
2213 CTTGCTGCATGTGGACTTCCAGAACACACCATCTGCTTCGACCAGGTGGGGAGGAGT 2272	
49 -LeuLeuGlnValAspLeuGlyAsnMetProTyr-Ser----- 60	

Db	120	-----	120
Qy	3413	GGCTCAGTGTGGCGGACGGCGGGATCTTCTTTGAGTGSAAAGTGGTCAAGGTTGGC	3472
Db	120	-----	120
Qy	3473	AGACGAGGTGGGCCCAAAACCCGCCACAGGAGGAGCAATGTGGGTGACAAAGAG	3532
Db	120	-----	120
Qy	3533	TGGGCCCTGTGCCACAGCTGNACCGGGCTAGGACTGCGGGAGACCTTGTGGAGGCCAGG	3592
Db	120	-----	120
Qy	3593	GTTGGAGTGGGTGCGGAGGGTGGGCCAAGGCCCTCATGGCAAGCCACGCTGTCCGTC	3652
Db	120	-----	120
Qy	3653	CCGCCCCACAGGGTGATCTGTCTCGCTATGGCCCGCTGGCGCAGCAGAGCGCTTC	3712
Db	121	-----	137
Qy	3713	TCCGTGTCACCTTGGCCAACTTGGGCTTGGGCAAGAGTCGCTGGAGCAGTGGGTGACC	3772
Db	138	SerValSerThrLeuArgAsnPheGlyLeuGlyLysLysSerLeuGluAspTrpValThr	157
Qy	3773	GAGGAGCCCGCTCGCTTGTGCGCTTCGCCGACCAAGCCGGTGGGTGATGGCAGAAG	3832
Db	158	LysGluAlaAsnHisLeuCys-----	168
Qy	3833	GGCACAAGGCGGAACTGGGAAGCGGGGACGGAAGGCAACCCCTTACCCGCATCTC	3892
Db	168	raIaGlnAla-----	171
Qy	3893	CCCAACCCACGAGACGCCCTTTCGCCCAACGGCCTCTTGACAAAGCCGTGAGCAACGT	3952
Db	172	-----	188
Qy	3953	GATCGCTCCCTCACTCGGGCGCGCTTCGAGTAGCAGACCCCTCGCTTCCTCAGGCT	4012
Db	188	lIleAlaSerLeuIlePheAlaArgPheGluTrpGluAspProPheLeuIleArgMe	208
Qy	4013	GCTGCACCTAGCTCAGGAGGACTGAAGGAGGAGTCCGGCTTCTCGCGCAGGTGCGGAG	4072
Db	208	tLeuLysValleuGluGlnSerLeuThrGluValSerGlyLeuIleProGlu-----	225
Qy	4073	CGAGAGACCGAGGAGTCTCTGCAGGGCGAGCTCTCTGAGAGGTGCGGGGTGAGTGGGG	4132
Db	225	-----	225
Qy	4133	CCTCCGAAGGCAGGATTTGCATAGATGGGTTTGGGAAGGACNATTCAGGAGACCCAC	4192
Db	225	-----	225
Qy	4193	TGTAAAGAGGCGCTGGAGGAGGAGGACATCTCAGACATGTCGTGGGAGAGGTGTGCC	4252
Db	225	-----	225
Qy	4253	CGGTCAGGGGGCACAGGAGAGCCAAGGACTCTGTACCCCGTCCAGTTGGAGATTT	4312
Db	225	-----	225
Qy	4313	CGATTTTAGGTTTCTCTCTGGGCAAGAGAGAGGTGGAGCTTGGGGAGGGA	4372
Db	225	-----	225
Qy	4373	CTTGGTGAGGTCACTGTGTAAGGACAGCGAGGCCCTGGGTCTACTGTGGAGATGCTGGGC	4432
Db	225	-----	225
Qy	4433	CTGAGACTTGTCCAGGTGAACGCGACAGCAGGAGGATTTGAGACCCCGTTCTGTCTGTT	4492

D	b	225	-----	225
Q	y	4493	GTAGTGTGTAATGTGTCCCGCTCCCTCTGCACATCCACGCGCTGGCTGGCAAGGTCCT	4552
D	b	226	-----	226
Q	y	4553	ACGCTTCCAAAGCTTTCCTGACCCACAGCTGGATGAGCTGCTAACTGAGCACAGGATGAC	4612
D	b	244	uGlnGlyGlnIysSerPheIleAlaIleLeuAspAsnLeuThrGluAsnArgThrTh	264
Q	y	4613	CTGGGACCCAGCCAGCCACCCAGACCTGACTGAGCGCTTCTCTGCAAGAGAGGAA	4672
D	b	264	rTrpAspProValGlnAlaProArgAsnLeuThrAspAlaPheLeuAlaGlnIleGluLy	284
Q	y	4673	GGTGAGAGTGGCTGCCACGGTGGGGGCAAGGGTGGTGTGAACGTCCACGAGGAAT	4732
D	b	284	g-----	284
Q	y	4733	GAGGGAGGCTGGCAAAAGATTGGACAGTGCATCACCCGGGAGCGGCATCTGGGCTG	4792
D	b	284	-----	284
Q	y	4793	ACAGGTGCAGAAATTGGAGGTCAATTGGGGGCTACCCCGTTCATCCCTGAGTATCCTCT	4852
D	b	284	-----	284
Q	y	4853	CGGCCCTGCTCAGCCCAAGGGAGCCCTGAGAGCAGCTTCAATGATGAGAACCTGCGCAT	4912
D	b	285	-----	285
Q	y	4913	AGTGTGGGTAACTGTTCTTCGCGGGATGGTGACCACTTCGACCACTGCGCTGGGGG	4972
D	b	300	tValValArgAspLeuPheGlyAlaGlyMetLeuThrThrSerThrLeuSerTrpAl	320
Q	y	4973	CCTCTGCTATGATCTCTACACTGGATGTGTGACGCTGAGCCAGCTGGGGGCCAAGGCA	5032
D	b	320	aLeuMetLeuMetIleLeuHisProAspValGln-----	331
Q	y	5033	GGGACTGAGGGAGGAAGGTACAGCTGGGGGGCCCTGGGCTTAGCTGGGACACCCGGGGC	5092
D	b	331	-----	331
Q	y	5093	TTCCAGCAGCGGTGGCCAGGCTCTGTAAAGCCTAACTTCTCTCAACACAGGAGGAAGG	5152
D	b	331	-----	331
Q	y	5153	AGATGTGTCCTGGGTGCTGACCAATTGTGGGGAGCGCATGCTGTCAAGTCCGTGTCCAA	5212
D	b	332	-----	332
Q	y	5213	CAGGATTCGACGACGTATAGGCGAGTGGGGACACAGAGATGGGTGACCAAGGCTCAC	5272
D	b	336	GlnGluIleAspGluValIleGlyGlnValArgHisProGluMetAlaAspGlnAlaHis	355
Q	y	5273	ATGCCCTACACCACTGCCGTGATTTCAGAGGTGAGCGCTTTGGGGACATCATCCCGCTG	5332
D	b	356	MetProIyThrAsnAlaValIleHisGluValGlnArgPheGlyAspIleValProVal	375
Q	y	5333	AGTGTGACCCCATATGACATCCCGTGACATCGAAGTACAGGGCTTCGCGCATCTCTAGGTA	5392
D	b	376	AsnLeuProArgIleThrSerHisAspIleGluValGlnAspPheLeuIleProIys---	394
Q	y	5393	GGCTGGGGCCCTCTCACCCAGCTCAGCACACGACCTGGGTGATAGCCCCAGCATGGC	5452
D	b	394	-----	394
Q	y	5453	TACTGCCAGGTGGGCCCACTCTAGGAACCCCTGGGCCACCTAGTCTCAATGCCACCACT	5512
D	b	394	-----	394
Q	y	5513	GACTGTCCCACTTTGGGTGGGGGTCCAGAGTATAGGACGGGTGGCGCTGTCCATCCAGA	5572
D	b	394	-----	394

GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM nucleic - protein search, using frame_plus_n2p model
Run on: February 25, 2004, 02:16:18 ; Search time 147.885 Seconds
(without alignments)
13370.622 Million cell updates/sec

Title: US-09-820-788A-3
Perfect score: 18731
Sequence: 1 agccttacaagtctggga.....ccagggtcagtcggcaggt 10278

Scoring table: BLOSUM62
Xgapop 10.0, Xgapext 0.5
Ygapop 10.0, Ygapext 0.5
Fgapop 6.0, Fgapext 7.0
Delop 6.0, Delext 7.0

Searched: 283366 seqs, 96191526 residues

Total number of hits satisfying chosen parameters: 566732

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Command line parameters:
-MODEL=frame+ n2p.model -DRV=xlp
-Q/cgn2 1/USPTO_spool_p/US09820788/runat_24022004_141427_20051/app_query.fasta_1.12174
-DB=PIR78 -QPMF=fastan -SUFFIX=rpr -MINMATCH=0.1 -LOOPCL=0 -LOOPEXT=0
-UNITS=bits -START=1 -END=1 -MATRIX=blosum62 -TRANS=human40.cdi -LIST=45
-DOCALIGN=200 -THR SCORE=pct -THR MAX=100 -THR MIN=0 -ALIGN=15 -MODE=LOCAL
-OUTFMT=ptc -NORM=ext -HEAPSIZ=500 -MINLEN=0 -MAXLEN=2000000000
-USER=us09820788 @CGN 1.1.292 @runat_24022004_141427_20051 -NCPU=6 -ICPU=3
-NO MAP -LARGEQUERY -NEG SCORES=0 -WAIT -DSPLOCK=100 -LONGLOG
-DEV_TIMEOUT=120 -WARN_TIMEOUT=30 -THREADS=1 -XGAPOP=10 -XGAPEXT=0.5 -FGAPOP=6
-FGAPEXT=7 -XGAPOP=10 -YGAPEXT=0.5 -DELOP=6 -DELEXT=7

Database : PIR 78:*
1: pir1:*
2: pir2:*
3: pir3:*
4: pir4:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES			
Result No.	Score	Query Match Length	ID Description
1	1795	9.6	497 1 O4HUD1 debrisinsuine 4-hyd
2	1675	8.9	497 1 G02938 probable debrisinsu
3	1318.5	7.0	500 1 S37284 cytochrome P450 2D
4	1311.5	7.0	500 1 JE0258 cytochrome P450 2D
5	1280.5	6.8	500 1 D31579 cytochrome P450 2D
6	1268.5	6.8	500 1 JCS819 cytochrome P450 2D
7	1252.5	6.7	500 1 J02559 cytochrome P450 2D
8	1249.5	6.7	500 1 JCA157 cytochrome P450 2D
9	1176	6.3	500 1 S16872 cytochrome P450 2D
10	1175.5	6.3	500 1 B26822 cytochrome P450 2D
11	1161.5	6.2	500 1 JC4153 cytochrome P450 2D
12	1146	6.1	504 1 O4RTD5 cytochrome P450 2D
13	1137	6.1	504 1 A27384 steroid 16alpha-hy
14	1131	6.0	504 1 I49428 cytochrome P450 16

15	1126	6.0	504	1	A26822	debrisinsuine 4-hyd
16	1122	6.0	504	2	I49427	cytochrome P450 16
17	1119	6.0	504	1	A30247	cytochrome P450 2D
18	1034.5	5.5	505	1	S19169	cytochrome P450 2D
C 19	568.5	3.0	1690	1	CGHUIB	collagen alpha 4(I
C 20	520	2.8	3570	2	T45025	mucin MUC5B, trach
21	507.5	2.7	294	1	B27384	probable truncated
C 22	499.5	2.7	2715	2	T13049	eyelid - fruit fly
23	495	2.6	1690	1	CGHUIB	collagen alpha 4(I
C 24	489	2.6	4957	2	T03455	ALR protein - huma
25	486.5	2.6	2944	2	A54849	collagen alpha 1(V
26	484.5	2.6	13288	2	T03099	mucin, submaxillar
27	481	2.6	1466	1	CGHUIB	collagen alpha 1(I
C 28	477.5	2.6	2944	2	A54849	collagen alpha 1(V
C 29	471	2.5	1691	1	S22917	collagen alpha 5(I
C 30	467.5	2.5	213	2	T47135	hypothetical prote
C 31	459.5	2.5	2142	2	B35098	MHC class III hist
32	459	2.5	1691	1	S22917	collagen alpha 5(I
33	457	2.4	501	1	A40938	cytochrome P450 1b
C 34	456.5	2.4	5262	2	T03454	ALR protein - huma
C 35	455.5	2.4	1453	2	S21626	collagen alpha 1(I
36	455.5	2.4	1763	2	S16366	collagen alpha 2(I
C 37	449	2.4	1763	2	S16366	collagen alpha 1(I
38	448.5	2.4	1464	2	S59856	collagen alpha 1(I
C 39	448.5	2.4	1670	1	CGHUIB	collagen alpha 3(I
C 40	446.5	2.4	1669	1	CGMS4B	collagen alpha 1(I
C 41	446	2.4	1188	2	S49915	extensin-like prot
42	445.5	2.4	1049	1	CGBO7S	collagen alpha 1(I
43	445.5	2.4	1549	2	I48103	type VII collagen
44	443	2.4	1806	1	CGHUIE	collagen alpha 1(X
C 45	442.5	2.4	1464	2	S59856	collagen alpha 1(I

ALIGNMENTS

RESULT 1

OAHU01

debrisinsuine 4-hydroxylase (EC 1.14.14.-) cytochrome P450 2D6 - human
N/Alternate names: CYP2D6; cytochrome P450 isozyme 2D; cytochrome P450db1
C/Species: Homo sapiens (man)
C/Date: 31-Mar-1992 #sequence revision 31-Mar-1992 #text_change 03-Mar-2000
C/Accession: S01199; A28883; JC4156; A33629; A30335
R/Gonzalez, F.J.; Skoda, R.C.; Kimura, S.; Umeno, M.; Zanger, U.M.; Nebert, D.W.; Gelbo
Nature 331, 442-446, 1988

A/Title: Characterization of the common Genetic defect in humans deficient in debrisinsu
A/Reference number: S01199; MUID:88122614; PMID:3123997
A/Accession: S01199
A/Status: translation not shown
A/Molecule type: mRNA
A/Residues: 1-497 <CON>
A/Cross-references: EMBL:X08006; NID:g30450; PIDN:CAA30807.1; PID:g30451
R/Gonzalez, F.J.; Vilbois, F.; Hardwick, J.P.; McBride, O.W.; Nebert, D.W.; Gelboin, H.
Genomics 2, 174-179, 1988
A/Title: Human debrisinsuine 4-hydroxylase (P4501D1): cDNA and deduced amino acid sequ
A/Reference number: A28883; MUID:88314109; PMID:3410476
A/Accession: A28883
A/Molecule type: mRNA
A/Residues: 1-497 <CON>
A/Cross-references: EMBL:M20403; NID:g181349; PIDN:AAA52153.1; PID:g181350
R/Jiang, Q.; Voigt, J.M.; Colby, H.D.
Biochem. Biophys. Res. Commun. 209, 1149-1156, 1995
A/Title: Molecular cloning and sequencing of a guinea pig cytochrome P4502D (CYP2D16):
A/Reference number: JC4153; MUID:95251703; PMID:7733969
A/Accession: JC4156
A/Status: preliminary
A/Molecule type: mRNA
A/Residues: 1-497 <JIA>
R/Kimura, S.; Umeno, M.; Skoda, R.C.; Meyer, U.A.; Gonzalez, F.J.
Am. J. Hum. Genet. 45, 889-904, 1989
A/Title: The human debrisinsuine 4-hydroxylase (CYP2D) locus: sequence and identification
A/Reference number: A33629; MUID:90072069; PMID:2574001
A/Accession: A33629
A/Molecule type: DNA


```
QY 3818 GGTGATGGCGAGAGGGCAAAAGCCGGAACTGGGAAGCGGGGACGGAGAGGCAACC 3877
Db 166 ----- 166
QY 3878 CCTTACCCGATCTCCACCCCGAGAGCGCCCTTTCCGCCCAAGCGCTCTTGACAA 3937
Db 167 -----His-Ser-----GlyArgProPheArgProAsnGlyLeuLeuAspLys 180
QY 3938 AGCCGTGAGCAACGTGATCGCTTCCCTCACCTGCGGGCGCCGCTTCGAGTACGACGACCC 3997
Db 180 salValSerAsnValIleAlaSerLeuThrCysGlyA-ArgPheGluTy-AspAspPr 200
QY 3998 TGGCTTCCTCAGCTCTCGACCTAGCTCAGAGGGACTGAAGAGAGAGTCGGGCTTTCT 4057
Db 200 oArgPheLeuArgLeuLeuAspLeuAlaGlnGluGlyLeuLysGluLysSerGlyPheLe 220
QY 4058 GCGCAGGTGCGGAGCGAGAGACCGAGGAGTCTCTCAGGGCGGAGTCTCTGAGAGTGCC 4117
Db 220 uArgGlu----- 222
QY 4118 GGGGCTGGAGCTGGGGCTCCGAAGGCGAGGATTTGCTAGATGGGTTTGGGAAAGGACAT 4177
Db 222 ----- 222
QY 4178 TCAGAGAGACCCCACTGTGAAGAGGCCCTGGAGAGGAGGGGACATCTCAGACATGGTCG 4237
Db 222 ----- 222
QY 4238 TGGGAGAGGTGTGCCCGGGTCAGGGGGCCAGGAGAGGCCAAGGACTCTGTACCCCGT 4297
Db 222 ----- 222
QY 4298 CCACGTTGAGATTTCCGATTTTAGGTTTCTCTCTGGCAAGGAGAGGGTGGAGGCTG 4357
Db 222 ----- 222
QY 4358 GCACTTGGGAGGGACTTGGTGAGGTCACTGGTGAAGGACAGGCGGCCCTCGGCTTACCT 4417
Db 222 ----- 222
QY 4418 GGAGATGGCTGGGGCTGAGACTTGTCCAGGTGAACGACGACGAGGAGGATTGAGAC 4477
Db 222 ----- 222
QY 4478 CCGCTTCTGTCTGGTGTAGTGTGAATGCTGTCCCGTCTCTCGCACATCCAGCGCT 4537
Db 223 -----ValLeuAsnAlaValProValLeuLeuHisIleProAlaLe 236
QY 4538 GGCTGGCAAGGCTCTACGCTTCCAAAGGCTTTCTGTGACCCAGCTGGATGAGCTGCTAAC 4597
Db 236 uAlaGlyLysValLeuArgPheGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuTh 256
QY 4598 TGAGCACAGATGACCTGGGACCCAGCCAGCCAGCCAGCCAGACCTGACTGAGGCTTCTCT 4657
Db 256 rGluHisArgMetThrTrpAspProAlaGlnProArgAspLeuThrGluAlaPheLe 276
QY 4658 GGCAAAGAGGAGAGGTGAGTGTGCTCCAGGTGGGGGCAAGGGTGGTGGTGA 4717
Db 276 uAlaGluMetGluLys----- 281
QY 4718 CGTCCAGGAGGAATGAGGGGAGGCTGGGCAAAAGGTTGGACCAAGTGATCATCCCCGCGA 4777
Db 281 ----- 281
QY 4778 GCGGCATCTGGGCTGACAGGTGCAGAAATTGGAGGTCAATTGGGGGCTACCCGTTCTATC 4837
Db 281 ----- 281
QY 4838 CCTGTAGTATCTCTCGGCCCTGCTCAGGCCAAGGGGAGCCCTTGAGAGCAGCTTCAATCA 4897
Db 282 -----AlaLysGlyAsnProGluSerSerPheAsnAs 292
QY 4898 TGAGAACCTGCGCATAGTGTGGGTAACTGTGTTCTTGTCCGGGATGGTGACCACTCCGAC 4957
```

```
Db 292 pGluAsnLeuArgIleValValAlaAspLeuPheSerAlaGlyMetValThrThrSerTh 312
QY 4958 CACGCTGGGCTGGGGCTCTCTCTCATGATCTACACCTGGATGTGCAGCGTGAGCCAG 5017
Db 312 rThrLeuAlaTrpGlyLeuLeuLeuMetIleLeuHisProAspValGln----- 328
QY 5018 CTGGGGCCCAAGCGAGGACTGAGGGAGGAAGGTACAGCTGGGGGCCCTCTGGGCTTAGC 5077
Db 328 ----- 328
QY 5078 TGGGACACCCGGGGCTTCCAGCACAGGCGTGGCCAGGCTCTGTAAAGCCTAATCTCTCC 5137
Db 328 ----- 328
QY 5138 AACACAGGAGGAAGGAGAGTGTCCCTGGGTCTGACCCATTTGTGGGGACGCATGTCGT 5197
Db 328 ----- 328
QY 5198 CCAGTCCGTGTCCAAACAGAGATCGACGACGTGATAGGCGAGGTGGCGACAGATG 5257
Db 329 -Arg--ArgValGlnGlnIleAspAspValIleGlyGlnValArgArgProGluMet 347
QY 5258 GGTGACGAGGCTCAGATGCCCTTACACCTGCGGTGATTACAGAGGTGCGAGGCTTTGG 5317
Db 348 GlyAspGlnAlaHisMetProTy-ArgValIleHisGluValGlnArgPheGly 367
QY 5318 GACATCATCCCTCAGTGTGACCCATGACATCCGTGACATCGAGTACGAGGTACAGGCTTC 5377
Db 368 AspIleValProLeuGlyMetThrHisMetThrSerArgAspIleGluValGlnGlyPhe 387
QY 5378 CGCATCCCTTAAGTAGGCTTGGCGCCCTCTCACCCAGCTCAGCACACGACCTGGTGA 5437
Db 388 ArgIleProLys----- 391
QY 5438 TAGCCCCAGCATGGCTACTGCGCAGGTGGGCCCACTCTAGGAACCTTGGCCACCTAGTCCT 5497
Db 391 ----- 391
QY 5498 CAATGCCACCACACTGACTGTGCCACCTTGGGTGGGGGTCCAGAGTATAGGCAGGCTG 5557
Db 391 ----- 391
QY 5558 GCCTGTCCATCCAGAGCCCCGCTCTAGTGGGGAGACAAACAGGACCTGCCAGATGTTG 5617
Db 391 ----- 391
QY 5618 GAGGACCCAGCGCCTGCAGGGAGAGGGGGCAGTGTGGGTGCTCTGAGAGGTGTGACTGC 5677
Db 391 ----- 391
QY 5678 GCGCTGTGTGGGTCCGAGAGGGGTACTGTGGAGCTTCTCGGGGCGCAGGACTAGTTGACA 5737
Db 391 ----- 391
QY 5738 GAGTCCAGCTGTGTCCAGGACGTGTGTCTCCCGTGTGTTTGGTGGCAGGGGTCCCAG 5797
Db 391 ----- 391
QY 5798 CATCTAGAGTCCAGTCCCACTCTCACCTGCATCTCTGTCGCCAGGGAACGACACTCAT 5857
Db 392 -----Gly--ThrThrLeuI 396
QY 5858 CACCAACTGTTCATCGGTCTGAAGATGAGCGCTCTGGGAGAGCCCTTCGCTTCCA 5917
Db 396 eThrAsnLeuSerSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHi 416
QY 5918 CCCCAGAACACTTCTCGGATGCCAGGCGCACCTTTGTGAAGCCGAGGCTTCTCGCTTT 5977
Db 416 sProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPh 436
QY 5978 CTCAGCAGGTGCTGTGGGGAGCCCGGCTCTCTGTCCTCCCTTCCGTGGAGTCTTTGAGGGG 6037
```

Db 436 e--Ser----- 437
QY 6038 TATCACCAGGAGCAGGCTACTGACGCCCTCCCTCCACAGGCGCGCTGCATGC 6097
Db 438 -----AlaGlyArgArgAlaCys 443
QY 6098 CTCGGGAGCCCTGGCCCGCATGGAGCTTCTCTTCTTCCACCTCCCTGCTGCAGCAC 6157
Db 444 LeuGlyGluProLeuAlaArgMetGluLeuPhePheThrSerLeuLeuGlnHis 463
QY 6158 TTCACTTCTTCGTCGCGCCGACAGCCCGCCGACCACTCTGTCGTCAGCTTT 6217
Db 464 PheSerPheSerValProThrGlyGlnProArgProSerHisHisGlyValPheAlaPhe 483
QY 6218 CTGGTGACCCATCCCTTACAGCTTTGTGTGTGTGCGCCGCGC 6259
Db 484 LeuValSerProSerProTyrGluLeuCySAIaValProArg 497

RESULT 2
G02938
probable debrisoquine 4-hydroxylase (EC 1.14.14.-) cytochrome P450 - crab-eating macaque
C:Species: Macaca fascicularis (crab-eating macaque)
C:Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 03-Mar-2000
C:Accession: G02938
R:Lawton, M.P.; Laddison, K.J.; Speirs, A.A.; Mankowski, D.C.; Tweedie, D.J.
submitted to the EMBL Data Library, October 1995
A:Reference number: G12616
A:Accession: G02938
A:Status: translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-497 <LAW>
A:Cross-references: EMBL:U38218; NID:g1022899; PIDN:AAA79722.1; PID:g1022900
C:Genetics:
A:Gene: CYP2D17
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: Chromoprotein; heme; iron; metalloprotein; monooxygenase; oxidoreductase; tyrosine
F:302-465/Domain: cytochrome P450 homology <P45>
F:443/Binding site: heme iron (Cys) (axial ligand) #status predicted

Alignment Scores:
Pred. No.: 2,826-77 Length: 497
Score: 1675.00 Matches: 442
Percent Similarity: 33.00% Conservative: 20
Best Local Similarity: 31.57% Mismatches: 35
Query Match: 8.94% Indels: 903
DB: 1 Gaps: 8

US-09-820-788A-3 (1-10278) x G02938 (1-497)

QY 2078 ATGGGGCTAGAGCACTGGTGGCCCTGGCCATGATAGTGGCCATCTTCTGCTCTGCTG 2137
Db 1 MetGluLeuAspAlaLeuValProLeuAlaValThrValAlaIlePheLeuLeuVal 20
QY 2138 GACCTGATGACCGGCACCAAGCTGGGCTGCACCTACCCGACAGTCCCTGCACTG 2197
Db 21 AspLeuMetHisArgArgGlnArgTrpAlaAlaArgTyrProProGlyProLeuProLeu 40
QY 2198 CCCGGCTGGGCAACTTGTCTCATGTGGACTTCAGAACACACCATACTGCTCGACCA 2257
Db 41 ProGlyLeuGlyAsn-LeuLeuHisValAspPheLysAsnThrProTyrCysPheAspG1 60
QY 2258 GTGAGGAGGAGGTCTCTGGGGCGGCAGAGGTCTCTGAGGATGCCACCACAGCAAA 2317
Db 60 n----- 60
QY 2318 CATGGTGTGGTTAAACACAGCTGGATCAGAAGCCAGGCTGAGAAGGGGAAGCAGG 2377
Db 60 ----- 60
QY 2378 TTTGGGGACGTTCTCTGGGAAGGACATTTATACATGGCATGAAGGACTGGATTTTCAA 2437
Db 60 ----- 60

QY 2438 AGGCCAAGGAAGAGTAGGGCAAGGCCCTGGAGGTGGAGCTGGACTTGGCAGTGGGCATGC 2497
Db 60 ----- 60
QY 2498 AAGCCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACACCAAGGA 2557
Db 60 ----- 60
QY 2558 AAGCCTTGGGAATGGAAGATGAGTTAGTCTGAGTGCCTTTAAATCAGAAATCGAGG 2617
Db 60 ----- 60
QY 2618 ATGAAGGGGGTGCAGTGACCCCGTTCAAACCTTTTGCACCTGTGSGTCTCTCGGCGCTCACT 2677
Db 60 ----- 60
QY 2678 GCTCACCGGCATGGACCATCATCTGGGAATGGGATGCTAACTGGGGGCTCTCGGCAATTT 2737
Db 60 ----- 60
QY 2738 TGGTGACTCTTGGCAAGGTACATACCTGGGTGAGGCATCCAAACTGAGTTCTCTCCATCAG 2797
Db 60 ----- 60
QY 2798 AAGGTGTGACCCCAACCCCTGCCACGATCAGGAGGCTGGGTCTCTCTCTTCCACCTGC 2857
Db 60 ----- 60
QY 2858 TCACCTCTGTAGCCCGGGGTCTGCCAAGTTTCAAATAGGACTTAGGACCTGTAGTCTG 2917
Db 60 ----- 60
QY 2918 GGGTGATCTCGCTTGACAGAGGCCCTGACCCCTCTCTGAGTTGGGCGCCGCTTCG 2977
Db 61 -----Leu-ArgArgArgPheG 66
QY 2978 GGGAGCTGTTTCAGCTGCGCTGCGTGCAGCGCGGTGGTGTCTGCTCAATGGGCTGGCGG 3037
Db 66 LysnValPheSerLeuGlnLeuAlaIleThrProValValLeuLeuGlyLeuAla 86
QY 3038 CCGTGGCGAGCGATGTTGACCCCGCGGAGGACACGCGCGACGCGCGCTTGGCGCCA 3097
Db 86 LaValArgGluAlaLeuValThrCysGlyGluAspThrAlaAspArgProValProI 106
QY 3098 TCTACAGGTCTCTGGCTTGGCGCGCTTCCCAAGCAAGCGCGGTGGGGGACAGAGA 3157
Db 106 LeAsnGlnValLeuGlyPheGlyProArgSer-Gln----- 117
QY 3158 CCGGTTTTTCGTGGGCCCCGGGTGGACAGTACCGTAGCCCAAGCAGCGCGCAGGCG 3217
Db 117 ----- 117
QY 3218 TGGGGTCTTGACGCTGAAACAGAGATAAGGCCAGCGAGTGGGCTGAGGACAGTGGGCA 3277
Db 117 ----- 117
QY 3278 GGAACACCACTGCACGGGGAGGTGCGAGTCTGTGGGTGGAGGGGCGGGGCTACTGC 3337
Db 117 ----- 117
QY 3338 CCAGACCGCCAGAAAGCCCGGTGGCGGAGGCTGATCGTCGAAGTGGGGTGGCGGGGAC 3397
Db 117 ----- 117
QY 3398 CGCGCTATGCTCGGGCTCAGTGTGGCGGAGCGGGCGGATCTTCTTGAAGTGAAG 3457
Db 117 ----- 117
QY 3458 GTGGTCAGGTGGGACAGACAGGTGGGGGCCAAACCCCGCCCGCAGGAGGAGCAATG 3517
Db 117 ----- 117
QY 3518 TGGGTGAGCAAGAGTGGGCCCTGTGCCAGCTGACCGGCTAGGAGCTGCGGAGACC 3577

```
Db 117 ----- 117
QY 3578 TTGTGAGGCCAGGGTTGGAGTGGGTGGCGAGGGTGGGGCCAAAGCCCTTCATGGCAAC 3637
Db 117 ----- 117
QY 3638 GCCCAGTGTCCGTCCGCCCCAGGGGTATCTCTCGCGCTATGGGCCCGCGTGGCGC 3697
Db 118 -----GlyValPheLeuAlaArgTyrGlyProAlaTrpArg 129
QY 3698 GAGCAGAGGGCTTCCTCGTGTCCCACTTGGCAACTTGGGCTGGGCAAGAGTCGCTG 3757
Db 130 GluGlnArgPheSerValSerThrLeuArgAsnLeuGlyLeuGlyLysSerLeu 149
QY 3758 GAGCAGTGGGTGACCGAGAGGGCGCTGCTTGTGCGCTTGGCGGCAAGCGCGTG 3817
Db 150 GluGlnTrpValThrGluAlaAlaCysLeuCysAlaAla----- 163
QY 3818 GGTGATGGGCAGAAAGGCCACAAGCCGGAACTGGGAAGCGGGGACGGAGAAGGCCAAC 3877
Db 163 ----- 163
QY 3878 CCTTACCCGATCTCCCAACCCAGGAGCGCCCTTTCGCCCAACGGGCTCTTGGACAA 3937
Db 164 -----Phe-ThrAspGlnAlaGlyArgProPheArgProAsnSerLeuLeuAspIy 180
QY 3938 AGCCGTGAGCAACGTGATCGCTCCCTCACCTCGCGGCGCCGCTTCGAGTACGACGCC 3997
Db 180 sAlaValSerAsnValIleAlaSerLeuThrTyrGlyArgPheGluTyrAspAspPr 200
QY 3998 TCGCTTCCTCAGGCTCTGGACCTAGCTCAGGAGGGACTGAAGAGGAGTTCGGGCTTCT 4057
Db 200 oArgPheLeuArgLeuPheAspLeuThrHisGluAlaLeuLysGluSerGlyPheLe 220
QY 4058 GCGGAGGTGCGGAGGAGGACCGAGGAGTCTCTCGAGGGCGAGCTCTCGAGAGTGCC 4117
Db 220 uArgGlu----- 222
QY 4118 GGGGCTGGAGTCTCGAAGGCGAGGATTTGCATAGATGGGTTCGGAAAGGACAT 4177
Db 222 ----- 222
QY 4178 TCCAGGAGACCCCACTGTAAAGAGGCGCTGGAGGAGGGGACATCTCAGACATGGTGC 4237
Db 222 ----- 222
QY 4238 TGGGAGAGGTGTCCCGGGTCAGGGGGCACAGGAGAGGCCAAGGACTCTGTACCCCGT 4297
Db 222 ----- 222
QY 4298 CCAGTTGGAGATTTTCGATTTTAGGTTTCTCTCTGGGCAAGGAGAGGGTGGAGGCTG 4357
Db 222 ----- 222
QY 4358 GCACTTGGGAGGGGACTTGTGTAGGTTCAGTGTGTAAGGACAGGAGCGCCCTGGGTCTACCT 4417
Db 222 ----- 222
QY 4418 GGAGATGGCTGGGGCTTGAGACTTGTTCAGGTGAACGCAGAGCACAGGAGGATTGAGAC 4477
Db 222 ----- 222
QY 4478 CCGGTTCTGTGTGTAGTGTGAATGCTGTCCCGGTCCTCTGCATATCCAGCGCT 4537
Db 223 -----ValLeuAsnAlaIleProLeuLeuArgIleProGlyLe 236
QY 4538 GGTGTCAGAGTCTTACGCTTCCAAAAGGCTTTCCTGACCCAGCTGGATGAGCTGTAAC 4597
Db 236 uAlaGlyLysValLeuArgSerGlnLysAlaPheLeuThrGlnLeuAspGluLeuLeuTh 256
QY 4598 TGAGCAGAGATGACCTGGGACCCAGCCAGCCAGCCCGGAGACCTCGACTGAGCGCTTCT 4657
```

```
256 rGluHisArgMetThrTrpAspProAlaGlnProProArgAspLeuThrGluAlaPheLe 276
4658 GGCAGAAAGAGAGAGGTGACAGTGGCTGCCACGCTGGGGGGCAAGGGTGGTGGTTGAA 4717
276 uAlaGluMetGluLys----- 281
4718 COTCCAGGAGGAAATGAGGGAGGCTGGGCAAAAGTTGGACCACTGATCACCAGGCGCA 4777
281 ----- 281
4778 GCCGCATCTGGGCTGACAGGTGCAGAAATTGGAGGTCAATTTGGGGGTACCCCGTTCTATC 4837
281 ----- 281
4838 CCTGAGTATCTCTCGGCCCTGCTCAGGCCAAGGGAGCCCTGAGAGCAGCTTCAATGA 4897
282 -----AlaLysGlyAsnProGluSerSerPheAsnGI 292
4898 TGAGAACCTGCGCATAGTGGGTAACTGTTCCTTGGCGGATGGTGCACCATCTGCAG 4957
292 uGluAsnLeuArgMetValValAlaAspLeuPheSerAlaGlyMetValThrSerTh 312
4958 CACGCTGGCGCTGGGCTCTCTCATGATCTTACCTGATGATGTCAGCGTGAGCGCCAG 5017
312 rThrLeuAlaTrpGlyLeuLeuMetIleLeuHisProAspValGln----- 328
5018 CTGGGGCCCAAGGAGGAGTCTGAGGAGGAGGTACAGCTGGGGGGCCCTGGGCTTAGC 5077
328 ----- 328
5078 TGGGACACCCGGGGTTCAGCACAGGCGTGGCCAGGCTCTGTAAAGCCTTCTCTCC 5137
328 ----- 328
5138 AACACAGGAGGAGGAGTGTCCCTGGGTGCTGACCATTTGTGGGGAGCGATGCTGT 5197
328 ----- 328
5198 CCAGTCCGTGTCCAAACAGAGATCGACGAGTAGGCGAGGTGGCGGACAGAGATG 5257
329 -Arg-ArgValGlnGlnGluIleAspValIleGlyGlnValArgProGluMet 347
5258 GGTGACCAAGGTTCATGCTCCCTACACCTGCGGTGATTCAGAGGTGAGCGCTTTGGG 5317
348 GlyAspGlnAlaArgMetProTyrThrAlaValIleHisGluValGlnArgPheGly 367
5318 GACATATCCCTCAGTGTGACCCCATATGACATCCCGTGACATCGAAGTACAGGGCTTC 5377
368 AspIleValProLeuGlyValThrHisMetThrSerArgAspIleGluLeuGlnGlyPhe 387
5378 CGCATCCCTTAAGGTAGGCTGGCGCCCTCTCACCACAGCTCAGACACAGCACCTGGTGA 5437
388 LeuIleProLys----- 391
5438 TAGCCCCCAGCATGGTACTTGCAGGTGGGCCCACTTAGGAACCTTGGCCACCTAGTCTC 5497
391 ----- 391
5498 CAATGCCACCACTGACTGTCCCCACTTGGGTGGGGGTCCAGAGTATAGGAGGGCTG 5557
391 ----- 391
5558 GCCTGTTCATCCAGAGCCCCCGTCTAGTGGGGGAGACAAACAGGACCTGCCAGATGTTG 5617
391 ----- 391
5618 GAGGACCCAGCGCTGACGGAGAGGGGGGAGTGTGGGTGCTCTGAGAGGTGTGATGC 5677
391 ----- 391
5678 GCCCTGTGTGGGGTTCGGAGAGGGGTACTGTGGAGCTTCTCGGGCGCAGGACTAGTTGACA 5737
391 ----- 391
```

```
QY 5738 GAGTCAGCTGTGTCAGGAGCTGTGTGTCCTCCCGTGTGTTGGTGGCAGGGTCCAG 5797
Db 391 -----
QY 5798 CATCTAGAGTCCAGTCCCACTCTCACCTGCATCTCCTGCTCCAGGAAACGACACTCAT 5857
Db 392 -----Gly-ThrThrLeuPh 396
QY 5858 CACCAACTGTCTGCTGCTGAAGATGAGCCCTCTGGGAGAGCCCTTCCGCTTCCA 5917
Db 396 eThrAsnLeuSerSerValLeuLysAspGluAlaValTrpGluLysProPheArgPheHi 416
QY 5918 CCCCAGCACTCTCTGGATGCCAGGGCCACTTCTGAGCGGAGGCTTCTCTCCCTTT 5977
Db 416 sProGluHisPheLeuAspAlaGlnGlyHisPheValLysProGluAlaPheLeuProPh 436
QY 5978 CTCAGCAGGTGCTGTGGGGAGCCCGGCTCCCTGTCTCCCTTCCGTGGAGTCTTGCAAGGG 6037
Db 436 e-Ser----- 437
QY 6038 TATACCCAGGAGCCAGGCTACTGACGCCCTCCCTCCCAAGCGCGCGTGCATGC 6097
Db 438 -----AlaGlyArgAlaCys 443
QY 6098 CTCGGGGAGCCCTGGCCGATGAGCTCTCTCTTCTTTCACCTCCCTGCTGTCAGCAC 6157
Db 444 LeuGlyGluProLeuAlaArgMetGluLeuPhePheThrCysLeuLeuGlnArg 463
QY 6158 TTCAGCTTCTCTCGTGGCCGCGGAGCAGCCCGCCAGCCACTCTCTGCTGCTGCTGCTTT 6217
Db 464 PheSerPheSerValProAlaGlyGlnProArgProSerHisHisGlyValPheAlaPhe 483
QY 6218 CTGGTGACCCATCCCTTACAGCTTTGTGTGTGTCGCCCGC 6259
Db 484 LeuValThrProSerProTyrGluLeuCysAlaValProArg 497

RESULT 3
S37284
cytochrome P450 2D - bovine
N:Contains: oxidoreductase (EC 1.-.-.-)
C:Species: Bos primigenius taurus (cattle)
C:Date: 10-Sep-1999 #sequence revision 10-Sep-1999 #text_change 03-Mar-2000
C:Accession: S37284; S29295; S29862
R:Tsunekawa, Y.; Matsuo, Y.; Higuchi, R.; Ichikawa, Y.
Eur. J. Biochem. 208, 739-746, 1992
A:Title: Characterization of the cytochrome P-450IID subfamily in bovine liver. Nucleot
A:Reference number: S29295; PMID:93011103; PMID:1396678
A:Accession: S37284
A:Molecule type: mRNA
A:Residues: 1-500 <TSU>
A:Cross-references: EMBL:X68481; NID:G295; PIDN:CAA48501.1; PID:G296
A:Experimental source: clone pBVL 180
A:Accession: S29295
A:Molecule type: mRNA
A:Residues: 14-111,'R',113-131,'R',133-162,'L',164-178,'G',180-219,'F',221-247,'R',249-2
A:Cross-references: EMBL:X68013; NID:G293; PIDN:CAA48149.1; PID:G294
A:Experimental source: clone pBVL 76
C:Genetics:
A:Gene: CYP2D
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metallo
F:305-469/Domain: cytochrome P450 homology <P45>
F:446/Binding site: heme iron (Cys) (axial ligand) #status predicted

Alignment Scores:
Pred. No.: 2,94e-59 Length: 500
Score: 1318.50 Matches: 379
Percent Similarity: 30.36% Conservative: 47
Best Local Similarity: 27.01% Mismatches: 71
Query Match: 7.04% Indels: 906
Db: 1 Gaps: 12
```

```
US-09-820-788A-3 (1-10278) x S37284 (1-500)
QY 2078 ATGGGGCTA-----GAAGCACTGGTGGCCCTCGCCATGATAGTGGCCATCTTCTCTG 2128
Db 1 MetGlyLeuLeuSerGlyAspThrLeuGlyProLeuAlaValAlaLeuLeuIlePheLeu 20
QY 2129 CTCCTGGTGGACCTGATGCACCGGCACCAACGCTGGGCTGCACCGTACCCGCCAGGTCCC 2188
Db 21 LeuLeuLeuAspLeuMetHisArgSerArgTrpAlaProArgTyrProProGlyPro 40
QY 2189 CTGCACCTGCCCGGCTGGCAACCTTCTGCATGTGACTTCCAGAACACACCATACTG 2248
Db 41 ThrProLeuProValLeuGlyAsn-LeuLeuGlnValAspPhe----- 54
QY 2249 CTTCCACAGCTGAGGAGAGGCTCTGGAGGGCGGAGAGTCTGTAGGATGCCCCACC 2308
Db 55 -----GluAsp-Pro----- 57
QY 2309 ACCAGCAACATGGTGGTGTAAACCAACAGGCTGGATCAGAAGCCAGGCTGAGAAG 2368
Db 57 ----- 57
QY 2369 GGAAGCAGGTTTGGGGACGTTCTCTGGGAAAGGACATTTATACATGGCATGAAGACTGG 2428
Db 57 ----- 57
QY 2429 ATTTTCCAAAGCCAAAGAAAGAGTAGGCAAGGCGCTGGAGGTGGAGCTGGACTTGGCAG 2489
Db 57 ----- 57
QY 2489 TGGCATGCAAGCCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACA 2548
Db 57 ----- 57
QY 2549 CCAGAAGGAAAGGCTTGGGAATGGAAGATGAGTTAGTCTCTGAGTGGCGTTTAAATCAG 2608
Db 57 ----- 57
QY 2609 AAATCGAGGATGAAGGGGGTGCAGTACCCCGTTCAAACCTTTTGGACTGTGGGTCTCTCG 2668
Db 57 ----- 57
QY 2669 GGCCTCACTGCTCACCGGCATGGACCATCATCTCGGAATGGATGCTAACTGGGGCCTCT 2728
Db 57 ----- 57
QY 2729 CGGCAATTTTGGTGACTTTGCAAGGTATACCTGGGTGACGATCCAAACTGAGTTCT 2788
Db 57 ----- 57
QY 2789 CCATCAGAAAGGTGTGACCCCAACCCCTGCCCCACAGATCAGGAGGTGGGTCTCTCTCT 2848
Db 57 ----- 57
QY 2849 TCCACCTGCTCAGTCTCTGGTAGCCCGGGGGTCTGCAAGGTTCAAATAGGACTAGGACC 2908
Db 58 -----ArgProSerPheAsn----- 62
QY 2909 TGTAGTCTGGGGTGATCTCTGCTTGAACAAGAGGCGCTGACCCCTCCCTCTGCAGCTTGGCG 2968
Db 63 -----GlnLeuArgA 66
QY 2969 GCCCTTCGGGAGCGTGTTCAGCTTGCAGCTGGCTGGACGCGCGGTGGTCTGCTCAATG 3028
Db 66 rGArgPheGlyAsnValPheSerLeuGlnValTrpThrProValValLeuLeuAanG 86
QY 3029 GGCTGGCGCGCTGGCGGAGCGATGTGACCCCGGGAGGACACCGCCAGCCAGCCCGCCG 3088
Db 86 lYLeuAlaAlaValArgGluAlaLeuValTyrArgSerGlnAspHisAlaAspArgProp 106
QY 3089 CTGCGCCCATCTACAGGTCTCTGGGCTTCGGGCGCGCTTCCCAAGCAAGCGCGGTGGG 3148
Db 106 roProAlaValTyrGluHisLeuGlyTyrGlyProArg----- 118
```


QY 3149 GGACAGAGACCGCGTTTCGTGGGCCCCCGGTGGACAGTGACCGTAGCCCAAGACGCGCC 3208
Db 118 ----- 118
QY 3209 GACAGGCGTGGGTCTCTGGACGTGAACAGAGATAAAGCCAGCGAGTGGGCTGAGGAC 3268
Db 118 ----- 118
QY 3269 AGTGGGCCAGGAAACCACTGACCGGGGAGGTGCGAGTCTGTGGGCTGGGAGGGCGG 3328
Db 118 ----- 118
QY 3329 GGCTACTGCCAGACCCGCCAGAACCCGTCGGCGAGGCTGATGCTCGAAGTGCGCGGT 3388
Db 118 ----- 118
QY 3389 GGGGGGACCGGCCCTATCTCTGGGGCTCAGTGTGGCGGGAGCGGGCGGATCTTCCTTG 3448
Db 118 ----- 118
QY 3449 AGTGGAAAGGTGCTCAGGCTGGGCGACAGACGAGGTGGGGCCAAACCCCGCCCCAGGCAGG 3508
Db 118 ----- 118
QY 3509 GGAGCAATGTGGGTGAGCAAGAGTGGGCCCTGTGCCAGCTGACCCGGGCTAGGGACTG 3568
Db 118 ----- 118
QY 3569 CGGGAGACCTTGTGGAGCCACAGGTTGGAGTGGGTGGCGAGGGTGGGGCCAAAGCCCTT 3628
Db 118 ----- 118
QY 3629 CATGGCAACGCCCGTGTCCGTCCCGCCCCCAGGGGTGATCTGTGCGCTATGGGCC 3688
Db 119 -----Ala- GluGlyValIleLeuAlaAlaArgTyrGlyAsp 129
QY 3689 GCGTGGCGCGAGCAGAGGGCTTCTCCGTGTCACCTTCGCAACTTGGGCTGGGCAAG 3748
Db 130 AlaTrpAlaGluGlnArgArgPheSerLeuThrLeuArgAsnPheGlyLeuGlyLys 149
QY 3749 AGTCGCTCGAGCAGTGGGTGACCGAGAGGCGCTGCTTTGTGCGCTTCGCGGACC 3808
Db 150 LysSerLeuGluGlnTrpValThrGluGluAlaSerCysSerCysAlaAla 166
QY 3809 AAGCCGTTGGTGGCGAGAGGCGACAAGCCGGAACCTGGGAAGGCGGGGACGGAG 3868
Db 166 ----- 166
QY 3869 AAGCAACCCCTTACCCGCATCTCCACCCCGAGGACGCCCTTTGCGCCCAACGCGCT 3928
Db 167 -----Phe- AlaAspGlnAlaGlyArgProPheSerProMetAspLe 180
QY 3929 CTTGGCAAAAGCGGTGAGCAAGTGATCGCTCCCTCACTCGCGGCGCGCTTCAGTA 3988
Db 180 uLeuAsnLysAlaValSerAsnValIleAlaSerLeuThrPheGlyCysArgPheGluTy 200
QY 3989 CGACGACCTCGCTTCTCAGGCTGTGGACCTAGCTCAGGAGGAGACTGAAGGAGATC 4048
Db 200 rAsnAspProArgIleIleLeuLeuLeuAspLeuThrGluAspGlyLeuLysGluGluPr 220
QY 4049 GGGCTTCTGCGCGAGGTGGGAGCGAGAGACCGAGGAGTCTCTGCGAGGCGAGCTCTG 4108
Db 220 oAsnLeuValArgLys 225
QY 4109 AGAGGTGCGGGGCTGGACTGGGCGCTCCGAAGGCGAGGATTTGCATAGATGGTTGGG 4168
Db 225 ----- 225
QY 4169 AAAGGACATTCAGGAGAGACCCCACTGTAAAGAGGCGCTGGAGGAGGGGACATCTCAG 4228
Db 225 ----- 225

QY 4229 ACATGGTCGTGGGAGAGGTGTGCCCGGGTCAGGGGGCACCCAGGAGAGGCCAAAGGACTCTG 4288
Db 225 ----- 225
QY 4289 TACCCCGCTCCAGCTTGGAGATTTTCGATTTTAGTTTCTCCTCTGGGCAAGGAGAGGG 4348
Db 225 ----- 225
QY 4349 TGGAGGCTGCACCTTGGGGGAGGACTTGTGTGAGGTCAGTGTAAAGCAGCAGGAGGCCCTG 4408
Db 225 ----- 225
QY 4409 GGTCTACTCGAGATGGCTGGGGCTGAGACTTGTTCAGGTGAACGACAGACACAGGAGG 4468
Db 225 ----- 225
QY 4469 GATTGAGACCCCGTCTCTGTGTAGTGTCTGAATGCTGCTCCCGCTCCTCTCTCCACAT 4528
Db 226 -----ValValGluAlaValProValLeuLeuSerI 236
QY 4529 CCCAGCGTGTGGTCAAGGTCCTACGCTTCCAAAAGGCTTTCCTGACCCAGCTGATGA 4588
Db 236 eProGlyLeuAlaAlaArgValPheProAlaGlnLysAlaPheMetAlaLeuLeaspG 256
QY 4589 GCTGTAATGAGCAGCAGGATGACCTGGGACCCAGCCAGCCACCCCGAGACTGACTGA 4648
Db 256 uLeuIleAlaGluGlnLysMetThrArgAspProThrGlnProProArgHisLeuThrAs 276
QY 4649 GGCCTTCTCGCAAGAGAGGAGAGAGTGTGAGAGTGTGCTGCCAGTGGGGGGCAGGCTG 4708
Db 276 pAlaPheLeu -----AspGluValLys 283
QY 4709 TGGGTGTAACGTCCTCCAGGAGGAATCAGGGGAGGCTGGGCAAAAGGTTGGACCACTG 4768
Db 283 ----- 283
QY 4769 ACCCGCGAGCCGCATCTGGGCTGACAGGTGACAGAAATTGGAGGTCAATTTGGGGCT 4828
Db 283 ----- 283
QY 4829 CGTTCTATCCCTGAGTATCTCTCGGCCCTGCTCAGGCCAAGGGAGGCCCTGAGAGCAG 4888
Db 284 -----GluAlaLysGlyAsnProGluSer 292
QY 4889 CTTCAATGATGAGAACTGCGCATAGTGTGGGTAACTGTTCTTCCTCGCGGATGTGAC 4948
Db 292 rPheAsnAspGluAsnLeuArgLeuValValAlaAspLeuPheSerAlaGlyMetValTh 312
QY 4949 CACTCTGACCACTGGCTGGGCTCTCTGCTCATGATCTTACACCTGGATGTGCGCG 5008
Db 312 rThrSerThrThrLeuAlaTrpAlaLeuLeuLeuMetIleLeuHisPheProAspValGln 331
QY 5009 TGAGCCAGCTGGGGCCCAAGCAGGAGTGAAGGAGGAGGTACAGCTGGGGGCGCCCT 5068
Db 331 ----- 331
QY 5069 GGGCTTAGCTGGGACACCCGGGGCTTCCAGCACAGCGGTGGCCAGGCTCTCTGTAGCCTTA 5128
Db 331 ----- 331
QY 5129 ACTTCTCCAAACACAGGAGGAAGGAGAGTGTCCCCCTGGGTGCTGACCCCATTTGTGGG 5188
Db 331 ----- 331
QY 5189 CATGTCTGTCCAGTCCGTGTCCAAACAGGAGATCGACGAGTATAGGGCAGGTGCGGCGA 5248
Db 332 -----Arg- ArgValGlnGlnGluAspGluValIleGlyGlnValArgArg 347
QY 5249 CCAGAGATGGGTGACAGGCTCACATGCCCTACACCACTGCGCTGATTCACCGGTTGCGAG 5308
Db 348 ProGluMetGlyAspGlnAlaLeuMetProPheThrValAlaValIleHisGluValGln 367
QY 5309 CGCTTTGGGGACATCATCCCCCTGAGTGTGACCCCATATGACATCCCGTGCATCGAAGTA 5368

Db	368	ArgPheAlaAspIleValProLeuGlyLeuProHisMetThrSerArgAspIleGluVal	387
Qy	5369	CAGGGCTTCCGCATCCCTAAAGTAGGCGTGGCGCCCTCTCACCCAGCTCAGCACCCAGC	5428
Db	388	GlnGlyPheHisIleProLys	394
Qy	5429	ACCTGGTGATAGCCCCAGCATGGCTACTGCCAGGTGGGCCCACTCTAGGAACCCCTGGCCA	5488
Db	394	-----	394
Qy	5489	CCTAGTCCTCAATGCCACCACTGACTGTCCCCACTTTGGTGGGGGTCCAGAGTATAG	5548
Db	394	-----	394
Qy	5549	GCAGGGCTGGCTGTCCATCCAGAGCCCCCGCTCTAGTGGGGAGACAACAGGACCTGCC	5608
Db	394	-----	394
Qy	5609	AGAATGTTGGAGGACCCAGCGCCTGCAGGAGAGGGGCGAGTGTGGGTGCTCTGAGAGG	5668
Db	394	-----	394
Qy	5669	TGTGACTCGCCCTGTCTGGGGTCGGAGAGGGTACTGTGGAGCTTCTCGGGCGCAGGAC	5728
Db	394	-----	394
Qy	5729	TAGTTGACAGAGTCCAGCTGTGTGCCAGGAGTGTTGCCCGTGTTGGTGGCAG	5788
Db	394	-----	394
Qy	5789	GGGTCCCAGCATCTTAGAGTCCAGTCCCCACTCTCACCCCTGCATCTCTGCCCAGGGAAC	5848
Db	395	-----Gly--Th	396
Qy	5849	GACACTCATCAACCACTGTCTCATCGGTGCTGAAGGATGAGCGCTCTGGGAGAGCCCTT	5908
Db	396	rThrLeuIleThrAsnLeuSerSerValLeuLysAspGluThrValTrpGluLysProPhe	416
Qy	5909	CGGCTTCCACCCGAAACACTTCTCTGGATGCCAGGGCCACTTTGTGAAGCCGAGGCCTT	5968
Db	416	eArgPheHisProGluHisPheLeuAspAlaGlnGlyArgPheValLysGlnGluAlaPhe	436
Qy	5969	CCTGCCTTCTCAGCAGGTGCTGTGGGGAGCCGGCTCCCTGTCCCTTCCGTGGAGTC	6028
Db	436	elleProPhe--Ser	440
Qy	6029	TTGCAGGGGTATCACCCAGGAGCCAGGCTCACTGAGCGCCCTCCCTCCCCACAGGCCGC	6088
Db	441	-----AlaGlyArg	443
Qy	6089	CGTGATGCTCGGGAGCCCTCGGCCCGCATGGAGCTCTTCTCTTCTTCACTCCCTG	6148
Db	444	ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrSerLeu	463
Qy	6149	CTGAGCACTTCAGTTCTCCGTGGCCGCGGACAGCCCGGCCAGCCCACTCTCTGTGTC	6208
Db	464	LeuGlnHisPheSerPheSerValProAlaGlyGlnProArgProSerGluHisGlyVal	483
Qy	6209	GTGAGCTTCTGGTGACCCCATCCCTACAGCTTGTGCTGTGCCCCGC	6259
Db	484	PheAlaPheLeuValThrProAlaProTyrGlnLeuCysAlaValProArg	500

RESULT 4

cytochrome P450 2D3 - rabbit
JE0258
N;Contains: oxidoreductase (EC 1.-.-.-)
C;Species: *Oryctolagus cuniculus* (domestic rabbit)
C;Date: 03-Dec-1999 #sequence_revision 03-Dec-1999 #text_change 03-Mar-2000
C;Accession: JE0258
R;Yamamoto, Y.; Ishizuka, M.; Takada, A.; Fujita, S.
J. Biochem. 124, 503-508, 1998
A;Title: Cloning, tissue distribution, and functional expression of two novel rabbit cytochrome P450s, P450 2D3 and P450 2D3-like.

Db	62	-----Phe-AlaAspHisAlaGlyCysProPheSerProSerMetLeu	180
QY	3929	CTTTGACAAAGCCGTGACCAACATCGCTCCCTCACCTTCGGCGGCCCTTCCAGATA	3988
Db	180	uLeuAsnLysAlaValCysAsnValIleAlaSerLeuThrHisGlyCysArgPheGluTy	200
QY	3989	CGACGACCCCTGCCTTCCTCAGCTGCTGAGCCTAGCTCAGAGAGGACTGAAGAGGAGTC	4048
Db	200	rAspAspHisArgLeuThrArgLeuMetAspLeuThrGlnThrIleLeuLysGluSerTh	220
QY	4049	GGGCTTTCTGCGCAGAGTGCGGAGGAGAGACCAGGAGTCTCTGCAGGCGGAGCTCTCT	4108
Db	220	rGlyAsnLeuProLIn-:::	225
QY	4109	AGAGGTGCGGGGCTGGACTGGGGCTCCGAAGGCGCAGGATTTCATAGATGGGTTTGGG	4168
Db	225	-----	225
QY	4169	AAAGGACATTCAGAGAGACCCACCTGTNAAGAAGGGCTTGGAGGAGGAGGACATCTCAG	4228
Db	225	-----	225
QY	4229	ACATGGTCGTGGAGAGGTGTGCCGGGTGACGGGGGCCACAGGAGAGGCCAAGGACTCTG	4288
Db	225	-----	225
QY	4289	TACCCCCCTCCACGTTGGAGATTTTCGATTTTAGTATTCTCTCTGGGCAAGAGAGAGGG	4348
Db	225	-----	225
QY	4349	TGAGGGCTGGCATTTGGGAGGGGACTTGGTGAGGTTCAGTGGTAAGGACAGGACGGCCCTG	4408
Db	225	-----	225
QY	4409	GSTCTACCTGGAGATGGCTGGGGCTGAGACTTGTCCAGGTGAACGAGCAGCAGGAGG	4468
Db	225	-----	225
QY	4469	GATTGAGACCCCGTTCTGTCTGTGTAGGTGCTGAATGCTGCTCCCGCTCTCTCTGCACAT	4528
Db	226	-----ValLeuAsnValIleProIleLeuLeuArgII	236
QY	4529	CCCAGCTGCTGGCAAAGTCTACGCTTCCAAAGGCTTCTGACCCAGCTGGATGA	4588
Db	236	eProGlyLeuValAspLysValPheArgGlyGlnLysAlaPheMetAlaLeuLeuAspGI	256
QY	4589	GCTGTAACTAGCAGCAGATGACCTGGGACCCAGCCAGCCAGCCAGCAGCTGACTGA	4648
Db	256	uLeuValThrGluHisArgMetThrArgAspProAlaGlnProProArgAspLeuThrAs	276
QY	4649	GGCTTCTCTGGCAAGAGGAGAGGTGAGAGTGGCTGCCACGCTGGGGGCAAGGGTGG	4708
Db	276	pAlaPheLeuAspGlnValGluLys-----	284
QY	4709	TGGGTTGAACCTCCAGGAGGAATGAGGGGAGGCTGGGCAAAAAGTTGGACCACTGCATC	4768
Db	284	-----	284
QY	4769	ACCCGGGAGCGCATCTGGGCTGACAGTTCAGANTTGGAGGTTCATTTGGGGGCTACCC	4828
Db	284	-----	284
QY	4829	CGTTCTATCCCTGAGTATCTCTCGGCCCTGCTCAGGCCAAGGGGAGCCCTGAGAGCAG	4888
Db	285	-----AlaLysGlyAsnProGluLysSe	292
QY	4889	CTTCAATGATGAGAACCTGCGCATAGTGGTGAACCTGTTCTCTGCCGGGATGGTGAC	4948
Db	292	rPheAsnAspAsnLeuArgLeuValIthrAspLeuPheAlaLysMetValTh	312
QY	4949	CACCTCGACACGCTGGGCTGGGCTCTCTCTCATGATCTCATACCTGATGTGCGAGG	5008
Db	312	rThrSerIleThrLeuSerTrpAlaLeuLeuLeuMetIleLeuHisrProAspValGln--	331

A:Residues: 1-500 <POS>
A:Cross-references: GB:Y16417; NID:g2956687; PIDN:CAA76205.1; PID:g2956688
A:Accession: PC4502
A:Molecule type: protein
A:Residues: 2-57;249-273;408-430 <AXE>
A:Experimental source: liver
R:Axen, E.; Bergman, T.; Wikvall, K.
Biochem. J. 287, 725-731, 1992
A:Title: Purification and characterization of a vitamin D(3) 25-hydroxylase from pig liver
A:Reference number: S27177; MUID:93075023; PMID:1445236
A:Accession: S27177
A:Molecule type: protein
A:Residues: 2-17 <AX>
A:Experimental source: liver
R:Sono, H.; Sonoda, Y.; Sato, Y.
Biochim. Biophys. Acta 1078, 388-394, 1991
A:Title: Purification and characterization of cytochrome P-450(14DM) (lanosterol 14-alpha
A:Reference number: S17048; MUID:91316123; PMID:1859829
A:Accession: S17048
A:Status: preliminary
A:Molecule type: protein
A:Residues: 2-11 <SON>
A:Note: 6-Leu was also found
C:Comment: This enzyme catalyzes the first step in the metabolic activation of vitamin D
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metallo
F:305-468/Domain: cytochrome P450 homology <P45>
F:446/Binding site: heme iron (Cys) (axial ligand) #status predicted

Alignment Scores:
Pred. No.: 9.91e-57 Length: 500
Score: 1268.50 Matches: 370
Percent Similarity: 30.08% Conservative: 52
Best Local Similarity: 26.37% Mismatches: 75
Query Match: 6.77% Indels: 906
DB: 1 Gaps: 11

US-09-820-788A-3 (1-10278) x JC5819 (1-500)

QY 2078 ATGGGGCTA-----GAAGCAGTGGTCCCTCGCCATGATAGTGGCCATCTTCTG 2128
DB 1 MetGlyLeuLeuThrGlyAspLeuLeuGlyIleLeuAlaLeuAlaMetValIlePheLeu 20
QY 2129 CTCTGTGTGACCTGATGACCGCCGACCAACGCTGGGGCTGCAGCTACCGCCGAGGTCC 2188
DB 21 LeuLeuValAspLeuMetHisArgArgSerArgTyrAlaProArgTyrProGlyPro 40
QY 2189 CTGCCACTGCGCGGGCTGGGCAACCTTGTGTGATGTGGACTTCCAGAACACACCATACTG 2248
DB 41 MetProLeuProGlyLeuGlyAsn-LeuLeuGlnValAsnPheGln----- 55
QY 2249 CTTTCGACAGGTGAGGGAGGAGTCTCTGGAGGGCGCAGAGGTCTCTGAGATGCCCCACC 2308
DB 55 ----- 55
QY 2309 ACCAGCAACATGGGTGGTGGTAAACACAGGCTGGATCAGAGCCAGGTGAGAGG 2368
DB 55 ----- 55
QY 2369 GGAAGCAGGTGTTGGGGGACGTTCTCTGGGGAAGGACATTTATACATGGCATGAAGGACTGG 2428
DB 55 ----- 55
QY 2429 ATTTTCAAGGCCAAGGAAGAGTAGGGCAAGGGCTGGAGGTGGAGCTGGACTTGGCAG 2488
DB 55 ----- 55
QY 2489 TGGGCATGCAAGCCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGTGTGACA 2548
DB 55 ----- 55
QY 2549 CCAGAGGAAGGCCCTTGGGAATGGAAGATGAGTTAGTCTGTAGTCCGCTTTAAATCAGC 2608

Db 55 ----- 55
QY 2609 AAATCAGGATGAAGGGGTGCAGTGACCCGGTTCAAACCTTTTGCACCTGTGGTCTCTCG 2668
Db 55 ----- 55
QY 2669 GGCCTCAGTCTCACCAGCATGGACCATCATCTGGGAATGGATGCTAACTGGGGCCTCT 2728
Db 55 ----- 55
QY 2729 CGGCAATTTGGTGACTCTTGAAGGTATACCTGGGTGACGATCCAAACTGAGTTCTCT 2788
Db 55 ----- 55
QY 2789 CCATCACAAGGTGTGACCCCAACCTGCCCCACGATCAGGAGGTGGGTCTCTCTCT 2848
Db 56 -----AspProArg-----Leu-SerP 61
QY 2849 TCCACTGTCTACTCTCTGTAGTCCCGGGGGTCTGTCGAAGTTCAATAGGACTAGGACC 2908
Db 61 he----- 61
QY 2909 TGTAAGTCTGGGTGATCTCTGGCTTGCAAGAGGCCCTGACCCCTCTCTGACGTTGCGC 2968
Db 62 -----IleGlnLeuAlaG 66
QY 2969 GCGCTTCGGGACGTTTTCAGCTGTCAGCTGGCCTGGACGCGGTGGTGTCTGCTCAATG 3028
Db 66 rgArgPheGlyAspValPheSerLeuGlnIleTyrArgProValValLeuAlaG 86
QY 3029 GCGTGGCGCTGTCGCGAGGCGATGTGACCCCGGGGAGACACGCGCCGACCGCCCGC 3088
Db 86 lyLeuAlaAlaValArgGluAlaLeuValSerHisSerHisGluThrSerAspArgPro 106
QY 3089 CTGCGCCCATCTACAGGTCTCTGGCTTCGGGCGCGTTCGCCAAGGACGCGCGTGGG 3148
Db 106 roValPheIleLeuGluHisLeuGlyTyrGlyProArgSer-Glu----- 120
QY 3149 GGACAGAGACCGCTTCTCGTGGGCGCGGTGGACAGTGCAGTGCAGCCGTAGCCCAAGACGCGC 3208
Db 120 ----- 120
QY 3209 GACAGGCGTGGGTCTCTGACGCTGAACAGAGATAAAGGCCAGCGAGTGGGTGAGGAC 3268
Db 120 ----- 120
QY 3269 AGTGGGCCAGGAACCACTGCACGGGGAGGTGCGAGTCTGTGGCTGGAGGGGCGG 3328
Db 120 ----- 120
QY 3329 GGCTACTGCCAGACCCGCGCAGAACCGGTGGGCGAGGCTGTGCTCGAAGTGGCGGT 3388
Db 120 ----- 120
QY 3389 GCGGGGACCGCGCTATGCTCGGGCTCAGTGTGGGGGAGCGGGCGGGATCTTCTCTG 3448
Db 120 ----- 120
QY 3449 AGTGAAGGTGCTCAGGGTGGGCGAGAGAGAGTGGGGCCAAACCCCGCCCGCAGG 3508
Db 120 ----- 120
QY 3509 GGAGCAATGTGGTGAGCAAGAGTGGGCCCTGTGCCAGCTGGACCGGCTAGGAGCTG 3568
Db 120 ----- 120
QY 3569 CGGAGACCTTGTGAGCGCCAGGTTGAGTGGGTGGCGGAGGTGGGGCCCAAGGCCCTT 3628
Db 120 ----- 120
QY 3629 CATGGAACGCCACGTGTCCGTCGCGCCCGGCGGCGGCGGCGGCGGCGGCGGCGG 3688
Db 121 -----GlyValIleLeuAlaArgTyrGlyLys 129


```
Db 396 rthrLeuIleThrAsnLeuThrSerValLeuIysAspGluThrValTrpLysLeuProPh 416
QY 5909 CCGCTTCCACCCGGAACACTTCTCGATGCCAGGCGCACTTTGTGAAGCCGAGGCGCTT 5968
Db 416 eargPheTyProGluHisPheLeuAspAlaGlnGlyArgPheThrLysGlnGluAlaPh 436
QY 5969 CCTGCCTTTCTCAGCAGGTGCTGTGGGAGCCGCGCTCCCTGTCCCTTCCGTGGAGTC 6028
Db 436 eMetProPhe--Ser----- 440
QY 6029 TTGCAGGGGTATCACCCAGGAGCGAGCTCACTGACGCCCTCCCTCCCCACAGCGCG 6088
Db 441 -----AlaGlyArg 443
QY 6089 CGTGCAATGCTCGGGAGCCCTTGGCCGATGGAGCTTCTCTCTTCTTCACTCCCTG 6148
Db 444 ArgSerCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrThrLeu 463
QY 6149 CTGCAGCACTTCACTTCTCGTGGCCGCGGACAGCCGCGCCAGCCACTCTCGTGTTC 6208
Db 464 LeuGlnAlaPheSerPheSerValProThrGlyGlnProCysProSerAspHisGlyVal 483
QY 6209 GTCACTTCTGTGACCCATCCCTAGAGCTTGTGCTGCTGCCCGC 6259
Db 484 PheAlaPheLeuLeuPheProSerProTyTrpGlnLeuCysAlaValProArg 500

RESULT 7
JB0259
cytochrome P450 2D4 - rabbit
N:Contains: oxidoreductase (EC 1.-.-.-)
C:Species: Oryctolagus cuniculus (domestic rabbit)
C:Date: 03-Dec-1999 #sequence_revision 03-Dec-1999 #text_change 03-Mar-2000
C:Accession: JB0259
R:Yamamoto, Y.; Ishizuka, M.; Takada, A.; Fujita, S.
J. Biochem. 124, 503-508, 1998
A:Title: Cloning, tissue distribution, and functional expression of two novel rabbit cy
A:Reference number: JB0258; MUID:98391821; PMID:9722658
A:Accession: JB0259
A:Molecule type: mRNA
A:Residues: 1-500 <YAM>
A:Cross-references: DDBJ:AB008785
C:Comment: This protein shows high drug metabolizing activity.
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metallo
F:9-25/Domain: transmembrane #status predicted <TM1>
F:305-468/Domain: cytochrome P450 homology <CYP>
F:310-326/Domain: transmembrane #status predicted <TM2>
F:446/Binding site: heme iron (Cys) (axial ligand) #status predicted

Alignment Scores:
Pred. No.: 6.38e-56 Length: 500
Score: 1252.50 Matches: 370
Percent Similarity: 29.44% Conservative: 43
Best Local Similarity: 26.37% Mismatches: 84
Query Match: 6.69% Indels: 906
DB: 1 Gaps: 11

US-09-820-788A-3 (1-10278) x JB0259 (1-500)

QY 2078 ATGGGGCTA-----GAAGCACTGTGGCCCTGGCCATGATAGTGCCATCTTCCTG 2128
Db 1 MetGlyLeuLeuSerGlyGluAlaLeuAlaProLeuAlaValAlaValAlaIlePheLeu 20
QY 2129 CTCCTGTGTGACTGATGACCGGACCAACCTGGGTGACGCTACCGCCAGGTCCC 2188
Db 21 LeuLeuValAspLeuMetHisLysArgProArgTrpAlaAlaArgTrpProGlyPro 40
QY 2189 CTGCCACTGCCCGGGCTGGCAACCTTGTGCTATGTGACTTCCAGAACACACCACTACTG 2248
Db 41 ValGlyIleProGlyLeuGlyAsn-LeuLeuGlnValAspPheArgGlyIleProAsnCy 60
QY 2249 CTTGCACCAAGGTGAGGGAGGAGGTCTCTGGAGGGCGGACAGAGGTCTCTGAGGATGCCCCACC 2308
```

```
Db 60 sPhe-Arg----- 62
QY 2309 ACCAGAAAACATGGGTGTGGGTAAACCCACAGGCTGGATCAGAAAGCCAGGCTGAGAAG 2368
Db 62 ----- 62
QY 2369 GGAACGACAGTTTGGGGGACGTTCCTGGGGGAAGGACATTTATATATGCGCATGAAGGACTGG 2428
Db 62 ----- 62
QY 2429 ATTTTCCAAAGGCCAAGAGTAGGCAAGGGCCTGGAGGTGGAGCTGGAGCTTGGCAG 2488
Db 62 ----- 62
QY 2489 TGGGCATGCAAGCCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACA 2548
Db 62 ----- 62
QY 2549 CCAGAAAGAAAGCCCTTGGGAATGGAAGATGAGTTAGTCTGTAGTGCCTGTTTAAATCAG 2608
Db 62 ----- 62
QY 2609 AAATCGAGGATGAAGGGGGTGCAGTGCACCGGTTCAAACCTTTTGCACGTGTGGTCTCTG 2668
Db 62 ----- 62
QY 2669 GGCCTCACTGCTCACCGGCATGGACCATCATCTGGGAATGGGATGCTAACTGGGGCCTCT 2728
Db 62 ----- 62
QY 2729 CGGCAATTTTGGTGTACTCTTCAAGGTGATACCTGGGTGACGCAATCCAAACTGAGTTCT 2788
Db 62 ----- 62
QY 2789 CCATCACAAGAGGTGTGACCCGCCCTGCCCATCATGAGGAGGTGGGTCTCTCTCTCT 2848
Db 62 ----- 62
QY 2849 TCCACCTGCTCACTCTCTGTAGCCCGGGGGTTCGTTCAAGTTTCAAATAGGACTAGGACC 2908
Db 62 ----- 62
QY 2909 TGTAGTCTGGGGTGATCTCTGCTTGACAAGAGGCCCTGACCCCTCTCTGCAAGTGTGGCG 2968
Db 63 -----GlnLeuAlaGlyC 66
QY 2969 GCCGTTTCGGGAGCGTGTTCAGCTGTGACGTGGCTGTGACGCGGTGTGTGTGCTCAATG 3028
Db 66 ysArgTyArgValPheSerLeuGlnLeuAlaTrpThrProValValLeuLeuAsnG 86
QY 3029 GSCTGGCGCGTGTGGGAGCGATGTGACCCGCGGAGGACACGCGCCGACCCGCGCCG 3088
Db 86 lyProAlaAlaMetArgGluAlaLeuValThrTyArgGlyGluAspThrAlaAspArgPro 106
QY 3089 CTGCGCCCATCTACCAAGTCTCTGGGCTTCGGGCGCGCTTCCCAAGGCAAGCGCGGTGG 3148
Db 106 yrSerLeuSerLeuGluHisLeuGlyPheGlyProGln----- 118
QY 3149 GGACAGACGCGGTTCCTGGGCGCGGCTGGAGTGGAGTGGAGTGGAGTGGAGTGGAGTGG 3208
Db 118 ----- 118
QY 3209 GACAGGCGTGGGTCTCTGGAGCTGAACAGAGATAAAGGCCAGCGAGTGGGCTGAGGAC 3268
Db 118 ----- 118
QY 3269 AGTGGGCGAGGAAACCACTGCACGGGGAGGTGCGAGTCTGTGGCTGGGAGGGGGCGG 3328
Db 118 ----- 118
QY 3329 GGCTACTGCCAGACCCGCCAGAACCCGCTGGGCGAGGCTGTATGCTGCGAAGTGGCGGT 3388
```

Db 118 ----- 118
Qy 3389 GCGGGGACCGCCATATGCTCGGGCTCAGTGTGGGGGACGGGGGATCTTCCTTG 3448
Db 118 ----- 118
Qy 3449 AGTGAAGAGTGGTCAGGGTGGGAGAGAGAGAGTGGGGCCAAACCCCGCCAGGCAGG 3508
Db 118 ----- 118
Qy 3509 GGAGCAATGTGGGTGAGCAAGAGTGGGCCCTGTGCCAGCTGGACCGGGCTAGGGAATG 3568
Db 118 ----- 118
Qy 3569 CCGGAGACCTTGTGGAGCCAGGGTTGGAGTGGGTGGCGAGGGTGGGGCCAAAGGCCTT 3628
Db 118 ----- 118
Qy 3629 CATGCCAAGCCACGTGTCGTCGCCGCCCGCCAGGGGTGATCCTGTCGGCTATGGGCC 3688
Db 119 ----- 119
Qy 3689 GGTGGCGGAGCAGAGGCGCTTCTCCGTGTCACCTTCGCAACTTGGCGCTGGGCAAG 3748
Db 130 AlaTrpArgGlnArgArgPheSerValSerThrLeuArgAsnPheGlyMetGlyLys 149
Qy 3749 AAGTCGCTGGAGCAGTGGGTGACCGAGAGGCGCGCTGCTTTGTGGCGCTTGGCCGACC 3808
Db 150 LysSerLeuGluHisTrpValThrGluAlaAlaCysLeuCysAla-Val- 166
Qy 3809 AAGCGGTGGGTGATGGGCAGAGGCGCACAAAGCGGGAACCTGGGAAGCGGGGACGGAG 3868
Db 166 ----- 166
Qy 3869 AAGCAACCCCTTACCCGATCTCCACCCAGGAGCGCCCTTTCGCCCAACAGCGCT 3928
Db 167 ----- 167
Qy 3929 CTTGACAAAGCGTGAGCAAGTATCGCTCCTCCTCAGCTCGGGCGCCGCTTCAGTA 3988
Db 180 uLeuAsnLysAlaIleGlyAsnValIleAlaSerLeuThrPheGlyCysArgPheGluTy 200
Qy 3989 CGACACACCTCGCTCCTCAGCTCGCTGACCTAGCTCAGGAGGACCTGAAGGAGGTC 4048
Db 200 rAspAspHisArgLeuThrArgLeuMetAspLeuIleGluLeuMetLeuGluGluSerTh 220
Qy 4049 GGGCTTTCTGCGGAGGTGTCGGAGCGAGAGACCGAGAGTCTCTCGAGGGCGAGCTCTG 4108
Db 220 rGlyIleLeu- 223
Qy 4109 AGAGTGGCGGGCTGGACTGGGGCTCGGAAGGCGAGATTTGCATAGATGGGTTTGGG 4168
Db 223 ----- 223
Qy 4169 AAAGGACATTCAGGAGACCCCACTGTAAAGAGGCGCTGGAGGAGGGGACATCTCAG 4228
Db 223 ----- 223
Qy 4229 ACATGTGCTGGGAGAGGTGTGCCCGGTTCAGGGGGCCACAGAGAGGCCAAGGACTCTG 4288
Db 223 ----- 223
Qy 4289 TACCCCGTCACGTTGGAGATTTTCGATTTTAGGTTTCTCTCTGGGCAAGGAGAGGG 4348
Db 224 ----- 224
Qy 4349 TGGAGCTGGCATTGGGGAGGAGCTTGTGAGGTTCAGTGGTAAGGACAGGAGCCCTG 4408
Db 225 ----- 225
Qy 4409 GGTCTACCTGGAGATGGGTGGGGCTGAGACTTGTCCAGGTGAACGCGAGAGCAGGAGG 4468
Db 225 ----- 225

Qy 4469 GATTGAGACCCGCTTCTGTCTGTGGTGTAGTGTGATGCTGCTCCCGCTCCTCCTGCACAT 4528
Db 226 ----- 226
Qy 4529 CCCAGCGCTGCTGCAAGGTCTACGCTTCCAAAGGCTTTCTGTAGCCAGCTGATGA 4588
Db 236 eProGlyLeuValAspLysValPheHisGlyGlnLysAlaPheMetAlaLeuLeuAspG 256
Qy 4589 CTCTGTAACAGCAGCAGGATGACCTGGGACCCAGCCAGCCAGCCAGACCTGACCTGA 4648
Db 256 uLeuValThrGluHisArgMetThrArgAspProAlaGlnProProArgAspLeuThrAs 276
Qy 4649 GGCCTTCTGCAAGAGAGAGAGAGAGTGTGCTGCCACGGTGGGGGGGCAAGGGTGG 4708
Db 276 pAlaPheLeuAspGlnValGluLys- 284
Qy 4709 TGGGTTGAACGTCCAGGAGGAATGAGGGGAGGCTGGGCAAAAGGTTGGACCAGTGCATC 4768
Db 284 ----- 284
Qy 4769 ACCGGGAGCGCATCTGGGCTGACAGTGCAGAAATTGGAGTCAITTTGGGGGTACCC 4828
Db 284 ----- 284
Qy 4829 CGTTCTATCCCTGAGTATCTCTCGGCCCTGCTCAGGCCAAGGGGAGCCCTGAGAGCAG 4888
Db 285 ----- 285
Qy 4889 CTTCATGATCAGAACCTGCGCATAGTGGTAACTGTTCTCTGCGGGATGGTGCAC 4948
Db 292 rPheAsnAspAsnLeuArgLeuValAlaAspLeuPheValAlaGlyMetPheTh 312
Qy 4949 CACCTCGACACCGTGGCGCTTCTGCTCATGATCTCATCCTGATGTCAGCG 5008
Db 312 rThrSerPheThrLeuSerTrpAlaLeuLeuMetIleLeuHisProAspValGln- 331
Qy 5009 TGAGCCGAGCTGGGGCCCAAGGAGGACTGAGGAGGAGGTTACAGCTGGGGGCCCT 5068
Db 331 ----- 331
Qy 5069 GGGCTTAGCTGGGACACCCGGGGCTTCCAGCACAGGCGTGGCCAGGCTCCTGTAAAGCTA 5128
Db 331 ----- 331
Qy 5129 ACTTCTCCACACAGGAGGAAGAGAGTGTCCCTGGGTGCTGACCCATTTGTGGGGACG 5188
Db 331 ----- 331
Qy 5189 CATGCTGTCCAGTCCGTGTCCAAAGAGATCGACGACGTGATAGGCGAGTGGGGCA 5248
Db 332 ----- 332
Qy 5249 CCAGAGATGGGTGACAGGCTCAGCTCCCTACACCTGCGCTGATTCACAGAGTGCAG 5308
Db 348 ProGluMetGlyAspGlnAlaArgMetProThrThrAlaValAlaHisGluValGln 367
Qy 5309 CGCTTTGGGACATCATCCCCCTGAGTGTGACCATATGACATCCCGTGCATCGAAGTA 5368
Db 368 ArgPheAlaAspIleValProLeuGlyValProHisGlnThrLeuArgAspIleGluVal 387
Qy 5369 CAGGCTTCCGCATCCCTAAGTAGGCTGGGGCCCTCTCCACCCAGCTCAGCACCCAGC 5428
Db 388 GlnGlyPheLeuIleProLys- 394
Qy 5429 ACCTGGTGATAGCCCGCAGCATGGCTACTGTCAGGTGGGCCCACTCTAGGAACCTGGCCA 5488
Db 394 ----- 394
Qy 5489 CCTAGTCTCAATGCCACCACTGACTGTGCCCACTTGGGTGGGGGTCCAGAGTATAG 5548
Db 394 ----- 394

QY 5549 GCAGGGCTGCCTGTCTCATCCAGAGCCCCCGTCTAGTGGGGAGACAAACAGGACCTGCC 5608
Db 394 ----- 394
QY 5609 AGAATGTTGGAGGACCCAGCGCTGCAGGAGAGGGGCGAGTGTGGGTGCTCTGAGAGG 5668
Db 394 ----- 394
QY 5669 TGTGACTGCGCCCTGCTGTGGGTGCGAGAGGTACTGTGGAGCTTCTCGGGCGCAGGAC 5728
Db 394 ----- 394
QY 5729 TAGTTGACAGATCCAGCTGTGTGCCAGGAGTGTGTCCCCCGTGTGTTGGTGGCAG 5788
Db 394 ----- 394
QY 5789 GGGTCCAGCATCTAGAGTCCAGTCCCACTCTCACCTGCATCTCCTGCCAGGGAAC 5848
Db 395 -----Gly-Th 396
QY 5849 GACACTCATCCCAACCTGTCTATCGGTGTGTAAGGATGAGCGCTCTGGGAGAAGCCCTT 5908
Db 396 rMetLeuPheThrAsnLeuSerValLeuLysAspGluAlaValTrpGluLysProPh 416
QY 5909 CGCTTCCACCCCGAACAACCTCTCGATGCCAGGCCCACTTTGTGAAGCCGAGGACCTT 5968
Db 416 eArgPheHisProGlyHisPheLeuAspAlaGlnGlyArgPheValLysGlnGluAlaPh 436
QY 5969 CCTGCCTTCTCAGCAGGTGCCTGTGGGGAGCCGCTCCCTGCTCCCTTCCGTGAGTC 6028
Db 436 eMetProPheSerAla:----- 441
QY 6029 TTGCAGGGGTATCACCCAGGAGCAGGCTCACTGACGCCCTCCCTCCCCACAGCCCGC 6088
Db 442 -----Gly-His----- 443
QY 6089 CGTGCATGCTCGGGAGCCCTGCGCCGATGAGCTTCTCTTCTTCACTCCCTG 6148
Db 444 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePheThrCysLeu 463
QY 6149 CTGCAGCACTTCAGCTTCTCCGTCGGCGCGGAGACGCCCGCCAGCCACTCTCGTGTGTC 6208
Db 464 LeuGlnArgPheSerPheSerValProAlaGlyGlnProGlnProSerAspGlnGlyAla 483
QY 6209 GTCACTTCTGTGTGACCCCATCCCTACAGCTTGTGTGTGTCGCCCGC 6259
Db 484 ProAlaThrLeuValThrProAlaProTyrGlnLeuCysAlaValAlaArg 500

RESULT 8
JC4157
cytochrome P450 2D, endoplasmic reticulum - dog
N;Alternate names: cytochrome P450 2D, microsomal
N;Contains: oxidoreductase (EC 1.-.-.-)
C;Species: Canis lupus familiaris (dog)
C;Date: 10-Sep-1999 #sequence revision 10-Sep-1999 #text_change 16-Jun-2000
C;Accession: JC4157; S65962; S65898
R;Jiang, Q.; Voigt, J.M.; Colby, H.D.
Biochem. Biophys. Res. Commun. 209, 1149-1156, 1995
A;Title: Molecular cloning and sequencing of a guinea pig cytochrome P4502D (CYP2D16): h
A;Reference number: JC4153; MUID:95251703; PMID:7733969
A;Accession: JC4157
A;Molecule type: mRNA
A;Residues: 1-500 <JIA>
A;Cross-references: GB:U21486; NID:g862481
R;Sakamoto, K.; Kiritu, S.; Baba, T.; Nakamura, Y.; Yamazoe, Y.; Kato, R.; Takanaka, A.;
Arch. Biochem. Biophys. 319, 372-382, 1995
A;Title: A new cytochrome P450 form belonging to the CYP2D in dog liver microsomes: puri
A;Reference number: S65898; MUID:95305574; PMID:7786018
A;Accession: S65962
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-500 <SAK>
A;Cross-references: EMBL:D17397; NID:g397824; PIDN:BAA04220.1; PID:g397825

A;Accession: S65898
A;Molecule type: protein
A;Residues: 2-37,'X',39 <SAW>
C;Comment: This protein is a member of the CYP2D subfamily, it represents the isozyme a:
C;Genetics:
A;Gene: CYP2D15
C;Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C;Keywords: adrenal gland; chromoprotein; endoplasmic reticulum; heme; iron; metallopro
F;305-468/Domain: cytochrome P450 homology <P45>
F;446/Binding site: heme iron (Cys) (axial ligand) #status predicted

Alignment Scores:
Pred. No.: 9,05e-56 Length: 500
Score: 1249.50 Matches: 362
Percent Similarity: 29.51% Conservative: 52
Best Local Similarity: 25.80% Mismatches: 83
Query Match: 6.67% Indels: 906
DB: 1 Gaps: 10

US-09-820-788A-3 (1-10278) x JC4157 (1-500)

QY 2078 ATGGGGCTA-----GAAGCACTGGTGGCCCTGGCCATGATAGTGCCCATCTTCCTG 2128
Db 1 MetGlyLeuLeuThrGlyAspThrLeuGlyProLeuAlaValAlaValAlaPheLeu 20
QY 2129 CTCCTGGTGACCTGATGACCGGACCAACACGCTGGCTGACGCTTACCCGCGAGTCCC 2188
Db 21 LeuLeuValAspLeuMetHisArgArgArgTTPAlaThrArgTyrProGlyPro 40
QY 2189 CTGCACATGCCCCGGCTGGGCAACCTTGTGTGATGTGACTTCCAGAACACACCATCTG 2248
Db 41 ThrProValProMetValGlyAsn-LeuLeuGlnMetAspPheGlnGluPro----- 57
QY 2249 CTTTCAGCAGGTGAGGGAGGAGTCTCTGGAGGCGGAGAGGTCTCTGAGGATGCCCCACC 2308
Db 57 ----- 57
QY 2309 ACCAGCAACATGGTGGTGGTTAAACCAACAGCTGGATCAGAACCCAGGCTGAGAAGG 2368
Db 57 ----- 57
QY 2369 GGAAGCAGGTTTGGGGGACGTTCTCTGGGGAGAGACATTATATACATGCGCATGAAGGACTGG 2428
Db 57 ----- 57
QY 2429 ATTTTCCAAAGCCCAAGGAGTAGGCAAGGGCTCGAGGTGGAGCTGGACTTGGCAG 2488
Db 57 ----- 57
QY 2489 TGGGCATGCAGGCCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGTGTGACA 2548
Db 58 -----IleCysTyrPhe----- 61
QY 2549 CCAGAAAGAAAGCCCTTGGGAATGAAGATGATGATGTAGTCTCTGAGTGCCTTTAAATCAGC 2608
Db 61 ----- 61
QY 2609 AAATCGAGATGAAGGGGGTGCAGTGCACCCGGTTCAAACCTTTTGCACCTGTGGTCTCTCG 2668
Db 61 ----- 61
QY 2669 GGCCTCACTGCTCACCGGCATGGACCATCATCTCGGAATGGATGCTAACTGGGGCTCT 2728
Db 61 ----- 61
QY 2729 CGGCAATTTGGTGACTCTTTCGAAGTTCATACCTGGTGACGCATCCAAACTGAGTTCCT 2788
Db 61 ----- 61
QY 2789 CCATCAGAGAGGTGTGACCCCACTGCCCCAGGATCAGGAGGCTGGGTCTCTCTCT 2848
Db 61 ----- 61

QY 2849 TCACCTGCTCACTCCTGCTAGTCCCGGGGGTTCCTCAAGGTTCAAATAGGACTAGGACC 2908
Db 61 ----- 61
QY 2909 TGTAGTCTGGGTGATCCTGCTGTGACAAAGAGCCCTGACCTCCTCTGCAAGTTCGCGC 2968
Db 62 -----Ser-GlnLeuGlnG 66
QY 2969 GCGCTTGGGACGTGTTACGCTGACCTGACCTGCGCTGGACGCGGTGCTGCTCAATG 3028
Db 66 lyArgPheGlyAsnValPheSerLeuGluLeuAlaTrpThrProValValValLeuAsnG 86
QY 3029 GCGTGGCGCCCTGCGCAGGCGATGTCACCGCGGCGGAGACACGCGCAGCCCGCCG 3088
Db 86 lyLeuGluAlaValArgGluAlaLeuValHisArgSerGluAspThrAlaAspArgProp 106
QY 3089 CTGCGCCCATCTACAGGTCCTGGGCTTCGGGCTTCGCGCCGCTTCCCAAGGCAAGCGCGGTGGG 3148
Db 106 roMetProIleTyrAspHisLeuGlyLeuGlyProGluSerGlnGly-Leu----- 122
QY 3149 GGACAGAGACCGGTTTCGTGGGCGCCCGGTGGACAGTGACCTAGCCCAAGCAGCGCC 3208
Db 122 ----- 122
QY 3209 GACAGGGCGTGGGTCCTGGACGTGAACACAGAGATAAAGGCCAGCGAGTGGGCTGAGGAC 3268
Db 122 ----- 122
QY 3269 AGTGGGCCAGAAACCACTGCACGGGGAGGTGGAGTCTGTGGGCTGGAGGGGGCGG 3328
Db 122 ----- 122
QY 3329 GGCTACTGCCACAGCCCGCCAGAACGCCGCTGGGCGAGCTGATCGCTGAAAGTGGCGGT 3388
Db 122 ----- 122
QY 3389 GCGGGGACCGCCTATGCTGCGGGCTCAGTGTGGCGGAGCGGGCGGATCTTCCTTG 3448
Db 122 ----- 122
QY 3449 AGTGAAGAAGTGTTCAGGGTGGGCGAGACGAGGTGGGGCCAAACCCCGCCAGGCGAG 3508
Db 122 ----- 122
QY 3509 GGAGCAATGTGGTGAGCAAGAGTGGGCCCTGTGCCAGCTGGACCGGGCTAGGGACTG 3568
Db 122 ----- 122
QY 3569 CGGGAGACCTTGTGGAGCGCCAGGGTTGGAGTGGGTGGCGGAGGTGGGGCCAAAGCCTT 3628
Db 122 ----- 122
QY 3629 CATGCCAAGCCACGTGCTCGTCCCGCCCGCAGGGGTGATCCTGTGCGGCTATGGGCC 3688
Db 123 -----PheLeuAlaArgTyrGlyArg 129
QY 3689 GCGTGGCGGACAGAGCGCTTCTCGTGTCCACTTGGCGAACTTGGGCTTGGGCGAAG 3748
Db 130 AlaTrpArgGlnArgPheSerLeuSerThrLeuArgAsnPheGlyLeuGlyArg 149
QY 3749 AAGTCGCTGGAGCAGTGGGTACCGAGGCGGCTGCTTGTGCGGCTTCGCGGACC 3808
Db 150 lySerLeuGluGlnTrpValThrGluAlaSerCysLeuGlyAlaAla----- 166
QY 3809 AAGCCGCTGGGTGATGGGCGAAGAGGCGCAAAAGCGGGAACCTGGGAAGCGGGGAGCGAG 3868
Db 166 ----- 166
QY 3869 AAGGCAACCCCTTACCGCATCTCCACACCCCGCAGGACGCCCTTTCGCCCAAGCGGCT 3928
Db 167 -----Phe-AlaGluGlnAlaGlyArgProPheGlyProGlyAlaLe 180
QY 3929 CTTGGCAAAAGCGTGAGCAACGTGATCGCTCCCTCACCTTGGCGGCGCGCTTCAGCTA 3988

Db 180 uLeuAsnIysAlaValSerAsnValIleSerSerLeuThrTyrGlyArgPheGluTyr 200
QY 3989 CGACGACCTCGCTTCTCAGGCTGCTGAGCTAGCTCAGGAGGAGCTGAAGGAGAGTC 4048
Db 200 rAspAspProArgLeuLeuGlnLeuLeuThrGlnGlnAlaLeuIysGlnAspSe 220
QY 4049 GGGCTTCTGCGGAGGTGGGAGGAGACCGAGGAGTCTCTGCAGGGCGAGCTCTG 4108
Db 220 rGlyPheLeuArgGlu----- 225
QY 4109 AGAGTGGCGGGCTGGACTGGGCTCCGAAGGCGAGATTGTGATAGATGGGTTTGGG 4168
Db 225 ----- 225
QY 4169 AAGGACATTCAGGAGAGACCCACTGTAAAGAGGCGCTGGAGGAGGAGGAGCATCTCAG 4228
Db 225 ----- 225
QY 4229 ACATGGTCTGGAGAGGTGTGCCGGGTACGGGGGCACAGGAGAGCCCAAGGACTCTG 4288
Db 225 ----- 225
QY 4289 TACCCCGTCCACGTTGGAGATTTCGATTTTAGGTTTCTCTCTGGGCAAGGAGAGGG 4348
Db 225 ----- 225
QY 4349 TGGAGGCTGGCACTTGGGAGGAGCTTGGTGAGGTCAGTGTAAAGACAGCAGCGCCCTG 4408
Db 225 ----- 225
QY 4409 GGTCTACCTGGAGATGGCTGGGGCTGAGACTTGTCCAGGTGAACGCAGACACAGGAGG 4468
Db 225 ----- 225
QY 4469 GATTGAGACCGGTTCTGTCTGTGTAGGTCTGAAATGCTCTCCCGTCTCTCTGACAT 4528
Db 226 -----AlaLeuAsnSerIleProValLeuLeuHisI 236
QY 4529 CCCAGCGCTGCTGCAAGTCTCAGCTTCCAAAAGGCTTCTGAGCCACCCAGCTGGATGA 4588
Db 236 eProGlyLeuAlaSerIysValPheSerAlaGlnIysAlaIleIleThrLeuThrAsnG 256
QY 4589 GCTGTAACCTAGCACAGGATGACTGGGACCCAGCCAGCCACCCGAGACCTGACTGA 4648
Db 256 uMetIleGlnGluHisArgIysThrArgAspProThrGlnProProArgHisLeuIleAs 276
QY 4649 GGCCTTCTGCAAGAGAGAGAGTGGAGTGGTCCACGCTGGGGGCGCAAGGGTGG 4708
Db 276 pAlaPheValAspGluIleGluLys----- 284
QY 4709 TGGGTTGAACGTCCTCCAGAGGAATGAGGGGAGGCTGGGCAAAAGTTGGACAGTGCATC 4768
Db 284 ----- 284
QY 4769 ACCCGGAGCGGCATCTGGGCTGACAGTGCAGAAATTGGAGGTCAATTTGGGGGCTACCC 4828
Db 284 ----- 284
QY 4829 CGTTCTATCCTCAGTATCTCTCGGCCCTGCTCAGGCCAAAGGGAGCCCTGAGAGCAG 4888
Db 285 -----AlaIysGlyAsnProIysThrSe 292
QY 4889 CTTCAATGATAGAACCTGCGCATAGTGGTGGGTAACCTGTCTCTGCGGGATGGTGAC 4948
Db 292 rPheAsnGluGluAsnLeuCysMetValThrSerAspLeuPheIleAlaGlyMetValSe 312
QY 4949 CACCTCGACACGCTGGCGCTGGGCGCTCTCTCATGATCTACACCTGGATGTGCAGCG 5008
Db 312 rThrSerIleThrLeuThrTrpAlaLeuLeuLeuMetIleLeuHisProAspValGln-- 331
QY 5009 TGAGCCCGAGCTGGGGCCCAAGGCGAGGAGTGGAGGAGGAGGGTACAGCTGGGGGCGCCCT 5068

Db 331 ----- 331
QY 5069 GGGCTTAGCTGGGACACCCGGGGCTTCCACAGCAGCGTGGCCAGGCTCCTGTAGCGCTA 5128
Db 331 ----- 331
QY 5129 ACTTCTCCAAACACAGGAGGAGAGAGTGTCCCTGGGTGCTGACCCATTGTGGGGACG 5188
Db 331 ----- 331
QY 5189 CATGTCTGTCCAGTCCGTGTCCAAACAGGAGATCGACGAGCTGATAGGCGAGTGGCGCGA 5248
Db 332 ----- Arg-ArgValGlnGlnGlnLeuValGlnGlnLeu 347
QY 5249 CCAGAGATGGGTGACACGAGTCTCATGCCCTACACCATGCTCCGTGATTTCACGAGGTGCAG 5308
Db 348 ProGluMetGlyAspGlnThrArgMetProPheThrValAlaValIleHisGluValGln 367
QY 5309 CGCTTTGGGACATATCCCTCCCTGAGTGTGACCATATGACATCCCGTGACATCGAAGTA 5368
Db 368 ArgPheGlyAspIleValProLeuGlyValProHisMetThrSerArgAspThrGluVal 387
QY 5369 CAGGGCTTCGCGATCCCTAAGTATAGGCTGTGGCGCCCTCTCACCCAGCTCAGCACCAGC 5428
Db 388 GlnGlyPheLeuIleProlys ----- 394
QY 5429 ACCTGTGTATAGCCGCCAGCATGGCTACTGCCAGGTGGGGCCCACTCTAGGAACCTCGGCCA 5488
Db 394 ----- 394
QY 5489 CCTAGTCTCAATGCCACCACTACTGTCCTCCACTTGGGTGGGGGTCCAGATATAG 5548
Db 394 ----- 394
QY 5549 GCAGGGCTGGCTGTCCATCCAGAGCCCCGTCTAGTGGGGAGACAAACAGGACCTGCC 5608
Db 394 ----- 394
QY 5609 AGAATGTTGGAGGACCCAGCGCTGCAGGAGAGGGCGAGTGTGGTGCCTCTGAGAGG 5668
Db 394 ----- 394
QY 5669 TGTGACTGCGCCCTGTGTGGGTGCGAGAGGTACTGTGAGCTTCTCGGGCGCAGGAC 5728
Db 394 ----- 394
QY 5729 TAGTTGACAGATCCAGCTGTGTGCCAGGAGTGTGTGCCCCCGTGTGTTGGTGGCAG 5788
Db 394 ----- 394
QY 5789 GGTGCCAGCATCTAGAGTCCAGTCCCACTCTCACCTGTGATCTCTGCCCGAGGGAAC 5848
Db 395 ----- Gly-Th 396
QY 5849 GACACTCATCAACCACTGTCTATCGGTGTGAAGATGAGCGCTGTGGGAGAGCCCTT 5908
Db 396 rThrLeuIleThrAsnLeuSerSerValLeuLysAspGluLysValTriPylsLysProH 416
QY 5909 CGCTTCCACCCCGAATCACTTCTGTGATGCCAGGCGCACTTTGTGAAGCCGAGGCTTT 5968
Db 416 eArgPheTyrProGluHisPheLeuAspAlaGlnGlyHisPheValLysHisGluAlaPh 436
QY 5969 CTTGCTCTCTCAGAGGTGCCTGTGTGGGAGCCGGCTCCCTGTCCCTTCCGTGGAGTC 6028
Db 436 eMetProPhe--Ser ----- 440
QY 6029 TTGACGGGTATCACCCAGGAGCAGGCTCACTGACGCCCCCTCCCTCCCAACAGGCGCG 6088
Db 441 ----- AlaGlyArg 443
QY 6089 CGTGCATGCTCGGGAGGCCCTGGCCGCGATGAGAGCTCTTCTCTTCTTCACTCCCTG 6148
Db 444 ArgValCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPheThrCysLeu 463

QY 6149 CTCACGCACTTTCAGCTTCTCTCGTGGCCGCGGACACCCCGGCCAGCCACTCTCGTGC 6208
Db 464 LeuGlnArgPheSerValProAlaGlyGlnProArgProSerAspHisGlyVal 483
QY 6209 GTTCAGCTTTCGTGTGACCCATCCCTCCTAGGAGCTTTGTGTGCTGCCCCGC 6259
Db 484 PheThrPheLeuLysValProAlaProPheGlnLeuCysValGluProArg 500
RESULT 9
S16872
cytochrome P450 2D3 - rat
N;Alternate names: cytochrome P450db3
N;Contains: oxidoreductase (EC 1.-.-.-)
C;Species: Rattus norvegicus (Norway rat)
C;Date: 03-Dec-1999 #sequence_revision 03-Dec-1999 #text_change 03-Mar-2000
C;Accession: S16872; E32970
R;Matsunaga, E.; Umeno, M.; Gonzalez, F.J.
J. Mol. Evol. 30, 155-169, 1990
A;Title: The rat P450 IID subfamily: complete sequences of four closely linked genes an
50 active site.
A;Reference number: S16871; MUID:90189185; PMID:2107330
A;Accession: S16872
A;Molecule type: DNA
A;Residues: 1-500 <MAT>
A;Cross-references: EMBL:X52028; NID:G57813; PIDN:CAA36270.1; PID:G57814
R;Matsunaga, E.; Zanger, U.M.; Hardwick, J.P.; Gelboin, H.V.; Meyer, U.A.; Gonzalez, F.
Biochemistry 28, 7349-7355, 1989
A;Title: The CYP2D gene subfamily: analysis of the molecular basis of the debrisoquine
A;Reference number: S32970; MUID:90057430; PMID:2819073
A;Accession: E32970
A;Molecule type: mRNA
A;Residues: 1-500 <MATS>
A;Cross-references: EMBL:J02868; NID:G203671; PIDN:AAA41002.1; PID:G203672
C;Genetics:
A;Gene: CYP2D3
A;Introns: 63/3; 121/1; 172/1; 225/3; 284/3; 332/1; 394/3; 442/1
C;Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C;Keywords: chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metall
F;9-25/Domain: transmembrane #status predicted <TM1>
F;305-468/Domain: cytochrome P450 homology <CYP>
F;310-326/Domain: transmembrane #status predicted <TM2>
F;446/Binding site: heme iron (Cys) (axial ligand) #status predicted
Alignment Scores:
Pred. No.: 4,69e-52 Length: 500
Score: 1176.00 Matches: 348
Percent Similarity: 28.60% Conservative: 51
Best Local Similarity: 24.95% Mismatches: 93
Query Match: 6.28% Indels: 903
DB: 1 Gaps: 10
US-09-820-788A-3 (1-10278) x S16872 (1-500)
QY 2093 CTGCTGCCCTCGCCGATGATAGTGGCCATCTTCTCTGCTCCTGTGACCTGATGCACCG 2152
Db 9 LeuTrpProMetAlaIlePheThrValIlePheLeuLeuValAspLeuMethHisArg 28
QY 2153 CACCAACGCTGGGTGTCACGCTTACCGCAGGTCCCTGCCACTGCCCGGCTGGGCAAC 2212
Db 29 ArgGlnArgTrpThrSerArgTyrProProGlyProValProTrpProValLeuGlyAsn 48
QY 2213 CTTGCTGCATGTGGACTTCCAGAACACACCATACCTGCTTCGACGAGGTGAGGAGGAGGT 2272
Db 49 -LeuLeuGlnValAspLeuCysAsnMetProTyr-SerMet ----- 61
QY 2273 CTGGAGGGCGCGCAGAGGTCTCTGAGGATGCCCCACCACCACCAACATGGTGGTGGT 2332
Db 61 ----- 61
QY 2333 AAACACAGGCTGGATCAGAGCAGGCTGAGAGGGGAGCAGGTTTGGGGACCGTTCC 2392
Db 61 ----- 61

QY 2393 TGGGAAGGACATTTATACATGGCATGAAGGACTGGATTTTCCAAAGGCCAAGGAGAGT 2452
Db 61 ----- 61
QY 2453 AGGCAAGGGCCCTGGAGGTGGAGCTGGACTTGGCAGTGGGCATGCAAGCCCATTTGGGCAA 2512
Db 61 ----- 61
QY 2513 CATATGTTATGAGTACAAAGTCCCTTCTGCTGACACCAAGAGAAAGGCCCTTGGGAATG 2572
Db 62 ----- 63
QY 2573 GAAGATGAGTTAGTCTCTGAGTCCGCTTTAAATCAGAAATCGAGATGAAGGGGTGCAG 2632
Db 63 ----- 63
QY 2633 TGACCCGGTTCAAACCTTTTGCACTGTGGGTCTCTGGGCTCACTGCTCACCGGCATGGA 2692
Db 63 ----- 63
QY 2693 CCATCATCTGGGAATGGGATGTAACCTGGGGCTCTCGGCAATTTTGGTGAATTTGGCAA 2752
Db 63 ----- 63
QY 2753 GGTATACCTGGGTGACGCATCCAACTGAGTTCTCTCCATCACAGAAGGTGTGACCCCA 2812
Db 63 ----- 63
QY 2813 CCCCTGCCCCAGCATCAGGAGCTGGGTCTCTCTCTCCCTCCACCTGCTCACTCTCTGTAGCC 2872
Db 63 ----- 63
QY 2873 CCGGGGTGCTCAAAGTTCAAATAGGACTAGGACCTGTAGTCTGGGGTGATCTCTGGTT 2932
Db 63 ----- 63
QY 2933 GACAGAGGCCCTGACCCCTCCCTCTGAGTTGGGGCGCGCTTCGGGACGTGTTACGCC 2992
Db 64 ----- 74
QY 2993 TGCAGCTGCTGGACGCGGTGTGTCTCAATGGGTGGCGCGCTGGCGGAGGCGA 3052
Db 74 euGlnMetClyTrpLysProValValIleAsnGlyLeuLysAlaValGlnGluLeuL 94
QY 3053 TGTGACCCGCGCGGAGGACACGCGCCGCTGCGCCCATCTACCAAGTCTCTGG 3112
Db 94 euValThrCysGlyGluAspThrAlaAspArgProGluMetProIlePheGlnHisIleG 114
QY 3113 GCTTCGGGCGGTTCCTCCAAAGCAAGCGGCGGTGGGGACAGACCGGTTTCGGTGG 3172
Db 114 lYTrGlyHisLysAla-Lys ----- 120
QY 3173 CCCGGGTGGACAGTGAACCGTAGCCCAAGCAGCGCGGACAGGGGTGGGGTCTGGACGT 3232
Db 120 ----- 120
QY 3233 GAAACAGAGATAAAGGCCAGCGAGTGGGTGAGGACAGTGGGCCAGGAAACCACTGCAC 3292
Db 120 ----- 120
QY 3293 GGGGAGGTGCGAGTCTGTGGCTGGAGGGGGCGGGGCTACTGCCAGACCCGCCAGAA 3352
Db 120 ----- 120
QY 3353 GCCCGGTGGCGAGGCTGATCGTCCAAAGTGGCGGTGGGGGACCGCGCTATCTGCTGC 3412
Db 120 ----- 120
QY 3413 GGCTCAGTGTGGGCGGGACGGCGGGATCTTCTTGAAGTGAAGGTGGTCAGGGTGGGC 3472
Db 120 ----- 120

QY 3473 AGAGCAGAGTGGGGCCAAACCCCGCCAGGAGGGGAGCAAATGTGGTGTGAGCAAGAG 3532
Db 120 ----- 120
QY 3533 TGGGCCCTGTGCCAGCTGGACCGGGCTAGGACTTGGCGAGACCTTGTGGAGCGCCAGG 3592
Db 120 ----- 120
QY 3593 GTTGAGTGGGTGGCGGAGGGTGGGGCCAAAGCCCTTCATGGCAACGCCCACTGTCTCGTC 3652
Db 120 ----- 120
QY 3653 CCGCCCCCAGGCGTATCTCTGCGCTATGCGCCCGCGTGGCGGAGCAGAGCGCTTC 3712
Db 121 ----- 137
QY 3713 TCCGTGTCCACTTGGCCAACTTGGCGCTGGCGAAGAGTGGCTGGAGCAGTGGGTGACC 3772
Db 138 SerValSerThrLeuArgAsnPheGlyValGlyLysLysSerLeuGluGlnTrpValThr 157
QY 3773 GAGGAGCGCGCTGCTTGTGCGCTTGGCGGACCAAGCCGCTGGGTGTGATGGGAGAAG 3832
Db 158 AspGluAlaSerHisLeuCysAspAla ----- 166
QY 3833 GGCACAAAGCGGAACTGGGAAGGGGGGAGGAGGCAACCCCTTACCCGCATCTC 3892
Db 167 ---LeuThrAlaGluAlaGlyArg ----- 173
QY 3893 CCCACCCCGAGCGCCCTTTCGCCCAACGGCTCTTGACAAAGCCGTGAGCAACGT 3952
Db 174 -----ProLeuAspProTyThr-LeuLeuAsnLysAlaValCysAsnVa 188
QY 3953 GATCGCTTCTACCTGCGGGCGCGCTTCGAGTACAGCAACCTGCTCTCTCAGGCT 4012
Db 188 lIleAlaSerLeuIleTyAlaAlaArgPheAspTyArgLysProAspPheIleLysVa 208
QY 4013 GCTGACCTAGCTCAGGAGGACTGAAGGAGAGTTCGGCTTCTGCGGAGGTGGGAG 4072
Db 208 lLeuLysIleLeuLysGluSerMetGlyGluGlnThrGlyLeuPheProGlu ----- 225
QY 4073 CGAGAGCCGAGGAGTCTCTGCGGGCGAGCTCTCGAGAGGTGGCGGGCTGGAGTGGG 4132
Db 225 ----- 225
QY 4133 CCTCGAAGGCGAGATTTGTCATAGTGGGTGGGAAAGACATTCAGAGAGACCCAC 4192
Db 225 ----- 225
QY 4193 TGTAAGAGGCGCTGGAGGAGGGGACATCTCAGACATGTCGTGGGAGAGGTGTGCC 4252
Db 225 ----- 225
QY 4253 CCGGTGAGGGGCGACAGAGAGGCCAAGACTCTGTACCCCGCTCCACGTGGAGATT 4312
Db 225 ----- 225
QY 4313 CGATTTTAGGTTTCTCTCTGGGCAAGAGAGAGGTGGAGCTGGCACTTGGGAGGGA 4372
Db 225 ----- 225
QY 4373 CTTGGTGAAGTCACTGGTTAAGGACAGGCGGCCCTGGGTCTACTGGAGATGGCTGGGGC 4432
Db 225 ----- 225
QY 4433 CTGAGACTTGTCCAGGTGAACGACAGAGCAGGAGGATTTGAGACCCCGTTCTGTCTGGT 4492
Db 225 ----- 225
QY 4493 GTAGGTGCTGAATGCTGTCCCGTCTCTCTGCAATCCACAGCGTGGCTGGCAAGGTCTCT 4552
Db 226 ---ValIleAsnMetPheProValLeuLeuArgIleProGlyLeuAlaAspLysValPh 244
QY 4553 ACGCTTCCAAAGGCTTCTCTGACCCAGCTGGATGAGCTGCTAACTAGGACACAGGATGAC 4612

A:Residues: 1-116,'D',118-345,'R',347-357,'F',359-406,'K',408-500 <ISH>
A:Cross-references: EMBL:M22330; NID:g203823; PIDN:AAA41049.1; PID:g203824
R:Macunaga E.; Umeno, M.; Gonzalez, F.J.
J. Mol. Evol. 30, 155-169, 1990
A:Title: The rat P450 IID subfamily: complete sequences of four closely linked genes and 50 active site.

A:Reference number: S16871; MUID:90189185; PMID:2107330

A:Accession: S16871

A:Molecule type: DNA

A:Residues: 1-345,'R',347-357,'F',359-406,'K',408-500 <MA2>

A:Cross-references: EMBL:X52027; NID:g57811; PIDN:CAA36269.1; PID:g57812

C:Genetics:

A:Gene: CYP2D2

A:Introns: 63/3; 121/1; 172/1; 225/3; 284/3; 332/1; 394/3; 442/1

C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology

C:Keywords: chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metallo

F:9-25/Domain: transmembrane #status predicted <TM1>

F:305-468/Domain: cytochrome P450 homology <CYP>

F:310-326/Domain: transmembrane #status predicted <TM2>

F:446/Binding site: heme iron (Cys) (axial ligand) #status predicted

Alignment Scores:

Pred. No.:	4.98e-52	Length:	500
Score:	1175.50	Matches:	347
Percent Similarity:	29.01%	Conservative:	60
Best Local Similarity:	24.73%	Mismatches:	90
Query Match:	6.28%	Indels:	906
DB:	1	Gaps:	11

US-09-820-788a-3 (1-10278) x B26822 (1-500)

QY	2078	ATGGGGCTA-----GAAGCACTGGTCCCTGGCCATGATAGTGGCCATCTTCTCTG	2128
DB	1	MetGlyLeuLeuLeuGlyAspAspLeuTrpAlaValIlePheThrAlaIlePheLeu	20
QY	2129	CTCTGGTGGACCTGATGACCGGACCAACCGCTGGGCTGCACGCTACCCCGCAGGTCCC	2188
DB	21	LeuLeuValAspLeuValHisArgHisPheTrpThrAlaHisTyProProGlyPro	40
QY	2189	CTGCACCTGCCCGGCTGGGCACTTGTGATGTGGACTTCCAGAACACACATCTG	2248
DB	41	ValProLeuProGlyLeuGlyAsn-LeuLeuGlnValAspPheGluAsnMetProTyP-s	60
QY	2249	CTTCGACCAGGTGAGGAGGAGTCTCTGGAGGGCGCAGAGTCTCTGAGGATGCCCCACC	2308
DB	60	er-----	60
QY	2309	ACCAGCAACATGGGTGGTGGTTAAACACACAGGCTGGATCAGAACCGCTGAGAAGG	2368
DB	60	-----	60
QY	2369	GGAAGCAGGTTGGGGGACGTTCTCTGGGAGGAGCAATTATACATGATGAGACTGG	2428
DB	61	-----LeuTyP-----	62
QY	2429	ATTTTCCAAAGCCAAGGAGTAGGAGGCGCTGGAGGTGGAGCTGGACTTGGCAG	2488
DB	62	-----	62
QY	2489	TGGGATGCAAGCCCATTTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGTGACA	2548
DB	62	-----	62
QY	2549	CCAGAAGGAAGGCCCTTGGGAATGGAAGATGAGTTAGTCCCTGAGTGGCCGTTTAAATCAG	2608
DB	62	-----	62
QY	2609	AAATCAGGATGAAGGGGTGCAGTGACCCCGGTTCAACCTTTTGCATGTGGGTCTCTG	2668
DB	62	-----	62
QY	2669	GGCCTCACTGCTACCGGCATGGACCATCATCTGGGAATGGGATGCTAACTGGGGCCTCT	2728

Db	62	-----	62
QY	2729	CGGCAATTTTGGTGACTCTTCAAGGTACATACCTGGGTGACGCATCCAAACTGAGTTCT	2788
Db	62	-----	62
QY	2789	CCATCACAGAAGGTGTGACCCCCCTGAGCCCGATCAGAGGCTGGGTCTCTCTCTCT	2848
Db	62	-----	62
QY	2849	TCCACCTGCTCACTCTGTGTAGTCCCGGGGTCTGTCCAAGGTTCAAAATAGACTAGGACC	2908
Db	62	-----	62
QY	2909	TGTAGTCTGGGGTGATCTGTGCTTGCACAGAGGCCCTGACCCCTCTCTGAGTTGGCGC	2968
Db	63	-----LysLeuArgS	66
QY	2969	GCCGTTTCGGGGACGTGTTCAGCTGAGCTGGCTGGACCGCGGTGGTCTGCTCAATG	3028
Db	66	erArgTyGlyAspValPheSerLeuGlnIleAlaTrpLysProValValIleAsnG	86
QY	3029	GGTGGGGCGCTGCGAGCGCATGTGACCCCGCGGAGACACGCGCCGACCGCGCGC	3088
Db	86	IyLeuLysAlaValArgGluLeuValThrTyGlyGluAspThrAlaAspArgProL	106
QY	3089	CTGCGCCCATCTACAGGTCTCTGGCTTCGGGCGCGCTTCCCAAGGCAAGCGCGGTGGG	3148
Db	106	euLeuProIleTyAsnHisLeuGlyTyGlyAsnLysSer-Lys-----	120
QY	3149	GGACAGAGACCGCGTTTCCTGGTGGCGCGGTGGACAGTACCGTAGCCCAAGCAGCGCC	3208
Db	120	-----	120
QY	3209	GACAGGCGTGGGTCTTGGACGTGAAACAGAGATAAAGCGCAGTGGGCTGAGGAC	3268
Db	120	-----	120
QY	3269	AGTGGGCCAAGAACACCTGCACGGGGAGTGGAGTCTGTGGGCTGGGAGGGGGCGG	3328
Db	120	-----	120
QY	3329	GGCTACTGCCACAGACCGCGCAGAGACCGGTGGGCGAGGCTGATCGTCTGAAATGGCGGT	3388
Db	120	-----	120
QY	3389	GGCGGGACCGCGCTATGTCTGCGGGCTCAGTGTGGGCGGACGCGCGGAGTCTTCTCTTG	3448
Db	120	-----	120
QY	3449	AGTGAAGGTGGTTCAGGGTGGGCGAGACAGAGTGGGGCCAAACCCCGCCAGGCAGG	3508
Db	120	-----	120
QY	3509	GGAGCAATGTGGGTGAGCAAGAGTGGGCCCTGTGTCCAGCTGGACCGGCTAGGGAATG	3568
Db	120	-----	120
QY	3569	CGGAGACCTTGTGGAGCGCCAGGGTTGAGTGGGTGGCGGAGGTGGGGCCAAAGGCCTT	3628
Db	120	-----	120
QY	3629	CATGCAACGCCACGTGTCTCGTCCCGCCCCAGGGGTGATCTGTGCGGTATGGGCC	3688
Db	121	-----GlyValValLeuAlaProTyGlyPro	129
QY	3689	CGTGGCGCAGCAGAGCGCTTCTCGTGTCCACCTTGGCGCAACTTGGGCTGGGCAAG	3748
Db	130	GluTrpArgGluGlnArgArgPheSerValSerThrLeuArgAspPheGlyValGlyLys	149
QY	3749	AAGTCTGTGGAGCAGTGGGTGACCGAGAGCGCCCTTGTGCGCTTTCGCGCCGACC	3808
Db	150	LysSerLeuGluGlnTrpValThrGluAlaGlyHisLeuCys-Asp-----	165


```
QY 3809 AAGCCGGTGGTGTGATGGGCGAAGAGGACACAAAGCGGAACTGGGAAAGCGGGGACGGAG 3868
Db 166 -----Thr-PheAlaLysGluAlaGlu----- 172
QY 3869 AAGGCAACCCCTTACCCGCATCTCCACCACCCAGAGCGCCCTTTTCGCCCCCAACCGCCT 3928
Db 173 -----HisProPheAsnProSerIleLe 180
QY 3929 CTTGGACAAGCGGTGAGCAACGTGATCGCTCCCTCACCTGCGGGCGCGCTTCAGTA 3988
Db 180 uLeuSerLysAlaValSerAsnValIleAlaSerLeuValTyrAlaArgArgPheGluTyr 200
QY 3989 CGACGACCTTCGCTTCTCAGGCTGGCTAGCTCAGAGGGGACTGAAGAGGAGATC 4048
Db 200 rGluAspProPhePheAsnArgMetLeuLysThrLeuLysGluSerPheGlyGluAspTh 220
QY 4049 GGGCTTCTCGCGGAGGTGCGGAGGAGACCGAGGAGTCTCTGCAGGGCGAGCTCCTG 4108
Db 220 rGlyPheMetAlaGlu----- 225
QY 4109 AGAGGTGCGGGGCTGGAAGTGGGGCTCCGAAAGGCGAGGATTTGCATAGATGGTTGGG 4168
Db 225 ----- 225
QY 4169 AAAGGACATTCACAGAGACCCCACTGTAGAGGGGCTTGAGGAGGAGGGGACATCTCAG 4228
Db 225 ----- 225
QY 4229 ACATGTGCTGGGAGAGGTGTCGCCGGTCAGGGGCAACAGGAGGCGCAAGGACTCTG 4288
Db 225 ----- 225
QY 4289 TACCCCGTCCACGTTGGAGATTTCGATTTTAGTTTCTCCTCTGGCAAGGAGAGGG 4348
Db 225 ----- 225
QY 4349 TGGAGGCTGGCACTTGGGGAGGACTTGGTGAGGTGAGTGAAGTAAAGCAGGAGCGCCCTG 4408
Db 225 ----- 225
QY 4409 GGTCTACTGGAGATGGCTGGGGCCTGAGACTTTGTCCAGGTGAACCGACAGCACAGGAG 4468
Db 225 ----- 225
QY 4469 GATTGAGACCCGTTCTGTCTGTGTAGGTGTAATGTGTGCTGCCGCTCTCTGTCACAT 4528
Db 226 -----ValLeuAsnAlaIleProIleLeuLeuGlnI 236
QY 4529 CCCAGCGCTGGCTGGCAAGTCTCTACGCTTCCAAAGGCTTTCCTGACCCAGCTGGATGA 4588
Db 236 eProGlyLeuProGlyLysValPheProLysLeuAsnSerPheIleAlaLeuValAspLys 256
QY 4589 GCTGTAACTGACACAGGATGACCTGGGACCCAGCCAGCCAGCCAGGAGACTGACTGA 4648
Db 256 sMetLeuIleGluHisLysLysSerTrpAspProAlaGlnProProArgAspMetThrAs 276
QY 4649 GGCCTTCTCGGCAAGAGAGAGGTGAGTGGCTGCCACGCTGGGGGGCAAGGGTGG 4708
Db 276 pAlaPheLeuAlaGluMetGlnLys----- 284
QY 4709 TGGGTTGAACGTCCTCCAGGAGGAATGAGGGGAGCTGGGCANAAAGTTTGGACCAAGTGCATC 4768
Db 284 ----- 284
QY 4769 ACCCGGCGAGCCGCACTTGGGCTGACAGGTGACAGATTTGGAGGTCACTTTGGGGGCTACCC 4828
Db 284 ----- 284
QY 4829 CGTTCTATCCCTGAGTATCTCTCGGCCCTGCTCAGGCCAAGGGAGCCCTTGAGAGCAG 4888
Db 285 -----AlaLysGlyAsnProGluSerSe 292
```

```
QY 4889 CTTCAATGATGAGAACCTTCGCGCATAGTGTGGGTAACTGTTCTCTTTCGCCGGGATGTGAC 4948
Db 292 rPheAsnAspGluAsnLeuArgLeuValIleAspLeuPheMetAlaGlyMetValTh 312
QY 4949 CACCTCGACACGCTGGCTGGGGCTCTCTCATGATCTACACTCGACTGGATGTCGAGCG 5008
Db 312 rThrSerThrThrLeuSerTrpAlaLeuLeuLeuMetIleLeuHisProAspValGln-- 331
QY 5009 TGAGCCACGCTGGGGCCCAAGCAGGAGCTGAGGGAGGAAGGTGTACAGCTGGGGGGCCCT 5068
Db 331 ----- 331
QY 5069 GGGCTTAGCTGGGACACCCGGGCTTCCAGCACAGCGTGGCCAGGCTCTGTAGACCTTA 5128
Db 331 ----- 331
QY 5129 ACTTCTCTCAACACAGGAGGAAGGAGAGTGTCCCTGGGTGTGTACCCATTGTGGGGAGC 5188
Db 331 ----- 331
QY 5189 CATGTGTCTCAGTCCGTGTCCAACAGGAGATCGACGCTGTATAGGGCAGGTGCGCGCA 5248
Db 332 -----Arg--ArgValHisGluGluIleAspGluValIleGlyGlnValLeuArg 347
QY 5249 CCAGAGATGGGTGACAGGCTCACATGCCCTACACACTGCCGTGATTCCAGAGGTGCAG 5308
Db 348 ProGluMetAlaAspGlnAlaArgMetProLeuThrAsnAlaValIleHisGluValGln 367
QY 5309 CGCTTTGGGACATCATCCCTCGTGTGACCCATATGACATCCCGTGCATCTCGACATCGA 5368
Db 368 ArgPheAlaAspIleValProThrAsnIleProHisMetThrSerArgAspIleLysPhe 387
QY 5369 CAGGCTTCGCGATCCCTAAGGTAGGCTGGCGCCCTCTCACCCTCAGCTCAGCACCAGC 5428
Db 388 GlnGlyPheLeuIleProLys----- 394
QY 5429 ACCTGTGTATAGCCCCAGCATGGCTACTGCCAGTGGGGCCACTCTTAGGAACCTTGGCCA 5488
Db 394 ----- 394
QY 5489 CCTAGTCTCAATGCCACCCACTGCTGTCTCCCACTTGGGTGGGGGGTCCAGAGTATAG 5548
Db 394 ----- 394
QY 5549 GCAGGGCTGGCTGTCTCATCCAGAGCCCCCGTCTAGTGGGGAGACAAACCAGACCTGCC 5608
Db 394 ----- 394
QY 5609 AGAATGTTGGAGGACCCAGCGCTGCAGGGAGAGGGGCGAGTGTGGGTGCCTCTGAGAGG 5668
Db 394 ----- 394
QY 5669 TGTGATGCGCCCTCTGTGTGGGTGCGAGAGGGTACTGTGGAGCTTCTCGGGGCGCAGGAC 5728
Db 394 ----- 394
QY 5729 TAGTTGACAGAGTCCAGCTGTGTGCCAGGCAGTGTGTGTGTGTGTGTGTGTGTGTGTGT 5788
Db 394 ----- 394
QY 5789 GGGTCCCAGCATCTTAGAGTCCAGTCCCACTCTCACCTCGCATCTCTCTGCCCAGGGGAAC 5848
Db 395 -----Gly-Th 396
QY 5849 GACACTCATCAACACCTGTCTCGTGTGTAAGGATGAGGCGCTGTGGAGAGCCCTT 5908
Db 396 rThrLeuIleProAsnLeuSerSerValLeuGluAspGluThrValTrpGluLysProLe 416
QY 5909 CGCTTTCACCCCGCAACTCTCTCGATGCCCGAGGCGCACTTTGTGAACCCGAGGAGCCCTT 5968
Db 416 uArgPheHisProGluHisPheLeuAspAlaGlnGlyAsnPheValLysHisGluAlaPh 436
QY 5969 CCTGCTTTTCTCAGCAGGTGCTGTGGGGAGCGCCGCTCTCTCTCTCTCTCTCTCTCTCTCT 6028
```

```
Db 436 eMetProPhe--Ser-|:::|:::|:::|:::| 440
QY 6029 TTGCAGGGGTATCACCAGGAGCCAGGCTCACTGAGGCCCTCCCTCCACAGGCGC 6088
Db 441 -----AlaGlyArg 443
QY 6089 CGTGACGCTCGCGGAGCCCTGGCCGCGCATGGAGCTTCTCTTCTTCACTCCCTG 6148
Db 444 ArgAlaCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePheThrCysLeu 463
QY 6149 CTGCAGCACTTCAGTCTTCTCGTCCGCCCGGACAGCCCGCCGAGCCACTCTCGTGC 6208
Db 464 LeuGlnArgPheSerPheSerValLeuAlaGlyArgProArgProSerThrHisGlyVal 483
QY 6209 GTCACTTCTGCTGACCCCTCCCTACGAGCTTGTGCTGTCGCCCGC 6259
Db 484 TyrAlaLeuProValThrProGlnProTyrGlnLeuCysAlaValAlaArg 500

RESULT 11
JC4153
Cytochrome P450 2D16, CYP2D16 - guinea pig
N:Contains: oxidoreductase (EC 1.-.-.-)
C:Species: Cavia porcellus (guinea pig)
C>Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 03-Mar-2000
C:Accession: JC4153; PC4052
R:Jiang, Q.; Voigt, J.M.; Colby, H.D.
Biochem. Biophys. Res. Commun. 209, 1149-1156, 1995
A:Title: Molecular cloning and sequencing of a guinea pig cytochrome P4502D (CYP2D16): h
A:Reference number: JC4153; MUID:95251703; PMID:7733969
A:Accession: JC4153
A:Molecule type: mRNA
A:Residues: 1-500 <JIA>
A:Cross-references: GB:U21486; MID:g862481; PIDN:AAA68479.1; PID:g862482
A:Accession: PC4052
A:Molecule type: protein
A:Residues: 1-37 <J12>
C:Comment: This protein is a member of the CYP2D subfamily, it represents the isozyme a
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: adrenal gland; chromoprotein; heme; iron; metalloprotein; microsomal; oxidore
F:305-468/Domain: cytochrome P450 homology <P45>
F:496/Binding site: heme iron (Cys) (axial ligand) #status predicted

Alignment Scores:
Pred. No.: 2,548-51 Length: 500
Score: 1161.50 Matches: 350
Percent Similarity: 28.44% Conservative: 49
Best Local Similarity: 24.95% Mismatches: 98
Query Match: 6.20% Indels: 906
DB: 1 Gaps: 12

US-09-820-788A-3 (1-10278) x JC4153 (1-500)
QY 2078 ATGGGGCTA-----GAAGCACTGGTGGCCCTGGCCATGATAGTGGCCATCTTCTG 2128
Db 1 MetGlyLeuLeuThrGlyAspAlaLeuPheSerValAlaValAlaValAlaLeuLeu 20
QY 2129 CTCCTGGTGACCTGATGCACCGGACCAACGCTGGGTGACGCTACCGCCAGGTCCC 2188
Db 21 LeuLeuValAspLeuMetHisArgArgGlnArgTrpAlaAlaArgTrpProGlyPro 40
QY 2189 CTGCCACTGCCCGGCTGGCAACCTTCTGTCATGTGACCTCCAGAACACACACTACTG 2248
Db 41 ValProValProGlyLeuGlyAsn-LeuLeuGlnValAspPheGluAsnMetAlaTyrSe 60
QY 2249 CTTCCACCAGGTGAGGGAGGAGGTCTCTGGAGGGCGGACAGGTCTCTGAGGATGCCCCACC 2308
Db 60 r----- 60
QY 2309 ACCAGCAAAACATGGGTGGTGGTTAAACACAGGCTGGATCAGAAAGCCAGGCTGAGAAG 2368
Db 60 ----- 60
```

```
QY 2369 GGAAGCAGGTTTGGGGACAGTTCCTGGGGAAGGACATTATATACATGGCATGAAGGACTGG 2428
Db 60 ----- 60
QY 2429 ATTTTCCAAAGCCAAAGGAAGAGTAGGGCAAGGGCTGGAGGTGGAGCTGGACTTTGGCAG 2488
Db 60 ----- 60
QY 2489 TGGGCATGCAAGCCATTGGGCAACATATGTTATGGAGTACAAAGTCCCTTCTGCTGACA 2548
Db 61 -----Cys-Asp- 62
QY 2549 CCAGAAGAAAGGCGCTTGGGAATGGAAGATGAGTTAGTCTCTAGTGGCGGTTTAAATCAG 2608
Db 62 ----- 62
QY 2609 AAATCGAGGATGAAGGGGGTGCAGTACCCCGGTTCAAAACCTTTTGCACTGTGGGTCTCTG 2668
Db 62 ----- 62
QY 2669 GGCCTCACTGCTCACCGCATGGACCATCATCTGGAATGGATGCTAACTGGGGCCTCT 2728
Db 62 ----- 62
QY 2729 CGGCAATTTTGGTGACTCTTCAAAGGTCACTACCTGGGTGACGCATCCAAACTGAGTTTCT 2788
Db 62 ----- 62
QY 2789 CCATCACAAGAGTGTGACCCCAACCCCTGCCCAACGATCAGGAGGTGGGTCTCTCTCT 2848
Db 62 ----- 62
QY 2849 TCCACCTGCTCACTCTCTGGTAGCCCCGGGGTGTCTCAAGGTTCAATAGGACTAGGACC 2908
Db 62 ----- 62
QY 2909 TGTAGTCTGGGTGATCTCTGGTTTGACAAGAGGCCCTGACCCCTCCCTCTGCAGTTGCGGC 2968
Db 63 -----LysLeuAlaG 66
QY 2969 CCCGCTTGGGAGCGTGTTCAGCTGACGTGGCTGGACGCGGTGGTGTCTGCTCAATG 3028
Db 66 isGlnPheGlyAspValPheSerLeuGlnPheValTrpThrProValValValValAanG 86
QY 3029 GGCTGGCGCGCTGGGAGCGGATGTGACCCCGGGCGAGACACGCCGCCAGCCCGCCG 3088
Db 86 lyLeuLeuAlaValArgGluAlaLeuValAanSerThrAspThrSerAspArgProT 106
QY 3089 CTGGCGCCCATCTACAGGTCTCTGGGCTTCGGGCGCGCTTCCCAAGGCAAGCGCGGTGG 3148
Db 106 hrLeuProThrAsnAlaLeuLeuGlyPheGlyProLysAlaGlnGlyValIle-Gly- 124
QY 3149 GGACAGAGACCGCGTTTCCGTGGGCGCGGTGGACAGTACCGGTAGCCCAAGCAGCGCC 3208
Db 124 ----- 124
QY 3209 GACAGGGCGTGGGTCTCTGGAGCTGAAACAGAGATAAAGCCAGCGAGTGGGTGAGGAC 3268
Db 124 ----- 124
QY 3269 AGTGGCCAGGAAACACCTGCACGGGGAGGTGCGAGTCTGTGGGTGGGAGGGGGCGG 3328
Db 124 ----- 124
QY 3329 GGGTACTGCCAGACCCCGCCAGAACCCGCTGGGCGAGGCTGATGCGTGCAGAGTGGCGGT 3388
Db 124 ----- 124
QY 3389 GCGGGGACCGCGCTATGCTGCGGGCTCAGTGTGGGCGGACCGGGCGGGATCTTCTCTG 3448
Db 125 -----AlaTyr- 126
QY 3449 AGTGGAAAGGTGGTCAGGGTGGGCAGAGACGAGGTGGGGGCCAAACCCCGCCAGGACAG 3508
```


QY 5669 TGTGACTGCGCCCTGCTGTGGGTGCGAGAGGCTACTGTGGAGCTTCTCGGGCGCAGGAC 5728
Db 394 -----
QY 5729 TAGTTGACAGAGTCCAGCTGTGTGCCAGGACAGTGTGTGTCCTCCCGTGTGTTGGTGGCAG 5788
Db 394 -----
QY 5789 GGTGCCAGCATCTTAGATCCAGTCCAGTCCCACTCTCACCTCTGATCTCTGTCGCCAGGAGAAC 5848
Db 395 -----Gly-Th
QY 5849 GACACTCATCACCACTGTCTCGGTCTGAGGATGAGGCGCTCTGGAGAACCCCTT 5908
Db 396 rMetLeuPheThrAsnLeuSerSerValLeuLysaspGluThrValTrpGluLysProLe 416
QY 5909 CGCTTCCACCCCGAACACTCTCTGGATGCCAGCGCCACTTTGTGAAGCCGAGGCCTT 5968
Db 416 whisPheHisProGlyHisPheLeuAspAlaGluGlyArgPheValLysArgGluAlaPh 436
QY 5969 CTGCTCTTCTCAGCAGGTGCTGTGGGGAGCGCGCTCTCTCTCCCTTCCGTCGAGTGC 6028
Db 436 eMetProPheSerAlaGly----- 442
QY 6029 TTGACGGGTATACCCAGGAGCCAGGCTACTGTAGCGCCCTCTCCCTCCCAACAGGCGCG 6088
Db 443 -----Pro-- 443
QY 6089 CGTGATGCTCGGGAGCGCCCTGCGCCGATGAGGCTCTTCTCTTCTTCACTCCCTG 6148
Db 444 ArgIleCysLeuGlyGluProLeuAlaArgMetGluLeuPheLeuPhePheThrSerLeu 463
QY 6149 GTGAGCACTTCACTTCTCTGTGCGCGCCGACAGCCCGCCGAGCACTCTCTGTC 6208
Db 464 LeuGlnArgPheSerPheSerValProGluGlyGlnProArgProSerAspArgGlyAla 483
QY 6209 GTACGCTTCTGTGACCCATCCCTTACGAGCTTGTGCTGTCGCCCGC 6259
Db 484 ProTyrLeuValValLeuProSerProTyrGlnLeuCysAlaValLeuArg 500
RESULT 12
O4RTD5
N:Altermace names: cytochrome P450CMF1b; cytochrome P450db5
N:Contains: oxidoreductase (EC 1.-.-.-)
C:Species: Rattus norvegicus (Norway rat)
C:Date: 31-Mar-1992 #sequence revision 31-Mar-1992 #text_change 03-Mar-2000
C:Accession: S09611; A32970; S16874; B31579
R:Ishida, N.; Inuzuka, C.; Tawaragi, Y.; Sugita, O.; Nakazato, H.; Noguchi, T.; Sassa, S
Nucleic Acids Res. 17, 6407, 1989
A:Title: Cytochrome P450CMF cDNA: nucleotide sequence of P450CMF1b.
A:Reference number: S09611; MUID:89366685; PMID:2771656
A:Accession: S09611
A:Molecule type: mRNA
A:Residues: 1-504 <LS>
A:Cross-references: EMBL:M25143; NID:g203775; PIDN:AAA1034.1; PID:g203776
R:Matsumaga, E.; Zanger, U.M.; Hardwick, J.P.; Gelboin, H.V.; Meyer, U.A.; Gonzalez, F.J
Biochemistry 28, 7349-7355, 1989
A:Title: The CYP2D gene subfamily: analysis of the molecular basis of the debrisoquine 4
A:Reference number: A32970; MUID:90057430; PMID:2819073
A:Accession: A32970
A:Molecule type: mRNA
A:Residues: 1-504 <MAT1>
A:Cross-references: EMBL:J02869; NID:g203673; PIDN:AAA1003.1; PID:g203674
R:Matsumaga, E.; Umeno, M.; Gonzalez, F.J.
J. Mol. Evol. 30, 155-169, 1990
A:Title: The rat P450 IID subfamily: complete sequences of four closely linked genes and
50 active site.
A:Reference number: S16871; MUID:90189185; PMID:2107330
A:Accession: S16874
A:Molecule type: DNA
A:Residues: 1-504 <MAT2>

A:Cross-references: EMBL:X52030; NID:g57817; PIDN:CAA3272.1; PID:g57818
R:Ishida, N.; Tawaragi, Y.; Inuzuka, C.; Sugita, O.; Kubota, I.; Nakazato, H.; Noguchi,
Biochem. Biophys. Res. Commun. 156, 681-688, 1988
A:Title: Four species of cDNAs for cytochrome P450 isozymes immunorelated to P450c-M/F e
A:Reference number: A90151; MUID:89050091; PMID:3190674
A:Accession: B31579
A:Molecule type: mRNA
A:Residues: 18-504 <IS2>
A:Cross-references: EMBL:M22329; NID:g203806; PIDN:AAA1045.1; PID:g203807
C:Genetics:
A:Gene: CYP2D5
A:Introns: 63/3; 121/1; 172/1; 225/3; 284/3; 332/1; 394/3; 442/1
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metallo
F:305-468/Domain: cytochrome P450 homology <P45>
F:446/Binding site: heme iron (Cys) (axial ligand) #status predicted

Alignment Scores:
Pred. No.: 1.54e-50 Length: 504
Score: 1146.00 Matches: 245
Percent Similarity: 28.33% Conservative: 51
Best Local Similarity: 24.68% Mismatches: 99
Query Match: 6.12% Indels: 903
DB: 1 Gaps: 10

US-09-820-788a-3 (1-10278) x O4RTD5 (1-504)

QY 2093 CTGTGCCCCCTGGCCATGATAGTGCCCATCTCTCTGTCTCTGGTGAGACTGATGCACCG 2152
Db 9 LeuTrpProMetAlaIlePheThrValIlePheIleLeuValAspLeuMetHisArg 28
QY 2153 CACCAACGCTGGGTGACGCTACCGCCAGCTCCCTGCTCTGCTCCGCTCCGCTGGGCAAC 2212
Db 29 HisGlnArgTrpThrSerArgTyrProGlyProValProTyrProValLeuGlyAsn 48
QY 2213 CTGTGCTGCTGCTGCTTCCAGAACACACCACTACTGCTTCCACCAAGTGTGAGGAGGAGT 2272
Db 49 -LeuLeuGlnValAspProSerAsnMetProTyr-SerMet----- 61
QY 2273 CTGGAGGGCGGACAGAGTCTCTGAGGATGCTCCACCAAGTGTGAGGAGGAGT 2332
Db 61 ----- 61
QY 2333 AAACCAAGGCTGGATCAGAACCCAGGCTGAGAGGGAGGAGGAGGAGGAGGAGGAGT 2392
Db 61 ----- 61
QY 2393 TGGGAGGAGCATTTATACATGGCATGAGGAGTGAAGGAGTGAAGTGAAGGAGGAGT 2452
Db 61 ----- 61
QY 2453 AGGCAAGGCGCTGGAGGTGGAGTGGAGTGGAGTGGAGTGGAGTGGAGTGGAGTGGAGT 2512
Db 61 ----- 61
QY 2513 CATATGTTATGGAGTACAAAGTCCCTTCTGCTGACACCAAGGAGGAGGAGGAGGAGT 2572
Db 62 -----Tyrls----- 63
QY 2573 GAAGATGAGTTAGTCTCTGAGTCCGTTTAAATCAGAAATCAGAGATGAAGGGGTGCAG 2632
Db 63 ----- 63
QY 2633 TGACCCGGTTCAAACTTTTTCATCTGTGGGTCTCTGGGCGCTCACTGTCTACCGGATGA 2692
Db 63 ----- 63
QY 2693 CCATCATCTGGAGTGGAGTGGTAACTAATCGGGCTCTCGGCAATTTTGTGACTCTTGA 2752
Db 63 ----- 63
QY 2753 GGTCACTCTGGGTGACGCATCCAACTGAGTTCTCTCCATCAGAGAGGAGTGTGACCCCA 2812

Db 63 ----- 63
QY 2813 CCCTGCCCCACGATCAGAGGCTGGGTCTCTCTCCCTTCCACCTGTCACTCTCTGGTAGCC 2872
Db 63 ----- 63
QY 2873 CCGGGGTCGTCCAAAGTTCAATAGACTAGACCTGTAGTCTGGGGTGATCTCTGGCTT 2932
Db 63 ----- 63
QY 2933 GACAAGAGCCCTGACCTCCCTCTGAGTTGGGCGCGCTTCGCGGACGTGTTTCAGCC 2992
Db 64 ----- 74
QY 2993 TGACGTGCTGACGACCGGTGTCTGCTCAATGGCTGGCGCGCTGCGCGAGCGCA 3052
Db 74 euGlnMetGlyTrpLysProMetValIleValAsnArgLeuLysAlaValGlnGluVal 94
QY 3053 TGGTACCCGCGCGGAGGACACCGCGGACCGCGCGCTGGCCCATCTACAGGTCTCTGG 3112
Db 94 euValThrHisGlyGluAspThrAlaAspArgProProValProIlePheLysCysLeuG 114
QY 3113 GCTTCGGGCGCTTCCCAAGCAAGCGCGGTGGGGGACAGACCGCGTTTCCGTGG 3172
Db 114 lyValLysProArgSer-Gln ----- 120
QY 3173 CCGCGGTGACAGTACCTGACCTAGCCCAAGCAGCGCGCAGAGGCGTGGGGTCTCTGGACGT 3232
Db 120 ----- 120
QY 3233 GAAACAGAGATAAGCCAGCGAGTGGGTGAGGACAGTGGGCGCAGGAAACCACTGTGCAC 3292
Db 120 ----- 120
QY 3293 GGGGAGTGGAGTCTGTGGGTGGAGGGGGGGGCTACTGCCACACCGCGCAGAA 3352
Db 120 ----- 120
QY 3353 GCCCGGTGGCGAGGCTGATGCTCGAAGTGGCGGTGGCGGACCGCGCTATGTGGG 3412
Db 120 ----- 120
QY 3413 GGCTCAGTGGGCGGAGCGGGCGGATCTCTCTGAGTGGAAAGTGTCTAGGTGGGC 3472
Db 120 ----- 120
QY 3473 AGAGACGAGTGGGGCCAAACCCCGCCAGGCGGGGAGCAATGTGGGTGAGCAAGAG 3532
Db 120 ----- 120
QY 3533 TGGGCGCTGTGCCAGCTGGACCGGGCTAGGGACTCGGGAGACCTTGTGGAGCGCAGG 3592
Db 120 ----- 120
QY 3593 GTTGGAGTGGGTGGCGAGGTGGGGCCAAAGGCTTTCATGCGCAACGCCCTGTCCGTC 3652
Db 120 ----- 120
QY 3653 CCGCCCCCAGGGGTGATCTGTGCGCTATGGCCCGCGTGGCGGAGCAGAGGCGCTTC 3712
Db 121 ----- 137
QY 3713 TCGGTTCACCTTGGCAACTTGGGCTGGGCAAGAGTTCGCTGGAGCAGTGGGTGACC 3772
Db 138 SerValSerThrLeuArgThrPheGlyMetGlyLysLysSerLeuGluGluTrpValThr 157
QY 3773 GAGGAGCGCCCTGCTGCTTTGCTGCTTCCCGACCAAGCCGCTGGGTGTGATGGCAGAG 3832
Db 158 LysGluAlaGlyHisLeuCys ----- Asp-AlaPheTh 168
QY 3833 GGCACAAAGCGGAACTGGGAAGCGGGGAGCGGAGAGGCAACCCCTTACCCGCTATCTC 3892
Db 168 rAlaGlnAsn ----- 171

3893 CCCACCCCGCAGACGCCCTTTTCCGCCCAACCGCCTCTTGGACAAAGCCGTGAGCAACGT 3952
172 ----- GlyArgSerIleAsnProLysAlaMetLeuAsnLysAlaLeuCysAsnVa 188
3953 GATCGCTCCCTCACTCGGGGCGGCTTCAGTACGACGACCTCGCTTCTCTCAGGCT 4012
188 lileAlaSerLeuIlePheAlaArgPheGluTrpGluAspProLysLeuIleArgMe 208
4013 GCTGACCTTAGCTCAGGAGGACTGAAGGAGGAGTGGGCTTCTGCGGAGGTGGGAG 4072
208 tleuThrLeuValGluGluSerLeuIleGluValSerGlyPheIleProGlu ----- 225
4073 CGAGAGCCGAGGAGTCTCTGCGAGGCGAGCTCTCTGAGAGGTGCGCGGCTGAGTGGG 4132
225 ----- 225
4133 CCTCGAAGGCGAGATTGTCATAGATGGGTTTGGAAAGGACATTCACAGGAGACCCAC 4192
225 ----- 225
4193 TGTAAAGAGGCGCTGAGGAGGAGGAGCATCTCAGACATGCTGCTGGGAGAGGTGTGCC 4252
225 ----- 225
4253 CCGGTACGGGGCACACGAGGAGGCCAAGACTCTGTACCCCGTCCACGTTGGAGATT 4312
225 ----- 225
4313 CGATTTTAGTTTCTCTCTGCGGCAAGGAGAGGGTGGAGCTGGCACCTGGGGAGGGA 4372
225 ----- 225
4373 CTTGGTGGTCAAGTAAAGGACAGGAGGCGCTTGGGTCTTACCTGGAGATGCTGGGC 4432
225 ----- 225
4433 CTGAGACTTGTCCAGGTGAACGAGAGCACAGAGGAGATTGAGACCCCGTCTGTCTGT 4492
225 ----- 225
4493 GTAGTGTGAATGTGTCTCCCGTCTCTGTCACATCCCGAGCGCTGGTGGCAAGTCTCT 4552
226 ----- ValLeuAsnThrPheProAlaLeuLeuArgIleProGlyLeuAlaAspLysValPh 244
4553 ACGCTTCCAAAGGCTTCTGACCCAGCTGAGTGTCTAACTGAGCAGCAGGATGAC 4612
244 eGlnGlyGlnLysThrPheMetAlaPheLeuAspAsnLeuLeuAlaGluAsnArgThrTh 264
4613 CTGGGACCCAGCCAGCCAGCAGCTGACTGAGGCTTCTCTGGCAAGAGAGAA 4672
264 rTrpAspProAlaGlnProProArgAsnLeuThrAspAlaPheLeuAlaGluValGlu 284
4673 GGTGAGATGGTGTGCCAGCTGGGGGGGCAAGGGTGGTGGATTGAACGCTCCAGGAGAA 4732
284 B ----- 284
4733 GAGGGAGGCTGGGCAAAAGGTTGGACCATCATCCCGGAGCGCCATCTGGGCTG 4792
284 ----- 284
4793 ACAGGTGCAAGATTGGAGTCAATTTGGGGGCTTACCCCGTCTATCCCTGAGTATCTCT 4852
284 ----- 284
4853 CGGCGCTGCTCAGGCAAGGAGGCGCTGAGAGAGTTCATATGATAGAACTGGCAT 4912
285 ----- AlaLysGlyAsnProGluSerPheAsnAspGluAsnLeuArgMe 300
4913 AGTGGTGGTAACTGTTCTTCTGCGGAGTGGTACCACTCGACACGCTGGGCTGGG 4972
300 tValValAspLeuPheThrAlaGlyMetValThrThrAlaThrThrLeuThrTrpAl 320

4973	Qy	CTCTCTGCTCATGATCTCTACACCTCGGATGTGCACGCTGAGCCCAAGCTGGGGCCCAAGGCA	5032
320	Db	LeuLeuMetIleLeuTyPProAspValGln-	331
5033	Qy	GGGACTGAGGGAGGAAGGTACACCTGGGGGGCCCTGGGCTTACTGGGACACCCGGGGC	5092
331	Db	-----	331
5093	Qy	TTCCAGCACAGGCGTGGCCAGGCTCTGTAAAGCCTAACTTCTCTCCAACACAGGAGGAAGG	5152
331	Db	-----	331
5153	Qy	AGAGTGTCCCTGGGTGCTGACCACTTGTGGGGACGCATGCTGTCCAGTCCGTTCCAA	5212
332	Db	-----Arg--ArgValGln335	335
5213	Qy	CAGGAGATCGACGACGTGATAGGCGCAGTCGGGGCGACAGAGATGGGTGACCCAGGCTCAC	5272
336	Db	LeuLeuAspGluValIleGlyGlnValArgCysProGluMetThrAspGlnAlaHis	355
5273	Qy	ATGCCCTACACCACTGCGGTGATTACAGAGGTGCAGGCTTTGGGGACATCATCCCCCTG	5332
356	Db	MetProTyThrAsnAlaValIleHisGluValGlnArgPheGlyAspIleAlaProLeu	375
5333	Qy	AGTGTGACCCATATGACATCCCGTGACATCGAAGTACAGGCGTTCCGCATCCCTTAAGSTA	5392
376	Db	AsnLeuProArgIleThrSerCysAspIleGluValGlnAspPheValIleProLys--	394
5393	Qy	GGCCTGGGGCCCTCTCACCCGACCTCAGCACACGACCTGGTGATAGCCCGCAGCATGGC	5452
394	Db	-----	394
5453	Qy	TACTGCCAGGTGGGCCCACTTAGGAACCCCTGGCCACCTAGTCCTCAATGCCACCACACT	5512
394	Db	-----	394
5513	Qy	GACTGTCCCCACTTGGGTGGGGGTCCAGAGTATAGGACGGGTGGCCTGTCTCCATCCAGA	5572
394	Db	-----	394
5573	Qy	GCCCCGTCTAGTGGGGAGACAAACAGGACCTGCCAGATGTTGGAGGACCCAGCCGCT	5632
394	Db	-----	394
5633	Qy	GCAGGAGAGGGGCAGTGTGGGTGCCTCTGAGAGGTGTGACTGCGCCCTGCTGTGGGGT	5692
394	Db	-----	394
5693	Qy	CGGAGAGGGTACTGTGGAGCTTCTCGGGCGCAGGACTAGTTTGACAGAGTCCAGCTGTGTG	5752
394	Db	-----	394
5753	Qy	CCAGGCAGTGTGTGCCCGTGTGTTGGTGGCAGGGGTCCAGCATCTTAGAGTCCAG	5812
394	Db	-----	394
5813	Qy	TCCCCACTCTCACCTGCATCTCTGCCCAGGGAACGACACTCATCACCACCTGTCTATC	5872
395	Db	-----Gly-ThrThrLeuIleIleAsnLeuSerSe	404
5873	Qy	GGTGCTGAAGGATGAGGCGCTCTGGGAGAACCCCTTCGGCTTCACCCCGAAACACTTCCT	5932
404	Db	rValLeuLysAspGluThrValTrpGluLysProLeuArgPheHisProGluHisPheLe	424
5933	Qy	GGATGCCAGGGCCACTTTGTGAAGCCGGAGGCTTCTCTCGCTTTCTCAGACAGGTGCTG	5992
424	Db	uAspAlaGlnGlyAsnPheValLysHisGluAlaPheMetProPhe--Ser--	440
5993	Qy	TGGGGACCCCGCTCCCTGTCTCCGTTGGAGTCTTTCGAGGGGTATCACCAGGAGCC	6052
440	Db	-----	440
6053	Qy	AGGCTACTGACGCGCCCTCCCTCCCCACAGGCGCGTGCATGCTCTCGGGGAGCCCTG	6112

```

Db      441  -----AlaGlyArgAlaCysLeuGlyGluProLeu  451
QY      6113  GCCCGCATGGAGCTCTTCTCTTCTTCACTCCCTCTGTCAGCACTTCAGCTTCTCCGTG  6172
DB      452  AlaArgMcGluLeuPheLeuPhePheThrCysLeuLeuGlnHisPheSerPheSerVal  471
QY      6173  GCCCGCGGACAGCCCGCGCCAGCCACTCTCTGTGTCGTGTCAGCTTCTGTGTGACCCCAATCC  6232
DB      472  ProAlaGlyGlnProArgProSerThrLeuGlyAsnPheAlaIleSerValAlaProLeu  491
QY      6233  CCCTACGAGCTTGTGCTGTGCGCCCGCTAGAATGGG  6268
DB      492  ProTyrGlnLeuCysAlaAlaValArgGluGlnGly  503

RESULT 13
A27384
steroid 16alpha-hydroxylase (EC 1.14.14.-) cytochrome P450 2D9 - mouse
N:Alternate names: cytochrome P450 16alpha; cytochrome P450ca; testosterone 16alpha-hydr
C:Species: Mus musculus (house mouse)
C:Date: 03-Dec-1999 #sequence_revision 03-Dec-1999 #text_change 03-Mar-2000
C:Accession: S15806; A27384; B30247
R:Wong, G.; Itakura, T.; Kawajiri, K.; Skow, L.; Negishi, M.
J. Biol. Chem. 264, 2920-2927, 1989
A:Title: Gene family of male-specific testosterone 16-alpha-hydroxylase (C-P-450(16-alpha
A:Reference number: S15806; MUID:89123394; PMID:2914398
A:Accession: S15806
A>Status: translation not shown
A:Molecule type: DNA
A:Residues: 1-504 <WON>
A:Cross-references: EMBL:M24262
R:Wong, G.; Kawajiri, K.; Negishi, M.
Biochemistry 26, 8683-8690, 1987
A:Title: Gene family of male-specific testosterone 16-alpha-hydroxylase (C-P-450-16-alpha
A:Reference number: A30528; MUID:88163547; PMID:2831949
A:Accession: A27384
A:Molecule type: mRNA
A:Residues: 1-504 <WON2>
A:Cross-references: EMBL:M23998; NID:g201972; PIDN:AAA40427.1; PID:g201973
R:Ichikawa, T.; Itakura, T.; Negishi, M.
Biochemistry 28, 4779-4784, 1989
A:Title: Functional characterization of two cytochrome P-450s within the mouse, male-spe
A:Reference number: A30247; MUID:89352551; PMID:2788458
A:Accession: B30247
A:Molecule type: mRNA
A:Residues: 1-504 <ICH>
A:Cross-references: EMBL:M27168
A:Note: the authors translated the codon CAG for residue 54 as Leu and GAT for residue 5
C:Genetics:
A:Gene: Cyp2d-9
A:Map position: 15
A:introns: 63/3; 121/1; 172/1; 225/3; 284/3; 332/1; 394/3; 442/1
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metallo
P:9-25/Domain: transmembrane #status predicted <TM1>
P:305-458/Domain: cytochrome P450 homology <CYP>
F:310-326/Domain: transmembrane #status predicted <TM2>
F:446/Binding site: heme iron (Cys) (axial ligand) #status predicted

Alignment Scores:
  Align. No.:      4.39e-50      Length:      504
  Score:          1137.00      Matches:     337
  Percent Similarity: 28.83%      Conservative: 66
  Best Local Similarity: 24.11%      Mismatches: 92
  Query Match:      6.07%      Indels:     903
  DB:              1          Gaps:       10

US-09-820-788A-3 (1-10278) x A27384 (1-504)

```


Db	225	-----	225
QY	4373	CTTGTGAGGTGACGTGGTAAGGACAGGCAGGCCCTGGGTCTACCTGGAGATGGCTGGGC	4432
Db	225	-----	225
QY	4433	CTGAGACTTGTCCAGGTGAACGCGAGAGCACAGGAGGATTGAGACCCGGTTCTGCTGTGGT	4492
Db	225	-----	225
QY	4493	GTAGTGTGTAATGCTGTCCCGTCCCTCGCATCCAGCGCTGGCTGCGCAGGTCCT	4552
Db	226	-----valleuAenAlaPheProIleLeuLeuArgIleProArgLeuAlaAspIysAlaLe	244
QY	4553	ACGCTTCCAAAGGCTTTCTCGACCCAGCTGGATGAGCTGAACCTAGACACAGCATGAC	4612
Db	244	uGlnGlyGlnIysSerPheIleAlaIleLeuAspAsnLeuLeuThrGluAsnArgThr	264
QY	4613	CTGGGACCCAGCCAGCCACCCCGAGAGCTGACTGAGCCCTCTGCGCAAGAAAGAGAA	4672
Db	264	rTrpAspProValGlnAlaProArgAsnLeuThrAspAlaPheLeuAlaGlnIleGluLy	284
QY	4673	GGTGAGAGTGCTGCCAGGTGGGGGCAAGGGTGGTGGTTGAACGTCCCGAGGAGAT	4732
Db	284	s-----	284
QY	4733	GAGGGAGGCTGGGCAAAAGTTGGACCAAGTGTCATCACCCGGGAGCGCATCTGGGCTG	4792
Db	284	-----	284
QY	4793	ACAGGTGCAGAAATTGGAGGTCAATTGGGGGCTACCCCGTTCTATPCCCTGAGTATCCTCT	4852
Db	284	-----	284
QY	4853	CGGCCCTGCTCAGSCCAAGGGAGCCCTGAGAGCAGCTTCAATGATGAGAACCTGCGCAT	4912
Db	285	-----AlaIysGlyAsnProGluSerSerPheAsnAspGluAsnLeuLeuMe	300
QY	4913	AGTGTGGGTAACTGTTCTTCGCGGATGGTCACCACTCGACACAGCTGCGCTGGCTGGG	4972
Db	300	tValValArgAspLeuPheGlyAlaGlyMetLeuThrThrSerThrThrLeuSerTrpAl	320
QY	4973	CCTCCTGCTCATGATCTACACCTGGATGTCAGCGTGAGCCAGCTGGGGCCCAAGGCA	5032
Db	320	aLeuMetLeuMetIleLeuHisProAspValGln-----	331
QY	5033	GGGACTGAGGAGGAAGGTACAGCTGGGGGCCCTGGGCTTAGCTGGGACACCCGGGGC	5092
Db	331	-----	331
QY	5093	TTCCAGCACAGGCGTGGCCAGGCTCTGTAAAGCCTAATTCTTCCAACACAGGAGGAAG	5152
Db	331	-----	331
QY	5153	AGAGTGTCCTGCGGTGCTGACCAATTGTGGGAGCGCATGCTGTCCAGTCCGTGTCAA	5212
Db	332	-----Arg--ArgValGln	335
QY	5213	CAGGATCGACGACGTGATAGGCGAGTGGGGCACCAGAGATGGGTGACAGGCTCAC	5272
Db	336	GlnGluIleAspGluValIleGlyGlnValArgHisProGluMetAlaAspGlnAlaHis	355
QY	5273	ATGCCCTACACCACTGCCGTGATTTCAGAGGTGCAGCGTTTGGGGACATCATCCCCCTG	5332
Db	356	MetProIyThrAsnAlaValIleHisGluValGlnArgPheGlyAspIleValProVal	375
QY	5333	AGTGTGACCATTCATGACATCCGTGACATCGAAGTACAGGCTTCCGCATCCCTAAGGTA	5392
Db	376	AsnLeuProArgIleThrSerHisAspIleGluValGlnAspPheLeuIleProIys---	394
QY	5393	GGCCTGGGGCCCTCCTCACCCGCTCAGCACCCAGCACCTGGGTGATAGCCCCAGCATGGC	5452
Db	394	-----	394

QY	5453	TACTGCCAGGTGGGCCCCACCTCTAGTAAACCCTTGCCCACTTAGTCTCAATGCCACCACT	5512
Db	394	-----	394
QY	5513	GACTGTCCCACATTGGGTGGGGGTCCAGAGTATAGGCAGGGCTGGCCTGTCCATCCAGA	5572
Db	394	-----	394
QY	5573	GCCCCCGTTAGTGGGAGACAACACGAGACCTGCCAGAAATGTTGGAGGACCCAGCGCCT	5632
Db	394	-----	394
QY	5633	GCAGGAGAGGGGCGAGTGTGGGTGCTCTGAGAGGTGTGACTGCGCCCTGCTGTGGGT	5692
Db	394	-----	394
QY	5693	CGGAGAGGTACTGTGAGCTTCTCGGGCGCAGGACTAGTTGACAGAGTCCAGCTGTGTG	5752
Db	394	-----	394
QY	5753	CCAGGCAGTGTGTCCCGGTGTGTTGTGGCAGGGGTCCGAGCATCTAGAGTCCAG	5812
Db	394	-----	394
QY	5813	TCCCCACTCTCACCTGCATCTCTGTCGCCAGGAACGACACTCATCACCAACCTGTCATC	5872
Db	395	 -----Gly-ThrLeuLeuProAsnMetSerSe	404
QY	5873	GGTCTGAAGGATGAGCGCTCTGGGAGAGCCCTTCCGCTCCACCCGAAACACTTCCT	5932
Db	404	::::: ::: ::: ::: ::: ::: rMetLeuLysAspGluSerValTrpGluLysProLeuArgPheHisProGluHisPheLe	424
QY	5933	GGATGCCAGGGCCACTTTGTGAAGCGGAGGCTTCTGCTCCCTTCTCAGCAGGTCGCTG	5992
Db	424	uASpAlaGlnGlyHisPheValLysProGluAlaPheMetProPhe--Ser :: :: :: :: ::	440
QY	5993	TGGGAGCCCGGCTCCCTGTCTCCCTTCGTTGGAGTCTTGcAGGGGTATCACCCAGGAGCC	6052
Db	440	-----	440
QY	6053	AGGCTCACTAAGCCCTCCCTCCCAAGCGCGGTGCATGCTCGGGGAGCCCTG	6112
Db	441	 -----AlaGlyArgArgSerCysLeuGlyGluAlaLeu	451
QY	6113	GCCCGCATGGAGCTTCTCTCTTACCTCCCTGCTGCAGCACTTCAGCTTCTCGTG	6172
Db	452		471
QY	6173	GCCCGCGAGACCCCGGCGCCAGCCACTCTCGTGTGCTGCTCAGCTTTCTGGTGAACCCCTCC	6232
Db	472	ProAspGlyGlnProGlnProSerAsnSerGlyValTy-GlyIleLeuValAlaProSer	491
QY	6233	CCCTACGAGCTTGTGCTGTGCCCGGTAGATGGG	6268
Db	492	:: :: :: ::	503
Db	492	ProfTryGlnLeuCysAlaValAlaValArgAspGlnGly	

Db 394 ----- 394

C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: chromoprotein; heme; iron; metalloprotein; oxidoreductase; transmembrane pro
F;305-468/Domain: cytochrome P450 homology <P45>
F;446/Binding site: heme iron (Cys) (axial ligand) #status predicted

Alignment Scores:

Pred. No.: 8.83e-50 Length: 504
Score: 1131.00 Matches: 345
Percent Similarity: 28.60% Conservative: 54
Best Local Similarity: 24.73% Mismatches: 93
Query Match: 6.04% Indels: 903
DB: 1 Gaps: 12

US-09-820-788A-3 (1-10278) x I49428 (1-504)

```
QY 2093 CTGGTGCCTCGCATAGTGGCCATCTCTCTGCTCTGCTGGACCTGATGCACCG 2152
Db 9 LeuTrpProValalallePheThrValillePheleleuValleuValleuHisGln 28
QY 2153 CACCAAGCTGGGCTGCACGCTACCCGCGAGTCCCTGCTGCTGCGCGGCTGGGCAAC 2212
Db 29 ArgGlnArgTrpThrSerArgTrpProGlyProValProTrpProValLeuGlyAsn 48
QY 2213 CTTGCTGCATGTGGACTTCCAGAACACACATATCTGCTGACAGGTGAGGAGGAGT 2272
Db 49 -LeuLeuGlnValAspLeuAspAsnMetProTyr-Ser-
QY 2273 CCTGGAGGCGCGAGGCTCTGAGGATGCCACACAGCAACATCATGGTGGTGGT 2332
Db 60
QY 2333 AAACACAGCTGGATCAGAAAGCCAGCTGAGAAGGGAGAGAGTGTGGGGAGCTTCC 2392
Db 60
QY 2393 TGGGGAAGGACATTTATACATGGCATGAAGGACTGGATTTTCCAAAGGCCAAGGAAGT 2452
Db 61 -LeuTyr-
QY 2453 AGGCAAGGCGCTGGAGGTGGAGCTGGACTTGGCAGTGGCATGCAAGCCATTTGGGCA 2512
Db 62
QY 2513 CATATGTTATGGAGTACAAAGTCCCTTCTGCTGACACACAGAGAAAGGCTTTGGGAATG 2572
Db 62
QY 2573 GAAGATGAGTTAGTCTGAGTGGCGTTTAAATCAGAAATCGAGGATGAAGGGGTGCAG 2632
Db 62
QY 2633 TGACCCGGTTCAACCTTTTGCACTGTGGTCTCTCGGCTCACTGCTCACCAGCATGA 2692
Db 62
QY 2693 CCATCATCTGGGAATGGAGTCTAACTGGGGCTCTCGGCAATTTGGTGACTCTTGCAA 2752
Db 62
QY 2753 GGTCACTACCTGGGTGAGCATCCAAACTGAGTTCTCCATCAGAAAGTGTGACCCCA 2812
Db 62
QY 2813 CCCTGCCCCACGATCAGGAGGTGGGTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT 2872
Db 62
QY 2873 CCGGGGTCTGCAAGGTTCAATAGGACTAGGACCTGTAGTCTGGGGTGAATCTGGCTT 2932
Db 62
QY 2933 GACAAGAGGCTGACCTCCCTCTGCGAGTTGGGGCGGCTTCGGGGAGCTGTTTCAGCC 2992
Db
```

```
Db 63 -----LysLeuGlnLysArgTyrGlyAspValPheSerL 74
QY 2993 TGCAGCTGCCTGCAGCGCGGTGCTGCTCAATGGCTGGCGCGCTGCGAGCGCA 3052
Db 74 euGlnMetGlyTrpLysProMetValValIleAsnGlyLeuLysAlaMetLysGluVal 94
QY 3053 TGTGTACCCGCGCGAGGACACGCGCGCGCTGCGCCCTGCGCCATCTACCAAGTCTGG 3112
Db 94 euLeuThrCysGlyGluAspThrAlaAspArgProValProIlePheGluHisLeu 114
QY 3113 GCTTCGGGCGGCTTCCCAAGCAAGCGCGGTGGGGGACAGAGACCGGTTTCCGTGG 3172
Db 114 lyValysProGlySer-Gln-
QY 3173 CCCCAGGTGAGCAGTACCGTAGCCCAAGCAGCGCGCAGAGGGCGTGGGGTCTCGACGT 3232
Db 120
QY 3233 GAAACAGAGATAAGCCAGCGAGTGGGTGAGGACAGTGGGCCAGGAAACCACTGCAC 3292
Db 120
QY 3293 GGGGAGGTGCGAGTCTGTGGGCTGGGAGGGGGGGCTACTGCCAGACCCGCCAGAA 3352
Db 120
QY 3353 GCCCGGTGGCGAGCTGATCGTGAAGTGGCGGTGGCGGACCGCGCTATGCTGCG 3412
Db 120
QY 3413 GGCTCAGTGTGGCGGACGCGGCGGATCTTCTTGTAGTGGAAAGTGGTTCAGGGTGGC 3472
Db 120
QY 3473 AGAGACAGCTGGGCCAAACCCCGCCAGGAGGGAGCAATGTGGGTGACAAAGAG 3532
Db 120
QY 3533 TGGGCGCTGTGCCAGCTGGACCGGGCTAGGACTGCGGGAGACCTTGTGGAGCGCAGG 3592
Db 120
QY 3593 GTTGAGTGGTGGCGAGGTTGGGCGCAAGGCTTTCATGCACACCCACCTGTCGTC 3652
Db 120
QY 3653 CCGCCCCAGGGGTGATCTCTGCGCTATGGCGCGCGCTGGCGCAGAGAGCGCGTTC 3712
Db 121 -----GlyValIleLeuAlaProTyrGlyProGluTrpArgGluGlnArgPhe 137
QY 3713 TCGGTGTCCACCTTGGCAACTTGGCGCTGGGCAAGACTGCTGGAGCAGTGGGTGACC 3772
Db 138 SerValSerThrLeuArgAsnPheGlyLeuGlyLysSerLeuGluAspTrpValThr 157
QY 3773 GAGGAGCGCGCTGCTGCTTGTGCTGCGCGCAAGCGCGTGGGTGATGGGCAAG 3832
Db 158 LysGluAlaArgHisLeuCysAspAlaPhe-----ThrAlaGlnAla 171
QY 3833 GGCACAAAGCGGAACTGGGAAAGGGGGGACGAGAGAGGCAACCCCTTACCGCATCTC 3892
Db 172 Gly-GlnSerIleAsn-
QY 3893 CCCCAGGAGCGCGCTTTCGGCCCAACCGGCTCTTGGACAAAGCGGTGAGCAACGT 3952
Db 177 -----ProAsnThrMetLeuAsnAsnAlaValCysAsnVa 188
QY 3953 GATCGCTCTCTCACCTGCGGCGCGCTTCGAGTACGACGACCCCTCGCTTCCTCAGGT 4012
Db 188 lleAlaSerLeuIlePheAlaArgArgLeuGluTyrGluAspProTyrLeuIleArgMe 208
QY 4013 GCTGACCTTACGAGGAGGACTGAAGAGGAGTGGGCTTTCTCGCGAGTGGGAG 4072
Db 208 tLeuLysValLeuLysGluCysPheThrGluIleSerGlyPhe----- 222
```

QY 4073 CGAGAGACCGAGGCTCTCGAGGGCGAGCTCTCGAGAGGTGCGGGGCTGAGCTGGGG 4132
Db 222 ----- 222
QY 4133 CCTCCGAGGCGAGGATTTCATAGATGGTTTGGGAAAGACATTCAGAGAGACCCAC 4192
Db 223 ----- 225
QY 4193 TGTAAGAGGGCTCGAGAGAGGGGACATCTCAGACATGTCGTGGAGAGGTGTGCC 4252
Db 225 ----- 225
QY 4253 CGGGTCAGGGGACACGAGAGGCCAAGACTCTGTATCCCGCTCCAGTTGGAGATT 4312
Db 225 ----- 225
QY 4313 CGATTTAGGTTTCTCTCGGCAAGAGAGAGGTGGAGCTGGCACTTGGGAGGGA 4372
Db 225 ----- 225
QY 4373 CTTGTGAGGTCAGTGGTAAGACAGCGAGGCCCTGGGTCTTACCTGGAGATGGTGGGC 4432
Db 225 ----- 225
QY 4433 CTGAGACTTGTCCAGGTGNAACGAGACAGAGAGGATTGAGACCCCGTTCTGTCTGT 4492
Db 225 ----- 225
QY 4493 GTAGTGTGTAATGTCTCCCGTCTCTCGACATCCAGCGCTGGTGGCAAGTCTCT 4552
Db 226 -----ValLeuAsnAlaPheProIlePheLeuArgIleProGlyLeuAlaAspMetValPh 244
QY 4553 ACCTTCCAAAAGCTTCTCACCACGCTGATGAGTGTCTAACTGAGCAGCATGAC 4612
Db 244 eGlnGlyGlnLysSerPheMetAlaIleLeuAspAsnLeuLeuThrGluAsnArgThrTh 264
QY 4613 CTGGGACCCAGCCGACCCGAGACCTGACTGAGCTTCTCTGGCAAGAGAGAA 4672
Db 264 rTpAspProAspGlnProProArgAsnLeuThrAspAlaPheLeuAlaGluIleGlu 284
QY 4673 GGTGAGTGGTGTCCACGCTGGGGGCAAGGTTGGTGGTTGAACGTCCAGAGGAAT 4732
Db 284 s----- 284
QY 4733 GAGGGAGGCTGGCAAAAGTTGGACCATGTCATCACCCGCGAGCCGCATCTGGGCTG 4792
Db 284 ----- 284
QY 4793 ACAGGTGCAGAAATTGAGGTCAATTTGGGGGCTACCCCGTTCTATCCCTGAGTATCCTCT 4852
Db 284 ----- 284
QY 4853 CGGCCCTGCTCAGGCCAAGCGAGCCCTGAGAGAGCTTCAATGATGAACTCGGCAT 4912
Db 285 -----AlaLysGlyAsnProGlnSerPheAsnHisGluAsnLeuArgWe 300
QY 4913 AGTGGTGGGTAACTGTCTCTTTCGGGATGGTGACCACTCGACCAAGCTGGCTGGGG 4972
Db 300 tValValGlyAspLeuPheThrAlaGlyMetValThrThrSerThrThrLeuSerTipAl 320
QY 4973 CTCTCTCATGATCTACACTGTGATGTGAGGTGAGCCAGCTGGGGGCCAAGGCA 5032
Db 320 aLeuLeuLeuMetIleLeuHisProAspValGln----- 331
QY 5033 GGGACTGAGGGGAAGGTTACAGCTGGGGGCCCTTGGGCTTAGCTGGACACCCGGGGC 5092
Db 331 ----- 331
QY 5093 TTCCAGCACAGGCGTGGCAGGCTCTCTGAAGCTTAACCTTCTCTCAACAGAGGAGG 5152
Db 331 ----- 331

QY 5153 AGAGTGTCCCTCGGTGTCTGACCCATTGTGGGAGCGCATGTCTGTCCAGTCCGTGTCAA 5212
Db 332 -----Arg-ArgValGln 335
QY 5213 CAGAGATCGACGAGTGTATAGGCGAGTGGCGGACACAGATAGGTGACACGCTCAC 5272
Db 336 GlnGluIleAspAlaValIleGlyGlnValArgHisProGluMetAlaAspGlnAlaHis 355
QY 5273 ATGCCCTACACACTTCGCTGATTCACGAGTGCAGGCTTTGGGGACATCATCCCTCG 5332
Db 356 MetProTyThrAsnAlaValIleGluValGlnArgPheGlyAspIleAlaProLeu 375
QY 5333 AGTGTAGCCCATATGACATCCGTCGACATCAAGTACAGGGCTTCGCGATCCCTAAGTA 5392
Db 376 AsnLeuProArgIleThrSerArgAspIleGluValGlnAspPheLeuIleProLys 394
QY 5393 GGCCTGGCGCTCTCTCACCCTCAGTCCAGCACCTGGTGTATAGCCCTCCAGCATGGC 5452
Db 394 ----- 394
QY 5453 TACTGCCAGGTGGGCCCACTCTAGAAACCTTGGCCACCTAGTCTCTCAATGCCACACT 5512
Db 394 ----- 394
QY 5513 GACTGTCCCACTTGGGTGGGGTCCAGAGTATAGGAGGGCTGGCCTGTCTCATCCAGA 5572
Db 394 ----- 394
QY 5573 CCCCCGTCTAGTGGGGAGACAAACAGGACCTGCCAGAATTTGGAGAGCCAGCGCT 5632
Db 394 ----- 394
QY 5633 GCAGGGAGAGGGGCGAGTGGGTGGCTCTGAGAGGTGTGACTGGCGCTCTGTGGGT 5692
Db 394 ----- 394
QY 5693 CGGAGAGGTACTGTGGAGCTTCTCGGGCGCAGGACTAGTTGACAGAGTCCAGCTGTGTG 5752
Db 394 ----- 394
QY 5753 CCAGGAGTGTGTGTCTCCCTGTGTGGTGGCAGGGGTCCAGCATCTTAGAGTCCAG 5812
Db 394 ----- 394
QY 5813 TCCCCACTCTCACCTGTCATCTCTGCCAGGAAACGACACTCATCAACACCTGTCTATC 5872
Db 395 -----Gly-SerThrLeuIleProAsnLeuSerSe 404
QY 5873 GGTCTGAGGATGAGCGCTCTGGGAGAGCCCTTCGCTTCCACCCCGAACACTTCTCT 5932
Db 404 rValLeuLysAspGluThrValTrpGluLysProLeuHisPheHisProGluHisPheLe 424
QY 5933 GGATGCCCAGGGCCACTTTGTGAAGCGGAGCGCTTCTGCTCTTCTCAGCAGGTGCCTG 5992
Db 424 uAspAlaGlnGlyHisPheValLysProGluAlaPheMetProPheSerAla----- 441
QY 5993 TGGGAGCCCGCT 6052
Db 442 -----Gly-His----- 443
QY 6053 AGGCTCACTAGCGCCCT 6112
Db 444 -----ArgSerCysLeuGlyGluProLeu 451
QY 6113 GCCCGCATGAGCTTCT 6172
Db 452 AlaArgMetGluLeuPheLeuPheThrCysLeuLeuGlnArgPheSerIleSerVal 471
QY 6173 GCCCGGAGACAGCCCGGCGCAGCACCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT 6232
Db 472 ProAspGlyGlnProGlnProSerAsnTyArgValHisAlaIleProValAlaProPhe 491
QY 6233 CCCTACGAGCTTTGT 6259

```
Db 492 ProTyrGlnLeuCysAlaValMetArg 500
|||||:|||||
RESULT 15
A26822
debrisoquine 4-hydroxylase (EC 1.14.14.-) cytochrome P450 2D1 - rat
N:Alternative names: cytochrome P450 2D1-7; cytochrome P450db1
C:Species: Rattus norvegicus (Norway rat)
C>Date: 03-Dec-1999 #sequence revision 03-Dec-1999 #text change 03-Mar-2000
C:Accession: A26822; A30495; B32970; A31579; J04158; S39761
R:Gonzalez, F.J.; Matsunaga, T.; Nagata, K.; Meyer, U.A.; Nebert, D.W.; Pastewka, J.; Ko
DNA 6, 149-161, 1987
A>Title: Debrisoquine 4-hydroxylase: characterization of a new P450 gene subfamily, regu
A:Reference number: A90957; MUID:87217961; PMID:3582092
A:Accession: A26822
A:Molecule type: mRNA
A:Residues: 1-504 <CON>
A:Cross-references: EMBL:M16554; NID:g203833; PID:AAA41054.1; PID:g203834
A:Accession: A30495
A:Molecule type: protein
R:Matsunaga, E.; Zanger, U.M.; Hardwick, J.P.; Gelboin, H.V.; Meyer, U.A.; Gonzalez, F.J
Biochemistry 28, 7349-7355, 1989
A>Title: The CYP2D gene subfamily: analysis of the molecular basis of the debrisoquine 4
A:Reference number: A32970; MUID:90057430; PMID:2819073
A:Accession: B32970
A:Molecule type: mRNA
A:Residues: 1-504 <MAL>
A:Cross-references: EMBL:J02867; NID:g203669; PID:AAA41001.1; PID:g203670
A:Accession: C32970
A:Molecule type: mRNA
A:Residues: 1-122, 'VF', 125-172, 'R', 174-379, 'I', 381-504 <MAT1>
R:Ishida, N.; Tawaragi, Y.; Inuzuka, G.; Sugita, O.; Kubota, I.; Nakazato, H.; Noguchi,
Biochem. Biophys. Res. Commun. 156, 681-688, 1988
A>Title: Four species of cDNAs for cytochrome P450 isozymes immunorelated to P450c-M/F e
A:Reference number: A90151; MUID:89050091; PMID:3190674
A:Accession: A31579
A:Molecule type: mRNA
A:Residues: 1-122, 'VF', 125-172, 'R', 174-379, 'I', 381-504 <ISH>
A:Cross-references: EMBL:M22328; NID:g203802; PID:AAA41043.1; PID:g203803
R:Jiang, Q.; Voigt, J.M.; Colby, H.D.
Biochem. Biophys. Res. Commun. 209, 1149-1156, 1995
A>Title: Molecular cloning and sequencing of a guinea pig cytochrome P4502D (CYP2D16): h
A:Reference number: J04153; MUID:95251703; PMID:7733969
A:Accession: J04158
A>Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-504 <JIA>
R:Ohishi, N.; Imaoka, S.; Suzuki, T.; Funae, Y.
Biochim. Biophys. Acta 1158, 227-236, 1993
A>Title: Characterization of two P-450 isozymes placed in the rat CYP2D subfamily.
A:Reference number: S39761; MUID:94072607; PMID:8251521
A:Accession: S39761
A:Molecule type: protein
A:Residues: 1-9, 'X', 11-13 <OH>
C:Genetics:
A:Gene: CYP2D1
C:Superfamily: human cytochrome P450 CYP2D6; cytochrome P450 homology
C:Keywords: chromoprotein; electron transfer; endoplasmic reticulum; heme; iron; metallo
F:1-504/Product: cytochrome P450 2D1 #status experimental <MAT>
F:4-504/Product: cytochrome P450 2D1v #status experimental <MAT2>
F:9-25/Domain: transmembrane #status predicted <TM1>
F:305-468/Domain: cytochrome P450 homology <CYP>
F:310-326/Domain: transmembrane #status predicted <TM2>
F:446/Binding site: heme iron (Cys) (axial ligand) #status predicted
Alignment Scores:
Pred. No.: 1 58e-49 Length: 504
Score: 1126.00 Matches: 342
Percent Similarity: 28.15% Conservative: 51
Best Local Similarity: 24.50% Mismatches: 100
Query Match: 6.01% Indels: 903
DB: 1 Gaps: 10
```

```
US-09-820-788A-3 (1-10278) x A26822 (1-504)
QY 2102 CTGGCCATGATAGTGGCCATCTTCTGCTCTCTGGTGGACCTGACCGGACCAACCC 2161
Db 12 MetAlaIlePheThrValIlePheIleLeuValAspLeuMetHisArgHisArg 31
QY 2162 TGGGCTGCACGCTACCCGCCAGGTCCCTGCGACCTGCGGCGGCAACCTTGTGCA 2221
Db 32 TrpThrSerArgTyrProGlyProValProTyrProValLeuGlyAsn-LeuLeuG 51
QY 2222 TGTGATCTTCAGAAACACACCATATCTTGCACCGGTGAGGAGGAGTCTCGAGG 2281
Db 51 nValAspLeuSerAsnMetProTyr-Ser- 60
QY 2282 CGGCAGAGGTCTTGAGGATGCCCCACACACAGCAACATGGGTGGTAAACCAAG 2341
Db 60 60
QY 2342 GCTGGATCAGAAAGCCAGGCTGAGAAGGGAGCAGTTTGGGGGACGTTCTCTGGG 2401
Db 60 60
QY 2402 ACATTTATACATGGCATGAAGACTGGATTTTCCAAAGGCCAAGAGTAGGCAAG 2461
Db 61 --LeuTyr- 62
QY 2462 GCCTGGAGGTGGAGCTGGACTTGGCAGTGGGCATGCAAGCCCATTTGGGCAAC 2521
Db 62 62
QY 2522 TGGAGTACAAAGTCCCTTCTGCTGACACAGAAAGAAAGCCCTTGGGAATGA 2581
Db 62 62
QY 2582 TTAGTCTGAGTGCCGTTTAAATACGAAATCGAGGATGAAGGGGTGCAGTGACC 2641
Db 62 62
QY 2642 TCAAACCTTTTGCATGTGGTCTCGGGCCCTCACTGTCACCGGATGGACCATCT 2701
Db 62 62
QY 2702 GGAATGGATGCTAACTGGGGCCCTCTCGGCAATTTTGGTGACTCTTGAAGGT 2761
Db 62 62
QY 2762 TGGGTGACGCATCCAAACTGAGTTCTCTCCATCACAGAAAGTGTGACCCCTGC 2821
Db 62 62
QY 2822 CACGATCAGGAGGTGGGTCTCTCTTCCACCTGCTCACTCTGTTAGCCCCGGG 2881
Db 62 62
QY 2882 GTCCAAAGGTTCAAATAGGACTAGGACCTGTAGTCTGGGGTGTAGTCTGCAAG 2941
Db 62 62
QY 2942 CCCTGACCTCTCTCTGCAAGTTGGCGCCCGCTTCGGGACGTTTCAAGCTGCACT 3001
Db 63 63
QY 3002 CTGAGCCCGGTGTCTGTCTCAATGGGTGGCGCCGCTGGCGGAGGATGGTACCC 3061
Db 77 1yTpLysProMetValIleValAsnArgLeuLysAlaValGlnGluValLeuValTh 97
QY 3062 GCGGAGGACACGCGCAGCCCGCTGCGCCCATCTACAGTCTCTGGGCTTCGGGC 3121
Db 97 isGlyGluAspThrAlaAspArgProValProIlePheLysCysLeuGlyValLys 117
QY 3122 CGCGTTCCAAAGCAAGCGGGGTGGGGGACAGAGACCGGTTTCTCGGGCCCCGGGTG 3181
```


